



PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>7</sup> :</b> <b>C12P 19/34</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 00/55350</b> <b>(43) International Publication Date:</b> 21 September 2000 (21.09.00)
<b>(21) International Application Number:</b> PCT/US00/05882 <b>(22) International Filing Date:</b> 8 March 2000 (08.03.00) <b>(30) Priority Data:</b> 60/124,270 12 March 1999 (12.03.99) US <b>(71) Applicant (for all designated States except US):</b> HUMAN GENOME SCIENCES, INC. [US/US]; 9410 Key West Avenue, Rockville, MD 20850 (US). <b>(72) Inventors; and</b> <b>(75) Inventors/Applicants (for US only):</b> ROSEN, Craig, A. [US/US]; 22400 Rolling Hill Road, Laytonsville, MD 20882 (US). RUBEN, Steven, M. [US/US]; 18528 Heritage Hills Drive, Laytonsville, MD 20882 (US). <b>(74) Agents:</b> WALES, Michele, M. et al.; Human Genome Sciences, Inc., 9410 Key West Avenue, Rockville, MD 20850 (US).		<b>(81) Designated States:</b> AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
<b>(54) Title:</b> HUMAN CANCER ASSOCIATED GENE SEQUENCES AND POLYPEPTIDES  <b>(57) Abstract</b>  This invention relates to newly identified tissue specific cancer associated polynucleotides and the polypeptides encoded by these polynucleotides herein collectively known as "cancer antigens", and to the complete gene sequences associated therewith and to the expression products thereof, as well as the use of such tissue specific cancer antigens for detection, prevention and treatment of tissue specific disorders, particularly the presence of cancer. This invention relates to the cancer antigens as well as vectors, host cells, antibodies directed to cancer antigens and recombinant and synthetic methods for producing the same. Also provided are diagnostic methods for diagnosing and treating, preventing and/or prognosing tissue specific disorders, including cancer, and therapeutic methods for treating such disorders. The invention further relates to screening methods for identifying agonists and antagonists of cancer antigens of the invention. The present invention further relates to methods and/or compositions for inhibiting the production and/or function of the polypeptides of the present invention.		

Best Available Copy

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						



## **Human Cancer Associated Gene Sequences and Polypeptides**

### **5    *Field of the Invention***

This invention relates to newly identified tissue specific cancer associated polynucleotides and the polypeptides encoded by these polynucleotides herein collectively known as "cancer antigens," and to the complete gene sequences associated therewith and to the expression products thereof, as well as the use of such cancer antigens for detection,  
10   prevention and treatment of tissue specific diseases, particularly cancers. This invention relates to the cancer antigens as well as vectors, host cells, antibodies directed to cancer antigens and recombinant and synthetic methods for producing the same. Also provided are diagnostic methods for diagnosing and treating, preventing and/or prognosing disorders related to tissue specific diseases, including cancer, and therapeutic methods for treating such  
15   disorders. The invention further relates to screening methods for identifying agonists and antagonists of cancer antigens of the invention. The present invention further relates to methods and/or compositions for inhibiting the production and/or function of the polypeptides of the present invention.

### **20   *Background of the Invention***

Cell growth is a carefully regulated process which responds to specific needs of the body. Occasionally, the intricate, and highly regulated controls dictating the rules for cellular division break down. When this occurs, the cell begins to grow and divide independently of its homeostatic regulation resulting in a condition commonly referred to as  
25   cancer. In fact, cancer is the second leading cause of death among Americans aged 25-44.

Cancers or malignant tumors are characterized by continuous cell proliferation and cell death. Cancer cells have been shown to exhibit unique gene expression, and dozens of cancer-specific genetic markers, tumor antigens, have been identified. P35B, a tumor rejection antigen, was first identified in mouse. A point mutation in the P35B gene elicits a  
30   cytolytic T lymphocyte response but no detectable antibody response (Szikora, J. P. et al. (1990) EMBO J. 9:1041-1050). A human homolog of P35B, FX, is a homodimeric

NADP(H)-binding protein of 68 kDa. FX acts as a combined epimerase and NADPH-dependent reductase in converting GDP-4-keto-6-D-deoxymannose to GDP-L-fucose (Tonetti, M. et al. (1996) J. Biol. Chem. 271: 27274-27279). GDP-L-fucose is the substrate of several fucosyl-transferases involved in the biosynthesis of blood group ABH antigenic determinants. GDP-L-fucose is also utilized in synthesizing fucosylated glycoproteins and glycolipids which function in cell adhesion and recognition (Springer, T. A. and Lasky, L. A. (1991) Nature 329: 196-197; Brandley, B. K. et al. (1990) Cell 63: 861-863; and Feizi, T. and Childs, R. A. (1987) Biochem. J. 245: 1-11).

Thus, there is a need for the identification and characterization of novel tissue specific polynucleotides and polypeptides which modulate activation and differentiation of cells, both normally and in disease states. In particular, there is a need to isolate and characterize additional molecules that mediate apoptosis, DNA repair, tumor-mediated angiogenesis, genetic imprinting, immune responses to tumors and tumor antigens and, among other things, that can play a role in detecting, preventing, ameliorating or correcting dysfunctions or diseases.

### *Summary of the Invention*

The present invention includes isolated nucleic acid molecules comprising, or alternatively, consisting of, a cancer associated polynucleotide sequence disclosed in the sequence listing (as SEQ ID NOs:1 to 842) and/or contained in a human cDNA clone described in Tables 1, 2 and 5 and deposited with the American Type Culture Collection ("ATCC"). Fragments, variant, and derivatives of these nucleic acid molecules are also encompassed by the invention. The present invention also includes isolated nucleic acid molecules comprising, or alternatively consisting of, a polynucleotide encoding a cancer polypeptide. The present invention further includes cancer polypeptides encoded by these polynucleotides. Further provided for are amino acid sequences comprising, or alternatively consisting of, cancer polypeptides as disclosed in the sequence listing (as SEQ ID Nos: 843 to 1684) and/or encoded by a human cDNA clone described in Tables 1, 2 and 5 and deposited with the ATCC. Antibodies that bind these polypeptides are also encompassed by the invention. Polypeptide fragments, variants, and derivatives of these amino acid sequences are also encompassed by the invention, as are polynucleotides encoding these polypeptides and antibodies that bind these polypeptides. Also provided are diagnostic methods for diagnosing

and treating, preventing, and/or prognosing disorders related to cancer, and therapeutic methods for treating such disorders. The invention further relates to screening methods for identifying agonists and antagonists of cancer antigens of the invention.

## 5 *Detailed Description*

### Tables

Table 1 summarizes some of the cancer antigens encompassed by the invention (including contig sequences (SEQ ID NO:X) and the cDNA clone related to the contig  
10 sequence) and further summarizes certain characteristics of the cancer polynucleotides and the polypeptides encoded thereby. The first column shows the "SEQ ID NO:" for each of the 842 cancer antigen polynucleotide sequences of the invention. The second column provides a unique "Sequence/Contig ID" identification for each cancer associated sequence. The third column, "Gene Name," and the fourth column, "Overlap," provide a putative identification  
15 of the gene based on the sequence similarity of its translation product to an amino acid sequence found in a publicly accessible gene database and the database accession no. for the database sequence having similarity, respectively. The fifth and sixth columns provide the location (nucleotide position nos. within the contig), "Start" and "End", in the polynucleotide sequence "SEQ ID NO:X" that delineate the preferred ORF shown in the sequence listing as  
20 SEQ ID NO:Y. The seventh and eighth columns provide the "% Identity" (percent identity) and "% Similarity" (percent similarity), respectively, observed between the aligned sequence segments of the translation product of SEQ ID NO:X and the database sequence. The ninth column provides a unique "Clone ID" for a cDNA clone related to each contig sequence. The tenth column shows the tissue in which each SEQ ID NO:X is predominantly expressed.

25 Table 2 summarizes ATCC Deposits, Deposit dates, and ATCC designation numbers of deposits made with the ATCC in connection with the present application.

Table 3 indicates public ESTs, of which at least one, two, three, four, five, ten, fifteen or more of any one or more of these public EST sequences are optionally excluded from certain embodiments of the invention.

30 Table 4 lists residues comprising antigenic epitopes of antigenic epitope-bearing fragments present in most of the cancer associated polynucleotides described in Table 1 as predicted by the inventors using the algorithm of Jameson and Wolf, (1988) Comp. Appl.

Biosci. 4:181-186. The Jameson-Wolf antigenic analysis was performed using the computer program PROTEAN (Version 3.11 for the Power MacIntosh, DNASTAR, Inc., 1228 South Park Street Madison, WI). Cancer associated polypeptides (e.g., SEQ ID NO:Y, polypeptides encoded by SEQ ID NO:X, or polypeptides encoded by the cDNA in the referenced cDNA  
5 clone) may possess one or more antigenic epitopes comprising residues described in Table 4. It will be appreciated that depending on the analytical criteria used to predict antigenic determinants, the exact address of the determinant may vary slightly. The residues and locations shown in column two of Table 4 correspond to the amino acid sequences for most cancer associated polypeptide sequence shown in the Sequence Listing.

10 Table 5 shows the cDNA libraries sequenced, and ATCC designation numbers and vector information relating to these cDNA libraries.

#### **Definitions**

15 The following definitions are provided to facilitate understanding of certain terms used throughout this specification.

In the present invention, "isolated" refers to material removed from its original environment (e.g., the natural environment if it is naturally occurring), and thus is altered "by the hand of man" from its natural state. For example, an isolated polynucleotide could be part  
20 of a vector or a composition of matter, or could be contained within a cell, and still be "isolated" because that vector, composition of matter, or particular cell is not the original environment of the polynucleotide. The term "isolated" does not refer to genomic or cDNA libraries, whole cell total or mRNA preparations, genomic DNA preparations (including those separated by electrophoresis and transferred onto blots), sheared whole cell genomic  
25 DNA preparations or other compositions where the art demonstrates no distinguishing features of the polynucleotide/sequences of the present invention.

As used herein, a "polynucleotide" refers to a molecule having a nucleic acid sequence contained in SEQ ID NO:X (as described in column 1 of Table 1) or the related cDNA clone (as described in column 9 of Table 1 and contained within a library deposited  
30 with the ATCC). For example, the polynucleotide can contain the nucleotide sequence of the full length cDNA sequence, including the 5' and 3' untranslated sequences, the coding region, as well as fragments, epitopes, domains, and variants of the nucleic acid sequence.

Moreover, as used herein, a "polypeptide" refers to a molecule having an amino acid sequence encoded by a polynucleotide of the invention as broadly defined (obviously excluding poly-Phenylalanine or poly-Lysine peptide sequences which result from translation of a polyA tail of a sequence corresponding to a cDNA).

5 In the present invention, "SEQ ID NO:X" was often generated by overlapping sequences contained in multiple clones (contig analysis). A representative clone containing all or most of the sequence for SEQ ID NO:X is deposited at Human Genome Sciences, Inc. (HGS) in a catalogued and archived library. As shown in column 9 of Table 1, each clone is identified by a cDNA Clone ID. Each Clone ID is unique to an individual clone and the  
10 Clone ID is all the information needed to retrieve a given clone from the HGS library. In addition to the individual cDNA clone deposits, most of the cDNA libraries from which the clones were derived were deposited at the American Type Culture Collection (hereinafter "ATCC"). Table 5 provides a list of the deposited cDNA libraries. One can use the Clone ID to determine the library source by reference to Tables 2 and 5. Table 5 lists the deposited  
15 cDNA libraries by name and links each library to an ATCC Deposit. Library names contain four characters, for example, "HTWE." The name of a cDNA clone ("Clone ID") isolated from that library begins with the same four characters, for example "HTWEP07". As mentioned below, Table 1 correlates the Clone ID names with SEQ ID NOs. Thus, starting with a SEQ ID NO, one can use Tables 1, 2 and 5 to determine the corresponding Clone ID,  
20 from which library it came and in which ATCC deposit the library is contained. Furthermore, it is possible to retrieve a given cDNA clone from the source library by techniques known in the art and described elsewhere herein. The ATCC is located at 10801 University Boulevard, Manassas, Virginia 20110-2209, USA. The ATCC deposits were made pursuant to the terms of the Budapest Treaty on the international recognition of the deposit of microorganisms for  
25 the purposes of patent procedure.

A "polynucleotide" of the present invention also includes those polynucleotides capable of hybridizing, under stringent hybridization conditions, to sequences contained in SEQ ID NO:X, or the complement thereof (e.g., the complement of any one, two, three, four, or more of the polynucleotide fragments described herein), and/or sequences contained in the  
30 related cDNA clone within a library deposited with the ATCC. "Stringent hybridization conditions" refers to an overnight incubation at 42 degree C in a solution comprising 50% formamide, 5x SSC (750 mM NaCl, 75 mM trisodium citrate), 50 mM sodium phosphate (pH

7.6), 5x Denhardt's solution, 10% dextran sulfate, and 20 µg/ml denatured, sheared salmon sperm DNA, followed by washing the filters in 0.1x SSC at about 65 degree C.

Also included within "polynucleotides" of the present invention are nucleic acid molecules that hybridize to the polynucleotides of the present invention at lower stringency hybridization conditions. Changes in the stringency of hybridization and signal detection are primarily accomplished through the manipulation of formamide concentration (lower percentages of formamide result in lowered stringency); salt conditions, or temperature. For example, lower stringency conditions include an overnight incubation at 37 degree C in a solution comprising 6X SSPE (20X SSPE = 3M NaCl; 0.2M NaH<sub>2</sub>PO<sub>4</sub>; 0.02M EDTA, pH 7.4), 0.5% SDS, 30% formamide, 100 ug/ml salmon sperm blocking DNA; followed by washes at 50 degree C with 1XSSPE, 0.1% SDS. In addition, to achieve even lower stringency, washes performed following stringent hybridization can be done at higher salt concentrations (e.g. 5X SSC).

Note that variations in the above conditions may be accomplished through the inclusion and/or substitution of alternate blocking reagents used to suppress background in hybridization experiments. Typical blocking reagents include Denhardt's reagent, BLOTTO, heparin, denatured salmon sperm DNA, and commercially available proprietary formulations. The inclusion of specific blocking reagents may require modification of the hybridization conditions described above, due to problems with compatibility.

Of course, a polynucleotide which hybridizes only to polyA<sup>+</sup> sequences (such as any 3' terminal polyA<sup>+</sup> tract of a cDNA shown in the sequence listing), or to a complementary stretch of T (or U) residues, would not be included in the definition of "polynucleotide," since such a polynucleotide would hybridize to any nucleic acid molecule containing a poly (A) stretch or the complement thereof (e.g., practically any double-stranded cDNA clone generated using oligo dT as a primer).

The polynucleotides of the present invention can be composed of any polyribonucleotide or polydeoxribonucleotide, which may be unmodified RNA or DNA or modified RNA or DNA. For example, polynucleotides can be composed of single- and double-stranded DNA, DNA that is a mixture of single- and double-stranded regions, single- and double-stranded RNA, and RNA that is mixture of single- and double-stranded regions, hybrid molecules comprising DNA and RNA that may be single-stranded or, more typically, double-stranded or a mixture of single- and double-stranded regions. In addition, the

polynucleotide can be composed of triple-stranded regions comprising RNA or DNA or both RNA and DNA. A polynucleotide may also contain one or more modified bases or DNA or RNA backbones modified for stability or for other reasons. "Modified" bases include, for example, tritylated bases and unusual bases such as inosine. A variety of modifications can be made to DNA and RNA; thus, "polynucleotide" embraces chemically, enzymatically, or metabolically modified forms.

In specific embodiments, the polynucleotides of the invention are at least 15, at least 30, at least 50, at least 100, at least 125, at least 500, or at least 1000 continuous nucleotides but are less than or equal to 300 kb, 200 kb, 100 kb, 50 kb, 15 kb, 10 kb, 7.5kb, 5 kb, 2.5 kb, 2.0 kb, or 1 kb, in length. In a further embodiment, polynucleotides of the invention comprise a portion of the coding sequences, as disclosed herein, but do not comprise all or a portion of any intron. In another embodiment, the polynucleotides comprising coding sequences do not contain coding sequences of a genomic flanking gene (i.e., 5' or 3' to the gene of interest in the genome). In other embodiments, the polynucleotides of the invention do not contain the coding sequence of more than 1000, 500, 250, 100, 50, 25, 20, 15, 10, 5, 4, 3, 2, or 1 genomic flanking gene(s).

"SEQ ID NO:X" refers to a tissue specific cancer antigen polynucleotide sequence described in Table 1. SEQ ID NO:X is identified by an integer specified in column 1 of Table 1. The polypeptide sequence SEQ ID NO:Y is a translated open reading frame (ORF) encoded by polynucleotide SEQ ID NO:X. There are 842 cancer antigen polynucleotide sequences described in Table 1 and shown in the sequence listing (SEQ ID NO:1 through SEQ ID NO:842). Likewise there are 842 polypeptide sequences shown in the sequence listing, one polypeptide sequence for each of the polynucleotide sequences (SEQ ID NO:843 through SEQ ID NO:1684). The polynucleotide sequences are shown in the sequence listing immediately followed by all of the polypeptide sequences. Thus, a polypeptide sequence corresponding to polynucleotide sequence SEQ ID NO:1 is the first polypeptide sequence shown in the sequence listing. The second polypeptide sequence corresponds to the polynucleotide sequence shown as SEQ ID NO:2, and so on. In otherwords, since there are 842 polynucleotide sequences, for any polynucleotide sequence SEQ ID NO:X, a corresponding polypeptide SEQ ID NO:Y can be determined by the formula  $X + 842 = Y$ . In addition, any of the unique "Sequence/Contig ID" defined in column 2 of Table 1, can be linked to the corresponding polypeptide SEQ ID NO:Y by reference to Table 4.

The polypeptides of the present invention can be composed of amino acids joined to each other by peptide bonds or modified peptide bonds, i.e., peptide isosteres, and may contain amino acids other than the 20 gene-encoded amino acids. The polypeptides may be modified by either natural processes, such as posttranslational processing, or by chemical modification techniques which are well known in the art. Such modifications are well described in basic texts and in more detailed monographs, as well as in a voluminous research literature. Modifications can occur anywhere in a polypeptide, including the peptide backbone, the amino acid side-chains and the amino or carboxyl termini. It will be appreciated that the same type of modification may be present in the same or varying degrees at several sites in a given polypeptide. Also, a given polypeptide may contain many types of modifications. Polypeptides may be branched, for example, as a result of ubiquitination, and they may be cyclic, with or without branching. Cyclic, branched, and branched cyclic polypeptides may result from posttranslation natural processes or may be made by synthetic methods. Modifications include acetylation, acylation, ADP-ribosylation, amidation, covalent attachment of flavin, covalent attachment of a heme moiety, covalent attachment of a nucleotide or nucleotide derivative, covalent attachment of a lipid or lipid derivative, covalent attachment of phosphatidylinositol, cross-linking, cyclization, disulfide bond formation, demethylation, formation of covalent cross-links, formation of cysteine, formation of pyroglutamate, formylation, gamma-carboxylation, glycosylation, GPI anchor formation, hydroxylation, iodination, methylation, myristoylation, oxidation, pegylation, proteolytic processing, phosphorylation, prenylation, racemization, selenoylation, sulfation, transfer-RNA mediated addition of amino acids to proteins such as arginylation, and ubiquitination. (See, for instance, PROTEINS - STRUCTURE AND MOLECULAR PROPERTIES, 2nd Ed., T. E. Creighton, W. H. Freeman and Company, New York (1993); POSTTRANSLATIONAL COVALENT MODIFICATION OF PROTEINS, B. C. Johnson, Ed., Academic Press, New York, pgs. 1-12 (1983); Seifter et al., Meth Enzymol 182:626-646 (1990); Rattan et al., Ann NY Acad Sci 663:48-62 (1992).)

The cancer polypeptides of the invention can be prepared in any suitable manner. Such polypeptides include isolated naturally occurring polypeptides, recombinantly produced polypeptides, synthetically produced polypeptides, or polypeptides produced by a combination of these methods. Means for preparing such polypeptides are well understood in the art.



The polypeptides may be in the form of the secreted protein, including the mature form, or may be a part of a larger protein, such as a fusion protein (see below). It is often advantageous to include an additional amino acid sequence which contains secretory or leader sequences, pro-sequences, sequences which aid in purification, such as multiple  
5 histidine residues, or an additional sequence for stability during recombinant production.

The cancer polypeptides of the present invention are preferably provided in an isolated form, and preferably are substantially purified. A recombinantly produced version of a polypeptide, including the secreted polypeptide, can be substantially purified using techniques described herein or otherwise known in the art, such as, for example, by the one-  
10 step method described in Smith and Johnson, Gene 67:31-40 (1988). Polypeptides of the invention also can be purified from natural, synthetic or recombinant sources using techniques described herein or otherwise known in the art, such as, for example, antibodies of the invention raised against the polypeptides of the present invention in methods which are well known in the art.

15 By a polypeptide demonstrating a "functional activity" is meant, a polypeptide capable of displaying one or more known functional activities associated with a full-length (complete) protein of the invention. Such functional activities include, but are not limited to, biological activity, antigenicity [ability to bind (or compete with a polypeptide for binding) to an anti-polypeptide antibody], immunogenicity (ability to generate antibody which binds to  
20 a specific polypeptide of the invention), ability to form multimers with polypeptides of the invention, and ability to bind to a receptor or ligand for a polypeptide.

"A polypeptide having functional activity" refers to polypeptides exhibiting activity similar, but not necessarily identical to, an activity of a polypeptide of the present invention, including mature forms, as measured in a particular assay, such as, for example, a biological  
25 assay, with or without dose dependency. In the case where dose dependency does exist, it need not be identical to that of the polypeptide, but rather substantially similar to the dose-dependence in a given activity as compared to the polypeptide of the present invention (i.e., the candidate polypeptide will exhibit greater activity or not more than about 25-fold less and, preferably, not more than about tenfold less activity, and most preferably, not more than  
30 about three-fold less activity relative to the polypeptide of the present invention).

The functional activity of the cancer antigen polypeptides, and fragments, variants derivatives, and analogs thereof, can be assayed by various methods.

For example, in one embodiment where one is assaying for the ability to bind or compete with full-length polypeptide of the present invention for binding to an antibody to the full length polypeptide antibody, various immunoassays known in the art can be used, including but not limited to, competitive and non-competitive assay systems using techniques  
5 such as radioimmunoassays, ELISA (enzyme linked immunosorbent assay), "sandwich" immunoassays, immunoradiometric assays, gel diffusion precipitation reactions, immunodiffusion assays, in situ immunoassays (using colloidal gold, enzyme or radioisotope labels, for example), western blots, precipitation reactions, agglutination assays (e.g., gel agglutination assays, hemagglutination assays), complement fixation assays,  
10 immunofluorescence assays, protein A assays, and immunoelectrophoresis assays, etc. In one embodiment, antibody binding is detected by detecting a label on the primary antibody. In another embodiment, the primary antibody is detected by detecting binding of a secondary antibody or reagent to the primary antibody. In a further embodiment, the secondary antibody is labeled. Many means are known in the art for detecting binding in an  
15 immunoassay and are within the scope of the present invention.

In another embodiment, where a ligand is identified, or the ability of a polypeptide fragment, variant or derivative of the invention to multimerize is being evaluated, binding can be assayed, e.g., by means well-known in the art, such as, for example, reducing and non-reducing gel chromatography, protein affinity chromatography, and affinity blotting. See  
20 generally, Phizicky, E., et al., Microbiol. Rev. 59:94-123 (1995). In another embodiment, physiological correlates polypeptide of the present invention binding to its substrates (signal transduction) can be assayed.

In addition, assays described herein (see Examples) and otherwise known in the art may routinely be applied to measure the ability of polypeptides of the present invention and  
25 fragments, variants derivatives and analogs thereof to elicit polypeptide related biological activity (either in vitro or in vivo). Other methods will be known to the skilled artisan and are within the scope of the invention.

### 30 Cancer Associated Polynucleotides and Polypeptides of the Invention

It has been discovered herein that the polynucleotides described in Table 1 are expressed at significantly enhanced levels in human cancer tissues as shown in column 10 of

Table 1. Accordingly, such polynucleotides, polypeptides encoded by such polynucleotides, and antibodies specific for such polypeptides find use in the prediction, diagnosis, prevention and treatment of tissue specific disorders, including cancer as more fully described below.

5 Table 1 summarizes some of the polynucleotides encompassed by the invention (including contig sequences (SEQ ID NO:X) and the related cDNA clones) and further summarizes certain characteristics of these tissue specific cancer associated polynucleotides and the polypeptides encoded thereby.

Table 1

Seq ID Contig ID No.	Sequence/	Gene Name	Overlap	HGS Nucleotide Start End	% Identity	% Similarity	Clone ID	Tissue(s)
1	507291	uvomorulin [Homo sapiens] >sp Q15855 Q15855 UVMORULIN PRECURSOR (E-CADHERIN) (ARC-1/UVMORULIN). >gi 930046 uvomorulin (140 AA) [Homo sapiens] [SUB 168-307]; Length = 878	gi 340185	2 475	100	100	HCHAU23	Pancreas, Breast/Ovarian
2	508000	HLA-B-associated transcript 2 (BAT2) [Homo sapiens] >gi 179345 HLA-B-associated transcript 2 (BAT2) [Homo sapiens] >pir B35098 B35098 MHC class III histocompatibility antigen HLA-B- associated transcript 2 - human >sp P48634 BAT2_HUMAN LARGE PROLINE- RICH P	gi 179339	100 1902	86	87	HWAAK56	Lung, Breast/Ovarian
3	518325			110 310			HHFCP36	Lung, Pancreas, Colon, Breast/Ovarian
4	523111	Sm D2 [Homo sapiens] >pir I38861 I38861 small nuclear ribonucleoprotein chain D2 - human Length = 118	gi 600748	233 670	88	88	HATAE67	Lung, Breast/Ovarian
5	526869	(AC002291) Similar ATP-dependent RNA Helicase [Arabidopsis thaliana] >sp O49289 O49289 SIMILAR ATP-DEPENDENT RNA HELICASE. Length = 845	gi 2829912	1 552	67	77	HT4FP57	Pancreas, Breast/Ovarian
6	532211	retinoic acid-binding protein [Bos taurus] Length = 138	gi 162906	2 481	95	98	HHGCV63	Lung, Breast/Ovarian

7	532247			160	384		HIEBCC47	Pancreas, Breast/Ovarian Lung, Breast/Ovarian
8	537932	alcohol dehydrogenase [Homo sapiens] >gil178134 alcohol dehydrogenase 3 [Homo sapiens] >pirJH0789 DEHUC2 alcohol dehydrogenase (EC 1.1.1.1) 5 - human >sp P11766 ADHX_HUMAN ALCOHOL DEHYDROGENASE CLASS III CHI CHAIN (EC 1.1.1.1) (GLUTATHIONE- DEPENDENT FOR	gil178130	1	1149	92	HUSIB86	
9	540117			174	635		HRGBU25	Lung, Breast/Ovarian
10	547710	transketolase [Homo sapiens] Length = 623	gil1297297	2	1189	92	HMUAZ27	Lung, Pancreas
11	551747	rtvp-1 [Homo sapiens] >pir C5308 C5308 testis- specific, vespid, and pathogenesis-related protein 1 - human >sp P48060 GLIP_HUMAN GLIOMA PATHOGENESIS-RELATED PROTEIN (RTVP-1 PROTEIN). Length = 266	gil1030053	26	931	91	HTDAE10	Lung, Pancreas
12	552799	delta- aminolevulinate synthase (housekeeping) [Homo sapiens] >pir S13682 SYHUAL 5- aminolevulinate synthase (EC 2.3.1.37) 1 precursor - human >sp P13196 HEM1_HUMAN 5- AMINOLEVULINIC ACID SYNTHASE MITOCHONDRIAL PRECURSOR, NONSPECIFIC (EC 2.3.1.37) (DELTA-AM	gil28583	104	814	100	HHECX90	Lung, Pancreas, Breast/Ovarian

13	553243	RING7 [Homo sapiens] >gi 557702 HLA-DMB [Homo sapiens] >gi 512472 HLA-DMB [Homo sapiens] >gi 1054742 DMB [Homo sapiens] >pir 37533 37533 MHC class II histocompatibility antigen HLA-DM beta chain precursor - human Length = 263	gi 313002	202	1017	93	93	HUKDJ44	Lung, Pancreas
14	553368	(AF053944) aortic carboxypeptidase-like protein ACPLP [Homo sapiens] >sp G32889 6 G32889 6 AORTIC CARBOXYPEPTIDASE-LIKE PROTEIN ACPLP. >gnl PID d1013781 AEBPI [Homo sapiens] {SUB 314-1158; Length = 1158	gi 3288916	1	459	96	96	HADGE84	Lung, Pancreas
15	554349	immunoglobulin heavy chain [Homo sapiens] Length = 152	gi 567128	3	776			HUSGK19	Lung, Pancreas
16	558491			1	429	98	100	HUFCN61	Lung, Pancreas, Colon
17	558983	dJ68Q2.2 [Homo sapiens] >sp P35579 MYSN_HUMAN MYOSIN HEAVY CHAIN, NONMUSCLE TYPE A (CELLULAR MYOSIN HEAVY CHAIN, TYPE A) (NMMHC-A). >gi 553596 cellular myosin heavy chain [Homo sapiens] {SUB 1-1337; Length = 1960	gnl PID c1294465	219	623	100	100	HC0HBM82	Pancreas, Breast/Ovarian
18	572943			367	522			HBAMC47	Pancreas, Breast/Ovarian
19	585892	epithelial tumor antigen precursor, membrane-bound form - human Length = 515	pir S10572 S10572	3	965	89	89	HUKAL69	Lung, Pancreas, Colon, Breast/Ovarian

20	589390	<p>           C1 inhibitor [Homo sapiens] &gt;gi29535 C1 inhibitor [Homo sapiens] &gt;pirS15386 THUC1 complement C1 inhibitor precursor - human            &gt;spP05155 C1_HUMAN PLASMA PROTEASE C1 INHIBITOR PRECURSOR (C1 INH)            &gt;gnl PID c3783 C1 inhibitor (AA 155-478) (1 is 2nd base)         </p>	gnl PID c222400	3	983	96	96	HSRA1310	Lung, Pancreas
21	596882			800	1057			IIMCEP91	Lung, Pancreas, Colon
22	616289	<p>           nucleoporin p58 [Rattus norvegicus]            &gt;spP70581 P70581 NUCLEOPORIN P58. Length = 385         </p>	gij1337068	1	390	67	70	HAIJCB44	Lung, Pancreas
23	622140	<p>           selenophosphate synthetase 2 [Homo sapiens]            &gt;spQ99611 Q99611 SELENOPHOSPHATE SYNTHETASE 2. Length = 448         </p>	gij1815622	92	325	97	97	HEONC67	Pancreas, Breast/Ovarian
24	623566	<p>           karyopherin alph 3 [Homo sapiens]            &gt;spO00505 IMA3_HUMAN IMPORTIN ALPHA-3 SUBUNIT (KARYOPHERIN ALPHA-3 SUBUNIT). Length = 521         </p>	gnl PID d1021210	66	1652	99	99	HDJPP20	Lung, Breast/Ovarian
25	647714			1	711			IISSE1129	Pancreas, Breast/Ovarian
26	647752	<p>           ubiquitin conjugating-protein [Oryctolagus cuniculus] &gt;gij184046 HHR6B (Human homologue of yeast RAD 6); putative [Homo sapiens]            &gt;gij30934 E2 protein [Homo sapiens] &gt;gij207555 ubiquitin conjugating-protein [Rattus norvegicus]            &gt;gnl PID c233515 HR6B gene pr         </p>	gij165780	3	590	100	100	HDTDH46	Lung, Colon

27	651774	P58 [Homo sapiens] >pir[S68363]S68363 protein disulfide-isomerase (EC 5.3.4.1) ER60 precursor - human >spP30101 ER60_HUMAN PROBABLE PROTEIN DISULFIDE ISOMERASE ER-60 PRECURSOR (EC 5.3.4.1) (ERP60) (58 K D MICROSOMAL PROTEIN) (P58) (GRP58) (ERP57). Length	gij1147739	1	1632	96	96	HDPAAL5	Lung, Pancreas, Breast/Ovarian
28	651995	collagen [Mus musculus] >pir[S23779]S23779 collagen alpha 1(VIII) chain - mouse >sp Q00780 CA18_MOUSE COLLAGEN ALPHA 1(VIII) CHAIN PRECURSOR. >bbs I34935_alpha I-VIII collagen [rats, mesangial cell, Peptide Partial, 172 aa] [Rattus sp.] (SUB 399-570) Leng	gnl P1D c245912	3	335	90	95	HBTAD44	Lung, Pancreas
29	652156	phospholipid hydroperoxide glutathione peroxidase [Homo sapiens] >sp O43381 O43381 GSHH_HUMAN (EC 1.11.1.9) (GLUTATHIONE PEROXIDASE). >gij3399677 (AC005390) GSSH_HUMAN, partial CDS [Homo sapiens] (SUB 149-197) Length = 197	gij825667	262	633	94	94	HOEBA80	Lung, Breast/Ovarian
30	652010	von Willebrand factor [Homo sapiens]		79	183			HSRAA58	Lung, Pancreas
31	655904	>pir A34480 VWHU von Willebrand factor precursor - human >gij553810 von Willebrand factor [Homo sapiens] (SUB 990-1947) >gnl P1D c222518 von Willebrand factor [Homo sapiens] (SUB 1-178) >gij340316 von Willebrand antige	gij340356	632	1891	96	96	HSEBB94	Lung, Breast/Ovarian
32	657852			70	522			HCHAL14	Colon, Breast/Ovarian
33	666414			1	285			HIOFC18	Lung, Pancreas



34	667847	ribosomal protein S9 [Rattus norvegicus] >pir JN0587 S21497 ribosomal protein S9 - rat Length = 194	gi 57143	1	714	98	98	HCF LJ62	Lung, Pancreas, Breast/Ovarian
35	670188	G protein gamma-10 subunit [Homo sapiens] >pir J39158 J39158 GTP-binding regulatory protein gamma-10 chain - human >sp P50151 GBGA_HUMAN GUANINE NUCLEOTIDE-BINDING PROTEIN G(I)/G(S)/G(O) GAMMA-10 SUBUNIT. Length = 68	gi 995919	2	238	100	100	11WADR30	Lung, Pancreas
36	670279	ribosomal protein S24 [Homo sapiens] >gi 517222 ribosomal protein S24 [Homo sapiens] >gi 49652 ribosomal protein S19 (AA 1 - 133) [Mesocricetus auratus] >gi 57858 ribosomal protein S24 [Rattus norvegicus] >gi 57722 ribosomal protein S24 (AA 1-133) [Rattus	gi 337506	96	503	87	87	HSA YG46	Lung, Pancreas, Breast/Ovarian
37	670729	acidic ribosomal phosphoprotein (P1) [Homo sapiens] >pir B27125 R6HUP1 acidic ribosomal protein P1 - human Length = 114	gi 190234	74	496	100	100	H2CBM17	Lung, Pancreas, Colon, Breast/Ovarian
38	674123								
39	676496	collagen type VI, alpha 3 chain [Homo sapiens] >sp E1292418 E1292418 COLLAGEN TYPE VI, ALPHA 3 CHAIN. Length = 3176	gnl PIDe1292418	40 250	438 1029	98	98	IIYACJ55 HSLIC82	Lung, Pancreas Lung, Pancreas
40	678162	TAXREB107 [Homo sapiens] >pir I51803 I51803 TAXREB107 - human Length = 288	gnl PIDid1005017	528	974	100	100	HBJJA02	Lung, Pancreas, Breast/Ovarian

41	678248	dolichol-phosphate-mannose synthase [Homo sapiens] >sp O60762 O60762 DOLICHOL-PHOSPHATE-MANNOSE SYNTHASE. >gnl PID d1026578 dolichol-phosphate-mannose synthase [Homo sapiens] {SUB 1-120; Length = 260	gnl PID d1026577	3	770	100	100	HMTAK71	Lung, Pancreas
42	683668	alpha 1 (I) chain propeptide [Homo sapiens] >gi 180380 alpha-1 type I collagen [Homo sapiens] {SUB 64-201; Length = 1040	gi 180392	566	1912	94	94	HWHGV07	Lung, Pancreas, Breast/Ovarian
43	693172	Q1Z 7F5 [Homo sapiens] >gi 189266 may code for Wilms' tumor-related protein [Homo sapiens] >gi 190814 Wilms' tumor-related protein [Homo sapiens] >gi 1203971 QM gene product [Homo sapiens] >bbs 135740 QM [human, nontumorigenic Wilms' microcell hybrid c	gi 184407	23	214	97	100	HNHIW05	Lung, Pancreas, Breast/Ovarian
44	694303			2824	3219			HOGAV47	Lung, Breast/Ovarian
45	695042	Description: KRAB zinc finger protein; this is a splicing variant that contains a stop codon and frame shift between the KRAB box and the zinc finger region; Method: conceptual translation supplied by author [Homo sapiens] >sp Q13359 Q13359 KRAB ZINC FING	gi 1049295	471	680	74	91	HSBX26	Pancreas, Breast/Ovarian
46	699799	lipocortin (AA 1-346) [Homo sapiens] >pir A03080 LUHU annexin I - human >sp P04083 ANX1_HUMAN ANNEXIN I (LIPOCORTIN I) (CALPACTIN II) (CHROMOBINDIN 9) (P35) (PHOSPHOLIPASE A2 INHIBITORY PROTEIN). {SUB 2-346; Length = 346	gi 34388	3	1121	100	100	HNDAAS1	Lung, Breast/Ovarian

47	702216	dihydrodiol dehydrogenase [Homo sapiens] >gi487135 hepatic dihydrodiol dehydrogenase [Homo sapiens] >gi181549 dihydrodiol dehydrogenase [Homo sapiens] >pirA53436/A53436.3-alpha- hydroxysteroid/dihydrodiol dehydrogenase (EC 1.1.1.-) - human >sp Q04828 DB	gil452484	41	1048	95	95	HNALC11	Lung, Pancreas
48	703015	latent transforming growth factor-beta-binding protein - human Length = 1820	pirA55494/A55494	3	587	100	100	HGCOX28	Lung, Pancreas
49	706391	vacuolar H+ ATPase proton channel subunit [Homo sapiens] >pirA39367/A39367 H+-transporting ATPase (EC 3.6.1.35) chain PKD1 - human Length = 135	gil189676	29	622	85	85	HMA6L73	Lung, Breast/Ovarian
50	706892	copper transport protein HAH1 [Homo sapiens] >sp O00244 O00244 COPPER TRANSPORT PROTEIN HAH1. Length = 68	gil1945365	3	287	82	82	HUFD83	Lung, Breast/Ovarian
51	706924			2847	3215			HRAEB20	Lung, Breast/Ovarian
52	707642	ribosomal protein L8 [Homo sapiens] >gi57704 ribosomal protein L8 [Rattus rattus] >gi1527178 ribosomal protein L8 [Mus musculus] >pir U0177 R5RTL8 ribosomal protein L8, cytosolic - rat >pir JN0923 JN0923 ribosomal protein L8, cytosolic - human >gi3851	gil433899	1	516	94	94	HISKDJ44	Lung, Pancreas, Colon, Breast/Ovarian
53	710369			99	611			HSPA181	Lung, Pancreas, Breast/Ovarian
54	718826			581	877			HSIFK68	Lung, Breast/Ovarian

55	719790	lipocortin II [Homo sapiens] >pir A23942 LUHU36 annexin II - human >sp P07355 ANX2_HUMAN ANNEXIN II (LIPOCORTIN II) (CALPACTIN I HEAVY CHAIN) (CHROMOBINDIN 8) (P36) (PROTEIN I) (PLACENTAL ANTICOAGULANT PROTEIN IV) (PAP-IV). (SUB 2-339) >sp G545587 G545587	gnl PID d I000439	3	869	98	98	HKABK62	Lung, Pancreas
56	720222	homology with 16.7 KD putative viral protein YUB1_NPVAC [Caenorhabditis elegans] Length = 250	gnl PID c I346018	34	729	45	60	IISKI:P04	Lung, Pancreas, Breast/Ovarian
57	724033			1	654			HPJBV92	Lung, Pancreas, Breast/Ovarian
58	724767	epsilon isoform of 61kDa regulatory subunit of PP2A [Homo sapiens] >gil 478070 protein phosphatase B56-epsilon [Homo sapiens] >sp Q16537 Q16537_EPSILON_ISOFORM_OF 61KDA_REGULATORY_SUBUNIT_OF_PP2A. >gil 022892 protein phosphatase PP2A0 B' subunit delta is	gnl PID c 220196	71	526	100	100	HKABI59	Lung, Breast/Ovarian
59	727065	ATPase [Homo sapiens] Length = 617	gil 291868	228	1010	99	99	HELGY15	Lung, Pancreas
60	727246	(AB009282) cytochrome b5 [Homo sapiens] >sp O43169 O43169_CYTOCHROME_B5 (FRAGMENT). Length = 146	gnl PID d I024640	3	509	96	98	HCFMH52	Lung, Colon
61	727932			41	199			HLJDO33	Lung, Breast/Ovarian
62	731167	Sec23 protein [Homo sapiens] Length = 765	gnl PID c 236013	1	987	99	99	HDTEM51	Lung, Pancreas

63	732514	lysophosphatidic acid acyltransferase-alpha [Homo sapiens] >gi 2253613 putative lysophospholipid acyltransferase [Homo sapiens] >gnl PIDie286645 1-acylglycerol-3-phosphate O-acyltransferase [Homo sapiens] >sp Q99943 PLCA_HUMAN 1-ACYL-SN-GLYCEROL-3-PHOSPHA	gi 2155238	3	794	99	99	HILDBX26	Pancreas, Prostate
64	734080			1	567			HFIBK44	Lung, Breast/Ovarian
65	734288	cysteinyl-tRNA synthetase [Homo sapiens] Length = 595	gi 927229	154	2067	99	99	HKABU01	Lung, Pancreas
66	739448	Nascent polypeptide associated complex alpha subunit [Homo sapiens] >gi 4092060 (AF054187) alpha NAC [Homo sapiens] >pir S49326 S49326 Nascent polypeptide associated complex alpha chain - human >sp Q13765 Q13765 NASCENT POLYPEPTIDE ASSOCIATED COMPLEX ALPH	gi 556642	441	1184	82	82	HKGAT31	Lung, Breast/Ovarian
67	739668			2	484			HAPTL07	Lung, Pancreas
68	740060	Dif133 gene product [Homo sapiens] >sp Q13530 Q13530 PLACENTAL PROTEIN DIF133. Length = 494	gi 1293563	76	1536	94	94	HMEGB82	Lung, Pancreas
69	741560			3	296			HCGM112	Lung, Colon
70	742543	human gamma-glutamyl hydrolase [Homo sapiens] >sp Q92820 Q92820 HUMAN GAMMA-GLUTAMYL HYDROLASE (EC 3.4.22.12). Length = 318	gi 2951931	187	804	99	100	HE2BG62	Lung, Colon, Breast/Ovarian
71	742831			25	297			HICDAL47	Pancreas, Colon

72	745327	channel-like integral membrane protein [Homo sapiens] >gi 1314304 channel-like integral membrane protein [Homo sapiens] >pir A41616 A41616 erythrocyte integral membrane protein 28K - human >sp P29972 AQP1_HUMAN AQP1/PIRIN-CH1P (WATER CHANNEL PROTEIN FOR RE	gi 180501	1	534	98	98	HWHPM73	Lung, Pancreas
73	745695	Mac-2 binding protein [Homo sapiens] >gi 483474 90K gene product [Homo sapiens] >pir A47161 A47161 Mac-2-binding glycoprotein precursor - human >sp Q08380 Q08380 MAC-2 BINDING PROTEIN PRECURSOR. Length = 585	gi 307153	886	2016	98	98	HOHBN02	Lung, Pancreas
74	750316	(AF029890) hepatitis B virus X interacting protein [Homo sapiens] >sp O43504 O43504 HEPATITIS B VIRUS X INTERACTING PROTEIN. Length = 91	gi 2745883	99	398	100	100	HKMLD65	Lung, Pancreas, Breast/Ovarian
75	750522			172	906			HUKFI58	Lung, Pancreas, Colon, Breast/Ovarian
76	750583			58	189			HBHJB66	Lung, Breast/Ovarian
77	751020			1	480			HEBAE80	Lung, Breast/Ovarian
78	752196			1	120			HL1AL67	Pancreas, Prostate
79	753084	UGTrel1 [Homo sapiens] >pir JC3024 JC3024 UDP-galactose transporter related isozyme 1 - human >sp P78383 P78383 UGTREL1. Length = 322	gi 1669560	53	1168	87	87	HDPKG74	Lung, Pancreas
80	754957	The ha1237 gene product is related to S.pombe md21 gene product. [Homo sapiens] Length = 631	gn PID d1008135	242	1330	94	94	HWBG801	Lung, Pancreas

81	756557	myosin I heavy chain [Rattus norvegicus] >pir A45439 A45439 myosin I heavy chain - rat >sp Q05096 Q05096 MYOSIN HEAVY CHAIN I. Length = 1136	gij56733	1	888	94	94	HE8AF67	Lung, Pancreas, Colon, Breast/Ovarian
82	756712	5-lipoxygenase activating protein [Homo sapiens] >pir A39824 A39824 5-lipoxygenase-activating protein - human >sp P20292 P1AP_HUMAN 5- LIPOXYGENASE ACTIVATING PROTEIN (FLAP) (MK-886-BINDING PROTEIN). Length = 161	gij182658	1457	1729	99	100	IISYBW76 HCABA08	Lung, Pancreas Lung, Colon
83	757414			1	477				
84	757614	tetratricopeptide repeat protein [Homo sapiens] >sp Q9614 Q9614 TETRA TRICPEPTIDE REPEAT PROTEIN. Length = 292	gij1688074	83	991	100	100	HMEJS13	Lung, Pancreas, Breast/Ovarian
85	757815	(AF038604) contains similarity to Drosophila ovarian tumor locus protein (GB:X13693) [Caenorhabditis elegans] >sp Q044438 Q044438 B0546.2 PROTEIN. Length = 346	gij2702370	2	988	58	81	HCHOL74	Lung, Breast/Ovarian
86	759878	nuclear pore complex protein NUP107 [Rattus norvegicus] >pir A54142 A54142 nucleoporin NUP107 - rat >sp P52590 N107 RAT NUCLEAR PORE COMPLEX PROTEIN NUP107 (NUCLEOPORIN NUP107) (107 KD NUCLEOPORIN) (P105). Length = 926	gij510717	526	1833	86	88	HINTAP78	Lung, Breast/Ovarian
87	760227	(AC003040) putative nicotinate phosphoribosyltransferase [Arabidopsis thaliana] >sp O80459 O80459 PUTATIVE NICOTINATE PHOSPHORIBOSYLTRANSFERASE. Length = 574	gij3242705	2	484	52	71	HCHMM71	Pancreas, Breast/Ovarian

88	760312	chondroitin sulfate proteoglycan versican V0 splice-variant precursor peptide [Homo sapiens] >sp P3611PGCV HUMAN VERSICAN CORE PROTEIN PRECURSOR (LARGE FIBROBLAST PROTEOGLYCAN) (CHONDROITIN SULFATE PROTEOGLYCAN CORE PROTEIN 2) (GLIAL HYALURONATE-BINDIN	g 608515	993	3215	99	99	11MVDD07	Lung, Pancreas
89	766051			1	627			HMAFA79	Lung, Breast/Ovarian
90	767593			327	497			HCECT76	Pancreas, Colon
91	768053	(AF039688) antigen NY-CO-3 [Homo sapiens] >sp O60525 O60525 ANTIGEN NY-CO-3 (FRAGMENT). Length = 192	g 3170176	251	625	99	99	ITTP1E171	Pancreas, Breast/Ovarian
92	768055	ATP synthase gamma-subunit [Homo sapiens] >gn P D 1004512 ATP synthase gamma-subunit [Homo sapiens] >pir A49108 A49108 H+-transporting ATP synthase (EC 3.6.1.34) gamma chain - human >sp P36342 ATPG_HUMAN ATP SYNTHASE GAMMA CHAIN, MITOCHONDRIAL PRECURSOR	gn P D 1004511	32	949	100	100	HAAQ70	Lung, Pancreas
93	769685	src-like tyrosine kinase (put.); putative [Homo sapiens] Length = 537	g 338228	1005	1409	100	100	HRADN48	Lung, Pancreas, Colon, Breast/Ovarian
94	771920	F36D4.2 gene product [Caenorhabditis elegans] >sp Q20100 Q20100 COSMID F36D4. Length = 224	g 1245686	711	1562	58	77	HAIDT44	Lung, Pancreas
95	772790	cell division inhibitor [Synecocystis sp.] >pir S77404 S77404 cell division inhibitor - Synecocystis sp. (PCC 6803) >sp P73467 P73467 CELL DIVISION INHIBITOR. Length = 339	gn P D 1018240	145	1158	35	54	HCEOT95	Lung, Breast/Ovarian



96	772916	similar to human ZFY protein. [Homo sapiens] >sp Q92610 Q92610 MYELOBLAST KIAA0211. Length = 1267	gnl PID d 101389	3	965	99	99	HCT1126	Lung, Pancreas
97	773225			52	504			HCLH78	Lung, Pancreas
98	773632	Irs [Homo sapiens] >gil2731383 HGIF receptor substrate Hrs [Homo sapiens] >sp O14964 O14964 HRS, COMPLETE CDS. Length = 777	gnl PID d 1024245	1	309	98	98	HCEVQ60	Pancreas, Prostate, Breast/Ovarian
99	774364	(AF080361) SYT interacting protein SIP [Homo sapiens] >sp O75932 O75932 SYT INTERACTING PROTEIN SIP. Length = 669	gil3746787	1	408	100	100	HCHAR77	Pancreas, Breast/Ovarian
100	775355			1399	1781			HDTBY31	Lung, Pancreas
101	775844	rft transforming protein [Homo sapiens] >pirA28101 TVHURF ret finger protein - human >gnl PID c308255 RFP [Homo sapiens] {SUB 250- 513} Length = 513	gil337372	138	1877	92	92	HISCU10	Lung, Pancreas
102	777760	(AF015040) NUMB protein [Homo sapiens] >sp G4102705 G4102705 NUMB PROTEIN. >gil4050088 (AF109907) S171 [Homo sapiens] {SUB 79-603} >gil887362 ORF1, putative [Homo sapiens] {SUB 469-603} Length = 603	gil4102705	62	1372	88	88	HMSHK67	Pancreas, Breast/Ovarian
103	779837	tazarotene-induced gene 2 [Homo sapiens] >sp Q99699 Q99699 TAZAROTENE-INDUCED GENE 2. Length = 163	gil1848264	88	567	97	98	HSWBV38	Lung, Pancreas
104	780769	(AF084259) bromodomain-containing protein BP75 [Mus musculus] >sp O88665 O88665 BROMODOMAIN-CONTAINING PROTEIN BP75. Length = 651	gil3493162	100	762	35	58	HUJBS08	Lung, Pancreas
105	781445			496	1443			HMVAP52	Pancreas, Breast/Ovarian

106	781531	lumican [Homo sapiens] Length = 338	gij1699577	1	486	100	100	HCHAF71	Pancreas, Breast/Ovarian
107	783018	ovary2 [Drosophila melanogaster] >spQ27924 Q27924 OVARY2. >gij1208729 ovary2 [Drosophila melanogaster] (SUB 386-545); Length = 545	gij1208732	120	674	58	76	HTPCZ45	Pancreas, Breast/Ovarian
108	783097	myogenic repressor 1-mf [Homo sapiens] >spQ99750 Q99750 MYOGENIC REPRESSOR 1- MF. Length = 246	gij1763615	413	919	85	85	HMWGR19	Lung, Colon
109	784198	(AJ005893) JM26 [Homo sapiens] >spO60828 O60828 JM26 PROTEIN, COMPLETE CDS (CLONE LLOXNC01U138D3 (BAYLOR COLLEGE)). Length = 265	gnl P1Dle1289747	80	943	81	81	HNTN185	Lung, Pancreas, Breast/Ovarian
110	784868	WW-domain binding protein 1 [Mus musculus] >spP9764 P9764 WW-DOMAIN BINDING PROTEIN 1. Length = 305	gij1777577	1	969	77	85	HNTNQ08	Lung, Pancreas, Breast/Ovarian
111	785428	translation initiation factor 5 [Homo sapiens] >spP55010 P5_HUMAN EUKARYOTIC TRANSLATION INITIATION FACTOR 5 (EIF- 5). Length = 431	gij1229140	308	1606	87	87	IIPMCT114	Lung, Pancreas, Breast/Ovarian
112	785845			67	1350			HCGBE06	Lung, Colon, Breast/Ovarian
113	785854			3	509			HUSXJ65	Lung, Pancreas
114	786705			64	180			HBJJB89	Lung, Pancreas, Breast/Ovarian
115	787186			319	975			HUKBB89	Lung, Pancreas
116	787279	proteasome subunit z [Homo sapiens] >spQ99436 Q99436 PROTEASOME SUBUNIT Z. Length = 277	gnl P1D d1007816	80	856	94	94	HKAJZ91	Lung, Breast/Ovarian
117	789002			178	402			HATBM56	Lung, Pancreas, Breast/Ovarian

118	789008	1.8 kb mRNA (AA 1-84) [Homo sapiens] >pir S03384 S03384 hypothetical protein (IGF-II 3' region) - human >sp P09565 IG2R_HUMAN PUTATIVE INSULIN-LIKE GROWTH FACTOR II ASSOCIATED PROTEIN. Length = 84.	gi 33000	1354	1737	100	100	66	HTTCB23	Pancreas, Breast/Ovarian	Lung, Pancreas
119	789555	(AL035247) hypothetical up-asp repeat protein [Schizosaccharomyces pombe] Length = 760	gnl PID e1371207	124	1815	42					
120	789631			192	320				III.ICN93	Lung, Pancreas, Colon	
121	789779			1	396				HCHMS40	Colon, Breast/Ovarian	
122	790387			3	527				HLMNA32	Colon, Breast/Ovarian	
123	790461	(AF008445) phospholipid scramblase [Homo sapiens] >gnl PID d103332 (AB006746) hMmTRA1b [Homo sapiens] >gi 4092081 (AF098642) phospholipid scramblase; plasma membrane phospholipid scramblase [Homo sapiens] >sp O15162 O15162 PHOSPHOLIPID SCRAMBLASE. >sp G4	gi 2282601	105	1193	99	99		HTGAV10	Lung, Pancreas, Breast/Ovarian	
124	790931			2	394				HBCAO30	Pancreas, Breast/Ovarian	
125	791176	(AB002107) hPer [Homo sapiens] >gi 2435507 (AF022991) Rigui [Homo sapiens] >sp O15534 O15534 RIGUI. Length = 1290	dbj AB002107_1	3	1034	90	90		IINFCJ67	Lung, Pancreas	
126	791983			637	837				HIBJLE45	Lung, Pancreas, Colon, Breast/Ovarian	

127	792539	(AF020833) eukaryotic translation initiation factor 3 subunit [Homo sapiens] >sp O14801 O14801 EUKARYOTIC TRANSLATION INITIATION FACTOR 3 SUBUNIT. Length = 320	gi2460200	94	1068	94	94	HDPPX89	Lung, Pancreas, Breast/Ovarian
128	792749	protein arginine N-methyltransferase [Rattus norvegicus] >sp Q63009 ANM1_RAT PROTEIN ARGININE N-METHYLTRANSFERASE 1 (EC 2.1.1.-). Length = 353	gi1390025	34	1104	95	96	HDQEP64	Lung, Breast/Ovarian
129	792961	(AF036249) polymerase I-transcript release factor; PTRF [Mus musculus] >sp Q54724 O54724 POLYMERASE I AND TRANSCRIPT RELEASE FACTOR (POLYMERASE I-TRANSCRIPT RELEASE FACTOR). Length = 392.	gi2674195	778	1305	85	86	HMEKG25	Lung, Breast/Ovarian
130	793206	dj1409.2 (Melanoma-Associated Antigen MAGE LIKE) [Homo sapiens] >sp Q76058 O76058 DJ1409.2 (MELANOMA-ASSOCIATED ANTIGEN MAGE LIKE). Length = 606	gnl PID c1311294	889	1365	99	99	HTWFN71	Lung, Pancreas
131	793249	proliferation associated gene (pag) gene product [Homo sapiens] >pir A46711 A46711 proliferation associated gene (pag) protein - human Length = 199	gi287641	3	701	100	100	HJAAE81	Lung, Pancreas, Breast/Ovarian
132	793626	alpha mannosidase II isozyme [Homo sapiens] >sp P49641 MA2X_HUMAN ALPHA-MANNOSIDASE IIX (EC 3.2.1.114) (MANNOSYL-OLIGOSACCHARIDE 1,3-1,6-ALPHA-MANNOSIDASE) (MAN IIX). Length = 1139	gnl PID d1010153	119	640	99	99	HWABS13	Lung, Pancreas

133	794417	(AF047470) malate dehydrogenase precursor [Homo sapiens] >sp O43682 O43682 MALATE DEHYDROGENASE (EC 1.1.1.37) PRECURSOR (EC 1.1.1.37). Length = 338	gi 2906146	3	1142	99	99	HPH03	Lung, Pancreas, Breast/Ovarian
134	795197			82	888			HDPI726	Lung, Breast/Ovarian
135	795251	GAP SH3 binding protein [Homo sapiens] >sp Q13283 Q13283 GAP SH3 BINDING PROTEIN. Length = 466	gi 1051170	101	1531	91	91	HE8FJ92	Pancreas, Breast/Ovarian
136	795752	ubiquitin carrier protein E2 - human >gi 181916		2	1018			HWBDR92	Lung, Pancreas Colon,
137	796261	ubiquitin carrier protein [Homo sapiens] {SUB 23- 247} Length = 247	pir B42856 B42856	3	851	87	87	HCHPQ06	Breast/Ovarian
138	796933	lumican [Homo sapiens] Length = 338	gi 699577	49	1107	94	94	HPMSD56	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
139	799424			525	1553			HEONK47	Lung, Pancreas, Breast/Ovarian
140	799698			1	426			HC11AM08	Colon, Breast/Ovarian
141	800351	DNAJ homolog [Homo sapiens] >gi 127833 heat shock protein hsp40 homolog [Homo sapiens] >pir G02272 G02272 heat shock protein hsp40 homolog - human >sp Q13431 Q13431 HEAT SHOCK PROTEIN HSP40 HOMOLOG. Length = 178	gi 1518918	282	860	83	84	HEMF005	Pancreas, Breast/Ovarian

142	800573	26S protease subunit [Sus scrofa] >gi 3193258 (AF069053) proteasome subunit SUG1 [Bos taurus] >gnl PID d1012606 proteasomal ATPase (rat SUG1) [Rattus norvegicus] >gnl PID d1023806 (AB000491) proteasome p45/SUG [Rattus norvegicus] >gnl PID c199326 mSUG1 pr	gnl PID c235521	178	1383	93	93	HCEVS28	Lung, Breast/Ovarian
143	805815			15	1055			HCHAP80	Lung, Colon, Breast/Ovarian
144	806445			711	1028			HTELC67	Lung, Pancreas
145	810309	(AF098482) transcriptional coactivator p52 [Homo sapiens] >sp G4050034 G4050034 TRANSCRIPTIONAL COACTIVATOR P52. Length = 333	gi 4050034	226	741	61	75	HNTDX22	Lung, Pancreas
146	811022			168	881			HISEA13	Lung, Pancreas
147	811023			13	234			HLWAW17	Lung, Pancreas, Colon, Breast/Ovarian
148	811143	cytokine inducible SH2-containing protein [Mus musculus] >pir S55551 S55551 cytokine-inducible protein CIS - mouse >sp Q62225 Q62225 CYTOKINE INDUCIBLE SH2-CONTAINING PROTEIN (SH2 DOMAIN CONTAINING PROTEIN INDUCED BY MULTIPLE CYTOKINES, SIC). Length = 257	gnl PID d1007285	3	887	90	92	IIDQPA25	Lung, Breast/Ovarian
149	811381	FIN14 gene product [Mus musculus] >sp Q61077 F114_MOUSE_FIBROBLAST_GROWTH_FACTOR_INDUCIBLE_PROTEIN_14 (FIN14). Length = 61	gi 1353711	1338	1511	86	91	HLYEK93	Colon, Breast/Ovarian

150	811595	CIRP [Homo sapiens] >gi2924760 (AC004258) CIRP [Homo sapiens] >gi2541973 (AF021336) DNA damage-inducible RNA binding protein [Homo sapiens] >sp Q14011 Q14011 GLYCINE- RICH RNA BINDING PROTEIN CIRP. Length = 172	gn PI D d 011874	1	609	100	100	100	HDYTLA92	Pancreas, Breast/Ovarian
151	813000	Tera [Mus musculus] >sp P70361 P70361 TERA. Length = 277	gi 1575505	95	850	84	86	86	HDPVZ64	Pancreas, Breast/Ovarian
152	813288	fau gene product [Homo sapiens] >gi 31305 (fau 1 gene product [Homo sapiens] >pir JC1278 JC1278 ubiquitin-like protein / ribosomal protein S30, cytosolic - human Length = 133	gi 31303	1	510	86	86	86	HICIMQ63	Lung, Breast/Ovarian
153	813431	DAP-1 [Homo sapiens] >pir J37274 J37274 death- associated protein 1 - human >sp P31397 DAP1_HUMAN DEATH- ASSOCIATED PROTEIN 1 (DAP-1). Length = 102	gi 434845	3	470	89	89	89	HWHQS70	Lung, Pancreas
154	813450	PISSLRE gene product [Homo sapiens] >pir S49330 S49330 serine/threonine kinase (EC 2.7.1.-) pissire - human >pir J38116 J38116 gene PISSLRE protein - human >sp Q15131 Q15131 PISSLRE MRNA. Length = 360	gi 556651	1	651	100	100	100	HCEEJ73	Lung, Pancreas
155	813478	retinoblastoma-binding protein mRbAp48 [Mus musculus] >pir I49366 I49366 retinoblastoma- binding protein mRbAp48 - mouse Length = 461	gi 1016275	1	1398	99	100	100	HABJH20	Lung, Pancreas, Breast/Ovarian
156	813505	ribosomal protein L23a [Homo sapiens] >gi 306549 homology to rat ribosomal protein L23 [Homo sapiens] {SUB 10-156} Length = 156	gi 404015	2	496	100	100	100	HDAHR53	Lung, Pancreas

157	815552	(AJ011497) Claudin-9 [Homo sapiens] >sp E1363658 E1363658 CLAUDIN-9. Length = 211	gn PI D e1363658	317	898	95	96	HUFEH29	Lung, Colon
158	815606	Ki-1/57 intracellular antigen [Homo sapiens] >sp O75804 O75804 Ki-1/57 INTRACELLULAR ANTIGEN (FRAGMENT). Length = 299	gi 3403154	218	1303	90	95	HDPRY63	Lung, Pancreas, Breast/Ovarian
159	816048	neutral protease alpha subunit [Homo sapiens] >gi 33328 protease small subunit (aa 1-268) [Homo sapiens] >gi 1905903 (AD001527) calcium-dependent protease, small (regulatory) subunit (calpain) (calcium-activated neutral proteinase) (CANP) [Homo sapiens] >	gi 179909	24	644	95	96	HTLCZ60	Lung, Breast/Ovarian
160	822978	(AF003130) similar to Achlya ambisexualis antheridiol steroid receptor (NID:gi166306) [Caenorhabditis elegans] >sp O01757 O01757 SIMILAR TO ACHLYA AMBISEXUALIS ANTHERIDIOL STEROID RECEPTOR. Length = 1043	gi 2088668	94	156	60	78	HODEN46	Lung, Pancreas
161	823616			1449	1775			HCEME79	Pancreas, Colon
162	823981			992	2617			HWHQH79	Lung, Breast/Ovarian
163	824364	drebrin E2 [Homo sapiens] >gn PI D d1005005 drebrin E [Homo sapiens] >pir JN0809 JN0809 drebrin E (clone gDhh13) - human >sp Q16643 DREB_HUMAN DREBRIN E. Length = 649	gi 392890	1	606	84	84	HCHPR34	Colon, Breast/Ovarian



164	824423	UDP-GalNAc:polypeptide N-acetylgalactosaminyl transferase [Homo sapiens] >pir JC4223 JC4223 polypeptide N-acetylgalactosaminyltransferase (EC 2.4.1.41) - human >sp Q10472 PAGT_HUMAN POLYPEPTIDE N-ACETYLGALACTOSAMINYLTRANSFERASE (EC 2.4.1.41) (PROTEIN- UDP	gj 971459	61	1743	100	100	HPWDL83	Lung, Pancreas
165	825279			36	602			II6EIN61	Lung, Pancreas
166	825442			1	900			HTODA45	Colon, Breast/Ovarian
167	825548	ancient ubiquitous 46 kDa protein AUP46 precursor [Mus musculus] >sp P70295 P70295 ANCIENT UBIQUITOUS PROTEIN PRECURSOR (AUP1). Length = 410	gj 1517822	473	1504	81	84	HLUDIB77	Lung, Breast/Ovarian
168	825725	hNop56 [Homo sapiens] >sp O00567 N056_HUMAN NUCLEOLAR PROTEIN NOP56. Length = 602	gn PID e1188703	25	723	99	99	HMWIV57	Lung, Pancreas
169	826639	H. sapiens mRNA for rat translocon-associated protein delta homolog [Homo sapiens] >gn PID e212192 translocon-associated protein delta subunit precursor [Homo sapiens] >gn PID e220312 translocon-associated protein delta subunit precursor [Homo sapiens] >	gj 1071681	1	561	100	100	HPTVX93	Lung, Colon, Breast/Ovarian
170	827079	(AL009171) 62D9.a [Drosophila melanogaster] >sp E1198294 E1198294 62D9.A. Length = 1305	gn PID e1198294	53	2176	71	85	HDAAD02	Lung, Breast/Ovarian

171	827153	pancreatitis-associated protein [Homo sapiens] >gi 312807 preprotein [Homo sapiens] >bbs 121222- PAP-H=pancreatitis-associated protein [human, pancreas, Peptide, 175 aa] [Homo sapiens] >gnl PI d1003233 PAP homologous protein [Homo sapiens] >pir A49616 A49.	gi 482909	54	602	90	90	HLQBS95	Pancreas, Colon, Breast/Ovarian
172	827351			1	639			HSKJ135	Colon, Breast/Ovarian
173	827503	(AC004003) serine/threonine kinase RICK; match to protein AF027706 (PID: g3123887) and mRNA AF027706 (NID: g3123886) [Homo sapiens] >gi 3290172 (AF064824) CARD-containing ICE associated kinase [Homo sapiens] >gi 3342910 (AF078530) receptor interacting prote	gi 3264574	255	1886	98	98	HLAAB36	Lung, Breast/Ovarian
174	827563	rhophilin [Mus musculus] >sp Q61085 Q61085 GTP-RHO BINDING PROTEIN 1 (RHOPHILIN). Length = 643	gi 1176422	6	776	81	91	HBGDH11	Colon, Breast/Ovarian
175	827565	serine protease [Homo sapiens] Length = 492	gi 2507613	1	744	55	68	HCHAK72	Lung, Pancreas, Colon, Breast/Ovarian
176	827893	homology with GTP binding protein; putative [Caenorhabditis elegans] >pir S44605 S44605 C02F5.3 protein - Caenorhabditis elegans Length = 573	gi 289610	165	836	62	75	HMSOT38	Lung, Pancreas
177	828072			1147	1305			HTECA53	Lung, Pancreas, Breast/Ovarian
178	828228			1105	1314			HW1A1178	Prostate, Colon

179	828241	cathepsin O [Homo sapiens] >pir/A35090/A35090 cathepsin O (EC 3.4.-.-) precursor - human >sp/P43234/CATO_HUMAN CATHEPSIN O PRECURSOR (EC 3.4.22.-). Length = 321	gi 574804	2	1012	93	93	HWBBP30	Lung, Pancreas, Prostate
180	828287	histone (H2A.Z) [Bos taurus] >gi 410 histone H2A.Z (AA 1-127) [Bos taurus] >gi 184060 histone (H2A.Z) [Homo sapiens] >gi 31975 histone H2A.Z (AA 1-127) [Homo sapiens] >gi 3649600 histone [Homo sapiens] >gi 204599 histone (H2A.Z) [Rattus norvegicus] >gi 57	gi 163150	171	572	100	100	HUSIS02	Lung, Pancreas, Prostate, Breast/Ovarian
181	828364			663	1340			HWHG117	Pancreas, Breast/Ovarian
182	828371	complement component C1s [Homo sapiens] >gi 179648 complement subcomponent C1s precursor [Homo sapiens] >gi 763110 complement protein C1s precursor [Homo sapiens] >pir/A40496/C1HUS complement subcomponent C1s (EC 3.4.21.42) precursor - human >sp/P09871 C1	gi 179646	4	2283	97	97	HLQCQ12	Lung, Pancreas, Colon, Breast/Ovarian
183	828403	DNA-binding protein [Homo sapiens] >pir/A44478/A44478 probable cell growth or differentiation regulator (alternatively spliced type 1 transcript) - human >sp/Q02833 Q02833 PUTATIVE TRANSCRIPTIONAL REGULATORY PROTEIN HRC1. Length = 373	gi 184390	1	648	98	98	HDTHL82	Lung, Pancreas, Colon
184	828501	(AF056302) cIF-2alpha kinase [Drosophila melanogaster] >sp/O61631 O61631 EIF-2ALPHA KINASE. Length = 1589	gi 3046551	1	1812	36	58	IBMDG73	Lung, Colon, Breast/Ovarian

185	828520	(AJ010840) A TP-dependent RNA helicase [Homo sapiens] >sp E1321519 E1321519 ATP-DEPENDENT RNA HELICASE (FRAGMENT). Length = 420	gnl PID e1321519	445	1821	91	91	HRCIBN47	Prostate, Breast/Ovarian
186	828527			723	926			HSKGQ05	Lung, Pancreas, Prostate, Breast/Ovarian
187	828538			332	976			HPWDF35	Lung, Prostate, Breast/Ovarian
188	828541	pre-pump-1, proteinase (AA -17 to 250) [Homo sapiens] >gi35803 PUMP [Homo sapiens] >pir B28816 KCHUM matrilysin (EC 3.4.24.23) precursor - human >sp P09237 COG7_HUMAN MATRILYSIN PRECURSOR (EC 3.4.24.23) (PUMP-1 PROTEASE) (UTERINE METALLOPROTEINASE) (MATRI	gi35799	43	933	100	100	HIRACJ32	Pancreas, Prostate, Colon
189	828549	thrombospondin 2 [Homo sapiens] >pir A47379 TSHUP2 thrombospondin 2 precursor - human Length = 1172	gi307506	26	1738	94	94	HFIAL22	Pancreas, Colon
190	828562			1	342			HPWBR24	Pancreas, Prostate
191	828576			3	731			HPTVU91	Pancreas, Prostate, Colon
192	828602			1050	1568			HPRAT58	Lung, Prostate
193	828628	tumor-associated antigen [Homo sapiens] >pir A36056 A36056 tumor-associated antigen CO-029 - human >sp P19075 CO02_HUMAN TUMOR-ASSOCIATED ANTIGEN CO-029. Length = 237	gi180926	307	1029	94	94	HPRCM33	Pancreas, Prostate, Colon

194	828667	cytochrome c-1 [Homo sapiens] >sp P08574 CY1_HUMAN CYTOCHROME C1, HEME PROTEIN PRECURSOR. >gil181238 cytochrome c1 [Homo sapiens] {SUB 99-325; length = 325}	gil181240	2	1006	85	85	HKAOB02	Pancreas, Breast/Ovarian
195	828684	p55CDC [Homo sapiens] >pirA5602 A5602  probable cell division control protein p55CDC - human >sp Q12834 Q12834 P55CDC. Length = 499	gil468032	41	1573	92	92	IIPJAE35	Pancreas, Prostate
196	828727	(AF044954) NADH:ubiquinone oxidoreductase PDSW subunit [Homo sapiens] >gil416509  (AF088991) NADH:ubiquinone oxidoreductase PDSW subunit [Homo sapiens] Length = 172	gil4164442	3	629	93	93	HMCBB12	Lung, Prostate, Breast/Ovarian
197	828734	homologue of Drosophila Fat protein [Homo sapiens] >sp Q14517 Q14517 CADHERIN- RELATED TUMOR SUPPRESSOR HOMOLOG PRECURSOR (FAT PROTEIN HOMOLOG). >gnl P D 1022418 cadherin [Homo sapiens] {SUB 993-1132; length = 4590}	gil107687	1	657	99	99	HSRAB84	Pancreas, Colon, Breast/Ovarian
198	828750	(AF035940) similar to mago nashi [Homo sapiens] >gil2330011 (AF007862) min-Mago [Mus musculus] >gil2909828 (AF035939) similar to mago nashi [Mus musculus] >sp O35169 O35169 MM-MAGO. >sp G2909830 G2909830 MAGOH. >sp P50606 MGN_HUMAN MAGO NASHI PROTEIN HOMOL	gil2909830	13	546	100	100	HPJAC11	Pancreas, Prostate, Breast/Ovarian

199	828842	(AB007191) AMY-1 [Homo sapiens] >gnl PID d1009980 c-myc binding protein [Homo sapiens] >sp Q99417 Q99417 C-MYC BINDING PROTEIN. Length = 103	gnl PID d1023271	1	363	98	100	HOUGA12	Pancreas, Prostate, Breast/Ovarian
200	828843	p48 [Homo sapiens] >sp P50502 HIP_HUMAN HSC70-INTERACTING PROTEIN (PROGESTERONE RECEPTOR-ASSOCIATED P48 PROTEIN). >gi 1857033 SCN6 gene product [Homo sapiens] {SUB 99-369} Length = 369	gi 904032	3	761	99	100	HOVBK85	Lung, Pancreas, Prostate
201	828851	(AF054284) spliceosomal protein SAP 155 [Homo sapiens] >sp G4033735 G4033735 SPLICEOSOMAL PROTEIN SAP 155. >gi 3387899 (AF070540) putative nuclear protein [Homo sapiens] {SUB 1011-1304} Length = 1304	gi 4033735	1	1029	98	98	HOSGA73	Pancreas, Prostate
202	828856	thymidine kinase (EC 2.7.1.21) [Homo sapiens] >gi 339719 thymidine kinase [Homo sapiens] >pir A27318 KIHUT thymidine kinase (EC 2.7.1.21), cytosolic - human >sp P04183 KITH_HUMAN THYMIDINE KINASE, CYTOSOLIC (EC 2.7.1.21). >gi 339713 thymidine kinase [Homo sapiens]	gi 339709	1	804	99	100	HOHEN75	Prostate, Breast/Ovarian
203	828862	tyrosine kinase receptor [Homo sapiens] >pir B41527 B41527 transforming protein (ax(-)) - human Length = 885	gi 292870	1	417	98	98	HOHB190	Prostate, Breast/Ovarian
204	828870	TRAM protein [Homo sapiens] >pir S30034 S30034 translocating chain-associating membrane protein - human >sp Q15629 Q15629 TRAM PROTEIN. Length = 374	gi 37265	32	1279	94	94	HOEKU65	Lung, Pancreas, Colon

205	828873	precursor polypeptide (AA -31 to 1139) [Homo sapiens] >gi 538354 thrombospondin [Homo sapiens] (SUB 1-397) >gi 339669 thrombospondin [Homo sapiens] (SUB 1028-1170) >gi 532689 thrombospondin-1p180 [Homo sapiens] (SUB 364-422) Length = 1170	gi 37465	1	1398	100	100	HOHCJ26	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
206	828892	keratin [Homo sapiens] >sp Q14533 Q14533 KERATIN (HAIR TYPE II BASIC KERATIN) (KERATIN LIKE). >gnl PID e118093 hair type II basic keratin [Homo sapiens] (SUB 81-505) >gi 951272 keratin like [Homo sapiens] (SUB 249-505) >hhs 161491 type II hair keratin [cl	gnl PID e321549	3	653	90	91	HOGAA83	Lung, Prostate, Breast/Ovarian
207	828893	ESX [Homo sapiens] >gi 1841523 ESE-1b [Homo sapiens] >gi 2338756  (AF017307) Ets-related transcription factor [Homo sapiens] >gi 2384740  (AF016295) Ets transcription factor [Homo sapiens] >gi 2459797 epithelial-specific ets protein [Homo sapiens] >sp P78545	gi 1754538	36	1253	86	86	HOGAS09	Pancreas, Prostate, Colon, Breast/Ovarian
208	828897	prostaticin [Homo sapiens] >gi 862305 prostaticin [Homo sapiens] >pir A57014 A57014 prostaticin (EC 3.4.21.-) precursor - human >sp G565130 G565130 PROSTASIN=SERINE PROTEINASE (N-TERMINAL). (SUB 45-64) Length = 343	gi 1143194	59	811	92	92	HBCAY53	Pancreas, Colon, Breast/Ovarian

209	828910	light chain 3 subunit of microtubule-associated proteins 1A and 1B [Rattus norvegicus] >pir A53624 A53624 microtubule-associated protein 1 light chain 3 - rat >sp Q62625 MPL3_RAT MICROTUBULIF-ASSOCIATED PROTEINS 1A/1B LIGHT CHAIN 3 (MAP1A/MAP1B LC3). (SUB	gj 455109	28	540	96	98	HOIIDY41	Prostate, Colon
210	828927	cytochrome c oxidase subunit Va [Homo sapiens] >pir J0342 OTHU5A cytochrome-c oxidase (EC 1.9.3.1) chain Va precursor - human >sp P20674 COXA_HUMAN CYTOCHROME C OXIDASE POLYPEPTIDE VA PRECURSOR (EC 1.9.3.1). >gj 3859864 (AF067635) cytochrome c oxidase su	gj 693360	1	567	99	99	HHFJM88	Lung, Breast/Ovarian
211	828932	80K-11 protein [Homo sapiens] >gj 1293640 protein kinase C substrate 80K-H [Homo sapiens] >pir A32469 A32469 80K protein H precursor - human >sp P14314 G19P_HUMAN PROTEIN KINASE C SUBSTRATE, 80 KD PROTEIN, HEAVY CHAIN (PKCSH) (80K-H PROTEIN). Length = 527	gj 182855	82	1026	83	83	UINTAC57	Lung, Pancreas, Prostate, Breast/Ovarian
212	828933	Csa-19 [Homo sapiens] Length = 217	gj 531171	439	852	97	98	HEMCA07	Lung, Pancreas, Breast/Ovarian
213	828941	ORF YJL1115w [Saccharomyces cerevisiae] >gj 171091 ASF1 [Saccharomyces cerevisiae] >pir S30766 S30766 ASF1 protein - yeast (Saccharomyces cerevisiae) >sp P32447 ASF1_YEAST ANTI-SILENCING PROTEIN 1. Length = 279	gj 1008304	1	729	59	74	HMGJB25	Lung, Pancreas, Colon, Breast/Ovarian



214	828957	F31C3.5 [Caenorhabditis elegans] >sp O62193 O62193 F31C3.5 PROTEIN. Length = 180	gnl P1D1e1346411	3	635	37	68	HMWHG54	Prostate. Breast/Ovarian
215	828963	house-keeping protein [Mus musculus] >pir S27870 S27870 house-keeping protein - mouse >sp Q61669 Q61669 HOUSE-KEEPING PROTEIN I. Length = 396	gi 193871	73	1293	55	77	HMWB1191	Lung. Prostate. Colon. Breast/Ovarian
216	828964			639	905			HMWFZ60	Pancreas. Prostate. Colon. Breast/Ovarian
217	828966	S-adenosylhomocysteine hydrolase [Homo sapiens] >pir A43629 A43629 adenosylhomocysteinase (EC 3.3.1.1) - human Length = 432	gi 178279	2	1372	98	98	HMWV54	Lung. Pancreas. Prostate. Breast/Ovarian
218	828967	putative tRNA synthetase-like protein [Homo sapiens] >gi 4104935 (AF042347) putative phenylalanyl-tRNA synthetase alpha-subunit; PheHA [Homo sapiens] >sp E317305 E317305 PUTATIVE tRNA SYNTHETASE-LIKE PROTEIN. >sp G2102679 G2102679 PUTATIVE tRNA SYNTHETASE	gi 2102679	3	1535	98	98	HMUBT12	Pancreas. Prostate. Breast/Ovarian
219	828977	insulin-like growth factor binding protein 2 [Homo sapiens] >bbs 106618 insulin-like growth factor binding protein-2, IGFBP-2 [human, placenta. Peptide, 328 aa] [Homo sapiens] >pir A41927 A41927 insulin-like growth factor-binding protein 2 precursor - hum	gi 179477	2	685	100	100	HMVAW27	Lung. Pancreas. Prostate. Breast/Ovarian

220	828978	annexin IV (placental anticoagulant protein II) [Homo sapiens] >gnl PID d1011889 annexin IV (carbohydrate-binding protein p33/41) [Homo sapiens] >pir A42077/A42077 annexin IV - human >sp P09325 ANX4_HUMAN ANNEXIN IV (LIPOCORTIN IV) (ENDONEXIN I) (CHROMOB	gi 178699	213	1184	100	100	HINTMH78	Lung, Pancreas, Prostate
221	828979			16	1080			IIMUBO53	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
222	829001			1621	1959			IIMSJR30	Lung, Pancreas, Prostate, Breast/Ovarian
223	829003	plasma gelsolin [Homo sapiens] >pir A03011 FAHUP gelsolin precursor, plasma - human >sp P06396 GELS_HUMAN GELSOLIN PRECURSOR, PLASMA (ACTIN-DEPOLYMERIZING FACTOR) (ADF) (BREVIN) (AGEL). >gnl PID e20565 plasma gelsolin (AA 49-117) [Homo sapiens] (SUB 49-11	gi 736249	635	2536	99	99	HMSKA53	Lung, Pancreas, Prostate
224	829016	(AB006625) The human homolog of a mouse imprinted gene, Peg3. [Homo sapiens] >sp P78418 P78418 KIAA0287 (PEG3) (FRAGMENT). >gi 1899244 PEG3 [Homo sapiens] (SUB 518-1132) Length = 1132	dbj AB006625_1	409	759	87	87	IIMIA173	Prostate, Breast/Ovarian
225	829027	ras-like protein [Homo sapiens] >pir D34788 TVHUC4 transforming protein ras (teratocarcinoma clone TC10) - human Length = 213	gi 190881	2	577	100	100	HIMIBE59	Prostate, Colon

226	829028	RnudC gene product [Rattus norvegicus] >pir A55897 A55897 prolactin-induced T cell protein c15 - rat >sp Q63525 Q63525 C15 MRNA. Length = 332	gi 619907	31	1110	95	98	HMG1Q56	Pancreas, Prostate, Breast/Ovarian
227	829031	protocadherin X [Mus musculus] >sp G4099553 G4099553 PROTOCADHERIN X. Length = 928	gi 4099553	116	637	90	93	HMG1B169	Lung, Pancreas, Prostate, Breast/Ovarian
228	829034			28	1362			HME1Y69	Pancreas, Prostate
229	829036	Similar to B.subtilis Poly(A) polymerase (SW:PAPS_BACSU) [Caenorhabditis elegans] >sp Q93795 Q93795 F55B12.4 PROTEIN. Length = 440	gn P1D1e1347205	114	1151	67	81	HME1J75	Pancreas, Prostate
230	829049	UDP-Gal:GlcNAc galactosyltransferase [Homo sapiens] >sp O60910 O60910 UDP-GAL:GLCNAC GALACTOSYLTRANSFERASE. Length = 393	gn P1D1e1283714	233	1444	94	94	HME1Q33	Prostate, Colon
231	829073			193	843			HLYCD85	Pancreas, Prostate
232	829075			2	484			HMAAD66	Lung, Pancreas, Prostate, Breast/Ovarian
233	829076			3	665			HADDC41	Lung, Pancreas, Breast/Ovarian
234	829080			3	500			HIMABG80	Prostate, Breast/Ovarian
235	829087	small GTP-binding protein [Oryctolagus cuniculus] >pir A48500 A48500 small GTP-binding protein Rab25 - rabbit Length = 213	gi 436001	157	873	95	97	HLWBY67	Pancreas, Prostate, Breast/Ovarian

236	829092	UDP-galactose translocator [Homo sapiens] >pir JC4903 JC4903 UDP-galactose transporter, splice form 1 - human Length = 393	gnl PID d1013353	1	513	85	85	HLWBC74	Pancreas, Prostate
237	829095			3	425			HLWBM89	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
238	829096	antiquitin=26g turgor protein homolog [human, kidney, Peptide, 511 aa] [Homo sapiens] >pir A54676 A54676 antiquitin - human >sp P49419 DHAX_HUMAN ANTIQUITIN (EC 1.2.1.-). Length = 511	bbs 158840	552	1628	97	97	HLWAO28	Prostate, Breast/Ovarian
239	829118	nuclear autoantigen fo 14 kDa [Homo sapiens] >sp O43805 O43805 NUCLEAR AUTOANTIGEN FO 14 KDA. Length = 119	gnl PID c322419	2	415	99	99	HLSDA35	Lung, Prostate
240	829152	unknown protein precursor [Homo sapiens] >pir JN0596 JN0596 fibrinogen-related protein HFRP-1 precursor - human >sp Q08830 Q08830 FIBRINOGEN-LIKE PROTEIN 1 PRECURSOR. Length = 312	gnl PID d1003846	215	1231	95	95	HLICU82	Lung, Pancreas, Prostate
241	829160	ubiquitin-conjugating enzyme UbcH6 [Homo sapiens] Length = 193	gil 1064914	2	769	83	83	HLFBF56	Lung, Pancreas, Prostate, Colon
242	829163			403	930			HSPBG80	Lung, Pancreas, Breast/Ovarian
243	829176	C4b-binding protein alpha chain [Homo sapiens] >gil 190502 C4b-binding protein alpha chain [Homo sapiens] >pir A33568 NBHUC4 C4b-binding protein alpha chain precursor - human >sp P04003 C4BP_HUMAN C4B-BINDING PROTEIN ALPHA CHAIN PRECURSOR (PROLINE-RICH PRO	gil 190500	3	662	100	100	HLQBR92	Lung, Pancreas
244	829204			515	913			HLISB22	Prostate, Breast/Ovarian

245	829207		111	977	HLISA66	Prostate, Breast/Ovarian
246	829228		1	2508	HKGBQ77	Lung, Prostate, Colon
247	829252		96	1322	HKAP121	Pancreas, Prostate
248	829254		1	483	HKFB196	Lung, Pancreas, Prostate, Breast/Ovarian
249	829269		121	474	HKAEE96	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
250	829277		3	596	HUPCG91	Lung, Prostate
251	829290		100	207	HJBDL52	Lung, Pancreas, Prostate, Breast/Ovarian
252	829294		3	1847	HISDU47	Pancreas, Prostate
253	829299		3	794	HISEC32	Lung, Pancreas, Prostate
254	829308	dJ14O9.2 (Melanoma-Associated Antigen MAGIE LIKE) [Homo sapiens] >sp O76058 O76058 DJ14O9.2 (MELANOMA-ASSOCIATED ANTIGEN MAGIE LIKE). Length = 606	207	938	HIIBC93	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
255	829349	ribosomal protein S15a [Rattus norvegicus] >pir JC2234 JC2234 ribosomal protein S15a - rat Length = 130	132	547	HICAF44	Lung, Pancreas, Prostate, Breast/Ovarian
256	829354	RAD4 gene product [Saccharomyces cerevisiae] Length = 730	1	1113	HAJBD51	Lung, Pancreas, Breast/Ovarian

257	829388	DNase protein [Homo sapiens] >gil1620214 XIB [Homo sapiens] >pirJC4633JC4633 DNase I-like endonuclease (EC 3.1.-.-) - human >sp P49184 DRNL_HUMAN MUSCLE-SPECIFIC DNASE I-LIKE PRECURSOR (EC 3.1.21.-) (DNASE X) (XIB). Length = 302	gil929628	319	1281	94	94	HUVCJ22	Lung, Pancreas, Colon, Breast/Ovarian
258	829540			258	437			HAPOU28	Lung, Pancreas, Colon, Breast/Ovarian
259	829626	mannosyl-oligosaccharide 1,2-alpha-mannosidase (EC 3.2.1.113) - rabbit (fragment) >gil474282 mannosyl-oligosaccharide alpha-1,2-mannosidase [Oryctolagus cuniculus] (SUB 12-480) Length = 480	pir B54408 B54408	3	764	75	88	HCEES14	Lung, Pancreas, Colon, Breast/Ovarian
260	829730	underexpressed in thyroid tissue after TSH stimulation [Canis familiaris] >sp Q28283 Q28283 CSFW PROTEIN. Length = 343	gnl PID e252512	455	1153	62	75	HAJBK53	Pancreas, Breast/Ovarian
261	829892	(AF053651) cellular apoptosis susceptibility protein [Homo sapiens] >sp O75432 O75432 CELLULAR APOPTOSIS SUSCEPTIBILITY PROTEIN. Length = 971	gil3598795	64	1053	85	85	HAMFJ43	Lung, Prostate
262	829933	(AF035606) calcium binding protein [Homo sapiens] >sp O75340 O75340 CALCIUM BINDING PROTEIN. Length = 191	gil3342794	1	540	86	86	HAICT76	Pancreas, Prostate
263	829938	(AF067855) geminin [Homo sapiens] >sp O75496 O75496 GEMININ. Length = 209	gil3249005	230	952	93	93	HAIBS55	Pancreas, Prostate
264	829969			551	814			HACCB64	Lung, Pancreas, Prostate, Breast/Ovarian

265	829982	(AF020352) NADH:ubiquinone oxidoreductase 15 kDa IP subunit [Homo sapiens] >gi 2911482 (AF047434) NADH-ubiquinone oxidoreductase 15kDa subunit; Cl-15 protein [Homo sapiens] >sp O43920 NIPM_HUMAN NADH-UBIQUINONE OXIDOREDUCTASE 15 KID SUBUNIT (EC 1.6.5.3) (E)	gi 2655055	28	399	100	100	11ABG125	Prostate, Breast/Ovarian
266	830007	catechol-O-methyltransferase [Homo sapiens] >gi 403304 catechol O-methyltransferase [Homo sapiens] >pir S37406 A38459 catechol O-methyltransferase (EC 2.1.1.6) - human >sp P21964 COMT_HUMAN CATECHOL O-METHYLTRANSFERASE, MEMBRANE-BOUND FORM (EC 2.1.1.6) (M)	gi 180920	110	1006	99	99	H6EDW66	Lung, Prostate, Breast/Ovarian
267	830019	(AF030249) putative dienoyl-CoA isomerase [Homo sapiens] >gi 564065 peroxisomal enoyl-CoA hydratase-like protein [Homo sapiens] >pir J38882 J38882 peroxisomal enoyl-CoA hydratase-like protein - human >sp Q13011 ECH1_HUMAN PROBABLE PEROXISOMAL ENOYL-COA HY	gi 2623168	77	976	94	96	112MAC92	Prostate, Breast/Ovarian
268	830073			1	690			HBWBK27	Lung, Pancreas, Breast/Ovarian
269	830130			1	177			H2LAD55	Lung, Prostate, Breast/Ovarian
270	830134			16	1290			H2CBP53	Lung, Pancreas, Prostate, Colon, Breast/Ovarian

271	830135	neutrophil gelatinase associated lipocalin [Homo sapiens] >sp P80188 NGAL_HUMAN NEUTROPHIL GELATINASE-ASSOCIATED LIPOCALIN PRECURSOR (NGAL) (P25) (25 KD ALPHA-2-MICROGLOBULIN-RELATED SUBUNIT OF MMP-9) (LIPOCALIN-2) (ONCOGENE 24P3). Length = 198	gi 929657	2	763	100	100	H2MAC06	Pancreas, Prostate, Breast/Ovarian
272	830148	snRNP polypeptide B [Homo sapiens] >sp Q15182 Q15182 SNRNP POLYPEPTIDE B. Length = 285	gi 190247	96	839	79	79	HAICK77	Lung, Prostate, Breast/Ovarian
273	830149	threonyl-tRNA synthetase [Homo sapiens] >pir A38867 YSHUT threonine--tRNA ligase (EC 6.1.1.3) - human Length = 712	gi 1464742	3	2333	95	95	H2CBC04	Lung, Pancreas, Prostate
274	830154	spectrin SH3 domain binding protein 1 [Homo sapiens] >sp Q76049 Q76049 SPECTRIN SH3 DOMAIN BINDING PROTEIN 1. Length = 508	gi 3165429	2	1081	100	100	HYAAC49	Lung, Pancreas
275	830183	heat shock protein 84 - mouse >pir B34461 B34461 heat shock protein 90 beta - rabbit (fragment) (SUB 1-25) >sp P30947 HS9B_RABBIT HEAT SHOCK PROTEIN HSP 90-BETA (HSP 84) (FRAGMENT). (SUB 2-25) >pir S13268 S13268 heat shock protein, 90K - bovine (fragment)	pir A35569 HHMS84	92	358			HWLQF08	Pancreas, Breast/Ovarian
276	830194			3	1043	100	100	HLDCP20	Lung, Pancreas, Breast/Ovarian
277	830207	(AF016437) contains similarity to a C2H2-type zinc finger [Caenorhabditis elegans] >sp O16350 O16350 F13H6.1 PROTEIN. Length = 631	gi 2315332	173	1051	45	63	HWLMF07	Pancreas, Colon
278	830242			85	654			HWLUF58	Lung, Pancreas



279	830328	putative cyclin G1 interacting protein [Homo sapiens] >sp O43257 O43257 PUTATIVE CYCLIN G1 INTERACTING PROTEIN. Length = 154	gil2668505	304	934	81	81	HWLEL26	Lung, Colon, Breast/Ovarian
280	830340	putative cell surface antigen [Rattus norvegicus] >sp P97881 P97881 PUTATIVE CELL SURFACE ANTIGEN. Length = 547	gil1890275	1	336	63	81	HWLEG68	Pancreas, Colon
281	830341	peroxisomal acyl-coenzyme A oxidase, AOX [human, liver, Peptide, 661 aa] [Homo sapiens] Length = 661	bbs1144907	1	648	100	100	HSIA1179	Lung, Pancreas
282	830351			3	636			HWHQT21	Colon, Breast/Ovarian
283	830358			456	716			HSUAE53	Lung, Colon, Breast/Ovarian
284	830390	platelet membrane glycoprotein IIIa beta subunit [Homo sapiens] >sp O15495 O15495 PLATELET MEMBRANE GLYCOPROTEIN IIIA BETA SUBUNIT. Length = 784	gil2443452	2	523	90	90	HWGQA69	Pancreas, Colon
285	830400	phosphate carrier protein [Homo sapiens] >pir B53737 B53737 phosphate carrier protein, form B - human Length = 361	gil38262	2	1078	99	100	HWIIPY68	Lung, Pancreas, Breast/Ovarian
286	830437	IgG Fc receptor 1 [Homo sapiens] >gil292169 Fc gamma receptor 1 [Homo sapiens] >pir A39878 A39878 Fc gamma (IgG) receptor I-A (high affinity) precursor - human >sp Q92663 Q92663 FC GAMMA RECEPTOR I. Length = 374	gil180279	3	1199	91	91	HWABG32	Lung, Colon

287	830458	HBp15/L22 [Sus scrofa] > gnl PID d1005074 HBp15/L22 [Mus musculus] > pir JC212 JC2121 heparin-binding protein 15 - pig > pir JC2119 JC2119 heparin-binding protein 15 - mouse Length = 128	gnl PID d1005075	1	441	70	70	HDQMF96	Lung, Pancreas
288	830466	tenascin X [Homo sapiens] > sp P78530 P78530		988	1260			HOEEZ61	Lung, Colon
289	830497	TENASCIN X (TENASCIN-X). > gij 2347137 (AF019413) tenascin X [Homo sapiens] {SUB 2593-4289} > pir A42175 A42175 tenascin homolog 3.9kF3-3 - human (fragment) {SUB 2793-2880} > pir B42175 B42175 tenascin homolog 3.9kF	gij 1841546	2	1531	99	99	HUFBX52	Lung, Breast/Ovarian
290	830511	carcinoembryonic antigen [Homo sapiens] > gij 178677 carcinoembryonic antigen precursor [Homo sapiens] > pir A36319 A36319 carcinoembryonic antigen precursor - human > sp P0673 ICCEM_HUMAN CARCINOEMBRYONIC ANTIGEN PRECURSOR (CEA) (MECONIUM ANTIGEN 100) (CD66E	gij 180223	3	1292	99	99	HWLGV67	Pancreas, Colon
291	830512	carcinoembryonic antigen [Homo sapiens] > gij 178677 carcinoembryonic antigen precursor [Homo sapiens] > pir A36319 A36319 carcinoembryonic antigen precursor - human > sp P0673 ICCEM_HUMAN CARCINOEMBRYONIC ANTIGEN PRECURSOR (CEA) (MECONIUM ANTIGEN 100) (CD66E	gij 180223	3	2213	87	89	HUFCI29	Lung, Pancreas

292	830513		3	215		HPRTG72	Lung, Colon, Breast/Ovarian
293	830540	protein kinase MUK2 [Rattus norvegicus] >gil2772514 serine/threonine protein kinase [Rattus norvegicus] >sp P35465 PAK1_RAT SERINE/THREONINE-PROTEIN KINASE PAK- ALPHA (EC 2.7.1.1-) (P68-PAK) (P21- ACTIVATED KINASE) (ALPHA-PAK) (PROTEIN KINASE MUK2). Length	2	733	100	HTLHR67	Lung, Pancreas, Colon
294	830550	guanine nucleotide-binding regulatory protein-beta-2 subunit [Homo sapiens] >gil339935 transducin beta-2 subunit [Homo sapiens] >gil3135310 (AF053356) GNB2 [Homo sapiens] >pirB26617 RGHUB2 GTP-binding regulatory protein beta-2 chain - human >sp P11016 GB	3	500	100	HTWJC08	Lung, Breast/Ovarian
295	830567		141	377		HTTBH33	Lung, Pancreas
296	830586	(2'-5')oligoadenylate synthetase [Homo sapiens] Length = 364	2	1192	98	HKACP86	Pancreas, Prostate, Breast/Ovarian
297	830632	P2 gene for c subunit of mitochondrial ATP synthase gene product [Homo sapiens] >gnl PID d1002921 ATP synthase subunit c precursor [Homo sapiens] >pir S34067 S34067 H+-transporting ATP synthase (EC 3.6.1.34) lipid-binding protein P2 precursor, mitochondri	264	803	85	HTPCV95	Lung, Breast/Ovarian

298	830645	propionyl CoA carboxylase beta subunit, beta PCC {EC 6.4.1.3} [human, liver, placenta, HL 1008. Peptide, 539 aa] [Homo sapiens] >pir A53020 A53020 propionyl-CoA carboxylase (EC 6.4.1.3) beta chain precursor - human >gil 3036995 propionyl-CoA carboxylase B	bbs 140816	54	1505	99	99	99	HTEDS58	Lung, Pancreas, Colon
299	830652	strong homology to human RING3 sequence [Homo sapiens] >sp O60885 O60885 HUNK1 MRNA. Length = 722	gnl PID e1290115	1	177	64	64	64	HUKFL74	Lung, Colon
300	830659	CDC42 GTP-binding protein [Canis familiaris] >gil 183490 GTP-binding protein G25K [Homo sapiens] >gil 293321 CDC42Mm [Mus musculus] >gil 1049309 CDC42 protein [Mus musculus] >pir A39265 A39265 GTP-binding protein G25K, placental - human >pir S57563 S57563 CD	gil 887408	118	714	100	100	100	HKAOE74	Lung, Pancreas, Breast/Ovarian
301	830696			2	514				IISTBJ95	Lung, Breast/Ovarian
302	830706			2457	2909				HELFC05	Pancreas, Breast/Ovarian
303	830743	ATP SYNTHASE EPSILON CHAIN, MITOCHONDRIAL (EC 3.6.1.34). Length = 50	sp P56381 ATPE_HUMAN	53	262	100	100	100	HCBA51	Lung, Colon
304	830770	p21-activated protein kinase [Homo sapiens] >pir S58682 S58682 protein kinase, p21-activated (EC 2.7.1.-) - human Length = 525	gil 780808	1	498	99	99	99	HEMCG27	Lung, Colon, Breast/Ovarian
305	830830	(AF002822) cyclin B2 [Homo sapiens] >sp G4101270 G4101270 CYCLIN B2. Length = 398	gil 4101270	99	1358	99	99	99	HROCE57	Lung, Pancreas, Colon

306	830838		1	747		HS2AF59	Lung, Pancreas, Colon, Breast/Ovarian
307	830851		2	718		HTX1J25	Pancreas, Colon
308	830853		2	1183		IIRDDS42	Pancreas, Colon
309	830856		542	874		HSAA81	Colon, Breast/Ovarian
310	830862	ribosomal protein [Homo sapiens] >gi 453281 ribosomal protein S23 [Rattus norvegicus] >pir S41955 S41955 ribosomal protein S23, cytosolic - rat >pir S42105 S42105 ribosomal protein S23, cytosolic - human >pir 52292  52292 ribosomal protein S23 - rat >gnl	3	518	100	III.LC'05	Lung, Prostate, Breast/Ovarian
311	830879	(AJ002120) Zfx [Monodelphis domestica] >sp O19019 O19019 ZFX TYPE GENE (FRAGMENT). Length = 180	2	592	39	HVAAB82	Pancreas, Colon
312	830919		69	536		HOUHK65	Pancreas, Breast/Ovarian
313	830969	(AF005046) serine/threonine kinase [Homo sapiens] >gnl PID e1371371 (AJ011855) PAK4 protein [Homo sapiens] >sp G4101587 G4101587 SERINE/THREONINE KINASE. Length = 591	140	514	96	HOGAU20	Pancreas, Breast/Ovarian
314	830991	insulin-like growth factor-binding protein [Homo sapiens] >gi 38679  growth factor-binding protein- 3 [Homo sapiens] >gi 398164 insulin-like growth factor binding protein 3 [Homo sapiens] >pir A36578 OHU3 insulin-like growth factor- binding protein 3 precu	2	607	86	HDLAET73	Pancreas, Breast/Ovarian

315	831002	cyclin [Homo sapiens] >gi1387005 proliferating cell nuclear antigen (PCNA) [Homo sapiens] >pirA27445 WMHUET proliferating cell nuclear antigen - human >sp P12004 PCNA_HUMAN PROLIFERATING CELL NUCLEAR ANTIGEN (PCNA) (CYCLIN). Length = 261	gi1181272	168	974	100	100	HOEMJ36	Colon, Breast/Ovarian
316	831003	T-plastin - human >sp P13797 PLST_HUMAN T-PLASTIN. (SUB 4-630) >gi190028 T-plastin polypeptide [Homo sapiens] (SUB 61-630) >gi339848 T-plastin [Homo sapiens] (SUB 1-143) >gi292832 T-plastin [Homo sapiens] (SUB 588-630) Length = 630	pirA34789 A34789	91	2007	94	95	HAIBD64	Lung, Pancreas
317	831021			474	662			HE8BN45	Pancreas, Colon, Breast/Ovarian
318	831036	(AJ006068) dTDP-D-glucose 4,6-dehydratase [Homo sapiens] >sp E1363774 E1363774 DTDP-D-GLUCOSE 4,6-DEHYDRATASE (EC 4.2.1.46). Length = 350	gnl PID e1363774	1	621	100	100	HNTSQ61	Pancreas, Colon
319	831071	lrp gene product [Homo sapiens] >pirS57723 S57723 lrp protein - human >sp Q14764 MVP_HUMAN MAJOR VAULT PROTEIN (MVP) (LUNG RESISTANCE-RELATED PROTEIN). Length = 896	gi1895840	67	2610	94	94	HWLEG93	Lung, Pancreas
320	831094			755	928			HNFE067	Colon, Breast/Ovarian

321	831099	Fibronectin receptor beta subunit precursor (AA -20 to 778) [Homo sapiens] >pirB27079 B27079 fibronectin receptor beta chain precursor - human >spP05556 TBI_HUMAN FIBRONECTIN RECEPTOR BETA SUBUNIT PRECURSOR (INTEGRIN BETA-1) (CD29) (INTEGRIN VLA-4 BETA	gi 31442	3	1697	99	100	IIA5A803	Lung, Pancreas, Colon, Breast/Ovarian
322	831113	4E-binding protein 1 [Homo sapiens] >pirS0866 S0866 4E-BP1 protein - human >pirJC5899 JC5899 initiation factor 4E-binding protein 1 - human >spQ13541 Q13541 4E- BINDING PROTEIN 1. Length = 118	gi 561630	1	414	100	100	HMWH74	Lung, Pancreas, Colon, Breast/Ovarian
323	831120	Similarity to Human hnRNP F protein (PIR Acc. No. S43484);		1	1221			HWLHY12	Pancreas, Colon
324	831172		gi P1D1c1349655	2	721	52	66	III.WBE22	Pancreas, Breast/Ovarian
325	831178	(AF042501) cytochrome b [Homo sapiens] >spO78829 O78829 CYTOCHROME B (FRAGMENT). Length = 380	gi 3372365	512	829	69	70	HDLA661	Lung, Colon
326	831184			770	1399			HWLGP91	Lung, Pancreas, Colon
327	831203			3	545			HMICQ42	Pancreas, Colon, Breast/Ovarian
328	831210	TGF-beta masking protein large subunit [Rattus norvegicus] >pirA38261 A38261 masking protein precursor - rat Length = 1712	gi 207286	1	498	86	91	HMEIJ62	Pancreas, Colon
329	831228			104	214			HMEAM30	Lung, Pancreas, Breast/Ovarian

330	831256	MLN 64 [Homo sapiens] >dbj D38255.1 CAB1 [Homo sapiens] >pir I38027 I38027 MLN 64 protein - human >sp Q14849 Q14849 MLN64 mRNA. Length = 445	gi 951279	658	1164	94	94	HMTBL29	Lung, Pancreas
331	831257	MLN 64 [Homo sapiens] >dbj D38255.1 CAB1 [Homo sapiens] >pir I38027 I38027 MLN 64 protein - human >sp Q14849 Q14849 MLN64 mRNA. Length = 445	gi 951279	323	862	91	91	HLWDQ05	Pancreas, Colon
332	831277			3	1310			HUTHD56	Lung, Pancreas, Colon
333	831317	inter-alpha-trypsin inhibitor light chain [Homo sapiens] >gi 32047 HC polypeptide [Homo sapiens] >gi 24479 precursor polypeptide [Homo sapiens] >gi 825614 alpha1-microglobulin [Homo sapiens] >pir S1343 HCHU alpha-1-microglobulin/inter-alpha-trypsin inhib	gi 186600	193	1290	100	100	HLQAC21	Pancreas, Breast/Ovarian
334	831339	(AB012276) ATFx [Mus musculus] >sp O70191 O70191 ATFx (FRAGMENT). >sp G246896 G246896 ATFx=ATF4 RELATED PROTEIN. (SUB 1-37) >sp G246899 G246899 ATFx=ATF-4-RELATED PROTEIN. (SUB 38-76) Length = 84	gn PID d1026241	631	1029	90	93	HLICC93	Lung, Colon, Breast/Ovarian
335	831363	acyl coenzyme A:cholesterol acyltransferase, carboxylesterase, ACAT {EC 2.3.1.26} [human, liver, Peptide, 568 aa] [Homo sapiens] >sp G415564 G415564 CARBOXYLESTERASE {EC 3.1.1.1}. (SUB 20-568) >gi 179930 carboxylesterase [Homo sapiens] (SUB 62-568) Length	bbs 156481	123	1871	98	98	HLNDR55	Lung, Colon



336	831367	D-dopachrome tautomerase [Homo sapiens] >gil1864028 D-dopachrome tautomerase [Homo sapiens] >gil3047378 (AF058293) D-dopachrome tautomerase [Homo sapiens] >gnl P D e311354 phenylpyruvate tautomerase II [Homo sapiens] >gil2352915 (AF012434) D-dopachrome tu	gil1805303	325	618	100	100	III.DDR74	Lung, Colon
337	831379	cDNA from hypercalcemic tumour [Rattus norvegicus] >pir S28223 S28223 parathyroid hormone-like protein - rat >sp Q05310 L10K_RAT LEYDIG CELL TUMOR 10 KD PROTEIN. Length = 93	gil57064	3	383	90	95	HKQAC03	Lung, Pancreas, Colon, Breast/Ovarian
338	831385			96	377			HKIMC75	Lung, Pancreas, Colon, Breast/Ovarian
339	831390	aldehyde reductase (EC 1.1.1.2) [Homo sapiens] >gil2707824 (AF036683) aldehyde reductase [Homo sapiens] >pir A33851 A33851 alcohol dehydrogenase (NADP+) (EC 1.1.1.2) - human >sp G2707824 G2707824 ALDEHYDE REDUCTASE. >sp I4550 ALDX_HUMAN ALCOHOL DEHYDROGE	gil178481	254	1312	94	94	HKGDH04	Lung, Pancreas

340	831391	islet regenerating protein [Homo sapiens] >pir A35197 RGHUIA regenerating islet lectin I- alpha precursor - human >sp P0545 ILITA_HUMAN LITHOSTATHINE I ALPHA PRECURSOR (PANCREATIC STONE PROTEIN) (PSIP) (PANCREATIC THREAD PROTEIN) (PTP) (ISLET OF LANGERHANS	gi 190979	71	592	100	100	HLDDBE06	Pancreas, Colon
341	831405	factor H homologue [Homo sapiens] >pir I56100 I56100 factor H homologue - human >sp Q0359 ICFHL_HUMAN COMPLEMENT FACTOR H-LIKE PROTEIN 1 PRECURSOR (H36). Length = 330	gi 183763	53	1078	94	94	HLDDB031	Lung, Pancreas, Colon, Breast/Ovarian
342	831442	PDGF associated protein [Homo sapiens] >sp Q13442 HP28_HUMAN 28 KD HEAT- AND ACID-STABLE PHOSPHOPROTEIN (HASPP28) (PDGF ASSOCIATED PROTEIN). Length = 181	gi 1136584	2	595	60	60	HKAIEB15	Lung, Pancreas, Colon, Breast/Ovarian
343	831476	dermatopontin [Homo sapiens] >pir A47220 A47220 dermatopontin precursor - human >sp Q07507 DERM_HUMAN DERMATOPONTIN PRECURSOR. >pir S34838 S34838 tyrosine-rich acidic matrix protein - pig {SUB 101-144} Length = 201	gi 311614	1	630	91	91	HJMBK21	Lung, Pancreas, Colon
344	831488	similar to Saccharomyces cerevisiae Spt4; protein has potential N-terminal zinc-finger [Homo sapiens] >gi 1401053 SUPT4H [Homo sapiens] >gi 1401055 SUPT4H [Homo sapiens] >gi 1401066 Supt4h [Mus musculus] >gi 3779194 chromatin structural protein homolog [M	gi 1209779	158	580	100	100	HJBCG39	Colon, Breast/Ovarian

345	831518			240	467		HATCV09	Pancreas, Colon
346	831519	(AF062536) cullin 1 [Homo sapiens] >sp O60719 O60719 CULLIN 1. >gi 4153866 (AC005229) cullin 1 [Homo sapiens] {SUB 1-263} Length = 776	gi 3139077	165	1712	100	H01C149	Breast/Ovarian Pancreas. Breast/Ovarian
347	831521			3	863		HIBCE91	Colon. Breast/Ovarian
348	831550	mel-13a protein - mouse Length = 132	pir S65785 S65785	158	457	70	HC1NH46	Lung, Pancreas. Breast/Ovarian
349	831560			1474	1818		HCROA68	Pancreas. Breast/Ovarian
350	831562	fibromodulin [Homo sapiens] >sp Q06828 FMOD_HUMAN FIBROMODULIN PRECURSOR (FM) (COLLAGEN-BINDING 59 KD PROTEIN). Length = 376	gi 297091	28	1272	90	H1EGAD80	Pancreas. Breast/Ovarian
351	831570	(AF042822) epithin [Mus musculus] >sp G4104970 G4104970 EPITHIN. Length = 902	gi 4104970	2	1861	77	HLWCC68	Lung, Pancreas. Colon
352	831593			726	878		HHBFW28	Lung, Pancreas
353	831596	32 kd accessory protein [Bos taurus] >gi 190376 proton ATPase accessory subunit [Homo sapiens] {SUB 264-351} Length = 351	gi 736727	2	808	100	HHEDJ61	Colon. Breast/Ovarian
354	831627			1	903		HBJH146	Lung, Pancreas
355	831649			1	738		IIFTDD09	Lung, Colon
356	831664	transformation upregulated nuclear protein - human Length = 464	pir S43363 S43363	180	1574	94	I1FTCU40	Lung, Colon

357	831674	complement protein C8 beta subunit precursor [Homo sapiens] >pir A4307 C8HUB complement C8 beta chain precursor - human >sp P07358 CO8B_HUMAN COMPLEMENT COMPONENT C8 BETA CHAIN PRECURSOR. Length = 591	gi 179720	1	1338	96	96	HLDOX36	Pancreas, Colon
358	831684	(AF053630) monocyte/neutrophil elastase inhibitor [Homo sapiens] >pir S27383 S27383 elastase inhibitor - human >sp P30740 ILEU_HUMAN LEUKOCYTE ELASTASE INHIBITOR (LEI) (MONOCYTE/NEUTROPHIL ELASTASE INHIBITOR) (EI). >sp G2997692 G2997692 MONOCYTE/NEUTROPHI	gi 2997692	1	1311	96	96	HFOXIE22	Pancreas, Colon
359	831687	Mpv17 [Mus musculus] >pir S29031 S29031 mpv17 protein - mouse >sp P19258 MPV1_MOUSE MPV17 PROTEIN. >gi 3252875 (AF038632) Mpv17 protein [Mus musculus] (SUB 155-176) Length = 176	gi 199790	60	305	89	93	IIIFK111D75	Pancreas, Colon
360	831726	rat ribosomal protein L36 [Rattus norvegicus] >pir JN0483 JN0483 ribosomal protein L36 - rat Length = 105	gi 312345	77	454	98	98	HAGDQ96	Lung, Breast/Ovarian
361	831736			95	484			HLWEQ18	Colon, Breast/Ovarian
362	831762			37	720			HEQB179	Pancreas, Colon
363	831801	car-2 gene product [Homo sapiens] >pir S02709 S02709 car-2 protein - human >sp P10588 EAR2_HUMAN V-ERBA RELATED PROTEIN EAR-2. Length = 403	gi 31065	3	812	76	77	HKAHB85	Lung, Pancreas, Breast/Ovarian

364	831848		2018	2284		HE8AF82	Lung, Colon, Breast/Ovarian
365	831861	(AF076786) serum amyloid A-activating factor SAF-8 (Oryzotagus cuniculus) >sp G3986442 G3986442 SERUM AMYLOID A- ACTIVATING FACTOR SAF-8 (FRAGMENT). Length = 214	341	775	77	HJPCX51	Lung, Pancreas, Breast/Ovarian
366	831866	(AF054174) histone macroH2A1.2 [Homo sapiens] >sp G3341992 G3341992 HISTONE MACROH2A1.2. Length = 371	53	1186	100	HE6FG90	Lung, Colon
367	831878		2	661		HD1TLN67	Colon, Breast/Ovarian
368	831899		1	693		HD1BQ51	Colon, Breast/Ovarian
369	831913	nuclear antigen H731 [Homo sapiens] >pir JC5193 JC5193 nuclear protein H731 - human >sp Q99834 Q99834 NUCLEAR ANTIGEN H731. Length = 458	95	1132	96	HL YGA31	Lung, Colon
370	831972	p619 [Homo sapiens] >pir S71752 S71752 giant protein p619 - human >sp Q15751 Q15751 P619. Length = 4861	331	855	58	HDPKK57	Lung, Pancreas, Breast/Ovarian
371	831985		425	805		HDPPF36	Lung, Pancreas, Colon, Breast/Ovarian
372	831986		30	467		IIC1IC1168	Pancreas, Colon, Breast/Ovarian
373	832010	(AL021918) b3418.1 (Kruppel) related Zinc Finger protein 184 [Homo sapiens] >sp O60792 O60792 B3418.1 (KRUPPEL RELATED ZINC FINGER PROTEIN 184). Length = 751	1	348	57	IIDFUB44	Lung, Pancreas, Colon

374	832016	C protein (AA 1-159) [Homo sapiens] >pir S01387 S01387 U1 snRNP protein C - human Length = 159	gi 37543	2	604	100	100	HTTDC34	Lung, Breast/Ovarian
375	832041	metalloelastase HME (EC 3.4.24.-) - human >sp P39900 COGM_HUMAN MACROPHAGE METALLOELASTASE PRECURSOR (EC 3.4.24.65) (HME) (MATRIX METALLOPROTEINASE-12) (MMP-12). Length = 470	pir A49499 A49499	54	1472	100	100	HDPGC33	Lung, Pancreas, Colon
376	832044	5-aminoimidazole-4-carboxamide-1-beta-D- ribofuranoside transferase/inosinase [Homo sapiens] >gnl P1D1d1022617 5-aminoimidazole-4- carboxamide ribonucleotide transferase [Homo sapiens] >pir JC4642 JC4642 purH bifunctional enzyme - human >sp Q13856	gnl P1D1d102226	1	1794	99	99	HGCOL40	Lung, Pancreas, Colon, Breast/Ovarian
377	832049	proteasome subunit HsC10-II [Homo sapiens] >pir S55041 S55041 multicatalytic endopeptidase complex (EC 3.4.99.46) beta chain C10-II - human >sp P49720 PRCT_HUMAN PROTEASOME THETA CHAIN (EC 3.4.99.46) (MACROPAIN THETA CHAIN) (MULTICATALYTIC ENDOPEPTIDASE C	gnl P1D1d1006190	84	710	99	100	HCFAU68	Lung, Pancreas, Breast/Ovarian
378	832122			427	846			HCUDT18	Lung, Pancreas, Colon, Breast/Ovarian
379	832148			246	380			HFIHN81	Colon, Breast/Ovarian
380	832197			433	642			HICQA151	Pancreas, Breast/Ovarian
381	832237			290	553			HOCTE23	Lung, Colon
382	832246			66	959			HCMSD61	Lung, Pancreas

383	832256	ligand for eph-related receptor tyrosine kinases [Homo sapiens] >gil1809292 putative EPH-related PTK receptor ligand LERK-8 [Homo sapiens] >spj015768IEFB3_HUMAN EPHRIN-B3 PRECURSOR (EPH-RELATED RECEPTOR TYROSINE KINASE LIGAND 8) (LERK-8) (EPH-RELATED RECE	gil1469782	1	81	100	100	HBXAC19	Pancreas, Colon, Breast/Ovarian
384	832280	(AF071747) topoisomerase II alpha [Homo sapiens] >spj03869316 G3869316 TOPOISOMERASE II ALPHA. Length = 1531	gil3869316	2	1141	79	79	INTSQ37	Lung, Colon, Breast/Ovarian
385	832285			1550	1783			HLTBQ50	Lung, Prostate
386	832294			1	666			HBMC80	Lung, Colon
387	832326			472	1131			HIPAT43	Lung, Colon, Breast/Ovarian
388	832333	CENP-B protein [Ovis aries] >spj049451 CENB_SHEEP MAJOR CENTROMERE AUTOANTIGEN B (CENTROMERE PROTEIN B) (CENP-B) (FRAGMENT). Length = 239	gil1016292	3	551	96	96	HCHMS55	Pancreas, Breast/Ovarian
389	832346			295	471			HBAGU45	Colon, Breast/Ovarian
390	832370	HER2 receptor [Homo sapiens] >gil553282 c-erb-2 protein [Homo sapiens] (SUB 737-1031) >gil553332 HER-2/neu [Homo sapiens] (SUB 1-191) >gil183989 HER2 receptor (AA at 3) [Homo sapiens] (SUB 740-910) >gil182169 c-erb B2/neu protein [Homo sapiens] (SUB 1081-	gil306840	2	406	83	83	HFEIC83	Lung, Breast/Ovarian
391	832381			138	539			HATAA19	Pancreas, Breast/Ovarian

392	832394	platelet-endothelial tetraspan antigen 3 [Homo sapiens] >sp P48509 C151_HUMAN PLATELET- ENDOTHELIAL TETRASPAN ANTIGEN 3 (PETA-3) (GP27) (MEMBRANE GLYCOPROTEIN SFA-1) (CD151 ANTIGEN). Length = 253	gi 541613	2	847	85	85	H1FTT21	Lung, Pancreas
393	832454	precursor polypeptide [Homo sapiens] >pir A2597 C2HU complement C2 precursor - human >gi 187765 MHC complement component C2 [Homo sapiens] {SUB 21-46} Length = 752	gi 34628	160	357	100	100	HLQBT44	Prostate, Breast/Ovarian
394	832465	X box binding protein-1 [Homo sapiens]		1	324			HBJBC51	Lung, Pancreas
395	832475	>pir A36299 A36299 transcription factor hXBP-1 - human Length = 260	gi 306893	470	817	100	100	HTJMJ52	Pancreas, Breast/Ovarian
396	832495	EB1 [Homo sapiens] >pir I52726 I52726 EB1 - human >sp Q15691 Q15691 EB1. Length = 268	gi 998357	1	933	100	100	IIAIDB85	Lung, Pancreas
397	832498	pyrroline-5-carboxylate synthase [Homo sapiens] >sp G40978 G40978 6 PYRROLINE-5- CARBOXYLATE SYNTHASE. Length = 793	gi 4097816	2	1036	95	95	HLTGQ24	Lung, Pancreas
398	832501	protein synthesis factor [Homo sapiens] >sp P4781 P4781_HUMAN EUKARYOTIC TRANSLATION INITIATION FACTOR 1A (EIF- 1A) (EIF-4C) {SUB 2-144} Length = 144		736	996			HAGF157	Lung, Pancreas, Colon
399	832505		gi 306725	61	648	100	100	HRABV57	Lung, Pancreas, Prostate
400	832539	protein synthesis initiation factor 4A [Mus musculus] Length = 408	gi 673433	472	1125	93	93	HRABO69	Lung, Breast/Ovarian
401	832554	HSICN1 [Homo sapiens] >sp Q99736 Q99736 HSICN1 (FRAGMENT). Length = 1928	gi 2282576	409	927	99	99	HCTHX71	Pancreas, Breast/Ovarian



402	832569	(AL023777) rna binding protein [Schizosaccharomyces pombe] >sp O74978 O74978 RNA BINDING PROTEIN. Length = 276	gnl PID e1295805	2	667	40	64	HFCAE43	Lung, Colon Pancreas, Colon, Breast/Ovarian
403	832578				956			HBIBD67	
404	832615	(AC002388) 60S ribosomal protein L30 isolog [Arabidopsis thaliana] >sp O22165 O22165 60S RIBOSOMAL PROTEIN L30 ISOLOG. Length = 159	gi 2344898	41	992	52	69	H2CBK94	Lung, Colon Breast/Ovarian
405	832620				297			H2CBG53	
406	832632	(AC002388) 60S ribosomal protein L30 isolog [Arabidopsis thaliana] >sp O22165 O22165 60S RIBOSOMAL PROTEIN L30 ISOLOG. Length = 159	gi 2344898	41	592	52	69	I12C3D94	Lung, Colon, Breast/Ovarian
407	832633				566			HWACF51	
408	833483	similar to S. cerevisiae longevity-assurance protein 1 (SP:P38703) [Caenorhabditis elegans] >sp Q17870 Q17870 SIMILAR TO S. CEREVISIAE LONGEVITY-ASSURANCE PROTEIN 1. Length = 362	gi 123105	634	604	44	59	HCTCK33	Lung, Breast/Ovarian
409	834574				1431			HHIBI26	
410	834859	acidic calponin [human, kidney, Peptide, 329 aa] [Homo sapiens] >pir JC450 JC4501 acidic calponin - human >sp Q15417 Q15417 ACIDIC CALPONIN. Length = 329	hbs 174416	53	541	99	100	HSTA170	Lung, Pancreas, Colon, Breast/Ovarian

411	834861	factor activating exoenzyme S [Bos taurus] >gi189953 phospholipase A2 [Homo sapiens] >gi899459 14-3-3 protein [Homo sapiens] >pirA38246PSHUAM 14-3-3 protein zeta - human >pirA47389/A47389 14-3-3 protein zeta - bovine >spP29312 I43Z_HUMAN 14-3-3 PROT	gi163042	74	967	99	99	HIBXFL41	Lung, Pancreas, Prostate, Breast/Ovarian
412	834890	TRANSCRIPTION FACTOR BTF3 (RNA POLYMERASE B TRANSCRIPTION FACTOR 3). Length = 204	sp Q64152 BTF3_M OUSE	70	588	90	91	IICBT12	Lung, Pancreas, Prostate, Breast/Ovarian
413	835079			151	348			HOELH62	Lung, Pancreas, Breast/Ovarian
414	835554	homologue to sec61 [Rattus rattus] Length = 476	gi206886	121	1287	98	98	HOHBH04	Lung, Pancreas
415	835560			2	574			HE9NK60	Lung, Pancreas
416	835723	immunoglobulin M heavy chain [Homo sapiens] >gi38408 immunoglobulin M heavy chain [Homo sapiens] >pirS37768 S37768 [g mu chain C region - human Length = 453	gi38406	48	1421	100	100	HLIFY90	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
417	835791	(AJ003890) JM1 [Homo sapiens] >sp O6826 O6826 JM1 PROTEIN, COMPLETE CDS (CLONE LLNLC110M0111Q7 (RZPD BERLIN) AND LJNLC110K2140Q7 (RZPD BERLIN)). Length = 627	gnl PID e1289743	437	1177	87	87	HTXJH25	Pancreas, Breast/Ovarian
418	835817			1369	1554			HAJAZ17	Lung, Breast/Ovarian
419	835840			2	730			HHEOJ47	Lung, Pancreas
420	836048			2052	2276			IIDQDV21	Lung, Prostate

421	836898	human P5 [Homo sapiens] >pir JC4369 JC4369 P5 protein - human >sp Q15084 ERP5 HUMAN PROBABLE PROTEIN DISULFIDE ISOMERASE P5 PRECURSOR (EC 5.3.4.1). Length = 440	gnl PID d1009061	3	1427	90	90	HWIIP75	Lung, Pancreas, Colon, Breast/Ovarian
422	836927	(AF027299) protein 4.1-G [Homo sapiens] >sp O43491 O43491 PROTEIN 4.1-G. Length = 1005	gi 2739096	3	1196	84	84	IIDTKY58	Lung, Pancreas
423	837344	SIR [Cowpox virus] >sp O72763 O72763 SIR PROTEIN. Length = 210	gnl PID c1289272	38	658	48	58	HLDAG32	Lung, Prostate
424	837789	bikunin [Homo sapiens] >sp O00271 O00271 BIKUNIN. Length = 252	gi 2065529	365	1231	91	91	IIDABR73	Colon, Breast/Ovarian
425	838549	(AL023828) Y17G7B.14 [Caenorhabditis elegans] >sp E1323274 E1323274 Y17G7B.14 PROTEIN. Length = 364	gnl PID c1323274	2	853	42	55	HDQDW56	Lung, Breast/Ovarian
426	838754			437	1198			HTEQK83	Lung, Pancreas, Breast/Ovarian
427	838768			570	770			HWBCW80	Lung, Pancreas, Breast/Ovarian
428	839486	fibronectin precursor [Homo sapiens] >gi 4096846 fibronectin [Homo sapiens] {SUB 76-454} >gi 4096848 fibronectin [Homo sapiens] {SUB 1892-2103} >gi 182706 fibronectin [Homo sapiens] {SUB 1921-2040} >gi 182684 fibronectin [Homo sapiens] {SUB 2233-2328} Len	gi 31397	2	493	98	98	HSLGC71	Lung, Breast/Ovarian
429	839561	p34 protein [Rattus sp.] >pir S36779 S36779 ribosome-binding protein p34 - rat >sp Q63742 Q63742 P34 PROTEIN. Length = 307	gnl PID d1003291	45	1133	86	88	HUVFB27	Lung, Pancreas, Prostate

430	839816	similar to plasmodium merozoite surface antigen precursor (SP:P04933) [Caenorhabditis elegans] >sp Q22585 Q22585 SIMILAR TO PLASMODIUM MEROZITE SURFACE ANTIGEN PRECURSOR. Length = 634	gi 1293808	1	432	46	61	HWADY11	Lung, Breast/Ovarian
431	840068	UMP-CMP kinase [Sus scrofa] >pir JC4181 JC4181 cytidylate kinase (EC 2.7.4.14) - pig >sp Q29561 KCY_PIG UMP-CMP KINASE (EC 2.7.4.14) (CYTIDYLATE KINASE) (DEOXYCYTIDYLATE KINASE). Length = 196	gn PID d1006692	2	757	97	99	HE8EH64	Lung, Pancreas, Breast/Ovarian
432	840279	(AF0623328) p120 catenin isoform 1AB [Homo sapiens] >sp O60715 O60715 P120 CATENIN ISOFORMS 1AB, 2AB, 3AB AND 4AB. >gi 152823 (AF062322) p120 catenin isoform 2AB [Homo sapiens] {SUB 55-962} >gi 152855 (AF0623338) p120 catenin isoform 3AB [Homo sapiens] {S	gi 152835	219	1493	93	93	HSRB181	Lung, Pancreas
433	840489	connective tissue growth factor [Homo sapiens] >gi 474934 connective tissue growth factor [Homo sapiens] >pir A40551 A40551 connective tissue growth factor - human >sp P29279 CTGF_HUMAN CONNECTIVE TISSUE GROWTH FACTOR PRECURSOR. >gi 984956 connective tiss	gi 180924	1038	1370	100	100	HOEMS29	Lung, Pancreas

434	840538	glycyl tRNA synthetase [Homo sapiens] >pirA55314/A55314 glycine--tRNA ligase (EC 6.1.1.14) precursor - human >gi600727 glycyl- tRNA synthetase [Homo sapiens] (SUB 55-739) >gi3845409 (AC004976) glycyl tRNA synthetase [Homo sapiens] (SUB 348-739) Length =	gnl PID d1006904	1	2298	100	100	HYAAN81	Lung, Pancreas, Prostate, Breast/Ovarian
435	840545			145	1302			HMC/FK75	Lung, Pancreas, Colon, Breast/Ovarian
436	840549			1	492			HWHGB33	Lung, Prostate
437	840551	IgG Fc binding protein [Homo sapiens] Length = 5405	gnl PID d1020288	3	1409	93	93	HWLKM77	Lung, Prostate, Colon
438	840557			346	1014			H6FDS19	Prostate, Colon
439	840561	putative [Mus musculus] >pirSI5785/SI5785 heat- stable antigen-related hypothetical protein HSA-C- mouse >sp Q61692 Q61692 HSA-C GENE CODING FOR HEAT STABLE ANTIGEN. Length = 141	gi 51442	385	495	48	72	HLIBZ07	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
440	840562	(AB008549) type 1 procollagen C-proteinase enhancer protein [Homo sapiens] >gi 3135316 (AF053356) PCOLCE [Homo sapiens] >sp Q14550 Q14550 TYPE 1 PROCOLLAGEN C- PROTEINASE ENHANCER PROTEIN. Length = 449	gi 2589011	103	1476	96	96	IISDI65	Lung, Pancreas, Prostate, Colon
441	840564	PQ-rich protein [Homo sapiens] >pirSS822/SS822 PQ-rich protein - human >sp Q15184 Q15184 PQ-RICH PROTEIN. Length = 400	gi 929660	2	688	67	68	HPJDB01	Lung, Pancreas

442	840572	putative [Homo sapiens] >pir 54339 54339 prot-oncogene - human >sp P35226 BMI1_HUMAN DNA-BINDING PROTEIN BMI-1. Length = 326	gi 291873	3	1172	95	95	HTGAZ34	Prostate, Colon
443	840600			3	119			HYAB130	Prostate, Breast/Ovarian
444	840604	Similarity to Mouse A-RAF proto-oncogene serine/threonine-protein kinase (SW:KRAA_MOUSE):	gn P1D1e1344589	1	1359	82	87	HWLHN58	Lung, Pancreas, Prostate, Breast/Ovarian
445	840608	olfactomedin [Rana catesbeiana] >pir A47442 A47442 olfactomedin precursor - bullfrog >sp Q0708 IOLFM_RANCA OLFACTOMEDIN PRECURSOR (OLFACTORY MUCUS PROTEIN). Length = 464	gi 294502	200	1549	55	75	I1W1FY46	Pancreas, Colon
446	840620			776	1367			HTXGIB37	Lung, Prostate
447	840625			138	257			HTXDT74	Lung, Prostate
448	840626	nicotinamide N-methyltransferase [Homo sapiens] >gi 1063610 nicotinamide N-methyltransferase [Homo sapiens] >pir A54060 A54060 nicotinamide N-methyltransferase (EC 2.1.1.1) - human >sp P4026 INNMT_HUMAN NICOTINAMIDE N-METHYLTRANSFERASE (EC 2.1.1.1). Length = 196	gi 494989	485	1282	100	100	HULAS90	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
449	840638			16	351			HTTDV02	Prostate, Breast/Ovarian
450	840649	BL34=B cell activation gene [human, Peptide, 196 aa] [Homo sapiens] >pir 56165 56165 B cell activation protein BL34 - human Length = 196	bsl 29951	1	651	100	100	HTWCY84	Lung, Prostate
451	840651			2	706			HTTAD76	Pancreas, Prostate

452	840666		2	826		HTOAF86	Lung, Prostate
453	840681		157	2187		HTAER63	Lung, Prostate
454	840682	siat binding protein 1 [Homo sapiens] >sp Q99628 Q99628 SIAH BINDING PROTEIN 1 (FRAGMENT). Length = 541	1	1734	99	HE9PW64	Lung, Breast/Ovarian
455	840684		3	539		HTGIB14	Pancreas, Prostate, Breast/Ovarian
456	840697		96	560		HTECA52	Lung, Prostate
457	840698	t-complex-type molecular chaperone TCPI - human >gi 339211 t-complex 1 protein [Homo sapiens] (SUB 308-365) Length = 556	507	1853	96	HDABW50	Pancreas, Prostate
458	840708		1200	1487		HTLEAF73	Lung, Prostate
459	840714	(AF053304) mitotic checkpoint component Bub3 [Homo sapiens] >gi 2921873 (AF047472) spleen mitotic checkpoint BUB3 [Homo sapiens] >gi 3639060 (AF081496) kinetochore protein BUB3 [Homo sapiens] >sp O43684 O43684 SPLEEN MITOTIC CHECKPOINT BUB3. Length = 328	175	1170	100	HTEGU90	Lung, Pancreas, Prostate, Breast/Ovarian
460	840716	(AC005326) asparagine synthetase [Homo sapiens] >sp G334171 G3341715 ASPARAGINE SYNTHETASE. >gi 703119 asparagine synthetase [Homo sapiens] (SUB 1-83) Length = 561	166	1860	94	HSYAJ64	Lung, Prostate, Colon, Breast/Ovarian
461	840721		2	1324		HSUSE92	Lung, Pancreas, Prostate, Colon

462	840735	(AC002425) Gene product with similarity to Rat P8 [Homo sapiens] >gi3202004 (AF069073) P8 protein [Homo sapiens] >gi3202006 (AF069074) P8 protein [Homo sapiens] >sp O60356 O60356 G1EN: PRODUCT WITH SIMILARITY TO RAT P8. Length = 82	gi32947054	111	392	64	64	HSRDN44	Lung, Pancreas, Prostate, Breast/Ovarian
463	840738			985	1230			ITTOJK11	Prostate, Colon
464	840745	52-kD SS-A/Ro autoantigen [Homo sapiens] Length = 475	gi338490	2	694	63	46	HSRGC06	Lung, Prostate, Colon
465	840747	(AC004522) Zn-alpha2-glycoprotein [Homo sapiens] >sp O60386 O60386 ZN-ALPHA2- GLYCOPROTEIN. Length = 334	gi33006228	368	877	95	95	HLDOI02	Lung, Pancreas, Breast/Ovarian
466	840756	(AB005624) rig-analog DNA-binding protein [Sus scrofa] >gi306898 rig-analog protein (putative); putative [Homo sapiens] >gi337416 human homologue of rat insulinoma gene (rig); putative [Homo sapiens] >gi305361 Rig DNA-binding protein (putative); putati	gnl PID d1022359	148	480	97	97	HCHBQ33	Lung, Pancreas, Colon, Breast/Ovarian
467	840776	Notch3 [Homo sapiens] >sp G2668592 G2668592 NOTCH3. Length = 2321	gi2668592	2	364	82	82	HSKJZ22	Lung, Breast/Ovarian
468	840784	aldehyde dehydrogenase 6 [Homo sapiens] >pir A55684 A55684 aldehyde dehydrogenase (NADH) (EC 1.2.1.3) 6 precursor, salivary - human >sp P47895 P47895 HUMAN ALDEHYDE DEHYDROGENASE 6 (EC 1.2.1.5). Length = 512	gi544482	1	618	94	95	HSKAC75	Lung, Prostate, Colon, Breast/Ovarian



469	840788	P1 gene for c subunit of human mitochondrial ATP synthase gene product [Homo sapiens] >gnl PID d1002920 ATP synthase subunit c precursor [Homo sapiens] >pir S34066 S34066 H+-transporting ATP synthase (EC 3.6.1.34) lipid-binding protein P1 precursor, mitoc	gil38430	59	484	85	85	HHFUM32	Lung, Prostate, Colon, Breast/Ovarian
470	840794			162	1646			HOHBT28	Lung, Pancreas, Prostate, Colon
471	840797	OSF-2p1 [Homo sapiens] >pir S36111 S36111 osteoblast-specific factor 2 - human >sp Q15064 Q15064 OSF-2P1. Length = 779	gnl PID d1003341	2	2371	93	93	HDTIM52	Pancreas, Breast/Ovarian
472	840799			292	510			HWBCI48	Lung, Pancreas, Colon, Breast/Ovarian
473	840818	translational initiation factor eIF-2, alpha subunit [Homo sapiens] >sp P05198 P2A_HUMAN EUKARYOTIC TRANSLATION INITIATION FACTOR 2 ALPHA SUBUNIT (EIF-2-ALPHA), !SUB 2-315! Length = 315	gil181995	3	806	100	100	HIIBHM68	Lung, Prostate
474	840822	fatty acid synthase [Homo sapiens] >pir G01880 G01880 fatty-acid synthase (EC 2.3.1.85) - human >sp Q16702 Q16702 FATTY ACID SYNTHASE (EC 2.3.1.85) (FATTY-ACID SYNTHASE). Length = 2509	gil915392	1423	2367	93	93	IKHHIX28	Lung, Prostate, Colon, Breast/Ovarian
475	840830	diubiquitin [Homo sapiens] >sp O15205 O15205 DIUBIQUITIN. Length = 165	gnl PID e321293	1	573	99	99	HPXHP85	Pancreas, Prostate

476	840846	glutathione S-transferase Ha subunit 1 (EC 2.5.1.18) [Homo sapiens] >gij306815 glutathione S-transferase (GST, EC 2.5.1.18) [Homo sapiens] >gij306809 glutathione S-transferase [Homo sapiens] >bbsj76373 glutathione S-transferase Ha1 subunit {EC 2.5.1.18} [	gij306810	144	833	95	95	HFVHIP57	Prostate, Breast/Ovarian
477	840848	prohibitin [human, Peptide: 272 aa] [Homo sapiens] >pirj52690]prohibitin - human >spiP35232]PHB_HUMAN PROHIBITIN, Length = 272	bbsj85658	81	917	93	93	IIIIIIIM75	Lung, Pancreas, Prostate, Breast/Ovarian
478	840860	NAP [Homo sapiens] >pirS40510]S40510 nucleosome assembly protein 1-like 1 - human >spiP55209]NPL1_HUMAN NUCLEOSOME ASSEMBLY PROTEIN 1-LIKE 1 (NAP-1 RELATED PROTEIN), Length = 391	gij189067	92	1309	80	80	HDTLJ39	Lung, Pancreas, Colon, Breast/Ovarian
479	840861	(AL021546) Cytochrome C Oxidase Polypeptide VIa-liver precursor (EC 1.9.3.1) [Homo sapiens] >spj043714]O43714 CYTOCHROME C OXIDASE POLYPEPTIDE VIA-LIVER PRECURSOR (EC 1.9.3.1) (CYTOCHROME-C OXIDASE) (CYTOCHROME OXIDASE) (CYTOCHROME A(3)) (CYTOCHROME AA(3))	ganjPIDle1248288	2	520	100	100	HFPBO29	Lung, Prostate, Breast/Ovarian
480	840871	DNA polymerase delta small subunit [Homo sapiens] >pirj38950]38950 DNA-directed DNA polymerase (EC 2.7.7.7) delta regulatory chain - human >spiP49005]DPD2_HUMAN DNA POLYMERASE DELTA SMALL SUBUNIT (EC 2.7.7.7), Length = 469	gij1008458	2	628	99	99	HSDJX61	Pancreas, Colon, Breast/Ovarian

481	840874	secreted cyclophilin-like protein [Homo sapiens] >gil181335 cyclophilin B [Homo sapiens] {SUB 9-216} >gil181250 cyclophilin [Homo sapiens] {SUB 10-216} Length = 216	gii337999	1	873	94	94	III1DK64	Lung, Prostate
482	840878	unknown [Homo sapiens] >sp P41271 DAN_HUMAN ZINC FINGER PROTEIN DAN (N03). Length = 180	gnl PID d1006216	227	676	99	100	H2MB119	Lung, Pancreas, Colon, Breast/Ovarian
483	840880			153	320			HFIXK16	Prostate, Colon, Breast/Ovarian
484	840884	mut Y homolog [Homo sapiens] >sp Q15830 Q15830 MUTY HOMOLOG. Length = 535	gii1458228	108	1565	99	99	IIIBCH18	Lung, Prostate
485	840907			103	366			HIETAD58	Pancreas, Prostate
486	840926			76	1347			IIIFOMT66	Lung, Pancreas, Prostate
487	840932	ATP synthase beta subunit precursor [Homo sapiens] >pir A33370 A33370 H+-transporting ATP synthase (EC 3.6.1.34) beta chain precursor, mitochondrial - human >sp P06576 A TPB_HUMAN ATP SYNTHASE BETA CHAIN, MITOCHONDRIAL PRECURSOR (EC 3.6.1.34). >gii28931 be	gii179281	2	1675	93	93	IIIFIB89	Lung, Prostate
488	840940	carboxyl reductase [Sus scrofa] >pir JN0703 JN0703 carboxyl reductase (NADPH) (EC 1.1.1.184) - pig >sp Q29529 CBR2_PIG LUNG CARBOXYL REDUCTASE [NADPH] (EC 1.1.1.184) (NADPH-DEPENDENT CARBOXYL REDUCTASE) (LCR). Length = 244	gnl PID d1004479	277	678	61	76	HCHNJ32	Pancreas, Breast/Ovarian

489	840947		2	565		HEGAN45	Lung, Pancreas, Prostate, Breast/Ovarian
490	840959	signal peptidase complex 25 kDa subunit [Canis familiaris] >pir/A55012/A55012 signal peptidase 25k chain - dog Length = 226	2	712	99	HEADAD53	Lung, Pancreas, Prostate, Breast/Ovarian
491	840964		177	344		HEKUK92	Prostate, Colon
492	840979	transcription factor-like protein 4 - human Length = 298	11	631	99	HE9HD45	Lung, Pancreas, Prostate, Colon
493	840984	p167 [Homo sapiens] >gnlPID/d1010130 The KIAA0139 gene product is related to mouse centrosomin B. [Homo sapiens] >gij2501783 translation initiation factor 3 large subunit [Homo sapiens] >spQ14152/Q14152 KIAA0139 PROTEIN. >gij1399801 p167 [Homo sapiens]	3	3017	91	HE8OC40	Lung, Pancreas, Prostate, Breast/Ovarian
494	840986		1	693		HE8TB60	Pancreas, Prostate, Colon
495	840988		1	465		HE8QQ04	Pancreas, Prostate, Breast/Ovarian
496	840990	(AB010415) dTDP-4-keto-L-rhamnose reductase [Actinobacillus actinomycetemcomitans] >spO66251/O66251 DTDP-4-KETO-L-RHAMNOSE REDUCTASE. Length = 294	157	1140	32	HE8AM92	Pancreas, Prostate
497	840992	nidogen gene product [Homo sapiens] Length = 1246	3	194	96	HE8BX38	Lung, Prostate, Colon, Breast/Ovarian
498	841009	sin3 associated polypeptide p18 [Homo sapiens] >spO00422/O00422 SIN3 ASSOCIATED POLYPEPTIDE P18. Length = 153	59	523	92	IIDTGP88	Lung, Pancreas, Prostate, Colon, Breast/Ovarian

499	841012	ribosomal protein L39 [Homo sapiens] >gnl PID d1012131 ribosomal protein L39 [Homo sapiens] >gij575382 ribosomal protein L39 [Rattus norvegicus] >pir JC4229 R6RT39 ribosomal protein L39 - rat >pir G02654 C02654 ribosomal protein L39 - human Length = 51	gij1373419	2	217	100	100	HSKX P01	Lung, Pancreas, Breast/Ovarian
500	841016	connexin 43 [Homo sapiens] >gij29917 gap junction protein (AA 1-382) [Homo sapiens] >pir A35853 A35853 gap junction protein Cx43, cardiac - human >sp P17302 CX41_HUMAN GAP JUNCTION ALPHA-1 PROTEIN (CONNEXIN 43) (CX43) GAP JUNCTION 43 KD HEART PROTEIN). (	gij181209	1	810	94	94	IIDT D1113	Lung, Pancreas, Prostate, Colon
501	841017			402	683			HE2AY01	Lung, Prostate
502	841021			983	1357			HNAAE75	Lung, Pancreas, Colon, Breast/Ovarian
503	841032	(AB000910) ribosomal protein [Sus scrofa] >gij1684917 L44-like ribosomal protein [Homo sapiens] >gij1666702 ribosomal protein [Mus musculus] >gij206732 ribosomal protein L36a [Rattus norvegicus] >pir A29820 R6RT36 ribosomal protein L36a - rat Length = 106	gnl PID d1019960	3	395	100	100	HDQAD36	Lung, Colon
504	841051			656	880			HDIDC65	Lung, Pancreas
505	841064	small subunit ribonucleotide reductase [Homo sapiens] >pir S25854 S25854 ribonucleoside-diphosphate reductase (EC 1.17.4.1) small chain - human Length = 389	gij36155	6	1244	96	96	HDPMF32	Prostate, Colon, Breast/Ovarian

506	841069		81	809		HDPN148	Prostate, Breast/Ovarian
507	841072	regulatory protein [Mus musculus] >gil452276 npdcf.1 [Mus musculus] >pir148691 48691 regulatory protein - mouse >spQ64322 NPD1_MOUSE NPDC-1 PROTEIN PRECURSOR. Length = 332	162	1139	91	HDPK181	Lung, Prostate, Colon, Breast/Ovarian
508	841078		521	706		HDPKD92	Pancreas, Prostate
509	841080	HCNGP gene product [Mus musculus] >pirS26660 S26660 HCNGP protein - mouse >spQ02614 HCNGP_MOUSE TRANSCRIPTIONAL REGULATOR PROTEIN HCNGP. Length = 308	1	936	88	HDPJR07	Prostate, Breast/Ovarian
510	841088	quinone oxidoreductase [Homo sapiens] >gil516534 quinone oxidoreductase2 [Homo sapiens] >pirA32667 A32667 NAD(P)H dehydrogenase (quinone) (EC 1.6.99.2) 2 - human Length = 231	320	1096	100	HDPFX64	Lung, Pancreas, Prostate, Breast/Ovarian
511	841092		1187	1402		HJMBH15	Lung, Colon
512	841095	L protein (AA 1-558) [Homo sapiens] >pirA33616 A33616 heterogeneous ribonuclear particle protein L - human Length = 558	2	904	84	H2LAT51	Lung, Pancreas, Colon, Breast/Ovarian
513	841096	(AB013357) 49 kDa zinc finger protein [Mus musculus] Length = 460	510	1907	80	HCFLJ15	Lung, Pancreas, Breast/Ovarian
514	841102		2	256		HDLAV12	Lung, Pancreas, Prostate, Breast/Ovarian
515	841104	zinc finger protein [Homo sapiens] >pirS35305 S35305 finger protein ZNF91 - human Length = 1191	712	2451	54	HDLAB16	Pancreas, Prostate, Breast/Ovarian
516	841108	factor XIII a subunit [Homo sapiens] Length = 732	3	1838	99	HDPFE82	Lung, Pancreas, Colon

517	841118		320	487		IIDLAE34	Lung, Pancreas, Prostate
518	841119	C11 protein [Homo sapiens] >gi1890300 eukaryotic release factor 1 [Homo sapiens] >gnl PI del118068 C11 protein [Mesocricetus auratus] >pir S50853 S50853 translation releasing factor eRF-1 - human >sp P46055 ERF1_HUMAN EUKARYOTIC PEPTIDE CHAIN RELEASE FACT	123	1367	100	HDPAE95	Lung, Pancreas, Prostate
519	841124	similar to deoxyribose-phosphate aldolase [Caenorhabditis elegans] >sp Q19264 DEOC_CAEEL PUTATIVE DEOXYRIBOSE-PHOSPHATE ALDOLASE (EC 4.1.2.4) (PHOSPHODEOXYRIBOALDOLASE) (DEOXYRIBOALDOLASE). Length = 303	2	358	62	HDAAB17	Prostate, Colon
520	841137	(AF096285) serine-threonine kinase receptor- associated protein [Mus musculus] >sp G4063383 G4063383 SERINE-THREONINE KINASE RECEPTOR-ASSOCIATED PROTEIN. Length = 351	3	848	98	IIDAA1P84	Lung, Pancreas, Prostate, Breast/Ovarian
521	841143	fibrillarin [Homo sapiens] >pir A38712 A38712 fibrillarin - human >gi339667 (AC005393) FBRL_HUMAN; 34 KD NUCLEOLAR SCLERODERMA ANTIGEN [Homo sapiens] (SUB 4-321) Length = 321	39	1040	100	HCRMJ87	Pancreas, Prostate, Breast/Ovarian
522	841148		2	1807		HCRNF38	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
523	841149		324	797		HCRBS04	Prostate, Breast/Ovarian

524	841151	keratin [Carassius auratus] Length = 455	gil212995	2	1399	45	64	HCRNY54	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
525	841155			103	561			HCTHOF85	Prostate, Breast/Ovarian
526	841161	(AB014458) ubiquitin specific protease [Homo sapiens] >sp D1035685 D1035685 UBIQUITIN SPECIFIC PROTEASE. Length = 785	gnl PID d1035685	3	1199	95	95	HCTCA56	Lung, Prostate
527	841162	set [Homo sapiens] >pir A57984 A45018 template activating factor-1, splice form beta - human Length = 277	gil338039	284	1063	99	100	HCVWHR92	Prostate, Colon
528	841163	histone H2A [Mus musculus domesticus] >pir S45110 S45110 histone H2A - mouse >sp Q64426 Q64426 HISTONE H2A (FRAGMENT). Length = 137	gil817939	201	665	100	100	HBM8JF44	Pancreas, Breast/Ovarian
529	841169			21	440			HCFQF83	Lung, Prostate, Colon, Breast/Ovarian
530	841172	CLN3 protein [Homo sapiens] >gnl PID c283670 CLN3 protein [Homo sapiens] >gil2947055 (AC002425) CLN3 [Homo sapiens] >gil3337387 (AC002544) CLN [Homo sapiens] >gil4102729 (AF015593) CLN3 protein [Homo sapiens] >pir A57219 A57219 Batten disease-related prot	gil1039423	291	740	100	100	HCTIAG93	Prostate, Breast/Ovarian
531	841174	zinc finger protein 7 (ZFP7) [Homo sapiens] >pir A34612 A34612 zinc finger protein ZNF7 - human Length = 686	gil340446	3	386	98	98	HCHAW34	Prostate, Breast/Ovarian



532	841179	(AF069517) RNA binding protein DEF-3 [Homo sapiens] >sp O75524 O75524 RNA BINDING PROTEIN DEF-3. Length = 1123	gi 3212101	549	1742	85	85	HCHBU86	Lung, Pancreas, Prostate
533	841183	keratin 18 [Homo sapiens] >gi 307081  keratin 18 precursor [Homo sapiens] >gi 34037  cytokeratin 18 [Homo sapiens] >pir S05481 S05481 keratin 18, type I, cytoskeletal - human >sp P05783 K1CR_HUMAN KERATIN, TYPE I CYTOSKELETAL 18 (CYTOKERATIN 18) (K18) (CK 1	gi 386844	1	501	92	80	HCHUC20	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
534	841186	(AJ006215) CMP-N-acetylneuraminic acid synthetase [Mus musculus] >sp O88719 O88719 CMP-N-ACETYLNEURAMINIC ACID SYNTHETASE (EC 2.7.7.43) (ACYLNEURAMINATE CYTIDYLTRANSFERASE) (CMP-SIALATE PYROPHOSPHORYLASE) (CMP-SIALATE SYNTHASE). Length = 432	gn PID e1314953	78	1421	97	95	HCFCC26	Lung, Prostate
535	841204	similar to beta-mannosyltransferase [Caenorhabditis elegans] >sp Q22797 Q22797 SIMILAR TO BETA-MANNOSYLTRANSFERASE. Length = 487	gi 470340	1	1407	72	51	HCEFZ02	Lung, Pancreas, Prostate, Colon
536	841206	(AF062484) SDP8 [Mus musculus]		251	1192			HCEEM52	Lung, Prostate
537	841207	>sp O70493 O70493 SDP8. Length = 165	gi 3126981	193	585	63	41	HMTAR23	Prostate, Colon
538	841211	(AC004908) zinc finger protein from gene of uncertain exon structure; similar to Q99676 (PID:g3025333) [Homo sapiens] Length = 430	gi 4159888	110	766	62	47	HCEDM42	Prostate, Breast/Ovarian

539	841225	membrane protein [Homo sapiens] >gil1048989 CD9 antigen [Homo sapiens] >gil34769 MRP-1 (motility related protein) [Homo sapiens] >hbs131345 CD9 antigen [human, leukocytes, Peptide, 228 aa] [Homo sapiens] >pirA46123 A40402 CD9 antigen - human >sp P21926	gil508496	41	865	88	88	HCKB301	Lung, Pancreas, Prostate, Colon
540	841229	P1cdc47 [Homo sapiens] >pir S70583 S70583 CDC47 homolog - human >sp P33993 MCM7_HUMAN DNA REPLICATION LICENSING FACTOR MCM7 (CDC47 HOMOLOG) (P1, I-MCM3). >gnl P1D1d1006386 hmCM2 [Homo sapiens]  SUB 177-719; Length = 719	gnl P1D1d1010177	1	2298	98	98	HCEID58	Lung, Pancreas, Prostate, Breast/Ovarian
541	841237	NAD(P)H:menadione oxidoreductase [Homo sapiens] >gil189292 NAD(P)H:quinone oxidoreductase [Homo sapiens] >pir A41135 A30879 NAD(P)H dehydrogenase (quinone) (EC 1.6.99.2) 1 - human >sp P15559 DHQU_HUMAN NAD(P)H DEHYDROGENASE (QUINONE) 1 (EC 1.6.99.2) (QUINON	gil189246	141	1028	95	95	HBMTA19	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
542	841241	Thy-1 [Homo sapiens] >pir A02106 TDHU Thy-1 membrane glycoprotein precursor - human Length = 161	gil339683	128	622	86	87	HDXFG67	Lung, Pancreas, Prostate, Breast/Ovarian
543	841259	(AD001528) spermidine aminopropyltransferase [Homo sapiens] >sp O00544 O00544 SPERMIDINE AMINOPROPYLTRANSFERASE. Length = 366	gil2198557	3	1199	93	93	HCEIC53	Lung, Pancreas, Prostate, Breast/Ovarian

544	841260	FKBP51 [Homo sapiens] >pirJCS422JCS422 FK506-binding protein, FKBP51 - human >sp Q13451 FKB5_HUMAN 51 kD FK506- BINDING PROTEIN (FKBP51) (PEPTIDYL- PROLYL CIS-TRANS ISOMERASE) (EC 5.2.1.8) (PIPAE) (ROTAMASE) (54 kD PROGESTERONE RECEPTOR-ASSOCIATED IMMUNO	gi 1916641	3	863	88	91	HBODM14	Lung, Prostate
545	841264			1	618			HBHU33	Lung, Pancreas, Prostate
546	841275	Lutheran blood group glycoprotein [Homo sapiens] >pir I38000 I38000 Lutheran blood group glycoprotein precursor - human >sp P50895 LU_HUMAN LUTHERAN BLOOD GROUP GLYCOPROTEIN PRECURSOR (B- CAM CELL SURFACE GLYCOPROTEIN) (AUBERGER B ANTIGEN) (F8/G253 ANTIGEN	gi 603560	2	1183	89	89	IIBGMO35	Prostate, Breast/Ovarian
547	841311	(AF019661) zeta proteasome chain; PSMA5 [Mus musculus] >sp G3805976 G3805976 ZETA PROTEASOME CHAIN. Length = 241	gi 3805976	45	836	100	100	HCIFY64	Lung, Pancreas, Prostate, Breast/Ovarian
548	841313	neuronal protein 15.6 [unidentified] >sp O09111 O09111 NEURONAL PROTEIN 15.6. Length = 133	gnl PID e274746	11	544	75	82	HBGNM82	Lung, Prostate, Colon, Breast/Ovarian
549	841317			1155	1553			HAFSG63	Lung, Prostate
550	841322	unnamed protein product [unidentified] >gi 496609 basic transcription factor 2, 44 kD subunit [Homo sapiens] >sp Q13888 Q13888 BASIC TRANSCRIPTION FACTOR 2, 44 kD SUBUNIT (BASIC TRANSCRIPTION FACTOR 2 P44) (FRAGMENT): >gi 1737212 basic transcription factor	gnl PID e306259	200	1402	95	95	HAMGE23	Pancreas, Prostate

551	841331		2	955		HHFJL19	Lung, Breast/Ovarian
552	841332	alpha-2-macroglobulin precursor [Homo sapiens] >pir A94033 MAHU alpha-2-macroglobulin precursor - human >sp P01023 A2MC_1H/ MAN ALPHA-2-MACROGLOBULIN PRECURSOR (ALPHA-2-M) >gi 825615 alpha2-macroglobulin [Homo sapiens] {SUB 672-746} Length = 1474	2	3856	98	HAPQO79	Lung, Prostate
553	841338		1139	1363		HAIJU58	Pancreas, Prostate
554	841345	yeast methionyl-tRNA synthetase homolog [Homo sapiens] >pir JC5224 JC5224 methionine--tRNA ligase (EC 6.1.1.10) - human >gi 804996 mitoxantrone-resistance associated gene [Homo sapiens] {SUB 423-900} Length = 900	2	2761	94	HAIJQ46	Lung, Pancreas, Prostate, Breast/Ovarian
555	841349		151	1578		HIMWFM73	Lung, Pancreas, Prostate, Breast/Ovarian
556	841355	glucose regulated protein 94 (400 AA) [Mesocricetus auratus] >pir A26258 A26258 endoplasmic reticulum protein (fragment) >sp P08712 ENPL_MESAU ENDOPLASMIN (94 KD GLUCOSE-REGULATED PROTEIN) (GRP94) (FRAGMENT). Length = 400	2	562	96	HAIJAA78	Prostate, Breast/Ovarian
557	841417	arginine-rich nuclear protein [Homo sapiens] >pir A40988 A40988 54K arginine-rich nuclear protein - human >sp Q05519 Q05519 ARGININE- RICH 54 KD NUCLEAR PROTEIN. Length = 484	708	1835	73	HNTCL10	Lung, Pancreas, Colon, Breast/Ovarian

558	841548		278	613		HBXDN79	Lung, Breast/Ovarian
559	841632	(AF073298) 4F5rel [Homo sapiens] >gil3641536 (AF073297) 4F5rel [Mus musculus] >sp O75918 O75918 4F5REL. >sp O88891 O88891 4F5REL. Length = 59	49	255	100	HTLCV25	Lung, Breast/Ovarian
560	841662	HYA22 protein - human Length = 338	2	532	78	HLQCP61	Prostate, Colon
561	841771		901	1146		ISYDN46	Lung, Pancreas
562	841827	RTP [Homo sapiens] >gil3046386 (AF004162) nickel-specific induction protein [Homo sapiens] >sp Q92597 Q92597 RTP, COMPLETE CDS. Length = 394	358	1110	97	IIHFDI26	Pancreas, Prostate
563	841835		1232	1612		IWLJT54	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
564	842259		2	691		HHFGF52	Lung, Pancreas, Prostate, Colon
565	842463		600	836		HEJYU8	Lung, Pancreas
566	842595	ERp28 [Homo sapiens] >sp P30040 ER29_HUMAN ENDOPLASMIC RETICULUM PROTEIN ERP29 PRECURSOR (ERP31) (ERP28). >sp E1314951 E1314951 ERP28 PRECURSOR. Length = 261	50	916	92	HUFAB73	Lung, Breast/Ovarian
567	842722		2	1465		HYABD24	Lung, Pancreas, Prostate, Breast/Ovarian
568	842815		780	971		HPMSG47	Pancreas, Colon
569	842818	(AF038954) vacuolar H(+)-ATPase subunit [Homo sapiens] >sp O75348 O75348 VACUOLAR H(+)- ATPASE SUBUNIT. Length = 118	91	477	79	HSKJF03	Lung, Pancreas, Prostate, Breast/Ovarian

570	843251	(AF057297) ornithine decarboxylase antizyme 2 [Homo sapiens] >gi3766170 (AF057297) ornithine decarboxylase antizyme 2 [Homo sapiens] >sp G3766170 G3766170 ORNITHINE DECARBOXYLASE ANTIZYME 2. >gnl PID d1020346 product is unknown; seizure- related gene [Mus]	gi3766170	215	745	92	92	HTLIF83	Lung, Breast/Ovarian
571	843422			563	898			HISCW60	Lung, Pancreas, Colon, Breast/Ovarian
572	843784			1307	1864			HCECS78	Lung, Pancreas
573	844017			243	566			HKABG31	Lung, Colon
574	844138	Epithelin 1 & 2 [Homo sapiens] >gi3005730 (AF055008) epithelin 1 and 2 [Homo sapiens] >pir C1284 GYHU granulin precursor - human >sp G3005730 G3005730 EPITHELIN 1 AND 2. Length = 593	gi31193	104	1966	100	100	HDPWW59	Lung, Breast/Ovarian
575	844166	(AF039689) antigen NY-CO-7 [Homo sapiens] >sp O60526 O60526 ANTIGEN NY-CO-7. Length = 303	gi3170178	1	1020	94	94	HABAE22	Lung, Pancreas, Prostate, Breast/Ovarian
576	844194			3	707			HF8PH36	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
577	844394			378	635			HHFUP26	Lung, Pancreas, Breast/Ovarian
578	844450	weak similarity to rat TEGT protein (GI:456207) [Caenorhabditis elegans] >sp P91373 P91373 SIMILARITY TO RAT TEGT PROTEIN. Length = 342	gi1825601	113	1165	61	78	HTXOX92	Lung, Pancreas
579	844534			2	244			HCE3165	Lung, Pancreas, Breast/Ovarian

580	844535	isocitrate dehydrogenase (NADP+) [Homo sapiens] >pir S57499 S57499 isocitrate dehydrogenase (NADP+) (EC 1.1.1.42) precursor, mitochondrial - human >sp P48735 IDHP_HUMAN ISOCITRATE DEHYDROGENASE [NADP], MITOCHONDRIAL PRECURSOR (EC 1.1.1.42) (OXALOSUCCINATE	gi 872121	3	1454	96	96	HCWGLE38	Lung, Breast/Ovarian
581	844644	(AJ002308) synaptogyrin 2 [Homo sapiens] >sp O43760 O43760 SYNAPTOGYRIN 2. Length = 224	gn P1D e1254905	1	720	91	91	HDPBQ51	Lung, Breast/Ovarian
582	844653	immunoglobulin lambda light chain gene product [Homo sapiens] >pir S25745 S25745 Ig lambda chain - human (fragment) Length = 226	gi 33718	1	732	89	91	HCKQC91	Lung, Pancreas, Colon
583	844659	cathepsin D [Homo sapiens] >gi 29678 precursor polypeptide (AA -20 to 392) [Homo sapiens] >gi 181180 preprocathepsin D [Homo sapiens] >pir A25771 K11H1UD cathepsin D (EC 3.4.23.5) precursor - human >sp P07339 CATD_HUMAN CATHEPSIN D PRECURSOR (EC 3.4.23.5).	gi 179948	21	539	94	94	HI.DDQ71	Lung, Breast/Ovarian
584	844796			2	1054			HE6BS09	Colon, Breast/Ovarian
585	844812	(AF040642) contains similarity to transacylases [Caenorhabditis elegans] >sp O44793 O44793 C50D2.7 PROTEIN. Length = 895	gi 2746788	13	1542	33	59	HDPFV13	Lung, Pancreas
586	844894	E25B protein [Mus musculus] >sp O89051 O89051 E25B PROTEIN. Length = 266	gi 3746127	66	1013	96	99	HCLBO47	Lung, Pancreas, Colon

587	845361	phosphoglycerate kinase (EC 2.7.2.3) [Homo sapiens] >gil387021 phosphoglycerate kinase [Homo sapiens] >gil35435 coding sequence [Homo sapiens] >pir159050 KIHUG phosphoglycerate kinase (EC 2.7.2.3) - human length = 417	gil387020	39	1232	100	100	HHFJ91	Pancreas, Colon
588	845620			508	1254			IHW1GQ46	Lung, Pancreas, Prostate, Breast/Ovarian
589	845639	leukocyte antigen F [Homo sapiens] >gil3273731 (AF05066) MHC class I HLA-F [Homo sapiens] >pirA60384 A60384 MHC class I histocompatibility antigen HLA-F alpha chain Dev3 precursor - human >spP30511 HLAF HUMAN HLA CLASS I HISTOCOMPATIBILITY ANTIGEN, F A	gil312407	2	814	90	90	HCFNA68	Lung, Pancreas, Colon, Breast/Ovarian
590	845660	Cyr61 [Homo sapiens] >gnlP1D e311857 Gig1 protein [Homo sapiens] >gil2196782 (AF003594) growth-factor inducible immediate early gene product CYR61 [Homo sapiens] >gnlP1D e1249319 hCYR61 protein [Homo sapiens] >sp O00622 CYR6_HUMAN CYR61 PROTEIN PRECURSOR	gil2130527	1	1365	91	91	HKAJW79	Lung, Pancreas, Prostate, Breast/Ovarian
591	845720			1	261			HKDAF83	Lung, Breast/Ovarian
592	845785			180	509			HSODT09	Pancreas, Colon, Breast/Ovarian
593	845897			1369	1677			HAIDA109	Pancreas, Breast/Ovarian



594	845922	beta actin [Ovis aries] >gi 2661136 (AF035774) beta actin [Equus caballus] >gi 3320892 (AF076190) beta-actin [Trichosurus vulpecula] >gi 177968 cytoplasmic beta actin [Homo sapiens] >gn P D d 1021082 (AB004047) beta-actin [Homo sapiens] >gi 28252 beta-act	gi 2182269	1	1239	100	100	HWLQQ65	Lung, Pancreas, Colon
595	846016	(AB005894) ecalectin [Homo sapiens]. >sp O75028 O75028 ECALECTIN. Length = 323	gn P D d 1032501	47	337	97	97	HDPIT90	Lung, Pancreas
596	846040	0-44 protein [Rattus sp.] >pir 57612 I57612 Rat brain 0-44 mRNA, segment 2 - rat >sp P38718 P044_RAT_0-44 PROTEIN. Length = 127	gi 203072	127	585	84	88	HLICQ57	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
597	846073	protein p68 (AA 1-614) [Homo sapiens] >gi 35220 p68 protein (AA 1-614) [Homo sapiens] >gi 2599360 (AF015812) RNA helicase p68 [Homo sapiens] >pir C1087 C1087 RNA helicase, ATP-dependent - human >sp P17844 DDX5_HUMAN PROBABLE RNA-DEPENDENT HELICASE P68	gi 38318	23	1051	91	92	HCWDW01	Lung, Pancreas
598	846257			286	651			HPWDE09	Lung, Prostate
599	HTXPN06R			65	286			HTXPN06	Lung, Breast/Ovarian
600	I12LAQ12R			3	311	71	79	I12LAQ12	Pancreas, Colon
601	HWAFU16R	(AB000911) ribosomal protein [Sus scrofa] >gn P D e 1339008 (AL031228) d 1033B10.4 (40S ribosomal protein S18 (RPS18, KE-3)) [Homo sapiens] >gi 198580 ribosomal protein [Mus musculus] >gi 433447 ribosomal protein S18 [Rattus rattus] >gi 3811382 (AF100956)	gn P D d 1019961	3	320	86	86	HWAFU16	Lung, Pancreas, Colon, Breast/Ovarian

602	HAEAM91R	(AB005218) L subunit of photosynthetic reaction center complex [Acidiphilium rubrum] >gnl PID d1026488 (AB005219) L subunit of photosynthetic reaction center complex [Acidiphilium angustum] >sp 070105 O70105.L SUBUNIT OF PHOTOSYNTHETIC REACTION CENTER COM	gnl PID d1026481	174	215	66	66	HAEAM91	Pancreas, Colon, Breast/Ovarian
603	HOEMT44R	(AB010959) natural killer cell enhancing factor [Cyprinus carpio] Length = 199	gnl PID d1033048	54	431	84	93	HOEMT44	Lung, Colon, Breast/Ovarian
604	HE2OW04R	(AF001631) glucose-regulated protein GRP94 [Oryctolagus cuniculus] >sp O18750 ENPL_RABIT ENDOPLASMIN (94 KD GLUCOSE-REGULATED PROTEIN) (GRP94) (FRAGMENT). Length = 716	gi 2581793	7	297	87	89	HE2OW04	Lung, Colon
605	H1FC1G25R	(AF012422) ribosomal protein 46 [Drosophila melanogaster] Length = 51	gi 2307014	3	143	65	87	H1FC1G25	Lung, Colon, Breast/Ovarian
606	HAPQP94R	(AF018432) dUTPase [Homo sapiens] >gi 1144332 deoxyuridine nucleotidohydrolase [Homo sapiens] >gi 1421818 deoxyuridine triphosphatase [Homo sapiens] >pir G02777 G02777 dUTP pyrophosphatase (EC 3.6.1.23) - human >gi 292877 dUTP nucleotidohydrolase [Homo sa	gi 2443381	3	320	97	97	HAPQP94	Lung, Pancreas, Colon
607	H2CB137R	(AF042107) ribosomal protein S3a [Eimeria tenella] >gi 2792508 (AF042107) ribosomal protein S3a [Eimeria tenella] Length = 264	gi 2792508	3	182	64	64	H2CB137	Colon, Breast/Ovarian
608	HEOPQ13R	(AF042505) cytochrome b [Homo sapiens] >sp G3372377 G3372377 CYTOCHROME B (FRAGMENT). Length = 380	gi 3372377	82	216	80	82	HEOPQ13	Lung, Colon

609	HICRNC23R	(AF051894) 15 kDa selenoprotein [Homo sapiens] Length = 161	gi 3095111	61	162	100	100	100	HICRNC23	Lung, Pancreas, Colon
610	IIITTF28R	(AF056218) superficial zone protein [Bos taurus] >sp Q77765 O77765_SUIP1:RF:ICIAI./ZONIE PROTEIN (FRAGMENT). Length = 401	gi 3676501	3	185	73	80	80	IIITTF28	Pancreas, Colon
611	H2LAY26R			24	155				H2LAY26	Pancreas, Colon
612	HAPQA06R	40-kDa keratin protein [Homo sapiens] >pir A31370 KRHHU9 keratin 19, type I, cytoskeletal - human Length = 400	gi 386803	2	355	62	62	62	HAPQA06	Lung, Pancreas, Colon, Breast/Ovarian
613	HAQBM72R	40-kDa keratin protein [Homo sapiens] >pir A31370 KRHHU9 keratin 19, type I, cytoskeletal - human Length = 400	gi 386803	2	145	81	81	81	HAQBM72	Pancreas, Colon
614	HBCOK18R	40-kDa keratin protein [Homo sapiens] >pir A31370 KRHHU9 keratin 19, type I, cytoskeletal - human Length = 400	gi 386803	1	429	91	92	92	HBCOK18	Lung, Pancreas, Colon, Breast/Ovarian
615	H2MAC07R	acidic ribosomal phosphoprotein (P1) [Homo sapiens] >pir B27125 R6HUP1 acidic ribosomal protein P1 - human Length = 114	gi 190234	111	458	100	100	100	H2MAC07	Lung, Colon, Breast/Ovarian
616	HTWKPF26R	acidic ribosomal phosphoprotein (P2) [Homo sapiens] >pir C27125 R6HUP2 acidic ribosomal protein P2 - human Length = 115	gi 190236	1	345	95	96	96	HTWKPF26	Lung, Pancreas, Breast/Ovarian
617	HTAHR89R	ADP-ATP carrier protein T2 - human >sp P12236 ADT3_HUMAN ADP-ATP CARRIER PROTEIN, LIVER ISOFORM T2 (ADP/ATP TRANSLUCASE 3) (ADENINE NUCLEOTIDE TRANSLUCATOR 3) (ANT 3). Length = 298	pir S03894 S03894	13	408	96	96	96	HTAHR89	Lung, Pancreas

618	HOACE24R	alcohol dehydrogenase [Homo sapiens] >pir A33371 DEHUE1 aldehyde dehydrogenase (NAD+) (EC 1.2.1.3) I, cytosolic - human >sp P00352 DHAC_HUMAN ALDEHYDE DEHYDROGENASE, CYTOSOLIC (EC 1.2.1.3) (CLASS I) (ALDH1) (ALDH-E1), {SUB 2-501} Length = 501	gil178372	3	374	91	92	HOACE24	Pancreas, Colon
619	HOELC27R	aldolase A (EC 4.1.3.13) [Homo sapiens] >gil28597 aldolase A (AA 1-364) [Homo sapiens] >pir S14084 ADHUA fructose-bisphosphate aldolase (EC 4.1.2.13) A - human >sp P04075 ALFA_HUMAN FRUCTOSE- BISPHOSPHATE ALDOLASE A (EC 4.1.2.13) (MUSCLE-TYPE ALDOLASE), (S	gil178351	68	604	100	100	HOELC27	Lung, Pancreas, Breast/Ovarian
620	HWLBS25R	aldolase A [Gallus gallus] >gil409193 aldolase A [Gallus gallus] >bs 167536 aldolase C=fructose- 1,6-bisphosphate aldolase (EC 4.1.2.13) [chickens, brain, Peptide Partial, 42 aa] [Gallus gallus] >pir S1291 S1291 aldolase C - chicken (fragment) Length = 4	gil409191	3	95	90	93	HWLBS25	Lung, Pancreas, Colon, Breast/Ovarian
621	HWLVW62R	alpha-1 type III collagen [Homo sapiens] Length = 345	gil180414	1	213	97	97	HWLVW62	Lung, Colon, Breast/Ovarian
622	HALSE08R	ALPHA-1-ANTICHYMYOTRYPsin PRECURSOR sp P01011 AACT_H (ACT). >gil4165890 (AF089747) alpha-1- antichymotrypsin precursor [Homo sapiens] {SUB 17-423} >gil177933 alpha-1-antichymotrypsin precursor [Homo sapiens] {SUB 22-423} >gil28332 alpha 1 antichymotrypsin [Homo sapiens] {SU	sp P01011 AACT_H UMAN	3	233	95	97	HALSE08	Lung, Pancreas

623	HFKHD94R	alpha-2 chain precursor (AA -25 to 1018) (3416 is 2nd base in codon) [Homo sapiens] Length = 1043	gi 30076	2	316	97	97	HFKHD94	Pancreas, Breast/Ovarian
624	HCE2M86R	alpha-adaptin (A) (AA 1-977) [Mus musculus] >pir A30111 A30111 alpha-adaptin A - mouse >sp P17426 DAA_MOUSE ALPHA-ADAPTIN A (CLATHRIN ASSEMBLY PROTEIN COMPLEX 2 ALPHA-A LARGE CHAIN) (100 KD COATED VESICLE PROTEIN A) (PLASMA MEMBRANE ADAPTOR HAZ/AP2 ADAPT	gi 49878	58	165	75	80	HCE2M86	Lung, Colon, Breast/Ovarian
625	IIOFOA89R	annexin IV (placental anticoagulant protein II) [Homo sapiens] >gnl P1D d1011889 annexin IV (carbohydrate-binding protein p33/41) [Homo sapiens] >pir A42077 A42077 annexin.IV - human >sp P09525 ANX4_HUMAN ANNEXIN IV (LIPOCORTIN IV) (ENDONEXIN I) (CHROMOB	gi 178699	154	399	94	94	IIOFOA89	Pancreas, Colon, Breast/Ovarian
626	HBWCN69R	beta-1,2-N-acetylglucosaminyltransferase II [Homo sapiens] >pir S66256 S66256 alpha-1,6-mannosyl-glycoprotein beta-1, 2-N-acetylglucosaminyltransferase (EC 2.4.1.143) - human >sp Q10469 GNT2_HUMAN ALPHA-1,6-MANNOSYL-GLYCOPROTEIN BETA-1,2-N-ACETYLGALUCOSAM	gi 902745	60	308	88	90	HBWCN69	Pancreas, Colon
627	HLQGB43R	beta-2-microglobulin [Homo sapiens] Length = 119	gi 179318	1	78	100	100	HLQGB43	Lung, Pancreas, Colon
628	HCR0L58R			3	506			HCR0L58	Pancreas, Colon
629	HS2IF12R			83	475			HS2IF12	Pancreas, Colon
630	HWLWA01R			2	538			HWLWA01	Pancreas, Colon

631	HCHMV24R		12	185			HCHMV24	Pancreas, Colon Breast/Ovarian	
632	HCHPT49R		94	303			HCHPT49	Colon, Breast/Ovarian	
633	HCRMG12R		2	187			HCRMG12	Pancreas, Colon	
634	HWLWE68R		2	241			HWLWE68	Pancreas, Colon	
635	HCHPF59R		24	179			HCHPF59	Pancreas, Breast/Ovarian	
636	HS2IA81R		90	551			HS2IA81	Pancreas, Colon	
637	HCRNC17R		11	400			HCRNC17	Pancreas, Colon	
638	HISDJ39R		14	406			HISDJ39	Pancreas, Colon	
639	HWLEL43R		2	337			HWLEL43	Pancreas, Colon	
640	HASCG71R		91	249			HASCG71	Lung, Colon, Breast/Ovarian	
641	HOEMO43R		2	184			HOEMO43	Lung, Pancreas, Colon, Breast/Ovarian	
642	HRDFT95R	c-erb-B-2 precursor [Homo sapiens] >pir A24571 A24571 protein-tyrosine kinase (EC 2.7.1.112) erbB2 precursor - human >sp P04626 ERB2_HUMAN ERBB-2 RECEPTOR PROTEIN-TYROSINE KINASE PRECURSOR (EC 2.7.1.112) (P185ERBB2) (NEU PROTO- ONCOGENE) (C-ERBB-2). Length	gij31198	151	231	76	82	HRDFT95	Pancreas, Colon
643	HAGEP27R	C10 protein [Bos taurus] >pir A38464 A38464 33K laminin receptor homolog - bovine Length = 295	gij163303	3	137	86	86	HAGEP27	Lung, Pancreas, Colon, Breast/Ovarian

644	HSYDG18R	calmodulin [Homo sapiens] >sp Q13942 Q13942 CALMODULIN. >pir A56785 A56785 calmodulin - pig (fragment) (SUB 80-130) >gil3243222 (AF069912) calmodulin [Xiphias gladius] (SUB 80-114) >pir E44101 E44101 calmodulin, vasoactive intestinal peptide-binding prote	gil825635	3	422	100	100	HSYDG18	Lung, Pancreas, Colon
645	HLJDZ15R	cathepsin C [Homo sapiens] >gil194707  prepro dipeptidyl peptidase I [Homo sapiens] >pir S66504 S66504 dipeptidyl-peptidase I (EC 3.4.14.1) precursor - human >sp P53634 CATC_HUMAN DIPEPTIDYL- PEPTIDASE I PRECURSOR (EC 3.4.14.1) (DPP- I) (CATHEPSIN C) (CATHE	gil1006657	3	110	71	77	HLJDZ15	Lung, Colon
646	HAHQD54R	cathepsin D [Homo sapiens] >gil29678 precursor polypeptide (AA -20 to 392) [Homo sapiens] >gil181180 preprocathepsin D [Homo sapiens] >pir A25771 KHHUD cathepsin D (EC 3.4.23.5) precursor - human >sp P07339 CATD_HUMAN CATHEPSIN D PRECURSOR (EC 3.4.23.5).	gil179948	2	103	100	100	HAHQD54	Lung, Pancreas
647	HTLHI18R	collagen alpha 2(VI) chain precursor, long splice form - human >gil179711  alpha-2 collagen type VI- a' [Homo sapiens] (SUB 590-1018) >gil291918 alpha-2 type VI collagen [Homo sapiens] (SUB 315-358) Length = 1018	pir S03378 CGHU2A	2	481	89	89	HTLHI18	Lung, Pancreas

648	HACAC47R	complement component C3 [Homo sapiens] >pir A94065 C3HU complement C3 precursor - human >sp P01024 CO3_HUMAN COMPLEMENT C3 PRECURSOR [CONTAINS: C3A ANAPHYLATOXIN]. >gil 181130 complement component C3 [Homo sapiens] [SUB 1-24] Length = 1663	gil 179665	1	315	79	80	HACAC47	Lung, Pancreas, Breast/Ovarian
649	III.QFY41R	complement component C3 [Homo sapiens] >pir A94065 C3HU complement C3 precursor - human >sp P01024 CO3_HUMAN COMPLEMENT C3 PRECURSOR [CONTAINS: C3A ANAPHYLATOXIN]. >gil 181130 complement component C3 [Homo sapiens] [SUB 1-24] Length = 1663	gil 179665	3	377	96	98	III.QFY41	Lung, Pancreas, Colon, Breast/Ovarian
650	HOFMO83R	cyclin G [Homo sapiens] >gil 123623 cyclin G1 [Homo sapiens] >gil 1236913 cyclin G1 [Homo sapiens] >pir G02401 G02401 cyclin G1 - human >sp P51959 CG2G_HUMAN G2/MITOTIC-SPECIFIC CYCLIN G1. >gnl PID d1013694 cyclin G [Homo sapiens] [SUB 1-279] >gil 1486361 c	gnl PID d1012016	2	205	87	93	HOFMO83	Pancreas, Breast/Ovarian
651	HFTDR22R	cytochrome b5, hepatic - brown howler monkey (fragment) Length = 87	pir S07959 S07959	136	357	100	100	HFTDR22	Pancreas, Colon, Breast/Ovarian
652	HPJCZ01R	cytochrome c oxidase II [Macaca fascicularis] >pir A27420 A27420 cytochrome-c oxidase (EC 1.9.3.1) chain II - crab-eating macaque mitochondrion (SGC1) >sp P11948 COX2_MACFA CYTOCHROME C OXIDASE POLYPEPTIDE II (EC 1.9.3.1). Length = 227	gil 342255	2	163	44	50	HPJCZ01	Lung, Pancreas, Colon



653	HOEKC39R	cytochrome oxidase I [Homo sapiens] >gil506829 cytochrome oxidase subunit I [Homo sapiens] >pirA00463IODHU1 cytochrome-c oxidase (EC 1.9.3.1) chain I - human mitochondrion (SGC1) >spP00395[COX1_HUMAN CYTOCHROME C OXIDASE POLYPEPTIDE I (EC 1.9.3.1). Leng	gil53006	54	167	91	95	HOEKC39	Lung, Pancreas, Colon
654	HOELI24R	cytochrome oxidase subunit 3 [Homo sapiens] Length = 260	gil2052365	29	166	97	97	HOELI24	Lung, Pancreas, Colon
655	HODEI18R	cytochrome oxidase subunit II [Homo sapiens] >gil530071 cytochrome oxidase subunit II [Homo sapiens] >gil530073 cytochrome oxidase subunit II [Homo sapiens] >gil530077 cytochrome oxidase subunit II [Homo sapiens] >gil337187 cytochrome oxidase subunit II [	gil530069	1	180	69	72	HODEI18	Lung, Pancreas, Colon
656	HOSNR06R	cytochrome oxidase subunit II [Homo sapiens] >gil530071 cytochrome oxidase subunit II [Homo sapiens] >gil530073 cytochrome oxidase subunit II [Homo sapiens] >gil530077 cytochrome oxidase subunit II [Homo sapiens] >gil337187 cytochrome oxidase subunit II [	gil530069	269	403	93	95	HOSNR06	Lung, Pancreas
657	HCQDL20R	cytochrome P450 PCN3 [Homo sapiens] >pirA34101[A34101 cytochrome P450 3A5 - human >spP20815[CP35_HUMAN CYTOCHROME P450 3A5 (EC 1.14.14.1) (CYP11A5) (P450-PCN3). >gil950342 cytochrome P450 [Homo sapiens] {SUB 1-24} Length = 502	gil181346	39	245	98	98	HCQDL20	Pancreas, Colon

658	H1TOH164R	cyokeratin 15 (AA 1 - 456) [Homo sapiens] >pir S01069 KRHS5 keratin 15, type I, cytoskeletal - human >sp P19012 K1CO_HUMAN KERATIN, TYPE I CYTOSKELETAL 15 (CYTOKERATIN 15) (K15) (CK 15). Length = 456	gil34071	149	253	89	89	H1TOH164	Prostate, Breast/Ovarian
659	HCHBR11R	cyokeratin 8 [Homo sapiens] Length = 483	gil181400	3	380	55	57	HCHBR11	Lung, Pancreas, Colon, Breast/Ovarian
660	HADBE77R	cytoplasmic chaperonin hTRiC5 [Homo sapiens] Length = 201	gil609308	43	294	80	84	HADBE77	Lung, Pancreas, Colon, Breast/Ovarian
661	HFKHD49R	D-beta-hydroxybutyrate dehydrogenase [Rattus norvegicus] Length = 93	gil930260	1	210	100	100	HFKHD49	Lung, Colon, Breast/Ovarian
662	HOEMJ59R	decorin [Homo sapiens] >gil609452 decorin [Homo sapiens] (SUB 1-70) Length = 347	gil181519	3	128	72	75	HOEMJ59	Lung, Colon
663	H1TYNC43R	elongation factor 1-alpha 1 [Homo sapiens] >gil927067 elongation factor 1-alpha 1 [Homo sapiens] >pir S9399 S9399 oncogene PTL-1 - human >sp Q16577 Q16577 ONCOGENE. Length = 398	gil927065	2	217	92	94	H1TYNC43	Lung, Pancreas, Colon
664	H6EAQ15R	elongation factor 2 [Homo sapiens] >gil31108 human elongation factor 2 [Homo sapiens] >pir S18294 EFHU2 translation elongation factor eEF-2 - human >sp P13639 EF2_HUMAN ELONGATION FACTOR 2 (EF-2). >gil181969 elongation factor 2 [Homo sapiens] (SUB 501-858	gil31106	2	70	100	100	H6EAQ15	Lung, Pancreas, Breast/Ovarian

665	HCFLM34R	elongation factor Tu [Mus musculus] >sp Q61511 Q61511_EUKARYOTIC TRANSLATION ELONGATION FACTOR 1 ALPHA 1 (EEF-TU GENE ENCODING ELONGATION FACTOR TU, 5' END) (FRAGMENT). Length = 108	gij553907	48	308	94	95	HCFLM34	Lung, Breast/Ovarian
666	HTTID16R	ENA-78 prepeptide [Homo sapiens] >gij607031 neutrophil-activating peptide 78 [Homo sapiens] >gij471243 ENA-78 gene product [Homo sapiens] >pir C2433 A55010 neutrophil-activating peptide ENA-78 - human >sp P42830 EN78_HUMAN NEUTROPHIL ACTIVATING PROTEIN E	gij684922	2	331	85	85	HTTID16	Pancreas, Colon
667	HDPAL145R	endoglin [Homo sapiens] >pir S37628 S37628 endoglin - human Length = 625	gij402207	2	181	65	65	HDPAL145	Pancreas, Colon
668	HKIXL19R	epoxide hydrolase [Homo sapiens] >gij340390 epoxide hydrolase [Homo sapiens] >gij34543 epoxide hydrolase (AA 1-455) [Homo sapiens] >gij458701 epoxide hydrolase [Homo sapiens] >pir A29939 A29939 epoxide hydrolase (EC 3.3.2.3) 1, microsomal - human >sp P070	gij450271	1	348	100	100	HKIXL19	Lung, Pancreas, Colon
669	H2LAY52R	EWS gene product [Mus musculus] >pir A55726 A55726 RNA-binding protein Ews - mouse >sp Q61545 EWS_MOUSE RNA-BINDING PROTEIN EWS. Length = 655	gij488513	27	494	100	100	H2LAY52	Lung, Pancreas, Colon, Breast/Ovarian
670	HAJRB09R	FAST kinase [Homo sapiens] >pir J37386 J37386 FAST kinase - human >sp Q14296 Q14296 FAST KINASE. Length = 549	gij1006659	19	324	77	77	HAJRB09	Pancreas, Colon

671	HAPNI86R	G9a [Homo sapiens] >pir S30385 S30385 G9a protein - human >sp Q14349 Q14349 G9A PROTEIN CONTAINING ANKYRIN-LIKE REPEATS. Length = 1001	3	419	97	97	HAPNI86	Lung, Colon
		gi 287865						
672	HCEVB92R	glutamate dehydrogenase [Homo sapiens] >sp Q14400 Q14400 GLUTAMATE DEHYDROGENASE (FRAGMENT). Length = 258	2	217	78	81	HCEVB92	Pancreas, Colon
		gi 183056						
673	HAPRJ22R	glutamate--ammonia ligase [Homo sapiens] >pir S18455 AJHUQ glutamate--ammonia ligase (EC 6.3.1.2) - human Length = 373	168	431	100	100	HAPRJ22	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
		gi 31831						
674	HCRMZ32R	glutamine:fructose-6-phosphate amidotransferase [Homo sapiens] >pir A45055 A45055 glutamine--fructose-6-phosphate transaminase (isomerizing) (EC 2.6.1.16) - human >sp Q06210 GFAT_HUMAN GLUCOSAMINE--FRUCTOSE-6-PHOSPHATE AMINOTRANSFERASE [ISOMERIZING] (EC 2	2	316	91	91	HCRMZ32	Pancreas, Colon, Breast/Ovarian
		gi 183082						
675	HBMVM42R	guanine nucleotide regulatory protein [Homo sapiens] >gi 3041860 (AC004534) guanine nucleotide regulatory protein [Homo sapiens] >pir 38402 38402 guanine nucleotide regulatory protein - human >sp Q12774 Q12774 GUANINE NUCLEOTIDE REGULATORY PROTEIN. Leng	1	363	84	87	HBMVM42	Colon, Breast/Ovarian
		gi 484102						

676	HAADGLE45R	guanine nucleotide-binding protein Gs-alpha-4 [Homo sapiens] >gi 31913 alpha-S1 (AA 1-380) [Homo sapiens] >pir C31927 RGHUA1 GTP-binding regulatory protein Gs alpha chain (adenylate cyclase-stimulating), splice form 4 - human Length = 380	gi 386746	2	439	96	96	IIADGLE45	Lung, Pancreas, Colon
677	HTXPN11R	heat shock-induced protein [Homo sapiens] >pir B45871 B45871 dnaK-type molecular chaperone HSP70-Hom - human >sp P34931 HS7H_HUMAN HEAT SHOCK 70 KD PROTEIN 1-HOM (HSP70-HOM). Length = 641	gi 188492	3	413	94	98	HTXPN11	Lung, Pancreas, Colon
678	HCDBN37R	heterogeneous nuclear ribonucleoprotein C-like protein - human Length = 328	pir A44192 A44192	1	300	96	96	HCDBN37	Colon, Breast/Ovarian
679	HABGC02R	HLA-DR-beta-B [Homo sapiens] Length = 266	gi 490048	3	389	89	94	HABGC02	Lung, Colon
680	HNTSA70R	HsMcm6 [Homo sapiens] >sp Q14566 MCM6_HUMAN DNA REPLICATION LICENSING FACTOR MCM6 (P105MCM). Length = 821	gi PID d1013380	3	341	69	72	HNTSA70	Lung, Colon
681	HDYTKP24R	hypothetical 18K protein (rRNA) - goldfish mitochondrion (SGC1) Length = 166	pir JC1348 JC1348	397	492	64	67	HDYTKP24	Lung, Pancreas, Colon
682	HODE114R	hypothetical 18K protein (rRNA) - goldfish mitochondrion (SGC1) Length = 166	pir JC1348 JC1348	164	247	62	68	HODE114	Lung, Pancreas, Colon
683	HOELC42R	IGF-BP 4 [Homo sapiens] >gi PID c1227579 insulin-like growth factor binding protein 4 [Homo sapiens] >pir B37252 B37252 insulin-like growth factor-binding protein 4 precursor - human >sp P22692 BP4_HUMAN INSULIN-LIKE GROWTH FACTOR BINDING PROTEIN 4 PREC	gi 184816	13	288	83	83	HOELC42	Pancreas, Colon

684	HWAFL44R	immunoglobulin heavy chain [Homo sapiens] >pirD36005D36005 Ig heavy chain V region (M43) - human (SUB 38-156) Length = 156	gij567121	2	463	83	90	HWAFL44	Lung, Colon
685	HABGF46R	immunoglobulin light chain variable region [Homo sapiens] >gij2970534 (AF049692) immunoglobulin kappa light chain [Homo sapiens] (SUB 3-106) Length = 143	gij1136555	42	446	71	85	HABGF46	Lung, Pancreas, Colon, Breast/Ovarian
686	HOELC15R	insulin-like growth factor-binding protein [Homo sapiens] >gij386791 growth factor-binding protein-3 [Homo sapiens] >gij398164 insulin-like growth factor binding protein 3 [Homo sapiens] >pirA365781OHU3 insulin-like growth factor-binding protein 3 precu	gij183116	8	424	96	96	HOELC15	Pancreas, Colon, Breast/Ovarian
687	H2LAR26R	keratin 18 [Homo sapiens] >gij307081 keratin 18 precursor [Homo sapiens] >gij34037 cytokeratin 18 [Homo sapiens] >pirS05481S05481 keratin 18, type I, cytoskeletal - human >spIP05783K1CR_HUMAN KERATIN, TYPE I CYTOSKELETAL, 18 (CYTOKERATIN 18) (K18) (CK 1	gij386844	72	476	97	98	H2LAR26	Colon, Breast/Ovarian
688	H2LAV85R	Ku (p70/p80) subunit [Homo sapiens] >gij307093 Ku antigen [Homo sapiens] >pirA335051A32626 Ku antigen 80K chain - human >spIP13010IKU86_HUMAN ATP-DEPENDENT DNA HELICASE II, 86 KD SUBUNIT (LUPUS KU AUTOANTIGEN PROTEIN P86) (86 KD SUBUNIT OF KU ANTIGEN) (T	gij307094	67	462	97	98	H2LAV85	Lung, Pancreas
689	HBSDC92R	l-caldesmon II [Homo sapiens] Length = 532	gnlPIDId1015132	56	337	64	76	HBSDC92	Lung, Breast/Ovarian

690	HUTHN01R	L6 [Homo sapiens] >pir[A42926/A42926 L6 surface protein - human Length = 202	gi 186804	87	545	91	91	HUTHN01	Lung, Pancreas, Colon, Breast/Ovarian
691	H2LAW03R	lactate dehydrogenase B [Homo sapiens] >gi 34329 lactate dehydrogenase B (AA 1 - 334) [Homo sapiens] >pir[S02795]DEHULH L-lactate dehydrogenase (EC 1.1.1.27) chain H - human >sp P07195 LDHH_HUMAN L-LACTATE DEHYDROGENASE H CHAIN (EC 1.1.1.27) (LDH-H). {SUB	gn P D c223241	111	536	99	100	H2LAW03	Lung, Pancreas
692	HO1:MO60R	lactate dehydrogenase-A [Homo sapiens] >gi 34313 lactate dehydrogenase-A [Homo sapiens] >pir[A00347]DEHULM L-lactate dehydrogenase (EC 1.1.1.27) chain M - human >sp P00338 LDHM_HUMAN L-LACTATE DEHYDROGENASE M CHAIN (EC 1.1.1.27) (LDH-A). {SUB 2-332} Length	gi 780261	1	201	59	59	HO1:MO60	Pancreas, Breast/Ovarian
693	HKAHJ14R	latent transforming growth factor-beta-binding protein - human Length = 1820	pir A55494 A55494	1	216			HKAHJ14	Pancreas, Colon
694	HOHEA39R	lumican [Homo sapiens] Length = 338	gi 699577	58	240	85	86	HOHEA39	Pancreas, Breast/Ovarian
695	HOELF72R	M130 antigen [Homo sapiens] >pir I38003 S36077	gi 312142	1	468	97	97	HOELF72	Pancreas, Colon
696	HAPNX59R	M130 antigen - human >sp Q07898 Q07898 M130 ANTIGEN PRECURSOR. Length = 1116			432	85	88	HAPNX59	Lung, Colon
697	HBJJS17R	methionine aminopeptidase [Homo sapiens] >gi 687243 eIF-2-associated p67 homolog [Homo sapiens] >pir S52112 DPHUM2 methionyl aminopeptidase (EC 3.4.11.18) 2 - human >sp P50579 AMP2_HUMAN METHIONINE AMINOPEPTIDASE 2 (EC 3.4.11.18) (METAP 2) (PEPTIDASE M 2)	gi 903982	1	235	100	100	HBJJS17	Lung, Pancreas

698	HA1DU61R	midkine [Homo sapiens] >gil188571 retinoic acid inducible factor [Homo sapiens] >gil35087 neurite outgrowth-promoting protein [Homo sapiens] >gnlP1D1d1001932 midkine [Homo sapiens] >pirJ110385J110385 midkine precursor - human >spjP21741MK_HUMAN MIDKINE	gil182651	1	108	67	67	HA1DU61	Pancreas, Colon
699	HCWHT65R	mitochondrial intermediate peptidase precursor [Homo sapiens] >spjQ99797/Q99797 MITOCHONDRIAL INTERMEDIATE PEPTIDASE PRECURSOR (EC 3.4.24.59). Length = 713	gil1763642	1	432	74	77	HCWHT65	Prostate, Colon
700	H2CBN02R	mitochondrial matrix protein [Homo sapiens] >pirA32800/A32800 chaperonin GroEL precursor - human >spjP10809/P60_HUMAN MITOCHONDRIAL MATRIX PROTEIN P1 PRECURSOR (P60 LYMPHOCYTE PROTEIN) (60 KD CHAPERONIN) (HEAT SHOCK PROTEIN 60) (HSP-60) (PROTEIN CPN60) (	gil190127	1	435	99	99	H2CBN02	Pancreas, Colon
701	H2CBV68R	mitochondrial matrix protein [Homo sapiens] >pirA32800/A32800 chaperonin GroEL precursor - human >spjP10809/P60_HUMAN MITOCHONDRIAL MATRIX PROTEIN P1 PRECURSOR (P60 LYMPHOCYTE PROTEIN) (60 KD CHAPERONIN) (HEAT SHOCK PROTEIN 60) (HSP-60) (PROTEIN CPN60) (	gil190127	2	406	100	100	H2CBV68	Colon, Breast/Ovarian



702	H6EDK07R	Mr 110,000 antigen [Homo sapiens] >pir I52703 I52703 42K membrane glycoprotein - human >sp Q16186 G100_HUMAN 110 KD CELL MEMBRANE GLYCOPROTEIN. Length = 407	gn PID d1011683	1	252	90	90	H6EDK07	Lung, Breast/Ovarian
703	HACAH10R	NADH dehydrogenase subunit 2, ND2 [human, brain, Peptide Mitochondrial Partial Mutant, 67 aa] [Homo sapiens] >sp Q36734 Q36734 NADH DEHYDROGENASE SUBUNIT 2 (FRAGMENT). Length = 67	bbs 75898	1	66	89	96	HACAH10	Lung, Pancreas, Colon
704	HCCMC56R	NADH-UBIQUINONE OXIDOREDUCTASE B18 SUBUNIT (EC 1.6.5.3) (EC 1.6.99.3) (COMPLEX I-B18) (CI-B18) (CELL ADHESION PROTEIN SQM1). Length = 134	sp P17568 NB8M_HUMAN	16	351	83	83	HCCMC56	Lung, Colon, Breast/Ovarian
705	H2CBN54R	NADH-ubiquinone oxidoreductase B22 subunit (C-terminal); [human, placenta, Peptide Mitochondrial Partial, 179 aa] [Homo sapiens] Length = 179	bbs 178894	2	427	99	99	H2CBN54	Pancreas, Colon
706	HMCGL12R	NMB gene product [Homo sapiens] >pir 38065 38065 gene NMB protein - human >sp Q14956 NMB_HUMAN PUTATIVE TRANSMEMBRANE PROTEIN NMB PRECURSOR. Length = 560	gi 666043	96	389	76	80	HMCGL12	Lung, Pancreas
707	HWHPX50R	nucleolar protein [Mus musculus] >pir 52858 52858 nucleolar protein - mouse >sp Q61937 NPM_MOUSE NUCLEOPHOSMIN (NPM) (NUCLEOLAR PHOSPHOPROTEIN B23) (NUMATRIN) (NUCLEOLAR PROTEIN NO38). Length = 292	gi 200011	1	414	87	87	HWHPX50	Lung, Pancreas, Colon, Breast/Ovarian

708	HAPQD84R		115	267		HAPQD84	Lung, Pancreas, Colon, Breast/Ovarian
709	HLIBN66R		1	219		HLIBN66	Lung, Pancreas
710	HE2BD84R	OSF-2p1 [Homo sapiens] >pir[S36111]S36111 osteoblast-specific factor 2 - human >sp Q15064 Q15064 OSF-2P1. Length = 779	2	394	77	HE2BD84	Pancreas, Colon, Breast/Ovarian
711	HLQFY45R	pancreatitis-associated protein [Homo sapiens] >gi 312807 preprotein [Homo sapiens] >bbs 121222 PAP-H=pancreatitis-associated protein [human, pancreas, Peptide, 175 aa] [Homo sapiens] >gnl PID d1003233 PAP homologous protein [Homo sapiens] >pir A49616 A49	57	374	60	HLQFY45	Pancreas, Colon
712	HAMQ78R	phosphate carrier isoform A (alternatively spliced, exon IIIA) - human >sp Q00325 MPCP_HUMAN MITOCHONDRIAL PHOSPHATE CARRIER PROTEIN PRECURSOR. Length = 362	2	352	82	HAMQ78	Lung, Colon
713	HODEV64R	poly(A)-binding protein [Homo sapiens] >gi 1562511 poly(A)-binding protein [Homo sapiens] >sp P11940 PAB1_HUMAN POLYADENYLATE-BINDING PROTEIN 1 (POLY(A) BINDING PROTEIN 1) (PABP 1). Length = 636	1	492	97	HODEV64	Lung, Pancreas

714	H2CIBD48R	precursor polypeptide (AA -21 to 782) [Homo sapiens] >pir A35954 A35954 endoplasmic precursor - human >sp P14625 ENPL_HUMAN ENDOPLASMIN PRECURSOR (94 KD GLUCOSE-REGULATED PROTEIN) (GRP94) (GP96 HOMOLOG) (TUMOR REJECTION ANTIGEN 1). Length = 803	gij37261	2	499	95	97	I12CIBD48	Pancreas, Colon
715	HCCMA82R	procarboxypeptidase B [Homo sapiens] >pir A42332 A42332 carboxypeptidase B (EC 3.4.17.2) precursor, pancreatic - human Length = 416	gij189625	3	383	94	94	HCCMA82	Pancreas, Colon
716	HOIEMK78R	prostacyclin-stimulating factor, PG12-stimulating factor, PSF [human, cultured diploid fibroblast cells. Peptide, 282 aa] [Homo sapiens] >pir S5003 S50031 prostacyclin-stimulating factor - human >sp Q16270 Q16270 PROSTACYCLIN-STIMULATING FACTOR. Length =	bbs161346	3	329	95	95	HOIEMK78	Lung, Pancreas
717	H2CBD13R	proteasome subunit C9 [Homo sapiens] >pir S15972 SNHUC9 multicatalytic endopeptidase complex (EC 3.4.99.46) chain C9 - human >sp P25789 PRC9_HUMAN PROTEASOME COMPONENT C9 (EC 3.4.99.46) (MACROPAIN SUBUNIT C9) (MULTICATALYTIC ENDOPEPTIDASE COMPLEX SUBUNIT	gnl PID d1001118	156	461	100	100	H2CBD13	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
718	HCFMU61R	protein-tyrosine kinase (EC 2.7.1.112) ZAP-70 - human Length = 619	pir A44266 A44266	1	477	98	98	HCFMU61	Pancreas, Colon

719	HCOSNE94R	proteoglycan core protein [Homo sapiens] >pir A45016 NBHUC8 decorin precursor - human >sp P07585 PGS2_HUMAN BONE PROTEOGLYCAN II PRECURSOR (PG-S2) (DECORIN) (PG40). >gil 1161226 decorin [Rattus norvegicus] (SUB 204-299) Length = 359	gil 181170	2	466	85	85	HCOSNE94	Lung, Pancreas
720	HCROZ08R	putative precursor (AA 1-304) [Homo sapiens] >gn P D e224276 uracil-DNA-glycosylase, UNG1 [Homo sapiens] >pir S05964 A60472 uracil-DNA glycosylase (EC 3.-.-.-) precursor - human >gn P D e1296296 MITOCHONDRIAL LOCALIZATION PEPTIDE [unidentified] (SUB 1-3	gil 37599	3	218	100	100	HCROZ08	Lung, Pancreas, Colon
721	HIHBEF47R	pyruvate dehydrogenase E1-alpha precursor [Homo sapiens] >pir A60225 A60225 pyruvate dehydrogenase (lipoamide) (EC 1.2.4.1) alpha chain - bovine (fragment) (SUB 54-74) Length = 414	gil 387011	1	330	88	88	HIHBEF47	Colon, Breast/Ovarian
722	HTXPI31R	pyruvate kinase M2 [Sus scrofa] >sp Q29582 Q29582 PYRUVATE KINASE M2 (EC 2.7.1.40) (PHOSPHOENOLPYRUVATE KINASE) (PHOSPHOENOL TRANSPHOSPHORYLASE) (FRAGMENT). Length = 108	gil 972104	2	286	84	85	HTXPI31	Pancreas, Breast/Ovarian
723	HOEKC30R	rhoC coding region (AA 1-193) [Homo sapiens] >gil 407699 GTPase [Homo sapiens] >pir S01029 TVHURC GTP-binding protein rhoC - human Length = 193	gil 36034	2	151	94	94	HOEKC30	Lung, Pancreas, Breast/Ovarian
724	HOSNR67R	ribosomal protein small subunit [Homo sapiens] Length = 264	gil 306553	1	483	97	98	HOSNR67	Lung, Pancreas

725	H2LAV92R	ribosomal protein [Homo sapiens] >gi 57078 ribosomal protein L38 [Rattus rattus] >pir S15658 R5RT38 ribosomal protein L38 - rat >pir S38385 S38385 ribosomal protein L38 - human >gnl P1 d1026783 (A1007185) ribosomal protein L38 [Homo sapiens] {SUB 34-70}	gi 407423	13	351	72	72	H2LAV92	Lung, Pancreas, Prostate, Colon, Breast/Ovarian
726	H2LAO74R	ribosomal protein L10 [Homo sapiens] >sp D1026771 D1026771 RIBOSOMAL PROTEIN L15 (FRAGMENT). {SUB 16-57} Length = 205	gi 414587	359	502	83	83	H2LAO74	Lung, Pancreas, Colon, Breast/Ovarian
727	HKMMF85R	ribosomal protein L18a [Homo sapiens] >gi 3702270 (AC005796) ribosomal protein L18a [Homo sapiens] >gnl P1D d1029536 (AB007175) ribosomal protein L18a [Homo sapiens] {SUB 111- 176} Length = 176	gi 401845	1	360	96	96	HKMMF85	Lung, Breast/Ovarian
728	HCLBZ27R	ribosomal protein L19 [Homo sapiens] >bbs 127872 ribosomal protein L19 [human, breast cancer cell line, MCF-7, Peptide, 196 aa] [Homo sapiens] >gi 206726 ribosomal protein L19 [Rattus norvegicus] >gnl P1D e218038 ribosomal protein L19 [Rattus norvegicus]	gi 36128	19	273	93	98	HCLBZ27	Lung, Pancreas, Colon
729	H2LAV11R	ribosomal protein L21 [Homo sapiens] >gi 984143 ribosomal protein L21 [Homo sapiens] >pir S55913 S55913 ribosomal protein L21, cytosolic - human >sp D1026774 D1026774 RIBOSOMAL PROTEIN L21 (FRAGMENT). {SUB 124-154; Length = 160	gi 550015	126	530	99	99	H2LAV11	Lung, Pancreas, Colon

730	HBAGP60R	ribosomal protein L27 [Homo sapiens] >gi 3115335 ribosomal protein L27 [Homo sapiens] >gi 57694 ribosomal protein L27 (AA 1 - 136) [Rattus norvegicus] >gi 62981 ribosomal protein L27 [Gallus gallus] >pir S00401 R5R.T27 ribosomal protein L27, cytosolic - ra	gi 388769	161	373	66	70	HBAGP60	Pancreas, Colon
731	HOEMJ56R	ribosomal protein L28 [Homo sapiens] >pir S55915 S55915 ribosomal protein L28 - human Length = 137	gi 550019	3	206	94	94	HOEMJ56	Lung, Colon, Breast/Ovarian
732	HA5AF77R	ribosomal protein L31 [Sus scrofa] >gi 36130 ribosomal protein L31 (AA 1-125) [Homo sapiens] >gi 57115 ribosomal protein L31 (AA 1-125) [Rattus norvegicus] >pir S05576 R5HU31 ribosomal protein L31 - human >pir A26417 R5RT31 ribosomal protein L31 - rat >gn	gn PID c276436	1	381	82	82	HA5AF77	Lung, Prostate, Colon, Breast/Ovarian
733	H2MAC95R	ribosomal protein L37 [Homo sapiens] >bbs 172744 ribosomal protein L37 (C2-C2 zinc-finger-like) [human, HeLa cells, Peptide, 97 aa] [Homo sapiens] >gn PID d1005426 ribosomal protein L37 [Homo sapiens] >gi 57121 ribosomal protein L37 [Rattus norvegicus] >	gi 292441	67	411	79	79	H2MAC95	Lung, Colon, Breast/Ovarian
734	HDPLP40R	ribosomal protein L37 [Homo sapiens] >bbs 172744 ribosomal protein L37 (C2-C2 zinc-finger-like) [human, HeLa cells, Peptide, 97 aa] [Homo sapiens] >gn PID d1005426 ribosomal protein L37 [Homo sapiens] >gi 57121 ribosomal protein L37 [Rattus norvegicus] >	gi 292441	1	363	100	100	HDPLP40	Lung, Pancreas, Breast/Ovarian

735	HOEMK92R	ribosomal protein L37a [Homo sapiens] >gi 36134 ribosomal protein L37a [Homo sapiens] >gi 57123 ribosomal protein L37a (AA 1 - 92) [Rattus rattus] >gi 312414 ribosomal protein L37a [Mus musculus] >pir S03014 R5RT37 ribosomal protein L37a - rat >pir S42109	gi 292439	3	185	96	96	HOEMK92	Lung, Pancreas, Breast/Ovarian
736	HABAD57R	ribosomal protein L4 [Homo sapiens] >pir S39803 S39803 ribosomal protein L4 - human Length = 425	gi 307385	210	431	80	90	HABAD57	Lung, Pancreas
737	HLXNA52R	ribosomal protein L4 [Rattus norvegicus] Length = 421	gn P D e 121603	3	296	86	86	HLXNA52	Lung, Pancreas
738	IIWAFK82R	ribosomal protein L9 [Homo sapiens] >gn P D d 100391 1 human homologue of rat ribosomal protein L9 [Homo sapiens] Length = 192	gi 710366	139	354	77	78	IIWAFK82	Lung, Colon, Breast/Ovarian
739	H2CBL68R	ribosomal protein S13 [Homo sapiens] >gi 488417 ribosomal protein S13 [Homo sapiens] >gn P D d 1014222 ribosomal protein S13 [Homo sapiens] >gi 57730 ribosomal protein S13 [Rattus rattus] >pir S34109 S34109 ribosomal protein S13, cytosolic - human >pir A3	gi 307391	3	461	100	100	H2CBL68	Lung, Pancreas
740	HINTNE17R	ribosomal protein S17 [Homo sapiens] >gi 337503 S17 ribosomal protein [Homo sapiens] >pir JT0405 R4HU17 ribosomal protein S17, cytosolic - human Length = 135	gi 337501	1	387	100	100	HINTNE17	Lung, Pancreas, Breast/Ovarian
741	HBILR37R	ribosomal protein S26 [Homo sapiens] Length = 115	gi 296452	2	328	98	100	HBILR37	Pancreas, Colon, Breast/Ovarian

742	HOSNG20R	ribosomal protein S4X isoform [Homo sapiens] >gi2791861 (AF041428) ribosomal protein s4 X isoform [Homo sapiens] >gi200864 ribosomal protein S4 [Mus musculus] >gi57135 ribosomal protein S4 (AA 1 - 263) [Rattus rattus] >gnlP1D(d1002335 ribosomal protei	gi 337510	1	357	97	98	HOSNG20	Lung, Pancreas, Colon, Breast/Ovarian
743	HCLBZ30R	ribosomal protein S5 [Mus musculus] Length = 204	gi 1685071	2	244	89	89	HCLBZ30	Lung, Pancreas, Colon, Breast/Ovarian
744	HBGNY11R	ribosomal protein S8 [Homo sapiens] >gi57139 ribosomal protein S8 (AA 1-208) [Rattus norvegicus] >gi313298 ribosomal protein S8 [Mus musculus] >pirS01609[R3RT8 ribosomal protein S8 - rat >pirS42110[S42110 ribosomal protein S8 - mouse >pirS25022[S2502	gi 36150	2	334	100	100	HBGNY11	Lung, Pancreas, Breast/Ovarian
745	HOEKC80R	S19 ribosomal protein [Homo sapiens] >pir 52692 52692 ribosomal protein S19, cytosolic - human Length = 145	gi 337733	2	376	98	98	HOEKC80	Lung, Pancreas, Colon, Breast/Ovarian
746	HCHBM70R	secretory protein [Homo sapiens] >gi940946 intestinal trefoil factor [Homo sapiens] >pir A48284 A48284 intestinal trefoil factor 3 precursor - human >sp Q07654 ITF_HUMAN INTESTINAL TREFOIL FACTOR PRECURSOR (HP1.B). Length = 80	gi 402483	1	114	57	57	HCHBM70	Colon, Breast/Ovarian
747	HIICES33R	semaphorin C [Mus musculus] >pir 48746 48746 semaphorin C - mouse (fragment) >sp Q62179 Q62179 SEMAPHORIN C (SEM C) (FRAGMENT). Length = 782	gi 854328	1	165	80	86	HIICES33	Colon, Breast/Ovarian



748	HCRQC92R	spermidine/spermine N1-acetyltransferase [Homo sapiens] >gi338336 spermidine/spermine N1-acetyltransferase [Homo sapiens] >spP21673 ATDA_HUMAN DIAMINE ACETYLTRANSFERASE (EC 2.3.1.57) (SPERMIDINE/SPERMINE N1-ACETYLTRANSFERASE) (SSAT) (PUTRESCINE ACETYL T	gi338392	3	278	98	98	HCRQC92	Lung, Colon, Breast/Ovarian
749	HAOAG75R	TARBP-b gene product [Homo sapiens] Length = 277	gi347964	2	418	100	100	HAOAG75	Lung, Colon
750	HWAFF36R	TEGT gene product [Homo sapiens] >pir138334 38334 TEGT (testis enhanced gene transcript) - human Length = 237	gi458545	2	127	100	100	HWAFF36	Pancreas, Colon
751	HBGOU57R	TIMP gene product [Homo sapiens] >gi182483 prefibroblast collagenase inhibitor [Homo sapiens] >gi189382 collagenase inhibitor [Homo sapiens] >gi37183 precursor [Homo sapiens] >pirA93372 ZYHUEP metalloproteinase tissue inhibitor 1 precursor - human >gi	gi490094	60	314	75	75	HBGOU57	Lung, Pancreas, Breast/Ovarian
752	HTXPF20R	TIMP gene product [Homo sapiens] >gi182483 prefibroblast collagenase inhibitor [Homo sapiens] >gi189382 collagenase inhibitor [Homo sapiens] >gi37183 precursor [Homo sapiens] >pirA93372 ZYHUEP metalloproteinase tissue inhibitor 1 precursor - human >gi	gi490094	1	549	84	84	HTXPF20	Lung, Pancreas, Colon, Breast/Ovarian
753	HCRMD09R	transforming growth factor-beta 1 binding protein precursor [Homo sapiens] >pirA35626 A35626 transforming growth factor beta-1-binding protein - human Length = 1394	gi339548	2	460	86	87	HCRMD09	Lung, Pancreas, Colon

754	HAJRB47R	triose-phosphate isomerase [Pan troglodytes] >gi 37247 triosephosphate isomerase [Homo sapiens] >gi 1200507 triosephosphate isomerase [Homo sapiens] >gi 339841 triosephosphate isomerase (EC 5.3.1.1) [Homo sapiens] >pir S29743 SHUT triose-phosphate isomer	gil176960	2	334	100	100	HAJRB47	Lung, Pancreas, Breast/Ovarian
755	HAIBGB36R			6	251			HAIBGB36	Lung, Breast/Ovarian
756	HADBF86R			3	158			HADBF86	Lung, Colon
757	HADDP09R			2	97			HADDP09	Lung, Pancreas, Colon, Breast/Ovarian
758	HAGCY06R			2	58			HAGCY06	Pancreas, Breast/Ovarian
759	HAGDI75R			1	66			HAGDI75	Colon, Breast/Ovarian
760	HAHBD47R			118	429			HAHBD47	Lung, Pancreas
761	HAHCR61R			165	422			HAHCR61	Pancreas, Colon
762	HAJAU22R			101	202			HAJAU22	Pancreas, Colon
763	HAMGB62R			212	370			HAMGB62	Lung, Pancreas, Colon, Breast/Ovarian
764	HANGC52R			3	98			HANGC52	Lung, Pancreas, Colon
765	HAICF30R			2	94			HAICF30	Lung, Colon
766	HAPPV45R			216	536			HAPPV45	Lung, Pancreas
767	HAQK19R			200	415			HAQK19	Lung, Pancreas
768	HAPRL82R			3	233			HAPRL82	Lung, Pancreas
769	HAQBT45R			40	255			HAQBT45	Lung, Colon
770	HAUAL56R			127	315			HAUAL56	Pancreas, Breast/Ovarian

771	HAUBR22R	2	67	HAUBR22	Pancreas, Colon, Breast/Ovarian
772	HBAFN19R	3	257	HBAFN19	Lung, Colon, Breast/Ovarian
773	HBGOK25R	274	528	HBGOK25	Pancreas, Colon
774	HBGRA76R	2	88	HBGRA76	Pancreas, Colon
775	HGBRB47R	1	111	HGBRB47	Lung, Pancreas, Colon,
776	HBJAS24R	1	66	HBJAS24	Breast/Ovarian
777	HBJK105R	207	362	HBJK105	Colon, Breast/Ovarian
778	HBJKEC86R	254	409	HBJKEC86	Pancreas, Colon
779	HBLGD42R	3	341	HBLGD42	Pancreas, Colon Lung, Pancreas, Colon,
780	HBPAP10R	3	65	HBPAP10	Breast/Ovarian
781	HCDBU02R	65	184	HCDBU02	Lung, Pancreas
782	HCDBU04R	64	348	HCDBU04	Pancreas, Colon Lung, Pancreas, Colon
783	HCDDT61R	2	121	HCDDT61	Pancreas, Colon
784	HCEGY65R	2	79	HCEGY65	Pancreas, Colon
785	HCHAK80R	1	513	HCHAK80	Colon, Breast/Ovarian
786	HCHMW79R	73	432	HCHMW79	Pancreas, Breast/Ovarian
787	HCHOB92R	93	350	HCHOB92	Colon, Breast/Ovarian
788	HCLBO01R	45	149	HCLBO01	Lung, Colon
789	HCQAN60R	3	122	HCQAN60	Pancreas, Colon
790	HCRAK70R	3	293	HCRAK70	Colon, Breast/Ovarian
791	HCRPC63R	1	129	HCRPC63	Pancreas, Colon
792	HCUDC51R	2	265	HCUDC51	Lung, Colon

793	HDPFI40R	139	453	HDPFI40	Lung, Pancreas, Breast/Ovarian
794	HDPLP23R	1	141	HDPLP23	Pancreas, Colon, Breast/Ovarian
795	IIDPRZ54R	1	165	IIDPRZ54	Colon, Breast/Ovarian
796	HE9DP46R	2	166	HE9DP46	Lung, Pancreas, Colon
797	HEGAR19R	361	534	HEGAR19	Lung, Colon
798	HFAUO64R	27	137	HFAUO64	Colon, Breast/Ovarian
799	HFIAL90R	186	308	HFIAL90	Lung, Colon
800	HHBEQ12R	218	514	HHBEQ12	Lung, Pancreas
801	HHEUL94R	2	127	HHEUL94	Lung, Pancreas, Colon
802	HISCF76R	16	153	HISCF76	Pancreas, Colon
803	HJMAU64R	1	207	HJMAU64	Lung, Colon
804	IUPCI25R	275	508	IUPCI25	Lung, Pancreas, Colon
805	HKBAC48R	369	542	HKBAC48	Lung, Pancreas, Colon, Breast/Ovarian
806	HKBAD57R	165	341	HKBAD57	Lung, Pancreas
807	HKDBA91R	3	332	HKDBA91	Pancreas, Colon
808	HKGDB80R	3	224	HKGDB80	Lung, Colon
809	HLDNC95R	289	537	HLDNC95	Lung, Pancreas, Prostate, Colon
810	HMSNI52R	2	271	HMSNI52	Lung, Pancreas
811	HODAY16R	134	298	HODAY16	Colon, Breast/Ovarian
812	HODEA57R	289	471	HODEA57	Lung, Pancreas
813	HOEMO27R	1	60	HOEMO27	Colon, Breast/Ovarian

814	HOEMO62R	2	73	HOEMO62	Pancreas, Breast/Ovarian
815	HOEMS18R	1	102	HOEMS18	Lung, Pancreas, Colon, Breast/Ovarian
816	HOENU53R	115	267	HOENU53	Lung, Colon
817	HOGAP33R	1	498	HOGAP33	Pancreas, Prostate, Breast/Ovarian
818	HOSMV34R	124	327	HOSMV34	Lung, Pancreas, Breast/Ovarian
819	HOSNF25R	405	587	HOSNF25	Pancreas, Colon
820	HOUHO32R	230	391	HOUHO32	Lung, Colon
821	HPIAC23R	2	286	HPIAC23	Lung, Breast/Ovarian
822	HRAAD31R	115	414	HRAAD31	Lung, Colon
823	HRACR12R	2	100	HRACR12	Pancreas, Colon
824	HRADJ57R	2	142	HRADJ57	Lung, Colon
825	HROAX48R	184	285	HROAX48	Pancreas, Colon
826	HTAHR87R	369	491	HTAHR87	Lung, Pancreas
827	HTTIO45R	1	288	HTTIO45	Colon, Breast/Ovarian
828	HTWDH05R	1	420	HTWDH05	Lung, Pancreas, Colon, Breast/Ovarian
829	HUFDS13R	51	152	HUFDS13	Pancreas, Colon
830	HUSZE86R	2	340	HUSZE86	Pancreas, Colon
831	HUTHF75R	161	418	HUTHF75	Lung, Pancreas, Breast/Ovarian
832	HWAFFW07R	3	170	HWAFFW07	Lung, Pancreas, Colon
833	HWLIB82R	209	403	HWLIB82	Pancreas, Colon
834	HWLLX91R	147	302	HWLLX91	Lung, Colon
835	HWLMZ54R	1	120	HWLMZ54	Pancreas, Colon

836	HM1A178R		173	319	HM1A178	Pancreas, Colon, Breast/Ovarian		
837	HGCFJ39R	unknown product specific to adipose tissue [Homo sapiens] >sp Q15847 Q15847 HYPOTHETICAL 7.9 KD PROTEIN. Length = 76	1	153	100	HGCFJ39	Pancreas, Colon	
838	HAMHH32R		1	123		HAMHH32	Lung, Colon	
839	HAQBQ95R		104	205		HAQBQ95	Colon, Breast/Ovarian	
840	HAGHY38R	URF 1 (NADH dehydrogenase subunit) [Homo sapiens] >gi 337189 protein 1 [Homo sapiens] >pir A00407 DNHUN1 NADH dehydrogenase (ubiquinone) (EC 1.6.5.3) chain 1 - human mitochondrion (SGC1) >sp P03886 NU1M_HUMAN NADH-UBIQUINONE OXIDOREDUCTASE CHAIN 1 (EC 1.6	157	411	95	HAGHY38	Lung, Colon	
841	HOSNE37R	URF 2 (NADH dehydrogenase subunit) [Homo sapiens] >gi 2052363 protein 2 [Homo sapiens] >gi 2582057 (AF014882) NADH dehydrogenase subunit 2 [Homo sapiens] >gi 2582061 (AF014884) NADH dehydrogenase subunit 2 [Homo sapiens] >gi 2582063 (AF014885) NADH dehydr	73	231	59	62	HOSNE37	Lung, Pancreas, Colon
842	HWAFE41R	VDUP1=1,25-dihydroxyvitamin D-3 up-regulated [human, HL-60 promyelocytic leukemia cells, Peptide, 391 aa] [Homo sapiens] Length = 391	2	508	84	84	HWAFE41	Pancreas, Colon

The first column of Table 1 shows the "SEQ ID NO:" for each of the 842 cancer antigen polynucleotide sequences of the invention.

The second column in Table 1, provides a unique "Sequence/Contig ID" identification for each cancer associated sequence. The third column in Table 1, "Gene Name," provides a putative identification of the gene based on the sequence similarity of its translation product to an amino acid sequence found in a publicly accessible gene database, such as GenBank (NCBI). The great majority of the cDNA sequences reported in Table 1 are unrelated to any sequences previously described in the literature. The fourth column, in Table 1, "Overlap," provides the database accession no. for the database sequence having similarity. The fifth and sixth columns in Table 1 provide the location (nucleotide position nos. within the contig), "Start" and "End", in the polynucleotide sequence "SEQ ID NO:X" that delineate the preferred ORF shown in the sequence listing as SEQ ID NO:Y. In one embodiment, the invention provides a protein comprising, or alternatively consisting of, a polypeptide encoded by the portion of SEQ ID NO:X delineated by the nucleotide position nos. "Start" and "End". Also provided are polynucleotides encoding such proteins and the complementary strand thereto. The seventh and eighth columns provide the "% Identity" (percent identity) and "% Similarity" (percent similarity) observed between the aligned sequence segments of the translation product of SEQ ID NO:X and the database sequence.

The ninth column of Table 1 provides a unique "Clone ID" for a clone related to each contig sequence. This clone ID references the cDNA clone which contains at least the 5' most sequence of the assembled contig and at least a portion of SEQ ID NO:X was determined by directly sequencing the referenced clone. The reference clone may have more sequence than described in the sequence listing or the clone may have less. In the vast majority of cases, however, the clone is believed to encode a full-length polypeptide. In the case where a clone is not full-length, a full-length cDNA can be obtained by methods described elsewhere herein.

The tenth column of Table 1, "Tissue," provides the tissue source where each unique SEQ ID NO:X was found to be predominantly expressed.

Table 3 indicates public ESTs, of which at least one, two, three, four, five, ten, or more of any one or more of these public ESTs are optionally excluded from the invention.

SEQ ID NO:X (where X may be any of the polynucleotide sequences disclosed in the sequence listing as SEQ ID NO:1 through SEQ ID NO:842) and the translated SEQ ID NO:Y

(where Y may be any of the polypeptide sequences disclosed in the sequence listing as SEQ ID NO:843 through SEQ ID NO:1684) are sufficiently accurate and otherwise suitable for a variety of uses well known in the art and described further below. For instance, SEQ ID NO:X has uses including, but not limited to, in designing nucleic acid hybridization probes that will detect nucleic acid sequences contained in SEQ ID NO:X or the related cDNA clone contained in a library deposited with the ATCC. These probes will also hybridize to nucleic acid molecules in biological samples, thereby enabling immediate applications in chromosome mapping, linkage analysis, tissue identification and/or typing, and a variety of forensic and diagnostic methods of the invention. Similarly, polypeptides identified from SEQ ID NO:Y have uses that include, but are not limited to, generating antibodies which bind specifically to the cancer antigen polypeptides, or fragments thereof, and/or to the cancer antigen polypeptides encoded by the cDNA clones identified in Table I.

Nevertheless, DNA sequences generated by sequencing reactions can contain sequencing errors. The errors exist as misidentified nucleotides, or as insertions or deletions of nucleotides in the generated DNA sequence. The erroneously inserted or deleted nucleotides cause frame shifts in the reading frames of the predicted amino acid sequence. In these cases, the predicted amino acid sequence diverges from the actual amino acid sequence, even though the generated DNA sequence may be greater than 99.9% identical to the actual DNA sequence (for example, one base insertion or deletion in an open reading frame of over 1000 bases).

Accordingly, for those applications requiring precision in the nucleotide sequence or the amino acid sequence, the present invention provides not only the generated nucleotide sequence identified as SEQ ID NO:X, the predicted translated amino acid sequence identified as SEQ ID NO:Y, but also a sample of plasmid DNA containing the related cDNA clone (deposited with the ATCC, as set forth in Table I). The nucleotide sequence of each deposited clone can readily be determined by sequencing the deposited clone in accordance with known methods. Further, techniques known in the art can be used to verify the nucleotide sequences of SEQ ID NO:X.

The predicted amino acid sequence can then be verified from such deposits. Moreover, the amino acid sequence of the protein encoded by a particular clone can also be directly determined by peptide sequencing or by expressing the protein in a suitable host cell containing the deposited human cDNA, collecting the protein, and determining its sequence.



The present invention also relates to vectors or plasmids which include such DNA sequences, as well as the use of the DNA sequences. The material deposited with the ATCC on:

5 **Table 2**

ATCC Deposits	Deposit Date	ATCC Designation Number
LP01, LP02, LP03, LP04, LP05, LP06, LP07, LP08, LP09, LP10, LP11,	May-20-97	209059, 209060, 209061, 209062, 209063, 209064, 209065, 209066, 209067, 209068, 209069
LP12	Jan-12-98	209579
LP13	Jan-12-98	209578
LP14	Jul-16-98	203067
LP15	Jul-16-98	203068
LP16	Feb-1-99	203609
LP17	Feb-1-99	203610
LP20	Nov-17-98	203485
LP21	Jun-18-99	PTA-252
LP22	Jun-18-99	PTA-253
LP23	Dec-22-99	PTA-1081

each is a mixture of cDNA clones derived from a variety of human tissue and cloned in either a plasmid vector or a phage vector, as shown in Table 5. These deposits are referred to as "the deposits" herein. The tissues from which the clones were derived are listed in Table 5, and the vector in which the cDNA is contained is also indicated in Table 5. The deposited material includes the cDNA clones which were partially sequenced and are related to the SEQ ID NO:X described in Table 1 (column 9). Thus, a clone which is isolatable from the ATCC Deposits by use of a sequence listed as SEQ ID NO:X may include the entire coding region of a human gene or in other cases such clone may include a substantial portion of the coding region of a human gene. Although the sequence listing lists only a portion of the DNA sequence in a clone included in the ATCC Deposits, it is well within the ability of one skilled in the art to complete the sequence of the DNA included in a clone isolatable from the

ATCC Deposits by use of a sequence (or portion thereof) listed in Table 1 by procedures hereinafter further described, and others apparent to those skilled in the art.

Also provided in Table 5 is the name of the vector which contains the cDNA clone. Each vector is routinely used in the art. The following additional information is provided for  
5 convenience.

Vectors Lambda Zap (U.S. Patent Nos. 5,128,256 and 5,286,636), Uni-Zap XR (U.S. Patent Nos. 5,128, 256 and 5,286,636), Zap Express (U.S. Patent Nos. 5,128,256 and 5,286,636), pBluescript (pBS) (Short, J. M. et al., *Nucleic Acids Res.* 16:7583-7600 (1988); Alting-Mees, M. A. and Short, J. M., *Nucleic Acids Res.* 17:9494 (1989)) and pBK (Alting-Mees, M. A. et al., *Strategies* 5:58-61 (1992)) are commercially available from Stratagene  
10 Cloning Systems, Inc., 11011 N. Torrey Pines Road, La Jolla, CA, 92037. pBS contains an ampicillin resistance gene and pBK contains a neomycin resistance gene. Phagemid pBS may be excised from the Lambda Zap and Uni-Zap XR vectors, and phagemid pBK may be excised from the Zap Express vector. Both phagemids may be transformed into *E. coli* strain  
15 XL-1 Blue, also available from Stratagene.

Vectors pSport1, pCMVSport 1.0, pCMVSport 2.0 and pCMVSport 3.0, were obtained from Life Technologies, Inc., P. O. Box 6009, Gaithersburg, MD 20897. All Sport vectors contain an ampicillin resistance gene and may be transformed into *E. coli* strain DH10B, also available from Life Technologies. See, for instance, Gruber, C. E., et al., *Focus*  
20 15:59 (1993). Vector lafmid BA (Bento Soares, Columbia University, New York, NY) contains an ampicillin resistance gene and can be transformed into *E. coli* strain XL-1 Blue. Vector pCR<sup>®</sup>2.1, which is available from Invitrogen, 1600 Faraday Avenue, Carlsbad, CA 92008, contains an ampicillin resistance gene and may be transformed into *E. coli* strain DH10B, available from Life Technologies. See, for instance, Clark, J. M., *Nuc. Acids Res.*  
25 16:9677-9686 (1988) and Mead, D. et al., *Bio/Technology* 9: (1991).

The present invention also relates to the genes corresponding to SEQ ID NO:X, SEQ ID NO:Y, and/or the cDNA contained in a deposited cDNA clone. The corresponding gene can be isolated in accordance with known methods using the sequence information disclosed herein. Such methods include, but are not limited to, preparing probes or primers from the  
30 disclosed sequence and identifying or amplifying the corresponding gene from appropriate sources of genomic material.

Also provided in the present invention are allelic variants, orthologs, and/or species homologs. Procedures known in the art can be used to obtain full-length genes, allelic variants, splice variants, full-length coding portions, orthologs, and/or species homologs of genes corresponding to SEQ ID NO:X, SEQ ID NO:Y, and/or the cDNA contained in the related cDNA clone in the deposit, using information from the sequences disclosed herein or the clones deposited with the ATCC. For example, allelic variants and/or species homologs may be isolated and identified by making suitable probes or primers from the sequences provided herein and screening a suitable nucleic acid source for allelic variants and/or the desired homologue.

The present invention provides a polynucleotide comprising, or alternatively consisting of, the nucleic acid sequence of SEQ ID NO:X, and/or the related cDNA clone (See, e.g., columns 1 and 9 of Table 1). The present invention also provides a polypeptide comprising, or alternatively, consisting of, the polypeptide sequence of SEQ ID NO:Y, a polypeptide encoded by SEQ ID NO:X, and/or a polypeptide encoded by the cDNA in the related cDNA clone contained in a deposited library. Polynucleotides encoding a polypeptide comprising, or alternatively consisting of, the polypeptide sequence of SEQ ID NO:Y, a polypeptide encoded by SEQ ID NO:X, and/or a polypeptide encoded by the the dDNA in the related cDNA clone contained in a deposited library, are also encompassed by the invention. The present invention further encompasses a polynucleotide comprising, or alternatively consisting of, the complement of the nucleic acid sequence of SEQ ID NO:X, and/or the complement of the coding strand of the related cDNA clone contained in a deposited library.

Many polynucleotide sequences, such as EST sequences, are publicly available and accessible through sequence databases and may have been publicly available prior to conception of the present invention. Preferably, such related polynucleotides are specifically excluded from the scope of the present invention. To list every related sequence would unduly burden the disclosure of this application. Accordingly, for each "Contig Id" listed in the first column of Table 3, preferably excluded are one or more polynucleotides comprising a nucleotide sequence described in the second column of Table 3 by the general formula of a-b, each of which are uniquely defined for the SEQ ID NO:X corresponding to that Contig Id in Table 1. Additionally, specific embodiments are directed to polynucleotide sequences excluding at least one, two, three, four, five, ten, or more of the specific polynucleotide sequences referenced by the Genbank Accession No. for each Contig Id which may be

included in column 3 of Table 3. In no way is this listing meant to encompass all of the sequences which may be excluded by the general formula, it is just a representative example.

Table 3.

Sequence/ Contig ID	General formula	Genbank Accession No.
507291	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 542 of SEQ ID NO:1, b is an integer of 15 to 556, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:1, and where b is greater than or equal to a + 14.	
508000	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2648 of SEQ ID NO:2, b is an integer of 15 to 2662, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:2, and where b is greater than or equal to a + 14.	T40333, T41194, T66286, T66339, T73997, T86453, T87207, R17614, R19835, R43336, R45934, R48920, R53521, R43336, R45934, R61813, R75928, R75937, H30115, H42959, H39114, H43825, AA028010, AA028107, AA028148, AA031964, AA032046, AA035668, AA190570, AA233781, AA461489, AA460726, AA460898
518325	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 324 of SEQ ID NO:3, b is an integer of 15 to 338, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:3, and where b is greater than or equal to a + 14.	
523111	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 799 of SEQ ID NO:4, b is an integer of 15 to 813, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:4, and where b is greater than or equal to a + 14.	
526869	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 887 of SEQ ID NO:5, b is an integer of 15 to 901, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:5, and where b is greater than or equal to a + 14.	AA459771
532211	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 717 of SEQ ID NO:6, b is an integer of 15 to 731, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:6, and where b is greater than or equal to a + 14.	H30209, H92182, W95693, W95692, AA196967
532247	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b,	R14583, R93797, H52942, H75493, H78857, W17094, W38705, W81551, W90159, N90874, AA010244,

	where a is any integer between 1 to 2760 of SEQ ID NO:7, b is an integer of 15 to 2774, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:7, and where b is greater than or equal to a + 14.	AA029093, AA126501, AA147066
537932	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2599 of SEQ ID NO:8, b is an integer of 15 to 2613, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:8, and where b is greater than or equal to a + 14.	T91131, T84801, T85952, R59198, R59256, H43456, H59480, H79111, N26560, N35676, N64506, N66078, N76033, N78705, W07594, W70111, W70169, N90844, AA026910, AA026911, AA057689, AA079631, AA079805, AA131257, AA136081, AA165115, AA210764, AA211886, AA232838, AA262352
540117	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1087 of SEQ ID NO:9, b is an integer of 15 to 1101, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:9, and where b is greater than or equal to a + 14.	T49371, T49372, T49850, T61568, T64892, N39534, W57682, AA031859
547710	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1359 of SEQ ID NO:10, b is an integer of 15 to 1373, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:10, and where b is greater than or equal to a + 14.	R11154, R11155, R61204, R61205, R82674, H06105, R88575, R88638, H89977, H97031, N20224, W01143, W39387, W90318, W90788, AA001027, AA045864, AA045839, AA070190, AA070357, AA070481, AA074270, AA099007, AA099084, AA100370, AA112324, AA113319, AA158425, AA161510, AA171909, AA172133, AA173087, AA181768, AA188815, AA188874, AA190370, AA226831, AA252143
551747	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3790 of SEQ ID NO:11, b is an integer of 15 to 3804, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:11, and where b is greater than or equal to a + 14.	
552799	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2143 of SEQ ID NO:12, b is an integer of 15 to 2157, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:12, and where b is greater than or equal to a + 14.	
553243	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1103 of SEQ ID NO:13, b is an integer of 15 to 1117, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:13, and where b is	H63183, W61352, AA151059

	greater than or equal to $a + 14$ .	
553368	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 871 of SEQ ID NO:14, b is an integer of 15 to 885, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:14, and where b is greater than or equal to $a + 14$ .	
554349	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1010 of SEQ ID NO:15, b is an integer of 15 to 1024, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:15, and where b is greater than or equal to $a + 14$ .	
558491	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 531 of SEQ ID NO:16, b is an integer of 15 to 545, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:16, and where b is greater than or equal to $a + 14$ .	
558983	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 609 of SEQ ID NO:17, b is an integer of 15 to 623, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:17, and where b is greater than or equal to $a + 14$ .	
572943	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 545 of SEQ ID NO:18, b is an integer of 15 to 559, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:18, and where b is greater than or equal to $a + 14$ .	
585892	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1341 of SEQ ID NO:19, b is an integer of 15 to 1355, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:19, and where b is greater than or equal to $a + 14$ .	
589390	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1266 of SEQ ID NO:20, b is an integer of 15 to 1280, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:20, and where b is greater than or equal to $a + 14$ .	T47628, T49403, T49829, T49830, T50800, T50963, T51976, T55846, T55860, T55896, T55911, T58744, T58811, T58891, T59252, T59279, T59293, T59615, T59690, T59727, T59826, T60434, T60514, T60584, T61357, T40352, T62559, T62688, T62839, T63122, T64603, T64640.

		T67682, T67756, T68181, T68439, T68506, T68606, T68718, T68783, T68839, T68849, T68976, T69049, T71223, T71347, T71509, T71853, T71858, T71938, T72197, T72264, T72414, T72471, T72923, T73204, T73259, T73283, T73446, T73607, T73621, T73645, T73713, T73744, T73772, T73796, T74114, T74545, T74599, T87829, T90307, T90394, T91481, T92437, T92617, T81767, T82080, R27059, R27060, R31693, R31735, R50548, R50646, R64321, R64322, R75660, R75768, R75866, R76038, R79765, R79766, H22209, H24391, H25902, H27236, H28585, H29860, H29954, H41994, H42226, H42298, H43069, H43893, H43934, R83465, R84983, R94905, R94988, R96360, R96403, R97059, R98674, R98900, R99186, R99187, H50701, H50801, H57754, H62182, H63649, H63650, H64755, H64756, H69075, H70056, H70057, H70855, H70856, H71581, H75758, H75893, H80974, H80975, H83141, H83142, H83271, H85046, H84668, H91780, H92207, H92350, H94891, H94943, H94966, H95486, H99418, N52264, N58261, N74184, N77638, N81021, N92261, N99137, W04350, W07850, W16893, W39467, W45038, W47174, W47433, W52853, W63782, W67635, W67759, W67868, W67881, W93706, W94183, W96351, W96352, N89587, AA012898, AA019884, AA020863, AA025865, AA025866, AA056092, AA057434, AA070445, AA192155, AA192879, AA226741, AA227477
596882	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1177 of SEQ ID NO:21, b is an integer of 15 to 1191, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:21, and where b is greater than or equal to a + 14.	
616289	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 839 of SEQ ID NO:22, b is an integer of 15 to 853, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:22, and where b is greater than or equal to a + 14.	
622140	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide	W39497, W52751, AA099814, AA128882, AA173072, AA226739



	sequence described by the general formula of a-b, where a is any integer between 1 to 460 of SEQ ID NO:23, b is an integer of 15 to 474, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:23, and where b is greater than or equal to a + 14.	
623566	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2266 of SEQ ID NO:24, b is an integer of 15 to 2280, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:24, and where b is greater than or equal to a + 14.	
647714	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1047 of SEQ ID NO:25, b is an integer of 15 to 1061, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:25, and where b is greater than or equal to a + 14.	
647752	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1558 of SEQ ID NO:26, b is an integer of 15 to 1572, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:26, and where b is greater than or equal to a + 14.	
651774	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1991 of SEQ ID NO:27, b is an integer of 15 to 2005, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:27, and where b is greater than or equal to a + 14.	T69901, T69949, T70775, R20554, R33030, R33917, R48406, H58331, H58720, H67041, H68124, H93586, H94430, H94513, H97468, H99219, N23459, N26334, N35428, N49203, N50256, N64246, N93349, W19550, W19996, W25330, W73940, W77984, W93791, W94028, N90424, AA025537, AA025680, AA025371, AA026317, AA026318, AA084549, AA086048, AA086130, AA098995, AA099068, AA115309, AA136486, AA151843, AA149689, AA148825, AA150406, AA150425, AA173377
651995	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1394 of SEQ ID NO:28, b is an integer of 15 to 1408, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:28, and where b is greater than or equal to a + 14.	
652156	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 903 of SEQ ID NO:29, b is an integer of 15 to 917, where both a and	T40364, R22492, R49907, R49908, R62310, R62311, R65652, R67030, R81699, R81700, H18589, H20024, H20099, H20123, H20797, H22404, H22615, H25816, H27051, H42294,

	b correspond to the positions of nucleotide residues shown in SEQ ID NO:29, and where b is greater than or equal to a + 14.	H44827, H49661, H51422, H51465, H56482, H56483, H70295, H86037, H93528, H93860, H96113, H96114, N22715, N31188, N33831, N54495, N70601, N70623, N76607, N78626, W04920, W05505, W07305, W15350, W39442, W60859, W60860, W72726, W76452, AA017463, AA024543, AA024544, AA026421, AA026498, AA027270, AA034429, AA046316, AA046142, AA053920, AA056230, AA063244, AA062885, AA085305, AA128171, AA126216, AA149890, AA150552, AA187825, AA188597, AA417004, AA417190
653010	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 563 of SEQ ID NO:30, b is an integer of 15 to 577, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:30, and where b is greater than or equal to a + 14.	
655904	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2045 of SEQ ID NO:31, b is an integer of 15 to 2059, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:31, and where b is greater than or equal to a + 14.	T61561, T90265, T90707, R09280, R17627, R43348, R54854, R54658, H20872, H27229, H64571, H64673, H64571, N47495, N54722, N75461, W73679, AA010711, AA010712, AA082107, AA130516, AA132052, AA132156, AA147852, AA147908, AA148276, AA148277, AA181933, AA187549, AA187845, AA186675, AA188310, AA193212
657852	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 535 of SEQ ID NO:32, b is an integer of 15 to 549, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:32, and where b is greater than or equal to a + 14.	
666414	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 827 of SEQ ID NO:33, b is an integer of 15 to 841, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:33, and where b is greater than or equal to a + 14.	
667847	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 849 of SEQ ID NO:34, b is an integer of 15 to 863, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:34, and where b is greater than or equal to a + 14.	T47009, T47010, T55133, T55301, T57663, T57702, T59664, T59797, T59800, T49370, T72020, T26631, R22343, R46325, R48879, R50151, R50204, R55208, R71485, R71535, R72144, R72362, R72553, R74062, H13587, H16167, H18121, H20172, H20361, H22514, H40774, H40775,

		H42435, H42865, H43100, H43164, H45140, H45441, H46013, H46083, H46159, R97084, R97131, H56498, H60260, H60567, H67238, H71802, H77325, H77338, H81556, H87775, H87825, H91889, H92057, H93187, H96056, H96420, H81556, H99575, N21484, N23829, N24221, N26831, N27079, N27278, N27582, N30213, N30255, N31642, N31989, N31996, N32655, N32790, N35515, N38983, N39859, N40012, N40488, N41792, N41978, N54988, N57097, N70071, N77176, N78930, N80037, N80573, N81058, N92768, N93810, W07000, W07659, W07868, W44961, W44962, W58175, W58263, W58182, AA001206, AA017579, AA026640, AA026706, AA057605, AA058758, AA082491, AA084088, AA086460, AA100968, AA112029, AA121337, AA121500, AA130704, AA130790, AA152420, AA156094, AA156123, AA181929, AA182575, AA182617, AA186931, AA195982, AA253952, AA283976, AA426098, AA425122, AA428823, AA429359
670188	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1216 of SEQ ID NO:35, b is an integer of 15 to 1230, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:35, and where b is greater than or equal to a + 14.</p>	
670279	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 626 of SEQ ID NO:36, b is an integer of 15 to 640, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:36, and where b is greater than or equal to a + 14.</p>	T50781, T51265, T55324, T56327
670729	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 583 of SEQ ID NO:37, b is an integer of 15 to 597, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:37, and where b is greater than or equal to a + 14.</p>	
674123	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 610 of SEQ ID NO:38, b is an integer of 15 to 624, where both a and b correspond to the positions of nucleotide residues</p>	

	shown in SEQ ID NO:38, and where b is greater than or equal to a + 14.	
676496	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1015 of SEQ ID NO:39, b is an integer of 15 to 1029, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:39, and where b is greater than or equal to a + 14.	
678162	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1093 of SEQ ID NO:40, b is an integer of 15 to 1107, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:40, and where b is greater than or equal to a + 14.	T40233, T40521, T41098, T47133, T47529, T49156, T49157, T51636, T55352, T55402, T55422, T57649, T59314, T62530, T62806, T62954, T72271, T73592, T89655, T78884, R19194, R89249, R93164, H57861, H93645, N22493, N26661, N32984, N63146, N66448, N67443, N69984, N72141, N77952, N78933, N81091, N95826, W02074, W24850, W24972, W38365, W44897, W57997, W58080, W65414, W65435, W74634, AA007562, AA009767, AA022918, AA022939, AA025169, AA029717, AA029656, AA032096, AA040581, AA046091, AA070493, AA070646, AA070707, AA071405, AA071414, AA074752, AA075706, AA075696, AA079282, AA085620, AA100126, AA126795, AA128838, AA136579, AA143069, AA143200, AA146637, AA147370, AA147705, AA156001, AA157342, AA161090, AA164798, AA179749, AA187235, AA188048, AA187029, AA188384, AA192271, AA196973, AA235468, AA243180, AA459416, AA459642
678248	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1037 of SEQ ID NO:41, b is an integer of 15 to 1051, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:41, and where b is greater than or equal to a + 14.	
683668	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2178 of SEQ ID NO:42, b is an integer of 15 to 2192, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:42, and where b is greater than or equal to a + 14.	T49549, T49550, T49700, T49912, T49937, T50912, T51558, T53285, T53375, T53376, T53721, T54314, T54840, T55217, T56413, T99069, T99669, R01522, R31653, R32820, R32921, R35743, R50997, R64077, R65723, R69349, R71009, R72798, R72824, R76854, R77142, R79240, R79511, R80194, R80295, R81155, H39823, H39824, R84909, R85592, R91193, H50793, H52341, H53594, H53916, H92997, N26572, N32090,

		N32406, N34179, N36271, N45401, N49216, N50267, N67233, N67568, N72254, N75478, N93355, N94504, W00543, W05288, W05816, W23954, W24625, W24650, W25354, W49666, W52302, AA121852, AA121851, AA128593, AA128712, AA136731, AA136688, AA167235, AA167584, AA173693, AA176648, AA176804, AA179999, AA181456, AA181457, AA256158, AA256215, AA256247, AA458729, AA458778, AA464936, AA464937
693172	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 339 of SEQ ID NO:43, b is an integer of 15 to 353, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:43, and where b is greater than or equal to a + 14.	T49005, T50129, T54766, T59468, T71241, T89633, R66699, R67578, H25853, H26090, H41256, H43182, H45273, N58288, N95319, AA054338, AA057604, AA084261
694303	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3476 of SEQ ID NO:44, b is an integer of 15 to 3490, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:44, and where b is greater than or equal to a + 14.	
695042	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 767 of SEQ ID NO:45, b is an integer of 15 to 781, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:45, and where b is greater than or equal to a + 14.	
699799	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1417 of SEQ ID NO:46, b is an integer of 15 to 1431, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:46, and where b is greater than or equal to a + 14.	T50599, R25615, R31078, R68513, R70896, R75848, R76864, R76865, H01087, H26949, H63077, H75713, H75642, H95014, H98885, N24938, N33815, N47174, N47897, N51152, N53997, N59590, N62387, N63017, N67836, N69948, N78655, N79355, N94343, N98329, W01767, W03440, W15144, W19292, W25534, W37911, W42857, W42912, W48630, W72791, W76438, W81113, W80546, W80525, W80526, W84575, W84645, AA010674, AA011261, AA026981, AA031662, AA039737, AA039810, AA040524, AA040523, AA046308, AA046396, AA099365, AA101915, AA129310, AA129354, AA131951, AA186409
702216	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide	T64167, T64355, T68409, T68475, T73691, T73717, T97735, T97840.

	sequence described by the general formula of a-b, where a is any integer between 1 to 1899 of SEQ ID NO:47, b is an integer of 15 to 1913, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:47, and where b is greater than or equal to a + 14.	T98899, T99491, R00460, R01214, R01326, H45786, R93124, R96609, H61118, H61119, H61454, H62460, H64003, H64052, H91078, H91378, N58480, N64695, N65991, N74260, N78070, N79244, N91708, N95101, W03761, W04301, N90479, AA130077, AA130076, AA152275, AA150441
703015	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1747 of SEQ ID NO:48, b is an integer of 15 to 1761, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:48, and where b is greater than or equal to a + 14.	R72819, R73270, H43839, W47195, W52204, AA242894, AA424584, AA424629
706391	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 942 of SEQ ID NO:49, b is an integer of 15 to 956, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:49, and where b is greater than or equal to a + 14.	T48974, H26922, H30342, H44743, H45233, R88178, H81778, H92363, N29006, N44860, N46515, AA079547, AA158434, AA160590, AA428285
706892	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 549 of SEQ ID NO:50, b is an integer of 15 to 563, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:50, and where b is greater than or equal to a + 14.	
706924	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3201 of SEQ ID NO:51, b is an integer of 15 to 3215, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:51, and where b is greater than or equal to a + 14.	T68892, T68966, T75421, R15205, R16398, R41650, R42339, R52995, R52996, R41650, H12000, H16753, H16861, H27652, H27653, H27982, H28497, H29323, H29416, H85752, H98511, N22580, N24339, N28586, N42727, N50084, N75803, N78815, W07245, W21306, W23840, W57924, W58128, W72277, W76304, W86460, AA002243, AA002080, AA025565, AA025683, AA026606, AA026718, AA150696, AA150801
707642	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 612 of SEQ ID NO:52, b is an integer of 15 to 626, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:52, and where b is greater than or equal to a + 14.	
710369	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 906 of SEQ ID NO:53, b is an integer of 15 to 920, where both a and	T48815, T60685, T91108, T99835, AA150217, AA157340, AA157240, AA171947

	b correspond to the positions of nucleotide residues shown in SEQ ID NO:53, and where b is greater than or equal to a + 14.	
718826	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1076 of SEQ ID NO:54, b is an integer of 15 to 1090, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:54, and where b is greater than or equal to a + 14.	
719790	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1450 of SEQ ID NO:55, b is an integer of 15 to 1464, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:55, and where b is greater than or equal to a + 14.	T47380, T47538, T47539, T53445, T53446, T54910, T55077, T59959, T60032, T62504, T62649, T63049, T63297, T63382, T65688, T71591, T71742, T93094, T93187, T94131, T94222, T91210, T84959, T99044, T99045, R26119, R26148, R33224, R35866, R36526, R53923, R53924, R69596, R69684, R76209, R76210, R79249, R79521, H03427, H03507, H12529, H13501, H19016, H19310, H21587, H21652, H21653, H30119, H39693, H42698, H46635, R93371, R98210, R99855, H54120, H54786, H54837, H58991, H65355, H65566, H67613, H72632, H74102, H95312, N48235, N58029, N64226, N66907, N70763, N78303, N93848, N94316, N95432, N98433, W01816, W02218, W05772, W21419, W24044, W24297, W30823, W32382, W37228, W37317, W40321, W42528, W46445, W49731, W51944, W53011, W53012, W60051, W60129, W60154, W68332, W68216, W72730, W74593, W92813, W93310, AA010985, AA011307, AA031435, AA035708, AA037040, AA053073, AA053374, AA055567, AA069724, AA069690, AA069682, AA069900, AA069951, AA070693, AA071421, AA074606, AA075555, AA075673, AA075544, AA081017, AA081251, AA081428, AA082119, AA082022, AA082213, AA082241, AA082247, AA082400, AA082365, AA082438, AA082679, AA083225, AA083266, AA083508, AA083411, AA083637, AA084202, AA099623, AA102015, AA099659, AA100102, AA100163, AA100429, AA100430, AA100455, AA100456, AA100711, AA100764, AA100906, AA100919, AA100963, AA101118, AA102494, AA101184, AA112123, AA122359, AA122360, AA126882, AA127103, AA128195, AA128674, AA128686, AA128741,

		AA128747, AA128785, AA133488, AA133489, AA130006, AA130007, AA134211, AA130492, AA130507, AA134345, AA134346, AA134457, AA134458, AA134461, AA134462, AA130907, AA131020, AA131973, AA132141, AA132493, AA132601, AA134904, AA135121, AA135182, AA135348, AA136318, AA143066, AA143256, AA143278, AA143386, AA146650, AA146835, AA146836, AA146860, AA146861, AA146870, AA146871, AA146918, AA147716, AA147707, AA147868, AA148130, AA148090, AA148091, AA152422, AA148435, AA148867, AA148492, AA148702, AA151453, AA151452, AA151828, AA155801, AA155886, AA156025, AA156044, AA156053, AA156155, AA156222, AA157080, AA157168, AA157325, AA157423, AA157434, AA157471, AA157605, AA157631, AA157546, AA157775, AA157826, AA158157, AA158273, AA158888, AA158887, AA159153, AA159250, AA160104, AA159856, AA161278, AA161301, AA160817, AA164741, AA165616, AA165606, AA173037, AA173038, AA176229, AA176317, AA179185, AA179190, AA179200, AA181043, AA181262, AA181342, AA181834, AA181989, AA182794, AA187247, AA187342, AA187379, AA187470, AA187528, AA187740, AA187911, AA188028, AA186378, AA186424, AA186441, AA186442, AA186568, AA186653, AA186661, AA186703, AA186910, AA187081, AA187087, AA187078, AA187135, AA188313, AA188330, AA188342, AA190473, AA193219
720222	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 971 of SEQ ID NO:56, b is an integer of 15 to 985, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:56, and where b is greater than or equal to a + 14.</p>	AA056718, AA428747
724033	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1232 of SEQ ID NO:57, b is an integer of 15 to 1246, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:57, and where b is greater than or equal to a + 14.</p>	N50855, AA076233, AA076232



724767	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1952 of SEQ ID NO:58, b is an integer of 15 to 1966, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:58, and where b is greater than or equal to a + 14.	
727065	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1597 of SEQ ID NO:59, b is an integer of 15 to 1611, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:59, and where b is greater than or equal to a + 14.	T26554, R31862, R31869, R67140, R70861, H00137, H23051, H23350, H60670, N28391, N28646, AA081571
727246	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1835 of SEQ ID NO:60, b is an integer of 15 to 1849, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:60, and where b is greater than or equal to a + 14.	
727932	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 219 of SEQ ID NO:61, b is an integer of 15 to 233, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:61, and where b is greater than or equal to a + 14.	
731167	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2319 of SEQ ID NO:62, b is an integer of 15 to 2333, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:62, and where b is greater than or equal to a + 14.	
732514	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1456 of SEQ ID NO:63, b is an integer of 15 to 1470, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:63, and where b is greater than or equal to a + 14.	
734080	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 925 of SEQ ID NO:64, b is an integer of 15 to 939, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:64, and where b is greater than or equal to a + 14.	
734288	Preferably excluded from the present invention are	

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2054 of SEQ ID NO:65, b is an integer of 15 to 2068, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:65, and where b is greater than or equal to a + 14.	
739448	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1377 of SEQ ID NO:66, b is an integer of 15 to 1391, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:66, and where b is greater than or equal to a + 14.	T53676, T53677, T54741, T55855, T55906, T56935, T57622, T58975, T58979, T61059, T61143, T90498, T90594, T93775, R07734, R07735, R40067, R75954, R75978, R76790, R76809, R77290, R77315, R77348, R79433, R79434, R97814, H50168, H70091, H77406, H80889, H82088, H82195, N33576, N39028, N48219, N49421, N52598, N66328, N67208, N73788, N78932, N92856, N99411, W07071, W17213, W24422, W25582, W47407, W47574, W49651, W49725, W68140, W68467, AA025829, AA025972, AA074731, AA074835, AA075316, AA081368, AA081369, AA082652, AA082810, AA101054, AA102495, AA115718, AA115719, AA127079, AA127080, AA127200, AA127199, AA128645, AA128813, AA133732, AA130465, AA130466, AA132111, AA143233, AA143289, AA146780, AA147706, AA148134, AA151491, AA157062, AA157046, AA157630, AA165124, AA165123, AA164625, AA165420, AA165583, AA173407, AA173462, AA179910, AA179911, AA180198, AA181087, AA181556, AA182450, AA182951, AA186670, AA188289, AA192925, AA193075, AA464823
739668	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 645 of SEQ ID NO:67, b is an integer of 15 to 659, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:67, and where b is greater than or equal to a + 14.	
740060	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2967 of SEQ ID NO:68, b is an integer of 15 to 2981, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:68, and where b is greater than or equal to a + 14.	
741560	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b,	

	where a is any integer between 1 to 589 of SEQ ID NO:69, b is an integer of 15 to 603, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:69, and where b is greater than or equal to a + 14.	
742543	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1087 of SEQ ID NO:70, b is an integer of 15 to 1101, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:70, and where b is greater than or equal to a + 14.	
742831	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 700 of SEQ ID NO:71, b is an integer of 15 to 714, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:71, and where b is greater than or equal to a + 14.	
745327	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2876 of SEQ ID NO:72, b is an integer of 15 to 2890, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:72, and where b is greater than or equal to a + 14.	
745695	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2474 of SEQ ID NO:73, b is an integer of 15 to 2488, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:73, and where b is greater than or equal to a + 14.	T56303, T58644, T58694, R48815, R48816, R68140, R74376, R78015, R81014, H00852, H01233, H17193, H17969, H25101, H27005, H30607, H41236, H42218, H42290, H42904, H42977, H45271, H45342, R83816, R98855, R98939, H53696, H62059, H82544, H83097, N40713, N92791, W19377, AA025571, AA053695, AA053675, AA069167, AA069166, AA076604, AA076603, AA079426, AA100088, AA099771, AA130265, AA158402, AA179641, AA235643, AA253454, AA250758, AA458951, AA458978, AA459194, AA419280, AA419329, AA425117, AA430664
750316	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 697 of SEQ ID NO:74, b is an integer of 15 to 711, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:74, and where b is greater than or equal to a + 14.	
750522	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 892 of SEQ ID	

	NO:75, b is an integer of 15 to 906, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:75, and where b is greater than or equal to a + 14.	
750583	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 257 of SEQ ID NO:76, b is an integer of 15 to 271, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:76, and where b is greater than or equal to a + 14.	
751020	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 659 of SEQ ID NO:77, b is an integer of 15 to 673, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:77, and where b is greater than or equal to a + 14.	N80268, N95387, W57806, W63590, AA182782, AA187759, AA199806, AA262640, AA262111, AA262106, AA460214
752196	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 353 of SEQ ID NO:78, b is an integer of 15 to 367, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:78, and where b is greater than or equal to a + 14.	R67541
753084	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1330 of SEQ ID NO:79, b is an integer of 15 to 1344, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:79, and where b is greater than or equal to a + 14.	T93791, T93840, R77826, R78199, R99272, H54274, H65600, H67128, H75533, H75532, H81433, N57836, N58786, N72699, N77475, W02480, W78743, W80625, W90276, AA007397, AA127528, AA127529, AA130419, AA147733, AA150095, AA195008, AA195060
754957	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3734 of SEQ ID NO:80, b is an integer of 15 to 3748, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:80, and where b is greater than or equal to a + 14.	
756557	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1877 of SEQ ID NO:81, b is an integer of 15 to 1891, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:81, and where b is greater than or equal to a + 14.	
756712	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1940 of SEQ ID NO:82, b is an integer of 15 to 1954, where both a	

	and b correspond to the positions of nucleotide residues shown in SEQ ID NO:82, and where b is greater than or equal to $a + 14$ .	
757414	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 922 of SEQ ID NO:83, b is an integer of 15 to 936, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:83, and where b is greater than or equal to $a + 14$ .	T49651, T49652, T92946, T93013, H02307, H02419, N42072, AA169576
757614	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1499 of SEQ ID NO:84, b is an integer of 15 to 1513, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:84, and where b is greater than or equal to $a + 14$ .	T93709, T96172, H00439, H00480, R85176, H51264, H51834, H53645, H57470, H57991, H73334, N33138, N42318, N94987, AA028955, AA081550, AA082013, AA113225, AA113810, AA133619, AA133522, AA132699, AA132810, AA151877, AA149662, AA157324, AA157422, AA159905, AA165014, AA165442, AA165443, AA167837, AA166621, AA166924, AA195339, AA195338, AA252790
757815	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1284 of SEQ ID NO:85, b is an integer of 15 to 1298, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:85, and where b is greater than or equal to $a + 14$ .	
759878	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1995 of SEQ ID NO:86, b is an integer of 15 to 2009, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:86, and where b is greater than or equal to $a + 14$ .	
760227	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 520 of SEQ ID NO:87, b is an integer of 15 to 534, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:87, and where b is greater than or equal to $a + 14$ .	
760312	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 4288 of SEQ ID NO:88, b is an integer of 15 to 4302, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:88, and where b is greater than or equal to $a + 14$ .	
766051	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide	T57753, T60650, R11036, R11084, R00826, R01482, H87221, N25112,

	sequence described by the general formula of a-b, where a is any integer between 1 to 2768 of SEQ ID NO:89, b is an integer of 15 to 2782, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:89, and where b is greater than or equal to a + 14.	N33451, N42424, N47338, N48186, N62628, N68902, N71490, N78399, N99533, W16943, W78948, W85915, W95743, N89568, AA039230, AA039231, AA047564, AA047582, AA047702, AA047752, AA120926, AA126453, AA135549, AA135529, AA429718
767593	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1023 of SEQ ID NO:90, b is an integer of 15 to 1037, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:90, and where b is greater than or equal to a + 14.	T51635, T57709, T61468, T63793, T63818, T92894, T92984, T94396, T75475, T75508, T87575, T79848, T85949, R25644, R27489, R70702, R78772, H44836, H44835, R84349, R86157, R89703, R99494, H48567, H48836, H57859, H83579, H86373, H86690, H88284, H97937, H98241, H99117, H99249, N24363, N24573, N26374, N27129, N31662, N36546, N40064, N45098, N45108, N53503, N59526, N63219, N64179, N64178, N66660, N70536, N72298, N98943, W02894, W19364, W60295, W60386, W72691, W77806, W93582, W93631, W92326, W92382, N90765, AA001997, AA013356, AA017023, AA017221, AA018780, AA026639, AA026705, AA029569, AA029496, AA029736, AA035387, AA035694, AA044958, AA055558, AA063564, AA100726, AA100744, AA134118, AA130301, AA151965, AA233192, AA253060, AA253117
768053	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1038 of SEQ ID NO:91, b is an integer of 15 to 1052, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:91, and where b is greater than or equal to a + 14.	
768055	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1220 of SEQ ID NO:92, b is an integer of 15 to 1234, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:92, and where b is greater than or equal to a + 14.	T68053, R09316, R09788, T84929, R24826, R66259, R68879, R80029, H00967, H89841, H96162, N39802, N44634, N68319, N70487, N71145, N72732, W01594, W52285, W73342, W85800, AA022906, AA022975, AA031962, AA032044, AA032163, AA037604, AA043694, AA043695, AA044134, AA074287, AA081041, AA081042, AA082218, AA082461, AA082475, AA083977, AA100460, AA155926, AA167365, AA171958, AA173534, AA187036, AA224429
769685	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1557 of SEQ ID	

	NO:93, b is an integer of 15 to 1571, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:93, and where b is greater than or equal to a + 14.	
771920	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1858 of SEQ ID NO:94, b is an integer of 15 to 1872, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:94, and where b is greater than or equal to a + 14.	
772790	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1502 of SEQ ID NO:95, b is an integer of 15 to 1516, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:95, and where b is greater than or equal to a + 14.	
772916	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1756 of SEQ ID NO:96, b is an integer of 15 to 1770, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:96, and where b is greater than or equal to a + 14.	
773225	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 924 of SEQ ID NO:97, b is an integer of 15 to 938, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:97, and where b is greater than or equal to a + 14.	
773632	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 297 of SEQ ID NO:98, b is an integer of 15 to 311, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:98, and where b is greater than or equal to a + 14.	
774364	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 606 of SEQ ID NO:99, b is an integer of 15 to 620, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:99, and where b is greater than or equal to a + 14.	W01405, AA172322
775355	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2497 of SEQ ID NO:100, b is an integer of 15 to 2511, where both a	T49285, T61774, T68350, T68396, T94414, T69842, T81078, R01216, R05674, R21522, R21626, R23745, R23797, R24081, R24137, R24753, R32662, R36359, R45484, R45484,

	and b correspond to the positions of nucleotide residues shown in SEQ ID NO: 100, and where b is greater than or equal to a + 14.	R63380, R63433, R70942, R70995, R73973, R78964, H08973, H09543, H16712, H16713, H20846, H20896, R99241, H82276, H82382, H84715, H85367, H85516, H89615, H95047, H96450, H97881, N20953, N21537, N22201, N25769, N29477, N30442, N37087, N42334, N42354, N66424, N66864, N67873, N71242, N73740, N94555, N99903, W45394, W46993, W46961, W46960, W46881, W73247, W90778, AA026678, AA026215, AA043908, AA044414, AA042828, AA062957, AA076063, AA121145, AA121476, AA195131, AA234043, AA234044, AA426421
775844	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2967 of SEQ ID NO: 101, b is an integer of 15 to 2981, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO: 101, and where b is greater than or equal to a + 14.	T73286, T66741, T66742, R12147, R15080, R19321, R39271, R42973, R44589, R44589, H06197, H08725, R94752, H71652, H71653, H79764, H79765, H79770, H79762, H79761, H79771, H92246, H96184, N45199, W93244, W93245, W93258, W93257, W94615, W94654, AA001180, AA039582, AA039689, AA082198, AA157370, AA157869, AA253368
777760	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2790 of SEQ ID NO: 102, b is an integer of 15 to 2804, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO: 102, and where b is greater than or equal to a + 14.	
779837	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 708 of SEQ ID NO: 103, b is an integer of 15 to 722, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO: 103, and where b is greater than or equal to a + 14.	T67628, T72838, H59238, H84693, N80048, W07009, W37555, W39191, N90251, AA057629
780769	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1622 of SEQ ID NO: 104, b is an integer of 15 to 1636, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO: 104, and where b is greater than or equal to a + 14.	T66609, T66610, T83560, R15983, R15984, R35702, R49338, R49338, H11613, R94244, H87098, H87745, W60710, W60772, W94034, AA258151, AA258913, AA425943
781445	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1547 of SEQ ID NO: 105, b is an integer of 15 to 1561, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO: 105, and where b is	



	greater than or equal to $a + 14$ .	
781531	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 472 of SEQ ID NO:106, b is an integer of 15 to 486, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:106, and where b is greater than or equal to $a + 14$ .	
783018	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 786 of SEQ ID NO:107, b is an integer of 15 to 800, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:107, and where b is greater than or equal to $a + 14$ .	R18976
783097	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1044 of SEQ ID NO:108, b is an integer of 15 to 1058, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:108, and where b is greater than or equal to $a + 14$ .	
784198	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1062 of SEQ ID NO:109, b is an integer of 15 to 1076, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:109, and where b is greater than or equal to $a + 14$ .	
784868	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1185 of SEQ ID NO:110, b is an integer of 15 to 1199, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:110, and where b is greater than or equal to $a + 14$ .	
785428	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3616 of SEQ ID NO:111, b is an integer of 15 to 3630, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:111, and where b is greater than or equal to $a + 14$ .	T47751, T39348, T39359, T98137, T79193, T95760, R16653, R16654, R24052, R24245, R33230, R44846, R50794, R50912, R44846, R60930, R61049, R71116, R71620, R77888, R80860, H00109, H04333, H04688, H05041, H09555, H30257, H30320, H47931, R94218, R99062, R99260, H50702, H50803, H52629, H52628, H54000, H67115, H70269, H83460, H83572, H84911, H99358, N21482, N21632, N24626, N33762, N41609, N67949, N69593, N70188, N71452, N71818, N77888, N79031, N99501, W02150, W03072, W05781, W19647, W19972, W20125, W30896, W33043,

		W33197, W35407, W37262, W39072, W47654, W52846, W56143, W60064, W60074, W65501, W67522, W67591, W69745, W69926, W80811, W94093, W94156, N90996, AA039462, AA040857, AA043084, AA043810, AA053423, AA053042, AA064625, AA064709, AA115540, AA115051, AA120833, AA129500, AA129499, AA146736, AA148602, AA152314, AA150343, AA150620, AA150790, AA157282, AA160296, AA173937, AA173969, AA181340, AA188207, AA186354, AA188646, AA190484, AA199676, AA199677, AA243342, AA250981, AA459647, AA459773, AA460227
785845	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1512 of SEQ ID NO:112, b is an integer of 15 to 1526, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:112, and where b is greater than or equal to a + 14.	
785854	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 571 of SEQ ID NO:113, b is an integer of 15 to 585, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:113, and where b is greater than or equal to a + 14.	T85881, W45204
786705	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 487 of SEQ ID NO:114, b is an integer of 15 to 501, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:114, and where b is greater than or equal to a + 14.	R09422
787186	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1951 of SEQ ID NO:115, b is an integer of 15 to 1965, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:115, and where b is greater than or equal to a + 14.	
787279	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1046 of SEQ ID NO:116, b is an integer of 15 to 1060, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:116, and where b is greater than or equal to a + 14.	T62081, T97170, R17585, R42923, R48789, R48896, R54561, R54562, R54721, R54722, R42923, R72984, R73595, H23901, H43508, H46275, H46348, H47255, H47254, R83475, R89352, R91048, R93150, R93669, R94520, R98839, H48417, H48899, H48900, H50560, H54157, H58936,

		H58983, H67630, H69455, H72554, H72955, H89822, N23388, N33070, N35168, N40256, N44641, N52556, N59706, N68387, N80806, N92514, W17007, W19578, W20217, W38835, W49822, W56061, W65416, W65285, N90575, AA002190, AA045344, AA045446, AA052950, AA053432, AA082245, AA083753, AA102071, AA099961, AA101574, AA112070, AA125782, AA125931, AA135139, AA135268, AA146635, AA151603, AA149484, AA149981, AA152120, AA171975, AA172123, AA181805, AA181821, AA188148, AA188225, AA186556, AA186917, AA460297, AA461585
789002	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 695 of SEQ ID NO:117, b is an integer of 15 to 709, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:117, and where b is greater than or equal to a + 14.	
789008	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2039 of SEQ ID NO:118, b is an integer of 15 to 2053, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:118, and where b is greater than or equal to a + 14.	T47492, T47493, T47900, T48303, T48445, T48456, T49007, T49079, T49080, T49218, T49310, T49311, T49913, T49914, T49941, T51256, T51337, T51371, T51423, T51604, T51757, T52271, T52400, T53326, T53327, T54148, T54244, T54295, T54330, T54402, T54407, T55485, T55733, T56237, T56379, T56414, T56565, T39384, T40546, T40551, T40552, T40824, T89603, T79470, T79561, R01378, R12635, R20536, R21209, R21238, R21239, R22062, R22119, R22190, R22241, R22534, R22535, R22823, R23625, R23881, R24090, R25741, R26431, R26587, R28327, R28328, R28330, R31619, R32132, R32349, R33134, R33286, R35454, R36658, R39739, R50498, R50581, R20536, R56656, R65717, R65777, R65870, R67856, R67857, R68076, R69399, R69531, R69752, R69920, R71289, R72350, R74061, R77148, R77149, R80495, R80640, R82550, H00862, H01301, H01472, H01571, H02637, H02893, H03072, H03073, H03443, H03525, H03812, H03836, H23457, H23458, H26513, H26583, H26584, R86226, R86227, R87053, R91130, R91174, R92513, R92642, R93418, R93468, R93700, R94462, R94463, R94793, R95110,

		R96330, R96329, R96675, R96943, R97000, R98195, R99857, H48277, H48366, H48451, H53119, H54247, H54246, H57144, H57217, H58791, H59276, H59324, H59614, H59654, H62873, H62997, H66302, H67109, H67468, H67594, H67634, H67646, H67685, H67891, H67935, H68007, H68476, H72996, H73208, H73882, H74057, H74076, H74196, H75522, H75366, H77704, H77705, H78593, H79262, H79373, H81287, H81343, H82036, H82218, H82313, H87010, H87011, H90552, H90551, H93198, H94403, N28269, N30773, N34862, N38975, N38989, N39317, N43935, N45164, N48122, N48136, N50666, N50756, N52570, N53559, N53589, N55006, N55026, N57654, N58258, N58340, N58627, N58738, N70218, N72552, N72649, N77216, N77511, N77635, N80637, W01074, W58701, W68231, W68232, W68700, W72561, W72580, W72399, W76223, W85725, W92304, W92318, W92144, W92354, AA004478, AA004551, AA009715, AA009825, AA024464, AA024465, AA025660, AA039523, AA039522, AA040081, AA040128, AA040033, AA040827, AA045744, AA053323, AA099152, AA099250
789555	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1810 of SEQ ID NO:119, b is an integer of 15 to 1824, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:119, and where b is greater than or equal to a + 14.	T85669, H62189, H62190, H73963, H73295, N74147, W04314, W23625, W35215, AA040573, AA040671
789631	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 592 of SEQ ID NO:120, b is an integer of 15 to 606, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:120, and where b is greater than or equal to a + 14.	
789779	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 824 of SEQ ID NO:121, b is an integer of 15 to 838, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:121, and where b is greater than or equal to a + 14.	N69694, AA151932
790387	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide	H19654, H87102, H87749, N29354, N34298, N44187, N57052, W69612,

	sequence described by the general formula of a-b, where a is any integer between 1 to 642 of SEQ ID NO:122, b is an integer of 15 to 656, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:122, and where b is greater than or equal to a + 14.	W93844, W93865, AA027893, AA029638, AA058317, AA058495, AA179870, AA232827, AA233881, AA235809
790461	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1372 of SEQ ID NO:123, b is an integer of 15 to 1386, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:123, and where b is greater than or equal to a + 14.	R66275, R76171, R82537, AA054476, AA056199, AA127010, AA143025, AA151006, AA150976
790931	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 831 of SEQ ID NO:124, b is an integer of 15 to 845, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:124, and where b is greater than or equal to a + 14.	T92052, R10686, T84927, R21818, R22331, R22332, R22401, R23139, R23140, R23369, R32153, R32154, R63527, R63575, R68799, R68901, R80768, H12779, H12836, H56522, H56704, H94832, H96055, H96058, H96422, H96418, N26715, N27088, N31910, N32532, N33383, N34596, N42693, N42748, W32121, W37432, W44577, W44627, W51792, W61294, W65390, AA026773, AA026774
791176	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1642 of SEQ ID NO:125, b is an integer of 15 to 1656, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:125, and where b is greater than or equal to a + 14.	T51708, T51919, T69384, R50942, R73632, R73706, H28125, N22822, N78772
791983	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 823 of SEQ ID NO:126, b is an integer of 15 to 837, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:126, and where b is greater than or equal to a + 14.	
792539	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1203 of SEQ ID NO:127, b is an integer of 15 to 1217, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:127, and where b is greater than or equal to a + 14.	H53623, H53662, N23079, N69293, N89689, AA034518, AA035409, AA035410, AA046490, AA046762, AA085037, AA085105, AA134976, AA135078, AA459951, AA460040
792749	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1335 of SEQ ID NO:128, b is an integer of 15 to 1349, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:128, and where b is greater than or equal to a + 14.	R13058, R13951, R40011, R51765, R51766, R40011, R67629, R67630, H01808, H29310, H29403, R99196, H52742, H52788, H61636, H71767, H71768, N20919, N27779, N36030, N41741, N47900, N55480, N76967, W21551, W44410, W44331, W46458, W46528, W46810, W46928, W51766,

		W57869, W58140, W86456, N90422, AA029174, AA029253, AA031374, AA031375, AA062913, AA082549, AA133965, AA167773, AA166872, AA176295, AA176395, AA428235
792961	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2304 of SEQ ID NO:129, b is an integer of 15 to 2318, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:129, and where b is greater than or equal to a + 14.	
793206	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2135 of SEQ ID NO:130, b is an integer of 15 to 2149, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:130, and where b is greater than or equal to a + 14.	
793249	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1006 of SEQ ID NO:131, b is an integer of 15 to 1020, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:131, and where b is greater than or equal to a + 14.	T48358, T48359, T71001, T71063, T72193, T72972, T67531, T69528, T86709, T86804, T89854, T90890, T91159, T85694, T85895, T95466, T95467, R00007, R00008, R12353, R23932, R23933, R37279, R63973, R64080, R73825, R73826, R76905, R77073, R77445, R77538, R79797, R79808, R79894, R79908, H11925, H11926, H15192, H16754, H16862, H19737, H20072, H21725, H22675, H24523, H26125, H26391, H39766, H41271, H41373, H41374, H43544, H43545, H44881, H45180, H45181, R92671, R94833, H57801, H58122, H58123, H62248, H62337, H69587, H69586, H80840, H80930, H85462, H85747, H86829, H86902, H96591, H96708, H97829, H99614, N25266, N26147, N27161, N29792, N33452, N33767, N33906, N36535, N38816, N39177, N40101, N42935, N42425, N44530, N45252, N45445, N57801, N59012, N78685, N79046, N91819, N98480, W02726, W04566, W15191, W15596, W17335, W24253, W25723, W30937, W31253, W31429, W31674, W39685, W44989, W46619, W46654, W57768, W57804, W57841, W57622, W67135, W67136, W73878, W73364, W73441, W77815, W80810, W80903, W92682, W92512, W92513, W96375, W96526, AA001447, AA001482, AA021374, AA021375, AA037268, AA037489, AA037569, AA039708, AA040262, AA040417, AA057011,

		AA074646, AA074679, AA075303, AA088467, AA098947, AA100987, AA126026, AA126122, AA126778, AA128010, AA128034, AA136619, AA136750, AA143234, AA143291, AA143564, AA143565, AA146915, AA151446, AA151447, AA156218, AA157383, AA159151, AA173294, AA179768, AA180442, AA181155, AA181156, AA181722, AA186611, AA188254, AA190686, AA191758, AA191547, AA195441, AA223540, AA223587
793626	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2305 of SEQ ID NO:132, b is an integer of 15 to 2319, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:132, and where b is greater than or equal to a + 14.	
794417	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1359 of SEQ ID NO:133, b is an integer of 15 to 1373, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:133, and where b is greater than or equal to a + 14.	
795197	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1643 of SEQ ID NO:134, b is an integer of 15 to 1657, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:134, and where b is greater than or equal to a + 14.	
795251	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2346 of SEQ ID NO:135, b is an integer of 15 to 2360, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:135, and where b is greater than or equal to a + 14.	T89826, T74514, T89080, R24028, H03686, H97493, N54611, W94797, W94798, AA129537, AA190765, AA191357, AA256363, AA425151, AA429405
795752	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1028 of SEQ ID NO:136, b is an integer of 15 to 1042, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:136, and where b is greater than or equal to a + 14.	
796261	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1023 of SEQ ID	

	NO:137, b is an integer of 15 to 1037, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:137, and where b is greater than or equal to a + 14.	
796933	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1476 of SEQ ID NO:138, b is an integer of 15 to 1490, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:138, and where b is greater than or equal to a + 14.	
799424	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1670 of SEQ ID NO:139, b is an integer of 15 to 1684, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:139, and where b is greater than or equal to a + 14.	
799698	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 413 of SEQ ID NO:140, b is an integer of 15 to 427, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:140, and where b is greater than or equal to a + 14.	
800351	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 875 of SEQ ID NO:141, b is an integer of 15 to 889, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:141, and where b is greater than or equal to a + 14.	
800573	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1491 of SEQ ID NO:142, b is an integer of 15 to 1505, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:142, and where b is greater than or equal to a + 14.	
805815	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1221 of SEQ ID NO:143, b is an integer of 15 to 1235, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:143, and where b is greater than or equal to a + 14.	
806445	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1406 of SEQ ID NO:144, b is an integer of 15 to 1420, where both a	



	and b correspond to the positions of nucleotide residues shown in SEQ ID NO:144, and where b is greater than or equal to a + 14.	
810309	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1905 of SEQ ID NO:145, b is an integer of 15 to 1919, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:145, and where b is greater than or equal to a + 14.	
811022	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1365 of SEQ ID NO:146, b is an integer of 15 to 1379, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:146, and where b is greater than or equal to a + 14.	
811023	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 500 of SEQ ID NO:147, b is an integer of 15 to 514, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:147, and where b is greater than or equal to a + 14.	
811143	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2044 of SEQ ID NO:148, b is an integer of 15 to 2058, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:148, and where b is greater than or equal to a + 14.	
811381	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1767 of SEQ ID NO:149, b is an integer of 15 to 1781, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:149, and where b is greater than or equal to a + 14.	
811595	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1695 of SEQ ID NO:150, b is an integer of 15 to 1709, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:150, and where b is greater than or equal to a + 14.	T51013, T51104, T54094, T54185, T68577, T68655, T90261, T90702, T92691, R34639, R49168, R51392, R49168, R84952, R84994, H84723, H84890, N29820, N42512, N64677, N67206, N73458, N80110, N92710, W02861, W20327, W23680, W76675, AA031294, AA062736, AA062781, AA070243, AA070244, AA084464, AA100714, AA100767, AA136726, AA136684, AA191613, AA223541, AA223589, AA252636
813000	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide	

	sequence described by the general formula of a-b, where a is any integer between 1 to 908 of SEQ ID NO:151, b is an integer of 15 to 922, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:151, and where b is greater than or equal to a + 14.	
813288	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 621 of SEQ ID NO:152, b is an integer of 15 to 635, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:152, and where b is greater than or equal to a + 14.	
813431	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2314 of SEQ ID NO:153, b is an integer of 15 to 2328, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:153, and where b is greater than or equal to a + 14.	T94237, T89464, T89552, R09285, T78198, R14453, R15241, R15311, R21130, R33140, R33292, R40972, R46726, R42211, R40972, R46726, R66207, R67085, R73679, R73770, H12485, H19135, H22930, H24111, H26774, H26884, R89854, R89894, R92012, R92057, H53798, H61991, H61992, H64854, H65452, H73213, H74063, H79753, H79754, H80620, H80654, H81209, H81210, H84019, H84020, N35581, N68664, N73792, N91681, N92730, N99417, W20349, W46901, W52684, W60422, W61136, W61108, W61174, W68119, W73989, W79021, W79231, W80414, W80777, W80930, AA040315, AA045023, AA045024, AA045188, AA045352, AA181735, AA181799, AA223229, AA223428, AA464186, AA464780, AA428152, AA430305
813450	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1254 of SEQ ID NO:154, b is an integer of 15 to 1268, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:154, and where b is greater than or equal to a + 14.	T90954, T84401, T85262, R22109, R48652, R72000, R73453, H14261, H27403, H42017, H42018, H38149, H38150, H69302, H69397, N98775, AA148803, AA150212
813478	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 4285 of SEQ ID NO:155, b is an integer of 15 to 4299, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:155, and where b is greater than or equal to a + 14.	
813505	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 992 of SEQ ID NO:156, b is an integer of 15 to 1006, where both a and b correspond to the positions of nucleotide	

	residues shown in SEQ ID NO:156, and where b is greater than or equal to a + 14.	
815552	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1672 of SEQ ID NO:157, b is an integer of 15 to 1686, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:157, and where b is greater than or equal to a + 14.	
815606	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 4133 of SEQ ID NO:158, b is an integer of 15 to 4147, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:158, and where b is greater than or equal to a + 14.	T69152, T69213, T80080, T80327, R19043, R27520, R38534, R38898, R44031, R44031, R67769, H11493, H11852, H13644, H22161, H28042, H39529, H42500, H43488, N32678, N50022, N51861, N54126, N54677, W16972, W32896, W35293, W38598, N89624, N90277, AA027830, AA027892, AA035739, AA055806, AA069223, AA078890, AA078891, AA099437, AA099478, AA101431, AA112543, AA121794, AA129629, AA136251, AA143110, AA150576, AA157125, AA158242, AA158709, AA159976, AA160357, AA159491, AA160534, AA160629, AA165150, AA165151, AA164643, AA166799, AA169647, AA169822, AA173082, AA187009, AA224150, AA224303, AA224514, AA224513, AA224488, AA226779, AA227396, AA227518, AA232104, AA232580, AA256938, AA255494, AA429442
816048	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1228 of SEQ ID NO:159, b is an integer of 15 to 1242, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:159, and where b is greater than or equal to a + 14.	T54940, T59322, R35627, R46514, R48419, R48536, R48537, R48569, R48582, R48668, R48683, R49781, R49827, R53111, R53210, R66870, R67958, R69435, R69517, R70414, R71907, R71948, R72113, R72818, R73269, R75924, R75959, R79565, R79566, R80393, H25645, H26211, H29817, H29904, H39626, H39738, H39881, H40715, H42210, H42281, H42354, H42710, H43124, R83615, R86066, R92103, R92104, R96726, R96727, H54075, H54232, H54233, H62253, H62342, H80441, H80442, H91114, H97541, H99927, N27357, N27665, N93636, W19226, W19703, W25418, W25514, W44404, W63554, W78078, N89960, AA027093, AA027132, AA045021, AA045022, AA045721, AA045720, AA046247, AA046280, AA058624, AA074786, AA074787, AA082394, AA085101, AA085282, AA100996, AA127562, AA127729, AA127784, AA128372,

		AA134954, AA143611, AA148145, AA150570, AA161257, AA182028, AA188387, AA232423, AA464270, AA464381, AA421219, AA425804, AA428372
822978	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2215 of SEQ ID NO:160, b is an integer of 15 to 2229, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:160, and where b is greater than or equal to a + 14.	R28400, R82355, R82411, H01338, H01388, N24952, N33829, AA043471, AA043472, AA125807, AA128280, AA129405, AA133871, AA129367, AA133179, AA133312, AA131385, AA428408
823616	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1906 of SEQ ID NO:161, b is an integer of 15 to 1920, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:161, and where b is greater than or equal to a + 14.	
823981	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2605 of SEQ ID NO:162, b is an integer of 15 to 2619, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:162, and where b is greater than or equal to a + 14.	
824364	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1405 of SEQ ID NO:163, b is an integer of 15 to 1419, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:163, and where b is greater than or equal to a + 14.	R21933, H39733, N69879, AA027031, AA100964, AA157234, AA173338
824423	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3796 of SEQ ID NO:164, b is an integer of 15 to 3810, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:164, and where b is greater than or equal to a + 14.	
825279	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 803 of SEQ ID NO:165, b is an integer of 15 to 817, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:165, and where b is greater than or equal to a + 14.	R06729, R61520, R86829, H51131, N57993, W93696, AA423827
825442	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1564 of SEQ ID	

	NO:166, b is an integer of 15 to 1578, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:166, and where b is greater than or equal to a + 14.	
825548	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1680 of SEQ ID NO:167, b is an integer of 15 to 1694, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:167, and where b is greater than or equal to a + 14.	
825725	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1622 of SEQ ID NO:168, b is an integer of 15 to 1636, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:168, and where b is greater than or equal to a + 14.	
826639	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 653 of SEQ ID NO:169, b is an integer of 15 to 667, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:169, and where b is greater than or equal to a + 14.	
827079	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3584 of SEQ ID NO:170, b is an integer of 15 to 3598, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:170, and where b is greater than or equal to a + 14.	
827153	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 926 of SEQ ID NO:171, b is an integer of 15 to 940, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:171, and where b is greater than or equal to a + 14.	
827351	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1444 of SEQ ID NO:172, b is an integer of 15 to 1458, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:172, and where b is greater than or equal to a + 14.	R14710, H92769, H92882, AA195498, AA242878, AA242884, AA252152, AA251967, AA465181, AA465542, AA481105, AA481210, AA492206, AA732326
827503	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2695 of SEQ ID NO:173, b is an integer of 15 to 2709, where both a	

	and b correspond to the positions of nucleotide residues shown in SEQ ID NO:173, and where b is greater than or equal to a + 14.	
827563	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 999 of SEQ ID NO:174, b is an integer of 15 to 1013, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:174, and where b is greater than or equal to a + 14.	
827565	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1683 of SEQ ID NO:175, b is an integer of 15 to 1697, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:175, and where b is greater than or equal to a + 14.	
827893	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1395 of SEQ ID NO:176, b is an integer of 15 to 1409, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:176, and where b is greater than or equal to a + 14.	
828072	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1489 of SEQ ID NO:177, b is an integer of 15 to 1503, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:177, and where b is greater than or equal to a + 14.	R20502, R45322, R45322, H29062, H29165, N36388, N39601, AA043930, AA044003, AA115568, AA115087, AA232982, AA234020, AA251431, AA251432, AA459761, AA768137, AA830696, AA918618, AA977409
828228	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1364 of SEQ ID NO:178, b is an integer of 15 to 1378, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:178, and where b is greater than or equal to a + 14.	T76992, T83862, R37649, R68086, R68125, H05325, H05379, H11520, H60866, N27826, N59149, N71661, AA004459, AA004512, AA026983, AA031653, AA045803, AA045870, AA127220, AA126199, AA129772, AA133788, AA131742, AA166788, AA216416, AA229513, AA469120, AA469189, AA503687, AA516488, AA522741, AA542827, AA614664, AA847108, AA876618, AA886579, AA887825, AA888263, AA888262, AA934459, N31217, D79619, N55800, AA026982, AA031743
828241	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2237 of SEQ ID NO:179, b is an integer of 15 to 2251, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:179, and where b is greater than or equal to a + 14.	R09047, H71262, N28995, W07805, W89157, AA007537, AA203119

828287	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 986 of SEQ ID NO:180, b is an integer of 15 to 1000, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:180, and where b is greater than or equal to a + 14.</p>	R00158, R34699, R34806, R55812, R55897, H02931, H04234, H38596, H38841, H38877, R84345, R84762, R85507, H51401, N22910, N31298, N36027, N64463, N70710, N80820, N94519, N99846, W15234, W15579, W15620, W23968, W24669, W30920, W31655, W37399, W37400, W39182, W45512, W44342, W45653, W44569, W44608, W47630, W47631, W52183, W52421, W57603, W58189, W58466, W60614, W73715, W78044, W90451, W90258, W92042, W91902, AA012954, AA013060, AA013459, AA013460, AA018132, AA018050, AA021226, AA021359, AA021556, AA021640, AA033802, AA040580, AA040552, AA047883, AA054092, AA055181, AA055893, AA082252, AA082502, AA099128, AA099165, AA100988, AA131285, AA136296, AA136178, AA151469, AA151470, AA156144, AA158033, AA158325, AA164422, AA164402, AA167105, AA182609, AA182541, AA187289, AA187406, AA523678, AA582094, AA570257, AA573999, AA574305, AA579097, AA661683, AA662869, AA664665, AA736798, AA770689, AA865267, AA902336, AA923648, AA933570, AA939196, AA988468, A1000226, A1089764, D79059, N84733, W73650, N86290, N88454, C04677, C06015, AA033803, R29541, AA089664, AA089996, C17096, C17255, C19033, AA093458
828364	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1415 of SEQ ID NO:181, b is an integer of 15 to 1429, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:181, and where b is greater than or equal to a + 14.</p>	R55711, R55921, R68105, R68149, R72479, R72941, N70480, W72759
828371	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2711 of SEQ ID NO:182, b is an integer of 15 to 2725, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:182, and where b is greater than or equal to a + 14.</p>	T62048, T62112, T91683, T92364, T92416, T93284, N49690, N49793, N64329, N80813, W15549, W15404, W31643, W53039, W92220, W92342, AA055521, AA055520, AA149883, AA150063, AA148836, AA150436
828403	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1737 of SEQ ID NO:183, b is an integer of 15 to 1751, where both a</p>	AA485171, AA515218, AA603721, AA612760, AA838541, AA970526, C18512

	and b correspond to the positions of nucleotide residues shown in SEQ ID NO:183, and where b is greater than or equal to a + 14.	
828501	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2186 of SEQ ID NO:184, b is an integer of 15 to 2200, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:184, and where b is greater than or equal to a + 14.	H19145, N75547, AA044653, AA128979, AA159576, AA423963, AA523306, H62675, H97872, AA610503, AA010941, AA011327, AA043344
828520	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1973 of SEQ ID NO:185, b is an integer of 15 to 1987, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:185, and where b is greater than or equal to a + 14.	H70392, N30525, N30537, AA010769, AA463668, AA927343, AA091744
828527	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1723 of SEQ ID NO:186, b is an integer of 15 to 1737, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:186, and where b is greater than or equal to a + 14.	T39306, T40514, R08857, R08964, R00734, R00735, R13824, R20172, R37684, R44959, R44959, H05503, H17017, H17018, H54295, H54372, H54503, H67654, H67974, H87993, N33311, N37017, N44843, N55182, N75469, N75534, N77241, N93004, W05278, W05327, W45465, W88760, W88865, AA010623, AA010624, AA234956, AA235130, AA424457, AA282705, AA283023, AA283109, AA481529, AA481595, AA490727, AA491218, AA554176, AA614573, AA665370, AA687964, AA736921, AA765107, AA767430, AA809487, AA865595, N88052
828538	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1118 of SEQ ID NO:187, b is an integer of 15 to 1132, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:187, and where b is greater than or equal to a + 14.	
828541	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1253 of SEQ ID NO:188, b is an integer of 15 to 1267, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:188, and where b is greater than or equal to a + 14.	
828549	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3773 of SEQ ID NO:189, b is an integer of 15 to 3787, where both a and b correspond to the positions of nucleotide	



	residues shown in SEQ ID NO:189, and where b is greater than or equal to a + 14.	
828562	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 540 of SEQ ID NO:190, b is an integer of 15 to 554, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:190, and where b is greater than or equal to a + 14.	
828576	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 860 of SEQ ID NO:191, b is an integer of 15 to 874, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:191, and where b is greater than or equal to a + 14.	
828602	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2089 of SEQ ID NO:192, b is an integer of 15 to 2103, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:192, and where b is greater than or equal to a + 14.	
828628	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1303 of SEQ ID NO:193, b is an integer of 15 to 1317, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:193, and where b is greater than or equal to a + 14.	
828667	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1238 of SEQ ID NO:194, b is an integer of 15 to 1252, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:194, and where b is greater than or equal to a + 14.	
828684	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1674 of SEQ ID NO:195, b is an integer of 15 to 1688, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:195, and where b is greater than or equal to a + 14.	R11676, R12284, N68621, N71575, N99448, W02008, W58632, W74361, W76341, W78934, W85701, AA070898, AA070787, AA102636, AA102661, AA102678, AA190864, AA190957, AA197279, AA251577, AA464994, AA421724, AA470741, AA505341, AA506137, AA583780, AA579967, AA714136, AA743352, AA747903, AA814422, AA826755, AA836633, AA837944, AA936844, AI004160, C00265, AA641021
828727	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b,	R35925, R35954, R49443, R49468, R49443, R49468, N74960, AA083678, AA086366, AA100585, AA111863,

	where a is any integer between 1 to 742 of SEQ ID NO:196, b is an integer of 15 to 756, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:196, and where b is greater than or equal to a + 14.	AA156573, AA159175, AA192611, AA195925, AA195976, AA418567, AA418582
828734	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1457 of SEQ ID NO:197, b is an integer of 15 to 1471, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:197, and where b is greater than or equal to a + 14.	
828750	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 678 of SEQ ID NO:198, b is an integer of 15 to 692, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:198, and where b is greater than or equal to a + 14.	
828842	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1559 of SEQ ID NO:199, b is an integer of 15 to 1573, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:199, and where b is greater than or equal to a + 14.	R31695, R31737, R86919, R86763, H66952, N30849, N41376, N95538, W03782, W24227, N90171, AA020001, AA046039, AA046149, AA099753, AA489705, AA552582, AA580818, AA584291, AA730113, AA910268
828843	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2728 of SEQ ID NO:200, b is an integer of 15 to 2742, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:200, and where b is greater than or equal to a + 14.	T57326, T57387, T94838, T94837, T94879, T94925, T74456, R11995, R15234, R19543, R21728, R36670, R39752, R39834, R40808, R40808, R43895, R70936, R70988, R74057, R74152, R79967, R80062, H02983, H04277, H08966, H09537, H25298, H25343, H25449, H25495, H29439, H29438, H29887, H29987, R86318, H65676, H87966, H88350, H97859, N20316, N26629, N27590, N39724, N52972, W39188, W45099, W45149, N90248, AA004834, AA033776, AA039900, AA039901, AA041524, AA044928, AA082729, AA085742, AA112974, AA128343, AA133157, AA171997, AA418609, AA418664, AA421626, AA430065, AA230107, AA230108, AA513630, AA521134, AA622056, AA635868, AA639882, AA714929, AA715480, AA715556, AA729814, AA731061, AA811597, AA830222, AA873240, AA886078, AA886270, AA907208, AA932201, AA977447, AA989000, D81476, N56281, C21262, AA089709
828851	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide	

	sequence described by the general formula of a-b, where a is any integer between 1 to 1403 of SEQ ID NO:201, b is an integer of 15 to 1417, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:201, and where b is greater than or equal to a + 14.	
828856	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1498 of SEQ ID NO:202, b is an integer of 15 to 1512, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:202, and where b is greater than or equal to a + 14.	
828862	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 405 of SEQ ID NO:203, b is an integer of 15 to 419, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:203, and where b is greater than or equal to a + 14.	AA021223
828870	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2819 of SEQ ID NO:204, b is an integer of 15 to 2833, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:204, and where b is greater than or equal to a + 14.	
828873	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 5816 of SEQ ID NO:205, b is an integer of 15 to 5830, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:205, and where b is greater than or equal to a + 14.	
828892	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 741 of SEQ ID NO:206, b is an integer of 15 to 755, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:206, and where b is greater than or equal to a + 14.	R54649, W46198
828893	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1982 of SEQ ID NO:207, b is an integer of 15 to 1996, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:207, and where b is greater than or equal to a + 14.	
828897	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b,	

	where a is any integer between 1 to 1654 of SEQ ID NO:208, b is an integer of 15 to 1668, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:208, and where b is greater than or equal to a + 14.	
828910	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2236 of SEQ ID NO:209, b is an integer of 15 to 2250, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:209, and where b is greater than or equal to a + 14.	T91595, T65436, T65518, T70584, T70847, T75377, R09159, R09261, R09950, T96365, T96446, R12590, R13068, R18120, R21193, R22430, R22480, R22810, R25025, R26742, R26976, R32026, R32079, R33017, R33904, R36588, R39200, R40499, R45972, R40499, R45972, R56330, R64494, R65591, R67446, R70974, R74477, R74579, R77932, R78301, R78497, R78547, R80142, R80143, H00643, H00729, H03024, H04306, H06614, H07124, H09643, H09677, H28706, H28835, H42802, H47310, R92010, H65658, H65657, H67068, H68151, H71685, H72248, H72786, H72785, H73342, H75583, H75514, H77433, H98557, N20087, N22979, N23822, N28617, N29593, N32509, N33262, N40705, N42724, N44752, N45195, N57760, N58105, N59101, N59726, N64423, N66868, N71993, N73995, N99375, W01801, W02025, W19280, W19667, W19930, W25451, W25645, W31475, W31938, W32153, W32005, W37711, W37710, W46758, W46905, W49818, W56089, W57771, W57844, W61375, W61376, W60415, W60416, W61142, W61190, W67942, W67941, W74649, W84332, W84393, W86146, W94323, AA016041, AA015933, AA022593, AA022594, AA030003, AA043309, AA069392, AA069393, AA069775, AA069812, AA102392, AA112674, AA112673, AA135337, AA135336, AA143448, AA152405, AA152459, AA149804, AA149829, AA149849, AA149856, AA156559, AA157731, AA159045, AA160734, AA173662, AA173661, AA235812, AA242974, AA243081, AA242998, AA252146, AA460003, AA460542, AA428205, AA429142, AA285041, AA283758, AA283993, AA480305, AA506566, AA524852, AA631324, AA575859, AA658502, AA766717, AA808234, AA837876, AA866075, AA877425, AA879058, AA886608, AA902179, AA904000, AA928667, AA937136, AA962263, AA995987, A1024986, W25995, W26229, W27231, W26246, W28106,

		W28807, W48809, C01974, AA640952, C14885, C15137
828927	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 824 of SEQ ID NO:210, b is an integer of 15 to 838, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:210, and where b is greater than or equal to a + 14.	
828932	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1199 of SEQ ID NO:211, b is an integer of 15 to 1213, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:211, and where b is greater than or equal to a + 14.	T50679, T51209, T78077, R42605, R48768, R42605, R91277, H61157, W38635, W44738, W46899, W80700, AA017684, AA017707, AA018069, AA019662, AA040254, AA053989, AA054041, AA070137, AA070138, AA074661, AA086354, AA158859, AA223111, AA224210, AA224315, AA232155, AA471047, AA588037, AA720832, AA872503
828933	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 955 of SEQ ID NO:212, b is an integer of 15 to 969, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:212, and where b is greater than or equal to a + 14.	
828941	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1680 of SEQ ID NO:213, b is an integer of 15 to 1694, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:213, and where b is greater than or equal to a + 14.	
828957	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1196 of SEQ ID NO:214, b is an integer of 15 to 1210, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:214, and where b is greater than or equal to a + 14.	R09987, R16645, R16734, R81727, H58067, H58066, H59815, H59816, H64860, H65458, N70923, W81647, W81187, AA052891, AA053046, AA251319, AA251723, AA262259, AA262870, AA463359, AA463865, AA417918, AA418169, AA480203, AA521273, AA836429, AA858135, AA888105, AA917914, AA937591, AA947712, AA961752, AA973797, AI085881
828963	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1762 of SEQ ID NO:215, b is an integer of 15 to 1776, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:215, and where b is greater than or equal to a + 14.	
828964	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide	

	sequence described by the general formula of a-b, where a is any integer between 1 to 1404 of SEQ ID NO:216, b is an integer of 15 to 1418, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:216, and where b is greater than or equal to a + 14.	
828966	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2186 of SEQ ID NO:217, b is an integer of 15 to 2200, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:217, and where b is greater than or equal to a + 14.	T57322, T57383, R07432, R07433, R24183, R37889, R64196, R64212, H10798, H16281, H96182, N24864, N31801, N31897, N51466, N53607, N71323, N71374, N71696, N78973, N91801, N99595, N99806, W17338, W38617, W44695, W52815, W93325, W95029, AA027074, AA031625, AA031706, AA034522, AA101476, AA101477, AA156927, AA157179, AA173234, AA196758, AA506558, AA541561, AA552220, AA573198, AA687807, AA732065, AA769029, AA804914, AA858375, AA931935, AA995830, AI075078, AI075079, AA641307
828967	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1839 of SEQ ID NO:218, b is an integer of 15 to 1853, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:218, and where b is greater than or equal to a + 14.	T86194, T99270, R00981, R21065, R28076, R28291, R46245, R46245, R61751, R61752, H20415, H41325, H46347, H46354, W01107, W96450, W96548, AA082920, AA192528, AA494252, AA507548, AA604189, AA604361, AA614008, AA622126, AA573865, AA578191, AA568157, AA780392, AA812241, AA830010, AA836096, AA876742, C21216
828977	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1079 of SEQ ID NO:219, b is an integer of 15 to 1093, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:219, and where b is greater than or equal to a + 14.	T54853, T55018, T61617, T61701, T71718, T71787, R43855, R43855, H79047, W23509, W78022, AA028959, AA028960, AA035641, AA035749, AA040562, AA042827, AA044641, AA150059, AA459301, AA459532, AA419054, AA532924, AA603462, AA573839, AA863332, AA877269, AI016670, AI083871, AI085531
828978	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2141 of SEQ ID NO:220, b is an integer of 15 to 2155, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:220, and where b is greater than or equal to a + 14.	
828979	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1250 of SEQ ID NO:221, b is an integer of 15 to 1264, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:221, and where b is greater than or equal to a + 14.	

829001	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2071 of SEQ ID NO:222, b is an integer of 15 to 2085, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:222, and where b is greater than or equal to a + 14.	
829003	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2907 of SEQ ID NO:223, b is an integer of 15 to 2921, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:223, and where b is greater than or equal to a + 14.	T56900, T56901, T57894, T57976, T58709, T83854, T83994, T83995, T85283, T85493, T85938, T98545, T98546, R23866, R51491, R51492, R70815, H06524, H06579, H21400, H22212, H26306, H26465, H40800, H42803, H44004, H45104, H45577, R84544, R85933, R95902, R98186, R98187, R99129, H51499, H62734, H62818, H67266, H67280, H67971, H72027, H72028, H86532, H86617, H97834, N22060, N22322, N22927, N23444, N23843, N27358, N27627, N31797, N53099, N55505, N55527, N62760, N76278, N76994, N81072, N99969, W07363, W15385, W30908, W32209, W32266, W37612, W39341, W45721, W44369, W60688, W60728, W74331, W79764, W79508, AA010902, AA011007, AA013382, AA013383, AA017180, AA018376, AA021435, AA128552, AA128295, AA161229, AA160487, AA236095, AA259037, AA458538, AA428449, AA491943, AA492101, AA501898, AA505736, AA551906, AA552335, AA554636, AA564579, AA588897, AA593936, AA595710, AA610733, AA612690, AA569349, AA570259, AA570263, AA573856, AA579746, AA658849, AA721609, AA743280, AA743326, AA808972, AA831035, AA836900, AA887420, AA887859, AA970292, AA994943, AA994947, AI014465, F19724, N36447, D78889, N75198, W37467, W79607, C03008, C04753
829016	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 4381 of SEQ ID NO:224, b is an integer of 15 to 4395, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:224, and where b is greater than or equal to a + 14.	
829027	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3021 of SEQ ID	

	NO:225, b is an integer of 15 to 3035, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:225, and where b is greater than or equal to a + 14.	
829028	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1497 of SEQ ID NO:226, b is an integer of 15 to 1511, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:226, and where b is greater than or equal to a + 14.	
829031	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2225 of SEQ ID NO:227, b is an integer of 15 to 2239, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:227, and where b is greater than or equal to a + 14.	T52373, T52446, T65540, T91789, R10959, T84998, R06717, R28502, R48288, R48390, R48442, R54616, R54879, R55311, R55316, R55413, R55418, R72602, R72669, R72946, H15595, H27333, H41543, H37781, R84976, R85050, R88513, R88514, H49052, H49116, H96219, H96754, H97979, N23664, N25056, N26150, N32997, N51857, N54122, W65281, W65277, W72409, W76488, W92510, N91031, AA045475, AA056943, AA057662, AA057806, AA126670, AA127032, AA136891, AA137001, AA158595, AA158989, AA279342, AA604130, AA604929, AA631863, C01812
829034	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2332 of SEQ ID NO:228, b is an integer of 15 to 2346, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:228, and where b is greater than or equal to a + 14.	
829036	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2232 of SEQ ID NO:229, b is an integer of 15 to 2246, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:229, and where b is greater than or equal to a + 14.	W19899, W56172, N91246, AA053015, AA258943, AA508101, AA557537, AA744258, C06034, AA053503
829049	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1988 of SEQ ID NO:230, b is an integer of 15 to 2002, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:230, and where b is greater than or equal to a + 14.	
829073	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 980 of SEQ ID	N71827, W07562, W79070, W94296, AA026190, AA215725, AA279902, AA832099



	NO:231, b is an integer of 15 to 994, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:231, and where b is greater than or equal to a + 14.	
829075	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 472 of SEQ ID NO:232, b is an integer of 15 to 486, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:232, and where b is greater than or equal to a + 14.	
829076	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2067 of SEQ ID NO:233, b is an integer of 15 to 2081, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:233, and where b is greater than or equal to a + 14.	
829080	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 502 of SEQ ID NO:234, b is an integer of 15 to 516, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:234, and where b is greater than or equal to a + 14.	
829087	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1115 of SEQ ID NO:235, b is an integer of 15 to 1129, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:235, and where b is greater than or equal to a + 14.	
829092	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1031 of SEQ ID NO:236, b is an integer of 15 to 1045, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:236, and where b is greater than or equal to a + 14.	
829095	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 676 of SEQ ID NO:237, b is an integer of 15 to 690, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:237, and where b is greater than or equal to a + 14.	T98739, T98740, R53404, R72484, H09731, H16600, H21795, H25680, N79773, N93472, AA812105, AA826523, AA954170, AJ084914
829096	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1859 of SEQ ID NO:238, b is an integer of 15 to 1873, where both a	T40001, T40939, R53257, R62981, R62980, R63036, H15127, H15187, H24078, H24188, H81472, H88927, H88927, H99390, N32032, N47835, N66666, N98950, AA022842,

	and b correspond to the positions of nucleotide residues shown in SEQ ID NO:238, and where b is greater than or equal to a + 14.	AA022965, AA024917, AA024918, AA035721, AA062907, AA102646, AA101299, AA223395, AA419511, AA421963, AA421964, AA524699, AA532380, AA614315, AA570194, AA742712, AA865440, AA887301, AA987486, AA988144, AA091175
829118	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 891 of SEQ ID NO:239, b is an integer of 15 to 905, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:239, and where b is greater than or equal to a + 14.	
829152	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1470 of SEQ ID NO:240, b is an integer of 15 to 1484, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:240, and where b is greater than or equal to a + 14.	T72498, T73568, T74363, T86984, R10378, R10477, T85969, R05924, R06022, H58205, H65999, H66000, N68870, N92084, N92944, AA188651, AA188754, N72345
829160	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1507 of SEQ ID NO:241, b is an integer of 15 to 1521, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:241, and where b is greater than or equal to a + 14.	R19077, R24890, R70937, R70989, R75822, R75823, H13581, R88030, H97197, H97205, H97610, H97622, H97640, H99011, N22163, N22211, N25706, N31618, N31627, N34096, N35586, N57066, N57078, N57083, N63961, N71248, N71530, N79638, W23686, W25345, W80523, W80524, AA027117, AA044025, AA044347, AA056543, AA056646, AA082122, AA120870, AA120871, AA129173, AA129197, AA173547, AA173713, AA190689, AA252595, AA258865, AA259007, AA576323, AA768606, N55993, N84224
829163	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1130 of SEQ ID NO:242, b is an integer of 15 to 1144, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:242, and where b is greater than or equal to a + 14.	R27150, H50951, N39917, N41848, N41877
829176	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 920 of SEQ ID NO:243, b is an integer of 15 to 934, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:243, and where b is greater than or equal to a + 14.	T46875, T53785, T62036, T73807, R11065, R11122, T84299, T85183, R01714, R02656, R02737, R02738, H41134, H64904, H79712, H79713, N68598, N71315, N71366, N99798, W01984
829204	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b,	R50489, R50573, R74498, R74499, AA234014, AA535362, AA554207, AA847239

	where a is any integer between 1 to 901 of SEQ ID NO:244, b is an integer of 15 to 915, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:244, and where b is greater than or equal to a + 14.	
829207	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1262 of SEQ ID NO:245, b is an integer of 15 to 1276, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:245, and where b is greater than or equal to a + 14.	
829228	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3352 of SEQ ID NO:246, b is an integer of 15 to 3366, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:246, and where b is greater than or equal to a + 14.	T40764, T49773, T49774, H05098, H49148, H51985, H52105, N36154, N51490, N52526, N53635, AA054314, AA074167, AA152473, AA152472, AA188950, AA278366, AA281330, AA468930, AA469004, AA482010, AA542938, AA554491, AA565215, AA579406, AA741363, AA807139, AA832066, AA836995, AA876036, AA995854
829252	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2134 of SEQ ID NO:247, b is an integer of 15 to 2148, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:247, and where b is greater than or equal to a + 14.	
829254	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2211 of SEQ ID NO:248, b is an integer of 15 to 2225, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:248, and where b is greater than or equal to a + 14.	
829269	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1190 of SEQ ID NO:249, b is an integer of 15 to 1204, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:249, and where b is greater than or equal to a + 14.	
829277	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1300 of SEQ ID NO:250, b is an integer of 15 to 1314, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:250, and where b is greater than or equal to a + 14.	
829290	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide	

	sequence described by the general formula of a-b, where a is any integer between 1 to 1145 of SEQ ID NO:251, b is an integer of 15 to 1159, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:251, and where b is greater than or equal to a + 14.	
829294	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2474 of SEQ ID NO:252, b is an integer of 15 to 2488, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:252, and where b is greater than or equal to a + 14.	
829299	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1540 of SEQ ID NO:253, b is an integer of 15 to 1554, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:253, and where b is greater than or equal to a + 14.	T82894, H25618, N48726, W52191, AA037331, AA223798, AA224330, AA635842, AA748884, AA826495, AA864458, AA903250, AA908466, AA931986, D81481, N56293, C02225
829308	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1492 of SEQ ID NO:254, b is an integer of 15 to 1506, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:254, and where b is greater than or equal to a + 14.	R13979, R17378, R40039, R42616, R42616, R40039, R56257, R56346, H05467, H07018, R86778, H99527, H99526, H99763, N24571, N25539, N25635, N28490, N30121, N34013, N34136, N34233, N35730, N49189, N50244, N92737, W20356, AA255602, AA262707, AA255576, AA262183, AA279758, AA570002, AA572777, AA721016, AA814424, AA864521, AA902860, AA948310, A1024777, A1056401
829349	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 640 of SEQ ID NO:255, b is an integer of 15 to 654, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:255, and where b is greater than or equal to a + 14.	T39288, T47082, T50451, T50586, T59000, T59073, T59535, T59586, T63704, T63861, T69920, T69974, T71240, T72474, T72943, T90268, T90710, T83786, T95048, R31368, R33435, R34369, R34489, R73911, R80467, R80667, R94351, R97310, R97345, H57329, H57376, H62783, H64845, H65444, H82981, H83214, H93955, H93956, N29780, N42940, N45379, N57200, N80805, W06876, W15396, W47162, W47283, W52164, W52024, W52758, W73045, W73275, W73604, W73643, W86783, W87274, AA009954, AA010849, AA011288, AA022621, AA022757, AA025805, AA025929, AA025968, AA046835, AA054475, AA058513, AA063327, AA075215, AA075451, AA088739, AA088740, AA099371, AA099457, AA112397, AA113053, AA121065, AA121066, AA132025, AA132147, AA132237, AA132357, AA146935,

		AA147721, AA147756, AA147602, AA148113, AA156063, AA157120, AA157223, AA157610, AA165107, AA164710, AA173741, AA173185, AA187331, AA187332, AA187293, AA187393, AA187741, AA188097, AA187033, AA188455, AA188457, AA188467, AA216356, AA228668, AA229001, AA228993, AA229108, AA397406, AA482922, AA483319, AA483431, AA491567, AA501502, AA507889, AA508445, AA513947, AA515053, AA522563, AA523140, AA525478, AA524922, AA526106, AA534088, AA535846, AA548219, AA552477, AA555012, AA558315, AA564882, AA565458, F16817, F16991, F17527, AA582793, AA587225, AA588487, AA595626, AA602055, AA602240, AA603392, AA631634, AA638971, AA639988, AA640535, AA576051, AA576894, AA566049, AA655021, AA659001, AA661609, AA662354, AA664631, AA664721, AA664980, AA665338, AA688035, AA714993, AA715012, AA720861, AA730373, AA730633, AA742678, AA742934, AA746812, AA747153, AA747192, AA747959, AA808437, AA836880, AA837645, AA838637, AA872341, AA876822, AA922665, AA961515, AA968734, AA970649, AA978219, AA988051, AA988404, AA991418, AA994111, A1002489, A1053409, A1053609, A1053760, A1082351, A1083631, N83854, N83948, N85971, N86260, N86628, N87758, AA641679, AA642097, AA642839, C20758, AA092159, AA092465, AA094493
829354	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1978 of SEQ ID NO:256, b is an integer of 15 to 1992, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:256, and where b is greater than or equal to a + 14.</p>	
829388	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2259 of SEQ ID NO:257, b is an integer of 15 to 2273, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:257, and where b is greater than or equal to a + 14.</p>	
829540	<p>Preferably excluded from the present invention are</p>	N26408, N28830, N28838, N31522,

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1490 of SEQ ID NO:258, b is an integer of 15 to 1504, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:258, and where b is greater than or equal to a + 14.	W15157, W81560, W81561, AA126749, AA126756, AA126772, AA187148
829626	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1778 of SEQ ID NO:259, b is an integer of 15 to 1792, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:259, and where b is greater than or equal to a + 14.	
829730	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2034 of SEQ ID NO:260, b is an integer of 15 to 2048, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:260, and where b is greater than or equal to a + 14.	
829892	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1268 of SEQ ID NO:261, b is an integer of 15 to 1282, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:261, and where b is greater than or equal to a + 14.	R84306, N99830, N90467, AA113938, AA192541, AA243317, L44546, AA713588
829933	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 585 of SEQ ID NO:262, b is an integer of 15 to 599, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:262, and where b is greater than or equal to a + 14.	AA121059, AA429187
829938	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1247 of SEQ ID NO:263, b is an integer of 15 to 1261, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:263, and where b is greater than or equal to a + 14.	AA001837, AA142857, AA235114, AA235222, AA614412, AA687460, AA857702, AA857893, AA962131, AA962521
829969	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1006 of SEQ ID NO:264, b is an integer of 15 to 1020, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:264, and where b is greater than or equal to a + 14.	R22931, R23036, H09755, H47088, N38971, N38985, N57545, AA075344, AA075597, AA136299, AA136180, AA279124, AA279243, AA279928, AA279929, AA909786, A1000293, N48117, N48131
829982	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide	H40097, N80803, N93871, W07650, W15482, W40363, W42635, W45238,

	sequence described by the general formula of a-b, where a is any integer between 1 to 557 of SEQ ID NO:265, b is an integer of 15 to 571, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:265, and where b is greater than or equal to a + 14.	W67482, W67483, W70331, W72456, W73235, W73290, W76515, W78220, AA040927, AA040928, AA074829, AA075095, AA083686, AA166708, AA167049, AA228843, AA468686, AA469044, AA505509, AA548788, AA564157, AA595572, AA622149, AA633298, AA576799, AA746697, AA807946, AA873193, AA903706, AA919114, AA932502, AA938506, AA974058, AA977996, A1000750, N85073, N86741, N87037, N88197, N88746, AA090569
830007	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1336 of SEQ ID NO:266, b is an integer of 15 to 1350, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:266, and where b is greater than or equal to a + 14.	
830019	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1305 of SEQ ID NO:267, b is an integer of 15 to 1319, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:267, and where b is greater than or equal to a + 14.	T61424, T53868, T61391, T63785, R23153, R23154, R23905, R64468, R65575, R69390, R69523, R79153, R79154, H14532, H14533, H47318, H47402, H53647, H61347, H93017, H94242, N29789, N42932, W57927, W58148, W67701, W68160, W74342, W81702, W81703, W94692, W95218, W95440, W95785, AA043712, AA056570, AA114073, AA133633, AA133634, AA151774, AA149729, AA149782, AA149795, AA425861, AA425990, AA428095, AA428642, AA494401, AA515475, AA523534, AA548827, AA552032, AA564916, F16977, AA593645, AA613557, AA617694, AA618542, AA576565, AA576574, AA746168, AA766359, AA833956, AA837906, AA857421, AA857877, AA903383, AA903849, AA903888, AA916517, AA922889, AA962544, AA970534, AA974964, AA975402, AA976089, AA983583, AA992448, F18477, C04429, C17306
830073	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3680 of SEQ ID NO:268, b is an integer of 15 to 3694, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:268, and where b is greater than or equal to a + 14.	T93694, T96159, H04182, H04181, H15428, H48586, N74976, W05676, W44928, AA085826, AA085971, AA126446, AA425304, AA425408, AA280817, AA280995, AA287270, AA287417, AA668788, AA836455, AA977754
830130	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1228 of SEQ ID	

	NO:269, b is an integer of 15 to 1242, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:269, and where b is greater than or equal to a + 14.	
830134	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2043 of SEQ ID NO:270, b is an integer of 15 to 2057, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:270, and where b is greater than or equal to a + 14.	
830135	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 946 of SEQ ID NO:271, b is an integer of 15 to 960, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:271, and where b is greater than or equal to a + 14.	
830148	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1153 of SEQ ID NO:272, b is an integer of 15 to 1167, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:272, and where b is greater than or equal to a + 14.	R15244, R31943, R31992, H06853, H06894, H13355, H30882, R84410, R84411, R94120, H53381, H97695, H99925, N46996, N69023, N77897, W00690, W19694, W38937, W74721, W74795, N89822, N89950, AA009490, AA009904, AA031349, AA031350, AA035629, AA035719, AA046140, AA062845, AA062905, AA079564, AA079636, AA116062, AA116046, AA126968, AA148568, AA159591, AA160429, AA161272, AA161273, AA160576, AA179774, AA180491, AA179635, AA182631, AA182727, AA179634, AA192371, AA192282, AA199831, AA251312, AA256883, AA255477, AA430121, AA533720, AA551694, AA552307, AA552661, AA582138, AA586611, AA587906, AA594387, AA602977, AA605299, AA633388, AA573941, AA574038, AA579715, AA687647, AA741352, AA838339, AA857603, AA858082, AA866081, AA865003, AA875861, AA910672, AA927563, A1076918, W21962
830149	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2757 of SEQ ID NO:273, b is an integer of 15 to 2771, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:273, and where b is greater than or equal to a + 14.	R60249, R60762, R63751, R67526, H95029, H95095, N59347, N77158, W19778, AA047615, AA047555, AA047687, AA047738, AA056453, AA070880, AA112293, AA113105, AA112550, AA112614, AA158015, AA158228, AA160995, AA160996, AA190555, AA191131, AA224574, AA227422, AA255563, AA255586, AA418477, AA424689, AA470392, AA515485, AA515507, AA583475,



		AA588210, AA602533, AA573902, AA568354, AA746111, AA766146, AA804893, N83302
830154	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1875 of SEQ ID NO:274, b is an integer of 15 to 1889, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:274, and where b is greater than or equal to a + 14.	
830183	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 590 of SEQ ID NO:275, b is an integer of 15 to 604, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:275, and where b is greater than or equal to a + 14.	
830194	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1367 of SEQ ID NO:276, b is an integer of 15 to 1381, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:276, and where b is greater than or equal to a + 14.	T51023, T51115, T52795, T53595, T56300, T56767, T59691, T59827, T59904, T63354, T72200, T72269, T92900, T92990, R07165, R07217, R44334, R49609, R44334, R49609, H11106, H20800, H22618, H42472, H43453, H50320, H50321, H69947, N20118, N21306, N26128, N63140, N67225, N67232, W45407, W56419, W56420, W72419, W76279, W94626, W94710, AA029459, AA029524, AA034511, AA035053, AA035563, AA039819, AA041465, AA053002, AA055974, AA056002, AA070356, AA070320, AA074029, AA074039, AA074189, AA074336, AA075645, AA075646, AA076380, AA084435, AA084465, AA084453, AA085290, AA086454, AA099172, AA101922, AA101959, AA099618, AA102011, AA112794, AA126226, AA126304, AA128510, AA129955, AA133875, AA128443, AA133328, AA133403, AA134003, AA130990, AA131028, AA132940, AA135158, AA135628, AA143273, AA146730, AA151853, AA155641, AA155696, AA155726, AA157967, AA158903, AA158902, AA158943, AA158944, AA159293, AA159526, AA161206, AA160558, AA160739, AA160740, AA165357, AA167787, AA169218, AA169512, AA169691, AA176365, AA179272, AA179388, AA180903, AA181001, AA181325, AA181508, AA182781, AA173899, AA187757, AA188120, AA186725, AA187070, AA187152, AA190896, AA199819, AA223210,

		AA223254, AA227038, AA232399, AA233288, AA243192, AA252285, AA492525, AA420611, AA420688, AA492171, AA492254, AA503950, AA507398, AA513704, AA513757, AA515944, AA525799, AA558212, AA563863, AA565107, F17110, AA582829, AA586678, AA603895, AA604163, AA568617, AA617883, AA622814, AA635987, AA569079, AA570078, AA570258, AA570419, AA573205, AA573965, AA574048, AA566065, AA748781, AA834135, AA837022, AA838454, AA838636, AA838049, AA838058, AA856831, AA909853, AA910298, AA927706, AA932101, AA937900, AA953604, AA969555, AA973234, AA978074, AA985430, AA985432, AA988742, AA994207, A1002611, A1014411, N84537, N85082, W22113, W22114, W22431, W22639, W23207, W23271, W29046, N88675, AA640915, AA092777
830207	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1135 of SEQ ID NO:277, b is an integer of 15 to 1149, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:277, and where b is greater than or equal to a + 14.	R51744, R88177, W05323, AA746479, AA761644, AA826038, W27619, AA642452
830242	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 797 of SEQ ID NO:278, b is an integer of 15 to 811, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:278, and where b is greater than or equal to a + 14.	
830328	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1246 of SEQ ID NO:279, b is an integer of 15 to 1260, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:279, and where b is greater than or equal to a + 14.	
830340	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1654 of SEQ ID NO:280, b is an integer of 15 to 1668, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:280, and where b is greater than or equal to a + 14.	
830341	Preferably excluded from the present invention are	T62985, T63236, T71911, T66677,

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2314 of SEQ ID NO:281, b is an integer of 15 to 2328, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:281, and where b is greater than or equal to a + 14.	T66678, T80777, T81178, R16218, R16219, R67281, H15642, H15643, R96139, R96356, H61487, H61952, H62021, H62022, H62510, H62577, H62887, H63016, H65659, H65660, H72388, H72834, H80906, H97768, N30162, N35776, N52509, N66853, W44421, AA004323, AA004410, AA025214, AA026003, AA040205, AA040849, AA079158, AA079159, AA137066, AA137080, AA137137, AA136971, AA193479, AA532656, AA602312, AA828635, AA872751, AA934418, D80729, C15337
830351	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 942 of SEQ ID NO:282, b is an integer of 15 to 956, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:282, and where b is greater than or equal to a + 14.	
830358	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1388 of SEQ ID NO:283, b is an integer of 15 to 1402, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:283, and where b is greater than or equal to a + 14.	
830390	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 661 of SEQ ID NO:284, b is an integer of 15 to 675, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:284, and where b is greater than or equal to a + 14.	
830400	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1325 of SEQ ID NO:285, b is an integer of 15 to 1339, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:285, and where b is greater than or equal to a + 14.	T40239, T41103, T60782, T61153, T92326, T95403, R16530, R16587, R46049, R49231, R49231, R46049, H26122, H26387, H67872, H67872, H97917, N23194, N29748, N57652, N64158, N67587, N77509, N80178, W03502, W23838, W57929, W72584, AA011087, AA011088, AA070667, AA074878, AA075068, AA075019, AA076166, AA079857, AA082235, AA099016, AA099093, AA100754, AA113152, AA126886, AA128207, AA126932, AA128546, AA130882, AA136302, AA136408, AA143052, AA143693, AA148079, AA149931, AA151001, AA151091, AA155761, AA157290, AA160781, AA165535, AA173281, AA179903, AA180211, AA181162, AA181673, AA181986.

		AA187551, AA191657, AA192202, AA196746, AA196944, AA223166, AA224485, AA242866, AA397377, AA468734, AA514807, AA523669, AA534165, AA534195, AA565551, AA565552, H67199, AA581627, AA588734, AA588752, AA593857, AA595407, AA595555, AA603965, AA610486, AA614617, AA631563, AA635960, AA636057, AA576256, AA577470, AA580124, AA580480, AA714208, AA728790, AA729276, AA729361, AA744895, AA745002, AA746940, AA746948, AA747346, AA804602, AA810873, AA833970, AA836938, AA838563, AA858405, AA872330, AA922975, AA946823, AA954185, AA962678, AA978008, AA985504, AA987717, A1004904, A1017374, A1075264, F19611, A1089951, N83301, AA082282, AA091465, AA093298, AA094459
830437	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1384 of SEQ ID NO:286, b is an integer of 15 to 1398, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:286, and where b is greater than or equal to a + 14.	
830458	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 912 of SEQ ID NO:287, b is an integer of 15 to 926, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:287, and where b is greater than or equal to a + 14.	T47583, T47584, T49761, T50148, T50203, T47161, R11382, R14878, H18220, H18258, R92715, N78687, W20222, W58210, W58319, W72115, W77801, W79332, W79431, W79487, W79631, W94437, N90582, AA043441, AA043442, AA148009, AA147947, AA150837, AA224863, AA225964, AA226110, AA259194, AA259193, AA420769, AA420829, AA470787, AA493672, AA501962, AA502082, AA506908, AA528607, AA588435, AA603500, AA603814, AA627229, AA627233, AA627240, AA632058, AA632689, AA639239, AA579023, AA580698, AA662633, AA661967, AA665215, AA729443, AA730546, AA737851, AA745424, AA745526, AA747036, AA878568, AA879157, AA886627, AA902180, AA922294, AA933050, AA962580, AA977360, AA985679, AA996058, AA996145, A1053546, A1085892, N83274, W15194, N88934, C04128, AA640839, AA091328, AA093116, AA094048, AA094287
830466	Preferably excluded from the present invention are	

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3080 of SEQ ID NO:288, b is an integer of 15 to 3094, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:288, and where b is greater than or equal to a + 14.	
830497	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1969 of SEQ ID NO:289, b is an integer of 15 to 1983, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:289, and where b is greater than or equal to a + 14.	T47088, T47089, T58430, T58462, R00971, H42144, N77388, W51953, W52502, AA036671, AA114976, AA593693, AA575857, C01052
830511	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1284 of SEQ ID NO:290, b is an integer of 15 to 1298, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:290, and where b is greater than or equal to a + 14.	
830512	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2445 of SEQ ID NO:291, b is an integer of 15 to 2459, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:291, and where b is greater than or equal to a + 14.	
830513	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 556 of SEQ ID NO:292, b is an integer of 15 to 570, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:292, and where b is greater than or equal to a + 14.	
830540	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2454 of SEQ ID NO:293, b is an integer of 15 to 2468, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:293, and where b is greater than or equal to a + 14.	T66458, T98908, R15832, R21916, R22565, H12306, R99043, H57499, H82961, AA046203, AA046283, AA055081, AA055141, AA173411, AA173467, AA173996, AA176693
830550	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1066 of SEQ ID NO:294, b is an integer of 15 to 1080, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:294, and where b is greater than or equal to a + 14.	R50040, R60172, R71512, H09125, H09475, H21789, R84538, R85928, R94762, R96633, R96680, R97580, H53135, H53241, H82960, H83191, N68166, N68684, N77903, N80174, N80625, N92442, N93242, N93314, N98261, W03498, W05839, W20000, W25100, W31279, W37087, W60751, W67554, W67583, W73877, W77814, W80412, W95868, W95954, N91343,

		AA026891, AA026892, AA033547, AA034170, AA069175, AA088435, AA151307, AA161037, AA237097, AA251326, AA251729, AA428848, AA429940, AA287366, AA287504, AA470593, AA470594, AA514493, AA564438, H67293, AA582501, AA583172, AA587111, AA602517, AA603483, AA569955, AA732412, AA737913, AA810504, AA832193, AA857743, AA915872, AA915896, AA915992, AA948498, AA983538, AA991546, AI052409, AI053921
830567	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2681 of SEQ ID NO:295, b is an integer of 15 to 2695, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:295, and where b is greater than or equal to a + 14.	R69708, R75813, R75814, N22294, N47088, N50300, N50983, N81194, N93236, AA074258, AA083867, AA083973, AA195801, AA196063, AA252500, AA252415, AA258014, AA287593, AA291332, AA492017, AA522597, AA617684, AA713960, AA740158, AA749386, AA808100, AA808680, AA814350, AA826203, AA831453, AA887306, AA918645, AA972761, N88184
830586	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1380 of SEQ ID NO:296, b is an integer of 15 to 1394, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:296, and where b is greater than or equal to a + 14.	R99131, H81094, W01508, AA045861, AA085947, AA102188, AA146772, AA148854, AA233843, AA424679, AA491204, AA514459, AA532818, AA809984, AA838521, AA954880, AI089939
830632	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 984 of SEQ ID NO:297, b is an integer of 15 to 998, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:297, and where b is greater than or equal to a + 14.	T47818, R21519, R21621, R22056, R22112, R31393, R32890, R48823, R48824, R66656, R67377, R71682, H25037, H25038, H25842, H26215, H26515, H26994, H28312, H28313, H29756, H30178, H41920, H41966, H42490, H43473, R83733, R85464, R88798, R89058, R93321, H52733, H59363, H60020, H73314, H73513, H80831, H80832, H82603, H86794, H86795, H86853, H86852, H92710, H96832, H98741, N23451, N23463, N26478, N26861, N31350, N31593, N35529, N39970, N42652, N62104, N74283, N76446, N78334, N92771, W04383, W19424, W20392, W24569, W35168, W60060, W60111, W84373, W84420, AA025658, AA029558, AA062705, AA062707, AA063390, AA062771, AA081934, AA126557, AA136019, AA151638, AA192245, AA194655, AA470430, AA493634, AA552261, AA552348, AA565278, AA565462, AA583788, AA593646, AA594277, AA604853, AA613755.

		AA632449, AA632505, AA657974, AA730677, AA730804, AA748100, AA765824, AA857805, AA954102, AA961763, AA962500, AA974525, AA983564, AA987422, AA987934, AA989423, A1000235, F19140, N84058, N84994, C03222, AA091370, AA091545
830645	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1652 of SEQ ID NO:298, b is an integer of 15 to 1666, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:298, and where b is greater than or equal to a + 14.	
830652	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2430 of SEQ ID NO:299, b is an integer of 15 to 2444, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:299, and where b is greater than or equal to a + 14.	
830659	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1012 of SEQ ID NO:300, b is an integer of 15 to 1026, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:300, and where b is greater than or equal to a + 14.	T65101, T66494, T66636, T84051, T86086, R05580, R13805, R15868, R16050, H05221, H05222, H13512, H16069, H18275, H21247, H44169, R83705, R92365, H48479, H48643, H54436, H54526, H73472, H73726, H97495, N29822, N30479, N31551, N32563, N39176, N39961, N45251, N68667, N91684, W07693, W32510, W32607, W38017, W74179, W79849, AA018138, AA028191, AA033572, AA033571, AA042915, AA043002, AA053878, AA054501, AA058344, AA099556, AA101993, AA134643, AA143525, AA176419, AA424269, AA555196, AA769107, AA987653, A1076212, N84624, N85006, A1084132, A1084154, AA094327
830696	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 816 of SEQ ID NO:301, b is an integer of 15 to 830, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:301, and where b is greater than or equal to a + 14.	
830706	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3286 of SEQ ID NO:302, b is an integer of 15 to 3300, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:302, and where b is	

	greater than or equal to $a + 14$ .	
830743	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 461 of SEQ ID NO:303, b is an integer of 15 to 475, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:303, and where b is greater than or equal to <math>a + 14</math>.</p>	<p>N30323, N56655, N69079, N69946, N80244, N98327, W07371, W42660, W45185, W55989, W56279, W68387, W68503, W72685, W74708, W74677, W77791, W80647, AA010723, AA011171, AA033537, AA034221, AA035773, AA056334, AA062820, AA132021, AA132124, AA135594, AA135681, AA151293, AA151292, AA181331, AA186392, AA187084, AA228662, AA228680, AA229819, AA468802, AA470869, AA483684, AA491891, AA514852, AA533423, AA548946, AA563674, AA564612, AA594511, AA600707, AA622053, AA635767, AA639353, AA662887, AA664589, AA729365, AA747035, AA747774, AA814124, AA873167, AA886626, AA903495, AA903981, AA922807, AA969768, AA973174, AA974282, AA976458, AA977143, AA983332, AI025140, AI066527, F19035, F19464, C03984, C13986, C14221, C14299, C14336, C14341, C14380, C14385, C14396, C14434, C14483, C14504, C14513, C15788</p>
830770	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2888 of SEQ ID NO:304, b is an integer of 15 to 2902, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:304, and where b is greater than or equal to <math>a + 14</math>.</p>	
830830	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1539 of SEQ ID NO:305, b is an integer of 15 to 1553, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:305, and where b is greater than or equal to <math>a + 14</math>.</p>	
830838	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1973 of SEQ ID NO:306, b is an integer of 15 to 1987, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:306, and where b is greater than or equal to <math>a + 14</math>.</p>	
830851	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 771 of SEQ ID NO:307, b is an integer of 15 to 785, where both a and b correspond to the positions of nucleotide</p>	



	residues shown in SEQ ID NO:307, and where b is greater than or equal to a + 14.	
830853	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2164 of SEQ ID NO:308, b is an integer of 15 to 2178, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:308, and where b is greater than or equal to a + 14.	
830856	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 861 of SEQ ID NO:309, b is an integer of 15 to 875, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:309, and where b is greater than or equal to a + 14.	
830862	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 742 of SEQ ID NO:310, b is an integer of 15 to 756, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:310, and where b is greater than or equal to a + 14.	T46908, T46909, T46921, T46922, T50921, T52918, T53038, T56001, T59028, T94115, T94204, R53898, R53908, H02747, H27523, H77792, H88026, H88248, H90255, H96065, H88248, N21994, N64072, N73723, N74262, N75815, N77939, W03894, W23887, AA081082, AA113423, AA115852, AA143290, AA143335, AA146868, AA157054, AA157208, AA179118, AA187792, AA188385, AA468513, AA468983, AA501970, AA523481, AA528461, AA533759, AA533618, AA535287, AA541570, AA558529, L44430, AA604961, AA568927, AA659814, AA661481, AA661996, AA731036, AA748135, AA847331, AA878667, AA885549, AA935403, AA938035, AI001062, F19242, N83489, N83646, N84328, N85002, N85167, N85223, N85325, N85833, N85949, N86287, N86329, N87923, N83150, AA642852, AA091775, AA093919
830879	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 837 of SEQ ID NO:311, b is an integer of 15 to 851, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:311, and where b is greater than or equal to a + 14.	T62074, T62130, T67747, T67857, R44816, R48904, R44816, H13822, H29311, W37451, N90567, AA128266, AA164552, AA235044, AA236012, AA746229, AA962194, AA987868, AA994828, AI000188, AI015557
830919	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1321 of SEQ ID NO:312, b is an integer of 15 to 1335, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:312, and where b is	

	greater than or equal to $a + 14$ .	
830969	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 502 of SEQ ID NO:313, b is an integer of 15 to 516, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:313, and where b is greater than or equal to $a + 14$ .	
830991	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1819 of SEQ ID NO:314, b is an integer of 15 to 1833, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:314, and where b is greater than or equal to $a + 14$ .	
831002	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1340 of SEQ ID NO:315, b is an integer of 15 to 1354, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:315, and where b is greater than or equal to $a + 14$ .	
831003	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2407 of SEQ ID NO:316, b is an integer of 15 to 2421, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:316, and where b is greater than or equal to $a + 14$ .	T64373, N48387, W52748, W52754, W70187, AA029541, AA034463, AA058497, AA082001, AA082284, AA085967, AA088397, AA133444, AA133477, AA149568, AA187408, AA226818, AA226855
831021	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1078 of SEQ ID NO:317, b is an integer of 15 to 1092, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:317, and where b is greater than or equal to $a + 14$ .	
831036	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1366 of SEQ ID NO:318, b is an integer of 15 to 1380, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:318, and where b is greater than or equal to $a + 14$ .	
831071	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2598 of SEQ ID NO:319, b is an integer of 15 to 2612, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:319, and where b is greater than or equal to $a + 14$ .	

831094	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 929 of SEQ ID NO:320, b is an integer of 15 to 943, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:320, and where b is greater than or equal to a + 14.	
831099	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2945 of SEQ ID NO:321, b is an integer of 15 to 2959, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:321, and where b is greater than or equal to a + 14.	<p>T58120, T90056, T90158, T94290, T94639, R69200, R69590, R69678, R76031, H65424, H65425, N32273, N40465, N47619, N48504, N66482, N67212, N67243, N67881, N71915, N72302, N92538, N94512, W03004, W06930, W20370, W23962, W38380, W38525, W38716, W39486, W42582, W42594, W44824, W48665, W51898, W52474, W53040, W60142, N90075, N90423, AA025009, AA024962, AA029382, AA029726, AA031500, AA031546, AA037283, AA037749, AA039259, AA044145, AA044261, AA065061, AA070027, AA082386, AA083544, AA083757, AA088692, AA088829, AA099577, AA100236, AA100245, AA100517, AA112739, AA112091, AA116055, AA130509, AA130510, AA132145, AA135909, AA136308, AA136413, AA136528, AA136751, AA146853, AA146852, AA148049, AA156943, AA159808, AA165022, AA173867, AA181803, AA182563, AA182776, AA186553, AA186858, AA192463, AA194658, AA255837, AA261995, AA423999, AA493599, AA228337, AA228348, AA506755, AA506420, AA513968, AA514542, AA522900, AA524125, AA551485, AA553912, AA563900, AA594966, AA602651, AA610339, AA610361, AA614772, AA618333, AA576828, AA665045, AA714493, AA729997, AA738153, AA768641, AA804931, AA806122, AA827914, AA857664, AA876216, AA877173, AA877646, AA894385, AA922728, AA947835, AA977110, AA984009, AA988275, AA988567, N84005, N84600, N84939, N85553, A1084028, N86141, N88049, N89450, N89451, C02877, C02980, C03631, C05243, C05332, C05993, AA642453, AA090838, AA089614, AA091652, AA093130, AA093851</p>
831113	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b,	AA122085, AA147371, A1005336

	where a is any integer between 1 to 788 of SEQ ID NO:322, b is an integer of 15 to 802, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:322, and where b is greater than or equal to a + 14.	
831120	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1710 of SEQ ID NO:323, b is an integer of 15 to 1724, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:323, and where b is greater than or equal to a + 14.	
831172	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2247 of SEQ ID NO:324, b is an integer of 15 to 2261, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:324, and where b is greater than or equal to a + 14.	
831178	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1199 of SEQ ID NO:325, b is an integer of 15 to 1213, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:325, and where b is greater than or equal to a + 14.	
831184	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2750 of SEQ ID NO:326, b is an integer of 15 to 2764, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:326, and where b is greater than or equal to a + 14.	
831203	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1750 of SEQ ID NO:327, b is an integer of 15 to 1764, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:327, and where b is greater than or equal to a + 14.	
831210	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 557 of SEQ ID NO:328, b is an integer of 15 to 571, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:328, and where b is greater than or equal to a + 14.	AA057014, AA059289
831228	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 459 of SEQ ID	

	NO:329, b is an integer of 15 to 473, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:329, and where b is greater than or equal to a + 14.	
831256	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1321 of SEQ ID NO:330, b is an integer of 15 to 1335, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:330, and where b is greater than or equal to a + 14.	R17500, R48877, H12160, R84358, H90367, N33987, AA161057
831257	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1032 of SEQ ID NO:331, b is an integer of 15 to 1046, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:331, and where b is greater than or equal to a + 14.	T49922, T85470, R37545, H03610, AA005184, AA045346
831277	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1297 of SEQ ID NO:332, b is an integer of 15 to 1311, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:332, and where b is greater than or equal to a + 14.	
831317	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1430 of SEQ ID NO:333, b is an integer of 15 to 1444, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:333, and where b is greater than or equal to a + 14.	T39850, T47708, T47709, T47863, T51491, T52507, T53819, T53951, T55884, T60330, T60359, T60364, T60380, T60480, T60634, T61198, T61280, T61878, T62028, T67704, T67742, T67780, T67853, T67910, T68010, T68058, T68132, T68154, T68379, T68998, T68999, T69078, T69079, T69119, T69177, T69442, T70496, T71707, T72285, T72505, T72998, T73123, T73679, T73756, T73761, T73837, T74031, T74383, T74405, T74655, T74784, T74798, T74892, T85320, T85533, R83453, R88738, R90989, R90995, H58528, H59441, H60092, H60282, H60589, H67401, H67458, H72811, H79422, H80518, H80570, H91775, H91816, N57814, W60714, W60741, AA034367, AA040550, AA040667, AA242768, AA424551, AA424642, R29495, R29660, R29089, C21224
831339	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1016 of SEQ ID NO:334, b is an integer of 15 to 1030, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:334, and where b is	

	greater than or equal to $a + 14$ .	
831363	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2113 of SEQ ID NO:335, b is an integer of 15 to 2127, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:335, and where b is greater than or equal to $a + 14$ .	T58736, T58803, T61766, T64470, T64610, T67816, T68878, T68952, T72450, T72511, T72968, T73613, T73939, H41914, H41957, N75040, W05718, AA043436, AA043416, AA045231, AA058807, AA484773, AA502762, AA503811, AA527553, AA744171, AA902935, AA903099, A1002033
831367	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 833 of SEQ ID NO:336, b is an integer of 15 to 847, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:336, and where b is greater than or equal to $a + 14$ .	
831379	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 688 of SEQ ID NO:337, b is an integer of 15 to 702, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:337, and where b is greater than or equal to $a + 14$ .	R26001, R26804, R82629, R82630, H21598, H27310, H27309, H38082, H38083, H44451, H44494, H47613, R83356, R83791, R96066, R96103, H72512, H72910, H80449, H80450, H90511, H90607, N71766, N94349, W16956, W23496, W24351, W46455, W46523, W48658, W70263, W73002, W76239, W92963, W92964, AA157329, AA157426, AA458665, AA229554, AA280810, AA280936, AA490898, AA491084, AA493730, AA527336, AA534762, AA535794, F17720, AA603439, AA568655, AA659071, AA826699, AA872867, AA876999, AA932403, AA953149, AA953343, A1000023, A1017353, A1094807, N95548, C02063, C04109
831385	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 861 of SEQ ID NO:338, b is an integer of 15 to 875, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:338, and where b is greater than or equal to $a + 14$ .	
831390	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1434 of SEQ ID NO:339, b is an integer of 15 to 1448, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:339, and where b is greater than or equal to $a + 14$ .	T53890, T54037, T81546, T81973, R20470, R21066, R45288, R46246, R45288, R46246, H13340, H17537, H30523, R85229, R85230, R94643, R94685, R94686, H52010, H52125, H71328, H71376, N25973, N28794, N30891, N36603, N41703, N62205, N63213, N76503, W45706, W44353, W52126, W74523, W79862, AA033566, AA034468, AA099015, AA099092, AA100315, AA129588, AA167137, AA194961, AA226935, AA226943, AA418898, AA428909,

		AA485083, AA485195, AA505107, AA506087, AA516109, AA525370, AA617946, AA627402, AA573848, AA574063, AA809830, AA834509, AA837985, AA862394, AA862989, AA974789, AA988779, A1000171, A1094917, W24010, N88026, C20972
831391	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 829 of SEQ ID NO:340, b is an integer of 15 to 843, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:340, and where b is greater than or equal to a + 14.	
831405	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1279 of SEQ ID NO:341, b is an integer of 15 to 1293, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:341, and where b is greater than or equal to a + 14.	T54632, T54714, T55384, T55812, T56220, T60613, T69578, R08164, R08219, T78003, T78164, R01577, R12676, R16414, H60551, N21984, N25878, N25887, N75352, W01648, W72541, W76166, W86984, W86811, W88909, W88788, AA022691, AA022784, AA193302, AA194256, AA235873, AA425660, AA573463, AA953249, R29055
831442	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1259 of SEQ ID NO:342, b is an integer of 15 to 1273, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:342, and where b is greater than or equal to a + 14.	
831476	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1779 of SEQ ID NO:343, b is an integer of 15 to 1793, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:343, and where b is greater than or equal to a + 14.	R48303, R48405, R73778, H30456, H81254, W02773, W24831, W73089, W73194, AA034015, AA151153, AA151154, AA418429, AA424672, AA593592, AA910532, AA987246, A1001017, C02335, C04320
831488	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1658 of SEQ ID NO:344, b is an integer of 15 to 1672, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:344, and where b is greater than or equal to a + 14.	
831518	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2095 of SEQ ID NO:345, b is an integer of 15 to 2109, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:345, and where b is greater than or equal to a + 14.	

831519	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1700 of SEQ ID NO:346, b is an integer of 15 to 1714, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:346, and where b is greater than or equal to a + 14.	
831521	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1658 of SEQ ID NO:347, b is an integer of 15 to 1672, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:347, and where b is greater than or equal to a + 14.	
831550	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1469 of SEQ ID NO:348, b is an integer of 15 to 1483, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:348, and where b is greater than or equal to a + 14.	
831560	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1828 of SEQ ID NO:349, b is an integer of 15 to 1842, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:349, and where b is greater than or equal to a + 14.	T56438, R22852, R46063, R52365, R81781, R81879, H02958, H04256, H05743, H05849, H23235, H23349, H43210, H43260, H87699, H91571, W00708, W56717, W56762, W70251, W70252, AA026841, AA027043, AA041261, AA041495, AA043451, AA043452, AA054505, AA054366, AA055050, AA055129, AA147629, AA147667
831562	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2994 of SEQ ID NO:350, b is an integer of 15 to 3008, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:350, and where b is greater than or equal to a + 14.	
831570	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2742 of SEQ ID NO:351, b is an integer of 15 to 2756, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:351, and where b is greater than or equal to a + 14.	
831593	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1631 of SEQ ID NO:352, b is an integer of 15 to 1645, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:352, and where b is	



	greater than or equal to $a + 14$ .	
831596	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1623 of SEQ ID NO:353, b is an integer of 15 to 1637, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:353, and where b is greater than or equal to $a + 14$ .	
831627	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1105 of SEQ ID NO:354, b is an integer of 15 to 1119, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:354, and where b is greater than or equal to $a + 14$ .	AA147578, AA156449, AA588796, AA863066, D80116
831649	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 724 of SEQ ID NO:355, b is an integer of 15 to 738, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:355, and where b is greater than or equal to $a + 14$ .	R21047
831664	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1952 of SEQ ID NO:356, b is an integer of 15 to 1966, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:356, and where b is greater than or equal to $a + 14$ .	R35205, H13039, R84255, W24589, W93157, AA186436, AA188774, AA227246, AA658889, AA838204, W22056, W25833, W28198, W28494, AA090436, AA089530, AA089667
831674	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1548 of SEQ ID NO:357, b is an integer of 15 to 1562, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:357, and where b is greater than or equal to $a + 14$ .	
831684	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1917 of SEQ ID NO:358, b is an integer of 15 to 1931, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:358, and where b is greater than or equal to $a + 14$ .	T64083, R54664, R54665, W52888, W60096, W60162, AA009843, AA009870, AA236225, AA236291, AA459452, AA465675, AA554776, AA563899, AA583755, AA593849, AA596013, AA627978, AA573921, AA747840, AA828086, AA830260, AA837593, AA996154, C01662
831687	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 855 of SEQ ID NO:359, b is an integer of 15 to 869, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:359, and where b is greater than or equal to $a + 14$ .	T49489, R05976, R55046, N21648, N31054, N48001, AA464953, AA426224, AA430556, AA600829, AA744708, AA747361, AA976473, A1097658

831726	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 547 of SEQ ID NO:360, b is an integer of 15 to 561, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:360, and where b is greater than or equal to a + 14.	
831736	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1666 of SEQ ID NO:361, b is an integer of 15 to 1680, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:361, and where b is greater than or equal to a + 14.	T60384, T93026, T83297, R17403, R17423, R21319, H65765, N94506, W23956, W24344, W45068, W57786, W57860, W81343, AA058929, AA151788, AA151833
831762	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 726 of SEQ ID NO:362, b is an integer of 15 to 740, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:362, and where b is greater than or equal to a + 14.	
831801	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1310 of SEQ ID NO:363, b is an integer of 15 to 1324, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:363, and where b is greater than or equal to a + 14.	T39530, T64430, R36089, H12597, H12647, H19534, H20096, H26648, H26663, W15192, W45569, W45621, AA018144, AA018145, AA018470, AA039510, AA039529, AA047549, AA047837, AA057785, AA074201, AA075686, AA079138, AA135599, AA135658, AA147502, AA147931, AA156715, AA156811, AA188215, AA186362, AA425996, AA283917, AA514670, AA522463, AA714301, AA742700, AA872728, AA887841, AA971644, A1015637, A1053971, A1054233, A1074507, A1084901, W28363
831848	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2839 of SEQ ID NO:364, b is an integer of 15 to 2853, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:364, and where b is greater than or equal to a + 14.	T77112, R13655, R19353, R19511, R24780, R35812, R36752, R38177, R43861, R44629, R45511, R43861, R45511, R44629, R71248, R71299, R82784, H00629, H01917, H04479, H45706, H45757, H94039, H94125, N30574, N57220, AA033684, AA114107, AA253260, AA461547, AA460619, AA715125, A1096588, C03714, AA092127
831861	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1823 of SEQ ID NO:365, b is an integer of 15 to 1837, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:365, and where b is greater than or equal to a + 14.	T57456, T58038, T58104, R08156, R27046, R28341, R28340, N32411, N56831, N78961, W16984, W16954, W17352, W74522, W79861, AA025882, AA025883, AA084109, AA100121, AA100060, AA132713

831866	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1809 of SEQ ID NO:366, b is an integer of 15 to 1823, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:366, and where b is greater than or equal to a + 14.	
831878	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 884 of SEQ ID NO:367, b is an integer of 15 to 898, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:367, and where b is greater than or equal to a + 14.	
831899	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1103 of SEQ ID NO:368, b is an integer of 15 to 1117, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:368, and where b is greater than or equal to a + 14.	AA159048, AA768390, AA806956
831913	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2212 of SEQ ID NO:369, b is an integer of 15 to 2226, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:369, and where b is greater than or equal to a + 14.	
831972	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3622 of SEQ ID NO:370, b is an integer of 15 to 3636, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:370, and where b is greater than or equal to a + 14.	
831985	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 4025 of SEQ ID NO:371, b is an integer of 15 to 4039, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:371, and where b is greater than or equal to a + 14.	
831986	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1585 of SEQ ID NO:372, b is an integer of 15 to 1599, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:372, and where b is greater than or equal to a + 14.	
832010	Preferably excluded from the present invention are	

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 450 of SEQ ID NO:373, b is an integer of 15 to 464, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:373, and where b is greater than or equal to a + 14.	
832016	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 876 of SEQ ID NO:374, b is an integer of 15 to 890, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:374, and where b is greater than or equal to a + 14.	
832041	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1860 of SEQ ID NO:375, b is an integer of 15 to 1874, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:375, and where b is greater than or equal to a + 14.	R63637, R92994, N30838, N30844, N41366, N41372, AA639771
832044	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2004 of SEQ ID NO:376, b is an integer of 15 to 2018, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:376, and where b is greater than or equal to a + 14.	T56668, R09616, R20197, R44983, R52998, R52997, R44983, H06485, H06543, H09799, H09885, H24790, N57987, N62197, N76494, W02915, W78217, AA041290, AA041323, AA074236, AA075127, AA075212, AA075847, AA088708, AA088793, AA112359, AA121803, AA151677, AA166711, AA167069, AA181608, AA188478, AA194067, AA194182, AA221025, AA221037, AA228036, AA228145, AA557397, AA564567, AA582681, AA582151, AA601549, AA613841, AA832393, AA846987, AA865356, AA866164, AA872667, AA862962, AA911092, AA937359, AI000072, D83877
832049	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 804 of SEQ ID NO:377, b is an integer of 15 to 818, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:377, and where b is greater than or equal to a + 14.	
832122	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2551 of SEQ ID NO:378, b is an integer of 15 to 2565, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:378, and where b is greater than or equal to a + 14.	
832148	Preferably excluded from the present invention are	T78202, R37864, R62706, R78737,

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1666 of SEQ ID NO:379, b is an integer of 15 to 1680, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:379, and where b is greater than or equal to a + 14.	R78736, H62109, N50394, N51659, N67973, N80394, W33108, W33107, AA016055, AA074831, AA075097, AA256793, AA256472, AA418825, AA418922, AA430755, AA280663, AA281049, AA467867, AA502148, H71558, AA721278, AA748880, AA809767, AA810852, AA832174, AA911263, AA938484, AA975282, D80672, D81573, D81746, A1096900, C02375
832197	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1253 of SEQ ID NO:380, b is an integer of 15 to 1267, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:380, and where b is greater than or equal to a + 14.	
832237	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1017 of SEQ ID NO:381, b is an integer of 15 to 1031, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:381, and where b is greater than or equal to a + 14.	R36943, R42259, R53230, R42259, H09607, AA150724, AA831055
832246	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1583 of SEQ ID NO:382, b is an integer of 15 to 1597, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:382, and where b is greater than or equal to a + 14.	H13698, H13750, R91283, R91322, H97506, N64810, N75659, W61290, W65386, H54890, AA568261, AA830860, AA863239, AA873329, AA938701, D82264, C18047
832256	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 161 of SEQ ID NO:383, b is an integer of 15 to 175, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:383, and where b is greater than or equal to a + 14.	
832280	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2157 of SEQ ID NO:384, b is an integer of 15 to 2171, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:384, and where b is greater than or equal to a + 14.	H09977, H09978, R89392, R94438, H93033, H93466, H93904, N29334, N53767, N57027, N71868, N71879, N73126, W24652, AA026682, AA047124, AA127259, AA224396, AA224473, AA227220, AA236734, AA236763, AA236910, AA236919
832285	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2350 of SEQ ID NO:385, b is an integer of 15 to 2364, where both a and b correspond to the positions of nucleotide	R12740, R14184, R15171, R26447, R28455, R34165, R35396, R39792, R40473, R49696, R41588, R40473, R49696, R70668, R70669, R79640, R79833, H02312, H08199, H08297, R99351, H84241, H84567, H85554,

	residues shown in SEQ ID NO:385, and where b is greater than or equal to a + 14.	N24354, N25230, N32462, N33863, N64676, N70374, N80109, W47526, W47527, W80678, W80934, W93668, AA082195, AA223758, AA243624, AA255527, AA256711, AA262387, AA281015, AA281094, AA281183, AA281203, AA287927, AA287991, AA505084, AA505086, AA525301, AA553559, AA564243, AA582189, AA737010, AA808271, AA872481, AA937541, A1015987, C01015, C20842
832294	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2850 of SEQ ID NO:386, b is an integer of 15 to 2864, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:386, and where b is greater than or equal to a + 14.	
832326	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2669 of SEQ ID NO:387, b is an integer of 15 to 2683, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:387, and where b is greater than or equal to a + 14.	
832333	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1432 of SEQ ID NO:388, b is an integer of 15 to 1446, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:388, and where b is greater than or equal to a + 14.	
832346	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 709 of SEQ ID NO:389, b is an integer of 15 to 723, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:389, and where b is greater than or equal to a + 14.	T88928, R12446, R37113, R42462, H15692, H18859, N34664, AA132220, AA224337, AA460720, AA492479
832370	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1032 of SEQ ID NO:390, b is an integer of 15 to 1046, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:390, and where b is greater than or equal to a + 14.	
832381	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 685 of SEQ ID NO:391, b is an integer of 15 to 699, where both a	

	and b correspond to the positions of nucleotide residues shown in SEQ ID NO:391, and where b is greater than or equal to a + 14.	
832394	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1531 of SEQ ID NO:392, b is an integer of 15 to 1545, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:392, and where b is greater than or equal to a + 14.	
832454	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 735 of SEQ ID NO:393, b is an integer of 15 to 749, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:393, and where b is greater than or equal to a + 14.	T57094, T58711, T68990, T71879, R92183, H93778, N63977, N80768, AA034382, AA034383, AA057664, AA235744, AA425865, AA524693, AA551804, AA523604, AA614639, AA740316, AA872373, AA938571, AA947337, R28997, AA640968, C21135
832465	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 597 of SEQ ID NO:394, b is an integer of 15 to 611, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:394, and where b is greater than or equal to a + 14.	R36004, R36378, H71881, H96279, N50049, N63692, W74426, W79180, W87805, AA421015, AA527679, AA833773, AA987375, F19351, AA642491, C14893, C14937
832475	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1842 of SEQ ID NO:395, b is an integer of 15 to 1856, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:395, and where b is greater than or equal to a + 14.	
832495	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2637 of SEQ ID NO:396, b is an integer of 15 to 2651, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:396, and where b is greater than or equal to a + 14.	
832498	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2493 of SEQ ID NO:397, b is an integer of 15 to 2507, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:397, and where b is greater than or equal to a + 14.	T67126, T67127, R13516, R20638, H64071, N22361, N25516, N39506, N75609, N78204, W40313, W45344, AA074739, AA074803, AA143509, AA523999, AA552542, AA554032, N20483, AA588804, AA617733, AA577150, AA577309, AA579423, AA740813, AA835721, AA836640, AA909766, AA936979, AA947310, N26815, A1085484, D78707, W67520, W68152
832501	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b,	

	where a is any integer between 1 to 1259 of SEQ ID NO:398, b is an integer of 15 to 1273, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:398, and where b is greater than or equal to a + 14.	
832505	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3760 of SEQ ID NO:399, b is an integer of 15 to 3774, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:399, and where b is greater than or equal to a + 14.	T50501, T50636, T92136, R52390, R59648, H06170, H28886, H28885, R96577, R96600, H84171, H94122, H98228, N36866, N36872, N46136, N46142, N63589, N66323, W48779, W49798, AA029033, AA054487, AA058524, AA084466, AA086177, AA098967, AA099485, AA100345, AA147008, AA147009, AA146910, AA146909, AA160346, AA159865, AA192832, AA203513, AA252521, AA252553, AA463513, AA463570, AA421250, AA425704, AA427774, AA278328, AA278999, AA280712, AA281733, AA281871, AA282407, AA282626, AA283639, AA542810, AA557893, AA568486, AA569759, AA577522, AA659517, AA659737, AA664537, AA713950, AA805488, AA835999, AA876619, AA931568, AA935758, AA946722, A1000603, D82640
832539	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1508 of SEQ ID NO:400, b is an integer of 15 to 1522, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:400, and where b is greater than or equal to a + 14.	H72563, AA160114, AA159654, AA161261, AA165097, AA223618, AA243203
832554	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1356 of SEQ ID NO:401, b is an integer of 15 to 1370, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:401, and where b is greater than or equal to a + 14.	
832569	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1398 of SEQ ID NO:402, b is an integer of 15 to 1412, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:402, and where b is greater than or equal to a + 14.	
832578	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1736 of SEQ ID NO:403, b is an integer of 15 to 1750, where both a and b correspond to the positions of nucleotide	R09545, R09658, R09967, R11471, R16714, R16910, R16965, R19372, R80788, R80988, H28725, H63085, H63169, H75499, H75500, N33554, N41536, N52961, N52966, N74070, W01039, W57770, W57843, W60109,



	residues shown in SEQ ID NO:403, and where b is greater than or equal to a + 14.	W91978, W92107, AA001984, AA004653, AA027155, AA418427, AA281395, AA532870, AA564737, AA588889, AA631841, AA639548, AA765363, AA877896, AA887900, AA974026, AI057270, AI084214, AI094490, AI096750, AI097632, AI096745
832615	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1325 of SEQ ID NO:404, b is an integer of 15 to 1339, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:404, and where b is greater than or equal to a + 14.	
832620	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 468 of SEQ ID NO:405, b is an integer of 15 to 482, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:405, and where b is greater than or equal to a + 14.	
832632	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1399 of SEQ ID NO:406, b is an integer of 15 to 1413, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:406, and where b is greater than or equal to a + 14.	
832633	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1679 of SEQ ID NO:407, b is an integer of 15 to 1693, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:407, and where b is greater than or equal to a + 14.	R69173, AA053085, AA053597, AA427705, AA730380, AA865757, AA911497, AI083906
833483	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1328 of SEQ ID NO:408, b is an integer of 15 to 1342, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:408, and where b is greater than or equal to a + 14.	
834574	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2403 of SEQ ID NO:409, b is an integer of 15 to 2417, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:409, and where b is greater than or equal to a + 14.	
834859	Preferably excluded from the present invention are	

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1387 of SEQ ID NO:410, b is an integer of 15 to 1401, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:410, and where b is greater than or equal to a + 14.	
834861	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3002 of SEQ ID NO:411, b is an integer of 15 to 3016, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:411, and where b is greater than or equal to a + 14.	
834890	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 944 of SEQ ID NO:412, b is an integer of 15 to 958, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:412, and where b is greater than or equal to a + 14.	T40255, T40256, T40770, T40778, T40803, T41118, T94280, T94627, R13201, R32388, R32389, R53769, H28669, H39502, H42532, H42533, R82957, R85205, R85206, R88749, R90730, R90754, R91006, R92221, H56130, H56210, H58500, H57659, H69479, H69882, N22547, N31579, N42592, N45537, N48687, N56654, N58050, N69059, N73728, N80748, N92927, N94545, W20471, W30838, W52039, W60171, W68292, W93085, W93140, N91563, AA010850, AA011289, AA054592, AA054780, AA081135, AA081214, AA081655, AA081936, AA082127, AA082262, AA088665, AA088804, AA102560, AA100239, AA114237, AA115714, AA115715, AA127304, AA127303, AA147789, AA148021, AA149821, AA152050, AA160878, AA169126, AA171659, AA172131, AA172285, AA194597, AA243129, AA419357, AA425135, AA426203, AA244212, AA505963, AA508221, AA527434, AA527878, AA565036, F17736, AA582605, AA582728, AA583851, AA586421, AA601920, AA570580, AA574367, AA577515, AA577538, AA565998, AA657417, AA659655, AA662658, AA665113, AA714991, AA770684, AA808865, AA826971, AA838507, AA876809, AA877842, AA878025, AA886042, AA886643, AA877950, AA937751, AA948428, AA947036, AA973473, AA983150, AA989361, A1082367, D78922, D82096, N83321, C04115, R29685, C17110, C18023, C18068, AA093539, AA094947, AA151399, AA654145, AA654136
835079	Preferably excluded from the present invention are	N25566, W00985, AA081340,

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 486 of SEQ ID NO:413, b is an integer of 15 to 500, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:413, and where b is greater than or equal to a + 14.	AA152231, AA164282, AA171619, AA187113, A1073932
835554	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3383 of SEQ ID NO:414, b is an integer of 15 to 3397, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:414, and where b is greater than or equal to a + 14.	
835560	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2866 of SEQ ID NO:415, b is an integer of 15 to 2880, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:415, and where b is greater than or equal to a + 14.	
835723	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1602 of SEQ ID NO:416, b is an integer of 15 to 1616, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:416, and where b is greater than or equal to a + 14.	T71562, R11480, R19383, R25309, R46659, R48802, R48913, R50038, R50376, R54963, R46659, R70030, R70077, R70161, R71380, R72303, R72352, R72772, R72773, R73386, R73387, H15775, H15776, H25239, H27204, H30499, H42026, H42613, H43207, H43254, H44314, H44936, H44975, R98394, R98395, R99071, R99271, H58902, H58903, H73590, H73436, H75566, H80599, N40440, N48475, N59703, AA515035, AA515043, AA515450, AA515650, AA515746, AA551788, AA551943, AA554602, AA557281, AA581549, AA581554, AA587399, AA593890, AA593997, AA593998, AA568878, AA568962, AA622458, AA714206, AA728962, AA737738, AA738036, AA738486, AA847538, AA865069, AA872029, AA886612, AA903381, AA916458, AA916464, AA922563, AA928617, AA928314, AA934581, AA973769, AA973767, AA983480, AA991199, AA994932, AA995182, AA999704, A1028371, AA643041
835791	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1801 of SEQ ID NO:417, b is an integer of 15 to 1815, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:417, and where b is greater than or equal to a + 14.	

835817	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1952 of SEQ ID NO:418, b is an integer of 15 to 1966, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:418, and where b is greater than or equal to a + 14.	
835840	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2838 of SEQ ID NO:419, b is an integer of 15 to 2852, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:419, and where b is greater than or equal to a + 14.	T66583, R15957, R22860, R62339, R62341, R62856, AA210836, AA214633, AA256340, AA732582, AA740735
836048	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2691 of SEQ ID NO:420, b is an integer of 15 to 2705, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:420, and where b is greater than or equal to a + 14.	
836898	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1887 of SEQ ID NO:421, b is an integer of 15 to 1901, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:421, and where b is greater than or equal to a + 14.	
836927	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2463 of SEQ ID NO:422, b is an integer of 15 to 2477, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:422, and where b is greater than or equal to a + 14.	
837344	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 763 of SEQ ID NO:423, b is an integer of 15 to 777, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:423, and where b is greater than or equal to a + 14.	
837789	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1635 of SEQ ID NO:424, b is an integer of 15 to 1649, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:424, and where b is greater than or equal to a + 14.	
838549	Preferably excluded from the present invention are	

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1594 of SEQ ID NO:425, b is an integer of 15 to 1608, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:425, and where b is greater than or equal to a + 14.	
838754	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1780 of SEQ ID NO:426, b is an integer of 15 to 1794, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:426, and where b is greater than or equal to a + 14.	
838768	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 756 of SEQ ID NO:427, b is an integer of 15 to 770, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:427, and where b is greater than or equal to a + 14.	
839486	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 498 of SEQ ID NO:428, b is an integer of 15 to 512, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:428, and where b is greater than or equal to a + 14.	
839561	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1456 of SEQ ID NO:429, b is an integer of 15 to 1470, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:429, and where b is greater than or equal to a + 14.	R61634, AA135004, AA159213
839816	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 420 of SEQ ID NO:430, b is an integer of 15 to 434, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:430, and where b is greater than or equal to a + 14.	
840068	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1809 of SEQ ID NO:431, b is an integer of 15 to 1823, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:431, and where b is greater than or equal to a + 14.	
840279	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide	

	sequence described by the general formula of a-b, where a is any integer between 1 to 3377 of SEQ ID NO:432, b is an integer of 15 to 3391, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:432, and where b is greater than or equal to a + 14.	
840489	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2539 of SEQ ID NO:433, b is an integer of 15 to 2553, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:433, and where b is greater than or equal to a + 14.	
840538	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2518 of SEQ ID NO:434, b is an integer of 15 to 2532, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:434, and where b is greater than or equal to a + 14.	T47551, T47552, T64522, T65947, R70190, H97064, N25641, N34240, N48063, N53261, N67904, N92702, N98774, W16899, W20316, W31028, W40137, W45371, W48722, W48577, W68670, W68773, W74242, AA033573, AA033574, AA063270, AA063271, AA065213, AA064894, AA082200, AA083707, AA085441, AA085694, AA088302, AA088303, AA099844, AA099984, AA102604, AA111894, AA112981, AA115039, AA115800, AA115799, AA122221, AA126905, AA126955, AA127109, AA127548, AA127549, AA128933, AA129152, AA129743, AA133290, AA135251, AA151963, AA156321, AA156382, AA160182, AA165104, AA164688, AA173757, AA180038, AA182644, AA190866, AA190959, AA191561, AA191637, AA197348, AA195895, AA258593, AA258622, AA262173, AA464978, AA465047, AA417938, AA418116, AA292727, AA523585, AA525020, AA548516, AA551816, AA554642, AA581720, AA568802, AA579801, AA738216, AA832441, AA903391, AA938688, AA977201, AA987552, AI095102, AI084149, W27768, C05889, C06263, AA089556, AA652586, AA213999, AA213977, AA219123, AA219290, AA435695, DI2383, DI2389, AA451677, AA453222, AA485641, AA485768, AA488670, AA485947, AA486053, AA486197, AA489511, AA489512, AA489558, AA491452, AA489876, AA600130, AA608644, AA620481, AA664307, AA629754, AA629909, AA677148, AA722910, AA772440, AA773550, AI038219, AI075755, AI081932, AI084706, T10852, T24678, F00208, F00897

840545	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1808 of SEQ ID NO:435, b is an integer of 15 to 1822, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:435, and where b is greater than or equal to a + 14.	
840549	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1016 of SEQ ID NO:436, b is an integer of 15 to 1030, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:436, and where b is greater than or equal to a + 14.	R10733, T86298, R55182, R55183, H00476, H00530, H25856, H25909, H25910, N50923, W84600, W84452, AA227897, D78774, AA486440, AA629249
840551	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1618 of SEQ ID NO:437, b is an integer of 15 to 1632, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:437, and where b is greater than or equal to a + 14.	
840557	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1002 of SEQ ID NO:438, b is an integer of 15 to 1016, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:438, and where b is greater than or equal to a + 14.	
840561	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 580 of SEQ ID NO:439, b is an integer of 15 to 594, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:439, and where b is greater than or equal to a + 14.	
840562	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1566 of SEQ ID NO:440, b is an integer of 15 to 1580, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:440, and where b is greater than or equal to a + 14.	R08937, R09046, R14796, R18307, R31150, R42283, R51828, R54224, R42283, R72104, R72156, R73118, R73171, R73943, H25904, H27191, H27192, H30471, H72478, H72879, H88214, H98231, W45061, W45071, W49842, W67423, W67424, W93880, W94151, AA023007, AA022473, AA032224, AA032282, AA034411, AA035691, AA040428, AA046861, AA046994, AA046313, AA046139, AA053780, AA101657, AA101658, AA167298, AA227543, AA227684, AA458877, AA459067, AA463656, AA464047, AA464754, AA225370, AA225425, AA225400, AA558796, AA582089, AA565830, AA713907,

		AA864510, AA936117, C01002, N86320, C04277, AA652714, AA402391, AA402565, AA479073, AA621791, AA670200, AA456544, AA676732, AA707089, A1014599, A1022852, A1023739, A1091873, A1094288, Z39517, Z43438
840564	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1068 of SEQ ID NO:441, b is an integer of 15 to 1082, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:441, and where b is greater than or equal to a + 14.	
840572	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1227 of SEQ ID NO:442, b is an integer of 15 to 1241, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:442, and where b is greater than or equal to a + 14.	T87514, T87515, H84879, AA001503, AA506411, AA508167, AA715396, AA931268, AA292666, AA478036, AA478193, AA478194, AA707886, AA724969, AA725050, AA779127, AA843885
840600	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 954 of SEQ ID NO:443, b is an integer of 15 to 968, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:443, and where b is greater than or equal to a + 14.	R38172, AA226748, AA484320, AA831852
840604	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1346 of SEQ ID NO:444, b is an integer of 15 to 1360, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:444, and where b is greater than or equal to a + 14.	
840608	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1821 of SEQ ID NO:445, b is an integer of 15 to 1835, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:445, and where b is greater than or equal to a + 14.	
840620	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1341 of SEQ ID NO:446, b is an integer of 15 to 1355, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:446, and where b is greater than or equal to a + 14.	R17303, R41982, R41982, H43756, N62762, AA053677, AA053697, AA084224, AA084019, AA084952, AA419123, AA419160, AA426014, AA425077, AA427847, AA524035, AA565019, AA632254, AA745726, AA835832, AA931712, AA932520, AA937139, AA961716, AA995607, AA453838, AA455030, AA476981, AA479615, AA482659, AA455837,



		AA488554, AA620470, AA781416, AA844227, AI090902, T19161
840625	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 361 of SEQ ID NO:447, b is an integer of 15 to 375, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:447, and where b is greater than or equal to a + 14.	
840626	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1379 of SEQ ID NO:448, b is an integer of 15 to 1393, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:448, and where b is greater than or equal to a + 14.	
840638	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1649 of SEQ ID NO:449, b is an integer of 15 to 1663, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:449, and where b is greater than or equal to a + 14.	H01158, H01159, H05751, H05858, H83341, H83695, N47512, N47513, W39756, W79733, W90027, W90155, AA047691, AA047741, AA086374, AA100549, AA159315, AA159414, AA282525, AA282633, AA595381, AA688093, AA744757, AA865203, AA933811, AA969838, AA975917, F18424, D12197, D12219, AA478596, AA665540, AA909221, AA969720, AI049820
840649	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1366 of SEQ ID NO:450, b is an integer of 15 to 1380, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:450, and where b is greater than or equal to a + 14.	R00133, R22651, R44356, R44356, R56353, R93194, N47106, N50316, N50780, N55139, AA010596, AA010597, AA012940, AA012888, AA013216, AA013313, AA017544, AA017417, AA047814, AA047792, AA235545, AA262268, AA262879, AA563873, AA570239, AA573586, AA827412, AA862337, AA902472, AA962409, AA971292, AA973596, AI056509, AI080455, AA410833, T23822, T16761
840651	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 912 of SEQ ID NO:451, b is an integer of 15 to 926, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:451, and where b is greater than or equal to a + 14.	
840666	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1628 of SEQ ID NO:452, b is an integer of 15 to 1642, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:452, and where b is greater than or equal to a + 14.	N32778, N34353, N34537, N41780, N42818, N93337, W25190, AA035229, AA035230, AA044070, AA044162, AA195074, AA195174, AA419441, AA731906, AA761315, AA761330, AA766382, AA766593, AA769537, AA805515, AA806516, AA809893, AA814954, AA857917, N44554,

		AA393941, A1074651, T10618, Z35722
840681	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2240 of SEQ ID NO:453, b is an integer of 15 to 2254, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:453, and where b is greater than or equal to a + 14.	
840682	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1917 of SEQ ID NO:454, b is an integer of 15 to 1931, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:454, and where b is greater than or equal to a + 14.	
840684	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 757 of SEQ ID NO:455, b is an integer of 15 to 771, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:455, and where b is greater than or equal to a + 14.	
840697	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1155 of SEQ ID NO:456, b is an integer of 15 to 1169, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:456, and where b is greater than or equal to a + 14.	R00751, R02584, R02703, R69879, R69927, H13156, H29249, H29248, H41216, R83398, H54666, H54667, H73551, H73552, H90468, H91760, H97869, N31729, N31735, N51232, W32147, W32175, W44313, W45660, W57760, W57761, W68386, W68502, W68752, W68835, W72538, W76163, AA035740, AA043246, AA043585, AA044419, AA043053, AA047593, AA047601, AA088798, AA147253, AA155747, AA160105, AA165689, AA172386, AA173747, AA189005, AA189006, AA471066, AA507210, AA513086, AA516406, AA514685, AA635861, AA657400, AA668796, AA737126, AA768005, AA768358, AA887459, AA977176, D80509, D81008, D81471, D81800, D82666, N83795, AA643662, AA284937, AA290823, AA447984, AA448126, AA676807, AA709464, AA780333, AA843801, AA853391, AA868403, AA917460, T17166, T17177, T16671, T48481, T48507
840698	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3235 of SEQ ID NO:457, b is an integer of 15 to 3249, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:457, and where b is	

	greater than or equal to $a + 14$ .	
840708	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1902 of SEQ ID NO:458, b is an integer of 15 to 1916, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:458, and where b is greater than or equal to $a + 14$ .	R21272, R45362, R45362, H06049, H13385, AA082768, AA101114, AA131634, AA131718, AA152290, AA150232, AA418083, AA418230, AA422115, AA424919, AA426139, AA741277, AA749290, AA811505, AA836102, AA411231, AA453804, AA453890, AA758905, AA769817, AA770192, AA904708, AA905158, AA969156, A1093952, Z42470, Z41665, Z44053
840714	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2759 of SEQ ID NO:459, b is an integer of 15 to 2773, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:459, and where b is greater than or equal to $a + 14$ .	
840716	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2017 of SEQ ID NO:460, b is an integer of 15 to 2031, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:460, and where b is greater than or equal to $a + 14$ .	
840721	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1825 of SEQ ID NO:461, b is an integer of 15 to 1839, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:461, and where b is greater than or equal to $a + 14$ .	
840735	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 765 of SEQ ID NO:462, b is an integer of 15 to 779, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:462, and where b is greater than or equal to $a + 14$ .	T47277, T56085, T93319, T85388, H57620, H58465, N77902, N80219, N93978, W19715, W37380, W37643, W38508, W38722, W47048, W68079, W67976, W69349, W69350, AA025313, AA024560, AA063371, AA063370, AA463222, AA463223, AA424422, AA469264, AA480510, AA507733, AA524348, AA557233, AA602394, AA603318, AA631014, AA569554, AA575944, AA688112, AA911131, AA932225, AA937015, AA994856, A1077707, N92552, W00604, C00184, AA292823, AA401683, AA663906, AA664122, AA771943, AA779608, AA812529, A1028120, A1027559, A1032511, A1033880, A1034204, A1078458, A1041685, D31473, T64469
840738	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide	

	sequence described by the general formula of a-b, where a is any integer between 1 to 1703 of SEQ ID NO:463, b is an integer of 15 to 1717, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:463, and where b is greater than or equal to a + 14.	
840745	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 814 of SEQ ID NO:464, b is an integer of 15 to 828, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:464, and where b is greater than or equal to a + 14.	
840747	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1159 of SEQ ID NO:465, b is an integer of 15 to 1173, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:465, and where b is greater than or equal to a + 14.	
840756	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 507 of SEQ ID NO:466, b is an integer of 15 to 521, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:466, and where b is greater than or equal to a + 14.	AA074254
840776	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1414 of SEQ ID NO:467, b is an integer of 15 to 1428, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:467, and where b is greater than or equal to a + 14.	T47069, T47068, T63511, T63587, T79637, T79722, R36141, R36419, R65831, R65934, R69612, R69701, H00464, H00514, H04572, H04575, H12602, H12652, H13166, H66218, H67195, H67868, H67868, N62959, W92249, W92250, W92609, W95234, AA007598, AA193373, AA195360, AA195359, AA425046, AA430627, AA428172, AA484871, AA557201, AA902998, AA927360, N79862, AA479674, AA477192, AA481418, AA481651, AA495983, AA496377, AA496655, AA912146, AA912181, AI049805, AA693485
840784	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3449 of SEQ ID NO:468, b is an integer of 15 to 3463, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:468, and where b is greater than or equal to a + 14.	
840788	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 607 of SEQ ID	

	NO:469, b is an integer of 15 to 621, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:469, and where b is greater than or equal to a + 14.	
840794	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1819 of SEQ ID NO:470, b is an integer of 15 to 1833, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:470, and where b is greater than or equal to a + 14.	
840797	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3188 of SEQ ID NO:471, b is an integer of 15 to 3202, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:471, and where b is greater than or equal to a + 14.	
840799	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 927 of SEQ ID NO:472, b is an integer of 15 to 941, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:472, and where b is greater than or equal to a + 14.	
840818	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1265 of SEQ ID NO:473, b is an integer of 15 to 1279, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:473, and where b is greater than or equal to a + 14.	
840822	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3195 of SEQ ID NO:474, b is an integer of 15 to 3209, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:474, and where b is greater than or equal to a + 14.	T47621, T77305, T83423, R18484, R51973, R51974, R73192, H06082, H12940, H27135, H45895, H45904, N72089, W00342, W52213, W96404, AA045488, AA058907, AA062768, AA069032, AA081439, AA082427, AA084417, AA101216, AA234022, AA534011, AA565390, AA588319, AA588430, AA568701, AA635907, AA579930, AA827039, AA857519, AA872490, AA904077, AA995057, AI073336, N95359, C15883, AA781445, AA906492, AI037943, AI039428
840830	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 819 of SEQ ID NO:475, b is an integer of 15 to 833, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:475, and where b is	N33920, N33932, N49642, N49629, AA508747, AA514767, AA583465, AA805203, AA878968, U37231, T24573

	greater than or equal to $a + 14$ .	
840846	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1127 of SEQ ID NO:476. b is an integer of 15 to 1141, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:476, and where b is greater than or equal to $a + 14$ .	T68706, T68719, T68771, T68784, T73424, T73431, T73486, T73492, T73499, T73535, T89865, R11465, T79345, T79774, T81799, T82119, T82855, T96198, T96454, T96686, T96802, T96920, T97027, T99996, T99997, R00156, R00157, R83404, R85816, R91357, R93314, R94713, R94794, R97348, R99024, R99798, H48280, H48369, H48754, H54738, H54739, H55985, H55984, H56050, H56244, H57662, H57872, H57873, H58502, H60170, H60211, H62933, H69203, H69228, H69229, H71630, H73011, H73012, H81193, H81194, H90826, H91385, N33963, N49672, N49822, N52577, N54836, N58435, N64440, N66934, N69249, N69373, N74062, N75759, N78025, N78145, N94249, N95116, W03303, W01169, W01912, N91401, AA025243, AA026028, AA193126, AA194255, AA236507, AA242995, AA622239, AA575858, AA575872, AA576026, AA576150, AA576597, AA864932, AA877934, AA969761, AA994970, A1017867, D82634, C21067, AA431221, AA779655, AA782374, AA812640, AA923315, AA962377, AA993251, A1018445, A1025584, A1092470, T79311
840848	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1088 of SEQ ID NO:477, b is an integer of 15 to 1102, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:477, and where b is greater than or equal to $a + 14$ .	R10066, R10163, T26606, R61067, R72646, H08322, H47858, H47859, R86048, H68866, H68867, H69098, H82364, N58491, N78080, W52876, W60083, AA043086, AA045865, AA045866, AA055712, AA057298, AA058743, AA079887, AA079888, AA099233, AA099234, AA102153, AA113213, AA115932, AA121000, AA131067, AA143412, AA146598, AA155632, AA155688, AA160447, AA173257, AA173248, AA195987, AA196375, AA233537, AA463552, AA503072, AA551794, AA586410, AA594814, AA613123, AA573356, AA580449, AA731195, AA742856, AA827930, AA863440, AA865529, AA876847, AA953614, AA976924, N84278, N88762, C17112, AA219765, AA284503, AA293437, AA293046, AA669435, AA722103, A1027785, A1073617, A1092707, T17392, F08770, D12026
840860	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide	T89645, T89919, T93704, R21871, R22387, R78094, R78181, R78515,

	<p>sequence described by the general formula of a-b, where a is any integer between 1 to 4187 of SEQ ID NO:478, b is an integer of 15 to 4201, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:478, and where b is greater than or equal to a + 14.</p>	<p>R78560, H40124, H41731, N28359, N42893, N62851, N64787, N67463, N76199, N77065, N77758, W67341, W68381, AA034244, AA044935, AA045056, AA057392, AA057684, AA071214, AA071442, AA081937, AA082360, AA082229, AA082230, AA082708, AA083297, AA083188, AA127585, AA149575, AA151791, AA167113, AA173360, AA191227, AA195437, AA223329, AA223614, AA243268, AA261939, AA262815, AA262816, AA422160, AA426276, AA225924, AA504466, AA504634, AA522823, AA554566, AA632813, AA576873, AA662886, AA730326, AA748669, AA828942, AA837197, AA857065, AA857683, AA862276, AA864246, AA873317, AI083733, D82604, D82635, N81179, N85023, N85166, N85712, C00193, C00199, C02425, N87331, N88683, N88852, N89408, C02916, C05151, C06382, AA642209, C21319, AA091285, AA091688, AA094300, AA205974, AA206268, AA206598, AA205324, AA649340, AA247212, AA404505, AA421263, AA421361, D11545, AA441853, AA441826, AA463350, AA463858, AA487271, AA487388, AA496439, AA496488, AA634627, AA663685, AA665466, AA456144, AA722996, AA772136, AA772153, AA774179, AA992418, AI076734, T10506, Z30218, Z38961, T16262, T48571, D31110, D45597, F06042, F00682</p>
840861	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 773 of SEQ ID NO:479, b is an integer of 15 to 787, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:479, and where b is greater than or equal to a + 14.</p>	<p>T52180, T52256, T57048, T60934, T60993, T94137, T94228, T91060, T85924, R23216, R23292, R31316, R31576, R62640, R62693, H03198, H18231, H18269, H22414, H26112, H26116, H26378, H40754, H38895, H47721, H48072, R89134, R89141, R91829, R91836, R98452, H65626, H65627, H69728, H71913, H71914, H78844, H80090, H83062, H84585, H87467, H87577, H93457, H93458, N23179, N30549, N32644, N39052, N40455, N48060, N48244, N53258, N53755, N63557, N94559, N94883, N94981, N95791, N42987, W19445, W19573, W23831, W24902, W30850, W32700, W32701, W37523, W56867, W60497, W60972, W61219, W69268, W69346, W80426, W80556, W94817, W95832, W95966, W96035, W96092,</p>

		N90310, AA010147, AA010148, AA025440, AA025757, AA027347, AA027822, AA027874, AA029650, AA029651, AA037779, AA039260, AA046801, AA046818, AA054707, AA058654, AA062684, AA063287, AA074876, AA074979, AA084381, AA085264, AA085328, AA085598, AA122190, AA120978, AA133892, AA129630, AA172403, AA172206, AA190489, AA190525, AA464455, AA464996, AA225769, AA259210, AA483109, AA483741, AA493542, AA502162, AA516183, AA522567, AA526813, AA557654, AA588882, AA593799, AA576216, AA659530, AA662308, AA688246, AA688254, AA687457, AA687516, AA689236, AA728852, AA729032, AA747479, AA747979, AA831447, AA887348, AA903105, AA916516, AA934714, AA953363, AA976759, AA991410, AA991434, AI002147, AI028033, N83338, C02469, R29174, AA090669, AA092066, AA648634, AA443968, AA444149, AA482243, AA482340, AA485406, AA598458, AA644566, AA664032, AA680199, AA676482, AA629708, AA630110, AA457100, AA431269, AA405296, AA405332, AA721997, AA724146, AA774657, AA781529, AA781641, AA781838, AA782849, AA813171, AA843229, AA846744, AA846814, AA854299, AA854765, AA789029, AA993047, AI023973, AI027725, AI031943, AI038463, AI041602, AI085085, AI086504, AI088189
840871	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 717 of SEQ ID NO:480, b is an integer of 15 to 731, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:480, and where b is greater than or equal to a + 14.	H42821, AA028094, AA099211, AA160368, AA223572, AA232552, AA252811
840874	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1105 of SEQ ID NO:481, b is an integer of 15 to 1119, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:481, and where b is greater than or equal to a + 14.	
840878	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b,	T40405, T41252, T47240, T47241, T50233, T52891, T57110, T58359, R19508, R43858, R43858, R75598,



	where a is any integer between 1 to 2042 of SEQ ID NO:482, b is an integer of 15 to 2056, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:482, and where b is greater than or equal to a + 14.	R75665, H13192, H13193, N25264, N31900, N42683, N72995, N93388, W25360, W47628, W47629, AA009691, AA009410, AA045777, AA045910, AA063040, AA063076, AA130044, AA149205, AA149206, AA191678, AA252698, AA464304, AA225264, AA514845, AA526726, AA548411, AA548704, AA552050, AA552558, AA568675, AA827017, AA834447, AA838450, AA886357, AA886653, AA887879, AA916602, AA928685, AA968793, A1005016, W28859, AA134038, AA455118, AA496380, AA496656, AA598830, AA653270, AA725217, AA733068, A1004394, A1023815, A1026954, A1040891, Z25388, Z28470, AA702322
840880	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 873 of SEQ ID NO:483, b is an integer of 15 to 887, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:483, and where b is greater than or equal to a + 14.	H02306, H02418, N48196, N53344, AA059013, AA506159, AA613938, AA662759, AA976725, AA854631
840884	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1864 of SEQ ID NO:484, b is an integer of 15 to 1878, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:484, and where b is greater than or equal to a + 14.	
840907	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1552 of SEQ ID NO:485, b is an integer of 15 to 1566, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:485, and where b is greater than or equal to a + 14.	
840926	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3032 of SEQ ID NO:486, b is an integer of 15 to 3046, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:486, and where b is greater than or equal to a + 14.	
840932	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1890 of SEQ ID NO:487, b is an integer of 15 to 1904, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:487, and where b is	

	greater than or equal to $a + 14$ .	
840940	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 813 of SEQ ID NO:488, b is an integer of 15 to 827, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:488, and where b is greater than or equal to $a + 14$ .	
840947	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1912 of SEQ ID NO:489, b is an integer of 15 to 1926, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:489, and where b is greater than or equal to $a + 14$ .	
840959	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1447 of SEQ ID NO:490, b is an integer of 15 to 1461, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:490, and where b is greater than or equal to $a + 14$ .	
840964	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 791 of SEQ ID NO:491, b is an integer of 15 to 805, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:491, and where b is greater than or equal to $a + 14$ .	R79226, H12332, H51062, H83364, H89523, N27508, N30527, N40233, N52503, N53855, N94367, AA055215, AA055306, AA188169, AA468498, AA470473, AA563662, AA622643, AA579613, AA668790, AA748160, AA765447, AA873430, AA879079, AA903275, AA970424, N73354, AA402259, AA883758, AA890505, AA906005, A1023931
840979	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2255 of SEQ ID NO:492, b is an integer of 15 to 2269, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:492, and where b is greater than or equal to $a + 14$ .	
840984	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 4094 of SEQ ID NO:493, b is an integer of 15 to 4108, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:493, and where b is greater than or equal to $a + 14$ .	
840986	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2195 of SEQ ID NO:494, b is an integer of 15 to 2209, where both a and b correspond to the positions of nucleotide	H25393, H25394, H25511, H25512, R95750, R95794, H64076, H64131, H68715, H80548, H80604, H94681, H95039, H99481, N28293, N30167, N35782, W47389, W47262, W61304, W65368, AA054346, AA054383.

	residues shown in SEQ ID NO:494, and where b is greater than or equal to a + 14.	AA058320, AA058448, AA512954, AA558416, AA588459, AA935690, AI097565, N87339, AA993027, AA993568, AA701454, AA702350
840988	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1663 of SEQ ID NO:495, b is an integer of 15 to 1677, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:495, and where b is greater than or equal to a + 14.	T87048, R24473, R43337, R43337, N75007, W05750, AA182467, AA227466, AA504464, AA504538, AA923479, AA648887, AA663889, AI027636, AI028506, AI026720, Z42717
840990	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1688 of SEQ ID NO:496, b is an integer of 15 to 1702, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:496, and where b is greater than or equal to a + 14.	
840992	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2362 of SEQ ID NO:497, b is an integer of 15 to 2376, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:497, and where b is greater than or equal to a + 14.	
841009	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 826 of SEQ ID NO:498, b is an integer of 15 to 840, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:498, and where b is greater than or equal to a + 14.	T40334, T41195, T79150, T79231, T85615, T98895, T99485, R25796, H03311, H03312, H11314, H21245, R91754, R91755, R93025, R97834, R97886, R99577, R99583, R99683, R99689, H88057, H97799, H97870, N34019, N35363, N42786, N44738, N52502, N70158, N72884, N74746, N93542, N95357, N98354, W01181, W03108, W15165, W19587, W21350, W24700, W24805, W39226, W48682, W49637, W49739, W51977, W67546, W67528, W67665, W79731, W93828, W93829, AA025348, AA025356, AA024401, AA024402, AA029589, AA029588, AA099331, AA099865, AA121627, AA126717, AA126816, AA126817, AA133155, AA165162, AA165163, AA557332, AA640015, AA579505, AA665011, AA665221, AA738009, AA830748, AA918150, AA918992, AA947223, AA974955, AI083731, N56157, N89240, AA092060, AA094384, AA650291, AA292814, AA402491, F20671, F21115, D11655, D11564, D11605, D12048, AA634049, U54738, AA732766, AA782030, AA843638, AA860477, AA861482, AI018649,

		AI092171, Z28714, T23956, AA694568
841012	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 447 of SEQ ID NO:499, b is an integer of 15 to 461, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:499, and where b is greater than or equal to a + 14.	
841016	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2768 of SEQ ID NO:500, b is an integer of 15 to 2782, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:500, and where b is greater than or equal to a + 14.	R21854, R21868, R23349, R27518, R63726, R63775, R65731, R65957, R65958, R66192, R66977, R66978, R67072, R69600, R69690, H12415, H12416, N46541, N47260, N47778, N48572, N51984, N95008, W25613, W31713, W32142, W38029, W38650, W38655, AA034256, AA037658, AA037660, AA039268, AA042908, AA042921, AA063533, AA126558, AA130121, AA130157, AA137270, AA136020, AA232954, AA233044, AA429346, AA429872, AA565520, AA604780, AA610435, AA631349, AA631518, AA740206, AA770618, AA912228, AI079705, N84191, N85956, N92894, W38030, C00380, N83173, C03262, AA092010, U82782, AA247592, AA284977, AA283619, AA291890, AA293636, AA410312, AA410537, AA453566, AA487623, AA626442, AA628932, AA629190, AA629753, AA629916, AA719528, AA843073, AA844228, AA890492, AI024670, AI051881, AI061324, T11149
841017	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1235 of SEQ ID NO:501, b is an integer of 15 to 1249, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:501, and where b is greater than or equal to a + 14.	R21764, R21815, N71125, W17312, AA112660, AA179538, AA179507, AA902202, AA907419, AA913594, AA994481, AI049652
841021	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1344 of SEQ ID NO:502, b is an integer of 15 to 1358, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:502, and where b is greater than or equal to a + 14.	R23836, W38704, AA033686, AA176734, AA192268, AA525913, AA531505, AA532666, AA533781, AA533827, AA533949, AA554396, AA576754, AA906883, N24273, C14272, C14285, C14286, C18998
841032	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 487 of SEQ ID NO:503, b is an integer of 15 to 501, where both a and b correspond to the positions of nucleotide	T41136, T52990, T52991, T61494, T63001, T63145, T87321, T87328, T89480, T84361, R05264, N75935, W05120, W25352, AA191627, AA258512, AA418549, AA224774, AA225253, AA229538, AA229537,

	residues shown in SEQ ID NO:503, and where b is greater than or equal to a + 14.	AA229951, AA230318, AA468106, AA468170, AA482814, AA482855, AA482894, AA482906, AA483676, AA491563, AA491627, AA492175, AA501375, AA502205, AA505498, AA508058, AA508125, AA512979, AA513165, AA523347, AA528170, AA531497, AA542840, AA551430, AA553992, AA554420, AA582164, AA583205, AA593192, AA593362, AA602125, AA603378, AA603728, AA617691, AA622865, AA630937, AA631991, AA570802, AA569520, AA654990, AA664728, AA664864, AA665278, AA729616, AA729639, AA729652, AA730512, AA730705, AA730910, AA737300, AA737303, AA736808, AA736909, AA738098, AA740165, AA740553, AA742574, AA742885, AA746988, AA747057, AA747094, AA747099, AA747961, AA748108, AA804727, AA805835, AA834105, AA838466, AA864527, AA872303, AA875939, AA876612, AA876936, AA879219, AA885735, AA886033, AA888159, AA888528, AA888683, AA903652, AA935001, AA948734, AA947836, AA978250, AA994661, AI073926, AI085517, N83676, N86451, N87989, AA642538, AA090432, AA090481, AA092225, AA091643, AA094678, AA094818, AA095214, AA648652, AA649783, AA650377, AA401641, F21163, AA411822, AA442212, AA609798, AA679909, F22052, AA679265, AA722456, AI003421, AI028430, AI077884, AI086743, T89286, R05321, AA694044
841051	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1997 of SEQ ID NO:504, b is an integer of 15 to 2011, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:504, and where b is greater than or equal to a + 14.	AA427363
841064	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1975 of SEQ ID NO:505, b is an integer of 15 to 1989, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:505, and where b is greater than or equal to a + 14.	R95695, H49073, H61707, H61911, H68517, H89719, H89781, H89828, H90680, N76870, W88654, W88898, AA046748, AA053076, AA053592, AA127256, AA127257, AA187351, AA188218, H67307, AA602545, AA720701, AA742288, N87596, AA094084, AA204976, AA676787, AA703221, AA779414, AI038609, AI074626, AI088527, T17364,

		AA702787
841069	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1071 of SEQ ID NO:506, b is an integer of 15 to 1085, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:506, and where b is greater than or equal to a + 14.	
841072	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1471 of SEQ ID NO:507, b is an integer of 15 to 1485, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:507, and where b is greater than or equal to a + 14.	
841078	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1916 of SEQ ID NO:508, b is an integer of 15 to 1930, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:508, and where b is greater than or equal to a + 14.	T39937, T68962, T84426, R20697, R36425, R45643, R45643, R68137, R70943, R70957, R70996, R71011, H02222, H05658, H05659, H25177, H29362, H54732, H54733, H60311, H60310, H77561, H77562, H78245, H78446, H82436, H82699, N20477, N57742, N59418, N59709, N76617, AA029237, AA055009, AA055434, AA236337, AA425703, AA427773, AA482193, AA482287, AA612777, AA729757, AA737276, AA744359, AA872776, AA972581, C06045, AA446583, AA449748, AA707197, AA757691, AA774691, AA992571, AI003756, AI027513, AI039704, AI042272, AI052652, AI077380, AI083949, AA774036
841080	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1120 of SEQ ID NO:509, b is an integer of 15 to 1134, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:509, and where b is greater than or equal to a + 14.	
841088	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1368 of SEQ ID NO:510, b is an integer of 15 to 1382, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:510, and where b is greater than or equal to a + 14.	R00895, R21561, R42090, R42090, H05080, N79589, N94381, W16578, W42724, W42813, W46346, W46347, W47346, W57707, W57783, AA070469, AA490938, AA586820, AA580196, AA745683, AA809239, AA931405, D11601, AA725448, AA992145, AI023735, AI025359, AI031575, AI033697, AI038145, AI093535, F00072
841092	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1727 of SEQ ID	

	NO:511, b is an integer of 15 to 1741, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:511, and where b is greater than or equal to a + 14.	
841095	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1516 of SEQ ID NO:512, b is an integer of 15 to 1530, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:512, and where b is greater than or equal to a + 14.	W20114, AA255840, AA568302, AA406006, AA434170
841096	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2985 of SEQ ID NO:513, b is an integer of 15 to 2999, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:513, and where b is greater than or equal to a + 14.	
841102	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2034 of SEQ ID NO:514, b is an integer of 15 to 2048, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:514, and where b is greater than or equal to a + 14.	
841104	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3286 of SEQ ID NO:515, b is an integer of 15 to 3300, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:515, and where b is greater than or equal to a + 14.	T93851, R05295, R05354, R71097, R71445, R99396, N53129, W38359, W38417, W38418, W39384, W44785, W44786, W69719, W69847, W73703, AA134718, AA164646, AA164647, AA418958, AA420439, AA420440, AA548241, AA548224, AA558195, W73847, Z19840, AA707354, AA868898, AA917430, A1073454, F09131, F11469, AA700476
841108	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3411 of SEQ ID NO:516, b is an integer of 15 to 3425, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:516, and where b is greater than or equal to a + 14.	T89709, T89806, T91163, T93774, T93819, T95226, R06420, R06475, R23277, R23370, R32742, R32743, R52354, R52355, R64095, R64184, R65984, R65985, R70225, R70226, R76344, R76672, R80205, H00679, H00770, H04254, H24758, H24803, H40273, H38053, H38054, H47116, H47210, R92478, R94873, R94872, H57866, H57867, H59353, H61105, H63261, H63535, H63938, H67759, H67760, H77384, H77385, H82932, H87435, H87541, H88753, H88754, N59081, N59489, N63682, N63939, N66851, N70709, N92122, N99845, W32595, W88585, W90769, W90327, W93082, W93137, AA025425, AA041232, AA114914, AA114913, AA128525, AA235362, AA235944,

		AA235945, AA425197, AA636023, AA639557, AA729723, AA907495, A1056355, A1089809, AA448599, AA449742, AA476262, AA478567, AA478700, AA599706, AA634117, AA677126, AA716562, AA923333, AA948589, A1051569, A1073816, A1074666, A1080341, A1084428, A1090962, A1096407
841118	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1344 of SEQ ID NO:517, b is an integer of 15 to 1358, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:517, and where b is greater than or equal to a + 14.	R20815, R36529, R38448, R46586, R46586, R71122, R71625, R77658, R80438, R80643, H12595, H12644, H99733, N20132, N25939, N29738, N57157, N59874, N67154, N67834, W03438, W04625, W31524, AA044199, AA044996, AA135739, AA135782, AA146912, AA146911, AA173589, AA224431, AA232224, AA256600, AA256599, AA419270, AA419321, AA425195, AA484744, AA507823, AA513832, AA584296, AA600955, AA614813, AA807248, AA904059, AA937796, AA973678, AA983325, AA991604, W01284, C16969, AA476260, AA476318, AA476367, AA609550, AA678511, AA722726, AA904676, AA954468, A1001869, A1031538, Z41297
841119	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1354 of SEQ ID NO:518, b is an integer of 15 to 1368, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:518, and where b is greater than or equal to a + 14.	R18472, W39766, AA076303, AA985235
841124	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 919 of SEQ ID NO:519, b is an integer of 15 to 933, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:519, and where b is greater than or equal to a + 14.	
841137	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1416 of SEQ ID NO:520, b is an integer of 15 to 1430, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:520, and where b is greater than or equal to a + 14.	T65560, R52978, R59392, H24368, H25185, N33308, AA016160, AA019434, AA082036, AA099724, AA099725, AA101466, AA100553, AA100634, AA100635, AA143046, AA150250, AA151129, AA165491, AA172129, AA176104, AA176248, AA176272, AA197310, AA227454, AA232220, AA243156, AA261904, AA262541, AA458854, AA459044, AA481155, AA493247, AA514323, AA522820, AA558368, AA582973, AA604489, AA640528, AA569125.



		AA569824, AA737640, AA743846, AA808232, AA812222, AA847813, AA865060, AA872242, AA872353, AA922866, AA933823, AA988358, AI056397, AI085865, AI088865, AA205921, AA205923, AA205997, AA204887, AA205731, DI1887, AA634040, AA703823, AA703893, Z20424, AA707344, AA707416, AA716243, AA683201, AA890456, AI003274, AI076618, AI090177, TI0877, Z28746, T25145, Z40353, FI1026, F09670, AA699695, AA701137
841143	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1155 of SEQ ID NO:521, b is an integer of 15 to 1169, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:521, and where b is greater than or equal to a + 14.	T52948, T57468, T59332, T91403, T84637, R69314, R69315, R77481, R77675, R77676, H30692, H70576, N24036, N24905, N26173, N35858, N36029, W39771, W45303, W80648, W80649, AA029895, AA029983, AA036639, AA036850, AA043430, AA043431, AA046109, AA046196, AA076106, AA076107, AA083131, AA083181, AA083285, AA083293, AA147761, AA147804, AA155831, AA155741, AA430082, AA581553, AA593886, AA594233, AA604399, AA576339, AA715836, AA730946, AA737298, AA768251, AA872423, AA888276, AA961744, AA962699, AA975874, AI000132, R29417, AA640954, AA094702, AA398483, AA402600, AA489817, AA489948, AA496290, AA663953, AA663986, AA725581, AA771972, AA781165, AA845829, AA772618, AA773208, AA907551, AI003883, AI004593, AI031669, AI052123, AI085380
841148	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2148 of SEQ ID NO:522, b is an integer of 15 to 2162, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:522, and where b is greater than or equal to a + 14.	
841149	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 785 of SEQ ID NO:523, b is an integer of 15 to 799, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:523, and where b is greater than or equal to a + 14.	AA812937
841151	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b,	

	where a is any integer between 1 to 1708 of SEQ ID NO:524, b is an integer of 15 to 1722, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:524, and where b is greater than or equal to a + 14.	
841155	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 548 of SEQ ID NO:525, b is an integer of 15 to 562, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:525, and where b is greater than or equal to a + 14.	
841161	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2009 of SEQ ID NO:526, b is an integer of 15 to 2023, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:526, and where b is greater than or equal to a + 14.	H81836, AA015599, AA099033, AA099034, AA211818, AA741499, AA748367, AA768854, AA805297, AA804217, A1000120, A1090415, D79280, D79875, AA628397, AA628438, AA889584, Z36757
841162	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2833 of SEQ ID NO:527, b is an integer of 15 to 2847, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:527, and where b is greater than or equal to a + 14.	T54529, T54568, T39916, T40885, T64421, T64740, T94433, T94519, T94763, T94764, T67443, T67536, T69533, R08782, R08783, T84049, T86084, R18023, R19657, R33054, R33948, R52119, R52216, R53248, R53249, R71311, H04393, H04418, H23196, H23309, H47118, R95161, H54791, H54843, H66487, H66488, H87522, H87523, H92220, H97204, H97637, H98041, N25008, N27036, N32850, N32940, N41677, N41803, N52911, N55243, N55603, N59425, N62367, N67146, N67527, N68040, N68109, N69439, N79136, W03264, W02511, W16533, W16511, W16949, W19590, W20032, W25683, W56022, W57870, W58141, W84752, W84757, W96458, W96558, N89892, N91494, AA035714, AA040577, AA040675, AA043889, AA052991, AA053277, AA053702, AA062923, AA063530, AA074314, AA074909, AA074744, AA076274, AA098982, AA099025, AA146894, AA146893, AA160127, AA160126, AA160195, AA160196, AA169764, AA169385, AA179301, AA223348, AA233558, AA235471, AA460676, AA420533, AA506563, AA523418, AA527621, AA528362, AA531060, AA532619, AA541282, AA552184, AA564466, AA564790, H98795, AA583450, AA613483, AA622733, AA627809, AA577550, AA578980, AA579413, AA714153, AA721494, AA721786, AA737104,

		AA738062, AA745852, AA746662, AA748113, AA814512, AA814515, AA848156, AA858182, AA877787, AA886219, AA886814, AA908510, AA919073, AA953828, AA971838, AA974669, AA974937, AA975070, AA978156, AA985412, AA985429, AA989103, AA989168, AA975750, AI053418, AI053736, AI053892, AI053967, AI053988, AI054073, AI054111, F18748, AI096767, W16689, F17979, W26593, W74635, R29761, AA090571, AA090284, AA092279, AA092676, AA174176, AA206002, AA206857, AA206939, AA204847, AA204862, AA205665, AA205777, C17805, AA215924, AA284942, AA285094, AA292514, AA293872, AA398296, AA401676, AA412021, AA450108, AA450173, AA477960, AA478675, AA479216, AA482218, AA608548, AA634838, AA634910, AA634951, AA644321, AA664196, AA665979, AA668238, AA668579, AA669764, AA669856, AA676279, AA630300, Z20366, AA716371, AA716380, Z19906, AA777040, AA778451, AA781061, AA845834, T25435, Z21568, AA772588, AA917780, AI003327, AI016140, AI024969, AI032559, AI056850, AI088269, AI090536, AI092597, AI093387, T15364, D29035, T27400, T27473, F02321, F06069, T69476, AA773898, AA694154
841163	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 802 of SEQ ID NO:528, b is an integer of 15 to 816, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:528, and where b is greater than or equal to a + 14.</p>	T70512, W58177, W58266, AA027003, AA047260, AA057146, AA076110, AA150122, AA150030, AA424246, AA425670, AA523788, AA554661, AA582491, AA587000, AA633476, AA578397, AA662364, AA687611, AA729856, AA741041, AA806947, AA894899, AA922687, AA934486, AA946779, AA954606, AA962108, AA988276, AI054171, AA436000, AA436099, AA442324, AA451996, AA722958, AA780203, T25797, AI018410, AI024726, AI074321
841169	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 871 of SEQ ID NO:529, b is an integer of 15 to 885, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:529, and where b is greater than or equal to a + 14.</p>	
841172	<p>Preferably excluded from the present invention are</p>	T47968, H14181, H26893, N40884.

	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 728 of SEQ ID NO:530, b is an integer of 15 to 742, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:530, and where b is greater than or equal to a + 14.	Z42735
841174	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 511 of SEQ ID NO:531, b is an integer of 15 to 525, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:531, and where b is greater than or equal to a + 14.	
841179	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1911 of SEQ ID NO:532, b is an integer of 15 to 1925, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:532, and where b is greater than or equal to a + 14.	
841183	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 488 of SEQ ID NO:533, b is an integer of 15 to 502, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:533, and where b is greater than or equal to a + 14.	
841186	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1786 of SEQ ID NO:534, b is an integer of 15 to 1800, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:534, and where b is greater than or equal to a + 14.	
841204	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2483 of SEQ ID NO:535, b is an integer of 15 to 2497, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:535, and where b is greater than or equal to a + 14.	
841206	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 4076 of SEQ ID NO:536, b is an integer of 15 to 4090, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:536, and where b is greater than or equal to a + 14.	
841207	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide	AA215286

	sequence described by the general formula of a-b, where a is any integer between 1 to 572 of SEQ ID NO:537, b is an integer of 15 to 586, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:537, and where b is greater than or equal to a + 14.	
841211	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1236 of SEQ ID NO:538, b is an integer of 15 to 1250, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:538, and where b is greater than or equal to a + 14.	
841225	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1336 of SEQ ID NO:539, b is an integer of 15 to 1350, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:539, and where b is greater than or equal to a + 14.	
841229	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2495 of SEQ ID NO:540, b is an integer of 15 to 2509, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:540, and where b is greater than or equal to a + 14.	
841237	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1729 of SEQ ID NO:541, b is an integer of 15 to 1743, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:541, and where b is greater than or equal to a + 14.	H39746, H38765, H53680, H84385, H84386, H95751, H96427, H96428, N22709, N24033, N27417, N27531, N31183, N34699, N35427, N40348, N46995, N47385, W47664, W52613, W58021, AA020909, AA032219, AA032277, AA036745, AA053732, AA055872, AA057318, AA062713, AA070398, AA134055, AA132315, AA132625, AA149601, AA149602, AA494458, AA516430, AA534386, AA582804, AA581987, AA588838, AA631158, AA635970, AA577392, AA577494, AA857008, AA894813, AA933084, A1000994, N47386, D11495, D11593, D12071, D11877, D11882, D11902, AA456436, AA683214, AA890528, AA983938, A1074406, A1084728
841241	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2196 of SEQ ID NO:542, b is an integer of 15 to 2210, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:542, and where b is greater than or equal to a + 14.	T64820, R18486, R48571, R48670, R51358, R51464, R70428, R71854, R77389, R77390, H18251, H18293, H18401, H18402, H19764, H19765, H21210, H21526, H24560, H25150, H26985, H28104, H30240, H30297, H30868, H30871, H40890, H41878, H41879, H43721, H43811, H43814,

		R84543, R85932, R87323, R93828, H49042, H49101, H51175, H51188, H68511, H75818, H80551, H80607, N41005, N45017, N56601, N70611, N74891, N93043, N93044, N94350, N98497, W04932, W21511, W21512, W24020, W31043, W47411, W47607, W47659, W47660, W48851, W48618, W52281, W56619, W56649, W68334, W68375, W70156, W70195, W84467, W84552, W90400, W94826, W96342, W96343, N91167, AA016293, AA017674, AA025151, AA025152, AA027955, AA031264, AA031395, AA031855, AA031854, AA035782, AA037318, AA040025, AA056359, AA069269, AA069418, AA069509, AA101608, AA114873, AA114837, AA115697, AA133516, AA220968, AA458530, AA460966, AA463596, AA419091, AA428836, AA507951, AA582836, AA640114, AA659114, AA836669, AA903136, AA903220, AA918099, AA928492, AA971856, AA973427, AA994099, A1016016, A1057267, AA069497, AA206877, AA218868, AA284783, AA284712, AA293434, AA293042, AA402851, AA454608, AA496283, AA609652, AA708123, AA757619, AA757695, AA774425, AA774630, AA775465, AA852435, AA852436, AA852604, AA852605, AA868271, AA884190, T03362, A1042345, A1042606, A1066399, A1086541, A1086967, A1091380, A1091725, A1092820, A1092945, T23722, F03416, F04814, F07127, F08608, F12341
841259	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1701 of SEQ ID NO:543, b is an integer of 15 to 1715, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:543, and where b is greater than or equal to a + 14.</p>	
841260	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3095 of SEQ ID NO:544, b is an integer of 15 to 3109, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:544, and where b is greater than or equal to a + 14.</p>	T93673, R01175, R01287, R72262, R72263, H53584, H53905, N57686, N59657, N63715, N98804, W86302, W86653, W87312, AA055614, AA058962, AA058961, AA149239, AA180323, AA460554, AA460555, AA492261, AA596073, AA604012, AA612811, AA617927, AA631804, AA767954, AA769298, AA804811, AA814647, AA833776, AA872768, AA873458, AA876551, AA886069,

		AA932445, AA976417, AA989268, A1055853, D80933, A1088938, A1096484, AA215901, AA393250, AA435612, AA449044, AA449758, AA653318, AA678103, AA678744, AA705036, AA854081, AA789188, AA813062, AA868902, A1023192, A1033456, A1090508, Z28555, T25877, D30980, D31048, D31377, F00724, AA682530, AA694353
841264	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1162 of SEQ ID NO:545, b is an integer of 15 to 1176, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:545, and where b is greater than or equal to a + 14.	
841275	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1721 of SEQ ID NO:546, b is an integer of 15 to 1735, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:546, and where b is greater than or equal to a + 14.	
841311	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1034 of SEQ ID NO:547, b is an integer of 15 to 1048, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:547, and where b is greater than or equal to a + 14.	
841313	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 722 of SEQ ID NO:548, b is an integer of 15 to 736, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:548, and where b is greater than or equal to a + 14.	
841317	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2217 of SEQ ID NO:549, b is an integer of 15 to 2231, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:549, and where b is greater than or equal to a + 14.	T78127, R31279, R31890, R38014, R68187, R68186, R68960, R81444, R81647, H03085, H42975, N22228, N35405, N40226, N52138, N66461, N66470, W48764, W49783, W58388, AA044222, AA044341, AA131687, AA131731, AA224224, AA224527, AA469092, AA580878, AA573581, AA863153, AA903745, AA971415, C03879, AA249392, AA448556, AA449703, F22605, AA723322, AA904943, Z18868, AA971554, AA991799, A1015846, A1037913, A1056007, A1082497, A1090170, A1095394

841322	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1802 of SEQ ID NO:550, b is an integer of 15 to 1816, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:550, and where b is greater than or equal to a + 14.</p>	<p>R21970, R83459, H65911, W76286, AA182592, AA281797, AA281874, AA291943, H65824, AA580660, AA748474, AA829390, AA293389, AA401755, AA910004, AA994494, AI005165, AI081877</p>
841331	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2596 of SEQ ID NO:551, b is an integer of 15 to 2610, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:551, and where b is greater than or equal to a + 14.</p>	
841332	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 4007 of SEQ ID NO:552, b is an integer of 15 to 4021, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:552, and where b is greater than or equal to a + 14.</p>	
841338	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1766 of SEQ ID NO:553, b is an integer of 15 to 1780, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:553, and where b is greater than or equal to a + 14.</p>	
841345	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3699 of SEQ ID NO:554, b is an integer of 15 to 3713, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:554, and where b is greater than or equal to a + 14.</p>	
841349	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1983 of SEQ ID NO:555, b is an integer of 15 to 1997, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:555, and where b is greater than or equal to a + 14.</p>	
841355	<p>Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 892 of SEQ ID NO:556, b is an integer of 15 to 906, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:556, and where b is greater than or equal to a + 14.</p>	
841417	<p>Preferably excluded from the present invention are</p>	



	one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3470 of SEQ ID NO:557, b is an integer of 15 to 3484, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:557, and where b is greater than or equal to a + 14.	
841548	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 776 of SEQ ID NO:558, b is an integer of 15 to 790, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:558, and where b is greater than or equal to a + 14.	AA223588
841632	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 544 of SEQ ID NO:559, b is an integer of 15 to 558, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:559, and where b is greater than or equal to a + 14.	
841662	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 520 of SEQ ID NO:560, b is an integer of 15 to 534, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:560, and where b is greater than or equal to a + 14.	H15850, H99706, N78646, W74702, W94916, AA809695
841771	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3029 of SEQ ID NO:561, b is an integer of 15 to 3043, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:561, and where b is greater than or equal to a + 14.	T50029, T67900, T74699, T74819, T88802, T81298, T84439, T95656, R06092, R06196, R14563, R14966, R14970, R16465, R38948, R40957, R40957, R63975, R64085, R66362, R66363, R67505, H17644, H17758, R92097, H48240, H48331, H49625, H49715, H61167, H62068, H69147, N25753, N36472, N69035, N71493, N92970, N98567, N99536, W00665, W24251, W40582, W45462, W45538, W45525, W45687, W44315, W57971, W57944, W70012, W70013, W86733, AA044684, AA071192, AA071199, AA190325, AA191520, AA533197, AA558210, AA581106, AA581161, AA577119, AA857551, AA878885, AA936839, AA975697, D78980, W28535, C02075, C17857
841827	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1372 of SEQ ID NO:562, b is an integer of 15 to 1386, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:562, and where b is	

	greater than or equal to $a + 14$ .	
841835	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2624 of SEQ ID NO:563, b is an integer of 15 to 2638, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:563, and where b is greater than or equal to $a + 14$ .	
842259	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 677 of SEQ ID NO:564, b is an integer of 15 to 691, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:564, and where b is greater than or equal to $a + 14$ .	
842463	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1953 of SEQ ID NO:565, b is an integer of 15 to 1967, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:565, and where b is greater than or equal to $a + 14$ .	
842595	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1320 of SEQ ID NO:566, b is an integer of 15 to 1334, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:566, and where b is greater than or equal to $a + 14$ .	
842722	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1596 of SEQ ID NO:567, b is an integer of 15 to 1610, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:567, and where b is greater than or equal to $a + 14$ .	
842815	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1398 of SEQ ID NO:568, b is an integer of 15 to 1412, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:568, and where b is greater than or equal to $a + 14$ .	
842818	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1111 of SEQ ID NO:569, b is an integer of 15 to 1125, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:569, and where b is greater than or equal to $a + 14$ .	

843251	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1902 of SEQ ID NO:570, b is an integer of 15 to 1916, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:570, and where b is greater than or equal to a + 14.	
843422	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1239 of SEQ ID NO:571, b is an integer of 15 to 1253, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:571, and where b is greater than or equal to a + 14.	
843784	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1999 of SEQ ID NO:572, b is an integer of 15 to 2013, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:572, and where b is greater than or equal to a + 14.	
844017	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 655 of SEQ ID NO:573, b is an integer of 15 to 669, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:573, and where b is greater than or equal to a + 14.	AA075932
844138	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2418 of SEQ ID NO:574, b is an integer of 15 to 2432, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:574, and where b is greater than or equal to a + 14.	T54096, T54187, T54360, T39143, T40432, T90493, T90589, T89428, T89794, T80000, R00221, R00327, R25952, R26450, R26761, R28459, R55293, R55390, R73233, H42630, H44454, H44498, R83525, R86282, H85785, N33586, N34419, N36244, N48653, N49430, W51915, AA055530, AA055939, AA069732, AA100817, AA122084, AA121407, AA126332, AA133329, AA134151, AA134152, AA134714, AA136470, AA136960, AA157850, AA157906, AA157976, AA159365, AA171854, AA187219, AA186342, AA250818, AA464565, AA464666, AA428826, AA429361, AA491863, AA505512, AA524490, AA558038, AA581979, AA588712, AA593885, AA601110, AA573930, AA577156, AA578735, AA689519, AA730155, AA768486, AA805061, AA826981, AA865985, AA931167, AA947324, AA953202, AA961105, AA962413, AA976440, AA977760, AI032134, AI053416, AI053575,

		AI054013, AI054146, AI054281, U46376, W22126, C00371, C05283, AA641416, AA643346, AA292261, AA421818, AA496452, AA496521, AA653437, AA664399, AA680123, AA431832, AA434143, AA678582, AA705952, AA679763, AA733019, AA781645, AA813232, AA833597, AA844624, AI024151, AI038232, AI042551, AI080152, AI086490, T24101, F03522, F07244
844166	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1358 of SEQ ID NO:575, b is an integer of 15 to 1372, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:575, and where b is greater than or equal to a + 14.	
844194	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2006 of SEQ ID NO:576, b is an integer of 15 to 2020, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:576, and where b is greater than or equal to a + 14.	
844394	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3147 of SEQ ID NO:577, b is an integer of 15 to 3161, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:577, and where b is greater than or equal to a + 14.	
844450	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2032 of SEQ ID NO:578, b is an integer of 15 to 2046, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:578, and where b is greater than or equal to a + 14.	
844534	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 288 of SEQ ID NO:579, b is an integer of 15 to 302, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:579, and where b is greater than or equal to a + 14.	
844535	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 3053 of SEQ ID NO:580, b is an integer of 15 to 3067, where both a and b correspond to the positions of nucleotide	

	residues shown in SEQ ID NO:580, and where b is greater than or equal to $a + 14$ .	
844644	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1560 of SEQ ID NO:581, b is an integer of 15 to 1574, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:581, and where b is greater than or equal to $a + 14$ .	
844653	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 946 of SEQ ID NO:582, b is an integer of 15 to 960, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:582, and where b is greater than or equal to $a + 14$ .	
844659	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 527 of SEQ ID NO:583, b is an integer of 15 to 541, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:583, and where b is greater than or equal to $a + 14$ .	
844796	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2954 of SEQ ID NO:584, b is an integer of 15 to 2968, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:584, and where b is greater than or equal to $a + 14$ .	
844812	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2594 of SEQ ID NO:585, b is an integer of 15 to 2608, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:585, and where b is greater than or equal to $a + 14$ .	
844894	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1879 of SEQ ID NO:586, b is an integer of 15 to 1893, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:586, and where b is greater than or equal to $a + 14$ .	
845361	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2449 of SEQ ID NO:587, b is an integer of 15 to 2463, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:587, and where b is	T93072, T93161, T69748, T70732, R01200, R01312, R05457, R05477, R05584, R43190, R43190, R65942, R75719, R78234, H03875, H03876, H15845, H16155, H17787, H40269, H45881, R84787, R92493, R92931, H58301, H58912, H58913, H62257,

	greater than or equal to $a + 14$ .	H67051, H68135, H81385, H83681, H91363, H96711, N20348, N22509, N27952, N28616, N31997, N32005, N36007, N39356, N40718, N70011, N70094, N92576, N99870, W00896, W00925, W04623, W25220, W31522, W37278, W37791, W38868, W52654, W51751, AA017158, AA019458, AA022914, AA022915, AA037370, AA037502, AA045696, AA045697, AA046013, AA054565, AA054625, AA069778, AA079736, AA081087, AA081144, AA100055, AA100504, AA100334, AA115581, AA115554, AA126149, AA126373, AA133101, AA130558, AA136439, AA151673, AA151821, AA151822, AA159031, AA165200, AA165201, AA176477, AA176498, AA176771, AA176830, AA182601, AA176736, AA187943, AA188578, AA188675, AA190342, AA190343, AA195091, AA213662, AA213715, AA232222, AA426516, AA424760, AA483564, AA490859, AA491042, AA505249, AA507988, AA508858, AA513433, AA514771, AA514785, AA514980, AA527545, AA534100, AA554008, AA557148, AA584946, AA586481, AA587849, AA588781, AA593916, AA605049, AA604893, AA617650, AA568567, AA621979, AA627588, AA578585, AA578744, AA661910, AA729355, AA729902, AA736994, AA738388, AA740375, AA741213, AA760943, AA830401, AA834201, AA834208, AA834250, AA864864, AA888527, AA906940, AA922073, AA927272, AA931625, AA933055, AA932772, AA936861, AA938504, AA975187, AA977857, AA975594, AI000724, AI014600, AI017381, AI066441, D82733, U47688, N83708, N83790, N85010, W22533, W23255, N86314, N87393, N88971, AA642249, AA642903, AA090403, AA091011, AA095990, AA205824, AA204931, AA643262, AA648446, AA216706, AA219615, AA249170, C75338, AA599187, AA668746, AA670340, AA405611, AA405150, AA708635, AA716044, AA722076, AA722829, AA725716, AA781064, AA844379, AI037987, AI039577, AI078722, AI077655, AI080306, AI084320, AI085219, AI093296, AI093479, AI095168, AI095267, D29018, F02782,
--	-------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

		F06502. F00762. F00966
845620	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1931 of SEQ ID NO:588, b is an integer of 15 to 1945, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:588, and where b is greater than or equal to a + 14.	
845639	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 802 of SEQ ID NO:589, b is an integer of 15 to 816, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:589, and where b is greater than or equal to a + 14.	
845660	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2293 of SEQ ID NO:590, b is an integer of 15 to 2307, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:590, and where b is greater than or equal to a + 14.	
845720	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1424 of SEQ ID NO:591, b is an integer of 15 to 1438, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:591, and where b is greater than or equal to a + 14.	
845785	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1064 of SEQ ID NO:592, b is an integer of 15 to 1078, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:592, and where b is greater than or equal to a + 14.	
845897	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2478 of SEQ ID NO:593, b is an integer of 15 to 2492, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:593, and where b is greater than or equal to a + 14.	
845922	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1890 of SEQ ID NO:594, b is an integer of 15 to 1904, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:594, and where b is greater than or equal to a + 14.	

846016	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 323 of SEQ ID NO:595, b is an integer of 15 to 337, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:595, and where b is greater than or equal to a + 14.	
846040	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1274 of SEQ ID NO:596, b is an integer of 15 to 1288, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:596, and where b is greater than or equal to a + 14.	
846073	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 1038 of SEQ ID NO:597, b is an integer of 15 to 1052, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:597, and where b is greater than or equal to a + 14.	T83567, T83771, R51147, N26938, N32715, N36666, W57781, W74108, AA082091, AA425613
846257	Preferably excluded from the present invention are one or more polynucleotides comprising a nucleotide sequence described by the general formula of a-b, where a is any integer between 1 to 2079 of SEQ ID NO:598, b is an integer of 15 to 2093, where both a and b correspond to the positions of nucleotide residues shown in SEQ ID NO:598, and where b is greater than or equal to a + 14.	



*Polynucleotide and Polypeptide Variants*

The present invention is directed to variants of the polynucleotide sequence disclosed in SEQ ID NO:X or the complementary strand thereto, and/or the cDNA sequence contained in a cDNA clone contained in the deposit.

5       The present invention also encompasses variants of the cancer polypeptide sequence disclosed in SEQ ID NO:Y, a polypeptide sequence encoded by the polynucleotide sequence in SEQ ID NO:X, and/or a polypeptide sequence encoded by the cDNA in the related cDNA clone contained in the deposit.

10       "Variant" refers to a polynucleotide or polypeptide differing from the polynucleotide or polypeptide of the present invention, but retaining essential properties thereof. Generally, variants are overall closely similar, and, in many regions, identical to the polynucleotide or polypeptide of the present invention.

15       The present invention is also directed to nucleic acid molecules which comprise, or alternatively consist of, a nucleotide sequence which is at least 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99% or 100%, identical to, for example, the nucleotide coding sequence in SEQ ID NO:X or the complementary strand thereto, the nucleotide coding sequence of the related cDNA contained in a deposited library or the complementary strand thereto, a nucleotide sequence encoding the polypeptide of SEQ ID NO:Y, a nucleotide sequence encoding a polypeptide sequence encoded by the nucleotide sequence in SEQ ID NO:X, a nucleotide sequence encoding the polypeptide encoded by the cDNA in the related cDNA contained in a deposited library, and/or polynucleotide fragments of any of these nucleic acid molecules (e.g., those fragments described herein). Polypeptides encoded by these nucleic acid molecules are also encompassed by the invention. In another embodiment, the invention encompasses nucleic acid molecules which comprise or alternatively consist of, a polynucleotide which hybridizes under stringent hybridization conditions, or alternatively, under low stringency conditions, to the nucleotide coding sequence in SEQ ID NO:X, the nucleotide coding sequence of the related cDNA clone contained in a deposited library, a nucleotide sequence encoding the polypeptide of SEQ ID NO:Y, a nucleotide sequence encoding a polypeptide sequence encoded by the nucleotide sequence in SEQ ID NO:X, a nucleotide sequence encoding the polypeptide encoded by the cDNA in the related cDNA clone contained in a deposited library, and/or polynucleotide fragments of any of these nucleic acid molecules (e.g., those fragments described herein). Polynucleotides which

20

25

30

hybridize to the complement of these nucleic acid molecules under stringent hybridization conditions or alternatively, under lower stringency conditions, are also encompassed by the invention, as are polypeptides encoded by these polynucleotides.

The present invention is also directed to polypeptides which comprise, or alternatively  
5 consist of, an amino acid sequence which is at least 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99% or 100% identical to, for example, the polypeptide sequence shown in SEQ ID NO:Y, a polypeptide sequence encoded by the nucleotide sequence in SEQ ID NO:X, a polypeptide sequence encoded by the cDNA in the related cDNA clone contained in a deposited library, and/or polypeptide fragments of any of these polypeptides (e.g., those fragments described  
10 herein). Polynucleotides which hybridize to the complement of the nucleic acid molecules encoding these polypeptides under stringent hybridization conditions, or alternatively, under lower stringency conditions, are also encompassed by the invention, as are polypeptides encoded by these polynucleotides.

By a nucleic acid having a nucleotide sequence at least, for example, 95% "identical"  
15 to a reference nucleotide sequence of the present invention, it is intended that the nucleotide sequence of the nucleic acid is identical to the reference sequence except that the nucleotide sequence may include up to five point mutations per each 100 nucleotides of the reference nucleotide sequence encoding the polypeptide. In other words, to obtain a nucleic acid having a nucleotide sequence at least 95% identical to a reference nucleotide sequence, up to  
20 5% of the nucleotides in the reference sequence may be deleted or substituted with another nucleotide, or a number of nucleotides up to 5% of the total nucleotides in the reference sequence may be inserted into the reference sequence. The query sequence may be, for example, an entire sequence referred to in Table 1, an ORF (open reading frame), or any fragment specified as described herein.

25 As a practical matter, whether any particular nucleic acid molecule or polypeptide is at least 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% identical to a nucleotide sequence of the present invention can be determined conventionally using known computer programs. A preferred method for determining the best overall match between a query sequence (a sequence of the present invention) and a subject sequence, also referred to as a global  
30 sequence alignment, can be determined using the FASTDB computer program based on the algorithm of Brutlag et al. (Comp. App. Biosci. 6:237-245 (1990)). In a sequence alignment the query and subject sequences are both DNA sequences. An RNA sequence can be

compared by converting U's to T's. The result of said global sequence alignment is in percent identity. Preferred parameters used in a FASTDB alignment of DNA sequences to calculate percent identity are: Matrix=Unitary, k-tuple=4, Mismatch Penalty=1, Joining Penalty=30, Randomization Group Length=0, Cutoff Score=1, Gap Penalty=5, Gap Size  
5 Penalty 0.05, Window Size=500 or the length of the subject nucleotide sequence, whichever is shorter.

If the subject sequence is shorter than the query sequence because of 5' or 3' deletions, not because of internal deletions, a manual correction must be made to the results. This is because the FASTDB program does not account for 5' and 3' truncations of the  
10 subject sequence when calculating percent identity. For subject sequences truncated at the 5' or 3' ends, relative to the query sequence, the percent identity is corrected by calculating the number of bases of the query sequence that are 5' and 3' of the subject sequence, which are not matched/aligned, as a percent of the total bases of the query sequence. Whether a nucleotide is matched/aligned is determined by results of the FASTDB sequence alignment.  
15 This percentage is then subtracted from the percent identity, calculated by the above FASTDB program using the specified parameters, to arrive at a final percent identity score. This corrected score is what is used for the purposes of the present invention. Only bases outside the 5' and 3' bases of the subject sequence, as displayed by the FASTDB alignment, which are not matched/aligned with the query sequence, are calculated for the purposes of  
20 manually adjusting the percent identity score.

For example, a 90 base subject sequence is aligned to a 100 base query sequence to determine percent identity. The deletions occur at the 5' end of the subject sequence and therefore, the FASTDB alignment does not show a matched/alignment of the first 10 bases at 5' end. The 10 unpaired bases represent 10% of the sequence (number of bases at the 5' and  
25 3' ends not matched/total number of bases in the query sequence) so 10% is subtracted from the percent identity score calculated by the FASTDB program. If the remaining 90 bases were perfectly matched the final percent identity would be 90%. In another example, a 90 base subject sequence is compared with a 100 base query sequence. This time the deletions are internal deletions so that there are no bases on the 5' or 3' of the subject sequence which  
30 are not matched/aligned with the query. In this case the percent identity calculated by FASTDB is not manually corrected. Once again, only bases 5' and 3' of the subject sequence which are not matched/aligned with the query sequence are manually corrected for. No other

manual corrections are to made for the purposes of the present invention.

By a polypeptide having an amino acid sequence at least, for example, 95% "identical" to a query amino acid sequence of the present invention, it is intended that the amino acid sequence of the subject polypeptide is identical to the query sequence except that  
5 the subject polypeptide sequence may include up to five amino acid alterations per each 100 amino acids of the query amino acid sequence. In other words, to obtain a polypeptide having an amino acid sequence at least 95% identical to a query amino acid sequence, up to 5% of the amino acid residues in the subject sequence may be inserted, deleted, (indels) or substituted with another amino acid. These alterations of the reference sequence may occur  
10 at the amino or carboxy terminal positions of the reference amino acid sequence or anywhere between those terminal positions, interspersed either individually among residues in the reference sequence or in one or more contiguous groups within the reference sequence.

As a practical matter, whether any particular polypeptide is at least 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% identical to, for instance, the amino acid sequence in SEQ ID  
15 NO:Y or a fragment thereof, the amino acid sequence encoded by the nucleotide sequence in SEQ ID NO:X or a fragment thereof, or the amino acid sequence encoded by the cDNA in the related cDNA clone contained in a deposited library, or a fragment thereof, can be determined conventionally using known computer programs. A preferred method for determining the best overall match between a query sequence (a sequence of the present  
20 invention) and a subject sequence, also referred to as a global sequence alignment, can be determined using the FASTDB computer program based on the algorithm of Brutlag et al. (Comp. App. Biosci.6:237- 245(1990)). In a sequence alignment the query and subject sequences are either both nucleotide sequences or both amino acid sequences. The result of said global sequence alignment is in percent identity. Preferred parameters used in a  
25 FASTDB amino acid alignment are: Matrix=PAM 0, k-tuple=2, Mismatch Penalty=1, Joining Penalty=20, Randomization Group Length=0, Cutoff Score=1, Window Size=sequence length, Gap Penalty=5, Gap Size Penalty=0.05, Window Size=500 or the length of the subject amino acid sequence, whichever is shorter.

If the subject sequence is shorter than the query sequence due to N- or C-terminal  
30 deletions, not because of internal deletions, a manual correction must be made to the results. This is because the FASTDB program does not account for N- and C-terminal truncations of the subject sequence when calculating global percent identity. For subject sequences

truncated at the N- and C-termini, relative to the query sequence, the percent identity is corrected by calculating the number of residues of the query sequence that are N- and C-terminal of the subject sequence, which are not matched/aligned with a corresponding subject residue, as a percent of the total bases of the query sequence. Whether a residue is  
5 matched/aligned is determined by results of the FASTDB sequence alignment. This percentage is then subtracted from the percent identity, calculated by the above FASTDB program using the specified parameters, to arrive at a final percent identity score. This final percent identity score is what is used for the purposes of the present invention. Only residues to the N- and C-termini of the subject sequence, which are not matched/aligned with the  
10 query sequence, are considered for the purposes of manually adjusting the percent identity score. That is, only query residue positions outside the farthest N- and C- terminal residues of the subject sequence.

For example, a 90 amino acid residue subject sequence is aligned with a 100 residue query sequence to determine percent identity. The deletion occurs at the N-terminus of the  
15 subject sequence and therefore, the FASTDB alignment does not show a matching/alignment of the first 10 residues at the N-terminus. The 10 unpaired residues represent 10% of the sequence (number of residues at the N- and C- termini not matched/total number of residues in the query sequence) so 10% is subtracted from the percent identity score calculated by the FASTDB program. If the remaining 90 residues were perfectly matched the final percent  
20 identity would be 90%. In another example, a 90 residue subject sequence is compared with a 100 residue query sequence. This time the deletions are internal deletions so there are no residues at the N- or C-termini of the subject sequence which are not matched/aligned with the query. -In this case the percent identity calculated by FASTDB is not manually corrected. Once again, only residue positions outside the N- and C-terminal ends of the subject  
25 sequence, as displayed in the FASTDB alignment, which are not matched/aligned with the query sequence are manually corrected for. No other manual corrections are to made for the purposes of the present invention.

The variants may contain alterations in the coding regions, non-coding regions, or both. Especially preferred are polynucleotide variants containing alterations which produce  
30 silent substitutions, additions, or deletions, but do not alter the properties or activities of the encoded polypeptide. Nucleotide variants produced by silent substitutions due to the degeneracy of the genetic code are preferred. Moreover, variants in which less than 50, less

than 40, less than 30, less than 20, less than 10, or 5-50, 5-25, 5-10, 1-5, or 1-2 amino acids are substituted, deleted, or added in any combination are also preferred. Polynucleotide variants can be produced for a variety of reasons, e.g., to optimize codon expression for a particular host (change codons in the human mRNA to those preferred by a bacterial host such as *E. coli*).

Naturally occurring variants are called "allelic variants," and refer to one of several alternate forms of a gene occupying a given locus on a chromosome of an organism. (Genes II, Lewin, B., ed., John Wiley & Sons, New York (1985).) These allelic variants can vary at either the polynucleotide and/or polypeptide level and are included in the present invention. Alternatively, non-naturally occurring variants may be produced by mutagenesis techniques or by direct synthesis.

Using known methods of protein engineering and recombinant DNA technology, variants may be generated to improve or alter the characteristics of the polypeptides of the present invention. For instance, as discussed herein, one or more amino acids can be deleted from the N-terminus or C-terminus of the polypeptide of the present invention without substantial loss of biological function. The authors of Ron et al., *J. Biol. Chem.* 268: 2984-2988 (1993), reported variant KGF proteins having heparin binding activity even after deleting 3, 8, or 27 amino-terminal amino acid residues. Similarly, Interferon gamma exhibited up to ten times higher activity after deleting 8-10 amino acid residues from the carboxy terminus of this protein. (Dobeli et al., *J. Biotechnology* 7:199-216 (1988).)

Moreover, ample evidence demonstrates that variants often retain a biological activity similar to that of the naturally occurring protein. For example, Gayle and coworkers (*J. Biol. Chem.* 268:22105-22111 (1993)) conducted extensive mutational analysis of human cytokine IL-1a. They used random mutagenesis to generate over 3,500 individual IL-1a mutants that averaged 2.5 amino acid changes per variant over the entire length of the molecule. Multiple mutations were examined at every possible amino acid position. The investigators found that "[m]ost of the molecule could be altered with little effect on either [binding or biological activity]." (See, Abstract.) In fact, only 23 unique amino acid sequences, out of more than 3,500 nucleotide sequences examined, produced a protein that significantly differed in activity from wild-type.

Furthermore, as discussed herein, even if deleting one or more amino acids from the N-terminus or C-terminus of a polypeptide results in modification or loss of one or more

biological functions, other biological activities may still be retained. For example, the ability of a deletion variant to induce and/or to bind antibodies which recognize the secreted form will likely be retained when less than the majority of the residues of the secreted form are removed from the N-terminus or C-terminus. Whether a particular polypeptide lacking N- or C-terminal residues of a protein retains such immunogenic activities can readily be determined by routine methods described herein and otherwise known in the art.

Thus, the invention further includes polypeptide variants which show a functional activity (e.g., biological activity) of the polypeptide of the invention of which they are a variant. Such variants include deletions, insertions, inversions, repeats, and substitutions selected according to general rules known in the art so as have little effect on activity.

The present application is directed to nucleic acid molecules at least 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99% or 100% identical to the nucleic acid sequences disclosed herein or fragments thereof, (e.g., including but not limited to fragments encoding a polypeptide having the amino acid sequence of an N and/or C terminal deletion), irrespective of whether they encode a polypeptide having functional activity. This is because even where a particular nucleic acid molecule does not encode a polypeptide having functional activity, one of skill in the art would still know how to use the nucleic acid molecule, for instance, as a hybridization probe or a polymerase chain reaction (PCR) primer. Uses of the nucleic acid molecules of the present invention that do not encode a polypeptide having functional activity include, inter alia, (1) isolating a gene or allelic or splice variants thereof in a cDNA library; (2) in situ hybridization (e.g., "FISH") to metaphase chromosomal spreads to provide precise chromosomal location of the gene, as described in Verma et al., Human Chromosomes: A Manual of Basic Techniques, Pergamon Press, New York (1988); and (3) Northern Blot analysis for detecting mRNA expression in specific tissues.

Preferred, however, are nucleic acid molecules having sequences at least 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99% or 100% identical to the nucleic acid sequences disclosed herein, which do, in fact, encode a polypeptide having a functional activity of a polypeptide of the invention.

Of course, due to the degeneracy of the genetic code, one of ordinary skill in the art will immediately recognize that a large number of the nucleic acid molecules having a sequence at least 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to, for example, the nucleic acid sequence of the cDNA in the related cDNA clone contained in a

deposited library, the nucleic acid sequence referred to in Table I (SEQ ID NO:X), or fragments thereof, will encode polypeptides "having functional activity." In fact, since degenerate variants of any of these nucleotide sequences all encode the same polypeptide, in many instances, this will be clear to the skilled artisan even without performing the above described comparison assay. It will be further recognized in the art that, for such nucleic acid molecules that are not degenerate variants, a reasonable number will also encode a polypeptide having functional activity. This is because the skilled artisan is fully aware of amino acid substitutions that are either less likely or not likely to significantly effect protein function (e.g., replacing one aliphatic amino acid with a second aliphatic amino acid), as further described below.

For example, guidance concerning how to make phenotypically silent amino acid substitutions is provided in Bowie et al., "Deciphering the Message in Protein Sequences: Tolerance to Amino Acid Substitutions," *Science* 247:1306-1310 (1990), wherein the authors indicate that there are two main strategies for studying the tolerance of an amino acid sequence to change.

The first strategy exploits the tolerance of amino acid substitutions by natural selection during the process of evolution. By comparing amino acid sequences in different species, conserved amino acids can be identified. These conserved amino acids are likely important for protein function. In contrast, the amino acid positions where substitutions have been tolerated by natural selection indicates that these positions are not critical for protein function. Thus, positions tolerating amino acid substitution could be modified while still maintaining biological activity of the protein.

The second strategy uses genetic engineering to introduce amino acid changes at specific positions of a cloned gene to identify regions critical for protein function. For example, site directed mutagenesis or alanine-scanning mutagenesis (introduction of single alanine mutations at every residue in the molecule) can be used. (Cunningham and Wells, *Science* 244:1081-1085 (1989).) The resulting mutant molecules can then be tested for biological activity.

As the authors state, these two strategies have revealed that proteins are surprisingly tolerant of amino acid substitutions. The authors further indicate which amino acid changes are likely to be permissive at certain amino acid positions in the protein. For example, most buried (within the tertiary structure of the protein) amino acid residues require nonpolar side



chains, whereas few features of surface side chains are generally conserved. Moreover, tolerated conservative amino acid substitutions involve replacement of the aliphatic or hydrophobic amino acids Ala, Val, Leu and Ile; replacement of the hydroxyl residues Ser and Thr; replacement of the acidic residues Asp and Glu; replacement of the amide residues Asn and Gln, replacement of the basic residues Lys, Arg, and His; replacement of the aromatic residues Phe, Tyr, and Trp, and replacement of the small-sized amino acids Ala, Ser, Thr, Met, and Gly. Besides conservative amino acid substitution, variants of the present invention include (i) substitutions with one or more of the non-conserved amino acid residues, where the substituted amino acid residues may or may not be one encoded by the genetic code, or (ii) substitution with one or more of amino acid residues having a substituent group, or (iii) fusion of the mature polypeptide with another compound, such as a compound to increase the stability and/or solubility of the polypeptide (for example, polyethylene glycol), or (iv) fusion of the polypeptide with additional amino acids, such as, for example, an IgG Fc fusion region peptide, or leader or secretory sequence, or a sequence facilitating purification. Such variant polypeptides are deemed to be within the scope of those skilled in the art from the teachings herein.

For example, polypeptide variants containing amino acid substitutions of charged amino acids with other charged or neutral amino acids may produce proteins with improved characteristics, such as less aggregation. Aggregation of pharmaceutical formulations both reduces activity and increases clearance due to the aggregate's immunogenic activity. (Pinckard et al., Clin. Exp. Immunol. 2:331-340 (1967); Robbins et al., Diabetes 36: 838-845 (1987); Cleland et al., Crit. Rev. Therapeutic Drug Carrier Systems 10:307-377 (1993).)

A further embodiment of the invention relates to a polypeptide which comprises the amino acid sequence of a polypeptide having an amino acid sequence which contains at least one amino acid substitution, but not more than 50 amino acid substitutions, even more preferably, not more than 40 amino acid substitutions, still more preferably, not more than 30 amino acid substitutions, and still even more preferably, not more than 20 amino acid substitutions. Of course it is highly preferable for a polypeptide to have an amino acid sequence which comprises the amino acid sequence of a polypeptide of SEQ ID NO:Y, an amino acid sequence encoded by SEQ ID NO:X, and/or the amino acid sequence encoded by the cDNA in the related cDNA clone contained in a deposited library which contains, in order of ever-increasing preference, at least one, but not more than 10, 9, 8, 7, 6, 5, 4, 3, 2 or 1

amino acid substitutions. In specific embodiments, the number of additions, substitutions, and/or deletions in the amino acid sequence of SEQ ID NO:Y or fragments thereof (e.g., the mature form and/or other fragments described herein), an amino acid sequence encoded by SEQ ID NO:X or fragments thereof, and/or the amino acid sequence encoded by the cDNA in the related cDNA clone contained in a deposited library or fragments thereof, is 1-5, 5-10, 5-25, 5-50, 10-50 or 50-150, conservative amino acid substitutions are preferable.

#### *Polynucleotide and Polypeptide Fragments*

The present invention is also directed to polynucleotide fragments of the cancer polynucleotides (nucleic acids) of the invention. In the present invention, a "polynucleotide fragment" refers, for example, to a polynucleotide having a nucleic acid sequence which: is a portion of the cDNA contained in a deposited cDNA clone; or is a portion of a polynucleotide sequence encoding the polypeptide encoded by the cDNA contained in a deposited cDNA clone; or is a portion of the polynucleotide sequence in SEQ ID NO:X or the complementary strand thereto; or is a polynucleotide sequence encoding a portion of the polypeptide of SEQ ID NO:Y; or is a polynucleotide sequence encoding a portion of a polypeptide encoded by SEQ ID NO:X or the complementary strand thereto. The nucleotide fragments of the invention are preferably at least about 15 nt, and more preferably at least about 20 nt, still more preferably at least about 30 nt, and even more preferably, at least about 40 nt, at least about 50 nt; at least about 75 nt, at least about 100 nt, at least about 125 nt or at least about 150 nt in length. A fragment "at least 20 nt in length," for example, is intended to include 20 or more contiguous bases from, for example, the sequence contained in the cDNA in a related cDNA clone contained in a deposited library, the nucleotide sequence shown in SEQ ID NO:X or the complementary stand thereto. In this context "about" includes the particularly recited value or a value larger or smaller by several (5, 4, 3, 2, or 1) nucleotides. These nucleotide fragments have uses that include, but are not limited to, as diagnostic probes and primers as discussed herein. Of course, larger fragments (e.g., at least 150, 175, 200, 250, 500, 600, 1000, or 2000 nucleotides in length) are also encompassed by the invention.

Moreover, representative examples of polynucleotide fragments of the invention, include, for example, fragments comprising, or alternatively consisting of, a sequence from about nucleotide number 1-50, 51-100, 101-150, 151-200, 201-250, 251-300, 301-350, 351-400, 401-450, 451-500, 501-550, 551-600, 651-700, 701-750, 751-800, 800-850, 851-900,

901-950, 951-1000, 1001-1050, 1051-1100, 1101-1150, 1151-1200, 1201-1250, 1251-1300, 1301-1350, 1351-1400, 1401-1450, 1451-1500, 1501-1550, 1551-1600, 1601-1650, 1651-1700, 1701-1750, 1751-1800, 1801-1850, 1851-1900, 1901-1950, 1951-2000, 2001-2050, 2051-2100, 2101-2150, 2151-2200, 2201-2250, 2251-2300, 2301-2350, 2351-2400, 2401-2450, 2451-2500, 2501-2550, 2551-2600, 2601-2650, 2651-2700, 2701-2750, 2751-2800, 2801-2850, 2851-2900, 2901-2950, 2951-3000, 3001-3050, 3051-3100, 3101-3150, 3151-3200, 3201-3250, 3251-3300, 3301-3350, 3351-3400, 3401-3450, 3451-3500, 3501-3550, and 3551 to the end of SEQ ID NO:X, or the complementary strand thereto. In this context "about" includes the particularly recited range or a range larger or smaller by several (5, 4, 3, 2, or 1) nucleotides, at either terminus or at both termini. Preferably, these fragments encode a polypeptide which has a functional activity (e.g., biological activity) of the polypeptide encoded by the polynucleotide of which the sequence is a portion. More preferably, these fragments can be used as probes or primers as discussed herein. Polynucleotides which hybridize to one or more of these nucleic acid molecules under stringent hybridization conditions or alternatively, under lower stringency conditions, are also encompassed by the invention, as are polypeptides encoded by these polynucleotides or fragments.

Moreover, representative examples of polynucleotide fragments of the invention, include, for example, fragments comprising, or alternatively consisting of, a sequence from about nucleotide number 1-50, 51-100, 101-150, 151-200, 201-250, 251-300, 301-350, 351-400, 401-450, 451-500, 501-550, 551-600, 651-700, 701-750, 751-800, 800-850, 851-900, 901-950, 951-1000, 1001-1050, 1051-1100, 1101-1150, 1151-1200, 1201-1250, 1251-1300, 1301-1350, 1351-1400, 1401-1450, 1451-1500, 1501-1550, 1551-1600, 1601-1650, 1651-1700, 1701-1750, 1751-1800, 1801-1850, 1851-1900, 1901-1950, 1951-2000, 2001-2050, 2051-2100, 2101-2150, 2151-2200, 2201-2250, 2251-2300, 2301-2350, 2351-2400, 2401-2450, 2451-2500, 2501-2550, 2551-2600, 2601-2650, 2651-2700, 2701-2750, 2751-2800, 2801-2850, 2851-2900, 2901-2950, 2951-3000, 3001-3050, 3051-3100, 3101-3150, 3151-3200, 3201-3250, 3251-3300, 3301-3350, 3351-3400, 3401-3450, 3451-3500, 3501-3550, and 3551 to the end of the cDNA nucleotide sequence contained in the deposited cDNA clone, or the complementary strand thereto. In this context "about" includes the particularly recited range, or a range larger or smaller by several (5, 4, 3, 2, or 1) nucleotides, at either terminus or at both termini. Preferably, these fragments encode a polypeptide which has a functional activity (e.g., biological activity) of the polypeptide encoded by the cDNA

nucleotide sequence contained in the deposited cDNA clone. More preferably, these fragments can be used as probes or primers as discussed herein. Polynucleotides which hybridize to one or more of these fragments under stringent hybridization conditions or alternatively, under lower stringency conditions, are also encompassed by the invention, as  
5 are polypeptides encoded by these polynucleotides or fragments.

In the present invention, a "polypeptide fragment" refers to an amino acid sequence which is a portion of that contained in SEQ ID NO:Y, a portion of an amino acid sequence encoded by the polynucleotide sequence of SEQ ID NO:X, and/or encoded by the cDNA contained in the related cDNA clone contained in a deposited library. Protein (polypeptide)  
10 fragments may be "free-standing," or comprised within a larger polypeptide of which the fragment forms a part or region, most preferably as a single continuous region. Representative examples of polypeptide fragments of the invention, include, for example, fragments comprising, or alternatively consisting of, an amino acid sequence from about amino acid number 1-20, 21-40, 41-60, 61-80, 81-100, 102-120, 121-140, 141-160, 161-180,  
15 181-200, 201-220, 221-240, 241-260, 261-280, 281-300, 301-320, 321-340, 341-360, 361-380, 381-400, 401-420, 421-440, 441-460, 461-480, 481-500, 501-520, 521-540, 541-560, 561-580, 581-600, 601-620, 621-640, 641-660, 661-680, 681-700, 701-720, 721-740, 741-760, 761-780, 781-800, 801-820, 821-840, 841-860, 861-880, 881-900, 901-920, 921-940, 941-960, 961-980, 981-1000, 1001-1020, 1021-1040, 1041-1060, 1061-1080, 1081-1100,  
20 1101-1120, 1121-1140, 1141-1160, 1161-1180, and 1181 to the end of SEQ ID NO:Y. Moreover, polypeptide fragments of the invention may be at least about 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 100, 110, 120, 130, 140, or 150 amino acids in length. In this context "about" includes the particularly recited ranges or values, or ranges or values larger or smaller by several (5, 4, 3, 2, or 1) amino acids, at either terminus or at both  
25 termini. Polynucleotides encoding these polypeptide fragments are also encompassed by the invention.

Even if deletion of one or more amino acids from the N-terminus of a protein results in modification or loss of one or more biological functions of the protein, other functional activities (e.g., biological activities, ability to multimerize, ability to bind a ligand) may still  
30 be retained. For example, the ability of shortened muteins to induce and/or bind to antibodies which recognize the complete or mature forms of the polypeptides generally will be retained when less than the majority of the residues of the complete or mature polypeptide are

removed from the N-terminus. Whether a particular polypeptide lacking N-terminal residues of a complete polypeptide retains such immunologic activities can readily be determined by routine methods described herein and otherwise known in the art. It is not unlikely that a mutein with a large number of deleted N-terminal amino acid residues may retain some biological or immunogenic activities. In fact, peptides composed of as few as six amino acid residues may often evoke an immune response.

Accordingly, polypeptide fragments of the invention include the secreted protein as well as the mature form. Further preferred polypeptide fragments include the secreted protein or the mature form having a continuous series of deleted residues from the amino or the carboxy terminus, or both. For example, any number of amino acids, ranging from 1-60, can be deleted from the amino terminus of either the secreted polypeptide or the mature form. Similarly, any number of amino acids, ranging from 1-30, can be deleted from the carboxy terminus of the secreted protein or mature form. Furthermore, any combination of the above amino and carboxy terminus deletions are preferred. Similarly, polynucleotides encoding these polypeptide fragments are also preferred.

The present invention further provides polypeptides having one or more residues deleted from the amino terminus of the amino acid sequence of a polypeptide disclosed herein (e.g., a polypeptide of SEQ ID NO:Y, a polypeptide encoded by the polynucleotide sequence contained in SEQ ID NO:X, and/or a polypeptide encoded by the cDNA contained in the related cDNA clone contained in a deposited library). In particular, N-terminal deletions may be described by the general formula m-q, where q is a whole integer representing the total number of amino acid residues in a polypeptide of the invention (e.g., the polypeptide disclosed in SEQ ID NO:Y), and m is defined as any integer ranging from 2 to q-6. Polynucleotides encoding these polypeptides are also encompassed by the invention.

Also as mentioned above, even if deletion of one or more amino acids from the C-terminus of a protein results in modification or loss of one or more biological functions of the protein, other functional activities (e.g., biological activities, ability to multimerize, ability to bind a ligand) may still be retained. For example the ability of the shortened mutein to induce and/or bind to antibodies which recognize the complete or mature forms of the polypeptide generally will be retained when less than the majority of the residues of the complete or mature polypeptide are removed from the C-terminus. Whether a particular polypeptide lacking C-terminal residues of a complete polypeptide retains such immunologic

activities can readily be determined by routine methods described herein and otherwise known in the art. It is not unlikely that a mutein with a large number of deleted C-terminal amino acid residues may retain some biological or immunogenic activities. In fact, peptides composed of as few as six amino acid residues may often evoke an immune response.

5       Accordingly, the present invention further provides polypeptides having one or more residues from the carboxy terminus of the amino acid sequence of a polypeptide disclosed herein (e.g., a polypeptide of SEQ ID NO:Y, a polypeptide encoded by the polynucleotide sequence contained in SEQ ID NO:X, and/or a polypeptide encoded by the cDNA contained in deposited cDNA clone referenced in Table 1). In particular, C-terminal deletions may be  
10       described by the general formula 1-n, where n is any whole integer ranging from 6 to q-1, and where n corresponds to the position of an amino acid residue in a polypeptide of the invention. Polynucleotides encoding these polypeptides are also encompassed by the invention.

      In addition, any of the above described N- or C-terminal deletions can be combined to  
15       produce a N- and C-terminal deleted polypeptide. The invention also provides polypeptides having one or more amino acids deleted from both the amino and the carboxyl termini, which may be described generally as having residues m-n of a polypeptide encoded by SEQ ID NO:X (e.g., including, but not limited to, the preferred polypeptide disclosed as SEQ ID NO:Y), and/or the cDNA in the related cDNA clone contained in a deposited library, where n  
20       and m are integers as described above. Polynucleotides encoding these polypeptides are also encompassed by the invention.

      Any polypeptide sequence contained in the polypeptide of SEQ ID NO:Y, encoded by the polynucleotide sequences set forth as SEQ ID NO:X, or encoded by the cDNA in the related cDNA clone contained in a deposited library may be analyzed to determine certain  
25       preferred regions of the polypeptide. For example, the amino acid sequence of a polypeptide encoded by a polynucleotide sequence of SEQ ID NO:X, or the cDNA in a deposited cDNA clone may be analyzed using the default parameters of the DNASTAR computer algorithm (DNASTAR, Inc., 1228 S. Park St., Madison, WI 53715 USA; <http://www.dnastar.com/>).

      Polypeptide regions that may be routinely obtained using the DNASTAR computer  
30       algorithm include, but are not limited to, Garnier-Robson alpha-regions, beta-regions, turn-regions, and coil-regions, Chou-Fasman alpha-regions, beta-regions, and turn-regions, Kyte-Doolittle hydrophilic regions and hydrophobic regions, Eisenberg alpha- and

beta-amphipathic regions, Karplus-Schulz flexible regions, Emini surface-forming regions and Jameson-Wolf regions of high antigenic index. Among highly preferred polynucleotides of the invention in this regard are those that encode polypeptides comprising regions that combine several structural features, such as several (e.g., 1, 2, 3 or 4) of the features set out  
5 above.

Additionally, Kyte-Doolittle hydrophilic regions and hydrophobic regions, Emini surface-forming regions, and Jameson-Wolf regions of high antigenic index (i.e., containing four or more contiguous amino acids having an antigenic index of greater than or equal to 1.5, as identified using the default parameters of the Jameson-Wolf program) can routinely be  
10 used to determine polypeptide regions that exhibit a high degree of potential for antigenicity. Regions of high antigenicity are determined from data by DNASTAR analysis by choosing values which represent regions of the polypeptide which are likely to be exposed on the surface of the polypeptide in an environment in which antigen recognition may occur in the process of initiation of an immune response.

15 Preferred polypeptide fragments of the invention are fragments comprising, or alternatively consisting of, an amino acid sequence that displays a functional activity of the polypeptide sequence of which the amino acid sequence is a fragment.

By a polypeptide demonstrating a "functional activity" is meant, a polypeptide capable of displaying one or more known functional activities associated with a full-length  
20 (complete) protein of the invention. Such functional activities include, but are not limited to, biological activity, antigenicity [ability to bind (or compete with a polypeptide for binding) to an anti-polypeptide antibody], immunogenicity (ability to generate antibody which binds to a specific polypeptide of the invention), ability to form multimers with polypeptides of the invention, and ability to bind to a receptor or ligand for a polypeptide.

25 Other preferred polypeptide fragments are biologically active fragments. Biologically active fragments are those exhibiting activity similar, but not necessarily identical, to an activity of the polypeptide of the present invention. The biological activity of the fragments may include an improved desired activity, or a decreased undesirable activity.

In preferred embodiments, polypeptides of the invention comprise, or alternatively  
30 consist of, one, two, three, four, five or more of the antigenic fragments of the polypeptide of SEQ ID NO:Y, or portions thereof. Polynucleotides encoding these polypeptides are also encompassed by the invention.

Table 4.

Sequence/ Contig ID	Epitope
507291	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 843 as residues: Pro-12 to Pro-20, Lys-27 to Gly-34, Pro-67 to Arg-72, Asp-102 to Thr-111, Asp-136 to Gly-142, Ser-153 to Pro-158.
508000	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 844 as residues: Ala-16 to Trp-35.
518325	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 845 as residues: Glu-60 to Asp-67.
523111	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 846 as residues: Ser-1 to Gln-10.
532211	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 848 as residues: Cys-17 to Arg-22.
532247	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 849 as residues: Val-4 to His-10.
537932	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 850 as residues: Ser-62 to Gly-68.
540117	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 851 as residues: Pro-24 to Arg-30, Met-101 to Phe-106, Thr-138 to Asn-153.
547710	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 852 as residues: Asp-1 to Arg-7, Glu-25 to His-31, Ile-51 to Lys-56, Pro-61 to Pro-67, Gly-113 to Thr-119, Lys-125 to Asp-130, His-335 to Gly-340, Arg-364 to Pro-371.
551747	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 853 as residues: Lys-79 to Ala-88, Ser-109 to Leu-125, Asp-155 to Lys-163, Tyr-211 to Thr-219, Pro-221 to Ala-226.
552799	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 854 as residues: Gln-81 to Thr-114, Gln-200 to Arg-206.
553243	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 855 as residues: Ala-43 to Asp-48, Asp-64 to Lys-69, His-88 to Thr-94, Ala-107 to Phe-113, Leu-117 to Ser-125, Thr-132 to Glu-138, Ser-169 to Trp-181, Ser-194 to Thr-200.
553368	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 856 as residues: Ser-52 to Arg-57, Leu-76 to Gly-82, Ser-91 to Glu-96, Tyr-132 to Ala-147.
554349	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 857 as residues: Ala-31 to Gly-36, Ala-68 to Tyr-75, Gln-121 to Asp-127.
558491	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 858 as residues: Pro-1 to Arg-10.
558983	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 859 as residues: Pro-37 to Gly-42, Val-67 to Lys-84, Gln-122 to Gly-127.
589390	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 862 as residues: Glu-14 to Asn-19, Arg-68 to Ser-74, Ser-79 to Ala-84, Lys-95 to Ile-101, Lys-125 to Glu-138.
596882	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 863 as residues: Lys-15 to Lys-23, Pro-29 to Gly-34.
616289	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 864 as residues: Leu-1 to Pro-13, Thr-64 to Gly-70, Lys-119 to Arg-130.
622140	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 865 as residues: Ser-1 to Lys-6, Pro-16 to Ser-23, Arg-49 to Glu-58.
647714	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 867 as residues: Arg-1 to Gly-9, Glu-27 to Gly-36, Pro-72 to Phe-86, Pro-104 to Cys-111, Gln-145 to Lys-162, Arg-226 to Trp-233.
652156	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 871 as residues: Asn-30 to Ile-43, Ile-76 to Lys-81.
653010	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 872 as



	residues: Ser-1 to Ala-10.
655904	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 873 as residues: Ala-21 to Cys-27, Ser-76 to Gly-87, Ser-112 to Trp-121, Trp-128 to Asn-133, Glu-225 to Cys-231, Tyr-238 to Cys-248, Lys-269 to Asp-279, Phe-292 to Thr-298, Cys-357 to Ala-362, Pro-383 to Pro-388, Lys-412 to Lys-420.
657852	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 874 as residues: Arg-10 to Lys-22, Gln-48 to Glu-53, Arg-73 to Asn-86.
666414	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 875 as residues: Asn-9 to Lys-19, Arg-27 to Gly-32, Ser-58 to Thr-70, Ala-81 to Pro-86.
670188	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 877 as residues: Asn-68 to Ser-75.
670279	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 878 as residues: Lys-86 to Lys-91, Glu-101 to Val-120, Ala-130 to Glu-136.
670729	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 879 as residues: Ala-116 to Asp-134.
676496	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 881 as residues: Ile-1 to Arg-8.
678248	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 883 as residues: Ala-16 to Lys-22, Tyr-30 to Asn-35, Asp-61 to Val-70, Arg-129 to Asn-135, Thr-142 to Gly-148.
683668	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 884 as residues: Ser-3 to Gly-28, Gly-46 to Pro-56, Gly-70 to Ile-92, Gln-102 to Ser-117, Ala-123 to Pro-129, Pro-135 to Leu-140, Pro-150 to Asp-158, Pro-165 to Pro-177, Gln-188 to Asp-205, Ile-230 to Arg-245, His-251 to Trp-260, Asp-262 to Cys-267, Asn-296 to Arg-307, Glu-322 to Pro-330, Ile-351 to Asn-357, Asp-363 to Leu-369, Glu-386 to Phe-391, Lys-415 to Ser-420.
693172	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 885 as residues: Arg-11 to Arg-18, Pro-51 to Lys-58.
694303	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 886 as residues: Pro-12 to Ser-17, Leu-30 to Cys-39, Val-49 to Pro-54, Pro-67 to Leu-73, Pro-84 to Gln-90, His-99 to Leu-109.
695042	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 887 as residues: Ser-4 to Trp-28, Pro-51 to Leu-56, Asn-64 to His-70.
699799	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 888 as residues: Gln-17 to Phe-25, Glu-42 to Tyr-48, Val-52 to Gly-57, Pro-67 to Ser-73, Thr-97 to Gln-106, Gln-113 to Leu-123, Arg-171 to Asp-178, Arg-184 to Leu-191, Ile-195 to Phe-203, Lys-212 to Glu-217, Ala-236 to Asp-244, Arg-255 to Leu-260, Lys-266 to His-273, Glu-357 to Glu-363.
703015	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 890 as residues: Pro-27 to Asp-37, Gly-55 to Pro-61, His-96 to Ala-101, Glu-151 to Asn-156, Tyr-166 to Cys-178.
706391	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 891 as residues: Pro-22 to Ala-34, Pro-40 to Glu-52.
706924	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 893 as residues: Gly-1 to Gly-9, Gln-21 to Met-27.
707642	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 894 as residues: Glu-33 to Lys-40, Asn-55 to Lys-64, Tyr-104 to Cys-110, Ser-138 to Arg-148, Arg-157 to Gly-163, Lys-165 to Asn-172.
710369	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 895 as residues: Asn-1 to Thr-10.
718826	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 896 as residues: Ser-57 to Pro-63, Lys-93 to Ser-99.
719790	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 897 as residues: Phe-4 to Gln-23, Glu-47 to Ala-56, Asn-95 to Gln-102, Gln-109 to Glu-115, Arg-168 to Glu-175, Thr-196 to Arg-201, Lys-209 to Asp-215, Val-236 to Val-243.
720222	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 898 as

	residues: Glu-37 to Arg-43, Gly-62 to Pro-67, Gly-95 to Val-101, Gln-109 to Asp-114, Ala-137 to Phe-145, Asp-181 to Ser-188.
724033	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 899 as residues: Glu-55 to Glu-60, Asp-76 to Ser-85, Lys-106 to Asp-111, Gln-131 to Arg-137, Ala-172 to Gly-218.
724767	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 900 as residues: Leu-49 to Tyr-56, Tyr-114 to Glu-136, Arg-142 to Gly-148.
727065	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 901 as residues: Asn-41 to Gly-46, Lys-82 to His-88, Glu-107 to His-112, Leu-127 to Asp-132, Phe-163 to Phe-175, Thr-202 to Ile-209, Lys-229 to Gly-237, Ala-239 to Tyr-245.
727246	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 902 as residues: Pro-2 to Gly-10.
739448	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 908 as residues: His-2 to Leu-8, Gln-33 to Glu-40, Ala-44 to Glu-55, Gly-57 to Ser-67, Glu-70 to Ala-84, Glu-95 to Lys-111, Ile-186 to Asp-205, Leu-232 to Asp-238.
740060	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 910 as residues: Pro-44 to Thr-50, Arg-72 to Lys-80, Tyr-241 to Asn-251, Lys-273 to Gly-282, Ser-302 to Asn-312, Pro-337 to Ser-343, Ile-367 to Asp-376, Gly-395 to Tyr-417, Ser-442 to Gln-448.
741560	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 911 as residues: Gln-33 to Tyr-39, Pro-42 to Phe-47.
742543	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 912 as residues: Phe-10 to Tyr-15, Glu-139 to Asp-144, Glu-166 to Asn-171, Lys-175 to Glu-181.
742831	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 913 as residues: Val-64 to Glu-69.
745327	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 914 as residues: Arg-1 to Pro-13, Pro-54 to Ala-61.
745695	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 915 as residues: Trp-130 to Ser-135, Leu-199 to Thr-210, Ser-221 to Gln-229, Ala-249 to Tyr-255, Pro-257 to Pro-267, Ser-309 to Arg-314.
750316	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 916 as residues: Pro-18 to Asn-24, Thr-65 to Asp-70.
750522	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 917 as residues: Gln-10 to Lys-15.
750583	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 918 as residues: Lys-9 to Thr-15, Gln-32 to Gln-40.
751020	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 919 as residues: Arg-39 to Leu-47, Ser-107 to Ile-117, Pro-135 to Gln-144.
752196	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 920 as residues: Lys-20 to Lys-28.
753084	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 921 as residues: Lys-84 to Thr-98, Arg-128 to Ser-134, Arg-244 to Asn-252, Lys-365 to His-372.
754957	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 922 as residues: Pro-101 to Glu-106, Glu-116 to Asp-127, Ser-199 to Ile-210, Asp-217 to Asp-229, Ser-239 to Gly-244, Gln-262 to Asn-273, Pro-279 to Ser-284, Lys-318 to Arg-326, Lys-334 to Ile-341.
756557	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 923 as residues: Val-13 to Phe-21, Ile-55 to Pro-63, Ser-69 to Leu-74, Arg-82 to Leu-96, Asn-131 to Leu-139, Ile-156 to Thr-164, Thr-241 to Leu-249, Gly-273 to Ser-279, Thr-282 to Arg-289.
756712	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 924 as residues: Ile-4 to Thr-37, Gln-42 to Ser-48, Asn-56 to Lys-69, Ser-79 to Ser-85.
757414	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 925 as residues: Glu-14 to Thr-23, His-50 to Arg-62, Tyr-72 to Cys-78, Gly-121 to Pro-128.

757614	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 926 as residues: Gly-13 to Cys-19, Thr-32 to Glu-38, Val-44 to Gln-53, Lys-55 to Asp-60, Gln-65 to Glu-70, Lys-89 to Glu-105, Glu-112 to Asp-142, Glu-147 to Arg-152, Glu-211 to Leu-216, Leu-227 to Ser-232, Lys-245 to Lys-255, Glu-278 to Tyr-291, Gln-297 to Arg-303.
759878	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 928 as residues: Trp-16 to Glu-21, Trp-45 to Pro-54, Ile-154 to Phe-162, Gly-174 to Leu-181.
760227	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 929 as residues: Arg-99 to Asp-104.
766051	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 931 as residues: Asp-10 to Lys-19.
768053	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 933 as residues: Ile-1 to Tyr-7, Phe-52 to Cys-61, Val-118 to Ser-125.
768055	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 934 as residues: Asp-39 to Ser-46, Lys-92 to Lys-99, Val-165 to Phe-172, Lys-252 to Ala-261, Asn-268 to Ala-273.
769685	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 935 as residues: Pro-129 to Arg-135.
771920	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 936 as residues: Pro-47 to Val-53, Asp-85 to Phe-97, Val-136 to Gly-144, Pro-166 to Glu-172, Leu-190 to Ser-197.
772790	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 937 as residues: Leu-5 to Trp-13, Met-20 to Leu-39, Ile-50 to Pro-63, Glu-66 to Ser-72, Leu-112 to Gln-120, Ala-141 to Lys-146, Tyr-165 to Asp-173.
772916	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 938 as residues: Lys-16 to Arg-25.
773632	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 940 as residues: Arg-1 to His-33.
774364	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 941 as residues: Ser-97 to Asn-103.
775355	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 942 as residues: Ser-40 to Ala-46.
775844	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 943 as residues: Leu-20 to Ser-31, Thr-38 to Val-47.
777760	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 944 as residues: Thr-22 to Ser-28, Thr-35 to Glu-42, Met-47 to Thr-55.
779837	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 945 as residues: Thr-26 to Arg-31, Leu-75 to Lys-100.
780769	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 946 as residues: Gly-1 to Asp-7, Lys-25 to Lys-31, Tyr-65 to Gly-70, Thr-100 to Arg-106, Pro-118 to Glu-124, Lys-162 to Ser-172, Leu-176 to Leu-182.
781445	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 947 as residues: Asn-33 to Lys-38, Leu-67 to Met-73, Ser-111 to Lys-121, Lys-127 to Leu-134, Pro-153 to Trp-158, Lys-237 to Met-249, Pro-280 to Tyr-292.
781531	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 948 as residues: Ala-8 to Pro-23, Gln-56 to Cys-61, Asn-66 to Pro-72.
783018	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 949 as residues: Asn-4 to Leu-17, Gly-19 to Phe-26, Pro-37 to Glu-43, Val-58 to Ser-64, Gln-80 to Gly-85.
783097	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 950 as residues: Pro-1 to Asp-9, Pro-24 to Gly-40, Pro-47 to Thr-55, Gln-62 to Ser-76.
784198	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 951 as residues: Met-1 to Arg-15, Leu-43 to Glu-48, Asp-55 to Asp-62, Ser-111 to Lys-160.
784868	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 952 as residues: Trp-8 to Gly-17, Glu-20 to Arg-35, Gly-40 to Cys-45, Ser-59 to Ser-64, Ala-73 to Leu-78, Val-85 to Leu-91, Arg-130 to Lys-135, Leu-138 to Glu-146, Pro-188 to

	Pro-194, Ser-206 to Cys-212, Ser-232 to Ala-246, Asp-293 to Ser-298.
785428	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 953 as residues: Arg-9 to Met-20, Glu-28 to Gly-33, Asn-49 to Lys-57, Thr-67 to Arg-75, Ser-81 to Leu-87, Glu-103 to Thr-109, Pro-115 to Ile-120, Asn-146 to Ser-174, Ser-177 to His-195, Met-197 to Ile-221, Asp-232 to Glu-240, Glu-289 to Phe-302, Cys-306 to Arg-314, Ser-357 to Ser-366, Lys-385 to Glu-401, Val-419 to Asp-427.
785845	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 954 as residues: Arg-41 to Asp-52, Pro-82 to Arg-94, Pro-102 to Gln-107, Gln-170 to Tyr-181, Glu-248 to Lys-254, Asp-277 to Gly-287, Ala-302 to Arg-308, Thr-367 to Gly-374.
785854	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 955 as residues: Asp-1 to Asp-17, Cys-59 to Asp-65.
787279	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 958 as residues: Lys-13 to Lys-20.
789002	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 959 as residues: Met-20 to Glu-29.
789008	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 960 as residues: Ser-24 to Arg-33, Ile-44 to Gly-57, Arg-63 to Asn-72, Ile-76 to Pro-82.
789555	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 961 as residues: Trp-106 to Thr-117, Trp-156 to Gln-163, Gln-173 to Asp-178, Gln-227 to Glu-233, Gln-255 to Glu-261, Glu-297 to Tyr-306, Thr-339 to Val-345, Leu-378 to Ile-385, Asp-414 to Lys-420, Cys-437 to Ile-444, Thr-491 to Gln-497, Glu-509 to Ser-515, Lys-526 to Glu-538.
789631	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 962 as residues: Thr-10 to Gly-18.
789779	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 963 as residues: Glu-1 to Ala-13, Leu-103 to Ser-109.
790387	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 964 as residues: His-1 to Ala-12.
790461	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 965 as residues: Glu-14 to Gly-23, Asp-47 to Met-53, Ala-55 to Thr-60, Pro-67 to Thr-73, Pro-78 to Gly-86, Tyr-91 to Pro-101, Ala-133 to Asn-139, Glu-169 to Gln-182, Glu-189 to Thr-195, Asn-197 to Arg-203, Gln-265 to Asp-271.
790931	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 966 as residues: Val-3 to Glu-13, Pro-29 to Pro-35, Glu-116 to Arg-125.
791176	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 967 as residues: Pro-1 to Pro-10, Pro-17 to Phe-28, Ser-61 to Pro-67.
792539	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 969 as residues: Ser-12 to Trp-17, Gln-20 to Lys-29, Asp-45 to Glu-51, Tyr-75 to Lys-83, Arg-103 to Gly-119, Gln-145 to Lys-155, Lys-166 to Leu-180, Thr-195 to Gly-203, Gln-209 to Val-219, Ser-222 to Ala-244, Leu-251 to Leu-260, Lys-277 to Lys-285.
792749	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 970 as residues: Ala-22 to Asp-41, Thr-61 to Met-66, Asp-191 to Lys-198, Arg-280 to Phe-287, Thr-289 to Lys-299, Pro-325 to Asp-332, Ser-351 to Arg-357.
793206	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 972 as residues: Gly-1 to Arg-6, Gln-11 to Arg-22, Glu-86 to Asp-91.
793626	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 974 as residues: Ser-1 to Gly-13, Gly-17 to Asn-26.
794417	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 975 as residues: Ser-7 to Trp-16.
795197	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 976 as residues: Ser-67 to Glu-73, Arg-129 to Gly-136, Phe-154 to Ala-161, Tyr-198 to Tyr-203, Pro-206 to Asp-212, Glu-222 to Cys-231.
795251	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 977 as residues: Phe-44 to Ser-50, Asp-57 to Pro-62, Asn-80 to His-90, Ser-110 to Ala-115, Ile-141 to Val-148, Glu-155 to Thr-173, Val-202 to Pro-217, Ile-221 to Val-229, Thr-

	233 to Ser-243, Val-253 to Thr-259, Ala-290 to Asn-320, Pro-322 to Ile-330, Ala-333 to Met-344, Val-362 to Leu-367, Asp-397 to Val-402, Glu-422 to Gly-448, Met-453 to Gly-460.
795752	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 978 as residues: Pro-52 to Asn-63, Pro-70 to Ile-79, Arg-93 to Gln-111.
796261	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 979 as residues: His-1 to Val-6, Cys-10 to Ser-15, Gly-26 to Ser-34, Trp-36 to Pro-58, Pro-96 to Thr-102, Pro-111 to Tyr-116, Phe-131 to Gly-138, Pro-184 to Leu-190, Glu-237 to Gly-244, Pro-255 to Lys-267, Lys-271 to Leu-280.
796933	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 980 as residues: Arg-1 to Pro-14, Gln-47 to Cys-52, Asn-57 to Pro-63, Ser-277 to Lys-282.
799424	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 981 as residues: Tyr-18 to Leu-27, Met-50 to Met-60, Leu-169 to His-178, Ser-233 to Ser-241.
799698	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 982 as residues: Pro-16 to Pro-21, Ala-54 to Glu-61, Ala-96 to Gly-105.
800351	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 983 as residues: Gly-21 to Gln-34, His-39 to Lys-53, Ser-63 to Tyr-71.
800573	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 984 as residues: Asp-33 to Arg-39, Ala-43 to Leu-48, Glu-256 to Gln-266, Gly-305 to Ile-311, Pro-314 to Ala-320, Gln-388 to Asn-394.
805815	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 985 as residues: Arg-1 to Lys-22, Ser-34 to Arg-48, Thr-64 to Arg-70, Pro-81 to Phe-89, Arg-148 to Asn-154, Tyr-172 to Asp-185, Ser-205 to Asp-216, Tyr-278 to His-285, His-294 to Pro-299, Glu-326 to Gly-333, Gly-336 to Ser-345.
806445	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 986 as residues: Arg-15 to Gly-24, Lys-26 to Trp-32.
810309	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 987 as residues: Pro-33 to Phe-50, Ile-57 to Gly-62, Gln-72 to Asn-85, Ala-87 to Thr-172.
811022	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 988 as residues: Ala-1 to Met-11, Gln-62 to Trp-68, Ala-89 to Val-99.
811023	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 989 as residues: Tyr-54 to Lys-61, Met-64 to Thr-70.
811143	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 990 as residues: Ala-1 to Ser-7, Ser-19 to Gly-36, Arg-53 to Pro-58, Thr-87 to Glu-102, Arg-115 to Tyr-120, Thr-159 to Thr-164, Ala-171 to Ser-179, Ala-206 to Pro-217, Pro-224 to Ala-233, Arg-253 to Ser-259.
813000	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 993 as residues: Tyr-25 to Lys-30, Lys-36 to Ile-43, Lys-52 to Gln-69, Glu-76 to Asp-81, Arg-92 to Trp-104, Leu-120 to Lys-126, Ser-129 to Ser-135, Ser-139 to Thr-156, Pro-165 to Glu-178, Ser-181 to Thr-186, Tyr-196 to Lys-201, Cys-225 to Lys-230, Glu-234 to Ser-242.
813431	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 995 as residues: Leu-23 to His-29, Pro-38 to Leu-46, Ser-59 to Gly-68, Pro-85 to Lys-108, Arg-119 to Phe-124, Ser-139 to Lys-156.
813450	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 996 as residues: Asn-1 to Trp-10.
813478	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 997 as residues: Ala-8 to Arg-14, Ile-64 to Thr-69, Val-94 to Asp-101, His-112 to Gln-117, Tyr-139 to Glu-145, Tyr-195 to Cys-208, Gly-216 to Gly-223, Asp-297 to Ser-307, Gly-378 to Leu-383, Ile-391 to Pro-404, Asn-451 to Ser-466.
813505	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 998 as residues: Thr-1 to Ala-20, Pro-22 to Lys-27, His-44 to Thr-51, Pro-53 to Thr-60, Arg-62 to Lys-79, Lys-97 to Asn-103, Pro-139 to Lys-144.
815552	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 999 as residues: Pro-1 to Ser-6, Pro-25 to Cys-31, Arg-142 to Lys-150.

815606	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1000 as residues: Arg-1 to Ala-11.
816048	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1001 as residues: Ala-13 to Thr-24, Glu-30 to Gln-39, Arg-69 to Gly-77, Gln-119 to Gly-126, Tyr-156 to Asn-162, Ser-184 to Gly-191.
823981	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1004 as residues: Lys-1 to Cys-7, Ala-11 to Lys-17, Glu-90 to Ile-95, Asn-141 to Arg-148, Leu-158 to Ala-163, Ala-171 to Thr-177.
824364	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1005 as residues: Gln-43 to Gly-54.
824423	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1006 as residues: Cys-33 to Arg-42, Val-53 to Met-63, Lys-71 to Lys-78, Gly-107 to Pro-118, Ala-159 to Leu-165, Val-272 to Arg-284, Pro-422 to Pro-427, Arg-437 to Gln-443, Ala-474 to Asp-482, His-519 to Cys-525, Ala-529 to Gln-535, Arg-540 to Gln-548.
825279	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1007 as residues: Ser-8 to Arg-14, Asp-23 to Gly-28, Ser-30 to Pro-37, His-52 to Ala-57, Pro-65 to Ser-74, Pro-112 to Ser-118, Ala-181 to Pro-189.
825548	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1009 as residues: Pro-2 to Ser-9.
825725	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1010 as residues: Pro-1 to Gly-8, Leu-95 to Lys-100, Glu-118 to Thr-125, Ser-162 to Lys-167, Arg-201 to Tyr-206.
827079	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1012 as residues: Arg-9 to Ser-17.
827153	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1013 as residues: Val-32 to Ala-44, Pro-49 to Ser-57, Gln-77 to Gly-82, Asp-116 to Gly-127, Arg-165 to Asn-172.
827351	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1014 as residues: Gly-5 to Lys-11, Ser-59 to Lys-67, Glu-130 to Arg-136, Asn-176 to Leu-183.
827503	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1015 as residues: Asp-61 to Val-67, Arg-113 to Asp-119, Ser-180 to Gly-191, Pro-199 to Ser-211, Ser-228 to Asn-238, Gly-276 to Ser-286, His-343 to Gly-351, Gln-354 to Arg-366, Leu-368 to Gln-382, Pro-393 to Ser-400, Asp-412 to Cys-418, Gly-430 to Leu-435, Gln-445 to Asp-450, Lys-484 to Val-491, Leu-513 to Gly-520.
827563	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1016 as residues: Pro-69 to Ala-81, Pro-84 to Gly-91, Ala-106 to Leu-112, Arg-216 to Lys-224, Trp-239 to Gly-250.
827565	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1017 as residues: Ala-1 to Ser-8, Ser-88 to Gly-96, Asn-121 to Asp-128, Cys-191 to Gly-196, Met-242 to Thr-248.
827893	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1018 as residues: Ser-41 to Ala-50, Glu-72 to His-77, Ala-120 to Glu-125, Thr-144 to Ile-153.
828072	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1019 as residues: Lys-30 to Leu-35.
828241	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1021 as residues: Gly-35 to Phe-45, Pro-47 to Arg-55, Glu-62 to Leu-70, Arg-102 to Tyr-111, Phe-128 to Gln-134, Val-139 to Met-144, Ser-180 to Gly-188, Lys-214 to Leu-219, Ser-241 to Glu-246, Phe-292 to Thr-298.
828287	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1022 as residues: Ala-12 to Thr-21, Ala-23 to Gly-31, Leu-43 to Gly-51, Lys-127 to Val-134.
828371	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1024 as residues: Gln-1 to Ala-6, Lys-50 to Pro-71, Pro-98 to Ser-111, Asp-148 to His-164, Asp-185 to Arg-191, Asp-238 to Gly-244, Pro-262 to Cys-274.
828403	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1025 as residues: Gly-1 to Trp-15, Arg-73 to Leu-82.
828501	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1026 as

	residues: Arg-99 to Arg-105, Pro-171 to Ser-176, Lys-189 to Val-195, Lys-291 to Ala-296.
828527	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1028 as residues: Glu-58 to Cys-63.
828538	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1029 as residues: Pro-9 to Thr-24, Thr-46 to Gly-52, Ser-70 to Thr-76, Ser-142 to Thr-149, Pro-154 to Ser-171, Glu-189 to Ser-196.
828541	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1030 as residues: Arg-9 to Pro-23, Gln-64 to Leu-69, Asp-76 to Asn-83, Lys-88 to Gln-93, Pro-129 to Thr-135, Gly-194 to Gly-203, Asp-223 to Gly-231, Thr-265 to Ile-281, Leu-287 to Lys-297.
828549	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1031 as residues: Pro-22 to Asn-28.
828562	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1032 as residues: Arg-26 to Asp-33, Asp-42 to Pro-58, Thr-63 to Lys-70, Thr-103 to Asp-114.
828576	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1033 as residues: Arg-11 to Gly-17, Pro-26 to Gly-31, Ala-48 to His-58.
828602	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1034 as residues: Tyr-1 to Met-8, Leu-10 to Lys-26, Pro-47 to Pro-54, Lys-128 to Ser-133.
828628	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1035 as residues: Thr-124 to Thr-129, Gly-136 to Phe-142, Asp-164 to His-171, Asp-180 to Tyr-194.
828684	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1037 as residues: Ser-16 to Thr-22, Arg-39 to Ala-51, Arg-60 to Gly-65, Thr-67 to Arg-90, Lys-109 to Gln-125, Ser-146 to Arg-159, Gln-166 to Thr-176, Glu-192 to Tyr-197, Val-267 to His-279, Ala-351 to Gly-356, Phe-363 to Gly-368, Gly-387 to Arg-392, Asp-488 to Ala-498.
828727	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1038 as residues: Gly-14 to Val-21, Asp-40 to Gln-57, Gln-86 to Tyr-93, Gln-98 to Asp-104, Lys-124 to Asp-130, Gln-138 to Cys-156, Tyr-170 to Gln-175, Gln-196 to Ala-201.
828734	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1039 as residues: Asp-5 to Trp-19, Ile-37 to Pro-42, Asp-52 to Asp-72, Glu-85 to Ser-92, Ser-107 to Leu-117, Asp-128 to His-147.
828842	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1041 as residues: Ala-25 to Phe-32, Glu-54 to Ser-61, Thr-74 to Glu-79, Glu-99 to Lys-105, Glu-112 to Glu-121.
828843	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1042 as residues: Pro-3 to Asn-11, Gln-46 to Ala-51, Asn-62 to Lys-74, Val-108 to Gln-113, Arg-119 to Gly-163, Ala-223 to Lys-237.
828851	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1043 as residues: Thr-3 to Lys-8, Leu-63 to Val-70, Lys-141 to Val-149, Ile-326 to Thr-333.
828856	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1044 as residues: Leu-1 to Gly-10.
828862	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1045 as residues: Pro-1 to Pro-9, Arg-81 to Glu-87, Gln-114 to Glu-119.
828870	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1046 as residues: Ser-1 to Gly-18, Trp-25 to Gly-31, Arg-46 to Ser-52, Ala-103 to Ala-108, Ser-154 to Gly-165, Gln-228 to Pro-236, Ser-284 to Gly-291, Ala-321 to Asp-327, Lys-377 to Asn-394, Asp-406 to Ser-416.
828873	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1047 as residues: Tyr-15 to Gly-20, Asn-72 to Asp-80, Pro-105 to Pro-110, Gln-149 to Arg-154, Glu-161 to Gly-167, Ile-312 to Asp-318, Lys-353 to Leu-361, Arg-379 to Thr-385, Pro-423 to Trp-435, Pro-437 to Cys-444, Asn-450 to Met-466.
828892	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1048 as residues: Asp-19 to Asn-25, Gly-67 to Glu-79.
828893	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1049 as

	residues: Ser-55 to Thr-60, Glu-97 to Ser-103, Thr-164 to Glu-170, Gly-192 to Gly-197, Leu-204 to Ser-218, Ala-238 to Ser-250, Asp-265 to Tyr-292, Gly-298 to Gly-307, Gly-351 to Met-359, Phe-389 to Glu-400.
828897	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1050 as residues: Phe-28 to Arg-33.
828910	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1051 as residues: His-1 to Ile-13, Arg-20 to Glu-64, Arg-83 to Gln-89, Tyr-145 to Asp-152.
828927	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1052 as residues: Glu-10 to Pro-21, Thr-54 to Gly-60, Cys-79 to Glu-90, Lys-154 to Lys-159.
828932	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1053 as residues: Arg-1 to Arg-9, Phe-54 to Pro-60, Gln-74 to Gly-90, Asn-114 to Gly-119, Cys-124 to Ser-132, Thr-139 to Leu-151, Asp-171 to Lys-182, Ala-188 to Leu-193, Val-203 to Trp-222, Lys-230 to Glu-236, Glu-244 to Asp-250, Leu-258 to Gly-268, Gly-283 to Asp-288, Ser-291 to Trp-297, Gly-300 to Ala-308.
828933	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1054 as residues: Glu-21 to Ser-34, Thr-130 to Tyr-138.
828941	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1055 as residues: Gly-1 to Ala-6, Pro-15 to Gly-22, Asn-160 to Gln-177, Asn-193 to Asp-199, Glu-205 to Leu-211.
828963	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1057 as residues: Pro-48 to Gly-54, Ser-56 to Ser-76, Lys-102 to Pro-107, Ser-146 to Gly-153, Ser-208 to Arg-213, Tyr-285 to Leu-299, Pro-314 to Phe-319, Asn-322 to Asn-327.
828964	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1058 as residues: Thr-36 to Cys-47.
828966	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1059 as residues: Gly-1 to Ser-16, Met-26 to Pro-31, Lys-128 to Glu-134, His-165 to Gln-170, Asp-207 to Asn-216, Pro-348 to Arg-359, Lys-433 to Ala-439, Gly-448 to Tyr-457.
828967	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1060 as residues: Met-135 to Arg-141, Gly-149 to Lys-166, Ile-188 to Ser-196, Gly-203 to Tyr-213, Gln-267 to Asp-278, Arg-298 to Trp-317, Leu-319 to Leu-326, Gln-344 to Thr-349, Pro-410 to Ser-419, Ala-500 to Ala-510.
828977	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1061 as residues: Gly-32 to Tyr-42, Asn-52 to Glu-58, Ser-78 to Gly-87, Lys-97 to Gly-109, Glu-116 to Arg-127, Pro-147 to Pro-152, Pro-162 to Asn-171, Leu-179 to Glu-185, Ile-203 to Glu-208, Val-222 to Gln-228.
828978	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1062 as residues: Asp-24 to Lys-30, Arg-49 to Lys-62, Arg-121 to Thr-149, Gly-163 to Leu-171, Ala-186 to Glu-195, Glu-216 to Ser-221, Ile-229 to Ser-236, Lys-258 to Lys-264, Lys-305 to Arg-313.
829001	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1064 as residues: Thr-11 to Cys-24, Arg-48 to His-55, Arg-62 to Gly-70.
829003	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1065 as residues: Lys-14 to Gly-22, Ser-61 to Asp-66, Cys-80 to Lys-91, Lys-97 to Arg-107, Gly-135 to Asn-146, Lys-198 to Lys-208, Met-221 to Thr-227, Phe-244 to Gly-256, Asp-292 to Gln-300.
829016	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1066 as residues: Arg-1 to Asp-11, Ala-17 to Gln-25, Glu-30 to His-37, Cys-39 to Thr-44, Asn-86 to Phe-93.
829027	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1067 as residues: Pro-1 to Ser-7, Thr-45 to Leu-63, Arg-113 to Thr-118, Pro-172 to Gly-182.
829028	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1068 as residues: Ser-1 to Gln-19, Gly-32 to Phe-39, Ala-95 to Arg-116, Lys-122 to Glu-142, Ile-148 to Asn-156, Ser-168 to Asn-191, Ala-196 to Thr-204, Ser-289 to Lys-304, Leu-308 to Ser-314, Thr-332 to Ile-341.
829034	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1070 as residues: Ser-32 to Ala-43, Thr-62 to Glu-69, Phe-128 to Thr-156, Thr-179 to His-188,



	Gly-196 to Glu-203, Pro-205 to Ala-219, Gln-221 to Ile-230, Pro-246 to Thr-255, Thr-271 to His-276, Asn-324 to Thr-344, Pro-364 to Ala-370, Tyr-427 to Arg-434, Gly-440 to Pro-445.
829036	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1071 as residues: Leu-16 to Phe-21, Thr-69 to Lys-74, Asn-87 to His-92, Thr-126 to Leu-137, Phe-154 to Lys-164, Ala-171 to Asp-178, Ile-192 to Thr-203, Glu-261 to Ser-273.
829049	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1072 as residues: Gly-50 to Tyr-59.
829073	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1073 as residues: Asn-1 to Met-6, Asn-26 to Ser-35, Pro-43 to Ile-54.
829075	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1074 as residues: Gly-14 to Pro-30, Ser-64 to Ser-69, Asn-97 to Arg-109.
829076	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1075 as residues: Lys-84 to Gly-94, Asn-142 to Ile-147.
829080	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1076 as residues: Gly-13 to Trp-23, Pro-39 to Gly-44.
829087	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1077 as residues: Pro-13 to Arg-24.
829095	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1079 as residues: Pro-8 to Pro-13.
829118	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1081 as residues: Arg-7 to Val-12, Ile-52 to Thr-70, Ser-86 to Asp-91, Thr-126 to Ser-138.
829152	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1082 as residues: Asp-12 to Ser-19.
829160	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1083 as residues: Ala-7 to Arg-20.
829163	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1084 as residues: Ser-23 to Asp-32, Val-36 to Glu-59, Ser-65 to Asn-76, Cys-91 to Ser-102, Pro-108 to Leu-115, Thr-151 to Gln-164, Glu-167 to Lys-176.
829176	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1085 as residues: His-1 to Asn-8, Cys-22 to Arg-27, Gly-34 to Ser-44, Tyr-60 to Ser-65, Ser-118 to Gln-123, Ser-149 to Trp-154, Pro-159 to Gly-168, Gln-207 to Leu-220.
829204	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1086 as residues: Ala-11 to Ser-19, Thr-104 to Lys-133.
829207	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1087 as residues: Lys-5 to Ser-11, Pro-31 to Ser-37, Pro-87 to Asp-92, Asp-115 to Lys-123, Ser-149 to Arg-155, Thr-243 to Pro-253.
829228	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1088 as residues: Pro-1 to Trp-6, Leu-73 to Tyr-79, Glu-108 to Thr-117, Asp-136 to Asp-142, Ser-201 to Pro-207, Leu-224 to Pro-233, Val-242 to Ala-248, Ser-312 to Leu-319, Val-349 to Ser-359, Ala-362 to His-368, Thr-370 to Gly-376, Lys-403 to Tyr-409, Glu-426 to Arg-431, Lys-455 to Asp-460, Arg-499 to Thr-505, Asp-561 to Ser-570, Ser-665 to Ser-673.
829252	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1089 as residues: Thr-9 to Val-16.
829269	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1091 as residues: Ser-1 to Glu-7, Lys-76 to Gln-83.
829277	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1092 as residues: Lys-88 to Phe-97, Thr-106 to Leu-120, Thr-147 to Pro-152, Pro-173 to Met-179.
829290	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1093 as residues: Pro-1 to Pro-19, Pro-25 to Lys-30.
829308	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1096 as residues: Met-26 to Asn-37, Glu-42 to Gln-51, Thr-68 to Ser-95, Ala-97 to Lys-113, Asp-156 to Val-161, Val-208 to Asp-215, Pro-217 to Ala-228.
829349	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1097 as

	residues: Asn-18 to Lys-24, Asp-87 to Asn-94, Glu-116 to Gly-125.
829354	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1098 as residues: Ala-1 to Asn-16, Pro-36 to Arg-43.
829388	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1099 as residues: Glu-91 to Pro-100, Tyr-122 to Thr-127, Thr-168 to Val-173, Thr-210 to Asp-215, Leu-219 to Gly-224, Gly-232 to Val-237.
829626	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1101 as residues: Gly-145 to Ala-151.
829730	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1102 as residues: Pro-22 to His-27, Pro-87 to Asp-93, Arg-109 to Lys-115, Arg-172 to Glu-177, Glu-219 to Asp-226.
829892	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1103 as residues: Tyr-36 to Ala-46, Val-58 to Asn-63, Glu-73 to Asn-78, Asn-90 to Asn-95, Ser-125 to Leu-133, Glu-143 to Pro-150, Phe-186 to Leu-191, Leu-274 to Glu-281, Lys-303 to Phe-308, Thr-323 to Gly-330.
829938	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1105 as residues: Thr-1 to Pro-14, Ser-36 to Thr-57, Ser-81 to Thr-91, Glu-103 to Leu-110, Glu-124 to Tyr-130, Ala-135 to Lys-140, Leu-146 to Glu-162, Lys-167 to Glu-172, Glu-199 to Val-213.
829969	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1106 as residues: Arg-12 to His-21, Arg-77 to Ser-88.
829982	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1107 as residues: Arg-6 to His-14, Ser-40 to Met-47, Thr-68 to Cys-74, Ile-97 to His-115, Gly-118 to Pro-124.
830007	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1108 as residues: Ala-7 to Ala-16.
830019	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1109 as residues: Leu-21 to Pro-27.
830073	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1110 as residues: Gly-16 to Val-22, Pro-45 to Lys-50, Phe-58 to Arg-65, Ser-135 to Gly-141, Gly-153 to Ser-158, Pro-160 to Tyr-168.
830148	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1114 as residues: Asp-63 to Lys-81, Gly-101 to Gly-108, Pro-182 to Ala-200, Pro-210 to Met-216, Pro-235 to Gly-243.
830183	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1117 as residues: Pro-29 to Lys-37, Pro-40 to Val-47, Tyr-62 to His-67.
830194	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1118 as residues: Ala-43 to Lys-51, Glu-66 to Leu-74, His-81 to Glu-88, Arg-98 to Ser-105, Gly-111 to Gln-116, Leu-166 to Lys-182, Leu-261 to Ala-273, Glu-294 to Arg-302, Glu-335 to Asp-347.
830207	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1119 as residues: Pro-14 to Pro-48, Asp-55 to Gly-61, Lys-94 to Asn-99, Ala-107 to Ser-115, Ile-117 to Asn-124, Thr-133 to Cys-139, Thr-142 to Ile-147, Gly-163 to Ser-169.
830242	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1120 as residues: Glu-29 to Lys-34, Leu-151 to Gln-157, Arg-160 to Ser-171, Gln-177 to Pro-190.
830328	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1121 as residues: Pro-18 to Met-24, Glu-66 to Gln-78, Ala-85 to Arg-93, Glu-99 to His-108, Leu-114 to Asp-137, Pro-171 to Gln-176, Gly-205 to Leu-213.
830340	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1122 as residues: Gly-12 to Lys-18, Arg-46 to Glu-56, Leu-67 to Gly-73, Ala-91 to Tyr-112.
830341	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1123 as residues: Leu-14 to Gln-20, Asn-34 to Glu-41, Lys-193 to Asn-198.
830351	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1124 as residues: Pro-1 to Leu-13, Gly-42 to Pro-51, Arg-64 to Ala-69, Met-104 to Asp-109, Cys-125 to Trp-132, Asp-161 to Trp-175, Glu-206 to Glu-218.

830358	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1125 as residues: Cys-75 to Thr-81.
830400	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1127 as residues: Pro-1 to Gly-6, Arg-17 to Arg-33, Glu-151 to Trp-157, Ile-187 to Tyr-193, Lys-249 to Glu-258, Asn-289 to Ser-294, Pro-340 to Lys-353.
830437	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1128 as residues: Ala-87 to Ser-94, Asp-104 to Arg-112, Leu-114 to Asp-119, Ser-186 to Thr-202.
830466	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1130 as residues: Pro-14 to Ile-24, Thr-35 to Phe-42, Ser-45 to Asn-57, Pro-65 to Trp-89.
830497	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1131 as residues: Thr-1 to Leu-9, Ser-46 to Leu-56, Glu-117 to Lys-124, Pro-129 to Asp-135, Ala-144 to Gln-150, Gly-156 to Lys-162, Phe-182 to Pro-187, Pro-196 to Gln-201, Lys-217 to Asp-227.
830511	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1132 as residues: Lys-13 to Cys-44, Lys-101 to Arg-109, Gln-120 to Gly-129.
830540	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1135 as residues: Leu-31 to Lys-37, Arg-48 to Asn-54.
830550	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1136 as residues: Pro-8 to Cys-15, Val-80 to Cys-85.
830567	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1137 as residues: Lys-28 to Leu-33, Pro-60 to Ser-66.
830586	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1138 as residues: Pro-1 to Gln-15, Arg-33 to Leu-40, Arg-72 to Ser-78, Leu-98 to Asp-103, Phe-116 to Gly-124, Pro-152 to Arg-158, Thr-193 to Pro-200, Leu-213 to Phe-219, Asp-229 to Lys-237, Lys-246 to Lys-258, Arg-275 to Thr-280, Thr-306 to Lys-312, Leu-320 to Arg-328, Ala-335 to Asn-340, Gly-342 to Trp-349, Cys-364 to Pro-372.
830632	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1139 as residues: Ala-6 to Thr-14, Arg-143 to Lys-148.
830659	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1142 as residues: Thr-32 to Tyr-40, Ala-67 to Gln-82, Arg-128 to Thr-133, Leu-137 to Thr-146, Pro-187 to Ser-193.
830696	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1143 as residues: Glu-83 to Lys-91.
830743	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1145 as residues: Pro-11 to Phe-16, Thr-48 to Ser-60.
830770	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1146 as residues: Thr-36 to Thr-44.
830830	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1147 as residues: Lys-73 to Thr-78, Pro-84 to Pro-96, Lys-107 to Glu-124, Ile-142 to Cys-153, Asp-179 to Asn-184.
830838	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1148 as residues: Ser-17 to Arg-22, Gly-48 to Val-56, Asn-217 to Asp-223, Thr-238 to Asn-243.
830851	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1149 as residues: Arg-1 to Val-7, Ala-156 to Phe-162, Arg-216 to Lys-239.
830856	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1151 as residues: Trp-29 to Gly-35, Thr-41 to His-47, Val-95 to Lys-111.
830862	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1152 as residues: Arg-14 to Val-22, Ala-24 to Gly-35, Arg-37 to Lys-58, Ala-88 to Ala-94, Lys-164 to Ser-172.
830879	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1153 as residues: Cys-34 to Leu-44, Ser-60 to Gly-69, Asp-118 to Gly-123, Cys-148 to Gln-154.
830919	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1154 as residues: Pro-1 to Ser-41, Arg-53 to Pro-61, Arg-66 to Gln-132.

830969	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1155 as residues: His-17 to Pro-27, Phe-31 to Val-38, Gly-53 to Thr-62.
830991	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1156 as residues: Arg-1 to Pro-14, Ala-44 to Ser-56, His-69 to Lys-75, Gly-89 to Lys-98, Tyr-101 to Tyr-121, Pro-123 to Thr-131, Pro-149 to Gly-171, Tyr-186 to Glu-192.
831002	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1157 as residues: Glu-63 to Asn-73, Pro-114 to Tyr-122, Ser-194 to Glu-201, Ile-263 to Ser-269.
831003	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1158 as residues: Ile-9 to Leu-17, Asp-63 to Gly-70, Leu-112 to Ala-128.
831021	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1159 as residues: Asn-6 to Asp-12.
831036	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1160 as residues: Ser-6 to Ser-25, Tyr-37 to Lys-42, Arg-49 to Tyr-54, Pro-56 to Glu-61, Gln-72 to Cys-77, Lys-104 to Glu-110, Lys-134 to Met-142, Asp-147 to Arg-158, Arg-189 to Asn-194.
831071	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1161 as residues: Thr-41 to Arg-49, Glu-137 to Asp-142, Tyr-158 to Glu-163, Arg-184 to Thr-199, Arg-239 to Gly-253, Pro-297 to Gly-304, Pro-319 to Ile-327, Leu-347 to Val-356, Asn-435 to Leu-441, Asp-443 to Ser-452, Ala-457 to Thr-462, Asp-479 to Arg-484, Gly-510 to His-516, Glu-555 to Thr-565, Asp-597 to Ser-602, Thr-615 to Asp-622, Val-653 to Leu-661, Ala-684 to Arg-697, Ser-704 to Glu-712, Ala-731 to Ala-737, Lys-800 to Met-805.
831099	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1163 as residues: Leu-12 to Gly-18, Leu-93 to Ile-98, Lys-165 to Ser-183, Thr-198 to Lys-211, Glu-232 to Gly-237, Pro-239 to Gly-249, Arg-257 to Asp-278, Cys-292 to Glu-297, Arg-306 to Ser-316, Asp-323 to Asn-331, Glu-347 to Gly-354, Thr-365 to Asn-370, Pro-390 to Thr-396, Asn-420 to Ser-433, Val-440 to Gln-451, His-457 to Asp-465, Phe-533 to Met-538, Ala-540 to Tyr-550, Pro-560 to Lys-565.
831113	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1164 as residues: Ser-26 to Arg-33, Pro-51 to Thr-56, Cys-82 to Asp-94, Pro-104 to Gly-128.
831120	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1165 as residues: Ala-39 to Leu-47, Val-49 to Lys-55, Thr-66 to Asp-75, Thr-85 to Gly-104, Ala-114 to Gly-147, Pro-176 to Thr-199, Ser-205 to Ser-221, Glu-233 to Lys-240, Lys-246 to Asp-251, Glu-256 to Ser-267, Ser-291 to Leu-302, Thr-305 to Asp-324, Cys-336 to Val-345, Phe-367 to Cys-375.
831172	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1166 as residues: Pro-1 to Gly-7, His-119 to Gly-125, His-145 to Asp-151, Leu-173 to Leu-178.
831178	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1167 as residues: Glu-37 to Asn-42, Ser-48 to Thr-54, Pro-101 to Glu-106.
831184	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1168 as residues: Gln-1 to Pro-29.
831203	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1169 as residues: Thr-1 to Ser-6, Leu-10 to Asn-23, Gln-31 to Arg-36, Arg-43 to His-49, Ala-58 to Leu-63, Gln-81 to Asp-105, Glu-113 to Ile-122, Pro-132 to Lys-137, Ser-175 to Gln-181.
831257	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1173 as residues: Arg-87 to Leu-96, His-104 to Lys-112, Asp-144 to Pro-150.
831277	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1174 as residues: Arg-1 to Gly-13.
831317	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1175 as residues: Ser-97 to Lys-102, Thr-108 to Gly-119, Lys-151 to Gly-157, Pro-204 to Glu-210, Gln-224 to Gly-230, Val-238 to Cys-245, Met-279 to Asn-284, Gly-332 to Glu-349.
831339	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1176 as

	residues: Met-1 to His-19, Pro-21 to Pro-27, Ala-49 to Gly-59, Pro-82 to Ala-104.
831363	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1177 as residues: Thr-1 to Ser-14, Thr-82 to Pro-89, Met-102 to Ala-109, Phe-117 to Ile-124, Asp-142 to Arg-148, Thr-196 to Trp-205, Gln-304 to Leu-310, Gln-325 to Ser-331, Gly-387 to Thr-393, Ala-415 to Lys-430, Pro-469 to Pro-477, Gly-500 to Ile-506, Arg-521 to Gly-529, Pro-534 to Gly-541, Gln-553 to Lys-558, Ala-571 to Glu-579.
831385	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1180 as residues: Ser-1 to Thr-9, Ala-32 to Asn-37, Thr-40 to Tyr-49, Gln-71 to Thr-80.
831390	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1181 as residues: Trp-50 to Gly-55, Leu-109 to Val-119, Phe-146 to Asp-158, Ser-165 to Trp-172, Phe-192 to Ile-197, Leu-241 to Asp-252, Lys-268 to Pro-273, Ser-310 to Lys-315, Asp-334 to Ala-342, Pro-348 to Tyr-353.
831391	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1182 as residues: Ser-28 to Pro-38, Pro-45 to Cys-55, Leu-70 to Ser-77, Glu-98 to Phe-104, Asp-112 to Ser-122, Thr-152 to Lys-158.
831405	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1183 as residues: Asp-47 to Ser-55, Glu-86 to Cys-95, Glu-105 to Gly-113, Gln-133 to Asn-138, Arg-144 to Asp-156.
831476	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1185 as residues: Gln-28 to Gly-33, Asp-41 to Trp-47, Asn-51 to Ser-56, Ser-73 to Asn-83, Trp-111 to Asn-117, Leu-133 to Gln-138, Arg-143 to Tyr-150, Thr-156 to Glu-165.
831488	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1186 as residues: Glu-53 to Asn-59, Lys-97 to Phe-104, Lys-133 to Ala-138.
831519	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1188 as residues: Ser-17 to Gly-25, Thr-47 to Leu-59, His-71 to Arg-77, Pro-83 to Gln-90, Tyr-133 to Ser-143, Arg-160 to Gly-169, Pro-188 to Val-193, Glu-202 to Glu-208, Leu-283 to Arg-288, Glu-295 to Leu-301, Ala-327 to Leu-333, Ala-426 to Pro-433, Leu-444 to Leu-456, Asn-492 to Ala-498.
831550	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1190 as residues: Arg-1 to Gly-15, Ser-42 to Trp-51, Pro-59 to Arg-64.
831560	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1191 as residues: Arg-58 to Asp-64.
831570	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1193 as residues: Thr-61 to Cys-74, Gly-92 to Cys-104, Cys-128 to Ser-133, Asn-179 to Gly-186, Ser-198 to Cys-226, Asn-265 to Ser-274, Ser-280 to Ile-285, Ser-291 to Asp-297, Leu-305 to Gly-315, Phe-317 to Gly-333, Asp-336 to Leu-344, Phe-354 to Cys-361.
831596	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1195 as residues: Gln-80 to Gly-85.
831627	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1196 as residues: Arg-1 to Ser-12, Gly-94 to Thr-106, Ser-161 to Leu-169, Ser-183 to Val-188, Glu-199 to Cys-205, Ser-246 to Ile-251, Leu-271 to Thr-276.
831649	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1197 as residues: Tyr-32 to Lys-39.
831664	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1198 as residues: Lys-1 to Asp-42, Arg-71 to Ala-76, Gln-138 to Phe-145, Lys-170 to Thr-178, Cys-186 to Asp-192.
831684	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1200 as residues: Ile-135 to Ala-140, Tyr-151 to Asn-157, Ser-183 to Ile-190, Gly-196 to Lys-201, Lys-226 to Lys-232, Asn-246 to Thr-252, Asp-293 to Gly-300.
831687	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1201 as residues: Ala-56 to Tyr-63.
831726	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1202 as residues: Arg-3 to Arg-15, Lys-34 to Thr-39, Asn-41 to Lys-59, Ala-104 to Glu-110.
831762	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1204 as residues: Pro-83 to Leu-91, His-116 to Ala-122, Pro-141 to Ser-155.
831848	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1206 as

	residues: Gln-16 to Thr-23.
831861	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1207 as residues: Ala-20 to Lys-26, Pro-59 to Pro-67, Ser-104 to Thr-121, Gln-130 to Gln-136.
831866	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1208 as residues: Arg-11 to Ala-24, Ile-39 to Lys-45, Arg-76 to Pro-85, Lys-124 to Lys-130, Pro-139 to Ser-153, Ala-156 to Glu-170, Ser-179 to Thr-184, Asp-234 to Gly-244, Gly-321 to Lys-329.
831899	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1210 as residues: Asp-11 to Trp-16, Pro-37 to Thr-44, Pro-74 to Pro-82, Arg-112 to Gln-119, Cys-126 to Arg-138, Arg-199 to Thr-204.
831913	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1211 as residues: Pro-22 to Cys-27, Glu-54 to Glu-60, Asp-112 to Phe-117, Lys-183 to Asp-189, Gln-277 to Tyr-282, Pro-325 to Arg-331, Gly-336 to Tyr-346.
831985	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1213 as residues: Cys-7 to Asp-12, Pro-21 to Gly-26.
831986	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1214 as residues: Cys-1 to Ser-7, Ala-62 to Gly-72, Pro-83 to Ala-101.
832010	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1215 as residues: Leu-1 to Lys-21, Glu-39 to Cys-47, Lys-49 to Gln-61, His-64 to Gly-76, Thr-83 to Lys-90, His-92 to Ile-99.
832016	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1216 as residues: Phe-28 to Asn-33, Leu-55 to Tyr-80, Pro-126 to Gly-132, Pro-162 to Gly-169, Pro-194 to Arg-201.
832041	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1217 as residues: Lys-55 to Met-63, Arg-120 to Asp-132, Gly-266 to Glu-281, Val-313 to Thr-319, Leu-361 to Ser-370, Tyr-406 to Met-412, Leu-465 to Trp-470.
832049	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1219 as residues: Leu-80 to Lys-87, Lys-102 to Thr-109, Glu-195 to Thr-200, Thr-203 to Asp-209.
832122	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1220 as residues: Asn-29 to Phe-36, Asp-41 to Ser-50.
832197	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1222 as residues: Glu-61 to Leu-70.
832237	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1223 as residues: Lys-28 to Val-35, Arg-41 to Arg-55, Pro-76 to Thr-87.
832246	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1224 as residues: Arg-17 to Asn-23, Arg-90 to Gly-95, Leu-114 to Glu-121, Pro-153 to Asp-158.
832256	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1225 as residues: Gly-15 to Asn-22.
832280	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1226 as residues: Glu-1 to Trp-16, Ala-32 to Glu-38, Ala-49 to Gln-55, Pro-61 to Gln-66, Ala-78 to Asp-100, Leu-107 to Thr-127, Pro-133 to Phe-157, Pro-160 to Thr-171, Leu-179 to Asp-196, Asp-201 to Lys-222, Pro-249 to Ile-254, Val-258 to Val-263, Thr-268 to Ser-277, Thr-279 to Ala-295, Gly-299 to Phe-327, Val-335 to Asp-346, Lys-366 to Asp-378.
832285	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1227 as residues: Phe-18 to Leu-23.
832294	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1228 as residues: Pro-21 to Gln-28, Pro-56 to Leu-64, Glu-79 to Pro-95, Met-125 to Gly-138.
832326	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1229 as residues: Ser-30 to Trp-45, Gln-64 to Cys-72, Pro-74 to Pro-80, Ala-92 to Arg-98, Trp-104 to Ser-112, Ser-129 to Asp-135, Pro-145 to Gln-152, Arg-168 to Gly-173, Gln-176 to Pro-183.
832370	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1232 as residues: Ala-5 to Ala-11, Pro-23 to Pro-36, Glu-72 to Gly-82, Pro-85 to Pro-91, Asp-

	98 to Glv-119, Pro-121 to Glu-127.
832381	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1233 as residues: Arg-1 to Glu-6, Arg-52 to Ala-58, Phe-72 to Leu-79, Gly-88 to Glu-93, Tyr-124 to Arg-134.
832454	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1235 as residues: Ala-23 to Asp-41.
832465	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1236 as residues: Ala-1 to Gly-7, Ala-32 to Val-45, Ile-65 to Ser-75, Ser-93 to Ser-108.
832475	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1237 as residues: Arg-1 to Val-10, Thr-65 to Ser-71, Arg-83 to Tyr-96, Trp-104 to Trp-111.
832495	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1238 as residues: Arg-9 to Arg-14.
832498	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1239 as residues: Pro-26 to Asp-31, Thr-113 to Gly-125, Asn-158 to Glu-163, Asn-288 to Val-293.
832501	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1240 as residues: Ser-8 to Glu-13.
832505	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1241 as residues: Ala-27 to Arg-46, Pro-54 to Arg-76, Arg-134 to Lys-140, Asn-148 to Ser-154, Lys-166 to Thr-172, Pro-175 to Gln-182, Asp-185 to Asp-192.
832554	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1243 as residues: Arg-26 to Val-31, Asn-122 to Thr-128.
832569	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1244 as residues: Gln-6 to Met-16.
832578	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1245 as residues: Arg-15 to Leu-27, Ser-62 to Gly-72, Pro-107 to His-112, Pro-122 to Gln-142, Glu-147 to Arg-158, Lys-177 to Lys-191, Leu-195 to Val-202, Leu-206 to Pro-218, Glu-228 to Gln-233, Asp-239 to Asp-244, Glu-258 to Gln-278.
832615	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1246 as residues: Gln-41 to Ala-48.
832632	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1248 as residues: Asn-60 to Val-70, Glu-93 to Trp-107, Arg-116 to Gln-125, Leu-133 to Lys-141, Lys-162 to Glu-167.
832633	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1249 as residues: Gly-8 to Trp-13, Pro-36 to Gly-41, Pro-91 to Ala-96.
834859	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1252 as residues: Tyr-16 to Leu-22, Asp-24 to Asp-34, Gly-43 to Ala-48, Gly-57 to Thr-68, Gly-118 to Ser-127, Ile-129 to Tyr-134, Pro-139 to Asp-162.
834861	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1253 as residues: Glu-14 to Glu-50, Glu-67 to Asp-74, Leu-89 to Asn-95.
834890	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1254 as residues: Arg-8 to Lys-13, Gly-35 to Lys-42, Ala-48 to Lys-54, Ala-105 to Leu-110, Gly-150 to Val-157, Phe-164 to Asn-173.
835079	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1255 as residues: Ser-53 to Pro-60.
835554	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1256 as residues: Ile-31 to Ile-38, Asp-116 to Arg-121, Phe-246 to Leu-251, Lys-280 to Tyr-291, Met-363 to Arg-373, Gly-381 to Trp-386.
835723	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1258 as residues: Glu-20 to Thr-26, Trp-47 to Ser-57, Pro-98 to Asn-105, Pro-124 to Phe-129, Ala-173 to Val-183, Lys-190 to Ser-196, Asn-277 to Asn-284, Glu-297 to Phe-306, Thr-322 to Lys-327, Gln-372 to Val-383, Pro-387 to Gly-395, Ser-406 to Thr-415, Arg-432 to Thr-442.
835791	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1259 as residues: Ala-4 to Gly-10.
835817	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1260 as

	residues: Glu-37 to Leu-43.
835840	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1261 as residues: Gln-1 to Asn-6, Pro-18 to Ile-31.
836048	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1262 as residues: Lys-1 to Lys-11, Tyr-27 to Glu-35, Glu-61 to Gly-68.
836898	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1263 as residues: Gln-94 to Lys-102, Gly-140 to Thr-154, Arg-173 to Asp-196, Thr-201 to Asp-206, Glu-241 to Gly-248.
836927	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1264 as residues: His-1 to Arg-12.
837344	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1265 as residues: Pro-15 to Ile-24.
837789	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1266 as residues: Ser-1 to Trp-7, Asp-47 to Ile-52, Pro-70 to Ser-80, Cys-89 to Thr-98, Ala-131 to Ser-142, Phe-169 to Cys-176, Gly-183 to Ser-193, Phe-202 to Pro-209, Arg-243 to Ala-249, Ser-256 to Lys-265, Arg-277 to Asp-284.
838754	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1268 as residues: Phe-27 to Ser-37, Tyr-91 to Arg-96, Pro-156 to Gln-164, Cys-207 to Val-216, Met-242 to Tyr-251.
839561	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1271 as residues: Arg-2 to Gly-7, Arg-16 to Gln-22, Phe-41 to Gly-49, Ala-60 to Asn-74, Leu-125 to Gln-131, Asp-170 to Pro-175, Ala-209 to Arg-218, Glu-222 to Glu-258, Ala-265 to Ser-300.
839816	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1272 as residues: His-32 to Arg-37, Ser-42 to Ser-48, Glu-77 to Glu-88.
840068	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1273 as residues: Ala-1 to Gln-14.
840279	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1274 as residues: Ala-1 to Asp-15.
840538	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1276 as residues: Ala-8 to Pro-13, Pro-18 to Gln-26, Lys-107 to Pro-114, Ala-149 to Arg-157, Ile-294 to Leu-299, Ser-356 to Pro-363, Pro-384 to Phe-392, Ala-474 to Gly-481, Ala-489 to Tyr-494, Pro-512 to Lys-517, Arg-623 to Thr-630, Lys-673 to Ser-678, Thr-703 to His-709, Arg-714 to Arg-720, Gly-755 to Glu-766.
840549	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1278 as residues: Ala-5 to Lys-15, Pro-28 to Gln-34, Tyr-105 to His-111, Gln-150 to Cys-157.
840557	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1280 as residues: Gly-34 to Leu-40, Thr-125 to Gly-134, Ala-148 to Arg-156, Lys-196 to Lys-215.
840561	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1281 as residues: Ser-21 to Phe-30.
840562	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1282 as residues: Gln-33 to Arg-41, Tyr-66 to Glu-71, Thr-112 to Gly-118, Thr-141 to Gly-148, Thr-160 to Cys-168, Arg-171 to Gly-177, Thr-180 to Pro-191, Glu-217 to Asp-225, Asp-236 to Lys-243.
840564	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1283 as residues: Val-13 to Pro-19, Gln-34 to Gly-39.
840600	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1285 as residues: Leu-26 to Ile-39.
840620	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1288 as residues: Ser-17 to Ser-26, His-32 to Gly-42, Thr-78 to Gln-83, Asp-130 to Leu-136, Arg-158 to Pro-164.
840626	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1290 as residues: Phe-7 to Tyr-13, Pro-19 to Ala-35, Asp-87 to Leu-96, Lys-98 to Glu-105, Glu-120 to Leu-133.
840638	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1291 as



	residues: Gly-8 to Leu-13, Gly-21 to Ser-31, Arg-45 to Arg-54.
840649	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1292 as residues: Asn-30 to Thr-37, Asp-44 to Lys-52, Ser-71 to Asp-80, Glu-127 to Glu-133, Arg-162 to Ala-173, Glu-191 to Leu-199.
840651	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1293 as residues: Gly-14 to Glu-38, Asn-90 to Lys-100, Lys-150 to Val-158, Ser-166 to Gly-175.
840681	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1295 as residues: Thr-25 to Gly-31, Pro-86 to Trp-97, Ser-132 to Phe-138.
840682	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1296 as residues: Arg-12 to Lys-19, Asn-30 to Gly-36, Asp-50 to Gly-57, Glu-64 to Thr-69, Thr-79 to Lys-91, Gln-110 to Thr-115, Arg-223 to Gln-229, Asp-255 to Asp-260, Arg-278 to Gly-287, Glu-294 to Gln-300, Glu-433 to Glu-451, Leu-474 to Glu-479, Asp-490 to Leu-498, Gln-519 to Asp-527, Tyr-566 to Asp-575.
840684	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1297 as residues: Pro-1 to Ala-9, Val-56 to Val-63, Gly-86 to Glu-91.
840697	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1298 as residues: Pro-9 to Arg-15, Pro-36 to Ser-42, Ser-65 to Phe-72, Gly-99 to Ser-105, Ala-122 to Phe-129.
840698	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1299 as residues: Thr-75 to Pro-84, His-94 to Met-99, Asp-149 to Ile-168, Asn-370 to Asn-375, Ser-384 to Lys-392, His-427 to Tyr-438.
840708	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1300 as residues: Ala-27 to Ser-36.
840714	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1301 as residues: Gly-1 to Gly-20, Arg-54 to His-59, Asn-89 to Leu-95, Ser-119 to Lys-125, Trp-127 to Cys-133, Gln-175 to Gln-185, Asp-213 to Lys-222, Pro-267 to Gln-275, Asp-306 to Asp-313, Thr-321 to Cys-331.
840716	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1302 as residues: Asn-40 to Thr-45, His-210 to Pro-215, Glu-369 to Thr-375, Lys-383 to Leu-397, Pro-438 to Ile-447, Pro-510 to Tyr-520, Arg-528 to Arg-533, Thr-549 to Thr-555.
840721	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1303 as residues: Arg-1 to Arg-7, Pro-29 to Lys-56, Asp-103 to Arg-108, Tyr-122 to Ser-127, Gly-219 to Glu-227, Asp-250 to Glu-255, Glu-294 to Pro-301, Ala-321 to Tyr-327, Arg-367 to Pro-373, Glu-396 to Asn-405, Gly-411 to Arg-418, Asn-433 to Lys-441.
840735	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1304 as residues: Glu-1 to Gly-11, Thr-20 to Asp-40, Gly-51 to Glu-61, Ala-64 to Leu-78, Leu-82 to Arg-94.
840738	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1305 as residues: Gln-26 to Asn-34.
840745	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1306 as residues: Gln-7 to Gly-12, Leu-60 to Pro-65, Arg-85 to Lys-99, Ser-132 to Pro-145, Pro-150 to Asp-155, Pro-183 to Asn-193, Arg-200 to Tyr-206.
840747	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1307 as residues: Gln-1 to Asp-15, Ile-35 to Glu-41, Leu-66 to Asn-71, Leu-73 to Pro-79, Gln-87 to Lys-94, Val-117 to Arg-123, Pro-144 to Tyr-150.
840756	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1308 as residues: Arg-8 to Gln-19, Arg-25 to Lys-38.
840776	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1309 as residues: Val-2 to Pro-10, Ser-28 to Ala-33, Pro-39 to Tyr-44, Thr-46 to Trp-55, Ser-64 to Ser-72, Ala-103 to Pro-109, Pro-111 to Gln-118.
840784	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1310 as residues: Pro-9 to Gly-20, Asn-32 to Leu-42, Asn-60 to Lys-70, Pro-76 to Gln-81, Glu-86 to Val-93, Arg-106 to Arg-111, Lys-176 to Asn-183.
840788	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1311 as residues: Ser-1 to Gln-8, Val-40 to Ser-49, Arg-105 to Lys-110.

840794	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1312 as residues: Arg-1 to Gln-14, Arg-43 to Glu-54.
840797	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1313 as residues: Gly-1 to Arg-9, Asn-31 to Asp-37, Arg-44 to Asn-53, Gly-62 to Lys-77, Thr-123 to Ile-137, Gly-389 to Thr-394, Lys-486 to Asn-493, Glu-512 to Phe-520, Met-555 to Lys-560, Leu-618 to Ser-623, Ile-698 to Glu-706, Gly-723 to Leu-730, Ala-773 to Gln-790.
840818	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1315 as residues: Pro-1 to Ile-12, Asp-30 to Tyr-35, Leu-38 to Pro-45, Lys-54 to Thr-60, Thr-75 to Leu-80, Asp-92 to Tyr-100, Ile-133 to Thr-138, Thr-194 to Glu-199, Asp-233 to Leu-239, Met-243 to Ala-251, Asp-254 to Glu-261.
840822	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1316 as residues: Val-100 to Tyr-106, Ala-127 to His-135, Gln-153 to Lys-158, Gly-214 to Glu-219, Gln-236 to His-244, Lys-253 to Tyr-258.
840846	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1318 as residues: Ala-20 to Thr-27, Glu-47 to Tyr-57, Tyr-87 to Lys-95, Pro-121 to Ala-127, Pro-208 to Ala-224.
840848	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1319 as residues: Arg-77 to Asn-82, Glu-119 to Arg-124, Gln-156 to Thr-162, Lys-209 to Lys-215.
840860	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1320 as residues: Ile-27 to Asp-41, Glu-43 to Ala-58, Glu-149 to Glu-154, Lys-158 to Ile-165, Glu-167 to Gly-189, Glu-242 to Phe-247, Arg-259 to Phe-268, Ile-283 to Val-291, Thr-295 to Thr-307, Glu-328 to Asp-338, Asp-372 to Gly-387.
840871	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1322 as residues: Gly-31 to Tyr-38, Leu-40 to Leu-45, Pro-203 to Trp-208.
840874	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1323 as residues: Ala-23 to Gly-28.
840878	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1324 as residues: Thr-40 to Glu-46, Pro-69 to Arg-76, Glu-108 to Asp-150.
840880	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1325 as residues: Ser-5 to Lys-14, Phe-32 to Gln-37.
840884	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1326 as residues: Leu-4 to Ser-10.
840926	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1328 as residues: Met-6 to Thr-15, Ser-17 to Phe-37, Ser-148 to Lys-154, Lys-260 to Phe-276, Glu-285 to Ile-292, Lys-410 to Asp-424.
840932	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1329 as residues: Tyr-75 to Pro-83, Ile-181 to Gln-191, Glu-267 to Leu-275, Met-301 to Ala-307, Phe-322 to Gln-328, Met-371 to Gly-381, Gln-458 to Leu-463, Glu-474 to Lys-480, Lys-551 to Ser-558.
840940	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1330 as residues: Ser-26 to Thr-34, Thr-80 to Lys-88.
840947	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1331 as residues: Ile-1 to Arg-11, Pro-19 to Gln-46, Ala-55 to Pro-62, Cys-65 to Cys-82, Lys-93 to Pro-108.
840964	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1333 as residues: Ser-41 to Cys-46.
840979	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1334 as residues: Tyr-10 to His-27, Tyr-31 to Arg-41, Thr-44 to Leu-61, Cys-68 to Phe-73, Lys-98 to Glu-106, Gln-132 to Val-142, Glu-184 to Leu-191.
840984	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1335 as residues: Arg-38 to Gln-48, Met-137 to Asn-144, Gln-167 to Gln-172, Lys-182 to Gln-189, Gln-196 to Glu-206, Ile-210 to Glu-223, Gln-225 to Arg-246, Glu-250 to Thr-269, Gln-296 to Ile-318, Arg-323 to Glu-328, Tyr-337 to Lys-343, Glu-349 to Thr-357, Ser-393 to Glu-403, Arg-405 to Ile-427, Arg-431 to Glu-442, Leu-446 to Lys-473, Glu-475

	to Leu-486, Ile-488 to Asp-503, Ser-505 to Arg-623, Ala-625 to Asn-631, His-634 to Trp-792, Gly-799 to Gly-870, Arg-872 to Glu-929, Ser-931 to Pro-954, Ala-957 to Ala-977, Glu-982 to Trp-1000.
840986	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1336 as residues: Asp-41 to Tyr-51.
840988	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1337 as residues: Pro-17 to Leu-31, Ser-95 to Val-100, Lys-123 to Gly-129.
840990	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1338 as residues: Met-9 to Glu-16, Glu-41 to Trp-47, Arg-55 to Glu-62, Asp-135 to Ile-146, Gly-154 to Gly-160, Met-207 to Phe-214, Ser-245 to Lys-252, Gln-282 to Gln-288.
841009	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1340 as residues: Glu-12 to Thr-27, Met-45 to Asn-52, Tyr-79 to Thr-87, Asp-97 to Gly-102, Met-112 to Asp-120, Pro-141 to Tyr-155.
841012	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1341 as residues: Lys-36 to Ile-44, Arg-49 to Lys-69.
841016	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1342 as residues: Cys-75 to His-82, Asp-126 to Tyr-135, Pro-144 to Tyr-155, Gly-179 to Trp-198, Tyr-201 to Met-208, Pro-226 to Lys-234, Gln-249 to Asp-267.
841017	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1343 as residues: Gln-1 to Trp-19.
841021	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1344 as residues: Glu-58 to Gly-63, Leu-75 to Leu-82.
841032	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1345 as residues: Pro-1 to Gly-13, Pro-30 to Ser-57, Gln-61 to Thr-77, Arg-82 to Thr-88, Pro-100 to Lys-105, Gly-119 to Gly-126.
841051	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1346 as residues: Asn-1 to Lys-6, Thr-16 to Glu-21, Asn-45 to Ser-58, Asp-68 to Ser-75.
841064	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1347 as residues: Asp-53 to Pro-58, Glu-78 to Lys-85, Pro-95 to Arg-102, Ser-142 to Arg-148, Lys-209 to Arg-214, Lys-241 to Gly-246, Ser-287 to Leu-292, Lys-307 to Val-313, Arg-389 to Gln-394.
841069	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1348 as residues: Thr-1 to Trp-14, Lys-27 to Leu-44, Glu-59 to Arg-73, Lys-87 to Phe-95, Pro-160 to Asn-166, Leu-212 to Ile-220, Arg-236 to Asp-243.
841072	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1349 as residues: Pro-7 to Arg-12, Phe-71 to Gln-76, Arg-82 to Asp-98, Ala-108 to Glu-128.
841078	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1350 as residues: Arg-32 to Ala-39.
841080	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1351 as residues: Glu-1 to Gly-7, Glu-25 to Gly-33, Ala-54 to Phe-60, Gly-64 to Gln-108, Glu-116 to Ser-122, Pro-130 to Asn-138, Gln-141 to Lys-153, Arg-164 to Ser-172, Leu-186 to Met-194, Pro-197 to Tyr-205, Asp-218 to Lys-229, Thr-236 to Ser-246, Ala-259 to Trp-266, Pro-281 to Pro-287, Cys-291 to Gln-298.
841092	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1353 as residues: Glu-45 to Lys-50.
841095	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1354 as residues: Lys-1 to Ser-19, Gly-33 to Gly-63, Gly-77 to Pro-89, Ser-164 to Ser-180, Ser-233 to Lys-238, Lys-267 to Leu-286.
841096	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1355 as residues: Gly-5 to Leu-12, Tyr-18 to Asp-25, Ile-88 to Ala-125, Ser-129 to Tyr-141, Gln-191 to Gln-196, Thr-290 to Asn-296, Thr-301 to Thr-309, Leu-360 to Ala-365, Leu-367 to Gly-378, Pro-398 to Gly-418, Pro-443 to Gly-454.
841102	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1356 as residues: Ser-61 to Leu-71.
841108	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1358 as residues: Ala-8 to Leu-20, Lys-27 to Arg-33, Arg-40 to Ala-50, Asp-77 to Glu-84,

	Asn-99 to Gly-109.
841119	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1360 as residues: Lys-6 to Ala-14, Ile-68 to Asn-73, Val-84 to Leu-90, Glu-110 to Val-116, Leu-182 to Gly-190, Tyr-264 to Phe-270, Ile-300 to Lys-306, Pro-354 to Glu-367.
841124	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1361 as residues: Ser-21 to Thr-26.
841143	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1363 as residues: Thr-1 to Lys-9, Pro-20 to Gly-27, Gly-29 to Gly-52, Arg-54 to Gly-61, Gly-69 to Gly-75, Ser-79 to Gly-96, Val-130 to Arg-135, His-207 to Asp-212, Val-296 to Leu-310, Arg-327 to Asn-334.
841148	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1364 as residues: Pro-1 to Met-43, Pro-55 to Ala-66, Pro-118 to Glu-128, Arg-181 to Lys-192, Tyr-197 to Thr-207, Trp-278 to Cys-284, Arg-334 to Asp-349.
841155	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1367 as residues: Gly-9 to Arg-24, Glu-69 to Met-74, Leu-86 to Leu-92, Asp-95 to Arg-115.
841163	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1370 as residues: Gly-29 to Gly-35, Ala-37 to Ala-48, Arg-97 to Thr-102, Arg-114 to Leu-119, Lys-144 to Lys-155.
841169	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1371 as residues: Ala-31 to Thr-69, Pro-90 to Pro-95, Pro-117 to Trp-126, Pro-128 to Arg-136.
841172	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1372 as residues: Gly-17 to Arg-35, His-76 to Pro-90, Pro-92 to Cys-103.
841174	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1373 as residues: Arg-1 to Arg-8, Arg-14 to Phe-19.
841179	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1374 as residues: Leu-4 to Met-10, Leu-17 to Tyr-36, Arg-38 to Asp-63, Tyr-82 to Glu-90, Pro-97 to Gly-134, Arg-137 to Pro-148, Thr-160 to Lys-171, Tyr-183 to Asn-228, Gln-249 to Asn-258, Arg-263 to Glu-271, Arg-277 to Gln-296, Phe-298 to Asp-320, Glu-322 to Lys-329, Thr-337 to Thr-343, Glu-356 to Arg-363, Gly-371 to Asp-384.
841183	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1375 as residues: His-1 to Ser-27, Arg-60 to Arg-73, Arg-96 to Asp-124, Asp-131 to Gly-143, Lys-145 to Glu-150.
841186	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1376 as residues: Leu-7 to Val-18, Ser-27 to Pro-57, Arg-124 to Thr-135, Pro-212 to Ser-230, Gly-282 to Lys-287, Lys-441 to Lys-448.
841204	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1377 as residues: Lys-29 to Arg-35, Glu-81 to Arg-87, Ala-251 to Glu-261, Thr-266 to Gly-271, Thr-289 to Glu-295, Gly-328 to Tyr-334, Phe-432 to Lys-438, Asn-440 to Trp-458.
841206	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1378 as residues: Val-17 to Pro-25, Thr-55 to Asp-70, Lys-75 to Leu-81.
841207	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1379 as residues: Pro-9 to Glu-15, Arg-22 to Trp-32, Ser-54 to Glu-62, Asn-92 to Gly-103.
841211	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1380 as residues: Arg-7 to Gly-12, Met-42 to Ser-58, Gln-65 to Asn-73, Glu-91 to Ala-99, Pro-103 to Tyr-109, Arg-174 to Ala-179, His-189 to Gln-196, Asn-208 to Pro-219.
841225	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1381 as residues: Ala-32 to Ala-40, Glu-93 to Phe-103, Lys-173 to Thr-189.
841237	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1383 as residues: Arg-2 to Gln-12, Lys-76 to Ala-86, Tyr-155 to Lys-163, Glu-228 to Leu-234, Lys-263 to Lys-273, Ile-286 to Lys-296.
841241	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1384 as residues: Asp-41 to Ile-52, Thr-59 to Lys-64, Glu-75 to Asn-89, Thr-99 to Thr-105.
841259	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1385 as residues: His-1 to Cys-22, Pro-24 to Pro-30, Tyr-84 to Ser-90, Ser-108 to Glu-118, Val-126 to Arg-143, Asp-175 to Gln-181, Ser-217 to Gly-224, Cys-262 to Cys-270.

	Tyr-296 to Glu-302, Thr-317 to Thr-324, Gln-341 to Gln-348, Trp-394 to Pro-399.
841260	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1386 as residues: Ala-25 to Glu-32, Ala-48 to Phe-53, Ser-69 to Ser-76, Asp-80 to Glu-86, Ser-125 to Ser-132, Ser-168 to Glu-179, Asn-201 to Ala-206, Lys-216 to Ile-246, Met-259 to Asn-272, Tyr-277 to Gln-287.
841264	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1387 as residues: Met-34 to Gly-50, Asp-69 to Trp-90, Asp-99 to Lys-107, Val-164 to Thr-170.
841311	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1389 as residues: Arg-4 to Val-15.
841313	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1390 as residues: His-6 to Gly-16, Gly-60 to Pro-95, Pro-125 to Gly-131, Gly-138 to Ala-147, Gln-173 to Glu-178.
841322	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1392 as residues: Lys-6 to Arg-23, Ser-74 to Arg-86, Lys-116 to Lys-122, Ser-127 to His-133, Ser-269 to Pro-275, Glu-344 to Phe-350, Gly-356 to His-362.
841331	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1393 as residues: Ser-45 to Lys-67, Asp-155 to Asp-172, Gln-193 to Ile-199, Gln-271 to Glu-285.
841332	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1394 as residues: Glu-8 to Ser-13, Lys-20 to Glu-27, Arg-81 to Ser-94, Thr-147 to Ile-154, Asn-200 to Glu-212, Asn-235 to Gly-244, Leu-433 to Thr-439, Pro-444 to Asn-455, Ser-470 to Asp-476, Ser-492 to Met-499, Glu-535 to Pro-547, Glu-703 to Thr-709, Glu-719 to Thr-726, Asn-802 to Leu-807, Asn-820 to Arg-825, Lys-830 to Tyr-836, Thr-838 to Thr-850, Ser-882 to Ser-894, Lys-944 to Gly-952, Gly-969 to Val-977, Glu-984 to Asn-990, Arg-996 to Lys-1001, Pro-1032 to Leu-1039, Thr-1050 to Gly-1058, Val-1103 to Arg-1108, Pro-1160 to His-1169, Tyr-1180 to Ser-1187, Glu-1211 to Ser-1217, Pro-1277 to Leu-1282.
841338	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1395 as residues: Ser-13 to Ser-18, Phe-48 to Ser-54.
841345	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1396 as residues: Trp-83 to Thr-89, Ser-135 to Asn-140, Ser-185 to Cys-190, Tyr-209 to Glu-220, Val-224 to Glu-232, Leu-258 to Asn-263, Ser-306 to Asn-312, Thr-319 to Glu-327, Thr-365 to Ile-373, Gly-417 to Cys-429, Lys-439 to Val-445, Lys-464 to Leu-469, Leu-477 to Asn-485, Arg-546 to Val-554, Glu-598 to Gly-607, Pro-634 to Ser-639, Asn-730 to Ala-746, Lys-812 to Gln-817, Glu-819 to Lys-835, Leu-867 to Asn-875, Leu-902 to Arg-910.
841349	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1397 as residues: Asp-13 to Arg-18, Pro-36 to Arg-43, Gly-66 to Ser-74, Gly-87 to Lys-92, Asp-110 to Glu-115.
841417	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1399 as residues: Leu-102 to Ile-111, Pro-131 to Ile-337, Thr-339 to Asp-376.
841632	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1401 as residues: Arg-13 to Gly-40, Arg-46 to Glu-52, Gln-55 to Lys-69.
841771	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1403 as residues: Pro-22 to Gly-30, Asp-45 to Gln-56, Ser-67 to Ser-73.
841827	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1404 as residues: Thr-1 to Ser-20.
841835	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1405 as residues: Tyr-5 to Lys-13, Cys-52 to Arg-61, Cys-85 to Ala-91, Gly-122 to Asn-127.
842259	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1406 as residues: Pro-16 to Gly-23, Glu-37 to Pro-45, Gly-52 to Ser-57.
842463	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1407 as residues: Cys-74 to Tyr-79.
842595	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1408 as residues: Pro-93 to Ala-105, Ser-133 to Ser-142, Arg-150 to Glu-155, Lys-220 to Trp-

	226, Glu-257 to Lys-271, Gln-280 to Leu-289.
842722	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1409 as residues: Glu-9 to Arg-20, Ser-48 to Lys-56, Ile-69 to Glu-81, Pro-83 to Lys-89, Lys-94 to Ile-99, Pro-104 to Gly-110, Glu-116 to Asp-133, Ile-140 to Ser-154, Gln-206 to His-217, Pro-219 to Leu-231, Arg-237 to Lys-243, Gln-247 to Pro-256, Leu-271 to Thr-283, Lys-289 to Lys-294, Ser-338 to Lys-355, Gly-375 to Thr-381, Ser-428 to Pro-454, Gly-460 to Gln-467, Lys-480 to Lys-488.
842818	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1411 as residues: Ala-25 to Ala-30, Lys-32 to Ala-51, Gln-61 to Ala-68, Glu-83 to Lys-91, Phe-99 to Glu-105, Glu-123 to Gly-129.
843251	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1412 as residues: Pro-30 to Ser-40, Lys-47 to Thr-52, Val-59 to Pro-64, Lys-129 to Arg-134, Leu-169 to Asp-177.
843422	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1413 as residues: Thr-9 to Lys-20, Lys-25 to Cys-31, Pro-33 to Tyr-42, Asn-76 to Lys-84, Leu-102 to Trp-112.
843784	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1414 as residues: Leu-16 to Thr-24, Glu-41 to Gln-47, Lys-64 to Cys-72, Thr-87 to Ser-100, Pro-130 to Asn-143, Thr-163 to Asp-170.
844017	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1415 as residues: Leu-11 to Ile-17, Leu-30 to Met-45.
844138	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1416 as residues: Lys-19 to Thr-28, Arg-47 to Gln-52, Leu-73 to Leu-81, Asp-122 to Phe-131, Ala-135 to Ser-148, Pro-155 to Asp-163, Ser-184 to His-191, Leu-219 to Asn-225, Asp-238 to Thr-248, Pro-253 to Cys-259, Cys-356 to His-368, Ser-426 to Gly-435, Pro-467 to Cys-478, Glu-504 to Cys-509, His-553 to Gly-568, Ala-581 to Cys-586, Ala-595 to Cys-600, Arg-602 to Trp-608.
844194	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1418 as residues: Pro-23 to Arg-31, Gln-79 to Gln-85, Cys-93 to Cys-107, Pro-216 to Leu-222.
844394	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1419 as residues: Arg-1 to Phe-11.
844450	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1420 as residues: Ser-37 to Trp-43, Pro-47 to Thr-55, Arg-60 to Lys-69, Tyr-125 to His-131, Pro-187 to Lys-195, Gly-346 to Lys-351.
844535	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1422 as residues: Asp-8 to Ala-18, Ser-47 to Ala-52, Thr-62 to Arg-69, Pro-119 to Asp-126, Trp-164 to Thr-170, Ala-206 to Ala-213, Pro-230 to Gly-235, Lys-304 to Lys-314, Lys-341 to Val-347, Tyr-387 to Thr-398.
844644	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1423 as residues: Ala-9 to Asp-16, Asn-78 to Tyr-86.
844653	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1424 as residues: Arg-1 to Gly-8, Ala-30 to Gln-36.
844796	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1426 as residues: His-12 to His-22.
844812	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1427 as residues: Gly-281 to Arg-290, Ala-349 to Ser-355, Glu-378 to Asp-388.
844894	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1428 as residues: Pro-2 to Phe-8, Ser-13 to Ala-34, Pro-37 to Phe-43, Lys-63 to Gly-73, Cys-88 to Asp-93, Gly-98 to Trp-103, Cys-273 to Ile-287, Ile-290 to Ser-296.
845361	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1429 as residues: Met-10 to Ile-21, Glu-108 to Lys-122, Lys-272 to Gly-280, Gly-298 to Lys-304, Trp-364 to Lys-369.
845620	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1430 as residues: Thr-62 to Ala-67, Leu-96 to Glu-101, Cys-184 to Trp-190.
845639	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1431 as residues: Arg-41 to Arg-48, Met-72 to Val-79, Gln-81 to Trp-89, Ala-96 to Asp-101,

	Arg-110 to Gly-118, Asn-126 to Arg-135, Ala-144 to Asp-149, Leu-199 to Lys-213, Gln-245 to Glu-256, Arg-261 to Thr-267.
845660	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1432 as residues: Gly-5 to Leu-17, Arg-19 to Arg-29, Pro-36 to Arg-50, Arg-60 to Pro-67, Gln-133 to Leu-150, Gln-168 to Phe-187, Pro-189 to Gln-194, Asp-240 to Gly-251, Thr-308 to Cys-317, Val-325 to Glu-331, Leu-354 to Pro-369, Lys-381 to Cys-388, Arg-410 to Phe-417.
845720	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1433 as residues: Thr-1 to Glu-11, Arg-21 to Pro-27, Pro-44 to His-49, Glu-56 to Leu-69, Ala-74 to Gly-80, Phe-82 to Pro-87.
845897	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1435 as residues: Gly-1 to Ser-9, Gly-31 to Ser-38, Arg-52 to Val-68, Leu-71 to Glu-84.
845922	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1436 as residues: Asn-1 to Pro-6, Pro-29 to Gln-36, Glu-95 to Arg-100, Pro-150 to Met-157, Ser-272 to Tyr-278, Gly-289 to Arg-294, Lys-397 to Ser-403.
846040	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1438 as residues: Cys-6 to Ser-16, Glu-52 to Tyr-58, Asn-144 to Lys-153.
846073	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1439 as residues: Arg-6 to Thr-16, Ile-43 to Gln-48, Leu-131 to Gly-139, Gly-147 to Asp-155, Asp-191 to Asp-198, Gly-204 to Thr-214.
846257	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1440 as residues: Lys-24 to Phe-44, Arg-58 to Gly-64, Ser-69 to Val-75, Lys-83 to Leu-90, Lys-93 to Glu-106.
HTXPN06R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1441 as residues: Gly-1 to His-8.
HWAFU16R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1443 as residues: Ile-29 to Lys-34.
HOEMT44R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1445 as residues: Asp-73 to Lys-79.
HE2OW04R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1446 as residues: Cys-1 to Asn-6, Met-41 to Thr-51, Lys-77 to Thr-82.
HFCFG25R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1447 as residues: Lys-29 to Ile-37, Arg-42 to Lys-47.
HAPQP94R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1448 as residues: Pro-18 to Arg-23, Ala-43 to Ser-48.
H2CB137R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1449 as residues: Gly-5 to Lys-19, Phe-26 to Trp-31.
HCRNC25R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1451 as residues: Leu-2 to Asn-8.
H2LAY26R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1453 as residues: Pro-20 to His-36.
HAPQA06R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1454 as residues: Tyr-15 to Ala-22, Ser-68 to Gly-74.
HBGOK18R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1456 as residues: Gly-1 to Tyr-6, Asp-40 to Thr-47, Lys-91 to Glu-97.
HTWKF26R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1458 as residues: Gly-31 to Gly-39.
HTAHR89R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1459 as residues: Asp-73 to Gly-78.
HOELC27R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1461 as residues: Asn-19 to Gln-25, Arg-33 to Ala-42, Pro-92 to Lys-99.
HWLVW62R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1463 as residues: Lys-6 to Phe-13, His-25 to Ser-30, Glu-35 to Ala-41, Pro-57 to Gly-62.
HFKHD94R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1465 as residues: Leu-1 to Gly-6, Pro-29 to Gly-42, Lys-52 to Gly-62.
HOFOA89R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1467 as

	residues: Ala-20 to Lys-29, Arg-48 to Ile-56.
HCROL58R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1470 as residues: Lys-1 to Ser-16.
HCHMV24R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1473 as residues: Gly-4 to Lys-10, Gln-36 to Glu-41.
HCHPT49R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1474 as residues: Gly-4 to Lys-10, Gln-36 to Glu-41, Arg-61 to Arg-70.
HCHPF59R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1477 as residues: Arg-10 to Lys-22.
HS2IA81R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1478 as residues: Gly-4 to Lys-10, Gln-36 to Glu-41, Arg-61 to Arg-76.
HCRNC17R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1479 as residues: Gly-4 to Lys-10, Gln-36 to Glu-41, Arg-61 to Arg-76, Lys-107 to Pro-112.
HISDJ39R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1480 as residues: Gly-4 to Lys-10, Gln-36 to Glu-41, Arg-61 to Arg-76.
HASCG71R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1482 as residues: Lys-6 to Ile-13.
HOEMO43R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1483 as residues: Lys-31 to Gln-43.
HSYDG18R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1486 as residues: Pro-1 to Glu-7, Asp-42 to Gly-47, Leu-61 to Glu-69, Lys-97 to Ile-107, Asp-115 to Gly-120.
HACAC47R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1490 as residues: Ala-18 to Asp-26.
HLQFY41R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1491 as residues: Val-11 to Asp-16, Glu-46 to Arg-51, Pro-55 to Lys-61, Lys-82 to Val-87.
HOFMO83R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1492 as residues: Thr-31 to Asp-39, Thr-52 to Gly-60.
HFTDR22R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1493 as residues: Glu-1 to Trp-13.
HOEKC39R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1495 as residues: Tyr-25 to Phe-32.
HOSNR06R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1498 as residues: Thr-1 to Tyr-7.
HCQDL20R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1499 as residues: Ser-12 to His-21.
HFKHD49R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1503 as residues: Ala-42 to Glu-68.
H6EAQ15R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1506 as residues: Ala-1 to Leu-9.
HCFLM34R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1507 as residues: Lys-7 to Thr-13, Asp-24 to Thr-30, Gly-39 to Glu-52, Leu-70 to Ile-78.
HKIXL19R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1510 as residues: Thr-2 to Asn-12, Gly-14 to Arg-24.
HAJRB09R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1512 as residues: Pro-1 to Glu-8, Ala-10 to Gly-26.
HAPNI86R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1513 as residues: Glu-53 to Ser-59, His-121 to Gln-130.
HAPRJ22R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1515 as residues: Gly-49 to Glu-64, Phe-76 to Thr-81.
HADGE45R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1518 as residues: Arg-1 to Gln-26, Phe-59 to Lys-68.
HTXPN11R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1519 as residues: Asp-1 to Lys-8, Asp-35 to Glu-41.
HCDBN37R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1520 as residues: Cys-1 to Leu-15.



HABGF46R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1527 as residues: Arg-11 to Arg-20, Asn-42 to Pro-57, Arg-64 to Ser-81.
HOELC15R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1528 as residues: His-8 to Gly-18, Gln-56 to Arg-61.
H2LAR26R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1529 as residues: Glu-11 to Asn-16, Lys-38 to Glu-43, Ala-62 to Asp-67, Asp-80 to Ser-101.
H2LAV85R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1530 as residues: Pro-14 to Thr-25, Asp-89 to Gln-102, Ile-121 to Thr-131.
HBSDC92R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1531 as residues: Arg-1 to Leu-11.
HUTHN01R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1532 as residues: Pro-34 to Ser-42, Cys-82 to Lys-89.
H2LAW03R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1533 as residues: Arg-120 to Arg-127.
HOEMO60R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1534 as residues: Pro-6 to Arg-11, Phe-18 to Asn-23, Leu-36 to Thr-41.
HOELF72R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1537 as residues: Arg-1 to Pro-14, Gln-47 to Cys-52.
HAPNX59R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1538 as residues: Cys-19 to Ser-25, Asp-28 to Trp-34, Lys-71 to Trp-76, Glu-112 to Lys-120.
HBJJS17R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1539 as residues: His-14 to Glu-26.
H2CBN02R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1542 as residues: Ala-1 to Pro-9, Arg-20 to Val-25.
H2CBV68R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1543 as residues: Pro-41 to Asp-46, Leu-56 to Lys-61, Ala-72 to Thr-83, Lys-100 to Asn-106, Leu-125 to Thr-133.
H6EDK07R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1544 as residues: Glu-32 to Glu-40, Val-45 to Thr-51, Pro-61 to Arg-67.
H2CBN54R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1547 as residues: Cys-36 to Tyr-44, Glu-55 to Asp-61, Arg-79 to Pro-84, Asp-89 to Pro-105, Cys-108 to Ala-118, Lys-126 to Gly-142.
HWHPX50R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1549 as residues: Pro-35 to Tyr-41.
HAPQD84R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1550 as residues: Lys-32 to Glu-39.
HAMGQ78R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1554 as residues: Arg-46 to Arg-60, Glu-69 to Gly-78.
HODEV64R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1555 as residues: Glu-1 to Gly-27, Asn-34 to Phe-48, Gly-63 to Gly-68.
HOEMK78R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1558 as residues: Asp-27 to Gly-34, Ser-41 to Glu-49, Val-55 to Gln-62.
H2CBD13R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1559 as residues: Ile-17 to His-22, Ser-24 to Arg-29.
HCFMU61R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1560 as residues: Ser-10 to Asp-20, Leu-22 to Pro-36, Ser-42 to Lys-57, Gln-102 to Glu-110.
HOSNE94R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1561 as residues: Arg-1 to Glu-6, Asp-74 to Ser-79, Asp-122 to Thr-127.
HHBEF47R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1563 as residues: Arg-25 to His-31, Ala-50 to Ala-55.
HOSNR67R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1566 as residues: Val-56 to Cys-61, Thr-108 to Gln-122, Gln-125 to Lys-131, Glu-140 to Leu-146.
H2LAV92R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1567 as residues: Leu-3 to Ala-10, Pro-12 to Gly-21, Pro-32 to Pro-38, Ala-58 to Lys-64, Lys-67 to Val-75, Asp-92 to Leu-103.

HCLBZ27R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1570 as residues: Asp-12 to Glu-18, Ala-22 to Ile-28, Ala-48 to Gly-60.
H2LAV11R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1571 as residues: Thr-5 to Thr-14, Arg-20 to His-25, Arg-35 to Gly-40, Lys-58 to Arg-66, His-101 to Ser-107, Arg-111 to Lys-125.
HOEMJ56R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1573 as residues: Lys-27 to Tyr-48.
HDPLP40R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1576 as residues: Gly-1 to Cys-24, Cys-27 to Gly-43, Ala-46 to Trp-54, Ala-56 to Arg-68, Phe-83 to Arg-93.
HABAD57R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1578 as residues: Gly-3 to Gln-16, Pro-36 to Ala-41.
H2CBL68R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1581 as residues: Pro-19 to Val-24, Thr-31 to Gln-38, His-103 to Lys-114, Arg-129 to Leu-137, Pro-139 to Ser-146.
HNTNE17R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1582 as residues: Val-8 to Lys-15, Tyr-25 to Asn-35, Lys-48 to Lys-53, Leu-77 to Asn-87, Asp-103 to Glu-108.
HBJLR37R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1583 as residues: Asn-1 to His-11, Pro-82 to Glu-89, Pro-91 to Asp-96, Arg-103 to Met-109.
HOSNG20R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1584 as residues: Thr-50 to Lys-55.
HBGNY11R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1586 as residues: Thr-10 to Trp-15, Leu-24 to Ala-30, Leu-32 to Glu-38, Asn-41 to Ala-59, Arg-81 to Asp-89, Lys-104 to Lys-111.
HOEKC80R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1587 as residues: Pro-49 to Phe-55, Gly-82 to Gly-88.
HFCE53R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1589 as residues: Thr-12 to Leu-18.
HWAFE36R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1592 as residues: Glu-2 to Ile-9, Glu-34 to Lys-42.
HTXPF20R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1594 as residues: Gly-4 to Thr-13.
HCRMD09R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1595 as residues: Thr-2 to Asn-10, Glu-22 to Gln-30, Ser-58 to Gln-80, Gln-88 to Phe-96, Thr-99 to Tyr-104, Lys-110 to Asp-115.
HAJRB47R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1596 as residues: Trp-18 to Ser-26, Asp-91 to Trp-99.
HAHCR61R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1603 as residues: Ser-17 to Cys-25.
HAPQK19R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1609 as residues: Arg-1 to Lys-10, Ser-15 to Tyr-22, Gly-25 to Leu-31.
HBGOK25R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1615 as residues: Thr-38 to Trp-45, Pro-63 to Gln-70, Pro-78 to Gln-85.
HBJK105R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1619 as residues: Pro-43 to Trp-50.
HBLGD42R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1621 as residues: Pro-17 to Pro-27, Pro-32 to Tyr-38, Ala-44 to Pro-49.
HCHAK80R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1627 as residues: Gln-3 to His-13, Gly-48 to Gly-55.
HCHMW79R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1628 as residues: Ser-16 to His-21, Ala-29 to Thr-35.
HCHOB92R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1629 as residues: Lys-20 to Lys-28, Ser-53 to Leu-60.
HCLBO01R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1630 as residues: Leu-1 to Leu-18.

HCRPC63R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1633 as residues: Glu-1 to Arg-28.
HCUDC51R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1634 as residues: Pro-22 to Gly-32, Trp-67 to Lys-81.
HDPFI40R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1635 as residues: Tyr-1 to Phe-6, Pro-9 to Asn-22, Arg-30 to Ala-38, Pro-47 to Lys-69.
HDPRZ54R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1637 as residues: Gly-1 to Ala-8.
HFAUO64R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1640 as residues: Asn-7 to Lys-29.
HJMAU64R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1645 as residues: Leu-58 to Tyr-69.
HKBAC48R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1647 as residues: Ser-16 to His-46, Arg-49 to Thr-58.
HKBAD57R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1648 as residues: Thr-23 to Ser-30.
HODAY16R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1653 as residues: Pro-15 to Thr-20.
HOEMO27R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1655 as residues: Ala-7 to Ser-12.
HOEMO62R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1656 as residues: Ile-3 to Lys-11.
HOENU53R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1658 as residues: Lys-37 to Asn-44.
HOGAP33R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1659 as residues: Gln-29 to Asp-35, Gln-43 to Thr-49.
HOSNF25R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1661 as residues: Pro-29 to Arg-36.
HPIAC23R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1663 as residues: Thr-62 to Thr-69.
HRAAD31R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1664 as residues: Val-1 to Thr-6, Arg-64 to Arg-69.
HRADJ57R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1666 as residues: Val-11 to Gln-16.
HROAX48R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1667 as residues: Gly-7 to Thr-20.
HTWDH05R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1670 as residues: Ala-5 to Lys-11, Arg-29 to Ser-36.
HUTHF75R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1673 as residues: Lys-40 to Gly-47.
HWAFW07R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1674 as residues: Phe-44 to Arg-49.
HWLLX91R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1676 as residues: Gly-29 to Asp-34.
HMIAI78R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1678 as residues: Lys-24 to Arg-29, Cys-34 to Ala-41.
HBGFJ39R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1679 as residues: Leu-21 to Asp-38.
HAMHH32R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1680 as residues: Ala-1 to Cys-10, Glu-15 to Gln-21.
HOSNE37R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1683 as residues: Lys-17 to Thr-23.
HWAFE41R	Preferred epitopes include those comprising a sequence shown in SEQ ID NO. 1684 as residues: Ser-3 to Lys-8, Trp-92 to Leu-97.

The present invention encompasses polypeptides comprising, or alternatively consisting of, an epitope of the polypeptide sequence shown in SEQ ID NO:Y, or an epitope of the polypeptide sequence encoded by the cDNA in the related cDNA clone contained in a deposited library or encoded by a polynucleotide that hybridizes to the complement of an epitope encoding sequence of SEQ ID NO:X, or an epitope encoding sequence contained in the deposited cDNA clone under stringent hybridization conditions, or alternatively, under lower stringency hybridization conditions, as defined supra. The present invention further encompasses polynucleotide sequences encoding an epitope of a polypeptide sequence of the invention (such as, for example, the sequence disclosed in SEQ ID NO:X), polynucleotide sequences of the complementary strand of a polynucleotide sequence encoding an epitope of the invention, and polynucleotide sequences which hybridize to this complementary strand under stringent hybridization conditions or alternatively, under lower stringency hybridization conditions, as defined supra.

The term "epitopes," as used herein, refers to portions of a polypeptide having antigenic or immunogenic activity in an animal, preferably a mammal, and most preferably in a human. In a preferred embodiment, the present invention encompasses a polypeptide comprising an epitope, as well as the polynucleotide encoding this polypeptide. An "immunogenic epitope," as used herein, is defined as a portion of a protein that elicits an antibody response in an animal, as determined by any method known in the art, for example, by the methods for generating antibodies described *infra*. (See, for example, Geysen et al., Proc. Natl. Acad. Sci. USA 81:3998- 4002 (1983)). The term "antigenic epitope," as used herein, is defined as a portion of a protein to which an antibody can immunospecifically bind its antigen as determined by any method well known in the art, for example, by the immunoassays described herein. Immunospecific binding excludes non-specific binding but does not necessarily exclude cross- reactivity with other antigens. Antigenic epitopes need not necessarily be immunogenic.

Fragments which function as epitopes may be produced by any conventional means. (See, e.g., Houghten, R. A., Proc. Natl. Acad. Sci. USA 82:5131-5135 (1985) further described in U.S. Patent No. 4,631,211.)

In the present invention, antigenic epitopes preferably contain a sequence of at  
5 least 4, at least 5, at least 6, at least 7, more preferably at least 8, at least 9, at least  
10, at least 11, at least 12, at least 13, at least 14, at least 15, at least 20, at least 25, at  
least 30, at least 40, at least 50, and, most preferably, between about 15 to about 30  
amino acids. Preferred polypeptides comprising immunogenic or antigenic epitopes  
are at least 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, or 100  
10 amino acid residues in length. Additional non-exclusive preferred antigenic epitopes  
include the antigenic epitopes disclosed herein, as well as portions thereof. Antigenic  
epitopes are useful, for example, to raise antibodies, including monoclonal antibodies,  
that specifically bind the epitope. Preferred antigenic epitopes include the antigenic  
epitopes disclosed herein, as well as any combination of two, three, four, five or more  
15 of these antigenic epitopes. Antigenic epitopes can be used as the target molecules in  
immunoassays. (See, for instance, Wilson et al., Cell 37:767-778 (1984); Sutcliffe et  
al., Science 219:660-666 (1983)).

Similarly, immunogenic epitopes can be used, for example, to induce  
antibodies according to methods well known in the art. (See, for instance, Sutcliffe  
20 et al., supra; Wilson et al., supra; Chow et al., Proc. Natl. Acad. Sci. USA 82:910-  
914; and Bittle et al., J. Gen. Virol. 66:2347-2354 (1985). Preferred immunogenic  
epitopes include the immunogenic epitopes disclosed herein, as well as any  
combination of two, three, four, five or more of these immunogenic epitopes. The  
polypeptides comprising one or more immunogenic epitopes may be presented for  
25 eliciting an antibody response together with a carrier protein, such as an albumin, to  
an animal system (such as rabbit or mouse), or, if the polypeptide is of sufficient  
length (at least about 25 amino acids), the polypeptide may be presented without a  
carrier. However, immunogenic epitopes comprising as few as 8 to 10 amino acids  
have been shown to be sufficient to raise antibodies capable of binding to, at the very  
30 least, linear epitopes in a denatured polypeptide (e.g., in Western blotting).

Epitope-bearing polypeptides of the present invention may be used to induce antibodies according to methods well known in the art including, but not limited to, in vivo immunization, in vitro immunization, and phage display methods. See, e.g., Sutcliffe et al., supra; Wilson et al., supra, and Bittle et al., J. Gen. Virol., 66:2347-2354 (1985). If in vivo immunization is used, animals may be immunized with free peptide; however, anti-peptide antibody titer may be boosted by coupling the peptide to a macromolecular carrier, such as keyhole limpet hemacyanin (KLH) or tetanus toxoid. For instance, peptides containing cysteine residues may be coupled to a carrier using a linker such as maleimidobenzoyl- N-hydroxysuccinimide ester (MBS), while other peptides may be coupled to carriers using a more general linking agent such as glutaraldehyde. Animals such as rabbits, rats and mice are immunized with either free or carrier- coupled peptides, for instance, by intraperitoneal and/or intradermal injection of emulsions containing about 100 µg of peptide or carrier protein and Freund's adjuvant or any other adjuvant known for stimulating an immune response. Several booster injections may be needed, for instance, at intervals of about two weeks, to provide a useful titer of anti-peptide antibody which can be detected, for example, by ELISA assay using free peptide adsorbed to a solid surface. The titer of anti-peptide antibodies in serum from an immunized animal may be increased by selection of anti-peptide antibodies, for instance, by adsorption to the peptide on a solid support and elution of the selected antibodies according to methods well known in the art.

As one of skill in the art will appreciate, and as discussed above, the polypeptides of the present invention, and immunogenic and/or antigenic epitope fragments thereof can be fused to other polypeptide sequences. For example, the polypeptides of the present invention may be fused with the constant domain of immunoglobulins (IgA, IgE, IgG, IgM), or portions thereof (CH1, CH2, CH3, or any combination thereof and portions thereof) resulting in chimeric polypeptides. Such fusion proteins may facilitate purification and may increase half-life in vivo. This has been shown for chimeric proteins consisting of the first two domains of the human CD4-polypeptide and various domains of the constant regions of the heavy or light

- chains of mammalian immunoglobulins. See, e.g., EP 394,827; Traunecker et al., Nature, 331:84-86 (1988). Enhanced delivery of an antigen across the epithelial barrier to the immune system has been demonstrated for antigens (e.g., insulin) conjugated to an FcRn binding partner such as IgG or Fc fragments (see, e.g., PCT Publications WO 96/22024 and WO 99/04813). IgG Fusion proteins that have a disulfide-linked dimeric structure due to the IgG portion disulfide bonds have also been found to be more efficient in binding and neutralizing other molecules than monomeric polypeptides or fragments thereof alone. See, e.g., Fountoulakis et al., J. Biochem., 270:3958-3964 (1995).
- 10 Similarly, EP-A-O 464 533 (Canadian counterpart 2045869) discloses fusion proteins comprising various portions of constant region of immunoglobulin molecules together with another human protein or part thereof. In many cases, the Fc part in a fusion protein is beneficial in therapy and diagnosis, and thus can result in, for example, improved pharmacokinetic properties. (EP-A 0232 262.) Alternatively,
- 15 deleting the Fc part after the fusion protein has been expressed, detected, and purified, may be desired. For example, the Fc portion may hinder therapy and diagnosis if the fusion protein is used as an antigen for immunizations. In drug discovery, for example, human proteins, such as hIL-5, have been fused with Fc portions for the purpose of high-throughput screening assays to identify antagonists of hIL-5. (See,
- 20 D. Bennett et al., J. Molecular Recognition 8:52-58 (1995); K. Johanson et al., J. Biol. Chem. 270:9459-9471 (1995).)

Moreover, the polypeptides of the present invention can be fused to marker sequences, such as a peptide which facilitates purification of the fused polypeptide. In preferred embodiments, the marker amino acid sequence is a hexa-histidine peptide, such as the tag provided in a pQE vector (QIAGEN, Inc., 9259 Eton Avenue,

25 Chatsworth, CA, 91311), among others, many of which are commercially available. As described in Gentz et al., Proc. Natl. Acad. Sci. USA 86:821-824 (1989), for instance, hexa-histidine provides for convenient purification of the fusion protein. Another peptide tag useful for purification, the "HA" tag, corresponds to an epitope

derived from the influenza hemagglutinin protein. (Wilson et al., Cell 37:767 (1984).)

Thus, any of these above fusions can be engineered using the polynucleotides or the polypeptides of the present invention.

5 Nucleic acids encoding the above epitopes can also be recombined with a gene of interest as an epitope tag (e.g., the hemagglutinin ("HA") tag or flag tag) to aid in detection and purification of the expressed polypeptide. For example, a system described by Janknecht et al. allows for the ready purification of non-denatured fusion proteins expressed in human cell lines (Janknecht et al., Proc. Natl. Acad. Sci. USA  
10 88:8972- 897 (1991)). In this system, the gene of interest is subcloned into a vaccinia recombination plasmid such that the open reading frame of the gene is translationally fused to an amino-terminal tag consisting of six histidine residues. The tag serves as a matrix binding domain for the fusion protein. Extracts from cells infected with the recombinant vaccinia virus are loaded onto Ni<sup>2+</sup> nitriloacetic acid-agarose column  
15 and histidine-tagged proteins can be selectively eluted with imidazole-containing buffers.

Additional fusion proteins of the invention may be generated through the techniques of gene-shuffling, motif-shuffling, exon-shuffling, and/or codon-shuffling (collectively referred to as "DNA shuffling"). DNA shuffling may be employed to  
20 modulate the activities of polypeptides of the invention, such methods can be used to generate polypeptides with altered activity, as well as agonists and antagonists of the polypeptides. See, generally, U.S. Patent Nos. 5,605,793; 5,811,238; 5,830,721; 5,834,252; and 5,837,458, and Patten et al., Curr. Opinion Biotechnol. 8:724-33 (1997); Harayama, Trends Biotechnol. 16(2):76-82 (1998); Hansson, et al., J. Mol.  
25 Biol. 287:265-76 (1999); and Lorenzo and Blasco, Biotechniques 24(2):308- 13 (1998) (each of these patents and publications are hereby incorporated by reference in its entirety). In one embodiment, alteration of polynucleotides corresponding to SEQ ID NO:X and the polypeptides encoded by these polynucleotides may be achieved by DNA shuffling. DNA shuffling involves the assembly of two or more DNA  
30 segments by homologous or site-specific recombination to generate variation in the



polynucleotide sequence. In another embodiment, polynucleotides of the invention, or the encoded polypeptides, may be altered by being subjected to random mutagenesis by error-prone PCR, random nucleotide insertion or other methods prior to recombination. In another embodiment, one or more components, motifs, sections, parts, domains, fragments, etc., of a polynucleotide encoding a polypeptide of the invention may be recombined with one or more components, motifs, sections, parts, domains, fragments, etc. of one or more heterologous molecules.

As discussed herein, any polypeptide of the present invention can be used to generate fusion proteins. For example, the polypeptide of the present invention, when fused to a second protein, can be used as an antigenic tag. Antibodies raised against the polypeptide of the present invention can be used to indirectly detect the second protein by binding to the polypeptide. Moreover, because secreted proteins target cellular locations based on trafficking signals, polypeptides of the present invention which are shown to be secreted can be used as targeting molecules once fused to other proteins.

Examples of domains that can be fused to polypeptides of the present invention include not only heterologous signal sequences, but also other heterologous functional regions. The fusion does not necessarily need to be direct, but may occur through linker sequences.

In certain preferred embodiments, proteins of the invention comprise fusion proteins wherein the polypeptides are N and/or C- terminal deletion mutants. In preferred embodiments, the application is directed to nucleic acid molecules at least 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% identical to the nucleic acid sequences encoding polypeptides having the amino acid sequence of the specific N- and C-terminal deletions mutants. Polynucleotides encoding these polypeptides are also encompassed by the invention.

Moreover, fusion proteins may also be engineered to improve characteristics of the polypeptide of the present invention. For instance, a region of additional amino acids, particularly charged amino acids, may be added to the N-terminus of the polypeptide to improve stability and persistence during purification from the host cell

or subsequent handling and storage. Also, peptide moieties may be added to the polypeptide to facilitate purification. Such regions may be removed prior to final preparation of the polypeptide. The addition of peptide moieties to facilitate handling of polypeptides are familiar and routine techniques in the art.

5

### **Vectors, Host Cells, and Protein Production**

The present invention also relates to vectors containing the polynucleotide of the present invention, host cells, and the production of polypeptides by recombinant techniques. The vector may be, for example, a phage, plasmid, viral, or retroviral  
10 vector. Retroviral vectors may be replication competent or replication defective. In the latter case, viral propagation generally will occur only in complementing host cells.

The polynucleotides of the invention may be joined to a vector containing a selectable marker for propagation in a host. Generally, a plasmid vector is introduced  
15 in a precipitate, such as a calcium phosphate precipitate, or in a complex with a charged lipid. If the vector is a virus, it may be packaged in vitro using an appropriate packaging cell line and then transduced into host cells.

The polynucleotide insert should be operatively linked to an appropriate promoter, such as the phage lambda PL promoter, the E. coli lac, trp, phoA and tac  
20 promoters, the SV40 early and late promoters and promoters of retroviral LTRs, to name a few. Other suitable promoters will be known to the skilled artisan. The expression constructs will further contain sites for transcription initiation, termination, and, in the transcribed region, a ribosome binding site for translation. The coding portion of the transcripts expressed by the constructs will preferably include a  
25 translation initiating codon at the beginning and a termination codon (UAA, UGA or UAG) appropriately positioned at the end of the polypeptide to be translated.

As indicated, the expression vectors will preferably include at least one selectable marker. Such markers include dihydrofolate reductase, G418 or neomycin resistance for eukaryotic cell culture and tetracycline, kanamycin or ampicillin  
30 resistance genes for culturing in E. coli and other bacteria. Representative examples

of appropriate hosts include, but are not limited to, bacterial cells, such as *E. coli*, *Streptomyces* and *Salmonella typhimurium* cells; fungal cells, such as yeast cells (e.g., *Saccharomyces cerevisiae* or *Pichia pastoris* (ATCC Accession No. 201178)); insect cells such as *Drosophila* S2 and *Spodoptera Sf9* cells; animal cells such as CHO, COS, 293, and Bowes melanoma cells; and plant cells. Appropriate culture  
5 mediums and conditions for the above-described host cells are known in the art.

Among vectors preferred for use in bacteria include pQE70, pQE60 and pQE-9, available from QIAGEN, Inc.; pBluescript vectors, Phagescript vectors, pNH8A, pNH16a, pNH18A, pNH46A, available from Stratagene Cloning Systems, Inc.; and ptrc99a, pKK223-3, pKK233-3, pDR540, pRIT5 available from Pharmacia Biotech,  
10 Inc. Among preferred eukaryotic vectors are pWLNEO, pSV2CAT, pOG44, pXT1 and pSG available from Stratagene; and pSVK3, pBPV, pMSG and pSVL available from Pharmacia. Preferred expression vectors for use in yeast systems include, but are not limited to pYES2, pYD1, pTEF1/Zeo, pYES2/GS, pPICZ, pGAPZ, pGAPZalph,  
15 pPIC9, pPIC3.5, pHIL-D2, pHIL-S1, pPIC3.5K, pPIC9K, and PAO815 (all available from Invitrogen, Carlsbad, CA). Other suitable vectors will be readily apparent to the skilled artisan.

Introduction of the construct into the host cell can be effected by calcium phosphate transfection, DEAE-dextran mediated transfection, cationic lipid-mediated  
20 transfection, electroporation, transduction, infection, or other methods. Such methods are described in many standard laboratory manuals, such as Davis et al., Basic Methods In Molecular Biology (1986). It is specifically contemplated that the polypeptides of the present invention may in fact be expressed by a host cell lacking a recombinant vector.

25 A polypeptide of this invention can be recovered and purified from recombinant cell cultures by well-known methods including ammonium sulfate or ethanol precipitation, acid extraction, anion or cation exchange chromatography, phosphocellulose chromatography, hydrophobic interaction chromatography, affinity chromatography, hydroxylapatite chromatography and lectin chromatography. Most

preferably, high performance liquid chromatography ("HPLC") is employed for purification.

Polypeptides of the present invention can also be recovered from: products purified from natural sources, including bodily fluids, tissues and cells, whether  
5 directly isolated or cultured; products of chemical synthetic procedures; and products produced by recombinant techniques from a prokaryotic or eukaryotic host, including, for example, bacterial, yeast, higher plant, insect, and mammalian cells. Depending upon the host employed in a recombinant production procedure, the polypeptides of the present invention may be glycosylated or may be non-glycosylated. In addition,  
10 polypeptides of the invention may also include an initial modified methionine residue, in some cases as a result of host-mediated processes. Thus, it is well known in the art that the N-terminal methionine encoded by the translation initiation codon generally is removed with high efficiency from any protein after translation in all eukaryotic cells. While the N-terminal methionine on most proteins also is efficiently removed  
15 in most prokaryotes, for some proteins, this prokaryotic removal process is inefficient, depending on the nature of the amino acid to which the N-terminal methionine is covalently linked.

In one embodiment, the yeast *Pichia pastoris* is used to express polypeptides of the invention in a eukaryotic system. *Pichia pastoris* is a methylotrophic yeast  
20 which can metabolize methanol as its sole carbon source. A main step in the methanol metabolization pathway is the oxidation of methanol to formaldehyde using O<sub>2</sub>. This reaction is catalyzed by the enzyme alcohol oxidase. In order to metabolize methanol as its sole carbon source, *Pichia pastoris* must generate high levels of alcohol oxidase due, in part, to the relatively low affinity of alcohol oxidase for O<sub>2</sub>.  
25 Consequently, in a growth medium depending on methanol as a main carbon source, the promoter region of one of the two alcohol oxidase genes (*AOX1*) is highly active. In the presence of methanol, alcohol oxidase produced from the *AOX1* gene comprises up to approximately 30% of the total soluble protein in *Pichia pastoris*. See, Ellis, S.B., *et al.*, *Mol. Cell. Biol.* 5:1111-21 (1985); Koutz, P.J., *et al.*, *Yeast*

5:167-77 (1989); Tschopp, J.F., *et al.*, *Nucl. Acids Res.* 15:3859-76 (1987). Thus, a heterologous coding sequence, such as, for example, a polynucleotide of the present invention, under the transcriptional regulation of all or part of the *AOX1* regulatory sequence is expressed at exceptionally high levels in *Pichia* yeast grown in the presence of methanol.

10 In one example, the plasmid vector pPIC9K is used to express DNA encoding a polypeptide of the invention, as set forth herein, in a *Pichea* yeast system essentially as described in "*Pichia* Protocols: Methods in Molecular Biology," D.R. Higgins and J. Cregg, eds. The Humana Press, Totowa, NJ, 1998. This expression vector allows expression and secretion of a polypeptide of the invention by virtue of the strong *AOX1* promoter linked to the *Pichia pastoris* alkaline phosphatase (PHO) secretory signal peptide (i.e., leader) located upstream of a multiple cloning site.

15 Many other yeast vectors could be used in place of pPIC9K, such as, pYES2, pYD1, pTEF1/Zeo, pYES2/GS, pPICZ, pGAPZ, pGAPZalpha, pPIC9, pPIC3.5, pHIL-D2, pHIL-S1, pPIC3.5K, and PAO815, as one skilled in the art would readily appreciate, as long as the proposed expression construct provides appropriately located signals for transcription, translation, secretion (if desired), and the like, including an in-frame AUG as required.

20 In another embodiment, high-level expression of a heterologous coding sequence, such as, for example, a polynucleotide of the present invention, may be achieved by cloning the heterologous polynucleotide of the invention into an expression vector such as, for example, pGAPZ or pGAPZalpha, and growing the yeast culture in the absence of methanol.

25 In addition to encompassing host cells containing the vector constructs discussed herein, the invention also encompasses primary, secondary, and immortalized host cells of vertebrate origin, particularly mammalian origin, that have been engineered to delete or replace endogenous genetic material (e.g., coding sequence), and/or to include genetic material (e.g., heterologous polynucleotide sequences) that is operably associated with polynucleotides of the invention, and

which activates, alters, and/or amplifies endogenous polynucleotides. For example, techniques known in the art may be used to operably associate heterologous control regions (e.g., promoter and/or enhancer) and endogenous polynucleotide sequences via homologous recombination (see, e.g., U.S. Patent No. 5,641,670, issued June 24, 1997; International Publication No. WO 96/29411, published September 26, 1996; International Publication No. WO 94/12650, published August 4, 1994; Koller et al., Proc. Natl. Acad. Sci. USA 86:8932-8935 (1989); and Zijlstra et al., Nature 342:435-438 (1989), the disclosures of each of which are incorporated by reference in their entireties).

10 In addition, polypeptides of the invention can be chemically synthesized using techniques known in the art (e.g., see Creighton, 1983, Proteins: Structures and Molecular Principles, W.H. Freeman & Co., N.Y., and Hunkapiller et al., Nature, 310:105-111 (1984)). For example, a polypeptide corresponding to a fragment of a polypeptide can be synthesized by use of a peptide synthesizer. Furthermore, if  
15 desired, nonclassical amino acids or chemical amino acid analogs can be introduced as a substitution or addition into the polypeptide sequence. Non-classical amino acids include, but are not limited to, to the D-isomers of the common amino acids, 2,4-diaminobutyric acid,  $\alpha$ -amino isobutyric acid, 4-aminobutyric acid, Abu, 2-amino butyric acid, g-Abu, e-Ahx, 6-amino hexanoic acid, Aib, 2-amino isobutyric acid,  
20 3-amino propionic acid, ornithine, norleucine, norvaline, hydroxyproline, sarcosine, citrulline, homocitrulline, cysteic acid, t-butylglycine, t-butylalanine, phenylglycine, cyclohexylalanine, b-alanine, fluoro-amino acids, designer amino acids such as b-methyl amino acids, Ca-methyl amino acids, Na-methyl amino acids, and amino acid analogs in general. Furthermore, the amino acid can be D (dextrorotary) or L  
25 (levorotary).

Non-naturally occurring variants may be produced using art-known mutagenesis techniques, which include, but are not limited to oligonucleotide mediated mutagenesis, alanine scanning, PCR mutagenesis, site directed mutagenesis (see, e.g., Carter et al., Nucl. Acids Res. 13:4331 (1986); and Zoller et al., Nucl. Acids  
30 Res. 10:6487 (1982)), cassette mutagenesis (see, e.g., Wells et al., Gene 34:315

(1985)), restriction selection mutagenesis (*see, e.g., Wells et al., Philos. Trans. R. Soc. London SerA 317:415 (1986)*).

The invention additionally, encompasses polypeptides of the present invention which are differentially modified during or after translation, e.g., by glycosylation, acetylation, phosphorylation, amidation, derivatization by known protecting/blocking groups, proteolytic cleavage, linkage to an antibody molecule or other cellular ligand, etc. Any of numerous chemical modifications may be carried out by known techniques, including but not limited, to specific chemical cleavage by cyanogen bromide, trypsin, chymotrypsin, papain, V8 protease, NaBH<sub>4</sub>; acetylation, formylation, oxidation, reduction; metabolic synthesis in the presence of tunicamycin; etc.

Additional post-translational modifications encompassed by the invention include, for example, e.g., N-linked or O-linked carbohydrate chains, processing of N-terminal or C-terminal ends), attachment of chemical moieties to the amino acid backbone, chemical modifications of N-linked or O-linked carbohydrate chains, and addition or deletion of an N-terminal methionine residue as a result of procaryotic host cell expression. The polypeptides may also be modified with a detectable label, such as an enzymatic, fluorescent, isotopic or affinity label to allow for detection and isolation of the protein.

Also provided by the invention are chemically modified derivatives of the polypeptides of the invention which may provide additional advantages such as increased solubility, stability and circulating time of the polypeptide, or decreased immunogenicity (see U.S. Patent No. 4,179,337). The chemical moieties for derivitization may be selected from water soluble polymers such as polyethylene glycol, ethylene glycol/propylene glycol copolymers, carboxymethylcellulose, dextran, polyvinyl alcohol and the like. The polypeptides may be modified at random positions within the molecule, or at predetermined positions within the molecule and may include one, two, three or more attached chemical moieties.

The polymer may be of any molecular weight, and may be branched or unbranched. For polyethylene glycol, the preferred molecular weight is between

about 1 kDa and about 100 kDa (the term "about" indicating that in preparations of polyethylene glycol, some molecules will weigh more, some less, than the stated molecular weight) for ease in handling and manufacturing. Other sizes may be used, depending on the desired therapeutic profile (e.g., the duration of sustained release  
5 desired, the effects, if any on biological activity, the ease in handling, the degree or lack of antigenicity and other known effects of the polyethylene glycol to a therapeutic protein or analog). For example, the polyethylene glycol may have an average molecular weight of about 200; 500; 1000; 1500; 2000; 2500; 3000; 3500; 4000; 4500; 5000; 5500; 6000; 6500; 7000; 7500; 8000; 8500; 9000; 9500; 10,000;  
10 10,500; 11,000; 11,500; 12,000; 12,500; 13,000; 13,500; 14,000; 14,500; 15,000; 15,500; 16,000; 16,500; 17,000; 17,500; 18,000; 18,500; 19,000; 19,500; 20,000; 25,000; 30,000; 35,000; 40,000; 50,000; 55,000; 60,000; 65,000; 70,000; 75,000; 80,000; 85,000; 90,000; 95,000; or 100,000 kDa.

As noted above, the polyethylene glycol may have a branched structure.  
15 Branched polyethylene glycols are described, for example, in U.S. Patent No. 5,643,575; Morpurgo *et al.*, *Appl. Biochem. Biotechnol.* 56:59-72 (1996); Vorobjev *et al.*, *Nucleosides Nucleotides* 18:2745-2750 (1999); and Caliceti *et al.*, *Bioconjug. Chem.* 10:638-646 (1999), the disclosures of each of which are incorporated herein by reference.

20 The polyethylene glycol molecules (or other chemical moieties) should be attached to the protein with consideration of effects on functional or antigenic domains of the protein. There are a number of attachment methods available to those skilled in the art, e.g., EP 0 401 384, herein incorporated by reference (coupling PEG to G-CSF), see also Malik *et al.*, *Exp. Hematol.* 20:1028-1035 (1992) (reporting  
25 pegylation of GM-CSF using tresyl chloride). For example, polyethylene glycol may be covalently bound through amino acid residues via a reactive group, such as, a free amino or carboxyl group. Reactive groups are those to which an activated polyethylene glycol molecule may be bound. The amino acid residues having a free amino group may include lysine residues and the N-terminal amino acid residues;  
30 those having a free carboxyl group may include aspartic acid residues glutamic acid



residues and the C-terminal amino acid residue. Sulfhydryl groups may also be used as a reactive group for attaching the polyethylene glycol molecules. Preferred for therapeutic purposes is attachment at an amino group, such as attachment at the N-terminus or lysine group.

5       As suggested above, polyethylene glycol may be attached to proteins via linkage to any of a number of amino acid residues. For example, polyethylene glycol can be linked to a proteins via covalent bonds to lysine, histidine, aspartic acid, glutamic acid, or cysteine residues. One or more reaction chemistries may be employed to attach polyethylene glycol to specific amino acid residues (e.g., lysine,  
10   histidine, aspartic acid, glutamic acid, or cysteine) of the protein or to more than one type of amino acid residue (e.g., lysine, histidine, aspartic acid, glutamic acid, cysteine and combinations thereof) of the protein.

One may specifically desire proteins chemically modified at the N-terminus. Using polyethylene glycol as an illustration of the present composition, one may  
15   select from a variety of polyethylene glycol molecules (by molecular weight, branching, etc.), the proportion of polyethylene glycol molecules to protein (polypeptide) molecules in the reaction mix, the type of pegylation reaction to be performed, and the method of obtaining the selected N-terminally pegylated protein. The method of obtaining the N-terminally pegylated preparation (i.e., separating this  
20   moiety from other monopegylated moieties if necessary) may be by purification of the N-terminally pegylated material from a population of pegylated protein molecules. Selective proteins chemically modified at the N-terminus modification may be accomplished by reductive alkylation which exploits differential reactivity of different types of primary amino groups (lysine versus the N-terminal) available for  
25   derivatization in a particular protein. Under the appropriate reaction conditions, substantially selective derivatization of the protein at the N-terminus with a carbonyl group containing polymer is achieved.

As indicated above, pegylation of the proteins of the invention may be accomplished by any number of means. For example, polyethylene glycol may be  
30   attached to the protein either directly or by an intervening linker. Linkerless systems

for attaching polyethylene glycol to proteins are described in Delgado *et al.*, *Crit. Rev. Thera. Drug Carrier Sys.* 9:249-304 (1992); Francis *et al.*, *Intern. J. of Hematol.* 68:1-18 (1998); U.S. Patent No. 4,002,531; U.S. Patent No. 5,349,052; WO 95/06058; and WO 98/32466, the disclosures of each of which are incorporated  
5 herein by reference.

One system for attaching polyethylene glycol directly to amino acid residues of proteins without an intervening linker employs tresylated MPEG, which is produced by the modification of monmethoxy polyethylene glycol (MPEG) using tresylchloride ( $\text{ClSO}_2\text{CH}_2\text{CF}_3$ ). Upon reaction of protein with tresylated MPEG,  
10 polyethylene glycol is directly attached to amine groups of the protein. Thus, the invention includes protein-polyethylene glycol conjugates produced by reacting proteins of the invention with a polyethylene glycol molecule having a 2,2,2-trifluoroethane sulphonyl group.

Polyethylene glycol can also be attached to proteins using a number of  
15 different intervening linkers. For example, U.S. Patent No. 5,612,460, the entire disclosure of which is incorporated herein by reference, discloses urethane linkers for connecting polyethylene glycol to proteins. Protein-polyethylene glycol conjugates wherein the polyethylene glycol is attached to the protein by a linker can also be produced by reaction of proteins with compounds such as MPEG-succinimidylsuccinate, MPEG activated with 1,1'-carbonyldiimidazole, MPEG-2,4,5-trichloropenylcarbonate, MPEG-p-nitrophenolcarbonate, and various MPEG-succinate derivatives. A number additional polyethylene glycol derivatives and reaction chemistries for attaching polyethylene glycol to proteins are described in  
20 WO 98/32466, the entire disclosure of which is incorporated herein by reference.

25 Pegylated protein products produced using the reaction chemistries set out herein are included within the scope of the invention.

The number of polyethylene glycol moieties attached to each protein of the invention (*i.e.*, the degree of substitution) may also vary. For example, the pegylated proteins of the invention may be linked, on average, to 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12,  
30 15, 17, 20, or more polyethylene glycol molecules. Similarly, the average degree of

substitution within ranges such as 1-3, 2-4, 3-5, 4-6, 5-7, 6-8, 7-9, 8-10, 9-11, 10-12, 11-13, 12-14, 13-15, 14-16, 15-17, 16-18, 17-19, or 18-20 polyethylene glycol moieties per protein molecule. Methods for determining the degree of substitution are discussed, for example, in Delgado *et al.*, *Crit. Rev. Thera. Drug Carrier Sys.* 9:249-304 (1992).

The cancer antigen polypeptides of the invention may be in monomers or multimers (i.e., dimers, trimers, tetramers and higher multimers). Accordingly, the present invention relates to monomers and multimers of the polypeptides of the invention, their preparation, and compositions (preferably, Therapeutics) containing them. In specific embodiments, the polypeptides of the invention are monomers, dimers, trimers or tetramers. In additional embodiments, the multimers of the invention are at least dimers, at least trimers, or at least tetramers.

Multimers encompassed by the invention may be homomers or heteromers. As used herein, the term homomer, refers to a multimer containing only polypeptides corresponding to the amino acid sequence of SEQ ID NO:Y or an amino acid sequence encoded by SEQ ID NO:X, and/or an amino acid sequence encoded by the cDNA in a related cDNA clone contained in a deposited library (including fragments, variants, splice variants, and fusion proteins, corresponding to any one of these as described herein). These homomers may contain polypeptides having identical or different amino acid sequences. In a specific embodiment, a homomer of the invention is a multimer containing only polypeptides having an identical amino acid sequence. In another specific embodiment, a homomer of the invention is a multimer containing polypeptides having different amino acid sequences. In specific embodiments, the multimer of the invention is a homodimer (e.g., containing polypeptides having identical or different amino acid sequences) or a homotrimer (e.g., containing polypeptides having identical and/or different amino acid sequences). In additional embodiments, the homomeric multimer of the invention is at least a homodimer, at least a homotrimer, or at least a homotetramer.

As used herein, the term heteromer refers to a multimer containing one or more heterologous polypeptides (i.e., polypeptides of different proteins) in addition to

the polypeptides of the invention. In a specific embodiment, the multimer of the invention is a heterodimer, a heterotrimer, or a heterotetramer. In additional embodiments, the heteromeric multimer of the invention is at least a heterodimer, at least a heterotrimer, or at least a heterotetramer.

5           Multimers of the invention may be the result of hydrophobic, hydrophilic, ionic and/or covalent associations and/or may be indirectly linked, by for example, liposome formation. Thus, in one embodiment, multimers of the invention, such as, for example, homodimers or homotrimers, are formed when polypeptides of the invention contact one another in solution. In another embodiment, heteromultimers  
10 of the invention, such as, for example, heterotrimers or heterotetramers, are formed when polypeptides of the invention contact antibodies to the polypeptides of the invention (including antibodies to the heterologous polypeptide sequence in a fusion protein of the invention) in solution. In other embodiments, multimers of the invention are formed by covalent associations with and/or between the polypeptides  
15 of the invention. Such covalent associations may involve one or more amino acid residues contained in the polypeptide sequence (e.g., that recited in SEQ ID NO:Y, or contained in a polypeptide encoded by SEQ ID NO:X, and/or by the cDNA in the related cDNA clone contained in a deposited library). In one instance, the covalent associations are cross-linking between cysteine residues located within the  
20 polypeptide sequences which interact in the native (i.e., naturally occurring) polypeptide. In another instance, the covalent associations are the consequence of chemical or recombinant manipulation. Alternatively, such covalent associations may involve one or more amino acid residues contained in the heterologous polypeptide sequence in a fusion protein. In one example, covalent associations are between the  
25 heterologous sequence contained in a fusion protein of the invention (see, e.g., US Patent Number 5,478,925). In a specific example, the covalent associations are between the heterologous sequence contained in a Fc fusion protein of the invention (as described herein). In another specific example, covalent associations of fusion proteins of the invention are between heterologous polypeptide sequence from  
30 another protein that is capable of forming covalently associated multimers, such as for

example, osteoprotegerin (see, e.g., International Publication NO: WO 98/49305, the contents of which are herein incorporated by reference in its entirety). In another embodiment, two or more polypeptides of the invention are joined through peptide linkers. Examples include those peptide linkers described in U.S. Pat. No. 5,073,627  
5 (hereby incorporated by reference). Proteins comprising multiple polypeptides of the invention separated by peptide linkers may be produced using conventional recombinant DNA technology.

Another method for preparing multimer polypeptides of the invention involves use of polypeptides of the invention fused to a leucine zipper or isoleucine zipper  
10 polypeptide sequence. Leucine zipper and isoleucine zipper domains are polypeptides that promote multimerization of the proteins in which they are found. Leucine zippers were originally identified in several DNA-binding proteins (Landschulz et al., Science 240:1759, (1988)), and have since been found in a variety of different proteins. Among the known leucine zippers are naturally occurring  
15 peptides and derivatives thereof that dimerize or trimerize. Examples of leucine zipper domains suitable for producing soluble multimeric proteins of the invention are those described in PCT application WO 94/10308, hereby incorporated by reference. Recombinant fusion proteins comprising a polypeptide of the invention fused to a polypeptide sequence that dimerizes or trimerizes in solution are expressed in suitable  
20 host cells, and the resulting soluble multimeric fusion protein is recovered from the culture supernatant using techniques known in the art.

Trimeric polypeptides of the invention may offer the advantage of enhanced biological activity. Preferred leucine zipper moieties and isoleucine moieties are those that preferentially form trimers. One example is a leucine zipper derived from  
25 lung surfactant protein D (SPD), as described in Hoppe et al. (FEBS Letters 344:191, (1994)) and in U.S. patent application Ser. No. 08/446,922, hereby incorporated by reference. Other peptides derived from naturally occurring trimeric proteins may be employed in preparing trimeric polypeptides of the invention.

In another example, proteins of the invention are associated by interactions  
30 between Flag® polypeptide sequence contained in fusion proteins of the invention

containing Flag® polypeptide sequence. In a further embodiment, associations proteins of the invention are associated by interactions between heterologous polypeptide sequence contained in Flag® fusion proteins of the invention and anti-Flag® antibody.

- 5       The multimers of the invention may be generated using chemical techniques known in the art. For example, polypeptides desired to be contained in the multimers of the invention may be chemically cross-linked using linker molecules and linker molecule length optimization techniques known in the art (see, e.g., US Patent Number 5,478,925, which is herein incorporated by reference in its entirety).
- 10   Additionally, multimers of the invention may be generated using techniques known in the art to form one or more inter-molecule cross-links between the cysteine residues located within the sequence of the polypeptides desired to be contained in the multimer (see, e.g., US Patent Number 5,478,925, which is herein incorporated by reference in its entirety). Further, polypeptides of the invention may be routinely
- 15   modified by the addition of cysteine or biotin to the C-terminus or N-terminus of the polypeptide and techniques known in the art may be applied to generate multimers containing one or more of these modified polypeptides (see, e.g., US Patent Number 5,478,925, which is herein incorporated by reference in its entirety). Additionally, techniques known in the art may be applied to generate liposomes containing the
- 20   polypeptide components desired to be contained in the multimer of the invention (see, e.g., US Patent Number 5,478,925, which is herein incorporated by reference in its entirety).

- Alternatively, multimers of the invention may be generated using genetic engineering techniques known in the art. In one embodiment, polypeptides contained
- 25   in multimers of the invention are produced recombinantly using fusion protein technology described herein or otherwise known in the art (see, e.g., US Patent Number 5,478,925, which is herein incorporated by reference in its entirety). In a specific embodiment, polynucleotides coding for a homodimer of the invention are generated by ligating a polynucleotide sequence encoding a polypeptide of the
- 30   invention to a sequence encoding a linker polypeptide and then further to a synthetic

polynucleotide encoding the translated product of the polypeptide in the reverse orientation from the original C-terminus to the N-terminus (lacking the leader sequence) (see, e.g., US Patent Number 5,478,925, which is herein incorporated by reference in its entirety). In another embodiment, recombinant techniques described  
5 herein or otherwise known in the art are applied to generate recombinant polypeptides of the invention which contain a transmembrane domain (or hydrophobic or signal peptide) and which can be incorporated by membrane reconstitution techniques into liposomes (see, e.g., US Patent Number 5,478,925, which is herein incorporated by reference in its entirety).

10

### **Antibodies**

Further polypeptides of the invention relate to antibodies and T-cell antigen receptors (TCR) which immunospecifically bind a polypeptide, polypeptide fragment, or variant of SEQ ID NO:Y, and/or an epitope, of the present invention (as  
15 determined by immunoassays well known in the art for assaying specific antibody-antigen binding). Antibodies of the invention include, but are not limited to, polyclonal, monoclonal, multispecific, human, humanized or chimeric antibodies, single chain antibodies, Fab fragments, F(ab') fragments, fragments produced by a Fab expression library, anti-idiotypic (anti-Id) antibodies (including, e.g., anti-Id  
20 antibodies to antibodies of the invention), and epitope-binding fragments of any of the above. The term "antibody," as used herein, refers to immunoglobulin molecules and immunologically active portions of immunoglobulin molecules, i.e., molecules that contain an antigen binding site that immunospecifically binds an antigen. The immunoglobulin molecules of the invention can be of any type (e.g., IgG, IgE, IgM,  
25 IgD, IgA and IgY), class (e.g., IgG1, IgG2, IgG3, IgG4, IgA1 and IgA2) or subclass of immunoglobulin molecule.

Most preferably the antibodies are human antigen-binding antibody fragments of the present invention and include, but are not limited to, Fab, Fab' and F(ab')<sub>2</sub>, Fd, single-chain Fvs (scFv), single-chain antibodies, disulfide-linked Fvs (sdFv) and  
30 fragments comprising either a VL or VH domain. Antigen-binding antibody

fragments, including single-chain antibodies, may comprise the variable region(s) alone or in combination with the entirety or a portion of the following: hinge region, CH1, CH2, and CH3 domains. Also included in the invention are antigen-binding fragments also comprising any combination of variable region(s) with a hinge region,  
5 CH1, CH2, and CH3 domains. The antibodies of the invention may be from any animal origin including birds and mammals. Preferably, the antibodies are human, murine (e.g., mouse and rat), donkey, ship rabbit, goat, guinea pig, camel, horse, or chicken. As used herein, "human" antibodies include antibodies having the amino acid sequence of a human immunoglobulin and include antibodies isolated from  
10 human immunoglobulin libraries or from animals transgenic for one or more human immunoglobulin and that do not express endogenous immunoglobulins, as described infra and, for example in, U.S. Patent No. 5,939,598 by Kucherlapati et al.

The antibodies of the present invention may be monospecific, bispecific, trispecific or of greater multispecificity. Multispecific antibodies may be specific for  
15 different epitopes of a polypeptide of the present invention or may be specific for both a polypeptide of the present invention as well as for a heterologous epitope, such as a heterologous polypeptide or solid support material. See, e.g., PCT publications WO 93/17715; WO 92/08802; WO 91/00360; WO 92/05793; Tutt, et al., J. Immunol. 147:60-69 (1991); U.S. Patent Nos. 4,474,893; 4,714,681; 4,925,648; 5,573,920;  
20 5,601,819; Kostelny et al., J. Immunol. 148:1547-1553 (1992).

Antibodies of the present invention may be described or specified in terms of the epitope(s) or portion(s) of a polypeptide of the present invention which they recognize or specifically bind. The epitope(s) or polypeptide portion(s) may be specified as described herein, e.g., by N-terminal and C-terminal positions, or by size  
25 in contiguous amino acid residues. Antibodies which specifically bind any epitope or polypeptide of the present invention may also be excluded. Therefore, the present invention includes antibodies that specifically bind polypeptides of the present invention, and allows for the exclusion of the same.

Antibodies of the present invention may also be described or specified in  
30 terms of their cross-reactivity. Antibodies that do not bind any other analog, ortholog,



or homolog of a polypeptide of the present invention are included. Antibodies that bind polypeptides with at least 95%, at least 90%, at least 85%, at least 80%, at least 75%, at least 70%, at least 65%, at least 60%, at least 55%, and at least 50% identity (as calculated using methods known in the art and described herein) to a polypeptide of the present invention are also included in the present invention. In specific embodiments, antibodies of the present invention cross-react with murine, rat and/or rabbit homologs of human proteins and the corresponding epitopes thereof. Antibodies that do not bind polypeptides with less than 95%, less than 90%, less than 85%, less than 80%, less than 75%, less than 70%, less than 65%, less than 60%, less than 55%, and less than 50% identity (as calculated using methods known in the art and described herein) to a polypeptide of the present invention are also included in the present invention. In a specific embodiment, the above-described cross-reactivity is with respect to any single specific antigenic or immunogenic polypeptide, or combination(s) of 2, 3, 4, 5, or more of the specific antigenic and/or immunogenic polypeptides disclosed herein. Further included in the present invention are antibodies which bind polypeptides encoded by polynucleotides which hybridize to a polynucleotide of the present invention under stringent hybridization conditions (as described herein). Antibodies of the present invention may also be described or specified in terms of their binding affinity to a polypeptide of the invention. Preferred binding affinities include those with a dissociation constant or  $K_d$  less than  $5 \times 10^{-2}$  M,  $10^{-2}$  M,  $5 \times 10^{-3}$  M,  $10^{-3}$  M,  $5 \times 10^{-4}$  M,  $10^{-4}$  M,  $5 \times 10^{-5}$  M,  $10^{-5}$  M,  $5 \times 10^{-6}$  M,  $10^{-6}$  M,  $5 \times 10^{-7}$  M,  $10^{-7}$  M,  $5 \times 10^{-8}$  M,  $10^{-8}$  M,  $5 \times 10^{-9}$  M,  $10^{-9}$  M,  $5 \times 10^{-10}$  M,  $10^{-10}$  M,  $5 \times 10^{-11}$  M,  $10^{-11}$  M,  $5 \times 10^{-12}$  M,  $10^{-12}$  M,  $5 \times 10^{-13}$  M,  $10^{-13}$  M,  $5 \times 10^{-14}$  M,  $10^{-14}$  M,  $5 \times 10^{-15}$  M, or  $10^{-15}$  M.

The invention also provides antibodies that competitively inhibit binding of an antibody to an epitope of the invention as determined by any method known in the art for determining competitive binding, for example, the immunoassays described herein. In preferred embodiments, the antibody competitively inhibits binding to the epitope by at least 95%, at least 90%, at least 85 %, at least 80%, at least 75%, at least 70%, at least 60%, or at least 50%.

Antibodies of the present invention may act as agonists or antagonists of the polypeptides of the present invention. For example, the present invention includes antibodies which disrupt the receptor/ligand interactions with the polypeptides of the invention either partially or fully. Preferably, antibodies of the present invention  
5 bind an antigenic epitope disclosed herein, or a portion thereof. The invention features both receptor-specific antibodies and ligand-specific antibodies. The invention also features receptor-specific antibodies which do not prevent ligand binding but prevent receptor activation. Receptor activation (i.e., signaling) may be determined by techniques described herein or otherwise known in the art. For example, receptor  
10 activation can be determined by detecting the phosphorylation (e.g., tyrosine or serine/threonine) of the receptor or its substrate by immunoprecipitation followed by western blot analysis (for example, as described supra). In specific embodiments, antibodies are provided that inhibit ligand activity or receptor activity by at least 95%, at least 90%, at least 85%, at least 80%, at least 75%, at least 70%, at least 60%, or at  
15 least 50% of the activity in absence of the antibody.

The invention also features receptor-specific antibodies which both prevent ligand binding and receptor activation as well as antibodies that recognize the receptor-ligand complex, and, preferably, do not specifically recognize the unbound receptor or the unbound ligand. Likewise, included in the invention are neutralizing  
20 antibodies which bind the ligand and prevent binding of the ligand to the receptor, as well as antibodies which bind the ligand, thereby preventing receptor activation, but do not prevent the ligand from binding the receptor. Further included in the invention are antibodies which activate the receptor. These antibodies may act as receptor agonists, i.e., potentiate or activate either all or a subset of the biological activities of  
25 the ligand-mediated receptor activation, for example, by inducing dimerization of the receptor. The antibodies may be specified as agonists, antagonists or inverse agonists for biological activities comprising the specific biological activities of the peptides of the invention disclosed herein. The above antibody agonists can be made using methods known in the art. See, e.g., PCT publication WO 96/40281; U.S. Patent No.  
30 5,811,097; Deng et al., Blood 92(6):1981-1988 (1998); Chen et al., Cancer Res.

58(16):3668-3678 (1998); Harrop et al., J. Immunol. 161(4):1786-1794 (1998); Zhu et al., Cancer Res. 58(15):3209-3214 (1998); Yoon et al., J. Immunol. 160(7):3170-3179 (1998); Prat et al., J. Cell. Sci. 111(Pt2):237-247 (1998); Pitard et al., J. Immunol. Methods 205(2):177-190 (1997); Liautard et al., Cytokine 9(4):233-241 (1997); Carlson et al., J. Biol. Chem. 272(17):11295-11301 (1997); Taryman et al., Neuron 14(4):755-762 (1995); Muller et al., Structure 6(9):1153-1167 (1998); Bartunek et al., Cytokine 8(1):14-20 (1996) (which are all incorporated by reference herein in their entireties).

Antibodies of the present invention may be used, for example, but not limited to, to purify, detect, and target the polypeptides of the present invention, including both in vitro and in vivo diagnostic and therapeutic methods. For example, the antibodies have use in immunoassays for qualitatively and quantitatively measuring levels of the polypeptides of the present invention in biological samples. See, e.g., Harlow et al., Antibodies: A Laboratory Manual, (Cold Spring Harbor Laboratory Press, 2nd ed. 1988) (incorporated by reference herein in its entirety).

As discussed in more detail below, the antibodies of the present invention may be used either alone or in combination with other compositions. The antibodies may further be recombinantly fused to a heterologous polypeptide at the N- or C-terminus or chemically conjugated (including covalently and non-covalently conjugations) to polypeptides or other compositions. For example, antibodies of the present invention may be recombinantly fused or conjugated to molecules useful as labels in detection assays and effector molecules such as heterologous polypeptides, drugs, radionuclides, or toxins. See, e.g., PCT publications WO 92/08495; WO 91/14438; WO 89/12624; U.S. Patent No. 5,314,995; and EP 396,387.

The antibodies of the invention include derivatives that are modified, i.e., by the covalent attachment of any type of molecule to the antibody such that covalent attachment does not prevent the antibody from generating an anti-idiotypic response. For example, but not by way of limitation, the antibody derivatives include antibodies that have been modified, e.g., by glycosylation, acetylation, pegylation, phosphorylation, amidation, derivatization by known protecting/blocking groups,

proteolytic cleavage, linkage to a cellular ligand or other protein, etc. Any of numerous chemical modifications may be carried out by known techniques, including, but not limited to specific chemical cleavage, acetylation, formylation, metabolic synthesis of tunicamycin, etc. Additionally, the derivative may contain one or more  
5 non-classical amino acids.

The antibodies of the present invention may be generated by any suitable method known in the art. Polyclonal antibodies to an antigen-of-interest can be produced by various procedures well known in the art. For example, a polypeptide of the invention can be administered to various host animals including, but not limited  
10 to, rabbits, mice, rats, etc. to induce the production of sera containing polyclonal antibodies specific for the antigen. Various adjuvants may be used to increase the immunological response, depending on the host species, and include but are not limited to, Freund's (complete and incomplete), mineral gels such as aluminum hydroxide, surface active substances such as lysolecithin, pluronic polyols,  
15 polyanions, peptides, oil emulsions, keyhole limpet hemocyanins, dinitrophenol, and potentially useful human adjuvants such as BCG (bacille Calmette-Guerin) and corynebacterium parvum. Such adjuvants are also well known in the art.

Monoclonal antibodies can be prepared using a wide variety of techniques known in the art including the use of hybridoma, recombinant, and phage display  
20 technologies, or a combination thereof. For example, monoclonal antibodies can be produced using hybridoma techniques including those known in the art and taught, for example, in Harlow et al., *Antibodies: A Laboratory Manual*, (Cold Spring Harbor Laboratory Press, 2nd ed. 1988); Hammerling, et al., in: *Monoclonal Antibodies and T-Cell Hybridomas* 563-681 (Elsevier, N.Y., 1981) (said references incorporated by  
25 reference in their entireties). The term "monoclonal antibody" as used herein is not limited to antibodies produced through hybridoma technology. The term "monoclonal antibody" refers to an antibody that is derived from a single clone, including any eukaryotic, prokaryotic, or phage clone, and not the method by which it is produced.

Methods for producing and screening for specific antibodies using hybridoma technology are routine and well known in the art and are discussed in detail in the Examples. In a non-limiting example, mice can be immunized with a polypeptide of the invention or a cell expressing such peptide. Once an immune response is  
5 detected, e.g., antibodies specific for the antigen are detected in the mouse serum, the mouse spleen is harvested and splenocytes isolated. The splenocytes are then fused by well known techniques to any suitable myeloma cells, for example cells from cell line SP20 available from the ATCC. Hybridomas are selected and cloned by limited  
10 dilution. The hybridoma clones are then assayed by methods known in the art for cells that secrete antibodies capable of binding a polypeptide of the invention. Ascites fluid, which generally contains high levels of antibodies, can be generated by immunizing mice with positive hybridoma clones.

Accordingly, the present invention provides methods of generating monoclonal antibodies as well as antibodies produced by the method comprising  
15 culturing a hybridoma cell secreting an antibody of the invention wherein, preferably, the hybridoma is generated by fusing splenocytes isolated from a mouse immunized with an antigen of the invention with myeloma cells and then screening the hybridomas resulting from the fusion for hybridoma clones that secrete an antibody able to bind a polypeptide of the invention.

20 Antibody fragments which recognize specific epitopes may be generated by known techniques. For example, Fab and F(ab')<sub>2</sub> fragments of the invention may be produced by proteolytic cleavage of immunoglobulin molecules, using enzymes such as papain (to produce Fab fragments) or pepsin (to produce F(ab')<sub>2</sub> fragments). F(ab')<sub>2</sub> fragments contain the variable region, the light chain constant region and the  
25 CH1 domain of the heavy chain.

For example, the antibodies of the present invention can also be generated using various phage display methods known in the art. In phage display methods, functional antibody domains are displayed on the surface of phage particles which carry the polynucleotide sequences encoding them. In a particular embodiment, such  
30 phage can be utilized to display antigen binding domains expressed from a repertoire

or combinatorial antibody library (e.g., human or murine). Phage expressing an antigen binding domain that binds the antigen of interest can be selected or identified with antigen, e.g., using labeled antigen or antigen bound or captured to a solid surface or bead. Phage used in these methods are typically filamentous phage including fd and M13 binding domains expressed from phage with Fab, Fv or disulfide stabilized Fv antibody domains recombinantly fused to either the phage gene III or gene VIII protein. Examples of phage display methods that can be used to make the antibodies of the present invention include those disclosed in Brinkman et al., J. Immunol. Methods 182:41-50 (1995); Ames et al., J. Immunol. Methods 184:177-186 (1995); Kettleborough et al., Eur. J. Immunol. 24:952-958 (1994); Persic et al., Gene 187 9-18 (1997); Burton et al., Advances in Immunology 57:191-280 (1994); PCT application No. PCT/GB91/01134; PCT publications WO 90/02809; WO 91/10737; WO 92/01047; WO 92/18619; WO 93/11236; WO 95/15982; WO 95/20401; and U.S. Patent Nos. 5,698,426; 5,223,409; 5,403,484; 5,580,717; 5,427,908; 5,750,753; 5,821,047; 5,571,698; 5,427,908; 5,516,637; 5,780,225; 5,658,727; 5,733,743 and 5,969,108; each of which is incorporated herein by reference in its entirety.

As described in the above references, after phage selection, the antibody coding regions from the phage can be isolated and used to generate whole antibodies, including human antibodies, or any other desired antigen binding fragment, and expressed in any desired host, including mammalian cells, insect cells, plant cells, yeast, and bacteria, e.g., as described in detail below. For example, techniques to recombinantly produce Fab, Fab' and F(ab')<sub>2</sub> fragments can also be employed using methods known in the art such as those disclosed in PCT publication WO 92/22324; Mullinax et al., BioTechniques 12(6):864-869 (1992); and Sawai et al., AJRI 34:26-34 (1995); and Better et al., Science 240:1041-1043 (1988) (said references incorporated by reference in their entireties).

Examples of techniques which can be used to produce single-chain Fvs and antibodies include those described in U.S. Patents 4,946,778 and 5,258,498; Huston et al., Methods in Enzymology 203:46-88 (1991); Shu et al., PNAS 90:7995-7999

(1993); and Skerra et al., Science 240:1038-1040 (1988). For some uses, including in vivo use of antibodies in humans and in vitro detection assays, it may be preferable to use chimeric, humanized, or human antibodies. A chimeric antibody is a molecule in which different portions of the antibody are derived from different animal species, such as antibodies having a variable region derived from a murine monoclonal antibody and a human immunoglobulin constant region. Methods for producing chimeric antibodies are known in the art. See e.g., Morrison, Science 229:1202 (1985); Oi et al., BioTechniques 4:214 (1986); Gillies et al., (1989) J. Immunol. Methods 125:191-202; U.S. Patent Nos. 5,807,715; 4,816,567; and 4,816,397, which are incorporated herein by reference in their entirety. Humanized antibodies are antibody molecules from non-human species antibody that binds the desired antigen having one or more complementarity determining regions (CDRs) from the non-human species and a framework regions from a human immunoglobulin molecule. Often, framework residues in the human framework regions will be substituted with the corresponding residue from the CDR donor antibody to alter, preferably improve, antigen binding. These framework substitutions are identified by methods well known in the art, e.g., by modeling of the interactions of the CDR and framework residues to identify framework residues important for antigen binding and sequence comparison to identify unusual framework residues at particular positions. (See, e.g., Queen et al., U.S. Patent No. 5,585,089; Riechmann et al., Nature 332:323 (1988), which are incorporated herein by reference in their entirety.) Antibodies can be humanized using a variety of techniques known in the art including, for example, CDR-grafting (EP 239,400; PCT publication WO 91/09967; U.S. Patent Nos. 5,225,539; 5,530,101; and 5,585,089), veneering or resurfacing (EP 592,106; EP 519,596; Padlan, Molecular Immunology 28(4/5):489-498 (1991); Studnicka et al., Protein Engineering 7(6):805-814 (1994); Roguska et al., PNAS 91:969-973 (1994)), and chain shuffling (U.S. Patent No. 5,565,332).

Completely human antibodies are particularly desirable for therapeutic treatment of human patients. Human antibodies can be made by a variety of methods known in the art including phage display methods described above using antibody

libraries derived from human immunoglobulin sequences. See also, U.S. Patent Nos. 4,444,887 and 4,716,111; and PCT publications WO 98/46645, WO 98/50433, WO 98/24893, WO 98/16654, WO 96/34096, WO 96/33735, and WO 91/10741; each of which is incorporated herein by reference in its entirety.

5 Human antibodies can also be produced using transgenic mice which are incapable of expressing functional endogenous immunoglobulins, but which can express human immunoglobulin genes. For example, the human heavy and light chain immunoglobulin gene complexes may be introduced randomly or by homologous recombination into mouse embryonic stem cells. Alternatively, the  
10 human variable region, constant region, and diversity region may be introduced into mouse embryonic stem cells in addition to the human heavy and light chain genes. The mouse heavy and light chain immunoglobulin genes may be rendered non-functional separately or simultaneously with the introduction of human immunoglobulin loci by homologous recombination. In particular, homozygous  
15 deletion of the JH region prevents endogenous antibody production. The modified embryonic stem cells are expanded and microinjected into blastocysts to produce chimeric mice. The chimeric mice are then bred to produce homozygous offspring which express human antibodies. The transgenic mice are immunized in the normal fashion with a selected antigen, e.g., all or a portion of a polypeptide of the invention.  
20 Monoclonal antibodies directed against the antigen can be obtained from the immunized, transgenic mice using conventional hybridoma technology. The human immunoglobulin transgenes harbored by the transgenic mice rearrange during B cell differentiation, and subsequently undergo class switching and somatic mutation. Thus, using such a technique, it is possible to produce therapeutically useful IgG,  
25 IgA, IgM and IgE antibodies. For an overview of this technology for producing human antibodies, see Lonberg and Huszar, Int. Rev. Immunol. 13:65-93 (1995). For a detailed discussion of this technology for producing human antibodies and human monoclonal antibodies and protocols for producing such antibodies, see, e.g., PCT publications WO 98/24893; WO 92/01047; WO 96/34096; WO 96/33735; European  
30 Patent No. 0 598 877; U.S. Patent Nos. 5,413,923; 5,625,126; 5,633,425; 5,569,825;



5,661,016; 5,545,806; 5,814,318; 5,885,793; 5,916,771; and 5,939,598, which are incorporated by reference herein in their entirety. In addition, companies such as Abgenix, Inc. (Freemont, CA) and Genpharm (San Jose, CA) can be engaged to provide human antibodies directed against a selected antigen using technology similar to that described above.

Completely human antibodies which recognize a selected epitope can be generated using a technique referred to as "guided selection." In this approach a selected non-human monoclonal antibody, e.g., a mouse antibody, is used to guide the selection of a completely human antibody recognizing the same epitope. (Jespers et al., Bio/technology 12:899-903 (1988)).

Further, antibodies to the polypeptides of the invention can, in turn, be utilized to generate anti-idiotypic antibodies that "mimic" polypeptides of the invention using techniques well known to those skilled in the art. (See, e.g., Greenspan & Bona, FASEB J. 7(5):437-444; (1989) and Nissinoff, J. Immunol. 147(8):2429-2438 (1991)). For example, antibodies which bind to and competitively inhibit polypeptide multimerization and/or binding of a polypeptide of the invention to a ligand can be used to generate anti-idiotypes that "mimic" the polypeptide multimerization and/or binding domain and, as a consequence, bind to and neutralize polypeptide and/or its ligand. Such neutralizing anti-idiotypes or Fab fragments of such anti-idiotypes can be used in therapeutic regimens to neutralize polypeptide ligand. For example, such anti-idiotypic antibodies can be used to bind a polypeptide of the invention and/or to bind its ligands/receptors, and thereby block its biological activity.

#### ***Polynucleotides Encoding Antibodies***

The invention further provides polynucleotides comprising a nucleotide sequence encoding an antibody of the invention and fragments thereof. The invention also encompasses polynucleotides that hybridize under stringent or alternatively, under lower stringency hybridization conditions, e.g., as defined supra, to polynucleotides that encode an antibody, preferably, that specifically binds to a

polypeptide of the invention, preferably, an antibody that binds to a polypeptide having the amino acid sequence of SEQ ID NO:Y.

The polynucleotides may be obtained, and the nucleotide sequence of the polynucleotides determined, by any method known in the art. For example, if the  
5 nucleotide sequence of the antibody is known, a polynucleotide encoding the antibody may be assembled from chemically synthesized oligonucleotides (e.g., as described in Kutmeier et al., *BioTechniques* 17:242 (1994)), which, briefly, involves the synthesis of overlapping oligonucleotides containing portions of the sequence encoding the antibody, annealing and ligating of those oligonucleotides, and then amplification of  
10 the ligated oligonucleotides by PCR.

Alternatively, a polynucleotide encoding an antibody may be generated from nucleic acid from a suitable source. If a clone containing a nucleic acid encoding a particular antibody is not available, but the sequence of the antibody molecule is known, a nucleic acid encoding the immunoglobulin may be chemically synthesized  
15 or obtained from a suitable source (e.g., an antibody cDNA library, or a cDNA library generated from, or nucleic acid, preferably poly A+ RNA, isolated from, any tissue or cells expressing the antibody, such as hybridoma cells selected to express an antibody of the invention) by PCR amplification using synthetic primers hybridizable to the 3' and 5' ends of the sequence or by cloning using an oligonucleotide probe  
20 specific for the particular gene sequence to identify, e.g., a cDNA clone from a cDNA library that encodes the antibody. Amplified nucleic acids generated by PCR may then be cloned into replicable cloning vectors using any method well known in the art.

Once the nucleotide sequence and corresponding amino acid sequence of the  
25 antibody is determined, the nucleotide sequence of the antibody may be manipulated using methods well known in the art for the manipulation of nucleotide sequences, e.g., recombinant DNA techniques, site directed mutagenesis, PCR, etc. (see, for example, the techniques described in Sambrook et al., 1990, *Molecular Cloning, A Laboratory Manual*, 2d Ed., Cold Spring Harbor Laboratory, Cold Spring Harbor, NY  
30 and Ausubel et al., eds., 1998, *Current Protocols in Molecular Biology*, John Wiley &

Sons, NY, which are both incorporated by reference herein in their entireties ), to generate antibodies having a different amino acid sequence, for example to create amino acid substitutions, deletions, and/or insertions.

In a specific embodiment, the amino acid sequence of the heavy and/or light  
5 chain variable domains may be inspected to identify the sequences of the complementarity determining regions (CDRs) by methods that are well known in the art, e.g., by comparison to known amino acid sequences of other heavy and light chain variable regions to determine the regions of sequence hypervariability. Using routine recombinant DNA techniques, one or more of the CDRs may be inserted  
10 within framework regions, e.g., into human framework regions to humanize a non-human antibody, as described supra. The framework regions may be naturally occurring or consensus framework regions, and preferably human framework regions (see, e.g., Chothia et al., J. Mol. Biol. 278: 457-479 (1998) for a listing of human framework regions). Preferably, the polynucleotide generated by the combination of  
15 the framework regions and CDRs encodes an antibody that specifically binds a polypeptide of the invention. Preferably, as discussed supra, one or more amino acid substitutions may be made within the framework regions, and, preferably, the amino acid substitutions improve binding of the antibody to its antigen. Additionally, such methods may be used to make amino acid substitutions or deletions of one or more  
20 variable region cysteine residues participating in an intrachain disulfide bond to generate antibody molecules lacking one or more intrachain disulfide bonds. Other alterations to the polynucleotide are encompassed by the present invention and within the skill of the art.

In addition, techniques developed for the production of "chimeric antibodies"  
25 (Morrison et al., Proc. Natl. Acad. Sci. 81:851-855 (1984); Neuberger et al., Nature 312:604-608 (1984); Takeda et al., Nature 314:452-454 (1985)) by splicing genes from a mouse antibody molecule of appropriate antigen specificity together with genes from a human antibody molecule of appropriate biological activity can be used. As described supra, a chimeric antibody is a molecule in which different portions are  
30 derived from different animal species, such as those having a variable region derived

from a murine mAb and a human immunoglobulin constant region, e.g., humanized antibodies.

Alternatively, techniques described for the production of single chain antibodies (U.S. Patent No. 4,946,778; Bird, Science 242:423- 42 (1988); Huston et al., Proc. Natl. Acad. Sci. USA 85:5879-5883 (1988); and Ward et al., Nature 334:544-54 (1989)) can be adapted to produce single chain antibodies. Single chain antibodies are formed by linking the heavy and light chain fragments of the Fv region via an amino acid bridge, resulting in a single chain polypeptide. Techniques for the assembly of functional Fv fragments in E. coli may also be used (Skerra et al., Science 242:1038- 1041 (1988)).

#### *Methods of Producing Antibodies*

The antibodies of the invention can be produced by any method known in the art for the synthesis of antibodies, in particular, by chemical synthesis or preferably, by recombinant expression techniques.

Recombinant expression of an antibody of the invention, or fragment, derivative or analog thereof, (e.g., a heavy or light chain of an antibody of the invention or a single chain antibody of the invention), requires construction of an expression vector containing a polynucleotide that encodes the antibody. Once a polynucleotide encoding an antibody molecule or a heavy or light chain of an antibody, or portion thereof (preferably containing the heavy or light chain variable domain), of the invention has been obtained, the vector for the production of the antibody molecule may be produced by recombinant DNA technology using techniques well known in the art. Thus, methods for preparing a protein by expressing a polynucleotide containing an antibody encoding nucleotide sequence are described herein. Methods which are well known to those skilled in the art can be used to construct expression vectors containing antibody coding sequences and appropriate transcriptional and translational control signals. These methods include, for example, in vitro recombinant DNA techniques, synthetic techniques, and in vivo genetic recombination. The invention, thus, provides replicable vectors comprising a

nucleotide sequence encoding an antibody molecule of the invention, or a heavy or light chain thereof, or a heavy or light chain variable domain, operably linked to a promoter. Such vectors may include the nucleotide sequence encoding the constant region of the antibody molecule (see, e.g., PCT Publication WO 86/05807; PCT  
5 Publication WO 89/01036; and U.S. Patent No. 5,122,464) and the variable domain of the antibody may be cloned into such a vector for expression of the entire heavy or light chain.

The expression vector is transferred to a host cell by conventional techniques and the transfected cells are then cultured by conventional techniques to produce an  
10 antibody of the invention. Thus, the invention includes host cells containing a polynucleotide encoding an antibody of the invention, or a heavy or light chain thereof, or a single chain antibody of the invention, operably linked to a heterologous promoter. In preferred embodiments for the expression of double-chained antibodies, vectors encoding both the heavy and light chains may be co-expressed in the host cell  
15 for expression of the entire immunoglobulin molecule, as detailed below.

A variety of host-expression vector systems may be utilized to express the antibody molecules of the invention. Such host-expression systems represent vehicles by which the coding sequences of interest may be produced and subsequently purified, but also represent cells which may, when transformed or transfected with  
20 the appropriate nucleotide coding sequences, express an antibody molecule of the invention in situ. These include but are not limited to microorganisms such as bacteria (e.g., *E. coli*, *B. subtilis*) transformed with recombinant bacteriophage DNA, plasmid DNA or cosmid DNA expression vectors containing antibody coding sequences; yeast (e.g., *Saccharomyces*, *Pichia*) transformed with recombinant yeast  
25 expression vectors containing antibody coding sequences; insect cell systems infected with recombinant virus expression vectors (e.g., baculovirus) containing antibody coding sequences; plant cell systems infected with recombinant virus expression vectors (e.g., cauliflower mosaic virus, CaMV; tobacco mosaic virus, TMV) or transformed with recombinant plasmid expression vectors (e.g., Ti plasmid)  
30 containing antibody coding sequences; or mammalian cell systems (e.g., COS, CHO,

BHK, 293, 3T3 cells) harboring recombinant expression constructs containing promoters derived from the genome of mammalian cells (e.g., metallothionein promoter) or from mammalian viruses (e.g., the adenovirus late promoter; the vaccinia virus 7.5K promoter). Preferably, bacterial cells such as *Escherichia coli*,  
5 and more preferably, eukaryotic cells, especially for the expression of whole recombinant antibody molecule, are used for the expression of a recombinant antibody molecule. For example, mammalian cells such as Chinese hamster ovary cells (CHO), in conjunction with a vector such as the major intermediate early gene promoter element from human cytomegalovirus is an effective expression system for  
10 antibodies (Foecking et al., *Gene* 45:101 (1986); Cockett et al., *Bio/Technology* 8:2 (1990)).

In bacterial systems, a number of expression vectors may be advantageously selected depending upon the use intended for the antibody molecule being expressed. For example, when a large quantity of such a protein is to be produced, for the  
15 generation of pharmaceutical compositions of an antibody molecule, vectors which direct the expression of high levels of fusion protein products that are readily purified may be desirable. Such vectors include, but are not limited, to the *E. coli* expression vector pUR278 (Ruther et al., *EMBO J.* 2:1791 (1983)), in which the antibody coding sequence may be ligated individually into the vector in frame with the lac Z coding  
20 region so that a fusion protein is produced; pIN vectors (Inouye & Inouye, *Nucleic Acids Res.* 13:3101-3109 (1985); Van Heeke & Schuster, *J. Biol. Chem.* 24:5503-5509 (1989)); and the like. pGEX vectors may also be used to express foreign polypeptides as fusion proteins with glutathione S-transferase (GST). In general, such fusion proteins are soluble and can easily be purified from lysed cells by  
25 adsorption and binding to matrix glutathione-agarose beads followed by elution in the presence of free glutathione. The pGEX vectors are designed to include thrombin or factor Xa protease cleavage sites so that the cloned target gene product can be released from the GST moiety.

In an insect system, *Autographa californica* nuclear polyhedrosis virus  
30 (AcNPV) is used as a vector to express foreign genes. The virus grows in

*Spodoptera frugiperda* cells. The antibody coding sequence may be cloned individually into non-essential regions (for example the polyhedrin gene) of the virus and placed under control of an AcNPV promoter (for example the polyhedrin promoter).

5 In mammalian host cells, a number of viral-based expression systems may be utilized. In cases where an adenovirus is used as an expression vector, the antibody coding sequence of interest may be ligated to an adenovirus transcription/translation control complex, e.g., the late promoter and tripartite leader sequence. This chimeric gene may then be inserted in the adenovirus genome by in vitro or in vivo  
10 recombination. Insertion in a non-essential region of the viral genome (e.g., region E1 or E3) will result in a recombinant virus that is viable and capable of expressing the antibody molecule in infected hosts. (e.g., see Logan & Shenk, Proc. Natl. Acad. Sci. USA 81:355-359 (1984)). Specific initiation signals may also be required for efficient translation of inserted antibody coding sequences. These signals include the  
15 ATG initiation codon and adjacent sequences. Furthermore, the initiation codon must be in phase with the reading frame of the desired coding sequence to ensure translation of the entire insert. These exogenous translational control signals and initiation codons can be of a variety of origins, both natural and synthetic. The efficiency of expression may be enhanced by the inclusion of appropriate  
20 transcription enhancer elements, transcription terminators, etc. (see Bittner et al., Methods in Enzymol. 153:51-544 (1987)).

In addition, a host cell strain may be chosen which modulates the expression of the inserted sequences, or modifies and processes the gene product in the specific fashion desired. Such modifications (e.g., glycosylation) and processing (e.g.,  
25 cleavage) of protein products may be important for the function of the protein. Different host cells have characteristic and specific mechanisms for the post-translational processing and modification of proteins and gene products. Appropriate cell lines or host systems can be chosen to ensure the correct modification and processing of the foreign protein expressed. To this end, eukaryotic host cells which  
30 possess the cellular machinery for proper processing of the primary transcript,

glycosylation, and phosphorylation of the gene product may be used. Such mammalian host cells include but are not limited to CHO, VERY, BHK, Hela, COS, MDCK, 293, 3T3, WI38, and in particular, breast cancer cell lines such as, for example, BT483, Hs578T, HTB2, BT20 and T47D, and normal mammary gland cell  
5 line such as, for example, CRL7030 and Hs578Bst.

For long-term, high-yield production of recombinant proteins, stable expression is preferred. For example, cell lines which stably express the antibody molecule may be engineered. Rather than using expression vectors which contain viral origins of replication, host cells can be transformed with DNA controlled by  
10 appropriate expression control elements (e.g., promoter, enhancer, sequences, transcription terminators, polyadenylation sites, etc.), and a selectable marker. Following the introduction of the foreign DNA, engineered cells may be allowed to grow for 1-2 days in an enriched media, and then are switched to a selective media. The selectable marker in the recombinant plasmid confers resistance to the selection  
15 and allows cells to stably integrate the plasmid into their chromosomes and grow to form foci which in turn can be cloned and expanded into cell lines. This method may advantageously be used to engineer cell lines which express the antibody molecule. Such engineered cell lines may be particularly useful in screening and evaluation of compounds that interact directly or indirectly with the antibody molecule.

20 A number of selection systems may be used, including but not limited to the herpes simplex virus thymidine kinase (Wigler et al., Cell 11:223 (1977)), hypoxanthine-guanine phosphoribosyltransferase (Szybalska & Szybalski, Proc. Natl. Acad. Sci. USA 48:202 (1992)), and adenine phosphoribosyltransferase (Lowy et al., Cell 22:817 (1980)) genes can be employed in tk-, hgp<sup>r</sup>t- or ap<sup>r</sup>t- cells, respectively.  
25 Also, antimetabolite resistance can be used as the basis of selection for the following genes: dhfr, which confers resistance to methotrexate (Wigler et al., Natl. Acad. Sci. USA 77:357 (1980); O'Hare et al., Proc. Natl. Acad. Sci. USA 78:1527 (1981)); gpt, which confers resistance to mycophenolic acid (Mulligan & Berg, Proc. Natl. Acad. Sci. USA 78:2072 (1981)); neo, which confers resistance to the aminoglycoside G-  
30 418 Clinical Pharmacy 12:488-505; Wu and Wu, Biotherapy 3:87-95 (1991);



Tolstoshev. *Ann. Rev. Pharmacol. Toxicol.* 32:573-596 (1993); Mulligan, *Science* 260:926-932 (1993); and Morgan and Anderson, *Ann. Rev. Biochem.* 62:191-217 (1993); May, 1993, *TIB TECH* 11(5):155-215; and hygromycin (Santerre et al., *Gene* 30:147 (1984)). Methods commonly known in  
5 the art of recombinant DNA technology may be routinely applied to select the desired recombinant clone, and such methods are described, for example, in Ausubel et al. (eds.), *Current Protocols in Molecular Biology*, John Wiley & Sons, NY (1993); Kriegler, *Gene Transfer and Expression, A Laboratory Manual*, Stockton Press, NY (1990); and in Chapters 12 and 13, Dracopoli et al. (eds), *Current Protocols in*  
10 *Human Genetics*, John Wiley & Sons, NY (1994); Colberre-Garapin et al., *J. Mol. Biol.* 150:1 (1981), which are incorporated by reference herein in their entireties.

The expression levels of an antibody molecule can be increased by vector amplification (for a review, see Bebbington and Hentschel, *The use of vectors based on gene amplification for the expression of cloned genes in mammalian cells in DNA*  
15 *cloning, Vol.3.* (Academic Press, New York, 1987)). When a marker in the vector system expressing antibody is amplifiable, increase in the level of inhibitor present in culture of host cell will increase the number of copies of the marker gene. Since the amplified region is associated with the antibody gene, production of the antibody will also increase (Crouse et al., *Mol. Cell. Biol.* 3:257 (1983)).

20 The host cell may be co-transfected with two expression vectors of the invention, the first vector encoding a heavy chain derived polypeptide and the second vector encoding a light chain derived polypeptide. The two vectors may contain identical selectable markers which enable equal expression of heavy and light chain polypeptides. Alternatively, a single vector may be used which encodes, and is  
25 capable of expressing, both heavy and light chain polypeptides. In such situations, the light chain should be placed before the heavy chain to avoid an excess of toxic free heavy chain (Proudfoot, *Nature* 322:52 (1986); Kohler, *Proc. Natl. Acad. Sci. USA* 77:2197 (1980)). The coding sequences for the heavy and light chains may comprise cDNA or genomic DNA.

Once an antibody molecule of the invention has been produced by an animal, chemically synthesized, or recombinantly expressed, it may be purified by any method known in the art for purification of an immunoglobulin molecule, for example, by chromatography (e.g., ion exchange, affinity, particularly by affinity for  
5 the specific antigen after Protein A, and sizing column chromatography), centrifugation, differential solubility, or by any other standard technique for the purification of proteins. In addition, the antibodies of the present invention or fragments thereof can be fused to heterologous polypeptide sequences described herein or otherwise known in the art, to facilitate purification.

10 The present invention encompasses antibodies recombinantly fused or chemically conjugated (including both covalently and non-covalently conjugations) to a polypeptide (or portion thereof, preferably at least 10, 20, 30, 40, 50, 60, 70, 80, 90 or 100 amino acids of the polypeptide) of the present invention to generate fusion proteins. The fusion does not necessarily need to be direct, but may occur through  
15 linker sequences. The antibodies may be specific for antigens other than polypeptides (or portion thereof, preferably at least 10, 20, 30, 40, 50, 60, 70, 80, 90 or 100 amino acids of the polypeptide) of the present invention. For example, antibodies may be used to target the polypeptides of the present invention to particular cell types, either in vitro or in vivo, by fusing or conjugating the polypeptides of the present invention  
20 to antibodies specific for particular cell surface receptors. Antibodies fused or conjugated to the polypeptides of the present invention may also be used in in vitro immunoassays and purification methods using methods known in the art. See e.g., Harbor et al., supra, and PCT publication WO 93/21232; EP 439,095; Naramura et al., Immunol. Lett. 39:91-99 (1994); U.S. Patent 5,474,981; Gillies et al., PNAS  
25 89:1428-1432 (1992); Fell et al., J. Immunol. 146:2446-2452(1991), which are incorporated by reference in their entirety.

The present invention further includes compositions comprising the polypeptides of the present invention fused or conjugated to antibody domains other than the variable regions. For example, the polypeptides of the present invention may  
30 be fused or conjugated to an antibody Fc region, or portion thereof. The antibody

portion fused to a polypeptide of the present invention may comprise the constant region, hinge region, CH1 domain, CH2 domain, and CH3 domain or any combination of whole domains or portions thereof. The polypeptides may also be fused or conjugated to the above antibody portions to form multimers. For example, 5 Fc portions fused to the polypeptides of the present invention can form dimers through disulfide bonding between the Fc portions. Higher multimeric forms can be made by fusing the polypeptides to portions of IgA and IgM. Methods for fusing or conjugating the polypeptides of the present invention to antibody portions are known in the art. See, e.g., U.S. Patent Nos. 5,336,603; 5,622,929; 5,359,046; 5,349,053; 10 5,447,851; 5,112,946; EP 307,434; EP 367,166; PCT publications WO 96/04388; WO 91/06570; Ashkenazi et al., *Proc. Natl. Acad. Sci. USA* 88:10535-10539 (1991); Zheng et al., *J. Immunol.* 154:5590-5600 (1995); and Vil et al., *Proc. Natl. Acad. Sci. USA* 89:11337-11341(1992) (said references incorporated by reference in their entireties).

15 As discussed, supra, the polypeptides corresponding to a polypeptide, polypeptide fragment, or a variant of SEQ ID NO:Y may be fused or conjugated to the above antibody portions to increase the in vivo half life of the polypeptides or for use in immunoassays using methods known in the art. Further, the polypeptides corresponding to SEQ ID NO:Y may be fused or conjugated to the above antibody 20 portions to facilitate purification. One reported example describes chimeric proteins consisting of the first two domains of the human CD4-polypeptide and various domains of the constant regions of the heavy or light chains of mammalian immunoglobulins. (EP 394,827; Traunecker et al., *Nature* 331:84-86 (1988). The polypeptides of the present invention fused or conjugated to an antibody having 25 disulfide- linked dimeric structures (due to the IgG) may also be more efficient in binding and neutralizing other molecules, than the monomeric secreted protein or protein fragment alone. (Fountoulakis et al., *J. Biochem.* 270:3958-3964 (1995)). In many cases, the Fc part in a fusion protein is beneficial in therapy and diagnosis, and thus can result in, for example, improved pharmacokinetic properties. (EP A 30 232,262). Alternatively, deleting the Fc part after the fusion protein has been

expressed, detected, and purified, would be desired. For example, the Fc portion may hinder therapy and diagnosis if the fusion protein is used as an antigen for immunizations. In drug discovery, for example, human proteins, such as hIL-5, have been fused with Fc portions for the purpose of high-throughput screening assays to identify antagonists of hIL-5. (See, Bennett et al., J. Molecular Recognition 8:52-58 (1995); Johanson et al., J. Biol. Chem. 270:9459-9471 (1995).

Moreover, the antibodies or fragments thereof of the present invention can be fused to marker sequences, such as a peptide to facilitate purification. In preferred embodiments, the marker amino acid sequence is a hexa-histidine peptide, such as the tag provided in a pQE vector (QIAGEN, Inc., 9259 Eton Avenue, Chatsworth, CA, 91311), among others, many of which are commercially available. As described in Gentz et al., Proc. Natl. Acad. Sci. USA 86:821-824 (1989), for instance, hexa-histidine provides for convenient purification of the fusion protein. Other peptide tags useful for purification include, but are not limited to, the "HA" tag, which corresponds to an epitope derived from the influenza hemagglutinin protein (Wilson et al., Cell 37:767 (1984)) and the "flag" tag.

The present invention further encompasses antibodies or fragments thereof conjugated to a diagnostic or therapeutic agent. The antibodies can be used diagnostically to, for example, monitor the development or progression of a tumor as part of a clinical testing procedure to, e.g., determine the efficacy of a given treatment regimen. Detection can be facilitated by coupling the antibody to a detectable substance. Examples of detectable substances include various enzymes, prosthetic groups, fluorescent materials, luminescent materials, bioluminescent materials, radioactive materials, positron emitting metals using various positron emission tomographies, and nonradioactive paramagnetic metal ions. The detectable substance may be coupled or conjugated either directly to the antibody (or fragment thereof) or indirectly, through an intermediate (such as, for example, a linker known in the art) using techniques known in the art. See, for example, U.S. Patent No. 4,741,900 for metal ions which can be conjugated to antibodies for use as diagnostics according to the present invention. Examples of suitable enzymes include horseradish

peroxidase, alkaline phosphatase, beta-galactosidase, or acetylcholinesterase; examples of suitable prosthetic group complexes include streptavidin/biotin and avidin/biotin; examples of suitable fluorescent materials include umbelliferone, fluorescein, fluorescein isothiocyanate, rhodamine, dichlorotriazinylamine  
5 fluorescein, dansyl chloride or phycoerythrin; an example of a luminescent material includes luminol; examples of bioluminescent materials include luciferase, luciferin, and aequorin; and examples of suitable radioactive material include  $^{125}\text{I}$ ,  $^{131}\text{I}$ ,  $^{111}\text{In}$  or  $^{99}\text{Tc}$ .

Further, an antibody or fragment thereof may be conjugated to a therapeutic  
10 moiety such as a cytotoxin, e.g., a cytostatic or cytotoxic agent, a therapeutic agent or a radioactive metal ion, e.g., alpha-emitters such as, for example,  $^{213}\text{Bi}$ . A cytotoxin or cytotoxic agent includes any agent that is detrimental to cells. Examples include paclitaxol, cytochalasin B, gramicidin D, ethidium bromide, emetine, mitomycin, etoposide, teniposide, vincristine, vinblastine, colchicin, doxorubicin, daunorubicin,  
15 dihydroxy anthracin dione, mitoxantrone, mithramycin, actinomycin D, 1-dehydrotestosterone, glucocorticoids, procaine, tetracaine, lidocaine, propranolol, and puromycin and analogs or homologs thereof. Therapeutic agents include, but are not limited to, antimetabolites (e.g., methotrexate, 6-mercaptopurine, 6-thioguanine, cytarabine, 5-fluorouracil decarbazine), alkylating agents (e.g., mechlorethamine,  
20 thioepa chlorambucil, melphalan, carmustine (BSNU) and lomustine (CCNU), cyclophosphamide, busulfan, dibromomannitol, streptozotocin, mitomycin C, and cis-dichlorodiamine platinum (II) (DDP) cisplatin), anthracyclines (e.g., daunorubicin (formerly daunomycin) and doxorubicin), antibiotics (e.g., dactinomycin (formerly actinomycin), bleomycin, mithramycin, and anthramycin (AMC)), and anti-mitotic  
25 agents (e.g., vincristine and vinblastine).

The conjugates of the invention can be used for modifying a given biological response, the therapeutic agent or drug moiety is not to be construed as limited to classical chemical therapeutic agents. For example, the drug moiety may be a protein or polypeptide possessing a desired biological activity. Such proteins may include,  
30 for example, a toxin such as abrin, ricin A, pseudomonas exotoxin, or diphtheria

toxin; a protein such as tumor necrosis factor,  $\alpha$ -interferon,  $\beta$ -interferon, nerve growth factor, platelet derived growth factor, tissue plasminogen activator, an apoptotic agent, e.g., TNF- $\alpha$ , TNF- $\beta$ , AIM I (See, International Publication No. WO 97/33899), AIM II (See, International Publication No. WO 97/34911), Fas  
5 Ligand (Takahashi *et al.*, *Int. Immunol.*, 6:1567-1574 (1994)), VEGF (See, International Publication No. WO 99/23105), a thrombotic agent or an anti-angiogenic agent, e.g., angiostatin or endostatin; or, biological response modifiers such as, for example, lymphokines, interleukin-1 ("IL-1"), interleukin-2 ("IL-2"), interleukin-6 ("IL-6"), granulocyte macrophage colony stimulating factor ("GM-  
10 CSF"), granulocyte colony stimulating factor ("G-CSF"), or other growth factors.

Antibodies may also be attached to solid supports, which are particularly useful for immunoassays or purification of the target antigen. Such solid supports include, but are not limited to, glass, cellulose, polyacrylamide, nylon, polystyrene, polyvinyl chloride or polypropylene.

15 Techniques for conjugating such therapeutic moiety to antibodies are well known, see, e.g., Arnon *et al.*, "Monoclonal Antibodies For Immunotargeting Of Drugs In Cancer Therapy", in *Monoclonal Antibodies And Cancer Therapy*, Reisfeld *et al.* (eds.), pp. 243-56 (Alan R. Liss, Inc. 1985); Hellstrom *et al.*, "Antibodies For Drug Delivery", in *Controlled Drug Delivery* (2nd Ed.), Robinson *et al.* (eds.), pp.  
20 623-53 (Marcel Dekker, Inc. 1987); Thorpe, "Antibody Carriers Of Cytotoxic Agents In Cancer Therapy: A Review", in *Monoclonal Antibodies '84: Biological And Clinical Applications*, Pinchera *et al.* (eds.), pp. 475-506 (1985); "Analysis, Results, And Future Prospective Of The Therapeutic Use Of Radiolabeled Antibody In Cancer Therapy", in *Monoclonal Antibodies For Cancer Detection And Therapy*,  
25 Baldwin *et al.* (eds.), pp. 303-16 (Academic Press 1985), and Thorpe *et al.*, "The Preparation And Cytotoxic Properties Of Antibody-Toxin Conjugates", *Immunol. Rev.* 62:119-58 (1982).

Alternatively, an antibody can be conjugated to a second antibody to form an antibody heteroconjugate as described by Segal in U.S. Patent No. 4,676,980, which  
30 is incorporated herein by reference in its entirety.

An antibody, with or without a therapeutic moiety conjugated to it, administered alone or in combination with cytotoxic factor(s) and/or cytokine(s) can be used as a therapeutic.

## 5 ***Immunophenotyping***

The antibodies of the invention may be utilized for immunophenotyping of cell lines and biological samples. The translation product of the gene of the present invention may be useful as a cell specific marker, or more specifically as a cellular marker that is differentially expressed at various stages of differentiation and/or  
10 maturation of particular cell types. Monoclonal antibodies directed against a specific epitope, or combination of epitopes, will allow for the screening of cellular populations expressing the marker. Various techniques can be utilized using monoclonal antibodies to screen for cellular populations expressing the marker(s), and include magnetic separation using antibody-coated magnetic beads, "panning"  
15 with antibody attached to a solid matrix (i.e., plate), and flow cytometry (See, e.g., U.S. Patent 5,985,660; and Morrison *et al.*, *Cell*, 96:737-49 (1999)).

These techniques allow for the screening of particular populations of cells, such as might be found with hematological malignancies (i.e. minimal residual disease (MRD) in acute leukemic patients) and "non-self" cells in transplantations to  
20 prevent Graft-versus-Host Disease (GVHD). Alternatively, these techniques allow for the screening of hematopoietic stem and progenitor cells capable of undergoing proliferation and/or differentiation, as might be found in human umbilical cord blood.

## ***Assays For Antibody Binding***

25 The antibodies of the invention may be assayed for immunospecific binding by any method known in the art. The immunoassays which can be used include but are not limited to competitive and non-competitive assay systems using techniques such as western blots, radioimmunoassays, ELISA (enzyme linked immunosorbent assay), "sandwich" immunoassays, immunoprecipitation assays, precipitin reactions,  
30 gel diffusion precipitin reactions, immunodiffusion assays, agglutination assays,

complement-fixation assays, immunoradiometric assays, fluorescent immunoassays, protein A immunoassays, to name but a few. Such assays are routine and well known in the art (see, e.g., Ausubel et al, eds, 1994, Current Protocols in Molecular Biology, Vol. 1, John Wiley & Sons, Inc., New York, which is incorporated by  
5 reference herein in its entirety). Exemplary immunoassays are described briefly below (but are not intended by way of limitation).

Immunoprecipitation protocols generally comprise lysing a population of cells in a lysis buffer such as RIPA buffer (1% NP-40 or Triton X- 100, 1% sodium deoxycholate, 0.1% SDS, 0.15 M NaCl, 0.01 M sodium phosphate at pH 7.2, 1%  
10 Trasylol) supplemented with protein phosphatase and/or protease inhibitors (e.g., EDTA, PMSF, aprotinin, sodium vanadate), adding the antibody of interest to the cell lysate, incubating for a period of time (e.g., 1-4 hours) at 4° C, adding protein A and/or protein G sepharose beads to the cell lysate, incubating for about an hour or more at 4° C, washing the beads in lysis buffer and resuspending the beads in  
15 SDS/sample buffer. The ability of the antibody of interest to immunoprecipitate a particular antigen can be assessed by, e.g., western blot analysis. One of skill in the art would be knowledgeable as to the parameters that can be modified to increase the binding of the antibody to an antigen and decrease the background (e.g., pre-clearing the cell lysate with sepharose beads). For further discussion regarding  
20 immunoprecipitation protocols see, e.g., Ausubel et al, eds, 1994, Current Protocols in Molecular Biology, Vol. 1, John Wiley & Sons, Inc., New York at 10.16.1.

Western blot analysis generally comprises preparing protein samples, electrophoresis of the protein samples in a polyacrylamide gel (e.g., 8%- 20% SDS-PAGE depending on the molecular weight of the antigen), transferring the protein  
25 sample from the polyacrylamide gel to a membrane such as nitrocellulose, PVDF or nylon, blocking the membrane in blocking solution (e.g., PBS with 3% BSA or non-fat milk), washing the membrane in washing buffer (e.g., PBS-Tween 20), blocking the membrane with primary antibody (the antibody of interest) diluted in blocking buffer, washing the membrane in washing buffer, blocking the membrane with a  
30 secondary antibody (which recognizes the primary antibody, e.g., an anti-human



antibody) conjugated to an enzymatic substrate (e.g., horseradish peroxidase or alkaline phosphatase) or radioactive molecule (e.g.,  $^{32}\text{P}$  or  $^{125}\text{I}$ ) diluted in blocking buffer, washing the membrane in wash buffer, and detecting the presence of the antigen. One of skill in the art would be knowledgeable as to the parameters that can be modified to increase the signal detected and to reduce the background noise. For further discussion regarding western blot protocols see, e.g., Ausubel et al, eds, 1994, Current Protocols in Molecular Biology, Vol. 1, John Wiley & Sons, Inc., New York at 10.8.1.

ELISAs comprise preparing antigen, coating the well of a 96 well microtiter plate with the antigen, adding the antibody of interest conjugated to a detectable compound such as an enzymatic substrate (e.g., horseradish peroxidase or alkaline phosphatase) to the well and incubating for a period of time, and detecting the presence of the antigen. In ELISAs the antibody of interest does not have to be conjugated to a detectable compound; instead, a second antibody (which recognizes the antibody of interest) conjugated to a detectable compound may be added to the well. Further, instead of coating the well with the antigen, the antibody may be coated to the well. In this case, a second antibody conjugated to a detectable compound may be added following the addition of the antigen of interest to the coated well. One of skill in the art would be knowledgeable as to the parameters that can be modified to increase the signal detected as well as other variations of ELISAs known in the art. For further discussion regarding ELISAs see, e.g., Ausubel et al, eds, 1994, Current Protocols in Molecular Biology, Vol. 1, John Wiley & Sons, Inc., New York at 11.2.1.

The binding affinity of an antibody to an antigen and the off-rate of an antibody-antigen interaction can be determined by competitive binding assays. One example of a competitive binding assay is a radioimmunoassay comprising the incubation of labeled antigen (e.g.,  $^3\text{H}$  or  $^{125}\text{I}$ ) with the antibody of interest in the presence of increasing amounts of unlabeled antigen, and the detection of the antibody bound to the labeled antigen. The affinity of the antibody of interest for a particular antigen and the binding off-rates can be determined from the data by

scatchard plot analysis. Competition with a second antibody can also be determined using radioimmunoassays. In this case, the antigen is incubated with antibody of interest conjugated to a labeled compound (e.g., <sup>3</sup>H or <sup>125</sup>I) in the presence of increasing amounts of an unlabeled second antibody.

5

### *Therapeutic Uses*

The present invention is further directed to antibody-based therapies which involve administering antibodies of the invention to an animal, preferably a mammal, and most preferably a human, patient for treating one or more of the disclosed  
10 diseases, disorders, or conditions. Therapeutic compounds of the invention include, but are not limited to, antibodies of the invention (including fragments, analogs and derivatives thereof as described herein) and nucleic acids encoding antibodies of the invention (including fragments, analogs and derivatives thereof and anti-idiotypic antibodies as described herein). The antibodies of the invention can be used to treat,  
15 inhibit or prevent diseases, disorders or conditions associated with aberrant expression and/or activity of a polypeptide of the invention, including, but not limited to, any one or more of the diseases, disorders, or conditions described herein. The treatment and/or prevention of diseases, disorders, or conditions associated with aberrant expression and/or activity of a polypeptide of the invention includes, but is  
20 not limited to, alleviating symptoms associated with those diseases, disorders or conditions. Antibodies of the invention may be provided in pharmaceutically acceptable compositions as known in the art or as described herein.

A summary of the ways in which the antibodies of the present invention may be used therapeutically includes binding polynucleotides or polypeptides of the  
25 present invention locally or systemically in the body or by direct cytotoxicity of the antibody, e.g. as mediated by complement (CDC) or by effector cells (ADCC). Some of these approaches are described in more detail below. Armed with the teachings provided herein, one of ordinary skill in the art will know how to use the antibodies of the present invention for diagnostic, monitoring or therapeutic purposes  
30 without undue experimentation.

The antibodies of this invention may be advantageously utilized in combination with other monoclonal or chimeric antibodies, or with lymphokines or hematopoietic growth factors (such as, e.g., IL-2, IL-3 and IL-7), for example, which serve to increase the number or activity of effector cells which interact with the antibodies.

The antibodies of the invention may be administered alone or in combination with other types of treatments (e.g., radiation therapy, chemotherapy, hormonal therapy, immunotherapy and anti-tumor agents). Generally, administration of products of a species origin or species reactivity (in the case of antibodies) that is the same species as that of the patient is preferred. Thus, in a preferred embodiment, human antibodies, fragments derivatives, analogs, or nucleic acids, are administered to a human patient for therapy or prophylaxis.

It is preferred to use high affinity and/or potent in vivo inhibiting and/or neutralizing antibodies against polypeptides or polynucleotides of the present invention, fragments or regions thereof, for both immunoassays directed to and therapy of disorders related to polynucleotides or polypeptides, including fragments thereof, of the present invention. Such antibodies, fragments, or regions, will preferably have an affinity for polynucleotides or polypeptides of the invention, including fragments thereof. Preferred binding affinities include those with a dissociation constant or  $K_d$  less than  $5 \times 10^{-2}$  M,  $10^{-2}$  M,  $5 \times 10^{-3}$  M,  $10^{-3}$  M,  $5 \times 10^{-4}$  M,  $10^{-4}$  M,  $5 \times 10^{-5}$  M,  $10^{-5}$  M,  $5 \times 10^{-6}$  M,  $10^{-6}$  M,  $5 \times 10^{-7}$  M,  $10^{-7}$  M,  $5 \times 10^{-8}$  M,  $10^{-8}$  M,  $5 \times 10^{-9}$  M,  $10^{-9}$  M,  $5 \times 10^{-10}$  M,  $10^{-10}$  M,  $5 \times 10^{-11}$  M,  $10^{-11}$  M,  $5 \times 10^{-12}$  M,  $10^{-12}$  M,  $5 \times 10^{-13}$  M,  $10^{-13}$  M,  $5 \times 10^{-14}$  M,  $10^{-14}$  M,  $5 \times 10^{-15}$  M, and  $10^{-15}$  M.

## 25 *Gene Therapy*

In a specific embodiment, nucleic acids comprising sequences encoding antibodies or functional derivatives thereof, are administered to treat, inhibit or prevent a disease or disorder associated with aberrant expression and/or activity of a polypeptide of the invention, by way of gene therapy. Gene therapy refers to therapy performed by the administration to a subject of an expressed or expressible nucleic

acid. In this embodiment of the invention, the nucleic acids produce their encoded protein that mediates a therapeutic effect.

Any of the methods for gene therapy available in the art can be used according to the present invention. Exemplary methods are described below.

5 For general reviews of the methods of gene therapy, see Goldspiel et al., *Clinical Pharmacy* 12:488-505 (1993); Wu and Wu, *Biotherapy* 3:87-95 (1991); Tolstoshev, *Ann. Rev. Pharmacol. Toxicol.* 32:573-596 (1993); Mulligan, *Science* 260:926-932 (1993); and Morgan and Anderson, *Ann. Rev. Biochem.* 62:191-217 (1993); May, *TIBTECH* 11(5):155-215 (1993). Methods commonly known in the art  
10 of recombinant DNA technology which can be used are described in Ausubel et al. (eds.), *Current Protocols in Molecular Biology*, John Wiley & Sons, NY (1993); and Kriegler, *Gene Transfer and Expression, A Laboratory Manual*, Stockton Press, NY (1990).

In a preferred aspect, the compound comprises nucleic acid sequences  
15 encoding an antibody, said nucleic acid sequences being part of expression vectors that express the antibody or fragments or chimeric proteins or heavy or light chains thereof in a suitable host. In particular, such nucleic acid sequences have promoters operably linked to the antibody coding region, said promoter being inducible or constitutive, and, optionally, tissue-specific. In another particular embodiment,  
20 nucleic acid molecules are used in which the antibody coding sequences and any other desired sequences are flanked by regions that promote homologous recombination at a desired site in the genome, thus providing for intrachromosomal expression of the antibody encoding nucleic acids (Koller and Smithies, *Proc. Natl. Acad. Sci. USA* 86:8932-8935 (1989); Zijlstra et al., *Nature* 342:435-438 (1989). In  
25 specific embodiments, the expressed antibody molecule is a single chain antibody; alternatively, the nucleic acid sequences include sequences encoding both the heavy and light chains, or fragments thereof, of the antibody.

Delivery of the nucleic acids into a patient may be either direct, in which case the patient is directly exposed to the nucleic acid or nucleic acid-carrying vectors, or  
30 indirect, in which case, cells are first transformed with the nucleic acids in vitro, then

transplanted into the patient. These two approaches are known, respectively, as in vivo or ex vivo gene therapy.

In a specific embodiment, the nucleic acid sequences are directly administered in vivo, where it is expressed to produce the encoded product. This can be accomplished by any of numerous methods known in the art, e.g., by constructing them as part of an appropriate nucleic acid expression vector and administering it so that they become intracellular, e.g., by infection using defective or attenuated retrovirals or other viral vectors (see U.S. Patent No. 4,980,286), or by direct injection of naked DNA, or by use of microparticle bombardment (e.g., a gene gun; Biolistic, Dupont), or coating with lipids or cell-surface receptors or transfecting agents, encapsulation in liposomes, microparticles, or microcapsules, or by administering them in linkage to a peptide which is known to enter the nucleus, by administering it in linkage to a ligand subject to receptor-mediated endocytosis (see, e.g., Wu and Wu, J. Biol. Chem. 262:4429-4432 (1987)) (which can be used to target cell types specifically expressing the receptors), etc. In another embodiment, nucleic acid-ligand complexes can be formed in which the ligand comprises a fusogenic viral peptide to disrupt endosomes, allowing the nucleic acid to avoid lysosomal degradation. In yet another embodiment, the nucleic acid can be targeted in vivo for cell specific uptake and expression, by targeting a specific receptor (see, e.g., PCT Publications WO 92/06180; WO 92/22635; WO92/20316; WO93/14188, WO 93/20221). Alternatively, the nucleic acid can be introduced intracellularly and incorporated within host cell DNA for expression, by homologous recombination (Koller and Smithies, Proc. Natl. Acad. Sci. USA 86:8932-8935 (1989); Zijlstra et al., Nature 342:435-438 (1989)).

In a specific embodiment, viral vectors that contains nucleic acid sequences encoding an antibody of the invention are used. For example, a retroviral vector can be used (see Miller et al., Meth. Enzymol. 217:581-599 (1993)). These retroviral vectors contain the components necessary for the correct packaging of the viral genome and integration into the host cell DNA. The nucleic acid sequences encoding the antibody to be used in gene therapy are cloned into one or more vectors, which

facilitates delivery of the gene into a patient. More detail about retroviral vectors can be found in Boesen et al., *Biotherapy* 6:291-302 (1994), which describes the use of a retroviral vector to deliver the *mdr1* gene to hematopoietic stem cells in order to make the stem cells more resistant to chemotherapy. Other references illustrating the use of retroviral vectors in gene therapy are: Clowes et al., *J. Clin. Invest.* 93:644-651 (1994); Kiem et al., *Blood* 83:1467-1473 (1994); Salmons and Gunzberg, *Human Gene Therapy* 4:129-141 (1993); and Grossman and Wilson, *Curr. Opin. in Genetics and Devel.* 3:110-114 (1993).

Adenoviruses are other viral vectors that can be used in gene therapy. Adenoviruses are especially attractive vehicles for delivering genes to respiratory epithelia. Adenoviruses naturally infect respiratory epithelia where they cause a mild disease. Other targets for adenovirus-based delivery systems are liver, the central nervous system, endothelial cells, and muscle. Adenoviruses have the advantage of being capable of infecting non-dividing cells. Kozarsky and Wilson, *Current Opinion in Genetics and Development* 3:499-503 (1993) present a review of adenovirus-based gene therapy. Bout et al., *Human Gene Therapy* 5:3-10 (1994) demonstrated the use of adenovirus vectors to transfer genes to the respiratory epithelia of rhesus monkeys. Other instances of the use of adenoviruses in gene therapy can be found in Rosenfeld et al., *Science* 252:431-434 (1991); Rosenfeld et al., *Cell* 68:143-155 (1992); Mastrangeli et al., *J. Clin. Invest.* 91:225-234 (1993); PCT Publication WO94/12649; and Wang, et al., *Gene Therapy* 2:775-783 (1995). In a preferred embodiment, adenovirus vectors are used.

Adeno-associated virus (AAV) has also been proposed for use in gene therapy (Walsh et al., *Proc. Soc. Exp. Biol. Med.* 204:289-300 (1993); U.S. Patent No. 5,436,146).

Another approach to gene therapy involves transferring a gene to cells in tissue culture by such methods as electroporation, lipofection, calcium phosphate mediated transfection, or viral infection. Usually, the method of transfer includes the transfer of a selectable marker to the cells. The cells are then placed under selection

to isolate those cells that have taken up and are expressing the transferred gene. Those cells are then delivered to a patient.

In this embodiment, the nucleic acid is introduced into a cell prior to administration in vivo of the resulting recombinant cell. Such introduction can be carried out by any method known in the art, including but not limited to transfection, electroporation, microinjection, infection with a viral or bacteriophage vector containing the nucleic acid sequences, cell fusion, chromosome-mediated gene transfer, microcell-mediated gene transfer, spheroplast fusion, etc. Numerous techniques are known in the art for the introduction of foreign genes into cells (see, e.g., Loeffler and Behr, *Meth. Enzymol.* 217:599-618 (1993); Cohen et al., *Meth. Enzymol.* 217:618-644 (1993); Cline, *Pharmac. Ther.* 29:69-92m (1985) and may be used in accordance with the present invention, provided that the necessary developmental and physiological functions of the recipient cells are not disrupted. The technique should provide for the stable transfer of the nucleic acid to the cell, so that the nucleic acid is expressible by the cell and preferably heritable and expressible by its cell progeny.

The resulting recombinant cells can be delivered to a patient by various methods known in the art. Recombinant blood cells (e.g., hematopoietic stem or progenitor cells) are preferably administered intravenously. The amount of cells envisioned for use depends on the desired effect, patient state, etc., and can be determined by one skilled in the art.

Cells into which a nucleic acid can be introduced for purposes of gene therapy encompass any desired, available cell type, and include but are not limited to epithelial cells, endothelial cells, keratinocytes, fibroblasts, muscle cells, hepatocytes; blood cells such as Tlymphocytes, Blymphocytes, monocytes, macrophages, neutrophils, eosinophils, megakaryocytes, granulocytes; various stem or progenitor cells, in particular hematopoietic stem or progenitor cells, e.g., as obtained from bone marrow, umbilical cord blood, peripheral blood, fetal liver, etc.

In a preferred embodiment, the cell used for gene therapy is autologous to the patient.

In an embodiment in which recombinant cells are used in gene therapy, nucleic acid sequences encoding an antibody are introduced into the cells such that they are expressible by the cells or their progeny, and the recombinant cells are then administered in vivo for therapeutic effect. In a specific embodiment, stem or progenitor cells are used. Any stem and/or progenitor cells which can be isolated and maintained in vitro can potentially be used in accordance with this embodiment of the present invention (see e.g. PCT Publication WO 94/08598; Stemple and Anderson, Cell 71:973-985 (1992); Rheinwald, Meth. Cell Bio. 21A:229 (1980); and Pittelkow and Scott, Mayo Clinic Proc. 61:771 (1986)).

10 In a specific embodiment, the nucleic acid to be introduced for purposes of gene therapy comprises an inducible promoter operably linked to the coding region, such that expression of the nucleic acid is controllable by controlling the presence or absence of the appropriate inducer of transcription. Demonstration of Therapeutic or Prophylactic Activity

15 The compounds or pharmaceutical compositions of the invention are preferably tested in vitro, and then in vivo for the desired therapeutic or prophylactic activity, prior to use in humans. For example, in vitro assays to demonstrate the therapeutic or prophylactic utility of a compound or pharmaceutical composition include, the effect of a compound on a cell line or a patient tissue sample. The effect of the compound or composition on the cell line and/or tissue sample can be determined utilizing techniques known to those of skill in the art including, but not limited to, rosette formation assays and cell lysis assays. In accordance with the invention, in vitro assays which can be used to determine whether administration of a specific compound is indicated, include in vitro cell culture assays in which a patient tissue sample is grown in culture, and exposed to or otherwise administered a compound, and the effect of such compound upon the tissue sample is observed.

#### ***Therapeutic/Prophylactic Administration and Composition***

30 The invention provides methods of treatment, inhibition and prophylaxis by administration to a subject of an effective amount of a compound or pharmaceutical



composition of the invention, preferably a polypeptide or antibody of the invention. In a preferred aspect, the compound is substantially purified (e.g., substantially free from substances that limit its effect or produce undesired side-effects). The subject is preferably an animal, including but not limited to animals such as cows, pigs, horses, chickens, cats, dogs, etc., and is preferably a mammal, and most preferably human.

Formulations and methods of administration that can be employed when the compound comprises a nucleic acid or an immunoglobulin are described above; additional appropriate formulations and routes of administration can be selected from among those described herein below.

Various delivery systems are known and can be used to administer a compound of the invention, e.g., encapsulation in liposomes, microparticles, microcapsules, recombinant cells capable of expressing the compound, receptor-mediated endocytosis (see, e.g., Wu and Wu, J. Biol. Chem. 262:4429-4432 (1987)), construction of a nucleic acid as part of a retroviral or other vector, etc. Methods of introduction include but are not limited to intradermal, intramuscular, intraperitoneal, intravenous, subcutaneous, intranasal, epidural, and oral routes. The compounds or compositions may be administered by any convenient route, for example by infusion or bolus injection, by absorption through epithelial or mucocutaneous linings (e.g., oral mucosa, rectal and intestinal mucosa, etc.) and may be administered together with other biologically active agents. Administration can be systemic or local. In addition, it may be desirable to introduce the pharmaceutical compounds or compositions of the invention into the central nervous system by any suitable route, including intraventricular and intrathecal injection; intraventricular injection may be facilitated by an intraventricular catheter, for example, attached to a reservoir, such as an Ommaya reservoir. Pulmonary administration can also be employed, e.g., by use of an inhaler or nebulizer, and formulation with an aerosolizing agent.

In a specific embodiment, it may be desirable to administer the pharmaceutical compounds or compositions of the invention locally to the area in need of treatment; this may be achieved by, for example, and not by way of limitation, local infusion during surgery, topical application, e.g., in conjunction with a wound dressing after

surgery, by injection, by means of a catheter, by means of a suppository, or by means of an implant, said implant being of a porous, non-porous, or gelatinous material, including membranes, such as sialastic membranes, or fibers. Preferably, when administering a protein, including an antibody, of the invention, care must be taken  
5 to use materials to which the protein does not absorb.

In another embodiment, the compound or composition can be delivered in a vesicle, in particular a liposome (see Langer, *Science* 249:1527-1533 (1990); Treat et al., in *Liposomes in the Therapy of Infectious Disease and Cancer*, Lopez-Berestein and Fidler (eds.), Liss, New York, pp. 353- 365 (1989); Lopez-Berestein, *ibid.*, pp.  
10 317-327; see generally *ibid.*)

In yet another embodiment, the compound or composition can be delivered in a controlled release system. In one embodiment, a pump may be used (see Langer, *supra*; Sefton, *CRC Crit. Ref. Biomed. Eng.* 14:201 (1987); Buchwald et al., *Surgery* 88:507 (1980); Saudek et al., *N. Engl. J. Med.* 321:574 (1989)). In another  
15 embodiment, polymeric materials can be used (see *Medical Applications of Controlled Release*, Langer and Wise (eds.), CRC Pres., Boca Raton, Florida (1974); *Controlled Drug Bioavailability, Drug Product Design and Performance*, Smolen and Ball (eds.), Wiley, New York (1984); Ranger and Peppas, J., *Macromol. Sci. Rev. Macromol. Chem.* 23:61 (1983); see also Levy et al., *Science* 228:190 (1985); During  
20 et al., *Ann. Neurol.* 25:351 (1989); Howard et al., *J. Neurosurg.* 71:105 (1989)). In yet another embodiment, a controlled release system can be placed in proximity of the therapeutic target, i.e., the brain, thus requiring only a fraction of the systemic dose (see, e.g., Goodson, in *Medical Applications of Controlled Release*, *supra*, vol. 2, pp. 115-138 (1984)).

25 Other controlled release systems are discussed in the review by Langer (*Science* 249:1527-1533 (1990)).

In a specific embodiment where the compound of the invention is a nucleic acid encoding a protein, the nucleic acid can be administered *in vivo* to promote expression of its encoded protein, by constructing it as part of an appropriate nucleic  
30 acid expression vector and administering it so that it becomes intracellular, e.g., by

use of a retroviral vector (see U.S. Patent No. 4,980,286), or by direct injection, or by use of microparticle bombardment (e.g., a gene gun; Biolistic, Dupont), or coating with lipids or cell-surface receptors or transfecting agents, or by administering it in linkage to a homeobox-like peptide which is known to enter the nucleus (see e.g.,  
5 Joliot et al., Proc. Natl. Acad. Sci. USA 88:1864-1868 (1991)), etc. Alternatively, a nucleic acid can be introduced intracellularly and incorporated within host cell DNA for expression, by homologous recombination.

The present invention also provides pharmaceutical compositions. Such compositions comprise a therapeutically effective amount of a compound, and a  
10 pharmaceutically acceptable carrier. In a specific embodiment, the term "pharmaceutically acceptable" means approved by a regulatory agency of the Federal or a state government or listed in the U.S. Pharmacopeia or other generally recognized pharmacopeia for use in animals, and more particularly in humans. The term "carrier" refers to a diluent, adjuvant, excipient, or vehicle with which the  
15 therapeutic is administered. Such pharmaceutical carriers can be sterile liquids, such as water and oils, including those of petroleum, animal, vegetable or synthetic origin, such as peanut oil, soybean oil, mineral oil, sesame oil and the like. Water is a preferred carrier when the pharmaceutical composition is administered intravenously. Saline solutions and aqueous dextrose and glycerol solutions can also be employed as  
20 liquid carriers, particularly for injectable solutions. Suitable pharmaceutical excipients include starch, glucose, lactose, sucrose, gelatin, malt, rice, flour, chalk, silica gel, sodium stearate, glycerol monostearate, talc, sodium chloride, dried skim milk, glycerol, propylene, glycol, water, ethanol and the like. The composition, if desired, can also contain minor amounts of wetting or emulsifying agents, or pH  
25 buffering agents. These compositions can take the form of solutions, suspensions, emulsion, tablets, pills, capsules, powders, sustained-release formulations and the like. The composition can be formulated as a suppository, with traditional binders and carriers such as triglycerides. Oral formulation can include standard carriers such as pharmaceutical grades of mannitol, lactose, starch, magnesium stearate,  
30 sodium saccharine, cellulose, magnesium carbonate, etc. Examples of suitable

pharmaceutical carriers are described in "Remington's Pharmaceutical Sciences" by E.W. Martin. Such compositions will contain a therapeutically effective amount of the compound, preferably in purified form, together with a suitable amount of carrier so as to provide the form for proper administration to the patient. The formulation  
5 should suit the mode of administration.

In a preferred embodiment, the composition is formulated in accordance with routine procedures as a pharmaceutical composition adapted for intravenous administration to human beings. Typically, compositions for intravenous administration are solutions in sterile isotonic aqueous buffer. Where necessary, the  
10 composition may also include a solubilizing agent and a local anesthetic such as lignocaine to ease pain at the site of the injection. Generally, the ingredients are supplied either separately or mixed together in unit dosage form, for example, as a dry lyophilized powder or water free concentrate in a hermetically sealed container such as an ampoule or sachette indicating the quantity of active agent. Where the  
15 composition is to be administered by infusion, it can be dispensed with an infusion bottle containing sterile pharmaceutical grade water or saline. Where the composition is administered by injection, an ampoule of sterile water for injection or saline can be provided so that the ingredients may be mixed prior to administration.

The compounds of the invention can be formulated as neutral or salt forms.  
20 Pharmaceutically acceptable salts include those formed with anions such as those derived from hydrochloric, phosphoric, acetic, oxalic, tartaric acids, etc., and those formed with cations such as those derived from sodium, potassium, ammonium, calcium, ferric hydroxides, isopropylamine, triethylamine, 2-ethylamino ethanol, histidine, procaine, etc.

25 The amount of the compound of the invention which will be effective in the treatment, inhibition and prevention of a disease or disorder associated with aberrant expression and/or activity of a polypeptide of the invention can be determined by standard clinical techniques. In addition, in vitro assays may optionally be employed to help identify optimal dosage ranges. The precise dose to be employed in the  
30 formulation will also depend on the route of administration, and the seriousness of

the disease or disorder, and should be decided according to the judgment of the practitioner and each patient's circumstances. Effective doses may be extrapolated from dose-response curves derived from in vitro or animal model test systems.

For antibodies, the dosage administered to a patient is typically 0.1 mg/kg to 100 mg/kg of the patient's body weight. Preferably, the dosage administered to a patient is between 0.1 mg/kg and 20 mg/kg of the patient's body weight, more preferably 1 mg/kg to 10 mg/kg of the patient's body weight. Generally, human antibodies have a longer half-life within the human body than antibodies from other species due to the immune response to the foreign polypeptides. Thus, lower dosages of human antibodies and less frequent administration is often possible. Further, the dosage and frequency of administration of antibodies of the invention may be reduced by enhancing uptake and tissue penetration (e.g., into the brain) of the antibodies by modifications such as, for example, lipidation.

The invention also provides a pharmaceutical pack or kit comprising one or more containers filled with one or more of the ingredients of the pharmaceutical compositions of the invention. Optionally associated with such container(s) can be a notice in the form prescribed by a governmental agency regulating the manufacture, use or sale of pharmaceuticals or biological products, which notice reflects approval by the agency of manufacture, use or sale for human administration.

### *Diagnosis and Imaging*

Labeled antibodies, and derivatives and analogs thereof, which specifically bind to a polypeptide of interest can be used for diagnostic purposes to detect, diagnose, or monitor diseases, disorders, and/or conditions associated with the aberrant expression and/or activity of a polypeptide of the invention. The invention provides for the detection of aberrant expression of a polypeptide of interest, comprising (a) assaying the expression of the polypeptide of interest in cells or body fluid of an individual using one or more antibodies specific to the polypeptide interest and (b) comparing the level of gene expression with a standard gene expression level,

whereby an increase or decrease in the assayed polypeptide gene expression level compared to the standard expression level is indicative of aberrant expression.

The invention provides a diagnostic assay for diagnosing a disorder, comprising (a) assaying the expression of the polypeptide of interest in cells or body  
5 fluid of an individual using one or more antibodies specific to the polypeptide interest and (b) comparing the level of gene expression with a standard gene expression level, whereby an increase or decrease in the assayed polypeptide gene expression level compared to the standard expression level is indicative of a particular disorder. With respect to cancer, the presence of a relatively high amount of transcript in biopsied  
10 tissue from an individual may indicate a predisposition for the development of the disease, or may provide a means for detecting the disease prior to the appearance of actual clinical symptoms. A more definitive diagnosis of this type may allow health professionals to employ preventative measures or aggressive treatment earlier thereby preventing the development or further progression of the cancer.

15 Antibodies of the invention can be used to assay protein levels in a biological sample using classical immunohistological methods known to those of skill in the art (e.g., see Jalkanen, et al., J. Cell. Biol. 101:976-985 (1985); Jalkanen, et al., J. Cell . Biol. 105:3087-3096 (1987)). Other antibody-based methods useful for detecting protein gene expression include immunoassays, such as the enzyme linked  
20 immunosorbent assay (ELISA) and the radioimmunoassay (RIA). Suitable antibody assay labels are known in the art and include enzyme labels, such as, glucose oxidase; radioisotopes, such as iodine (125I, 121I), carbon (14C), sulfur (35S), tritium (3H), indium (112In), and technetium (99Tc); luminescent labels, such as luminol; and fluorescent labels, such as fluorescein and rhodamine, and biotin.

25 One aspect of the invention is the detection and diagnosis of a disease or disorder associated with aberrant expression of a polypeptide of interest in an animal, preferably a mammal and most preferably a human. In one embodiment, diagnosis comprises: a) administering (for example, parenterally, subcutaneously, or intraperitoneally) to a subject an effective amount of a labeled molecule which  
30 specifically binds to the polypeptide of interest; b) waiting for a time interval

following the administering for permitting the labeled molecule to preferentially concentrate at sites in the subject where the polypeptide is expressed (and for unbound labeled molecule to be cleared to background level); c) determining background level; and d) detecting the labeled molecule in the subject, such that  
5 detection of labeled molecule above the background level indicates that the subject has a particular disease or disorder associated with aberrant expression of the polypeptide of interest. Background level can be determined by various methods including, comparing the amount of labeled molecule detected to a standard value previously determined for a particular system.

10 It will be understood in the art that the size of the subject and the imaging system used will determine the quantity of imaging moiety needed to produce diagnostic images. In the case of a radioisotope moiety, for a human subject, the quantity of radioactivity injected will normally range from about 5 to 20 millicuries of <sup>99m</sup>Tc. The labeled antibody or antibody fragment will then preferentially  
15 accumulate at the location of cells which contain the specific protein. In vivo tumor imaging is described in S.W. Burchiel et al., "Immunopharmacokinetics of Radiolabeled Antibodies and Their Fragments." (Chapter 13 in Tumor Imaging: The Radiochemical Detection of Cancer, S.W. Burchiel and B. A. Rhodes, eds., Masson Publishing Inc. (1982).

20 Depending on several variables, including the type of label used and the mode of administration, the time interval following the administration for permitting the labeled molecule to preferentially concentrate at sites in the subject and for unbound labeled molecule to be cleared to background level is 6 to 48 hours or 6 to 24 hours or 6 to 12 hours. In another embodiment the time interval following administration is 5  
25 to 20 days or 5 to 10 days.

In an embodiment, monitoring of the disease or disorder is carried out by repeating the method for diagnosing the disease or disease, for example, one month after initial diagnosis, six months after initial diagnosis, one year after initial diagnosis, etc.

Presence of the labeled molecule can be detected in the patient using methods known in the art for in vivo scanning. These methods depend upon the type of label used. Skilled artisans will be able to determine the appropriate method for detecting a particular label. Methods and devices that may be used in the diagnostic methods of the invention include, but are not limited to, computed tomography (CT), whole body scan such as position emission tomography (PET), magnetic resonance imaging (MRI), and sonography.

In a specific embodiment, the molecule is labeled with a radioisotope and is detected in the patient using a radiation responsive surgical instrument (Thurston et al., U.S. Patent No. 5,441,050). In another embodiment, the molecule is labeled with a fluorescent compound and is detected in the patient using a fluorescence responsive scanning instrument. In another embodiment, the molecule is labeled with a positron emitting metal and is detected in the patient using positron emission-tomography. In yet another embodiment, the molecule is labeled with a paramagnetic label and is detected in a patient using magnetic resonance imaging (MRI).

#### ***Kits***

The present invention provides kits that can be used in the above methods. In one embodiment, a kit comprises an antibody of the invention, preferably a purified antibody, in one or more containers. In a specific embodiment, the kits of the present invention contain a substantially isolated polypeptide comprising an epitope which is specifically immunoreactive with an antibody included in the kit. Preferably, the kits of the present invention further comprise a control antibody which does not react with the polypeptide of interest. In another specific embodiment, the kits of the present invention contain a means for detecting the binding of an antibody to a polypeptide of interest (e.g., the antibody may be conjugated to a detectable substrate such as a fluorescent compound, an enzymatic substrate, a radioactive compound or a luminescent compound, or a second antibody which recognizes the first antibody may be conjugated to a detectable substrate).



In another specific embodiment of the present invention, the kit is a diagnostic kit for use in screening serum containing antibodies specific against proliferative and/or cancerous polynucleotides and polypeptides. Such a kit may include a control antibody that does not react with the polypeptide of interest. Such a kit may include a substantially isolated polypeptide antigen comprising an epitope which is specifically immunoreactive with at least one anti-polypeptide antigen antibody. Further, such a kit includes means for detecting the binding of said antibody to the antigen (e.g., the antibody may be conjugated to a fluorescent compound such as fluorescein or rhodamine which can be detected by flow cytometry). In specific embodiments, the kit may include a recombinantly produced or chemically synthesized polypeptide antigen. The polypeptide antigen of the kit may also be attached to a solid support.

In a more specific embodiment the detecting means of the above-described kit includes a solid support to which said polypeptide antigen is attached. Such a kit may also include a non-attached reporter-labeled anti-human antibody. In this embodiment, binding of the antibody to the polypeptide antigen can be detected by binding of the said reporter-labeled antibody.

In an additional embodiment, the invention includes a diagnostic kit for use in screening serum containing antigens of the polypeptide of the invention. The diagnostic kit includes a substantially isolated antibody specifically immunoreactive with polypeptide or polynucleotide antigens, and means for detecting the binding of the polynucleotide or polypeptide antigen to the antibody. In one embodiment, the antibody is attached to a solid support. In a specific embodiment, the antibody may be a monoclonal antibody. The detecting means of the kit may include a second, labeled monoclonal antibody. Alternatively, or in addition, the detecting means may include a labeled, competing antigen.

In one diagnostic configuration, test serum is reacted with a solid phase reagent having a surface-bound antigen obtained by the methods of the present invention. After binding with specific antigen antibody to the reagent and removing unbound serum components by washing, the reagent is reacted with reporter-labeled anti-human antibody to bind reporter to the reagent in proportion to the amount of

bound anti-antigen antibody on the solid support. The reagent is again washed to remove unbound labeled antibody, and the amount of reporter associated with the reagent is determined. Typically, the reporter is an enzyme which is detected by incubating the solid phase in the presence of a suitable fluorometric, luminescent or colorimetric substrate (Sigma, St. Louis, MO).

The solid surface reagent in the above assay is prepared by known techniques for attaching protein material to solid support material, such as polymeric beads, dip sticks, 96-well plate or filter material. These attachment methods generally include non-specific adsorption of the protein to the support or covalent attachment of the protein, typically through a free amine group, to a chemically reactive group on the solid support, such as an activated carboxyl, hydroxyl, or aldehyde group. Alternatively, streptavidin coated plates can be used in conjunction with biotinylated antigen(s).

Thus, the invention provides an assay system or kit for carrying out this diagnostic method. The kit generally includes a support with surface-bound recombinant antigens, and a reporter-labeled anti-human antibody for detecting surface-bound anti-antigen antibody.

#### Uses of the Polynucleotides

Each of the polynucleotides identified herein can be used in numerous ways as reagents. The following description should be considered exemplary and utilizes known techniques.

The cancer antigen polynucleotides of the present invention are useful for chromosome identification. There exists an ongoing need to identify new chromosome markers, since few chromosome marking reagents, based on actual sequence data (repeat polymorphisms), are presently available. Each sequence is specifically targeted to and can hybridize with a particular location on an individual human chromosome, thus each polynucleotide of the present invention can routinely be used as a chromosome marker using techniques known in the art.

Briefly, sequences can be mapped to chromosomes by preparing PCR primers (preferably at least 15 bp (e.g., 15-25 bp) from the sequences shown in SEQ ID NO:X, or the complement thereto. Primers can optionally be selected using computer analysis so that primers do not span more than one predicted exon in the genomic DNA. These primers are then used for PCR screening of somatic cell hybrids containing individual human chromosomes. Only those hybrids containing the human gene corresponding to SEQ ID NO:X will yield an amplified fragment.

Similarly, somatic hybrids provide a rapid method of PCR mapping the polynucleotides to particular chromosomes. Three or more clones can be assigned per day using a single thermal cycler. Moreover, sublocalization of the polynucleotides can be achieved with panels of specific chromosome fragments. Other gene mapping strategies that can be used include in situ hybridization, prescreening with labeled flow-sorted chromosomes, preselection by hybridization to construct chromosome specific-cDNA libraries, and computer mapping techniques (See, e.g., Shuler, Trends Biotechnol 16:456-459 (1998) which is hereby incorporated by reference in its entirety).

Precise chromosomal location of the polynucleotides can also be achieved using fluorescence in situ hybridization (FISH) of a metaphase chromosomal spread. This technique uses polynucleotides as short as 500 or 600 bases; however, polynucleotides 2,000-4,000 bp are preferred. For a review of this technique, see Verma et al., "Human Chromosomes: a Manual of Basic Techniques," Pergamon Press, New York (1988).

For chromosome mapping, the polynucleotides can be used individually (to mark a single chromosome or a single site on that chromosome) or in panels (for marking multiple sites and/or multiple chromosomes).

Thus, the present invention also provides a method for chromosomal localization which involves (a) preparing PCR primers from the polynucleotide sequences in Table 3 and SEQ ID NO:X and (b) screening somatic cell hybrids containing individual chromosomes.

The polynucleotides of the present invention would likewise be useful for radiation hybrid mapping, HAPPY mapping, and long range restriction mapping. For a review of these techniques and others known in the art, see, e.g. Dear, "Genome Mapping: A Practical Approach," IRL Press at Oxford University Press, London  
5 (1997); Aydin, J. Mol. Med. 77:691-694 (1999); Hacia et al., Mol. Psychiatry 3:483-492 (1998); Herrick et al., Chromosome Res. 7:409-423 (1999); Hamilton et al., Methods Cell Biol. 62:265-280 (2000); and/or Ott, J. Hered. 90:68-70 (1999) each of which is hereby incorporated by reference in its entirety.

Once a polynucleotide has been mapped to a precise chromosomal location,  
10 the physical position of the polynucleotide can be used in linkage analysis. Linkage analysis establishes coinheritance between a chromosomal location and presentation of a particular disease. (Disease mapping data are found, for example, in V. McKusick, Mendelian Inheritance in Man (available on line through Johns Hopkins University Welch Medical Library).) Assuming 1 megabase mapping resolution and  
15 one gene per 20 kb, a cDNA precisely localized to a chromosomal region associated with the disease could be one of 50-500 potential causative genes.

Thus, once coinheritance is established, differences in a polynucleotide of the invention and the corresponding gene between affected and unaffected individuals can be examined. First, visible structural alterations in the chromosomes, such as  
20 deletions or translocations, are examined in chromosome spreads or by PCR. If no structural alterations exist, the presence of point mutations are ascertained. Mutations observed in some or all affected individuals, but not in normal individuals, indicates that the mutation may cause the disease. However, complete sequencing of the polypeptide and the corresponding gene from several normal individuals is required  
25 to distinguish the mutation from a polymorphism. If a new polymorphism is identified, this polymorphic polypeptide can be used for further linkage analysis.

Furthermore, increased or decreased expression of the gene in affected individuals as compared to unaffected individuals can be assessed using the polynucleotides of the invention. Any of these alterations (altered expression,

chromosomal rearrangement, or mutation) can be used as a diagnostic or prognostic marker.

Thus, the invention provides a method of detecting increased or decreased expression levels of the cancer polynucleotides in affected individuals as compared to  
5 unaffected individuals using polynucleotides of the present invention and techniques known in the art, including but not limited to the method described in Example 11. Any of these alterations (altered expression, chromosomal rearrangement, or mutation) can be used as a diagnostic or prognostic marker.

Thus, the invention also provides a diagnostic method useful during diagnosis  
10 of a tissue specific disorder, including cancer, involving measuring the expression level of cancer polynucleotides in tissues or other cells or body fluid from an individual and comparing the measured gene expression level with a standard cancer polynucleotide expression level, whereby an increase or decrease in the gene expression level compared to the standard is indicative of a tissue specific disorder.

15 In still another embodiment, the invention includes a kit for analyzing samples for the presence of proliferative and/or cancerous polynucleotides derived from a test subject. In a general embodiment, the kit includes at least one polynucleotide probe containing a nucleotide sequence that will specifically hybridize with a polynucleotide of the invention and a suitable container. In a specific embodiment,  
20 the kit includes two polynucleotide probes defining an internal region of the polynucleotide of the invention, where each probe has one strand containing a 31'-mer-end internal to the region. In a further embodiment, the probes may be useful as primers for polymerase chain reaction amplification.

Where a diagnosis of a tissue specific disorder, including, for example,  
25 diagnosis of a tumor, has already been made according to conventional methods, the present invention is useful as a prognostic indicator, whereby patients exhibiting enhanced or depressed cancer polynucleotide expression will experience a worse clinical outcome relative to patients expressing the gene at a level nearer the standard level.

By "measuring the expression level of cancer polynucleotides" is intended qualitatively or quantitatively measuring or estimating the level of the cancer polypeptide or the level of the mRNA encoding the cancer polypeptide in a first biological sample either directly (e.g., by determining or estimating absolute protein  
5 level or mRNA level) or relatively (e.g., by comparing to the cancer polypeptide level or mRNA level in a second biological sample). Preferably, the cancer polypeptide level or mRNA level in the first biological sample is measured or estimated and compared to a standard cancer polypeptide level or mRNA level, the standard being taken from a second biological sample obtained from an individual not having the  
10 tissue specific disorder or being determined by averaging levels from a population of individuals not having the tissue specific disorder. As will be appreciated in the art, once a standard cancer polypeptide level or mRNA level is known, it can be used repeatedly as a standard for comparison.

By "biological sample" is intended any biological sample obtained from an  
15 individual, body fluid, cell line, tissue culture, or other source which contains a cancer polypeptide or the corresponding mRNA. As indicated, biological samples include body fluids (such as sputum, breast milk, vaginal pool, bile, semen, lymph, sera, plasma, urine, synovial fluid and spinal fluid) which contain the cancer polypeptide, and other tissue sources found to express the cancer polypeptide. Methods for  
20 obtaining tissue biopsies and body fluids from mammals are well known in the art. Where the biological sample is to include mRNA, a tissue biopsy is the preferred source.

The method(s) provided above may preferably be applied in a diagnostic method and/or kits in which polynucleotides and/or polypeptides of the invention are  
25 attached to a solid support. In one exemplary method, the support may be a "gene chip" or a "biological chip" as described in US Patents 5,837,832, 5,874,219, and 5,856,174. Further, such a gene chip with cancer antigen polynucleotides attached may be used to identify polymorphisms between the cancer antigen polynucleotide sequences, with polynucleotides isolated from a test subject. The knowledge of such  
30 polymorphisms (i.e. their location, as well as, their existence) would be beneficial in

identifying disease loci for many disorders, such as for example, in neural disorders, immune system disorders, muscular disorders, reproductive disorders, gastrointestinal disorders, pulmonary disorders, cardiovascular disorders, renal disorders, proliferative disorders, and/or cancerous diseases and conditions. Such a method is described in  
5 US Patents 5,858,659 and 5,856,104. The US Patents referenced supra are hereby incorporated by reference in their entirety herein.

The present invention encompasses cancer polynucleotides that are chemically synthesized, or reproduced as peptide nucleic acids (PNA), or according to other methods known in the art. The use of PNAs would serve as the preferred form if the  
10 polynucleotides of the invention are incorporated onto a solid support, or gene chip. For the purposes of the present invention, a peptide nucleic acid (PNA) is a polyamide type of DNA analog and the monomeric units for adenine, guanine, thymine and cytosine are available commercially (Perceptive Biosystems). Certain components of DNA, such as phosphorus, phosphorus oxides, or deoxyribose  
15 derivatives, are not present in PNAs. As disclosed by P. E. Nielsen, M. Egholm, R. H. Berg and O. Buchardt, Science 254, 1497 (1991); and M. Egholm, O. Buchardt, L. Christensen, C. Behrens, S. M. Freier, D. A. Driver, R. H. Berg, S. K. Kim, B. Norden, and P. E. Nielsen, Nature 365, 666 (1993), PNAs bind specifically and tightly to complementary DNA strands and are not degraded by nucleases. In fact,  
20 PNA binds more strongly to DNA than DNA itself does. This is probably because there is no electrostatic repulsion between the two strands, and also the polyamide backbone is more flexible. Because of this, PNA/DNA duplexes bind under a wider range of stringency conditions than DNA/DNA duplexes, making it easier to perform multiplex hybridization. Smaller probes can be used than with DNA due to the strong  
25 binding. In addition, it is more likely that single base mismatches can be determined with PNA/DNA hybridization because a single mismatch in a PNA/DNA 15-mer lowers the melting point ( $T_{sub.m}$ ) by 8°-20° C, vs. 4°-16° C for the DNA/DNA 15-mer duplex. Also, the absence of charge groups in PNA means that hybridization can be done at low ionic strengths and reduce possible interference by salt during the  
30 analysis.

The present invention have uses which include, but are not limited to, detecting cancer in mammals. In particular the invention is useful during diagnosis of pathological cell proliferative neoplasias which include, but are not limited to: acute myelogenous leukemias including acute monocytic leukemia, acute myeloblastic leukemia, acute promyelocytic leukemia, acute myelomonocytic leukemia, acute erythroleukemia, acute megakaryocytic leukemia, and acute undifferentiated leukemia, etc.; and chronic myelogenous leukemias including chronic myelomonocytic leukemia, chronic granulocytic leukemia, etc. Preferred mammals include monkeys, apes, cats, dogs, cows, pigs, horses, rabbits and humans. Particularly preferred are humans.

Pathological cell proliferative disorders are often associated with inappropriate activation of proto-oncogenes. (Germann, E. P. et al., "The Etiology of Acute Leukemia: Molecular Genetics and Viral Oncology," in *Neoplastic Diseases of the Blood*, Vol 1., Wiernik, P. H. et al. eds., 161-182 (1985)). Neoplasias are now believed to result from the qualitative alteration of a normal cellular gene product, or from the quantitative modification of gene expression by insertion into the chromosome of a viral sequence, by chromosomal translocation of a gene to a more actively transcribed region, or by some other mechanism. (Germann et al., *supra*) It is likely that mutated or altered expression of specific genes is involved in the pathogenesis of some leukemias, among other tissues and cell types. (Germann et al., *supra*) Indeed, the human counterparts of the oncogenes involved in some animal neoplasias have been amplified or translocated in some cases of human leukemia and carcinoma. (Germann et al., *supra*)

For example, c-myc expression is highly amplified in the non-lymphocytic leukemia cell line HL-60. When HL-60 cells are chemically induced to stop proliferation, the level of c-myc is found to be downregulated. (International Publication Number WO 91/15580). However, it has been shown that exposure of HL-60 cells to a DNA construct that is complementary to the 5' end of c-myc or c-myb blocks translation of the corresponding mRNAs which downregulates expression of the c-myc or c-myb proteins and causes arrest of cell proliferation and



differentiation of the treated cells. (International Publication Number WO 91/15580; Wickstrom et al., Proc. Natl. Acad. Sci. 85:1028 (1988); Anfossi et al., Proc. Natl. Acad. Sci. 86:3379 (1989)). However, the skilled artisan would appreciate the present invention's usefulness is not limited to treatment of proliferative disorders of  
5 hematopoietic cells and tissues, in light of the numerous cells and cell types of varying origins which are known to exhibit proliferative phenotypes.

In addition to the foregoing, a cancer antigen polynucleotide can be used to control gene expression through triple helix formation or through antisense DNA or RNA. Antisense techniques are discussed, for example, in Okano, J. Neurochem. 56:  
10 560 (1991); "Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression, CRC Press, Boca Raton, FL (1988). Triple helix formation is discussed in, for instance Lee et al., Nucleic Acids Research 6: 3073 (1979); Cooney et al., Science 241: 456 (1988); and Dervan et al., Science 251: 1360 (1991). Both methods rely on binding of the polynucleotide to a complementary DNA or RNA. For these  
15 techniques, preferred polynucleotides are usually oligonucleotides 20 to 40 bases in length and complementary to either the region of the gene involved in transcription (triple helix - see Lee et al., Nucl. Acids Res. 6:3073 (1979); Cooney et al., Science 241:456 (1988); and Dervan et al., Science 251:1360 (1991) ) or to the mRNA itself (antisense - Okano, J. Neurochem. 56:560 (1991); Oligodeoxy-nucleotides as  
20 Antisense Inhibitors of Gene Expression, CRC Press, Boca Raton, FL (1988).) Triple helix formation optimally results in a shut-off of RNA transcription from DNA, while antisense RNA hybridization blocks translation of an mRNA molecule into polypeptide. The oligonucleotide described above can also be delivered to cells such that the antisense RNA or DNA may be expressed in vivo to inhibit production of  
25 polypeptide of the present invention antigens. Both techniques are effective in model systems, and the information disclosed herein can be used to design antisense or triple helix polynucleotides in an effort to treat disease, and in particular, for the treatment of proliferative diseases and/or conditions.

Polynucleotides of the present invention are also useful in gene therapy. One  
30 goal of gene therapy is to insert a normal gene into an organism having a defective

gene, in an effort to correct the genetic defect. The polynucleotides disclosed in the present invention offer a means of targeting such genetic defects in a highly accurate manner. Another goal is to insert a new gene that was not present in the host genome, thereby producing a new trait in the host cell.

5       The polynucleotides are also useful for identifying individuals from minute biological samples. The United States military, for example, is considering the use of restriction fragment length polymorphism (RFLP) for identification of its personnel. In this technique, an individual's genomic DNA is digested with one or more restriction enzymes, and probed on a Southern blot to yield unique bands for  
10 identifying personnel. This method does not suffer from the current limitations of "Dog Tags" which can be lost, switched, or stolen, making positive identification difficult. The polynucleotides of the present invention can be used as additional DNA markers for RFLP.

      The polynucleotides of the present invention can also be used as an alternative  
15 to RFLP, by determining the actual base-by-base DNA sequence of selected portions of an individual's genome. These sequences can be used to prepare PCR primers for amplifying and isolating such selected DNA, which can then be sequenced. Using this technique, individuals can be identified because each individual will have a unique set of DNA sequences. Once an unique ID database is established for an  
20 individual, positive identification of that individual, living or dead, can be made from extremely small tissue samples.

      Forensic biology also benefits from using DNA-based identification techniques as disclosed herein. DNA sequences taken from very small biological samples such as tissues, e.g., hair or skin, or body fluids, e.g., blood, saliva, semen,  
25 synovial fluid, amniotic fluid, breast milk, lymph, pulmonary sputum or surfactant, urine, fecal matter, etc., can be amplified using PCR. In one prior art technique, gene sequences amplified from polymorphic loci, such as DQa class II HLA gene, are used in forensic biology to identify individuals. (Erlich, H., PCR Technology, Freeman and Co. (1992).) Once these specific polymorphic loci are amplified, they are  
30 digested with one or more restriction enzymes, yielding an identifying set of bands on

a Southern blot probed with DNA corresponding to the DQa class II HLA gene. Similarly, polynucleotides of the present invention can be used as polymorphic markers for forensic purposes.

There is also a need for reagents capable of identifying the source of a particular tissue. Such need arises, for example, in forensics when presented with tissue of unknown origin. Appropriate reagents can comprise, for example, DNA probes or primers specific to cancer polynucleotides prepared from the sequences of the present invention. Panels of such reagents can identify tissue by species and/or by organ type. In a similar fashion, these reagents can be used to screen tissue cultures for contamination.

The polynucleotides of the present invention are also useful as hybridization probes for differential identification of the tissue(s) or cell type(s) present in a biological sample. Similarly, polypeptides and antibodies directed to polypeptides of the present invention are useful to provide immunological probes for differential identification of the tissue(s) (e.g., immunohistochemistry assays) or cell type(s) (e.g., immunocytochemistry assays). In addition, for a number of disorders of the above tissues or cells, significantly higher or lower levels of gene expression of the polynucleotides/polypeptides of the present invention may be detected in certain tissues (e.g., tissues expressing polypeptides and/or polynucleotides of the present invention, cancer tissues and/or cancerous and/or wounded tissues) or bodily fluids (e.g., semen, vaginal pool, breast milk, bile, lymph, serum, plasma, urine, synovial fluid or spinal fluid) taken from an individual having such a disorder, relative to a "standard" gene expression level, i.e., the expression level in healthy tissue from an individual not having the disorder.

Thus, the invention provides a diagnostic method of a disorder, which involves: (a) assaying gene expression level in cells or body fluid of an individual; (b) comparing the gene expression level with a standard gene expression level, whereby an increase or decrease in the assayed gene expression level compared to the standard expression level is indicative of a disorder.

In the very least, the polynucleotides of the present invention can be used as molecular weight markers on Southern gels, as diagnostic probes for the presence of a specific mRNA in a particular cell type, as a probe to "subtract-out" known sequences in the process of discovering novel polynucleotides, for selecting and making  
 5 oligomers for attachment to a "gene chip" or other support, to raise anti-DNA antibodies using DNA immunization techniques, and as an antigen to elicit an immune response.

### Uses of the Polypeptides

10 Each of the polypeptides identified herein can be used in numerous ways. The following description should be considered exemplary and utilizes known techniques.

Polypeptides and antibodies directed to polypeptides of the present invention are useful to provide immunological probes for differential identification of the tissue(s) (e.g., immunohistochemistry assays such as, for example, ABC  
 15 immunoperoxidase (Hsu et al., J. Histochem. Cytochem. 29:577-580 (1981)) or cell type(s) (e.g., immunocytochemistry assays).

Antibodies can be used to assay levels of polypeptides encoded by polynucleotides of the invention in a biological sample using classical immunohistological methods known to those of skill in the art (e.g., see Jalkanen, et al., J. Cell. Biol. 101:976-985 (1985); Jalkanen, et al., J. Cell. Biol. 105:3087-3096  
 20 (1987)). Other antibody-based methods useful for detecting protein gene expression include immunoassays, such as the enzyme linked immunosorbent assay (ELISA) and the radioimmunoassay (RIA). Suitable antibody assay labels are known in the art and include enzyme labels, such as, glucose oxidase; radioisotopes, such as iodine  
 25 ( $^{131}\text{I}$ ,  $^{125}\text{I}$ ,  $^{123}\text{I}$ ,  $^{121}\text{I}$ ), carbon ( $^{14}\text{C}$ ), sulfur ( $^{35}\text{S}$ ), tritium ( $^3\text{H}$ ), indium ( $^{115\text{m}}\text{In}$ ,  $^{113\text{m}}\text{In}$ ,  $^{112}\text{In}$ ,  $^{111}\text{In}$ ), and technetium ( $^{99}\text{Tc}$ ,  $^{99\text{m}}\text{Tc}$ ), thallium ( $^{201}\text{Tl}$ ), gallium ( $^{68}\text{Ga}$ ,  $^{67}\text{Ga}$ ), palladium ( $^{103}\text{Pd}$ ), molybdenum ( $^{99}\text{Mo}$ ), xenon ( $^{133}\text{Xe}$ ), fluorine ( $^{18}\text{F}$ ),  $^{153}\text{Sm}$ ,  $^{177}\text{Lu}$ ,  $^{159}\text{Gd}$ ,  $^{149}\text{Pm}$ ,  $^{140}\text{La}$ ,  $^{175}\text{Yb}$ ,  $^{166}\text{Ho}$ ,  $^{90}\text{Y}$ ,  $^{47}\text{Sc}$ ,  $^{186}\text{Re}$ ,  $^{188}\text{Re}$ ,  $^{142}\text{Pr}$ ,  $^{105}\text{Rh}$ ,  $^{97}\text{Ru}$ ; luminescent labels, such as luminol; and fluorescent labels, such as fluorescein and  
 30 rhodamine, and biotin.

In addition to assaying levels of polypeptide of the present invention in a biological sample, proteins can also be detected in vivo by imaging. Antibody labels or markers for in vivo imaging of protein include those detectable by X-radiography, NMR or ESR. For X-radiography, suitable labels include radioisotopes such as barium or cesium, which emit detectable radiation but are not overtly harmful to the subject. Suitable markers for NMR and ESR include those with a detectable characteristic spin, such as deuterium, which may be incorporated into the antibody by labeling of nutrients for the relevant hybridoma.

A protein-specific antibody or antibody fragment which has been labeled with an appropriate detectable imaging moiety, such as a radioisotope (for example,  $^{131}\text{I}$ ,  $^{112}\text{In}$ ,  $^{99\text{m}}\text{Tc}$ , ( $^{131}\text{I}$ ,  $^{125}\text{I}$ ,  $^{123}\text{I}$ ,  $^{121}\text{I}$ ), carbon ( $^{14}\text{C}$ ), sulfur ( $^{35}\text{S}$ ), tritium ( $^3\text{H}$ ), indium ( $^{115\text{m}}\text{In}$ ,  $^{113\text{m}}\text{In}$ ,  $^{112}\text{In}$ ,  $^{111}\text{In}$ ), and technetium ( $^{99}\text{Tc}$ ,  $^{99\text{m}}\text{Tc}$ ), thallium ( $^{201}\text{Tl}$ ), gallium ( $^{68}\text{Ga}$ ,  $^{67}\text{Ga}$ ), palladium ( $^{103}\text{Pd}$ ), molybdenum ( $^{99}\text{Mo}$ ), xenon ( $^{133}\text{Xe}$ ), fluorine ( $^{18}\text{F}$ ,  $^{153}\text{Sm}$ ,  $^{177}\text{Lu}$ ,  $^{159}\text{Gd}$ ,  $^{149}\text{Pm}$ ,  $^{140}\text{La}$ ,  $^{175}\text{Yb}$ ,  $^{166}\text{Ho}$ ,  $^{90}\text{Y}$ ,  $^{47}\text{Sc}$ ,  $^{186}\text{Re}$ ,  $^{188}\text{Re}$ ,  $^{142}\text{Pr}$ ,  $^{105}\text{Rh}$ ,  $^{97}\text{Ru}$ ), a radio-opaque substance, or a material detectable by nuclear magnetic resonance, is introduced (for example, parenterally, subcutaneously or intraperitoneally) into the mammal to be examined for immune system disorder. It will be understood in the art that the size of the subject and the imaging system used will determine the quantity of imaging moiety needed to produce diagnostic images. In the case of a radioisotope moiety, for a human subject, the quantity of radioactivity injected will normally range from about 5 to 20 millicuries of  $^{99\text{m}}\text{Tc}$ . The labeled antibody or antibody fragment will then preferentially accumulate at the location of cells which express the polypeptide encoded by a polynucleotide of the invention. *In vivo* tumor imaging is described in S.W. Burchiel et al., "Immunopharmacokinetics of Radiolabeled Antibodies and Their Fragments" (Chapter 13 in *Tumor Imaging: The Radiochemical Detection of Cancer*, S.W. Burchiel and B. A. Rhodes, eds., Masson Publishing Inc. (1982)).

In one embodiment, the invention provides a method for the specific delivery of compositions of the invention to cells by administering polypeptides of the invention (e.g., polypeptides encoded by polynucleotides of the invention and/or

antibodies) that are associated with heterologous polypeptides or nucleic acids. In one example, the invention provides a method for delivering a therapeutic protein into the targeted cell. In another example, the invention provides a method for delivering a single stranded nucleic acid (e.g., antisense or ribozymes) or double stranded  
5 nucleic acid (e.g., DNA that can integrate into the cell's genome or replicate episomally and that can be transcribed) into the targeted cell.

In another embodiment, the invention provides a method for the specific destruction of cells (e.g., the destruction of tumor cells) by administering polypeptides of the invention in association with toxins or cytotoxic prodrugs.

10 By "toxin" is meant one or more compounds that bind and activate endogenous cytotoxic effector systems, radioisotopes, holotoxins, modified toxins, catalytic subunits of toxins, or any molecules or enzymes not normally present in or on the surface of a cell that under defined conditions cause the cell's death. Toxins that may be used according to the methods of the invention include, but are not  
15 limited to, radioisotopes known in the art, compounds such as, for example, antibodies (or complement fixing containing portions thereof) that bind an inherent or induced endogenous cytotoxic effector system, thymidine kinase, endonuclease, RNase, alpha toxin, ricin, abrin, *Pseudomonas* exotoxin A, diphtheria toxin, saporin, momordin, gelonin, pokeweed antiviral protein, alpha-sarcin and cholera toxin.  
20 "Toxin" also includes a cytostatic or cytocidal agent, a therapeutic agent or a radioactive metal ion, e.g., alpha-emitters such as, for example,  $^{213}\text{Bi}$ , or other radioisotopes such as, for example,  $^{103}\text{Pd}$ ,  $^{133}\text{Xe}$ ,  $^{131}\text{I}$ ,  $^{68}\text{Ge}$ ,  $^{57}\text{Co}$ ,  $^{65}\text{Zn}$ ,  $^{85}\text{Sr}$ ,  $^{32}\text{P}$ ,  $^{35}\text{S}$ ,  $^{90}\text{Y}$ ,  $^{153}\text{Sm}$ ,  $^{153}\text{Gd}$ ,  $^{169}\text{Yb}$ ,  $^{51}\text{Cr}$ ,  $^{54}\text{Mn}$ ,  $^{75}\text{Se}$ ,  $^{113}\text{Sn}$ ,  $^{90}\text{Yttrium}$ ,  $^{117}\text{Tin}$ ,  $^{186}\text{Rhenium}$ ,  $^{166}\text{Holmium}$ , and  $^{188}\text{Rhenium}$ ; luminescent labels, such as luminol; and fluorescent  
25 labels, such as fluorescein and rhodamine, and biotin.

Techniques known in the art may be applied to label polypeptides of the invention (including antibodies). Such techniques include, but are not limited to, the use of bifunctional conjugating agents (see e.g., U.S. Patent Nos. 5,756,065; 5,714,631; 5,696,239; 5,652,361; 5,505,931; 5,489,425; 5,435,990; 5,428,139;

5,342,604; 5,274,119; 4,994,560; and 5,808,003; the contents of each of which are hereby incorporated by reference in its entirety).

Thus, the invention provides a diagnostic method of a disorder, which involves (a) assaying the expression level of a cancer polypeptide of the present invention in cells or body fluid of an individual; and (b) comparing the assayed polypeptide expression level with a standard polypeptide expression level, whereby an increase or decrease in the assayed polypeptide expression level compared to the standard expression level is indicative of a disorder. With respect to cancer, the presence of a relatively high amount of transcript in biopsied tissue from an individual may indicate a predisposition for the development of the disease, or may provide a means for detecting the disease prior to the appearance of actual clinical symptoms. A more definitive diagnosis of this type may allow health professionals to employ preventative measures or aggressive treatment earlier thereby preventing the development or further progression of the cancer.

Moreover, cancer antigen polypeptides of the present invention can be used to treat or prevent diseases or conditions such as, for example, neural disorders, immune system disorders, muscular disorders, reproductive disorders, gastrointestinal disorders, pulmonary disorders, cardiovascular disorders, renal disorders, proliferative disorders, and/or cancerous diseases and conditions. For example, patients can be administered a polypeptide of the present invention in an effort to replace absent or decreased levels of the polypeptide (e.g., insulin), to supplement absent or decreased levels of a different polypeptide (e.g., hemoglobin S for hemoglobin B, SOD, catalase, DNA repair proteins), to inhibit the activity of a polypeptide (e.g., an oncogene or tumor suppressor), to activate the activity of a polypeptide (e.g., by binding to a receptor), to reduce the activity of a membrane bound receptor by competing with it for free ligand (e.g., soluble TNF receptors used in reducing inflammation), or to bring about a desired response (e.g., blood vessel growth inhibition, enhancement of the immune response to proliferative cells or tissues).

Similarly, antibodies directed to a polypeptide of the present invention can also be used to treat disease (as described supra, and elsewhere herein). For example,

administration of an antibody directed to a polypeptide of the present invention can bind, and/or neutralize the polypeptide, and/or reduce overproduction of the polypeptide. Similarly, administration of an antibody can activate the polypeptide, such as by binding to a polypeptide bound to a membrane (receptor).

5           At the very least, the polypeptides of the present invention can be used as molecular weight markers on SDS-PAGE gels or on molecular sieve gel filtration columns using methods well known to those of skill in the art. Polypeptides can also be used to raise antibodies, which in turn are used to measure protein expression from a recombinant cell, as a way of assessing transformation of the host cell. Moreover,  
10       the polypeptides of the present invention can be used to test the following biological activities.

#### **Gene Therapy Methods**

          Another aspect of the present invention is to gene therapy methods for treating  
15       or preventing disorders, diseases and conditions. The gene therapy methods relate to the introduction of nucleic acid (DNA, RNA and antisense DNA or RNA) sequences into an animal to achieve expression of the polypeptide of the present invention. This method requires a polynucleotide which codes for a polypeptide of the present invention operatively linked to a promoter and any other genetic elements necessary  
20       for the expression of the polypeptide by the target tissue. Such gene therapy and delivery techniques are known in the art, see, for example, WO90/11092, which is herein incorporated by reference.

          Thus, for example, cells from a patient may be engineered with a polynucleotide (DNA or RNA) comprising a promoter operably linked to a  
25       polynucleotide of the present invention ex vivo, with the engineered cells then being provided to a patient to be treated with the polypeptide of the present invention. Such methods are well-known in the art. For example, see Belldgrun, A., et al., J. Natl. Cancer Inst. 85: 207-216 (1993); Ferrantini, M. et al., Cancer Research 53: 1107-1112 (1993); Ferrantini, M. et al., J. Immunology 153: 4604-4615 (1994); Kaido, T., et al.,  
30       Int. J. Cancer 60: 221-229 (1995); Ogura, H., et al., Cancer Research 50: 5102-5106



(1990); Santodonato, L., et al., Human Gene Therapy 7:1-10 (1996); Santodonato, L., et al., Gene Therapy 4:1246-1255 (1997); and Zhang, J.-F. et al., Cancer Gene Therapy 3: 31-38 (1996)), which are herein incorporated by reference. In one embodiment, the cells which are engineered are arterial cells. The arterial cells may  
5 be reintroduced into the patient through direct injection to the artery, the tissues surrounding the artery, or through catheter injection.

As discussed in more detail below, the polynucleotide constructs can be delivered by any method that delivers injectable materials to the cells of an animal, such as, injection into the interstitial space of tissues (heart, muscle, skin, lung, liver,  
10 and the like). The polynucleotide constructs may be delivered in a pharmaceutically acceptable liquid or aqueous carrier.

In one embodiment, the polynucleotide of the present invention is delivered as a naked polynucleotide. The term "naked" polynucleotide, DNA or RNA refers to sequences that are free from any delivery vehicle that acts to assist, promote or  
15 facilitate entry into the cell, including viral sequences, viral particles, liposome formulations, lipofectin or precipitating agents and the like. However, the polynucleotide of the present invention can also be delivered in liposome formulations and lipofectin formulations and the like can be prepared by methods well known to those skilled in the art. Such methods are described, for example, in  
20 U.S. Patent Nos. 5,593,972, 5,589,466, and 5,580,859, which are herein incorporated by reference.

The polynucleotide vector constructs used in the gene therapy method are preferably constructs that will not integrate into the host genome nor will they contain sequences that allow for replication. Appropriate vectors include pWLNEO,  
25 pSV2CAT, pOG44, pXT1 and pSG available from Stratagene; pSVK3, pBPV, pMSG and pSVL available from Pharmacia; and pEF1/V5, pcDNA3.1, and pRc/CMV2 available from Invitrogen. Other suitable vectors will be readily apparent to the skilled artisan.

Any strong promoter known to those skilled in the art can be used for driving  
30 the expression of the polynucleotide sequence. Suitable promoters include adenoviral

promoters, such as the adenoviral major late promoter; or heterologous promoters, such as the cytomegalovirus (CMV) promoter; the respiratory syncytial virus (RSV) promoter; inducible promoters, such as the MMT promoter, the metallothionein promoter; heat shock promoters; the albumin promoter; the ApoA1 promoter; human  
5 globin promoters; viral thymidine kinase promoters, such as the Herpes Simplex thymidine kinase promoter; retroviral LTRs; the b-actin promoter; and human growth hormone promoters. The promoter also may be the native promoter for the polynucleotide of the present invention.

Unlike other gene therapy techniques, one major advantage of introducing  
10 naked nucleic acid sequences into target cells is the transitory nature of the polynucleotide synthesis in the cells. Studies have shown that non-replicating DNA sequences can be introduced into cells to provide production of the desired polypeptide for periods of up to six months.

The polynucleotide construct can be delivered to the interstitial space of tissues  
15 within the an animal, including of muscle, skin, brain, lung, liver, spleen, bone marrow, thymus, heart, lymph, blood, bone, cartilage, pancreas, kidney, gall bladder, stomach, intestine, testis, ovary, uterus, rectum, nervous system, eye, gland, and connective tissue. Interstitial space of the tissues comprises the intercellular, fluid, mucopolysaccharide matrix among the reticular fibers of organ tissues, elastic fibers in  
20 the walls of vessels or chambers, collagen fibers of fibrous tissues, or that same matrix within connective tissue ensheathing muscle cells or in the lacunae of bone. It is similarly the space occupied by the plasma of the circulation and the lymph fluid of the lymphatic channels. Delivery to the interstitial space of muscle tissue is preferred for the reasons discussed below. They may be conveniently delivered by injection into the  
25 tissues comprising these cells. They are preferably delivered to and expressed in persistent, non-dividing cells which are differentiated, although delivery and expression may be achieved in non-differentiated or less completely differentiated cells, such as, for example, stem cells of blood or skin fibroblasts. In vivo muscle cells are particularly competent in their ability to take up and express polynucleotides.

For the naked nucleic acid sequence injection, an effective dosage amount of DNA or RNA will be in the range of from about 0.05 mg/kg body weight to about 50 mg/kg body weight. Preferably the dosage will be from about 0.005 mg/kg to about 20 mg/kg and more preferably from about 0.05 mg/kg to about 5 mg/kg. Of course, as the artisan of ordinary skill will appreciate, this dosage will vary according to the tissue site of injection. The appropriate and effective dosage of nucleic acid sequence can readily be determined by those of ordinary skill in the art and may depend on the condition being treated and the route of administration.

The preferred route of administration is by the parenteral route of injection into the interstitial space of tissues. However, other parenteral routes may also be used, such as, inhalation of an aerosol formulation particularly for delivery to lungs or bronchial tissues, throat or mucous membranes of the nose. In addition, naked DNA constructs can be delivered to arteries during angioplasty by the catheter used in the procedure.

The naked polynucleotides are delivered by any method known in the art, including, but not limited to, direct needle injection at the delivery site, intravenous injection, topical administration, catheter infusion, and so-called "gene guns". These delivery methods are known in the art.

The constructs may also be delivered with delivery vehicles such as viral sequences, viral particles, liposome formulations, lipofectin, precipitating agents, etc. Such methods of delivery are known in the art.

In certain embodiments, the polynucleotide constructs are complexed in a liposome preparation. Liposomal preparations for use in the instant invention include cationic (positively charged), anionic (negatively charged) and neutral preparations. However, cationic liposomes are particularly preferred because a tight charge complex can be formed between the cationic liposome and the polyanionic nucleic acid. Cationic liposomes have been shown to mediate intracellular delivery of plasmid DNA (Felgner et al., Proc. Natl. Acad. Sci. USA (1987) 84:7413-7416, which is herein incorporated by reference); mRNA (Malone et al., Proc. Natl. Acad. Sci. USA (1989) 86:6077-6081, which is herein incorporated by reference); and purified

transcription factors (Debs et al., J. Biol. Chem. (1990) 265:10189-10192, which is herein incorporated by reference), in functional form.

Cationic liposomes are readily available. For example, N[1-2,3-dioleoyloxy)propyl]-N,N,N-triethylammonium (DOTMA) liposomes are particularly useful and are available under the trademark Lipofectin, from GIBCO  
5 BRL, Grand Island, N.Y. (See, also, Felgner et al., Proc. Natl Acad. Sci. USA (1987) 84:7413-7416, which is herein incorporated by reference). Other commercially available liposomes include transfectace (DDAB/DOPE) and DOTAP/DOPE (Boehringer).

10 Other cationic liposomes can be prepared from readily available materials using techniques well known in the art. See, e.g. PCT Publication No. WO 90/11092 (which is herein incorporated by reference) for a description of the synthesis of DOTAP (1,2-bis(oleoyloxy)-3-(trimethylammonio)propane) liposomes. Preparation of DOTMA liposomes is explained in the literature, see, e.g., P. Felgner et al., Proc.  
15 Natl. Acad. Sci. USA 84:7413-7417, which is herein incorporated by reference. Similar methods can be used to prepare liposomes from other cationic lipid materials.

Similarly, anionic and neutral liposomes are readily available, such as from Avanti Polar Lipids (Birmingham, Ala.), or can be easily prepared using readily available materials. Such materials include phosphatidyl, choline, cholesterol,  
20 phosphatidyl ethanolamine, dioleoylphosphatidyl choline (DOPC), dioleoylphosphatidyl glycerol (DOPG), dioleoylphosphatidyl ethanolamine (DOPE), among others. These materials can also be mixed with the DOTMA and DOTAP starting materials in appropriate ratios. Methods for making liposomes using these materials are well known in the art.

25 For example, commercially dioleoylphosphatidyl choline (DOPC), dioleoylphosphatidyl glycerol (DOPG), and dioleoylphosphatidyl ethanolamine (DOPE) can be used in various combinations to make conventional liposomes, with or without the addition of cholesterol. Thus, for example, DOPG/DOPC vesicles can be prepared by drying 50 mg each of DOPG and DOPC under a stream of nitrogen  
30 gas into a sonication vial. The sample is placed under a vacuum pump overnight and

is hydrated the following day with deionized water. The sample is then sonicated for 2 hours in a capped vial, using a Heat Systems model 350 sonicator equipped with an inverted cup (bath type) probe at the maximum setting while the bath is circulated at 15EC. Alternatively, negatively charged vesicles can be prepared without sonication  
5 to produce multilamellar vesicles or by extrusion through nucleopore membranes to produce unilamellar vesicles of discrete size. Other methods are known and available to those of skill in the art.

The liposomes can comprise multilamellar vesicles (MLVs), small unilamellar vesicles (SUVs), or large unilamellar vesicles (LUVs), with SUVs being preferred.  
10 The various liposome-nucleic acid complexes are prepared using methods well known in the art. See, e.g., Straubinger et al., *Methods of Immunology* (1983), 101:512-527, which is herein incorporated by reference. For example, MLVs containing nucleic acid can be prepared by depositing a thin film of phospholipid on the walls of a glass tube and subsequently hydrating with a solution of the material to be encapsulated.  
15 SUVs are prepared by extended sonication of MLVs to produce a homogeneous population of unilamellar liposomes. The material to be entrapped is added to a suspension of preformed MLVs and then sonicated. When using liposomes containing cationic lipids, the dried lipid film is resuspended in an appropriate solution such as sterile water or an isotonic buffer solution such as 10 mM Tris/NaCl, sonicated, and  
20 then the preformed liposomes are mixed directly with the DNA. The liposome and DNA form a very stable complex due to binding of the positively charged liposomes to the cationic DNA. SUVs find use with small nucleic acid fragments. LUVs are prepared by a number of methods, well known in the art. Commonly used methods include  $\text{Ca}^{2+}$ -EDTA chelation (Papahadjopoulos et al., *Biochim. Biophys. Acta*  
25 (1975) 394:483; Wilson et al., *Cell* (1979) 17:77); ether injection (Deamer, D. and Bangham, A., *Biochim. Biophys. Acta* (1976) 443:629; Ostro et al., *Biochem. Biophys. Res. Commun.* (1977) 76:836; Fraley et al., *Proc. Natl. Acad. Sci. USA* (1979) 76:3348); detergent dialysis (Enoch, H. and Strittmatter, P., *Proc. Natl. Acad. Sci. USA* (1979) 76:145); and reverse-phase evaporation (REV) (Fraley et al., *J. Biol.*  
30 *Chem.* (1980) 255:10431; Szoka, F. and Papahadjopoulos, D., *Proc. Natl. Acad. Sci.*

USA (1978) 75:145; Schaefer-Ridder et al., Science (1982) 215:166), which are herein incorporated by reference.

Generally, the ratio of DNA to liposomes will be from about 10:1 to about 1:10. Preferably, the ration will be from about 5:1 to about 1:5. More preferably, the  
5 ration will be about 3:1 to about 1:3. Still more preferably, the ratio will be about 1:1.

U.S. Patent No. 5,676,954 (which is herein incorporated by reference) reports on the injection of genetic material, complexed with cationic liposomes carriers, into mice. U.S. Patent Nos. 4,897,355, 4,946,787, 5,049,386, 5,459,127, 5,589,466, 5,693,622, 5,580,859, 5,703,055, and international publication no. WO 94/9469  
10 (which are herein incorporated by reference) provide cationic lipids for use in transfecting DNA into cells and mammals. U.S. Patent Nos. 5,589,466, 5,693,622, 5,580,859, 5,703,055, and international publication no. WO 94/9469 (which are herein incorporated by reference) provide methods for delivering DNA-cationic lipid complexes to mammals.

15 In certain embodiments, cells are engineered, ex vivo or in vivo, using a retroviral particle containing RNA which comprises a sequence encoding a polypeptide of the present invention. Retroviruses from which the retroviral plasmid vectors may be derived include, but are not limited to, Moloney Murine Leukemia Virus, spleen necrosis virus, Rous sarcoma Virus, Harvey Sarcoma Virus, avian  
20 leukosis virus, gibbon ape leukemia virus, human immunodeficiency virus, Myeloproliferative Sarcoma Virus, and mammary tumor virus.

The retroviral plasmid vector is employed to transduce packaging cell lines to form producer cell lines. Examples of packaging cells which may be transfected include, but are not limited to, the PE501, PA317, R-2, R-AM, PA12, T19-14X, VT-  
25 19-17-H2, RCRE, RCRIP, GP+E-86, GP+envAm12, and DAN cell lines as described in Miller, Human Gene Therapy 1:5-14 (1990), which is incorporated herein by reference in its entirety. The vector may transduce the packaging cells through any means known in the art. Such means include, but are not limited to, electroporation, the use of liposomes, and CaPO<sub>4</sub> precipitation. In one alternative, the retroviral

plasmid vector may be encapsulated into a liposome, or coupled to a lipid, and then administered to a host.

The producer cell line generates infectious retroviral vector particles which include polynucleotide encoding a polypeptide of the present invention. Such retroviral vector particles then may be employed, to transduce eukaryotic cells, either in vitro or in vivo. The transduced eukaryotic cells will express a polypeptide of the present invention.

In certain other embodiments, cells are engineered, ex vivo or in vivo, with polynucleotide contained in an adenovirus vector. Adenovirus can be manipulated such that it encodes and expresses a polypeptide of the present invention, and at the same time is inactivated in terms of its ability to replicate in a normal lytic viral life cycle. Adenovirus expression is achieved without integration of the viral DNA into the host cell chromosome, thereby alleviating concerns about insertional mutagenesis. Furthermore, adenoviruses have been used as live enteric vaccines for many years with an excellent safety profile (Schwartz, A. R. et al. (1974) Am. Rev. Respir. Dis. 109:233-238). Finally, adenovirus mediated gene transfer has been demonstrated in a number of instances including transfer of alpha-1-antitrypsin and CFTR to the lungs of cotton rats (Rosenfeld, M. A. et al. (1991) Science 252:431-434; Rosenfeld et al., (1992) Cell 68:143-155). Furthermore, extensive studies to attempt to establish adenovirus as a causative agent in human cancer were uniformly negative (Green, M. et al. (1979) Proc. Natl. Acad. Sci. USA 76:6606).

Suitable adenoviral vectors useful in the present invention are described, for example, in Kozarsky and Wilson, Curr. Opin. Genet. Devel. 3:499-503 (1993); Rosenfeld et al., Cell 68:143-155 (1992); Engelhardt et al., Human Genet. Ther. 4:759-769 (1993); Yang et al., Nature Genet. 7:362-369 (1994); Wilson et al., Nature 365:691-692 (1993); and U.S. Patent No. 5,652,224, which are herein incorporated by reference. For example, the adenovirus vector Ad2 is useful and can be grown in human 293 cells. These cells contain the E1 region of adenovirus and constitutively express Ela and Elb, which complement the defective adenoviruses by providing the

products of the genes deleted from the vector. In addition to Ad2, other varieties of adenovirus (e.g., Ad3, Ad5, and Ad7) are also useful in the present invention.

Preferably, the adenoviruses used in the present invention are replication deficient. Replication deficient adenoviruses require the aid of a helper virus and/or packaging cell line to form infectious particles. The resulting virus is capable of infecting cells and can express a polynucleotide of interest which is operably linked to a promoter, but cannot replicate in most cells. Replication deficient adenoviruses may be deleted in one or more of all or a portion of the following genes: E1a, E1b, E3, E4, E2a, or L1 through L5.

In certain other embodiments, the cells are engineered, ex vivo or in vivo, using an adeno-associated virus (AAV). AAVs are naturally occurring defective viruses that require helper viruses to produce infectious particles (Muzyczka, N., Curr. Topics in Microbiol. Immunol. 158:97 (1992)). It is also one of the few viruses that may integrate its DNA into non-dividing cells. Vectors containing as little as 300 base pairs of AAV can be packaged and can integrate, but space for exogenous DNA is limited to about 4.5 kb. Methods for producing and using such AAVs are known in the art. See, for example, U.S. Patent Nos. 5,139,941, 5,173,414, 5,354,678, 5,436,146, 5,474,935, 5,478,745, and 5,589,377.

For example, an appropriate AAV vector for use in the present invention will include all the sequences necessary for DNA replication, encapsidation, and host-cell integration. The polynucleotide construct is inserted into the AAV vector using standard cloning methods, such as those found in Sambrook et al., Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Press (1989). The recombinant AAV vector is then transfected into packaging cells which are infected with a helper virus, using any standard technique, including lipofection, electroporation, calcium phosphate precipitation, etc. Appropriate helper viruses include adenoviruses, cytomegaloviruses, vaccinia viruses, or herpes viruses. Once the packaging cells are transfected and infected, they will produce infectious AAV viral particles which contain the polynucleotide construct. These viral particles are then used to transduce eukaryotic cells, either ex vivo or in vivo. The transduced cells will contain the



polynucleotide construct integrated into its genome, and will express a polypeptide of the invention.

Another method of gene therapy involves operably associating heterologous control regions and endogenous polynucleotide sequences (e.g. encoding a polypeptide of the present invention) via homologous recombination (see, e.g., U.S. Patent No. 5,641,670, issued June 24, 1997; International Publication No. WO 96/29411, published September 26, 1996; International Publication No. WO 94/12650, published August 4, 1994; Koller et al., Proc. Natl. Acad. Sci. USA 86:8932-8935 (1989); and Zijlstra et al., Nature 342:435-438 (1989). This method involves the activation of a gene which is present in the target cells, but which is not normally expressed in the cells, or is expressed at a lower level than desired.

Polynucleotide constructs are made, using standard techniques known in the art, which contain the promoter with targeting sequences flanking the promoter. Suitable promoters are described herein. The targeting sequence is sufficiently complementary to an endogenous sequence to permit homologous recombination of the promoter-targeting sequence with the endogenous sequence. The targeting sequence will be sufficiently near the 5' end of the desired endogenous polynucleotide sequence so the promoter will be operably linked to the endogenous sequence upon homologous recombination.

The promoter and the targeting sequences can be amplified using PCR. Preferably, the amplified promoter contains distinct restriction enzyme sites on the 5' and 3' ends. Preferably, the 3' end of the first targeting sequence contains the same restriction enzyme site as the 5' end of the amplified promoter and the 5' end of the second targeting sequence contains the same restriction site as the 3' end of the amplified promoter. The amplified promoter and targeting sequences are digested and ligated together.

The promoter-targeting sequence construct is delivered to the cells, either as naked polynucleotide, or in conjunction with transfection-facilitating agents, such as liposomes, viral sequences, viral particles, whole viruses, lipofection, precipitating agents, etc., described in more detail above. The P promoter-targeting sequence can

be delivered by any method, included direct needle injection, intravenous injection, topical administration, catheter infusion, particle accelerators, etc. The methods are described in more detail below.

The promoter-targeting sequence construct is taken up by cells. Homologous  
5 recombination between the construct and the endogenous sequence takes place, such that an endogenous sequence is placed under the control of the promoter. The promoter then drives the expression of the endogenous sequence.

Preferably, the polynucleotide encoding a polypeptide of the present invention contains a secretory signal sequence that facilitates secretion of the protein.  
10 Typically, the signal sequence is positioned in the coding region of the polynucleotide to be expressed towards or at the 5' end of the coding region. The signal sequence may be homologous or heterologous to the polynucleotide of interest and may be homologous or heterologous to the cells to be transfected. Additionally, the signal sequence may be chemically synthesized using methods known in the art.

Any mode of administration of any of the above-described polynucleotides  
15 constructs can be used so long as the mode results in the expression of one or more molecules in an amount sufficient to provide a therapeutic effect. This includes direct needle injection, systemic injection, catheter infusion, biolistic injectors, particle accelerators (i.e., "gene guns"), gelfoam sponge depots, other commercially available  
20 depot materials, osmotic pumps (e.g., Alza minipumps), oral or suppository solid (tablet or pill) pharmaceutical formulations, and decanting or topical applications during surgery. For example, direct injection of naked calcium phosphate-precipitated plasmid into rat liver and rat spleen or a protein-coated plasmid into the portal vein has resulted in gene expression of the foreign gene in the  
25 rat livers (Kaneda et al., Science 243:375 (1989)).

A preferred method of local administration is by direct injection. Preferably, a recombinant molecule of the present invention complexed with a delivery vehicle is administered by direct injection into or locally within the area of arteries. Administration of a composition locally within the area of arteries refers to injecting  
30 the composition centimeters and preferably, millimeters within arteries.

Another method of local administration is to contact a polynucleotide construct of the present invention in or around a surgical wound. For example, a patient can undergo surgery and the polynucleotide construct can be coated on the surface of tissue inside the wound or the construct can be injected into areas of tissue  
5 inside the wound.

Therapeutic compositions useful in systemic administration, include recombinant molecules of the present invention complexed to a targeted delivery vehicle of the present invention. Suitable delivery vehicles for use with systemic administration comprise liposomes comprising ligands for targeting the vehicle to a  
10 particular site.

Preferred methods of systemic administration, include intravenous injection, aerosol, oral and percutaneous (topical) delivery. Intravenous injections can be performed using methods standard in the art. Aerosol delivery can also be performed using methods standard in the art (see, for example, Stribling et al., Proc. Natl. Acad.  
15 Sci. USA 189:11277-11281, 1992, which is incorporated herein by reference). Oral delivery can be performed by complexing a polynucleotide construct of the present invention to a carrier capable of withstanding degradation by digestive enzymes in the gut of an animal. Examples of such carriers, include plastic capsules or tablets, such as those known in the art. Topical delivery can be performed by mixing a  
20 polynucleotide construct of the present invention with a lipophilic reagent (e.g., DMSO) that is capable of passing into the skin.

Determining an effective amount of substance to be delivered can depend upon a number of factors including, for example, the chemical structure and biological activity of the substance, the age and weight of the animal, the precise  
25 condition requiring treatment and its severity, and the route of administration. The frequency of treatments depends upon a number of factors, such as the amount of polynucleotide constructs administered per dose, as well as the health and history of the subject. The precise amount, number of doses, and timing of doses will be determined by the attending physician or veterinarian.

Therapeutic compositions of the present invention can be administered to any animal, preferably to mammals and birds. Preferred mammals include humans, dogs, cats, mice, rats, rabbits sheep, cattle, horses and pigs, with humans being particularly preferred.

5

#### **Biological Activities**

Polynucleotides or polypeptides, or agonists or antagonists of the present invention, can be used in assays to test for one or more biological activities. If these polynucleotides or polypeptides, or agonists or antagonists of the present invention,  
10 do exhibit activity in a particular assay, it is likely that these molecules may be involved in the diseases associated with the biological activity. Thus, the polynucleotides and polypeptides, and agonists or antagonists could be used to treat the associated disease.

#### 15 **Immune Activity**

A polypeptide or polynucleotide, or agonists or antagonists of the present invention may be useful in treating deficiencies or disorders of the immune system, by activating or inhibiting the proliferation, differentiation, or mobilization (chemotaxis) of immune cells. Immune cells develop through a process called  
20 hematopoiesis, producing myeloid (platelets, red blood cells, neutrophils, and macrophages) and lymphoid (B and T lymphocytes) cells from pluripotent stem cells. The etiology of these immune deficiencies or disorders may be genetic, somatic, such as cancer or some autoimmune disorders, acquired (e.g., by chemotherapy or toxins), or infectious. Moreover, polynucleotides or polypeptides, or agonists or antagonists  
25 of the present invention can be used as a marker or detector of a particular immune system disease or disorder.

Polynucleotides or polypeptides, or agonists or antagonists of the present invention may be useful in treating or detecting deficiencies or disorders of hematopoietic cells. Polynucleotides or polypeptides, or agonists or antagonists of the  
30 present invention could be used to increase differentiation and proliferation of

hematopoietic cells, including the pluripotent stem cells, in an effort to treat those disorders associated with a decrease in certain (or many) types hematopoietic cells. Examples of immunologic deficiency syndromes include, but are not limited to: blood protein disorders (e.g. agammaglobulinemia, dysgammaglobulinemia), ataxia  
5 telangiectasia, common variable immunodeficiency, Digeorge Syndrome, HIV infection, HTLV-BLV infection, leukocyte adhesion deficiency syndrome, lymphopenia, phagocyte bactericidal dysfunction, severe combined immunodeficiency (SCIDs), Wiskott-Aldrich Disorder, anemia, thrombocytopenia, or hemoglobinuria.

10 Moreover, polynucleotides or polypeptides, or agonists or antagonists of the present invention could also be used to modulate hemostatic (the stopping of bleeding) or thrombolytic activity (clot formation). For example, by increasing hemostatic or thrombolytic activity, polynucleotides or polypeptides, or agonists or antagonists of the present invention could be used to treat blood coagulation disorders  
15 (e.g., afibrinogenemia, factor deficiencies), blood platelet disorders (e.g. thrombocytopenia), or wounds resulting from trauma, surgery, or other causes. Alternatively, polynucleotides or polypeptides, or agonists or antagonists of the present invention that can decrease hemostatic or thrombolytic activity could be used to inhibit or dissolve clotting. These molecules could be important in the treatment of  
20 heart attacks (infarction), strokes, or scarring.

Polynucleotides or polypeptides, or agonists or antagonists of the present invention may also be useful in treating or detecting autoimmune disorders. Many autoimmune disorders result from inappropriate recognition of self as foreign material by immune cells. This inappropriate recognition results in an immune response  
25 leading to the destruction of the host tissue. Therefore, the administration of polynucleotides or polypeptides, or agonists or antagonists of the present invention that can inhibit an immune response, particularly the proliferation, differentiation, or chemotaxis of T-cells, may be an effective therapy in preventing autoimmune disorders.

Examples of autoimmune disorders that can be treated or detected include, but are not limited to: Addison's Disease, hemolytic anemia, antiphospholipid syndrome, rheumatoid arthritis, dermatitis, allergic encephalomyelitis, glomerulonephritis, Goodpasture's Syndrome, Graves' Disease, Multiple Sclerosis, Myasthenia Gravis, Neuritis, Ophthalmia, Bullous Pemphigoid, Pemphigus, Polyendocrinopathies, Purpura, Reiter's Disease, Stiff-Man Syndrome, Autoimmune Thyroiditis, Systemic Lupus Erythematosus, Autoimmune Pulmonary Inflammation, Guillain-Barre Syndrome, insulin dependent diabetes mellitis, and autoimmune inflammatory eye disease.

10 Similarly, allergic reactions and conditions, such as asthma (particularly allergic asthma) or other respiratory problems, may also be treated by polynucleotides or polypeptides, or agonists or antagonists of the present invention. Moreover, these molecules can be used to treat anaphylaxis, hypersensitivity to an antigenic molecule, or blood group incompatibility.

15 Polynucleotides or polypeptides, or agonists or antagonists of the present invention may also be used to treat and/or prevent organ rejection or graft-versus-host disease (GVHD). Organ rejection occurs by host immune cell destruction of the transplanted tissue through an immune response. Similarly, an immune response is also involved in GVHD, but, in this case, the foreign transplanted immune cells  
20 destroy the host tissues. The administration of polynucleotides or polypeptides, or agonists or antagonists of the present invention that inhibits an immune response, particularly the proliferation, differentiation, or chemotaxis of T-cells, may be an effective therapy in preventing organ rejection or GVHD.

25 Similarly, polynucleotides or polypeptides, or agonists or antagonists of the present invention may also be used to modulate inflammation. For example, polynucleotides or polypeptides, or agonists or antagonists of the present invention may inhibit the proliferation and differentiation of cells involved in an inflammatory response. These molecules can be used to treat inflammatory conditions, both chronic and acute conditions, including chronic prostatitis, granulomatous prostatitis and  
30 malacoplakia, inflammation associated with infection (e.g., septic shock, sepsis, or

systemic inflammatory response syndrome (SIRS)), ischemia-reperfusion injury, endotoxin lethality, arthritis, complement-mediated hyperacute rejection, nephritis, cytokine or chemokine induced lung injury, inflammatory bowel disease, Crohn's disease, or resulting from over production of cytokines (e.g., TNF or IL-1.)

5

### **Hyperproliferative Disorders**

Polynucleotides or polypeptides, or agonists or antagonists of the present invention can be used to treat or detect hyperproliferative disorders, including neoplasms. Polynucleotides or polypeptides, or agonists or antagonists of the present  
10 invention may inhibit the proliferation of the disorder through direct or indirect interactions. Alternatively, Polynucleotides or polypeptides, or agonists or antagonists of the present invention may proliferate other cells which can inhibit the hyperproliferative disorder.

For example, by increasing an immune response, particularly increasing  
15 antigenic qualities of the hyperproliferative disorder or by proliferating, differentiating, or mobilizing T-cells, hyperproliferative disorders can be treated. This immune response may be increased by either enhancing an existing immune response, or by initiating a new immune response. Alternatively, decreasing an immune response may also be a method of treating hyperproliferative disorders, such  
20 as a chemotherapeutic agent.

Examples of hyperproliferative disorders that can be treated or detected by Polynucleotides or polypeptides, or agonists or antagonists of the present invention include, but are not limited to neoplasms located in the: colon, abdomen, bone, breast, digestive system, liver, pancreas, peritoneum, endocrine glands (adrenal, parathyroid,  
25 pituitary, testicles, ovary, thymus, thyroid), eye, head and neck, nervous (central and peripheral), lymphatic system, pelvic, skin, soft tissue, spleen, thoracic, and urogenital.

Similarly, other hyperproliferative disorders can also be treated or detected by polynucleotides or polypeptides, or agonists or antagonists of the present invention.  
30 Examples of such hyperproliferative disorders include, but are not limited to:

hypergammaglobulinemia, lymphoproliferative disorders, paraproteinemias, purpura, sarcoidosis, Sezary Syndrome, Waldenstrom's Macroglobulinemia, Gaucher's Disease, histiocytosis, and any other hyperproliferative disease, besides neoplasia, located in an organ system listed above.

5           One preferred embodiment utilizes polynucleotides of the present invention to inhibit aberrant cellular division, by gene therapy using the present invention, and/or protein fusions or fragments thereof.

          Thus, the present invention provides a method for treating cell proliferative disorders by inserting into an abnormally proliferating cell a polynucleotide of the  
10       present invention, wherein said polynucleotide represses said expression.

          Another embodiment of the present invention provides a method of treating cell-proliferative disorders in individuals comprising administration of one or more active gene copies of the present invention to an abnormally proliferating cell or cells. In a preferred embodiment, polynucleotides of the present invention is a DNA  
15       construct comprising a recombinant expression vector effective in expressing a DNA sequence encoding said polynucleotides. In another preferred embodiment of the present invention, the DNA construct encoding the polynucleotides of the present invention is inserted into cells to be treated utilizing a retrovirus, or more preferably an adenoviral vector (See G J. Nabel, et. al., PNAS 1999 96: 324-326, which is  
20       hereby incorporated by reference). In a most preferred embodiment, the viral vector is defective and will not transform non-proliferating cells, only proliferating cells. Moreover, in a preferred embodiment, the polynucleotides of the present invention inserted into proliferating cells either alone, or in combination with or fused to other polynucleotides, can then be modulated via an external stimulus (i.e. magnetic,  
25       specific small molecule, chemical, or drug administration, etc.), which acts upon the promoter upstream of said polynucleotides to induce expression of the encoded protein product. As such the beneficial therapeutic affect of the present invention may be expressly modulated (i.e. to increase, decrease, or inhibit expression of the present invention) based upon said external stimulus.



Polynucleotides of the present invention may be useful in repressing expression of oncogenic genes or antigens. By "repressing expression of the oncogenic genes " is intended the suppression of the transcription of the gene, the degradation of the gene transcript (pre-message RNA), the inhibition of splicing, the  
5 destruction of the messenger RNA, the prevention of the post-translational modifications of the protein, the destruction of the protein, or the inhibition of the normal function of the protein.

For local administration to abnormally proliferating cells, polynucleotides of the present invention may be administered by any method known to those of skill in  
10 the art including, but not limited to transfection, electroporation, microinjection of cells, or in vehicles such as liposomes, lipofectin, or as naked polynucleotides, or any other method described throughout the specification. The polynucleotide of the present invention may be delivered by known gene delivery systems such as, but not limited to, retroviral vectors (Gilboa, J. Virology 44:845 (1982); Hocke, Nature  
15 320:275 (1986); Wilson, et al., Proc. Natl. Acad. Sci. U.S.A. 85:3014), vaccinia virus system (Chakrabarty et al., Mol. Cell Biol. 5:3403 (1985) or other efficient DNA delivery systems (Yates et al., Nature 313:812 (1985)) known to those skilled in the art. These references are exemplary only and are hereby incorporated by reference. In order to specifically deliver or transfect cells which are abnormally proliferating  
20 and spare non-dividing cells, it is preferable to utilize a retrovirus, or adenoviral (as described in the art and elsewhere herein) delivery system known to those of skill in the art. Since host DNA replication is required for retroviral DNA to integrate and the retrovirus will be unable to self replicate due to the lack of the retrovirus genes needed for its life cycle. Utilizing such a retroviral delivery system for  
25 polynucleotides of the present invention will target said gene and constructs to abnormally proliferating cells and will spare the non-dividing normal cells.

The polynucleotides of the present invention may be delivered directly to cell proliferative disorder/disease sites in internal organs, body cavities and the like by use of imaging devices used to guide an injecting needle directly to the disease site. The

polynucleotides of the present invention may also be administered to disease sites at the time of surgical intervention.

By "cell proliferative disease" is meant any human or animal disease or disorder, affecting any one or any combination of organs, cavities, or body parts,  
5 which is characterized by single or multiple local abnormal proliferations of cells, groups of cells, or tissues, whether benign or malignant.

Any amount of the polynucleotides of the present invention may be administered as long as it has a biologically inhibiting effect on the proliferation of the treated cells. Moreover, it is possible to administer more than one of the  
10 polynucleotide of the present invention simultaneously to the same site. By "biologically inhibiting" is meant partial or total growth inhibition as well as decreases in the rate of proliferation or growth of the cells. The biologically inhibitory dose may be determined by assessing the effects of the polynucleotides of the present invention on target malignant or abnormally proliferating cell growth in  
15 tissue culture, tumor growth in animals and cell cultures, or any other method known to one of ordinary skill in the art.

The present invention is further directed to antibody-based therapies which involve administering of anti-polypeptides and anti-polynucleotide antibodies to a mammalian, preferably human, patient for treating one or more of the described  
20 disorders. Methods for producing anti-polypeptides and anti-polynucleotide antibodies polyclonal and monoclonal antibodies are described in detail elsewhere herein. Such antibodies may be provided in pharmaceutically acceptable compositions as known in the art or as described herein.

A summary of the ways in which the antibodies of the present invention may  
25 be used therapeutically includes binding polynucleotides or polypeptides of the present invention locally or systemically in the body or by direct cytotoxicity of the antibody, e.g. as mediated by complement (CDC) or by effector cells (ADCC). Some of these approaches are described in more detail below. Armed with the teachings provided herein, one of ordinary skill in the art will know how to use the antibodies of

the present invention for diagnostic, monitoring or therapeutic purposes without undue experimentation.

In particular, the antibodies, fragments and derivatives of the present invention are useful for treating a subject having or developing cell proliferative and/or differentiation disorders as described herein. Such treatment comprises administering  
5 a single or multiple doses of the antibody, or a fragment, derivative, or a conjugate thereof.

The antibodies of this invention may be advantageously utilized in combination with other monoclonal or chimeric antibodies, or with lymphokines or  
10 hematopoietic growth factors, for example., which serve to increase the number or activity of effector cells which interact with the antibodies.

It is preferred to use high affinity and/or potent in vivo inhibiting and/or neutralizing antibodies against polypeptides or polynucleotides of the present invention, fragments or regions thereof, for both immunoassays directed to and  
15 therapy of disorders related to polynucleotides or polypeptides, including fragments thereof, of the present invention. Such antibodies, fragments, or regions, will preferably have an affinity for polynucleotides or polypeptides, including fragments thereof. Preferred binding affinities include those with a dissociation constant or  $K_d$  less than  $5 \times 10^{-6}M$ ,  $10^{-6}M$ ,  $5 \times 10^{-7}M$ ,  $10^{-7}M$ ,  $5 \times 10^{-8}M$ ,  $10^{-8}M$ ,  $5 \times 10^{-9}M$ ,  $10^{-9}M$ ,  
20  $5 \times 10^{-10}M$ ,  $10^{-10}M$ ,  $5 \times 10^{-11}M$ ,  $10^{-11}M$ ,  $5 \times 10^{-12}M$ ,  $10^{-12}M$ ,  $5 \times 10^{-13}M$ ,  $10^{-13}M$ ,  $5 \times 10^{-14}M$ ,  $10^{-14}M$ ,  $5 \times 10^{-15}M$ , and  $10^{-15}M$ .

Moreover, polypeptides of the present invention are useful in inhibiting the angiogenesis of proliferative cells or tissues, either alone, as a protein fusion, or in combination with other polypeptides directly or indirectly, as described elsewhere  
25 herein. In a most preferred embodiment, said anti-angiogenesis effect may be achieved indirectly, for example, through the inhibition of hematopoietic, tumor-specific cells, such as tumor-associated macrophages (See Joseph IB, et al. J Natl Cancer Inst, 90(21):1648-53 (1998), which is hereby incorporated by reference). Antibodies directed to polypeptides or polynucleotides of the present invention may  
30 also result in inhibition of angiogenesis directly, or indirectly (See Witte L, et al.,

Cancer Metastasis Rev. 17(2):155-61 (1998), which is hereby incorporated by reference)).

Polypeptides, including protein fusions, of the present invention, or fragments thereof may be useful in inhibiting proliferative cells or tissues through the induction of apoptosis. Said polypeptides may act either directly, or indirectly to induce apoptosis of proliferative cells and tissues, for example in the activation of a death-domain receptor, such as tumor necrosis factor (TNF) receptor-1, CD95 (Fas/APO-1), TNF-receptor-related apoptosis-mediated protein (TRAMP) and TNF-related apoptosis-inducing ligand (TRAIL) receptor-1 and -2 (See Schulze-Osthoff K, et.al., Eur J Biochem 254(3):439-59 (1998), which is hereby incorporated by reference). Moreover, in another preferred embodiment of the present invention, said polypeptides may induce apoptosis through other mechanisms, such as in the activation of other proteins which will activate apoptosis, or through stimulating the expression of said proteins, either alone or in combination with small molecule drugs or adjuvants, such as apoptonin, galectins, thioredoxins, antiinflammatory proteins (See for example, Mutat Res 400(1-2):447-55 (1998), Med Hypotheses.50(5):423-33 (1998), Chem Biol Interact. Apr 24;111-112:23-34 (1998), J Mol Med.76(6):402-12 (1998), Int J Tissue React;20(1):3-15 (1998), which are all hereby incorporated by reference).

Polypeptides, including protein fusions to, or fragments thereof, of the present invention are useful in inhibiting the metastasis of proliferative cells or tissues. Inhibition may occur as a direct result of administering polypeptides, or antibodies directed to said polypeptides as described elsewhere herein, or indirectly, such as activating the expression of proteins known to inhibit metastasis, for example alpha 4 integrins, (See, e.g., Curr Top Microbiol Immunol 1998;231:125-41, which is hereby incorporated by reference). Such therapeutic affects of the present invention may be achieved either alone, or in combination with small molecule drugs or adjuvants.

In another embodiment, the invention provides a method of delivering compositions containing the polypeptides of the invention (e.g., compositions containing polypeptides or polypeptide antibodies associated with heterologous

polypeptides, heterologous nucleic acids, toxins, or prodrugs) to targeted cells expressing the polypeptide of the present invention. Polypeptides or polypeptide antibodies of the invention may be associated with heterologous polypeptides, heterologous nucleic acids, toxins, or prodrugs via hydrophobic, hydrophilic, ionic and/or covalent interactions. Polypeptides, protein fusions to, or fragments thereof, of the present invention are useful in enhancing the immunogenicity and/or antigenicity of proliferating cells or tissues, either directly, such as would occur if the polypeptides of the present invention 'vaccinated' the immune response to respond to proliferative antigens and immunogens, or indirectly, such as in activating the expression of proteins known to enhance the immune response (e.g. chemokines), to said antigens and immunogens.

#### **Cardiovascular Disorders**

Polynucleotides or polypeptides, or agonists or antagonists of the present invention, may be used to treat cardiovascular disorders, including peripheral artery disease, such as limb ischemia.

Cardiovascular disorders include cardiovascular abnormalities, such as arterio-arterial fistula, arteriovenous fistula, cerebral arteriovenous malformations, congenital heart defects, pulmonary atresia, and Scimitar Syndrome. Congenital heart defects include aortic coarctation, cor triatriatum, coronary vessel anomalies, crisscross heart, dextrocardia, patent ductus arteriosus, Ebstein's anomaly, Eisenmenger complex, hypoplastic left heart syndrome, levocardia, tetralogy of fallot, transposition of great vessels, double outlet right ventricle, tricuspid atresia, persistent truncus arteriosus, and heart septal defects, such as aortopulmonary septal defect, endocardial cushion defects, Lutembacher's Syndrome, trilogly of Fallot, ventricular heart septal defects.

Cardiovascular disorders also include heart disease, such as arrhythmias, carcinoid heart disease, high cardiac output, low cardiac output, cardiac tamponade, endocarditis (including bacterial), heart aneurysm, cardiac arrest, congestive heart failure, congestive cardiomyopathy, paroxysmal dyspnea, cardiac edema, heart hypertrophy, congestive cardiomyopathy, left ventricular hypertrophy, right

ventricular hypertrophy, post-infarction heart rupture, ventricular septal rupture, heart valve diseases, myocardial diseases, myocardial ischemia, pericardial effusion, pericarditis (including constrictive and tuberculous), pneumopericardium, postpericardiotomy syndrome, pulmonary heart disease, rheumatic heart disease,  
5 ventricular dysfunction, hyperemia, cardiovascular pregnancy complications, Scimitar Syndrome, cardiovascular syphilis, and cardiovascular tuberculosis.

Arrhythmias include sinus arrhythmia, atrial fibrillation, atrial flutter, bradycardia, extrasystole, Adams-Stokes Syndrome, bundle-branch block, sinoatrial block, long QT syndrome, parasystole, Lown-Ganong-Levine Syndrome, Mahaim-type  
10 pre-excitation syndrome, Wolff-Parkinson-White syndrome, sick sinus syndrome, tachycardias, and ventricular fibrillation. Tachycardias include paroxysmal tachycardia, supraventricular tachycardia, accelerated idioventricular rhythm, atrioventricular nodal reentry tachycardia, ectopic atrial tachycardia, ectopic junctional tachycardia, sinoatrial nodal reentry tachycardia, sinus tachycardia,  
15 Torsades de Pointes, and ventricular tachycardia.

Heart valve disease include aortic valve insufficiency, aortic valve stenosis, hear murmurs, aortic valve prolapse, mitral valve prolapse, tricuspid valve prolapse, mitral valve insufficiency, mitral valve stenosis, pulmonary atresia, pulmonary valve insufficiency, pulmonary valve stenosis, tricuspid atresia, tricuspid valve  
20 insufficiency, and tricuspid valve stenosis.

Myocardial diseases include alcoholic cardiomyopathy, congestive cardiomyopathy, hypertrophic cardiomyopathy, aortic subvalvular stenosis, pulmonary subvalvular stenosis, restrictive cardiomyopathy, Chagas cardiomyopathy, endocardial fibroelastosis, endomyocardial fibrosis, Kearns Syndrome, myocardial  
25 reperfusion injury, and myocarditis.

Myocardial ischemias include coronary disease, such as angina pectoris, coronary aneurysm, coronary arteriosclerosis, coronary thrombosis, coronary vasospasm, myocardial infarction and myocardial stunning.

Cardiovascular diseases also include vascular diseases such as aneurysms,  
30 angiodyplasia, angiomatosis, bacillary angiomatosis, Hippel-Lindau Disease,

Klippel-Trenaunay-Weber Syndrome. Sturge-Weber Syndrome, angioneurotic edema, aortic diseases, Takayasu's Arteritis, aortitis, Leriche's Syndrome, arterial occlusive diseases, arteritis, enarteritis, polyarteritis nodosa, cerebrovascular disorders, diabetic angiopathies, diabetic retinopathy, embolisms, thrombosis, erythromelalgia, hemorrhoids, hepatic veno-occlusive disease, hypertension, hypotension, ischemia, peripheral vascular diseases, phlebitis, pulmonary veno-occlusive disease, Raynaud's disease, CREST syndrome, retinal vein occlusion, Scimitar syndrome, superior vena cava syndrome, telangiectasia, atacia telangiectasia, hereditary hemorrhagic telangiectasia, varicocele, varicose veins, varicose ulcer, vasculitis, and venous insufficiency.

Aneurysms include dissecting aneurysms, false aneurysms, infected aneurysms, ruptured aneurysms, aortic aneurysms, cerebral aneurysms, coronary aneurysms, heart aneurysms, and iliac aneurysms.

Arterial occlusive diseases include arteriosclerosis, intermittent claudication, carotid stenosis, fibromuscular dysplasias, mesenteric vascular occlusion, Moyamoya disease, renal artery obstruction, retinal artery occlusion, and thromboangiitis obliterans.

Cerebrovascular disorders include carotid artery diseases, cerebral amyloid angiopathy, cerebral aneurysm, cerebral anoxia, cerebral arteriosclerosis, cerebral arteriovenous malformation, cerebral artery diseases, cerebral embolism and thrombosis, carotid artery thrombosis, sinus thrombosis, Wallenberg's syndrome, cerebral hemorrhage, epidural hematoma, subdural hematoma, subarachnoid hemorrhage, cerebral infarction, cerebral ischemia (including transient), subclavian steal syndrome, periventricular leukomalacia, vascular headache, cluster headache, migraine, and vertebrobasilar insufficiency.

Embolisms include air embolisms, amniotic fluid embolisms, cholesterol embolisms, blue toe syndrome, fat embolisms, pulmonary embolisms, and thromboembolisms. Thrombosis include coronary thrombosis, hepatic vein thrombosis, retinal vein occlusion, carotid artery thrombosis, sinus thrombosis, Wallenberg's syndrome, and thrombophlebitis.

Ischemia includes cerebral ischemia, ischemic colitis, compartment syndromes, anterior compartment syndrome, myocardial ischemia, reperfusion injuries, and peripheral limb ischemia. Vasculitis includes aortitis, arteritis, Behcet's Syndrome, Churg-Strauss Syndrome, mucocutaneous lymph node syndrome, 5 thromboangiitis obliterans, hypersensitivity vasculitis, Schoenlein-Henoch purpura, allergic cutaneous vasculitis, and Wegener's granulomatosis.

Polynucleotides or polypeptides, or agonists or antagonists of the present invention, are especially effective for the treatment of critical limb ischemia and coronary disease.

10 Polypeptides may be administered using any method known in the art, including, but not limited to, direct needle injection at the delivery site, intravenous injection, topical administration, catheter infusion, biolistic injectors, particle accelerators, gelfoam sponge depots, other commercially available depot materials, osmotic pumps, oral or suppository solid pharmaceutical formulations, decanting or 15 topical applications during surgery, aerosol delivery. Such methods are known in the art. Polypeptides may be administered as part of a Therapeutic, described in more detail below. Methods of delivering polynucleotides are described in more detail herein.

#### 20 **Anti-Angiogenesis Activity**

The naturally occurring balance between endogenous stimulators and inhibitors of angiogenesis is one in which inhibitory influences predominate. Rastinejad *et al.*, *Cell* 56:345-355 (1989). In those rare instances in which neovascularization occurs under normal physiological conditions, such as wound 25 healing, organ regeneration, embryonic development, and female reproductive processes, angiogenesis is stringently regulated and spatially and temporally delimited. Under conditions of pathological angiogenesis such as that characterizing solid tumor growth, these regulatory controls fail. Unregulated angiogenesis becomes pathologic and sustains progression of many neoplastic and non-neoplastic diseases. 30 A number of serious diseases are dominated by abnormal neovascularization



including solid tumor growth and metastases, arthritis, some types of eye disorders, and psoriasis. See, e.g., reviews by Moses *et al.*, *Biotech.* 9:630-634 (1991); Folkman *et al.*, *N. Engl. J. Med.*, 333:1757-1763 (1995); Auerbach *et al.*, *J. Microvasc. Res.* 29:401-411 (1985); Folkman, *Advances in Cancer Research*, eds. Klein and  
5 Weinhouse, Academic Press, New York, pp. 175-203 (1985); Patz, *Am. J. Ophthalmol.* 94:715-743 (1982); and Folkman *et al.*, *Science* 221:719-725 (1983). In a number of pathological conditions, the process of angiogenesis contributes to the disease state. For example, significant data have accumulated which suggest that the growth of solid tumors is dependent on angiogenesis. Folkman and Klagsbrun,  
10 *Science* 235:442-447 (1987).

The polynucleotides encoding a polypeptide of the present invention may be administered along with other polynucleotides encoding an angiogenic protein. Examples of angiogenic proteins include, but are not limited to, acidic and basic fibroblast growth factors, VEGF-1, VEGF-2, VEGF-3, epidermal growth factor alpha  
15 and beta, platelet-derived endothelial cell growth factor, platelet-derived growth factor, tumor necrosis factor alpha, hepatocyte growth factor, insulin like growth factor, colony stimulating factor, macrophage colony stimulating factor, granulocyte/macrophage colony stimulating factor, and nitric oxide synthase.

The present invention provides for treatment of diseases or disorders  
20 associated with neovascularization by administration of the polynucleotides and/or polypeptides of the invention, as well as agonists or antagonists of the present invention. Malignant and metastatic conditions which can be treated with the polynucleotides and polypeptides, or agonists or antagonists of the invention include, but are not limited to, malignancies, solid tumors, and cancers described herein and  
25 otherwise known in the art (for a review of such disorders, see Fishman *et al.*, *Medicine*, 2d Ed., J. B. Lippincott Co., Philadelphia (1985)). Thus, the present invention provides a method of treating an angiogenesis-related disease and/or disorder, comprising administering to an individual in need thereof a therapeutically effective amount of a polynucleotide, polypeptide, antagonist and/or agonist of the  
30 invention. For example, polynucleotides, polypeptides, antagonists and/or agonists

may be utilized in a variety of additional methods in order to therapeutically treat a cancer or tumor. Cancers which may be treated with polynucleotides, polypeptides, antagonists and/or agonists include, but are not limited to solid tumors, including prostate, lung, breast, ovarian, stomach, pancreas, larynx, esophagus, testes, liver, parotid, biliary tract, colon, rectum, cervix, uterus, endometrium, kidney, bladder, thyroid cancer; primary tumors and metastases; melanomas; glioblastoma; Kaposi's sarcoma; leiomyosarcoma; non-small cell lung cancer; colorectal cancer; advanced malignancies; and blood born tumors such as leukemias. For example, polynucleotides, polypeptides, antagonists and/or agonists may be delivered topically, in order to treat cancers such as skin cancer, head and neck tumors, breast tumors, and Kaposi's sarcoma.

Within yet other aspects, polynucleotides, polypeptides, antagonists and/or agonists may be utilized to treat superficial forms of bladder cancer by, for example, intravesical administration. Polynucleotides, polypeptides, antagonists and/or agonists may be delivered directly into the tumor, or near the tumor site, via injection or a catheter. Of course, as the artisan of ordinary skill will appreciate, the appropriate mode of administration will vary according to the cancer to be treated. Other modes of delivery are discussed herein.

Polynucleotides, polypeptides, antagonists and/or agonists may be useful in treating other disorders, besides cancers, which involve angiogenesis. These disorders include, but are not limited to: benign tumors, for example hemangiomas, acoustic neuromas, neurofibromas, trachomas, and pyogenic granulomas; arteriosclerotic plaques; ocular angiogenic diseases, for example, diabetic retinopathy, retinopathy of prematurity, macular degeneration, corneal graft rejection, neovascular glaucoma, retrolental fibroplasia, rubeosis, retinoblastoma, uveitis and Pterygia (abnormal blood vessel growth) of the eye; rheumatoid arthritis; psoriasis; delayed wound healing; endometriosis; vasculogenesis; granulations; hypertrophic scars (keloids); nonunion fractures; scleroderma; trachoma; vascular adhesions; myocardial angiogenesis; coronary collaterals; cerebral collaterals; arteriovenous malformations; ischemic limb angiogenesis; Osler-Webber Syndrome; plaque neovascularization;

telangiectasia; hemophiliac joints; angiofibroma; fibromuscular dysplasia; wound granulation; Crohn's disease; and atherosclerosis.

For example, within one aspect of the present invention methods are provided for treating hypertrophic scars and keloids, comprising the step of administering a polynucleotide, polypeptide, antagonist and/or agonist of the invention to a hypertrophic scar or keloid.

Within one embodiment of the present invention polynucleotides, polypeptides, antagonists and/or agonists are directly injected into a hypertrophic scar or keloid, in order to prevent the progression of these lesions. This therapy is of particular value in the prophylactic treatment of conditions which are known to result in the development of hypertrophic scars and keloids (e.g., burns), and is preferably initiated after the proliferative phase has had time to progress (approximately 14 days after the initial injury), but before hypertrophic scar or keloid development. As noted above, the present invention also provides methods for treating neovascular diseases of the eye, including for example, corneal neovascularization, neovascular glaucoma, proliferative diabetic retinopathy, retrolental fibroplasia and macular degeneration.

Moreover, Ocular disorders associated with neovascularization which can be treated with the polynucleotides and polypeptides of the present invention (including agonists and/or antagonists) include, but are not limited to: neovascular glaucoma, diabetic retinopathy, retinoblastoma, retrolental fibroplasia, uveitis, retinopathy of prematurity macular degeneration, corneal graft neovascularization, as well as other eye inflammatory diseases, ocular tumors and diseases associated with choroidal or iris neovascularization. See, e.g., reviews by Waltman *et al.*, *Am. J. Ophthalmol.* 85:704-710 (1978) and Gartner *et al.*, *Surv. Ophthalmol.* 22:291-312 (1978).

Thus, within one aspect of the present invention methods are provided for treating neovascular diseases of the eye such as corneal neovascularization (including corneal graft neovascularization), comprising the step of administering to a patient a therapeutically effective amount of a compound (as described above) to the cornea, such that the formation of blood vessels is inhibited. Briefly, the cornea is a tissue which normally lacks blood vessels. In certain pathological conditions however,

capillaries may extend into the cornea from the pericorneal vascular plexus of the limbus. When the cornea becomes vascularized, it also becomes clouded, resulting in a decline in the patient's visual acuity. Visual loss may become complete if the cornea completely opacitates. A wide variety of disorders can result in corneal  
5 neovascularization, including for example, corneal infections (e.g., trachoma, herpes simplex keratitis, leishmaniasis and onchocerciasis), immunological processes (e.g., graft rejection and Stevens-Johnson's syndrome), alkali burns, trauma, inflammation (of any cause), toxic and nutritional deficiency states, and as a complication of wearing contact lenses.

10 Within particularly preferred embodiments of the invention, may be prepared for topical administration in saline (combined with any of the preservatives and antimicrobial agents commonly used in ocular preparations), and administered in eyedrop form. The solution or suspension may be prepared in its pure form and administered several times daily. Alternatively, anti-angiogenic compositions,  
15 prepared as described above, may also be administered directly to the cornea. Within preferred embodiments, the anti-angiogenic composition is prepared with a muco-adhesive polymer which binds to cornea. Within further embodiments, the anti-angiogenic factors or anti-angiogenic compositions may be utilized as an adjunct to conventional steroid therapy. Topical therapy may also be useful prophylactically in  
20 corneal lesions which are known to have a high probability of inducing an angiogenic response (such as chemical burns). In these instances the treatment, likely in combination with steroids, may be instituted immediately to help prevent subsequent complications.

25 Within other embodiments, the compounds described above may be injected directly into the corneal stroma by an ophthalmologist under microscopic guidance. The preferred site of injection may vary with the morphology of the individual lesion, but the goal of the administration would be to place the composition at the advancing front of the vasculature (i.e., interspersed between the blood vessels and the normal cornea). In most cases this would involve perilimbic corneal injection to "protect" the  
30 cornea from the advancing blood vessels. This method may also be utilized shortly

after a corneal insult in order to prophylactically prevent corneal neovascularization. In this situation the material could be injected in the perilimbic cornea interspersed between the corneal lesion and its undesired potential limbic blood supply. Such methods may also be utilized in a similar fashion to prevent capillary invasion of transplanted corneas. In a sustained-release form injections might only be required 2-3 times per year. A steroid could also be added to the injection solution to reduce inflammation resulting from the injection itself.

Within another aspect of the present invention, methods are provided for treating neovascular glaucoma, comprising the step of administering to a patient a therapeutically effective amount of a polynucleotide, polypeptide, antagonist and/or agonist to the eye, such that the formation of blood vessels is inhibited. In one embodiment, the compound may be administered topically to the eye in order to treat early forms of neovascular glaucoma. Within other embodiments, the compound may be implanted by injection into the region of the anterior chamber angle. Within other embodiments, the compound may also be placed in any location such that the compound is continuously released into the aqueous humor. Within another aspect of the present invention, methods are provided for treating proliferative diabetic retinopathy, comprising the step of administering to a patient a therapeutically effective amount of a polynucleotide, polypeptide, antagonist and/or agonist to the eyes, such that the formation of blood vessels is inhibited.

Within particularly preferred embodiments of the invention, proliferative diabetic retinopathy may be treated by injection into the aqueous humor or the vitreous, in order to increase the local concentration of the polynucleotide, polypeptide, antagonist and/or agonist in the retina. Preferably, this treatment should be initiated prior to the acquisition of severe disease requiring photocoagulation.

Within another aspect of the present invention, methods are provided for treating retrolental fibroplasia, comprising the step of administering to a patient a therapeutically effective amount of a polynucleotide, polypeptide, antagonist and/or agonist to the eye, such that the formation of blood vessels is inhibited. The

compound may be administered topically, via intravitreal injection and/or via intraocular implants.

Additionally, disorders which can be treated with the polynucleotides, polypeptides, agonists and/or antagonists include, but are not limited to, hemangioma, arthritis, psoriasis, angiofibroma, atherosclerotic plaques, delayed wound healing, 5 granulations, hemophilic joints, hypertrophic scars, nonunion fractures, Osler-Weber syndrome, pyogenic granuloma, scleroderma, trachoma, and vascular adhesions.

Moreover, disorders and/or states, which can be treated with the polynucleotides, polypeptides, agonists and/or antagonists include, but are not 10 limited to, solid tumors, blood born tumors such as leukemias, tumor metastasis, Kaposi's sarcoma, benign tumors, for example hemangiomas, acoustic neuromas, neurofibromas, trachomas, and pyogenic granulomas, rheumatoid arthritis, psoriasis, ocular angiogenic diseases, for example, diabetic retinopathy, retinopathy of prematurity, macular degeneration, corneal graft rejection, neovascular glaucoma, 15 retrolental fibroplasia, rubeosis, retinoblastoma, and uveitis, delayed wound healing, endometriosis, vasculogenesis, granulations, hypertrophic scars (keloids), nonunion fractures, scleroderma, trachoma, vascular adhesions, myocardial angiogenesis, coronary collaterals, cerebral collaterals, arteriovenous malformations, ischemic limb angiogenesis, Osler-Webber Syndrome, plaque neovascularization, telangiectasia, 20 hemophilic joints, angiofibroma fibromuscular dysplasia, wound granulation, Crohn's disease, atherosclerosis, birth control agent by preventing vascularization required for embryo implantation controlling menstruation, diseases that have angiogenesis as a pathologic consequence such as cat scratch disease (Rochelie minalia quintosa), ulcers (*Helicobacter pylori*), Bartonellosis and bacillary 25 angiomatosis.

In one aspect of the birth control method, an amount of the compound sufficient to block embryo implantation is administered before or after intercourse and fertilization have occurred, thus providing an effective method of birth control, possibly a "morning after" method. Polynucleotides, polypeptides, agonists and/or 30 antagonists may also be used in controlling menstruation or administered as either a

peritoneal lavage fluid or for peritoneal implantation in the treatment of endometriosis.

Polynucleotides, polypeptides, agonists and/or agonists of the present invention may be incorporated into surgical sutures in order to prevent stitch  
5 granulomas.

Polynucleotides, polypeptides, agonists and/or agonists may be utilized in a wide variety of surgical procedures. For example, within one aspect of the present invention a compositions (in the form of, for example, a spray or film) may be utilized to coat or spray an area prior to removal of a tumor, in order to isolate normal  
10 surrounding tissues from malignant tissue, and/or to prevent the spread of disease to surrounding tissues. Within other aspects of the present invention, compositions (e.g., in the form of a spray) may be delivered via endoscopic procedures in order to coat tumors, or inhibit angiogenesis in a desired locale. Within yet other aspects of the present invention, surgical meshes which have been coated with anti- angiogenic  
15 compositions of the present invention may be utilized in any procedure wherein a surgical mesh might be utilized. For example, within one embodiment of the invention a surgical mesh laden with an anti-angiogenic composition may be utilized during abdominal cancer resection surgery (e.g., subsequent to colon resection) in order to provide support to the structure, and to release an amount of the anti-  
20 angiogenic factor.

Within further aspects of the present invention, methods are provided for treating tumor excision sites, comprising administering a polynucleotide, polypeptide, agonist and/or agonist to the resection margins of a tumor subsequent to excision, such that the local recurrence of cancer and the formation of new blood vessels at the  
25 site is inhibited. Within one embodiment of the invention, the anti-angiogenic compound is administered directly to the tumor excision site (e.g., applied by swabbing, brushing or otherwise coating the resection margins of the tumor with the anti-angiogenic compound). Alternatively, the anti-angiogenic compounds may be incorporated into known surgical pastes prior to administration. Within particularly

preferred embodiments of the invention, the anti-angiogenic compounds are applied after hepatic resections for malignancy, and after neurosurgical operations.

Within one aspect of the present invention, polynucleotides, polypeptides, agonists and/or agonists may be administered to the resection margin of a wide variety of tumors, including for example, breast, colon, brain and hepatic tumors. For example, within one embodiment of the invention, anti-angiogenic compounds may be administered to the site of a neurological tumor subsequent to excision, such that the formation of new blood vessels at the site are inhibited.

The polynucleotides, polypeptides, agonists and/or agonists of the present invention may also be administered along with other anti-angiogenic factors. Representative examples of other anti-angiogenic factors include: Anti-Invasive Factor, retinoic acid and derivatives thereof, paclitaxel, Suramin, Tissue Inhibitor of Metalloproteinase-1, Tissue Inhibitor of Metalloproteinase-2, Plasminogen Activator Inhibitor-1, Plasminogen Activator Inhibitor-2, and various forms of the lighter "d group" transition metals.

Lighter "d group" transition metals include, for example, vanadium, molybdenum, tungsten, titanium, niobium, and tantalum species. Such transition metal species may form transition metal complexes. Suitable complexes of the above-mentioned transition metal species include oxo transition metal complexes.

Representative examples of vanadium complexes include oxo vanadium complexes such as vanadate and vanadyl complexes. Suitable vanadate complexes include metavanadate and orthovanadate complexes such as, for example, ammonium metavanadate, sodium metavanadate, and sodium orthovanadate. Suitable vanadyl complexes include, for example, vanadyl acetylacetonate and vanadyl sulfate including vanadyl sulfate hydrates such as vanadyl sulfate mono- and trihydrates.

Representative examples of tungsten and molybdenum complexes also include oxo complexes. Suitable oxo tungsten complexes include tungstate and tungsten oxide complexes. Suitable tungstate complexes include ammonium tungstate, calcium tungstate, sodium tungstate dihydrate, and tungstic acid. Suitable tungsten oxides include tungsten (IV) oxide and tungsten (VI) oxide. Suitable oxo



molybdenum complexes include molybdate, molybdenum oxide, and molybdenyl complexes. Suitable molybdate complexes include ammonium molybdate and its hydrates, sodium molybdate and its hydrates, and potassium molybdate and its hydrates. Suitable molybdenum oxides include molybdenum (VI) oxide, molybdenum (VI) oxide, and molybdic acid. Suitable molybdenyl complexes include, for example, molybdenyl acetylacetonate. Other suitable tungsten and molybdenum complexes include hydroxo derivatives derived from, for example, glycerol, tartaric acid, and sugars.

A wide variety of other anti-angiogenic factors may also be utilized within the context of the present invention. Representative examples include platelet factor 4; protamine sulphate; sulphated chitin derivatives (prepared from queen crab shells), (Murata et al., Cancer Res. 51:22-26, 1991); Sulphated Polysaccharide Peptidoglycan Complex (SP- PG) (the function of this compound may be enhanced by the presence of steroids such as estrogen, and tamoxifen citrate); Staurosporine; modulators of matrix metabolism, including for example, proline analogs, cishydroxyproline, d,L-3,4-dehydroproline, Thiaproline, alpha,alpha-dipyridyl, aminopropionitrile fumarate; 4-propyl-5-(4-pyridinyl)-2(3H)-oxazolone; Methotrexate; Mitoxantrone; Heparin; Interferons; 2 Macroglobulin-serum; ChIMP-3 (Pavloff et al., J. Bio. Chem. 267:17321-17326, 1992); Chymostatin (Tomkinson et al., Biochem J. 286:475-480, 1992); Cyclodextrin Tetradecasulfate; Eponemycin; Camptothecin; Fumagillin (Ingber et al., Nature 348:555-557, 1990); Gold Sodium Thiomalate ("GST"; Matsubara and Ziff, J. Clin. Invest. 79:1440-1446, 1987); anticollagenase-serum; alpha2-antiplasmin (Holmes et al., J. Biol. Chem. 262(4):1659-1664, 1987); Bisantrone (National Cancer Institute); Lobenzarit disodium (N-(2)-carboxyphenyl-4-chloroanthronilic acid disodium or "CCA"; Takeuchi et al., Agents Actions 36:312-316, 1992); Thalidomide; Angostatic steroid; AGM-1470; carboxynaminolmidazole; and metalloproteinase inhibitors such as BB94.

**Diseases at the Cellular Level**

Diseases associated with increased cell survival or the inhibition of apoptosis that could be treated or detected by polynucleotides or polypeptides, as well as antagonists or agonists of the present invention, include cancers (such as follicular lymphomas, carcinomas with p53 mutations, and hormone-dependent tumors, including, but not limited to colon cancer, cardiac tumors, pancreatic cancer, melanoma, retinoblastoma, glioblastoma, lung cancer, intestinal cancer, testicular cancer, stomach cancer, neuroblastoma, myxoma, myoma, lymphoma, endothelioma, osteoblastoma, osteoclastoma, osteosarcoma, chondrosarcoma, adenoma, breast cancer, prostate cancer, Kaposi's sarcoma and ovarian cancer); autoimmune disorders (such as, multiple sclerosis, Sjogren's syndrome, Hashimoto's thyroiditis, biliary cirrhosis, Behcet's disease, Crohn's disease, polymyositis, systemic lupus erythematosus and immune-related glomerulonephritis and rheumatoid arthritis) and viral infections (such as herpes viruses, pox viruses and adenoviruses), inflammation, graft v. host disease, acute graft rejection, and chronic graft rejection. In preferred embodiments, polynucleotides, polypeptides, and/or antagonists of the invention are used to inhibit growth, progression, and/or metasis of cancers, in particular those listed above.

Additional diseases or conditions associated with increased cell survival that could be treated or detected by polynucleotides or polypeptides, or agonists or antagonists of the present invention include, but are not limited to, progression, and/or metastases of malignancies and related disorders such as leukemia (including acute leukemias (e.g., acute lymphocytic leukemia, acute myelocytic leukemia (including myeloblastic, promyelocytic, myelomonocytic, monocytic, and erythroleukemia)) and chronic leukemias (e.g., chronic myelocytic (granulocytic) leukemia and chronic lymphocytic leukemia)), polycythemia vera, lymphomas (e.g., Hodgkin's disease and non-Hodgkin's disease), multiple myeloma, Waldenstrom's macroglobulinemia, heavy chain disease, and solid tumors including, but not limited to, sarcomas and carcinomas such as fibrosarcoma, myxosarcoma, liposarcoma, chondrosarcoma, osteogenic sarcoma, chordoma, angiosarcoma, endotheliosarcoma,

lymphangiosarcoma, lymphangioendotheliosarcoma, synovioma, mesothelioma, Ewing's tumor, leiomyosarcoma, rhabdomyosarcoma, colon carcinoma, pancreatic cancer, breast cancer, ovarian cancer, prostate cancer, squamous cell carcinoma, basal cell carcinoma, adenocarcinoma, sweat gland carcinoma, sebaceous gland carcinoma, 5 papillary carcinoma, papillary adenocarcinomas, cystadenocarcinoma, medullary carcinoma, bronchogenic carcinoma, renal cell carcinoma, hepatoma, bile duct carcinoma, choriocarcinoma, seminoma, embryonal carcinoma, Wilm's tumor, cervical cancer, testicular tumor, lung carcinoma, small cell lung carcinoma, bladder carcinoma, epithelial carcinoma, glioma, astrocytoma, medulloblastoma, 10 craniopharyngioma, ependymoma, pinealoma, hemangioblastoma, acoustic neuroma, oligodendroglioma, menangioma, melanoma, neuroblastoma, and retinoblastoma.

Diseases associated with increased apoptosis that could be treated or detected by polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, include AIDS; neurodegenerative disorders (such as Alzheimer's disease, 15 Parkinson's disease, Amyotrophic lateral sclerosis, Retinitis pigmentosa, Cerebellar degeneration and brain tumor or prior associated disease); autoimmune disorders (such as, multiple sclerosis, Sjogren's syndrome, Hashimoto's thyroiditis, biliary cirrhosis, Behcet's disease, Crohn's disease, polymyositis, systemic lupus erythematosus and immune-related glomerulonephritis and rheumatoid arthritis) 20 myelodysplastic syndromes (such as aplastic anemia), graft v. host disease, ischemic injury (such as that caused by myocardial infarction, stroke and reperfusion injury), liver injury (e.g., hepatitis related liver injury, ischemia/reperfusion injury, cholestasis (bile duct injury) and liver cancer); toxin-induced liver disease (such as that caused by alcohol), septic shock, cachexia and anorexia.

25

#### **Wound Healing and Epithelial Cell Proliferation**

In accordance with yet a further aspect of the present invention, there is provided a process for utilizing polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, for therapeutic purposes, for example, to 30 stimulate epithelial cell proliferation and basal keratinocytes for the purpose of wound

healing, and to stimulate hair follicle production and healing of dermal wounds. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, may be clinically useful in stimulating wound healing including surgical wounds, excisional wounds, deep wounds involving damage of the dermis and epidermis, eye tissue wounds, dental tissue wounds, oral cavity wounds, diabetic ulcers, dermal ulcers, cubitus ulcers, arterial ulcers, venous stasis ulcers, burns resulting from heat exposure or chemicals, and other abnormal wound healing conditions such as uremia, malnutrition, vitamin deficiencies and complications associated with systemic treatment with steroids, radiation therapy and antineoplastic drugs and antimetabolites. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to promote dermal reestablishment subsequent to dermal loss

Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to increase the adherence of skin grafts to a wound bed and to stimulate re-epithelialization from the wound bed. The following are types of grafts that polynucleotides or polypeptides, agonists or antagonists of the present invention, could be used to increase adherence to a wound bed: autografts, artificial skin, allografts, autodermic graft, autoepdermic grafts, avacular grafts, Blair-Brown grafts, bone graft, brephoplastic grafts, cutis graft, delayed graft, dermic graft, epidermic graft, fascia graft, full thickness graft, heterologous graft, xenograft, homologous graft, hyperplastic graft, lamellar graft, mesh graft, mucosal graft, Ollier-Thiersch graft, omenpal graft, patch graft, pedicle graft, penetrating graft, split skin graft, thick split graft. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, can be used to promote skin strength and to improve the appearance of aged skin.

It is believed that polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, will also produce changes in hepatocyte proliferation, and epithelial cell proliferation in the lung, breast, pancreas, stomach, small intestine, and large intestine. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could promote proliferation of

epithelial cells such as sebocytes, hair follicles, hepatocytes, type II pneumocytes, mucin-producing goblet cells, and other epithelial cells and their progenitors contained within the skin, lung, liver, and gastrointestinal tract. Polynucleotides or polypeptides, agonists or antagonists of the present invention, may promote proliferation of endothelial cells, keratinocytes, and basal keratinocytes.

Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could also be used to reduce the side effects of gut toxicity that result from radiation, chemotherapy treatments or viral infections. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, may have a cytoprotective effect on the small intestine mucosa. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, may also stimulate healing of mucositis (mouth ulcers) that result from chemotherapy and viral infections.

Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could further be used in full regeneration of skin in full and partial thickness skin defects, including burns, (i.e., repopulation of hair follicles, sweat glands, and sebaceous glands), treatment of other skin defects such as psoriasis. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to treat epidermolysis bullosa, a defect in adherence of the epidermis to the underlying dermis which results in frequent, open and painful blisters by accelerating reepithelialization of these lesions. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could also be used to treat gastric and duodenal ulcers and help heal by scar formation of the mucosal lining and regeneration of glandular mucosa and duodenal mucosal lining more rapidly. Inflammatory bowel diseases, such as Crohn's disease and ulcerative colitis, are diseases which result in destruction of the mucosal surface of the small or large intestine, respectively. Thus, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to promote the resurfacing of the mucosal surface to aid more rapid healing and to prevent progression of inflammatory bowel disease. Treatment with polynucleotides or polypeptides, agonists or antagonists of the present invention, is expected to have a significant effect on the

production of mucus throughout the gastrointestinal tract and could be used to protect the intestinal mucosa from injurious substances that are ingested or following surgery. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to treat diseases associate with the under expression.

5           Moreover, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to prevent and heal damage to the lungs due to various pathological states. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, which could stimulate proliferation and differentiation and promote the repair of alveoli and bronchiolar epithelium to prevent  
10 or treat acute or chronic lung damage. For example, emphysema, which results in the progressive loss of aveoli, and inhalation injuries, i.e., resulting from smoke inhalation and burns, that cause necrosis of the bronchiolar epithelium and alveoli could be effectively treated using polynucleotides or polypeptides, agonists or antagonists of the present invention. Also, polynucleotides or polypeptides, as well as  
15 agonists or antagonists of the present invention, could be used to stimulate the proliferation of and differentiation of type II pneumocytes, which may help treat or prevent disease such as hyaline membrane diseases, such as infant respiratory distress syndrome and bronchopulmonary dislasia, in premature infants.

          Polynucleotides or polypeptides, as well as agonists or antagonists of the  
20 present invention, could stimulate the proliferation and differentiation of hepatocytes and, thus, could be used to alleviate or treat liver diseases and pathologies such as fulminant liver failure caused by cirrhosis, liver damage caused by viral hepatitis and toxic substances (i.e., acetaminophen, carbon tetraholoride and other hepatotoxins known in the art).

25           In addition, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used treat or prevent the onset of diabetes mellitus. In patients with newly diagnosed Types I and II diabetes, where some islet cell function remains, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to maintain the islet function so as to alleviate,  
30 delay or prevent permanent manifestation of the disease. Also, polynucleotides or

polypeptides, as well as agonists or antagonists of the present invention, could be used as an auxiliary in islet cell transplantation to improve or promote islet cell function.

5    **Neurological Diseases**

          In accordance with yet a further aspect of the present invention, there is provided a process for utilizing polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, for therapeutic purposes, for example, to  
10   stimulate neurological cell proliferation and/or differentiation. Therefore, polynucleotides, polypeptides, agonists and/or antagonists of the invention may be used to treat and/or detect neurologic diseases. Moreover, polynucleotides or polypeptides, or agonists or antagonists of the invention, can be used as a marker or detector of a particular nervous system disease or disorder.

15       Examples of neurologic diseases which can be treated or detected with polynucleotides, polypeptides, agonists, and/or antagonists of the present invention include brain diseases, such as metabolic brain diseases which includes phenylketonuria such as maternal phenylketonuria, pyruvate carboxylase deficiency, pyruvate dehydrogenase complex deficiency, Wernicke's Encephalopathy, brain  
20   edema, brain neoplasms such as cerebellar neoplasms which include infratentorial neoplasms, cerebral ventricle neoplasms such as choroid plexus neoplasms, hypothalamic neoplasms, supratentorial neoplasms, canavan disease, cerebellar diseases such as cerebellar ataxia which include spinocerebellar degeneration such as ataxia telangiectasia, cerebellar dyssynergia, Friederich's Ataxia, Machado-Joseph  
25   Disease, olivopontocerebellar atrophy, cerebellar neoplasms such as infratentorial neoplasms, diffuse cerebral sclerosis such as encephalitis periaxialis, globoid cell leukodystrophy, metachromatic leukodystrophy and subacute sclerosing panencephalitis, cerebrovascular disorders (such as carotid artery diseases which include carotid artery thrombosis, carotid stenosis and Moyamoya Disease, cerebral  
30   amyloid angiopathy, cerebral aneurysm, cerebral anoxia, cerebral arteriosclerosis, cerebral arteriovenous malformations, cerebral artery diseases, cerebral embolism and

thrombosis such as carotid artery thrombosis, sinus thrombosis and Wallenberg's Syndrome, cerebral hemorrhage such as epidural hematoma, subdural hematoma and subarachnoid hemorrhage, cerebral infarction, cerebral ischemia such as transient cerebral ischemia, Subclavian Steal Syndrome and vertebrobasilar insufficiency, 5 vascular dementia such as multi-infarct dementia, periventricular leukomalacia, vascular headache such as cluster headache, migraine, dementia such as AIDS Dementia Complex, presenile dementia such as Alzheimer's Disease and Creutzfeldt-Jakob Syndrome, senile dementia such as Alzheimer's Disease and progressive supranuclear palsy, vascular dementia such as multi-infarct dementia, encephalitis 10 which include encephalitis periaxialis, viral encephalitis such as epidemic encephalitis, Japanese Encephalitis, St. Louis Encephalitis, tick-borne encephalitis and West Nile Fever, acute disseminated encephalomyelitis, meningoencephalitis such as uveomeningoencephalitic syndrome, Postencephalitic Parkinson Disease and subacute sclerosing panencephalitis, encephalomalacia such as periventricular 15 leukomalacia, epilepsy such as generalized epilepsy which includes infantile spasms, absence epilepsy, myoclonic epilepsy which includes MERRF Syndrome, tonic-clonic epilepsy, partial epilepsy such as complex partial epilepsy, frontal lobe epilepsy and temporal lobe epilepsy, post-traumatic epilepsy, status epilepticus such as Epilepsia Partialis Continua, Hallervorden-Spatz Syndrome, hydrocephalus such as 20 Dandy-Walker Syndrome and normal pressure hydrocephalus, hypothalamic diseases such as hypothalamic neoplasms, cerebral malaria, narcolepsy which includes cataplexy, bulbar poliomyelitis, cerebri pseudotumor, Rett Syndrome, Reye's Syndrome, thalamic diseases, cerebral toxoplasmosis, intracranial tuberculoma and Zellweger Syndrome, central nervous system infections such as AIDS Dementia 25 Complex, Brain Abscess, subdural empyema, encephalomyelitis such as Equine Encephalomyelitis, Venezuelan Equine Encephalomyelitis, Necrotizing Hemorrhagic Encephalomyelitis, Visna, cerebral malaria, meningitis such as arachnoiditis, aseptic meningitis such as viral meningitis which includes lymphocytic choriomeningitis. Bacterial meningitis which includes Haemophilus Meningitis, Listeria Meningitis, 30 Meningococcal Meningitis such as Waterhouse-Friderichsen Syndrome,



Pneumococcal Meningitis and meningeal tuberculosis, fungal meningitis such as Cryptococcal Meningitis, subdural effusion, meningoencephalitis such as uve-meningoencephalitic syndrome, myelitis such as transverse myelitis, neurosyphilis such as tabes dorsalis, poliomyelitis which includes bulbar poliomyelitis and  
5 postpoliomyelitis syndrome, prion diseases (such as Creutzfeldt-Jakob Syndrome, Bovine Spongiform Encephalopathy, Gerstmann-Straussler Syndrome, Kuru, Scrapie) cerebral toxoplasmosis, central nervous system neoplasms such as brain neoplasms that include cerebellar neoplasms such as infratentorial neoplasms, cerebral ventricle neoplasms such as choroid plexus neoplasms, hypothalamic neoplasms and  
10 supratentorial neoplasms, meningeal neoplasms, spinal cord neoplasms which include epidural neoplasms, demyelinating diseases such as Canavan Diseases, diffuse cerebral sclerolosis which includes adrenoleukodystrophy, encephalitis periaxialis, globoid cell leukodystrophy, diffuse cerebral sclerosis such as metachromatic leukodystrophy, allergic encephalomyelitis, necrotizing hemorrhagic  
15 encephalomyelitis, progressive multifocal leukoencephalopathy, multiple sclerosis, central pontine myelinolysis, transverse myelitis, neuromyelitis optica, Scrapie, Swayback, Chronic Fatigue Syndrome, Visna, High Pressure Nervous Syndrome, Meningism, spinal cord diseases such as amyotonia congenita, amyotrophic lateral sclerosis, spinal muscular atrophy such as Werdnig-Hoffmann Disease, spinal cord  
20 compression, spinal cord neoplasms such as epidural neoplasms, syringomyelia, Tabes Dorsalis, Stiff-Man Syndrome, mental retardation such as Angelman Syndrome, Cri-du-Chat Syndrome, De Lange's Syndrome, Down Syndrome, Gangliosidoses such as gangliosidoses G(M1), Sandhoff Disease, Tay-Sachs Disease, Hartnup Disease, homocystinuria, Laurence-Moon- Biedl Syndrome, Lesch-Nyhan  
25 Syndrome, Maple Syrup Urine Disease, mucopolipidosis such as fucosidosis, neuronal ceroid-lipofuscinosis, oculocerebrorenal syndrome, phenylketonuria such as maternal phenylketonuria, Prader-Willi Syndrome, Rett Syndrome, Rubinstein-Taybi Syndrome, Tuberous Sclerosis, WAGR Syndrome, nervous system abnormalities such as holoprosencephaly, neural tube defects such as anencephaly which includes  
30 hydrangencephaly, Arnold-Chairi Deformity, encephalocele, meningocele,

meningomyelocele, spinal dysraphism such as spina bifida cystica and spina bifida occulta, hereditary motor and sensory neuropathies which include Charcot-Marie Disease, Hereditary optic atrophy, Refsum's Disease, hereditary spastic paraplegia, Werdnig-Hoffmann Disease, Hereditary Sensory and Autonomic Neuropathies such

5 as Congenital Analgesia and Familial Dysautonomia, Neurologic manifestations (such as agnosia that include Gerstmann's Syndrome, Amnesia such as retrograde amnesia, apraxia, neurogenic bladder, cataplexy, communicative disorders such as hearing disorders that includes deafness, partial hearing loss, loudness recruitment and tinnitus, language disorders such as aphasia which include agraphia, anomia,

10 broca aphasia, and Wernicke Aphasia, Dyslexia such as Acquired Dyslexia, language development disorders, speech disorders such as aphasia which includes anomia, broca aphasia and Wernicke Aphasia, articulation disorders, communicative disorders such as speech disorders which include dysarthria, echolalia, mutism and stuttering, voice disorders such as aphonia and hoarseness, decerebrate state, delirium,

15 fasciculation, hallucinations, meningism, movement disorders such as angelman syndrome, ataxia, athetosis, chorea, dystonia, hypokinesia, muscle hypotonia, myoclonus, tic, torticollis and tremor, muscle hypertonia such as muscle rigidity such as stiff-man syndrome, muscle spasticity, paralysis such as facial paralysis which includes Herpes Zoster Oticus, Gastroparesis, Hemiplegia, ophthalmoplegia such as

20 diplopia, Duane's Syndrome, Horner's Syndrome, Chronic progressive external ophthalmoplegia such as Kearns Syndrome, Bulbar Paralysis, Tropical Spastic Paraparesis, Paraplegia such as Brown-Sequard Syndrome, quadriplegia, respiratory paralysis and vocal cord paralysis, paresis, phantom limb, taste disorders such as ageusia and dysgeusia, vision disorders such as amblyopia, blindness, color vision

25 defects, diplopia, hemianopsia, scotoma and subnormal vision, sleep disorders such as hypersomnia which includes Kleine-Levin Syndrome, insomnia, and somnambulism, spasm such as trismus, unconsciousness such as coma, persistent vegetative state and syncope and vertigo, neuromuscular diseases such as amyotonia congenita, amyotrophic lateral sclerosis, Lambert-Eaton Myasthenic Syndrome, motor neuron

30 disease, muscular atrophy such as spinal muscular atrophy, Charcot-Marie Disease

and Werdnig-Hoffmann Disease, Postpoliomyelitis Syndrome, Muscular Dystrophy, Myasthenia Gravis, Myotonia Atrophica, Myotonia Confenita, Nemaline Myopathy, Familial Periodic Paralysis, Multiplex Paramyoclonus, Tropical Spastic Paraparesis and Stiff-Man Syndrome, peripheral nervous system diseases such as acrodynia, amyloid neuropathies, autonomic nervous system diseases such as Adie's Syndrome, Barre-Lieou Syndrome, Familial Dysautonomia, Horner's Syndrome, Reflex Sympathetic Dystrophy and Shy-Drager Syndrome, Cranial Nerve Diseases such as Acoustic Nerve Diseases such as Acoustic Neuroma which includes Neurofibromatosis 2, Facial Nerve Diseases such as Facial Neuralgia, Melkersson-Rosenthal Syndrome, ocular motility disorders which includes amblyopia, nystagmus, oculomotor nerve paralysis, ophthalmoplegia such as Duane's Syndrome, Horner's Syndrome, Chronic Progressive External Ophthalmoplegia which includes Kearns Syndrome, Strabismus such as Esotropia and Exotropia, Oculomotor Nerve Paralysis, Optic Nerve Diseases such as Optic Atrophy which includes Hereditary Optic Atrophy, Optic Disk Drusen, Optic Neuritis such as Neuromyelitis Optica, Papilledema, Trigeminal Neuralgia, Vocal Cord Paralysis, Demyelinating Diseases such as Neuromyelitis Optica and Swayback, Diabetic neuropathies such as diabetic foot, nerve compression syndromes such as carpal tunnel syndrome, tarsal tunnel syndrome, thoracic outlet syndrome such as cervical rib syndrome, ulnar nerve compression syndrome, neuralgia such as causalgia, cervico-brachial neuralgia, facial neuralgia and trigeminal neuralgia, neuritis such as experimental allergic neuritis, optic neuritis, polyneuritis, polyradiculoneuritis and radiculities such as polyradiculitis, hereditary motor and sensory neuropathies such as Charcot-Marie Disease, Hereditary Optic Atrophy, Refsum's Disease, Hereditary Spastic Paraplegia and Werdnig-Hoffmann Disease, Hereditary Sensory and Autonomic Neuropathies which include Congenital Analgesia and Familial Dysautonomia, POEMS Syndrome, Sciatica, Gustatory Sweating and Tetany).

### **Infectious Disease**

Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention can be used to treat or detect infectious agents. For example, by increasing the immune response, particularly increasing the proliferation and differentiation of B and/or T cells, infectious diseases may be treated. The immune response may be increased by either enhancing an existing immune response, or by initiating a new immune response. Alternatively, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention may also directly inhibit the infectious agent, without necessarily eliciting an immune response.

Viruses are one example of an infectious agent that can cause disease or symptoms that can be treated or detected by a polynucleotide or polypeptide and/or agonist or antagonist of the present invention. Examples of viruses, include, but are not limited to Examples of viruses, include, but are not limited to the following DNA and RNA viruses and viral families: Arbovirus, Adenoviridae, Arenaviridae, Arterivirus, Birnaviridae, Bunyaviridae, Caliciviridae, Circoviridae, Coronaviridae, Dengue, EBV, HIV, Flaviviridae, Hepadnaviridae (Hepatitis), Herpesviridae (such as, Cytomegalovirus, Herpes Simplex, Herpes Zoster), Mononegavirus (e.g., Paramyxoviridae, Morbillivirus, Rhabdoviridae), Orthomyxoviridae (e.g., Influenza A, Influenza B, and parainfluenza), Papiloma virus, Papovaviridae, Parvoviridae, Picornaviridae, Poxviridae (such as Smallpox or Vaccinia), Reoviridae (e.g., Rotavirus), Retroviridae (HTLV-I, HTLV-II, Lentivirus), and Togaviridae (e.g., Rubivirus). Viruses falling within these families can cause a variety of diseases or symptoms, including, but not limited to: arthritis, bronchiolitis, respiratory syncytial virus, encephalitis, eye infections (e.g., conjunctivitis, keratitis), chronic fatigue syndrome, hepatitis (A, B, C, E, Chronic Active, Delta), Japanese B encephalitis, Junin, Chikungunya, Rift Valley fever, yellow fever, meningitis, opportunistic infections (e.g., AIDS), pneumonia, Burkitt's Lymphoma, chickenpox, hemorrhagic fever, Measles, Mumps, Parainfluenza, Rabies, the common cold, Polio, leukemia, Rubella, sexually transmitted diseases, skin diseases (e.g., Kaposi's, warts), and viremia. polynucleotides or polypeptides, or agonists or antagonists of the invention, can be used to treat or detect any of these symptoms or diseases. In specific

embodiments, polynucleotides, polypeptides, or agonists or antagonists of the invention are used to treat: meningitis, Dengue, EBV, and/or hepatitis (e.g., hepatitis B). In an additional specific embodiment polynucleotides, polypeptides, or agonists or antagonists of the invention are used to treat patients nonresponsive to one or more  
 5 other commercially available hepatitis vaccines. In a further specific embodiment polynucleotides, polypeptides, or agonists or antagonists of the invention are used to treat AIDS.

Similarly, bacterial or fungal agents that can cause disease or symptoms and that can be treated or detected by a polynucleotide or polypeptide and/or agonist or  
 10 antagonist of the present invention include, but not limited to, include, but not limited to, the following Gram-Negative and Gram-positive bacteria and bacterial families and fungi: Actinomycetales (e.g., Corynebacterium, Mycobacterium, Norcardia), Cryptococcus neoformans, Aspergillosis, Bacillaceae (e.g., Anthrax, Clostridium), Bacteroidaceae, Blastomycosis, Bordetella, Borrelia (e.g., Borrelia burgdorferi,  
 15 Brucellosis, Candidiasis, Campylobacter, Coccidioidomycosis, Cryptococcosis, Dermatocycoses, E. coli (e.g., Enterotoxigenic E. coli and Enterohemorrhagic E. coli), Enterobacteriaceae (Klebsiella, Salmonella (e.g., Salmonella typhi, and Salmonella paratyphi), Serratia, Yersinia), Erysipelothrix, Helicobacter, Legionellosis, Leptospirosis, Listeria, Mycoplasmatales, Mycobacterium leprae,  
 20 Vibrio cholerae, Neisseriaceae (e.g., Acinetobacter, Gonorrhea, Meningococcal), Meisseria meningitidis, Pasteurellacea Infections (e.g., Actinobacillus, Heamophilus (e.g., Heamophilus influenza type B), Pasteurella), Pseudomonas, Rickettsiaceae, Chlamydiaceae, Syphilis, Shigella spp., Staphylococcal, Meningiococcal, Pneumococcal and Streptococcal (e.g., Streptococcus pneumoniae and Group B  
 25 Streptococcus). These bacterial or fungal families can cause the following diseases or symptoms, including, but not limited to: bacteremia, endocarditis, eye infections (conjunctivitis, tuberculosis, uveitis), gingivitis, opportunistic infections (e.g., AIDS related infections), paronychia, prosthesis-related infections, Reiter's Disease, respiratory tract infections, such as Whooping Cough or Empyema, sepsis, Lyme  
 30 Disease, Cat-Scratch Disease, Dysentery, Paratyphoid Fever, food poisoning,

Typhoid, pneumonia, Gonorrhea, meningitis (e.g., meningitis types A and B), Chlamydia, Syphilis, Diphtheria, Leprosy, Paratuberculosis, Tuberculosis, Lupus, Botulism, gangrene, tetanus, impetigo, Rheumatic Fever, Scarlet Fever, sexually transmitted diseases, skin diseases (e.g., cellulitis, dermatocycoses), toxemia, urinary tract infections, wound infections. Polynucleotides or polypeptides, agonists or antagonists of the invention, can be used to treat or detect any of these symptoms or diseases. In specific embodiments, Polynucleotides, polypeptides, agonists or antagonists of the invention are used to treat: tetanus, Diphtheria, botulism, and/or meningitis type B.

Moreover, parasitic agents causing disease or symptoms that can be treated or detected by a polynucleotide or polypeptide and/or agonist or antagonist of the present invention include, but not limited to, the following families or class: Amebiasis, Babesiosis, Coccidiosis, Cryptosporidiosis, Dientamoebiasis, Dourine, Ectoparasitic, Giardiasis, Helminthiasis, Leishmaniasis, Theileriasis, Toxoplasmosis, Trypanosomiasis, and Trichomonas and Sporozoans (e.g., Plasmodium virax, Plasmodium falciparum, Plasmodium malariae and Plasmodium ovale). These parasites can cause a variety of diseases or symptoms, including, but not limited to: Scabies, Trombiculiasis, eye infections, intestinal disease (e.g., dysentery, giardiasis), liver disease, lung disease, opportunistic infections (e.g., AIDS related), malaria, pregnancy complications, and toxoplasmosis. polynucleotides or polypeptides, or agonists or antagonists of the invention, can be used to treat or detect any of these symptoms or diseases.

Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention of the present invention could either be by administering an effective amount of a polypeptide to the patient, or by removing cells from the patient, supplying the cells with a polynucleotide of the present invention, and returning the engineered cells to the patient (ex vivo therapy). Moreover, the polypeptide or polynucleotide of the present invention can be used as an antigen in a vaccine to raise an immune response against infectious disease.

**Regeneration**

Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention can be used to differentiate, proliferate, and attract cells, leading to the regeneration of tissues. (See, Science 276:59-87 (1997).) The regeneration of  
5 tissues could be used to repair, replace, or protect tissue damaged by congenital defects, trauma (wounds, burns, incisions, or ulcers), age, disease (e.g. osteoporosis, osteoarthritis, periodontal disease, liver failure), surgery, including cosmetic plastic surgery, fibrosis, reperfusion injury, or systemic cytokine damage.

Tissues that could be regenerated using the present invention include organs  
10 (e.g., pancreas, liver, intestine, kidney, skin, endothelium), muscle (smooth, skeletal or cardiac), vasculature (including vascular and lymphatics), nervous, hematopoietic, and skeletal (bone, cartilage, tendon, and ligament) tissue. Preferably, regeneration occurs without or decreased scarring. Regeneration also may include angiogenesis.

Moreover, polynucleotides or polypeptides, as well as agonists or antagonists  
15 of the present invention, may increase regeneration of tissues difficult to heal. For example, increased tendon/ligament regeneration would quicken recovery time after damage. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention could also be used prophylactically in an effort to avoid damage. Specific diseases that could be treated include of tendinitis, carpal tunnel syndrome,  
20 and other tendon or ligament defects. A further example of tissue regeneration of non-healing wounds includes pressure ulcers, ulcers associated with vascular insufficiency, surgical, and traumatic wounds.

Similarly, nerve and brain tissue could also be regenerated by using polynucleotides or polypeptides, as well as agonists or antagonists of the present  
25 invention, to proliferate and differentiate nerve cells. Diseases that could be treated using this method include central and peripheral nervous system diseases, neuropathies, or mechanical and traumatic disorders (e.g., spinal cord disorders, head trauma, cerebrovascular disease, and stroke). Specifically, diseases associated with peripheral nerve injuries, peripheral neuropathy (e.g., resulting from chemotherapy or  
30 other medical therapies), localized neuropathies, and central nervous system diseases

(e.g., Alzheimer's disease, Parkinson's disease, Huntington's disease, amyotrophic lateral sclerosis, and Shy-Drager syndrome), could all be treated using the polynucleotides or polypeptides, as well as agonists or antagonists of the present invention.

5

### **Chemotaxis**

Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention may have chemotaxis activity. A chemotaxic molecule attracts or mobilizes cells (e.g., monocytes, fibroblasts, neutrophils, T-cells, mast cells, eosinophils, epithelial and/or endothelial cells) to a particular site in the body, such as inflammation, infection, or site of hyperproliferation. The mobilized cells can then fight off and/or heal the particular trauma or abnormality.

Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention may increase chemotaxic activity of particular cells. These chemotactic molecules can then be used to treat inflammation, infection, hyperproliferative disorders, or any immune system disorder by increasing the number of cells targeted to a particular location in the body. For example, chemotaxic molecules can be used to treat wounds and other trauma to tissues by attracting immune cells to the injured location. Chemotactic molecules of the present invention can also attract fibroblasts, which can be used to treat wounds.

It is also contemplated that polynucleotides or polypeptides, as well as agonists or antagonists of the present invention may inhibit chemotactic activity. These molecules could also be used to treat disorders. Thus, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention could be used as an inhibitor of chemotaxis.

### **Binding Activity**

A polypeptide of the present invention may be used to screen for molecules that bind to the polypeptide or for molecules to which the polypeptide binds. The binding of the polypeptide and the molecule may activate (agonist), increase, inhibit



(antagonist), or decrease activity of the polypeptide or the molecule bound. Examples of such molecules include antibodies, oligonucleotides, proteins (e.g., receptors), or small molecules.

Preferably, the molecule is closely related to the natural ligand of the polypeptide, e.g., a fragment of the ligand, or a natural substrate, a ligand, a structural or functional mimetic. (See, Coligan et al., Current Protocols in Immunology 1(2):Chapter 5 (1991).) Similarly, the molecule can be closely related to the natural receptor to which the polypeptide binds, or at least, a fragment of the receptor capable of being bound by the polypeptide (e.g., active site). In either case, the molecule can be rationally designed using known techniques.

Preferably, the screening for these molecules involves producing appropriate cells which express the polypeptide. Preferred cells include cells from mammals, yeast, *Drosophila*, or *E. coli*. Cells expressing the polypeptide (or cell membrane containing the expressed polypeptide) are then preferably contacted with a test compound potentially containing the molecule to observe binding, stimulation, or inhibition of activity of either the polypeptide or the molecule.

The assay may simply test binding of a candidate compound to the polypeptide, wherein binding is detected by a label, or in an assay involving competition with a labeled competitor. Further, the assay may test whether the candidate compound results in a signal generated by binding to the polypeptide.

Alternatively, the assay can be carried out using cell-free preparations, polypeptide/molecule affixed to a solid support, chemical libraries, or natural product mixtures. The assay may also simply comprise the steps of mixing a candidate compound with a solution containing a polypeptide, measuring polypeptide/molecule activity or binding, and comparing the polypeptide/molecule activity or binding to a standard.

Preferably, an ELISA assay can measure polypeptide level or activity in a sample (e.g., biological sample) using a monoclonal or polyclonal antibody. The antibody can measure polypeptide level or activity by either binding, directly or indirectly, to the polypeptide or by competing with the polypeptide for a substrate.

Additionally, the receptor to which the polypeptide of the present invention binds can be identified by numerous methods known to those of skill in the art, for example, ligand panning and FACS sorting (Coligan, et al., Current Protocols in Immun., 1(2), Chapter 5, (1991)). For example, expression cloning is employed  
5 wherein polyadenylated RNA is prepared from a cell responsive to the polypeptides, for example, NIH3T3 cells which are known to contain multiple receptors for the FGF family proteins, and SC-3 cells, and a cDNA library created from this RNA is divided into pools and used to transfect COS cells or other cells that are not responsive to the polypeptides. Transfected cells which are grown on glass slides are  
10 exposed to the polypeptide of the present invention, after they have been labelled. The polypeptides can be labeled by a variety of means including iodination or inclusion of a recognition site for a site-specific protein kinase.

Following fixation and incubation, the slides are subjected to auto-radiographic analysis. Positive pools are identified and sub-pools are prepared and  
15 re-transfected using an iterative sub-pooling and re-screening process, eventually yielding a single clones that encodes the putative receptor.

As an alternative approach for receptor identification, the labeled polypeptides can be photoaffinity linked with cell membrane or extract preparations that express the receptor molecule. Cross-linked material is resolved by PAGE analysis and  
20 exposed to X-ray film. The labeled complex containing the receptors of the polypeptides can be excised, resolved into peptide fragments, and subjected to protein microsequencing. The amino acid sequence obtained from microsequencing would be used to design a set of degenerate oligonucleotide probes to screen a cDNA library to identify the genes encoding the putative receptors.

25 Moreover, the techniques of gene-shuffling, motif-shuffling, exon-shuffling, and/or codon-shuffling (collectively referred to as "DNA shuffling") may be employed to modulate the activities of the polypeptide of the present invention thereby effectively generating agonists and antagonists of the polypeptide of the present invention. *See generally*, U.S. Patent Nos. 5,605,793, 5,811,238, 5,830,721,  
30 5,834,252, and 5,837,458, and Patten, P. A., *et al.*, *Curr. Opinion Biotechnol.* 8:724-

33 (1997); Harayama, S. *Trends Biotechnol.* 16(2):76-82 (1998); Hansson, L. O., *et al.*, *J. Mol. Biol.* 287:265-76 (1999); and Lorenzo, M. M. and Blasco, R. *Biotechniques* 24(2):308-13 (1998) (each of these patents and publications are hereby incorporated by reference). In one embodiment, alteration of polynucleotides and corresponding polypeptides may be achieved by DNA shuffling. DNA shuffling involves the assembly of two or more DNA segments into a desired molecule by homologous, or site-specific, recombination. In another embodiment, polynucleotides and corresponding polypeptides may be altered by being subjected to random mutagenesis by error-prone PCR, random nucleotide insertion or other methods prior to recombination. In another embodiment, one or more components, motifs, sections, parts, domains, fragments, etc., of the polypeptide of the present invention may be recombined with one or more components, motifs, sections, parts, domains, fragments, etc. of one or more heterologous molecules. In preferred embodiments, the heterologous molecules are family members. In further preferred embodiments, the heterologous molecule is a growth factor such as, for example, platelet-derived growth factor (PDGF), insulin-like growth factor (IGF-I), transforming growth factor (TGF)-alpha, epidermal growth factor (EGF), fibroblast growth factor (FGF), TGF-beta, bone morphogenetic protein (BMP)-2, BMP-4, BMP-5, BMP-6, BMP-7, activins A and B, decapentaplegic(dpp), 60A, OP-2, dorsalin, growth differentiation factors (GDFs), nodal, MIS, inhibin-alpha, TGF-beta1, TGF-beta2, TGF-beta3, TGF-beta5, and glial-derived neurotrophic factor (GDNF).

Other preferred fragments are biologically active fragments of the polypeptide of the present invention. Biologically active fragments are those exhibiting activity similar, but not necessarily identical, to an activity of the polypeptide of the present invention. The biological activity of the fragments may include an improved desired activity, or a decreased undesirable activity.

Additionally, this invention provides a method of screening compounds to identify those which modulate the action of the polypeptide of the present invention. An example of such an assay comprises combining a mammalian fibroblast cell, a the polypeptide of the present invention, the compound to be screened and  $^3\text{H}$

thymidine under cell culture conditions where the fibroblast cell would normally proliferate. A control assay may be performed in the absence of the compound to be screened and compared to the amount of fibroblast proliferation in the presence of the compound to determine if the compound stimulates proliferation by determining the uptake of  $^3\text{[H]}$  thymidine in each case. The amount of fibroblast cell proliferation is measured by liquid scintillation chromatography which measures the incorporation of  $^3\text{[H]}$  thymidine. Both agonist and antagonist compounds may be identified by this procedure.

In another method, a mammalian cell or membrane preparation expressing a receptor for a polypeptide of the present invention is incubated with a labeled polypeptide of the present invention in the presence of the compound. The ability of the compound to enhance or block this interaction could then be measured. Alternatively, the response of a known second messenger system following interaction of a compound to be screened and the receptor is measured and the ability of the compound to bind to the receptor and elicit a second messenger response is measured to determine if the compound is a potential agonist or antagonist. Such second messenger systems include but are not limited to, cAMP guanylate cyclase, ion channels or phosphoinositide hydrolysis.

All of these above assays can be used as diagnostic or prognostic markers. The molecules discovered using these assays can be used to treat disease or to bring about a particular result in a patient (e.g., blood vessel growth) by activating or inhibiting the polypeptide/molecule. Moreover, the assays can discover agents which may inhibit or enhance the production of the polypeptides of the invention from suitably manipulated cells or tissues.

Therefore, the invention includes a method of identifying compounds which bind to a polypeptide of the invention comprising the steps of: (a) incubating a candidate binding compound with a polypeptide of the present invention; and (b) determining if binding has occurred. Moreover, the invention includes a method of identifying agonists/antagonists comprising the steps of: (a) incubating a candidate compound with a polypeptide of the present invention, (b) assaying a biological

activity, and (b) determining if a biological activity of the polypeptide has been altered.

### **Targeted Delivery**

5           In another embodiment, the invention provides a method of delivering compositions to targeted cells expressing a receptor for a polypeptide of the invention, or cells expressing a cell bound form of a polypeptide of the invention.

          As discussed herein, polypeptides or antibodies of the invention may be associated with heterologous polypeptides, heterologous nucleic acids, toxins, or  
10       prodrugs via hydrophobic, hydrophilic, ionic and/or covalent interactions. In one embodiment, the invention provides a method for the specific delivery of compositions of the invention to cells by administering polypeptides of the invention (including antibodies) that are associated with heterologous polypeptides or nucleic acids. In one example, the invention provides a method for delivering a therapeutic  
15       protein into the targeted cell. In another example, the invention provides a method for delivering a single stranded nucleic acid (e.g., antisense or ribozymes) or double stranded nucleic acid (e.g., DNA that can integrate into the cell's genome or replicate episomally and that can be transcribed) into the targeted cell.

          In another embodiment, the invention provides a method for the specific  
20       destruction of cells (e.g., the destruction of tumor cells) by administering polypeptides of the invention (e.g., polypeptides of the invention or antibodies of the invention) in association with toxins or cytotoxic prodrugs.

          By "toxin" is meant compounds that bind and activate endogenous cytotoxic effector systems, radioisotopes, holotoxins, modified toxins, catalytic subunits of  
25       toxins, or any molecules or enzymes not normally present in or on the surface of a cell that under defined conditions cause the cell's death. Toxins that may be used according to the methods of the invention include, but are not limited to, radioisotopes known in the art, compounds such as, for example, antibodies (or complement fixing containing portions thereof) that bind an inherent or induced  
30       endogenous cytotoxic effector system, thymidine kinase, endonuclease, RNase, alpha

toxin, ricin, abrin, *Pseudomonas* exotoxin A, diphtheria toxin, saporin, momordin, gelonin, pokeweed antiviral protein, alpha-sarcin and cholera toxin. By "cytotoxic prodrug" is meant a non-toxic compound that is converted by an enzyme, normally present in the cell, into a cytotoxic compound. Cytotoxic prodrugs that may be used according to the methods of the invention include, but are not limited to, glutamyl derivatives of benzoic acid mustard alkylating agent, phosphate derivatives of etoposide or mitomycin C, cytosine arabinoside, daunorubisin, and phenoxyacetamide derivatives of doxorubicin.

#### 10 Drug Screening

Further contemplated is the use of the polypeptides of the present invention, or the polynucleotides encoding these polypeptides, to screen for molecules which modify the activities of the polypeptides of the present invention. Such a method would include contacting the polypeptide of the present invention with a selected compound(s) suspected of having antagonist or agonist activity, and assaying the activity of these polypeptides following binding.

This invention is particularly useful for screening therapeutic compounds by using the polypeptides of the present invention, or binding fragments thereof, in any of a variety of drug screening techniques. The polypeptide or fragment employed in such a test may be affixed to a solid support, expressed on a cell surface, free in solution, or located intracellularly. One method of drug screening utilizes eukaryotic or prokaryotic host cells which are stably transformed with recombinant nucleic acids expressing the polypeptide or fragment. Drugs are screened against such transformed cells in competitive binding assays. One may measure, for example, the formulation of complexes between the agent being tested and a polypeptide of the present invention.

Thus, the present invention provides methods of screening for drugs or any other agents which affect activities mediated by the polypeptides of the present invention. These methods comprise contacting such an agent with a polypeptide of the present invention or a fragment thereof and assaying for the presence of a

complex between the agent and the polypeptide or a fragment thereof, by methods well known in the art. In such a competitive binding assay, the agents to screen are typically labeled. Following incubation, free agent is separated from that present in bound form, and the amount of free or uncomplexed label is a measure of the ability  
5 of a particular agent to bind to the polypeptides of the present invention.

Another technique for drug screening provides high throughput screening for compounds having suitable binding affinity to the polypeptides of the present invention, and is described in great detail in European Patent Application 84/03564, published on September 13, 1984, which is incorporated herein by reference herein.  
10 Briefly stated, large numbers of different small peptide test compounds are synthesized on a solid substrate, such as plastic pins or some other surface. The peptide test compounds are reacted with polypeptides of the present invention and washed. Bound polypeptides are then detected by methods well known in the art. Purified polypeptides are coated directly onto plates for use in the aforementioned  
15 drug screening techniques. In addition, non-neutralizing antibodies may be used to capture the peptide and immobilize it on the solid support.

This invention also contemplates the use of competitive drug screening assays in which neutralizing antibodies capable of binding polypeptides of the present invention specifically compete with a test compound for binding to the polypeptides  
20 or fragments thereof. In this manner, the antibodies are used to detect the presence of any peptide which shares one or more antigenic epitopes with a polypeptide of the invention.

#### **Antisense And Ribozyme (Antagonists)**

25 In specific embodiments, antagonists according to the present invention are nucleic acids corresponding to the sequences contained in SEQ ID NO:X, or the complementary strand thereof, and/or to nucleotide sequences contained in the cDNA contained in the related cDNA clone identified in Table 1. In one embodiment, antisense sequence is generated internally, by the organism, in another embodiment,  
30 the antisense sequence is separately administered (see, for example, O'Connor, J.,

Neurochem. 56:560 (1991). Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression, CRC Press, Boca Raton, FL (1988). Antisense technology can be used to control gene expression through antisense DNA or RNA, or through triple-helix formation. Antisense techniques are discussed for example, in Okano, J., Neurochem. 56:560 (1991); Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression, CRC Press, Boca Raton, FL (1988). Triple helix formation is discussed in, for instance, Lee et al., Nucleic Acids Research 6:3073 (1979); Cooney et al., Science 241:456 (1988); and Dervan et al., Science 251:1300 (1991). The methods are based on binding of a polynucleotide to a complementary DNA or RNA.

10 For example, the use of c-myc and c-myb antisense RNA constructs to inhibit the growth of the non-lymphocytic leukemia cell line HL-60 and other cell lines was previously described. (Wickstrom et al. (1988); Anfossi et al. (1989)). These experiments were performed in vitro by incubating cells with the oligoribonucleotide. A similar procedure for in vivo use is described in WO 91/15580. Briefly, a pair of  
15 oligonucleotides for a given antisense RNA is produced as follows: A sequence complimentary to the first 15 bases of the open reading frame is flanked by an EcoRI site on the 5' end and a HindIII site on the 3' end. Next, the pair of oligonucleotides is heated at 90°C for one minute and then annealed in 2X ligation buffer (20mM TRIS HCl pH 7.5, 10mM MgCl<sub>2</sub>, 10mM dithiothreitol (DTT) and 0.2 mM ATP) and  
20 then ligated to the EcoRI/Hind III site of the retroviral vector PMV7 (WO 91/15580).

For example, the 5' coding portion of a polynucleotide that encodes the polypeptide of the present invention may be used to design an antisense RNA oligonucleotide of from about 10 to 40 base pairs in length. A DNA oligonucleotide is designed to be complementary to a region of the gene involved in transcription  
25 thereby preventing transcription and the production of the receptor. The antisense RNA oligonucleotide hybridizes to the mRNA in vivo and blocks translation of the mRNA molecule into receptor polypeptide.

In one embodiment, the antisense nucleic acid of the invention is produced intracellularly by transcription from an exogenous sequence. For example, a vector or  
30 a portion thereof, is transcribed, producing an antisense nucleic acid (RNA) of the



invention. Such a vector would contain a sequence encoding the antisense nucleic acid. Such a vector can remain episomal or become chromosomally integrated, as long as it can be transcribed to produce the desired antisense RNA. Such vectors can be constructed by recombinant DNA technology methods standard in the art. Vectors  
5 can be plasmid, viral, or others known in the art, used for replication and expression in vertebrate cells. Expression of the sequence encoding the polypeptide of the present invention or fragments thereof, can be by any promoter known in the art to act in vertebrate, preferably human cells. Such promoters can be inducible or constitutive. Such promoters include, but are not limited to, the SV40 early promoter  
10 region (Bernoist and Chambon, Nature 29:304-310 (1981)), the promoter contained in the 3' long terminal repeat of Rous sarcoma virus (Yamamoto et al., Cell 22:787-797 (1980)), the herpes thymidine promoter (Wagner et al., Proc. Natl. Acad. Sci. U.S.A. 78:1441-1445 (1981)), the regulatory sequences of the metallothionein gene (Brinster, et al., Nature 296:39-42 (1982)), etc.

15 The antisense nucleic acids of the invention comprise a sequence complementary to at least a portion of an RNA transcript of a gene of the present invention. However, absolute complementarity, although preferred, is not required. A sequence "complementary to at least a portion of an RNA," referred to herein, means a sequence having sufficient complementarity to be able to hybridize with the  
20 RNA, forming a stable duplex; in the case of double stranded antisense nucleic acids, a single strand of the duplex DNA may thus be tested, or triplex formation may be assayed. The ability to hybridize will depend on both the degree of complementarity and the length of the antisense nucleic acid. Generally, the larger the hybridizing nucleic acid, the more base mismatches with a RNA it may contain and still form a  
25 stable duplex (or triplex as the case may be). One skilled in the art can ascertain a tolerable degree of mismatch by use of standard procedures to determine the melting point of the hybridized complex.

Oligonucleotides that are complementary to the 5' end of the message, e.g., the 5' untranslated sequence up to and including the AUG initiation codon, should work  
30 most efficiently at inhibiting translation. However, sequences complementary to the

3' untranslated sequences of mRNAs have been shown to be effective at inhibiting translation of mRNAs as well. See generally, Wagner, R., 1994, *Nature* 372:333-335. Thus, oligonucleotides complementary to either the 5'- or 3'- non- translated, non-coding regions of polynucleotide sequences described herein could be used in an antisense approach to inhibit translation of endogenous mRNA. Oligonucleotides complementary to the 5' untranslated region of the mRNA should include the complement of the AUG start codon. Antisense oligonucleotides complementary to mRNA coding regions are less efficient inhibitors of translation but could be used in accordance with the invention. Whether designed to hybridize to the 5'-, 3'- or coding region of mRNA of the present invention, antisense nucleic acids should be at least six nucleotides in length, and are preferably oligonucleotides ranging from 6 to about 50 nucleotides in length. In specific aspects the oligonucleotide is at least 10 nucleotides, at least 17 nucleotides, at least 25 nucleotides or at least 50 nucleotides.

The polynucleotides of the invention can be DNA or RNA or chimeric mixtures or derivatives or modified versions thereof, single-stranded or double-stranded. The oligonucleotide can be modified at the base moiety, sugar moiety, or phosphate backbone, for example, to improve stability of the molecule, hybridization, etc. The oligonucleotide may include other appended groups such as peptides (e.g., for targeting host cell receptors *in vivo*), or agents facilitating transport across the cell membrane (see, e.g., Letsinger et al., 1989, *Proc. Natl. Acad. Sci. U.S.A.* 86:6553-6556; Lemaitre et al., 1987, *Proc. Natl. Acad. Sci.* 84:648-652; PCT Publication No. WO88/09810, published December 15, 1988) or the blood-brain barrier (see, e.g., PCT Publication No. WO89/10134, published April 25, 1988), hybridization-triggered cleavage agents. (See, e.g., Krol et al., 1988, *BioTechniques* 6:958-976) or intercalating agents. (See, e.g., Zon, 1988, *Pharm. Res.* 5:539-549). To this end, the oligonucleotide may be conjugated to another molecule, e.g., a peptide, hybridization triggered cross-linking agent, transport agent, hybridization-triggered cleavage agent, etc.

The antisense oligonucleotide may comprise at least one modified base moiety which is selected from the group including, but not limited to, 5-fluorouracil,

5-bromouracil, 5-chlorouracil, 5-iodouracil, hypoxanthine, xantine, 4-acetylcytosine, 5-(carboxyhydroxymethyl) uracil, 5-carboxymethylaminomethyl-2-thiouridine, 5-carboxymethylaminomethyluracil, dihydrouracil, beta-D-galactosylqueosine, inosine, N6-isopentenyladenine, 1-methylguanine, 1-methylinosine, 5 2,2-dimethylguanine, 2-methyladenine, 2-methylguanine, 3-methylcytosine, 5-methylcytosine, N6-adenine, 7-methylguanine, 5-methylaminomethyluracil, 5-methoxyaminomethyl-2-thiouracil, beta-D-mannosylqueosine, 5'-methoxycarboxymethyluracil, 5-methoxyuracil, 2-methylthio-N6-isopentenyladenine, uracil-5-oxyacetic acid (v), wybutoxosine, pseudouracil, 10 queosine, 2-thiocytosine, 5-methyl-2-thiouracil, 2-thiouracil, 4-thiouracil, 5-methyluracil, uracil-5-oxyacetic acid methylester, uracil-5-oxyacetic acid (v), 5-methyl-2-thiouracil, 3-(3-amino-3-N-2-carboxypropyl) uracil, (acp3)w, and 2,6-diaminopurine.

The antisense oligonucleotide may also comprise at least one modified sugar moiety selected from the group including, but not limited to, arabinose, 15 2-fluoroarabinose, xylulose, and hexose.

In yet another embodiment, the antisense oligonucleotide comprises at least one modified phosphate backbone selected from the group including, but not limited to, a phosphorothioate, a phosphorodithioate, a phosphoramidothioate, a 20 phosphoramidate, a phosphordiamidate, a methylphosphonate, an alkyl phosphotriester, and a formacetal or analog thereof.

In yet another embodiment, the antisense oligonucleotide is an a-anomeric oligonucleotide. An a-anomeric oligonucleotide forms specific double-stranded hybrids with complementary RNA in which, contrary to the usual b-units, the strands 25 run parallel to each other (Gautier et al., 1987, Nucl. Acids Res. 15:6625-6641). The oligonucleotide is a 2'-O-methylribonucleotide (Inoue et al., 1987, Nucl. Acids Res. 15:6131-6148), or a chimeric RNA-DNA analogue (Inoue et al., 1987, FEBS Lett. 215:327-330).

Polynucleotides of the invention may be synthesized by standard methods 30 known in the art, e.g. by use of an automated DNA synthesizer (such as are

commercially available from Biosearch, Applied Biosystems, etc.). As examples, phosphorothioate oligonucleotides may be synthesized by the method of Stein et al. (1988, Nucl. Acids Res. 16:3209), methylphosphonate oligonucleotides can be prepared by use of controlled pore glass polymer supports (Sarin et al., 1988, Proc. Natl. Acad. Sci. U.S.A. 85:7448-7451), etc.

While antisense nucleotides complementary to the coding region sequence could be used, those complementary to the transcribed untranslated region are most preferred.

Potential antagonists according to the invention also include catalytic RNA, or a ribozyme (See, e.g., PCT International Publication WO 90/11364, published October 4, 1990; Sarver et al, Science 247:1222-1225 (1990). While ribozymes that cleave mRNA at site specific recognition sequences can be used to destroy mRNAs, the use of hammerhead ribozymes is preferred. Hammerhead ribozymes cleave mRNAs at locations dictated by flanking regions that form complementary base pairs with the target mRNA. The sole requirement is that the target mRNA have the following sequence of two bases: 5'-UG-3'. The construction and production of hammerhead ribozymes is well known in the art and is described more fully in Haseloff and Gerlach, Nature 334:585-591 (1988). There are numerous potential hammerhead ribozyme cleavage sites within the nucleotide sequence of SEQ ID NO:X. Preferably, the ribozyme is engineered so that the cleavage recognition site is located near the 5' end of the mRNA; i.e., to increase efficiency and minimize the intracellular accumulation of non-functional mRNA transcripts.

As in the antisense approach, the ribozymes of the invention can be composed of modified oligonucleotides (e.g. for improved stability, targeting, etc.) and should be delivered to cells which express in vivo. DNA constructs encoding the ribozyme may be introduced into the cell in the same manner as described above for the introduction of antisense encoding DNA. A preferred method of delivery involves using a DNA construct "encoding" the ribozyme under the control of a strong constitutive promoter, such as, for example, pol III or pol II promoter, so that transfected cells will produce sufficient quantities of the ribozyme to destroy

endogenous messages and inhibit translation. Since ribozymes unlike antisense molecules, are catalytic, a lower intracellular concentration is required for efficiency.

Antagonist/agonist compounds may be employed to inhibit the cell growth and proliferation effects of the polypeptides of the present invention on neoplastic  
5 cells and tissues, i.e. stimulation of angiogenesis of tumors, and, therefore, retard or prevent abnormal cellular growth and proliferation, for example, in tumor formation or growth.

The antagonist/agonist may also be employed to prevent hyper-vascular diseases, and prevent the proliferation of epithelial lens cells after extracapsular  
10 cataract surgery. Prevention of the mitogenic activity of the polypeptides of the present invention may also be desirable in cases such as restenosis after balloon angioplasty.

The antagonist/agonist may also be employed to prevent the growth of scar tissue during wound healing.

15 The antagonist/agonist may also be employed to treat the diseases described herein.

Thus, the invention provides a method of treating disorders or diseases, including but not limited to the disorders or diseases listed throughout this application, associated with overexpression of a polynucleotide of the present  
20 invention by administering to a patient (a) an antisense molecule directed to the polynucleotide of the present invention, and/or (b) a ribozyme directed to the polynucleotide of the present invention.

#### **Other Activities**

25 A polypeptide, polynucleotide, agonist, or antagonist of the present invention, as a result of the ability to stimulate vascular endothelial cell growth, may be employed in treatment for stimulating re-vascularization of ischemic tissues due to various disease conditions such as thrombosis, arteriosclerosis, and other cardiovascular conditions. The polypeptide, polynucleotide, agonist, or antagonist of

the present invention may also be employed to stimulate angiogenesis and limb regeneration, as discussed above.

5 A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be employed for treating wounds due to injuries, burns, post-operative tissue repair, and ulcers since they are mitogenic to various cells of different origins, such as fibroblast cells and skeletal muscle cells, and therefore, facilitate the repair or replacement of damaged or diseased tissue.

10 A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be employed stimulate neuronal growth and to treat and prevent neuronal damage which occurs in certain neuronal disorders or neuro-degenerative conditions such as Alzheimer's disease, Parkinson's disease, and AIDS-related complex. A polypeptide, polynucleotide, agonist, or antagonist of the present invention may have the ability to stimulate chondrocyte growth, therefore, they may be employed to enhance bone and periodontal regeneration and aid in tissue transplants or bone grafts.

15 A polypeptide, polynucleotide, agonist, or antagonist of the present invention may be also be employed to prevent skin aging due to sunburn by stimulating keratinocyte growth.

20 A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be employed for preventing hair loss, since FGF family members activate hair-forming cells and promotes melanocyte growth. Along the same lines, a polypeptide, polynucleotide, agonist, or antagonist of the present invention may be employed to stimulate growth and differentiation of hematopoietic cells and bone marrow cells when used in combination with other cytokines.

25 A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be employed to maintain organs before transplantation or for supporting cell culture of primary tissues. A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be employed for inducing tissue of mesodermal origin to differentiate in early embryos.

A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also increase or decrease the differentiation or proliferation of embryonic stem cells, besides, as discussed above, hematopoietic lineage.

5 A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be used to modulate mammalian characteristics, such as body height, weight, hair color, eye color, skin, percentage of adipose tissue, pigmentation, size, and shape (e.g., cosmetic surgery). Similarly, a polypeptide, polynucleotide, agonist, or antagonist of the present invention may be used to modulate mammalian metabolism affecting catabolism, anabolism, processing, utilization, and storage of  
10 energy.

A polypeptide, polynucleotide, agonist, or antagonist of the present invention may be used to change a mammal's mental state or physical state by influencing biorhythms, circadian rhythms, depression (including depressive disorders), tendency for violence, tolerance for pain, reproductive capabilities (preferably by Activin or  
15 Inhibin-like activity), hormonal or endocrine levels, appetite, libido, memory, stress, or other cognitive qualities.

A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be used as a food additive or preservative, such as to increase or decrease storage capabilities, fat content, lipid, protein, carbohydrate, vitamins, minerals,  
20 cofactors or other nutritional components.

The above-recited applications have uses in a wide variety of hosts. Such hosts include, but are not limited to, human, murine, rabbit, goat, guinea pig, camel, horse, mouse, rat, hamster, pig, micro-pig, chicken, goat, cow, sheep, dog, cat, non-human primate, and human. In specific embodiments, the host is a mouse, rabbit,  
25 goat, guinea pig, chicken, rat, hamster, pig, sheep, dog or cat. In preferred embodiments, the host is a mammal. In most preferred embodiments, the host is a human.

#### **Other Preferred Embodiments**

Other preferred embodiments of the claimed invention include an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to a sequence of at least about 50 contiguous nucleotides in the nucleotide sequence of SEQ ID NO:X or the complementary strand thereto, and/or the cDNA in  
5 the related cDNA clone contained in the deposit.

Also preferred is a nucleic acid molecule wherein said sequence of contiguous nucleotides is included in the nucleotide sequence of SEQ ID NO:X in the range of positions identified as "Start" and "End" in columns 7 and 8 as defined for SEQ ID NO:X in Table 1.

10 Also preferred is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to a sequence of at least about 150 contiguous nucleotides in the nucleotide sequence of SEQ ID NO:X or the complementary strand thereto, and/or the cDNA in the related cDNA clone contained in the deposit.

15 Further preferred is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to a sequence of at least about 500 contiguous nucleotides in the nucleotide sequence of SEQ ID NO:X or the complementary strand thereto, and/or the cDNA in the related cDNA clone contained in the deposit.

20 A further preferred embodiment is a nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to the nucleotide sequence of SEQ ID NO:X in the range of positions identified as "Start" and "End" in columns 7 and 8 as defined for SEQ ID NO:X in Table 1.

25 A further preferred embodiment is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to the complete nucleotide sequence of SEQ ID NO:X or the complementary strand thereto, and/or the cDNA in the related cDNA clone contained in the deposit.

Also preferred is an isolated nucleic acid molecule which hybridizes under stringent hybridization conditions to a nucleic acid molecule comprising a nucleotide  
30 sequence of SEQ ID NO:X or the complementary strand thereto, and/or the cDNA in



the related cDNA clone contained in the deposit, wherein said nucleic acid molecule which hybridizes does not hybridize under stringent hybridization conditions to a nucleic acid molecule having a nucleotide sequence consisting of only A residues or of only T residues.

5        Also preferred is a composition of matter comprising a DNA molecule which comprises a cDNA clone contained in the deposit.

Also preferred is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to a sequence of at least 50 contiguous nucleotides in the nucleotide sequence of the cDNA in the related cDNA clone  
10       contained in the deposit.

Also preferred is an isolated nucleic acid molecule, wherein said sequence of at least 50 contiguous nucleotides is included in the nucleotide sequence of an open reading frame sequence encoded by the cDNA in the related cDNA clone contained in the deposit.

15       Also preferred is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to sequence of at least 150 contiguous nucleotides in the nucleotide sequence encoded by the cDNA in the related cDNA clone contained in the deposit.

A further preferred embodiment is an isolated nucleic acid molecule  
20       comprising a nucleotide sequence which is at least 95% identical to sequence of at least 500 contiguous nucleotides in the nucleotide sequence encoded by the cDNA in the related cDNA clone contained in the deposit.

A further preferred embodiment is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to the complete  
25       nucleotide sequence encoded by the cDNA in the related cDNA clone contained in the deposit.

A further preferred embodiment is a method for detecting in a biological sample a nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence  
30       selected from the group consisting of: a nucleotide sequence of SEQ ID NO:X or the

complementary strand thereto; and a nucleotide sequence encoded by the cDNA in the related cDNA clone contained in the deposit; which method comprises a step of comparing a nucleotide sequence of at least one nucleic acid molecule in said sample with a sequence selected from said group and determining whether the sequence of  
5 said nucleic acid molecule in said sample is at least 95% identical to said selected sequence.

Also preferred is the above method wherein said step of comparing sequences comprises determining the extent of nucleic acid hybridization between nucleic acid molecules in said sample and a nucleic acid molecule comprising said sequence  
10 selected from said group. Similarly, also preferred is the above method wherein said step of comparing sequences is performed by comparing the nucleotide sequence determined from a nucleic acid molecule in said sample with said sequence selected from said group. The nucleic acid molecules can comprise DNA molecules or RNA molecules.

15 A further preferred embodiment is a method for identifying the species, tissue or cell type of a biological sample which method comprises a step of detecting nucleic acid molecules in said sample, if any, comprising a nucleotide sequence that is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected from the group consisting of: a nucleotide sequence of SEQ ID NO:X or the  
20 complementary strand thereto; and a nucleotide sequence encoded by the cDNA in the related cDNA clone contained in the deposit.

Also preferred is the above method for identifying the species, tissue or cell type of a biological sample which comprises a step of detecting nucleic acid molecules comprising a nucleotide sequence in a panel of at least two nucleotide  
25 sequences; wherein at least one sequence in said panel is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected from said group.

Also preferred is a method for diagnosing in a subject a pathological condition associated with abnormal structure or expression of a nucleotide sequence of SEQ ID NO:X; or the cDNA in the related cDNA clone identified in Table 1 which encodes a  
30 protein, wherein the method comprises a step of detecting in a biological sample

obtained from said subject nucleic acid molecules, if any, comprising a nucleotide sequence that is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected from the group consisting of: a nucleotide sequence of SEQ ID NO:X or the complementary strand thereto; and a nucleotide  
5 sequence of the cDNA in the related cDNA clone contained in the deposit.

Also preferred is the above method for diagnosing a pathological condition which comprises a step of detecting nucleic acid molecules comprising a nucleotide sequence in a panel of at least two nucleotide sequences, wherein at least one sequence in said panel is at least 95% identical to a sequence of at least 50 contiguous  
10 nucleotides in a sequence selected from said group.

Also preferred is a composition of matter comprising isolated nucleic acid molecules wherein the nucleotide sequences of said nucleic acid molecules comprise a panel of at least two nucleotide sequences, wherein at least one sequence in said panel is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a  
15 sequence selected from the group consisting of: a nucleotide sequence of SEQ ID NO:X or the complementary strand thereto; and a nucleotide sequence encoded by the cDNA in the related cDNA clone contained in the deposit. The nucleic acid molecules can comprise DNA molecules or RNA molecules.

Also preferred is a composition of matter comprising isolated nucleic acid  
20 molecules wherein the nucleotide sequences of said nucleic acid molecules comprise a DNA microarray or "chip" of at least 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25, 30, 40, 50, 100, 150, 200, 250, 300, 500, 1000, 2000, 3000 or 4000 nucleotide sequences, wherein at least one sequence in said DNA microarray or "chip" is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected  
25 from the group consisting of: a nucleotide sequence of SEQ ID NO:X or the complementary strand thereto; and a nucleotide sequence encoded by the cDNA in the cDNA clone referenced in Table 1. The nucleic acid molecules can comprise DNA molecules or RNA molecules.

Also preferred is an isolated polypeptide comprising an amino acid sequence  
30 at least 90% identical to a sequence of at least about 10 contiguous amino acids in the

polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and/or a polypeptide encoded by the cDNA in the related cDNA clone contained in the deposit.

Also preferred is an isolated polypeptide comprising an amino acid sequence  
5 at least 95% identical to a sequence of at least about 30 contiguous amino acids in the amino acid sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and/or a polypeptide encoded by the cDNA in the related cDNA clone contained in the deposit.

Further preferred is an isolated polypeptide comprising an amino acid  
10 sequence at least 95% identical to a sequence of at least about 100 contiguous amino acids in the amino acid sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and/or a polypeptide encoded by the cDNA in the related cDNA clone contained in the deposit.

Further preferred is an isolated polypeptide comprising an amino acid  
15 sequence at least 95% identical to the complete amino acid sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and/or a polypeptide encoded by the cDNA in the related cDNA clone contained in the deposit.

Further preferred is an isolated polypeptide comprising an amino acid  
20 sequence at least 90% identical to a sequence of at least about 10 contiguous amino acids in the complete amino acid sequence of a polypeptide encoded by the cDNA clone referenced in Table 1.

Also preferred is a polypeptide wherein said sequence of contiguous amino  
acids is included in the amino acid sequence of a portion of said polypeptide encoded by the cDNA clone referenced in Table 1; a polypeptide encoded by SEQ ID NO:X;  
25 and/or the polypeptide sequence of SEQ ID NO:Y.

Also preferred is an isolated polypeptide comprising an amino acid sequence at least 95% identical to a sequence of at least about 30 contiguous amino acids in the amino acid sequence of a polypeptide encoded by the cDNA clone referenced in Table 1.

Also preferred is an isolated polypeptide comprising an amino acid sequence at least 95% identical to a sequence of at least about 100 contiguous amino acids in the amino acid sequence of a polypeptide encoded by the cDNA clone referenced in Table 1.

5        Also preferred is an isolated polypeptide comprising an amino acid sequence at least 95% identical to the amino acid sequence of a polypeptide encoded by the cDNA clone referenced in Table 1.

Further preferred is an isolated antibody which binds specifically to a polypeptide comprising an amino acid sequence that is at least 90% identical to a  
10       sequence of at least 10 contiguous amino acids in a sequence selected from the group consisting of: a polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and a polypeptide encoded by the cDNA in the related cDNA clone contained in the deposit.

Further preferred is a method for detecting in a biological sample a  
15       polypeptide comprising an amino acid sequence which is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence selected from the group consisting of: a polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and a polypeptide encoded by the cDNA in the related cDNA clone referenced in Table 1; which method comprises a step of comparing an amino acid  
20       sequence of at least one polypeptide molecule in said sample with a sequence selected from said group and determining whether the sequence of said polypeptide molecule in said sample is at least 90% identical to said sequence of at least 10 contiguous amino acids.

Also preferred is the above method wherein said step of comparing an amino  
25       acid sequence of at least one polypeptide molecule in said sample with a sequence selected from said group comprises determining the extent of specific binding of polypeptides in said sample to an antibody which binds specifically to a polypeptide comprising an amino acid sequence that is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence selected from the group consisting of: a  
30       polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X;

and a polypeptide encoded by the cDNA in the related cDNA clone referenced in Table 1.

Also preferred is the above method wherein said step of comparing sequences is performed by comparing the amino acid sequence determined from a polypeptide molecule in said sample with said sequence selected from said group.

Also preferred is a method for identifying the species, tissue or cell type of a biological sample which method comprises a step of detecting polypeptide molecules in said sample, if any, comprising an amino acid sequence that is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence selected from the group consisting of: polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and a polypeptide encoded by the cDNA in the related cDNA clone referenced in Table 1.

Also preferred is the above method for identifying the species, tissue or cell type of a biological sample, which method comprises a step of detecting polypeptide molecules comprising an amino acid sequence in a panel of at least two amino acid sequences, wherein at least one sequence in said panel is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence selected from the above group.

Also preferred is a method for diagnosing in a subject a pathological condition associated with abnormal structure or expression of a nucleic acid sequence identified in Table 1 encoding a polypeptide, which method comprises a step of detecting in a biological sample obtained from said subject polypeptide molecules comprising an amino acid sequence in a panel of at least two amino acid sequences, wherein at least one sequence in said panel is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence selected from the group consisting of: polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and a polypeptide encoded by the cDNA in the related cDNA clone referenced in Table 1.

In any of these methods, the step of detecting said polypeptide molecules includes using an antibody.

Also preferred is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to a nucleotide sequence encoding a polypeptide wherein said polypeptide comprises an amino acid sequence that is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence  
5 selected from the group consisting of: polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and a polypeptide encoded by the cDNA in the related cDNA clone referenced in Table 1.

Also preferred is an isolated nucleic acid molecule, wherein said nucleotide sequence encoding a polypeptide has been optimized for expression of said  
10 polypeptide in a prokaryotic host.

Also preferred is an isolated nucleic acid molecule, wherein said polypeptide comprises an amino acid sequence selected from the group consisting of: polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and a polypeptide encoded by the cDNA in the related cDNA clone referenced in Table 1.

15 Further preferred is a method of making a recombinant vector comprising inserting any of the above isolated nucleic acid molecule into a vector. Also preferred is the recombinant vector produced by this method. Also preferred is a method of making a recombinant host cell comprising introducing the vector into a host cell, as well as the recombinant host cell produced by this method.

20 Also preferred is a method of making an isolated polypeptide comprising culturing this recombinant host cell under conditions such that said polypeptide is expressed and recovering said polypeptide. Also preferred is this method of making an isolated polypeptide, wherein said recombinant host cell is a eukaryotic cell and said polypeptide is a human protein comprising an amino acid sequence selected from  
25 the group consisting of: polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X; and a polypeptide encoded by the cDNA in the related cDNA clone referenced in Table 1. The isolated polypeptide produced by this method is also preferred.

Also preferred is a method of treatment of an individual in need of an  
30 increased level of a protein activity, which method comprises administering to such

an individual a Therapeutic comprising an amount of an isolated polypeptide, polynucleotide, immunogenic fragment or analogue thereof, binding agent, antibody, or antigen binding fragment of the claimed invention effective to increase the level of said protein activity in said individual.

- 5           Also preferred is a method of treatment of an individual in need of a decreased level of a protein activity, which method comprised administering to such an individual a Therapeutic comprising an amount of an isolated polypeptide, polynucleotide, immunogenic fragment or analogue thereof, binding agent, antibody, or antigen binding fragment of the claimed invention effective to decrease the level of
- 10   said protein activity in said individual.

          Having generally described the invention, the same will be more readily understood by reference to the following examples, which are provided by way of illustration and are not intended as limiting.



*Examples**Example 1: Isolation of a Selected cDNA Clone From the Deposited Sample*

5 Each deposited cDNA clone is contained in a plasmid vector. Table 5 identifies the vectors used to construct the cDNA library from which each clone was isolated. In many cases, the vector used to construct the library is a phage vector from which a plasmid has been excised. The following correlates the related plasmid for each phage vector used in constructing the cDNA library. For example, where a  
 10 particular clone is identified in Table 5 as being isolated in the vector "Lambda Zap," the corresponding deposited clone is in "pBluescript."

	<u>Vector Used to Construct Library</u>	<u>Corresponding Deposited Plasmid</u>
	Lambda Zap	pBluescript (pBS)
	Uni-Zap XR	pBluescript (pBS)
15	Zap Express	pBK
	lafmid BA	plafmid BA
	pSport1	pSport1
	pCMVSPORT 2.0	pCMVSPORT 2.0
	pCMVSPORT 3.0	pCMVSPORT 3.0
20	pCR <sup>®</sup> 2.1	pCR <sup>®</sup> 2.1

Vectors Lambda Zap (U.S. Patent Nos. 5,128,256 and 5,286,636), Uni-Zap XR (U.S. Patent Nos. 5,128, 256 and 5,286,636), Zap Express (U.S. Patent Nos. 5,128,256 and 5,286,636), pBluescript (pBS) (Short, J. M. et al., Nucleic Acids Res. 16:7583-7600 (1988); Alting-Mees, M. A. and Short, J. M., Nucleic Acids Res. 25 17:9494 (1989)) and pBK (Alting-Mees, M. A. et al., Strategies 5:58-61 (1992)) are commercially available from Stratagene Cloning Systems, Inc., 11011 N. Torrey Pines Road, La Jolla, CA, 92037. pBS contains an ampicillin resistance gene and pBK contains a neomycin resistance gene. Both can be transformed into E. coli strain XL-1 Blue, also available from Stratagene. pBS comes in 4 forms SK+, SK-, KS+ and KS. The S and K refers to the orientation of the polylinker to the T7 and T3  
 30

primer sequences which flank the polylinker region ("S" is for SacI and "K" is for KpnI which are the first sites on each respective end of the linker). "+" or "-" refer to the orientation of the fl ori of replication ("ori"), such that in one orientation, single stranded rescue initiated from the fl ori generates sense strand DNA and in the other, antisense.

Vectors pSport1, pCMVSPORT 2.0 and pCMVSPORT 3.0, were obtained from Life Technologies, Inc., P. O. Box 6009, Gaithersburg, MD 20897. All Sport vectors contain an ampicillin resistance gene and may be transformed into E. coli strain DH10B, also available from Life Technologies. (See, for instance, Gruber, C. E., et al., Focus 15:59 (1993).) Vector lacmid BA (Bento Soares, Columbia University, NY) contains an ampicillin resistance gene and can be transformed into E. coli strain XL-1 Blue. Vector pCR<sup>®</sup>2.1, which is available from Invitrogen, 1600 Faraday Avenue, Carlsbad, CA 92008, contains an ampicillin resistance gene and may be transformed into E. coli strain DH10B, available from Life Technologies. (See, for instance, Clark, J. M., Nuc. Acids Res. 16:9677-9686 (1988) and Mead, D. et al., Bio/Technology 9: (1991).) Preferably, a polynucleotide of the present invention does not comprise the phage vector sequences identified for the particular clone in Table 5, as well as the corresponding plasmid vector sequences designated above.

The deposited material in the sample assigned the ATCC Deposit Number cited by reference to Table 2 and 5 for any given cDNA clone also may contain one or more additional plasmids, each comprising a cDNA clone different from that given clone. Thus, deposits sharing the same ATCC Deposit Number contain at least a plasmid for each cDNA clone referenced in Table 1.

**TABLE 5**

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HUKA HUKB HUKC HUKD HUKF HUKG	Human Uterine Cancer	Lambda ZAP II	LP01
HCNA HCNB	Human Colon	Lambda Zap II	LP01
HFFA	Human Fetal Brain, random primed	Lambda Zap II	LP01
HTWA	Resting T-Cell	Lambda ZAP II	LP01
HBQA	Early Stage Human Brain, random primed	Lambda ZAP II	LP01
HLMB HLMF HLMG HLMH HLMJ HLMK HLMN	breast lymph node CDNA library	Lambda ZAP II	LP01
HCQA HCQB	human colon cancer	Lambda ZAP II	LP01
HMEA HMEC HMED HMEF HMEG HMEI HMEJ HMEK HMEI	Human Microvascular Endothelial Cells, fract. A	Lambda ZAP II	LP01
HUSA HUSC	Human Umbilical Vein Endothelial Cells, fract. A	Lambda ZAP II	LP01
HLQA HLQB	Hepatocellular Tumor	Lambda ZAP II	LP01
HHGA HHGB HHGC HHGD	Hemangiopericytoma	Lambda ZAP II	LP01
HSDM	Human Striatum Depression, re-rescue	Lambda ZAP II	LP01
HUSH	H Umbilical Vein Endothelial Cells, frac A, re-excision	Lambda ZAP II	LP01
HSGS	Salivary gland, subtracted	Lambda ZAP II	LP01
HFXA HFXB HFXC HFXD HFXE HFXF HFXG HFXH	Brain frontal cortex	Lambda ZAP II	LP01
HPQA HPQB HPQC	PERM TF274	Lambda ZAP II	LP01
HFXJ HFXK	Brain Frontal Cortex, re-excision	Lambda ZAP II	LP01
HCWA HCWB HCWC HCWD HCWE HCWF HCWG HCWH HCWI HCWJ HCWK	CD34 positive cells (Cord Blood)	ZAP Express	LP02
HCUA HCUB HCUC	CD34 depleted Buffy Coat (Cord Blood)	ZAP Express	LP02
HRSM	A-14 cell line	ZAP Express	LP02
HRSA	A1-CELL LINE	ZAP Express	LP02
HCUD HCUE HCUF HCUG HCUH HCUI	CD34 depleted Buffy Coat (Cord Blood), re-excision	ZAP Express	LP02
HBXE HBXF HBXG	H. Whole Brain #2, re-excision	ZAP Express	LP02
HRLM	L8 cell line	ZAP Express	LP02
HBXA HBXB HBXC HBXD	Human Whole Brain #2 - Oligo dT > 1.5Kb	ZAP Express	LP02
HUDA HUDB HUDC	Testes	ZAP Express	LP02
HHTM HHTN HHTO	H. hypothalamus, frac A; re-excision	ZAP Express	LP02
HHTL	H. hypothalamus, frac A	ZAP Express	LP02
HASA HASD	Human Adult Spleen	Uni-ZAP XR	LP03
HFKC HFKD HFKE HFKF HFKG	Human Fetal Kidney	Uni-ZAP XR	LP03
HE8A HE8B HE8C HE8D HE8E HE8F HE8M HE8N	Human 8 Week Whole Embryo	Uni-ZAP XR	LP03
HGBA HGBD HGBE HGBF HGBG HGBH HGBI	Human Gall Bladder	Uni-ZAP XR	LP03

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HLHA HLHB HLHC HLHD HLHE HLHF HLHG HLHH HLHQ	Human Fetal Lung III	Uni-ZAP XR	LP03
HPMA HPMB HPMC HPMD HPME HPMF HPMG HPMH	Human Placenta	Uni-ZAP XR	LP03
HPRA HPRB HPRC HPRD	Human Prostate	Uni-ZAP XR	LP03
HSIA HSIC HSID HSIE	Human Adult Small Intestine	Uni-ZAP XR	LP03
HTEA HTEB HTEC HTED HTEE HTEF HTEG HTEH HTEI HTEJ HTEK	Human Testes	Uni-ZAP XR	LP03
HTPA HTPB HTPC HTPD HTPE	Human Pancreas Tumor	Uni-ZAP XR	LP03
HTTA HTTB HTTC HTTD HTTE HTTF	Human Testes Tumor	Uni-ZAP XR	LP03
HAPA HAPB HAPC HAPM	Human Adult Pulmonary	Uni-ZAP XR	LP03
HETA HETB HETC HETD HETE HETF HETG HETH HETI	Human Endometrial Tumor	Uni-ZAP XR	LP03
HHFB HHFC HHFD HHFE HHFF HHFG HHFH HHFI	Human Fetal Heart	Uni-ZAP XR	LP03
HHPB HHPC HHPD HHPE HHPF HHPG HHPH	Human Hippocampus	Uni-ZAP XR	LP03
HCE1 HCE2 HCE3 HCE4 HCE5 HCEB HCEC HCED HCEE HCEF HCEG	Human Cerebellum	Uni-ZAP XR	LP03
HUVB HUV C HUVD HUVE	Human Umbilical Vein. Endo. remake	Uni-ZAP XR	LP03
HSTA HSTB HSTC HSTD	Human Skin Tumor	Uni-ZAP XR	LP03
HTAA HTAB HTAC HTAD HTAE	Human Activated T-Cells	Uni-ZAP XR	LP03
HFEA HFEB HFEC	Human Fetal Epithelium (Skin)	Uni-ZAP XR	LP03
HJPA HJPB HJPC HJPD	HUMAN JURKAT MEMBRANE BOUND POLYSOMES	Uni-ZAP XR	LP03
HESA	Human epithelioid sarcoma	Uni-Zap XR	LP03
HLTA HLTB HLTC HLTD HLTE HLTF	Human T-Cell Lymphoma	Uni-ZAP XR	LP03
HFTA HFTB HFTC HFTD	Human Fetal Dura Mater	Uni-ZAP XR	LP03
HRDA HRDB HRDC HRDD HRDE HRDF	Human Rhabdomyosarcoma	Uni-ZAP XR	LP03
HCAA HCAB HCAC	Cem cells cyclohexamide treated	Uni-ZAP XR	LP03
HRGA HRGB HRGC HRGD	Raji Cells, cyclohexamide treated	Uni-ZAP XR	LP03
HSUA HSUB HSUC HSUM	Supt Cells, cyclohexamide treated	Uni-ZAP XR	LP03
HT4A HT4C HT4D	Activated T-Cells, 12 hrs.	Uni-ZAP XR	LP03
HE9A HE9B HE9C HE9D HE9E HE9F HE9G HE9H HE9M HE9N	Nine Week Old Early Stage Human	Uni-ZAP XR	LP03
HATA HATB HATC HATD HATE	Human Adrenal Gland Tumor	Uni-ZAP XR	LP03
HTSA	Activated T-Cells, 24 hrs.	Uni-ZAP XR	LP03
HFGA HFGM	Human Fetal Brain	Uni-ZAP XR	LP03
HNEA HNEB HNEC HNED HNEE	Human Neutrophil	Uni-ZAP XR	LP03
HBGB HBGD	Human Primary Breast Cancer	Uni-ZAP XR	LP03
HBNA HBNB	Human Normal Breast	Uni-ZAP XR	LP03
HCAS	Cem Cells, cyclohexamide treated, subtra	Uni-ZAP XR	LP03
HHPS	Human Hippocampus, subtracted	pBS	LP03
HKCS HKCU	Human Colon Cancer, subtracted	pBS	LP03
HRGS	Raji cells, cyclohexamide treated,	pBS	LP03

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
	subtracted		
HSUT	Supt cells, cyclohexamide treated, differentially expressed	pBS	LP03
HT4S	Activated T-Cells, 12 hrs, subtracted	Uni-ZAP XR	LP03
HCDA HCDB HCDC HCDD HCDE	Human Chondrosarcoma	Uni-ZAP XR	LP03
HOAA HOAB HOAC	Human Osteosarcoma	Uni-ZAP XR	LP03
HTLA HTLB HTLC HTLD HTLE HTLF	Human adult testis, large inserts	Uni-ZAP XR	LP03
HLMA HLMC HLMD	Breast Lymph node cDNA library	Uni-ZAP XR	LP03
H6EA H6EB H6EC	HL-60, PMA 4H	Uni-ZAP XR	LP03
HTXA HTXB HTXC HTXD HTXE HTXF HTXG HTXH	Activated T-Cell (12hs)/Thiouridine labelledEco	Uni-ZAP XR	LP03
HNFA HNFb HNFc HNFD HNFE HNFF HNFG HNFH HNFI	Human Neutrophil, Activated	Uni-ZAP XR	LP03
HTOB HTOC	HUMAN TONSILS, FRACTION 2	Uni-ZAP XR	LP03
HMGB	Human OB MG63 control fraction I	Uni-ZAP XR	LP03
HOPB	Human OB HOS control fraction I	Uni-ZAP XR	LP03
HORB	Human OB HOS treated (10 nM E2) fraction I	Uni-ZAP XR	LP03
HSVA HSVB HSVc	Human Chronic Synovitis	Uni-ZAP XR	LP03
HROA	HUMAN STOMACH	Uni-ZAP XR	LP03
HBJA HBJB HBJC HBJD HBJE HBJF HBJG HBJH HBJI HBJJ HBJK	HUMAN B CELL LYMPHOMA	Uni-ZAP XR	LP03
HCRA HCRB HCRC	human corpus colosum	Uni-ZAP XR	LP03
HODA HODB HODC HODD	human ovarian cancer	Uni-ZAP XR	LP03
HDSA	Dermatofibrosarcoma Protuberance	Uni-ZAP XR	LP03
HMWA HMWB HMWC HMWD HMWE HMWF HMWG HMWH HMWI HMWJ	Bone Marrow Cell Line (RS4;11)	Uni-ZAP XR	LP03
HSOA	stomach cancer (human)	Uni-ZAP XR	LP03
HERA	SKIN	Uni-ZAP XR	LP03
HMDA	Brain-medulloblastoma	Uni-ZAP XR	LP03
HGLA HGLB HGLD	Glioblastoma	Uni-ZAP XR	LP03
HEAA	H. Atrophic Endometrium	Uni-ZAP XR	LP03
HBCA HBCB	H. Lymph node breast Cancer	Uni-ZAP XR	LP03
HPWT	Human Prostate BPH, re-excision	Uni-ZAP XR	LP03
HFVG HFVH HFVI	Fetal Liver, subtraction II	pBS	LP03
HNFI	Human Neutrophils, Activated, re-excision	pBS	LP03
HBMB HBMC HBMD	Human Bone Marrow, re-excision	pBS	LP03
HKML HKMM HKMN	H. Kidney Medulla, re-excision	pBS	LP03
HKIX HKIY	H. Kidney Cortex, subtracted	pBS	LP03
HADT	H. Amygdala Depression, subtracted	pBS	LP03
H6AS	HL-60, untreated, subtracted	Uni-ZAP XR	LP03
H6ES	HL-60, PMA 4H, subtracted	Uni-ZAP XR	LP03
H6BS	HL-60, RA 4h, Subtracted	Uni-ZAP XR	LP03
H6CS	HL-60, PMA 1d, subtracted	Uni-ZAP XR	LP03

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HTXJ HTXK	Activated T-cell(12h)/Thiouridine-re-excision	Uni-ZAP XR	LP03
HMSA HMSB HMSC HMSD HMSE HMSF HMSG HMSH HMSI HMSJ HMSK	Monocyte activated	Uni-ZAP XR	LP03
HAGA HAGB HAGC HAGD HAGE HAGF	Human Amygdala	Uni-ZAP XR	LP03
HSRA HSRB HSRE	STROMAL -OSTEOCLASTOMA	Uni-ZAP XR	LP03
HSRD HSRF HSRG HSRH	Human Osteoclastoma Stromal Cells - unamplified	Uni-ZAP XR	LP03
HSQA HSQB HSQC HSQD HSQE HSQF HSQG	Stromal cell TF274	Uni-ZAP XR	LP03
HSKA HSKB HSKC HSKD HSKE HSKF HSKZ	Smooth muscle, serum treated	Uni-ZAP XR	LP03
HSLA HSLB HSLC HSLD HSLF HSLF HSLG	Smooth muscle control	Uni-ZAP XR	LP03
HSDA HSDD HSDE HSDF HSDG HSDH	Spinal cord	Uni-ZAP XR	LP03
HPWS	Prostate-BPH subtracted II	pBS	LP03
HSKW HSKX HSKY	Smooth Muscle- HASTE normalized	pBS	LP03
HFPB HFPC HFPD	H. Frontal cortex.epileptic;re-excision	Uni-ZAP XR	LP03
HSDI HSDJ HSDK	Spinal Cord, re-excision	Uni-ZAP XR	LP03
HSKN HSKO	Smooth Muscle Serum Treated. Norm	pBS	LP03
HSKG HSKH HSKI	Smooth muscle, serum induced,re-exc	pBS	LP03
HFCA HFCB HFCC HFCD HFCE HFCF	Human Fetal Brain	Uni-ZAP XR	LP04
HPTA HPTB HPTD	Human Pituitary	Uni-ZAP XR	LP04
HTHB HTHC HTHD	Human Thymus	Uni-ZAP XR	LP04
HE6B HE6C HE6D HE6E HE6F HE6G HE6S	Human Whole Six Week Old Embryo	Uni-ZAP XR	LP04
HSSA HSSB HSSC HSSD HSSE HSSF HSSG HSSH HSSI HSSJ HSSK	Human Synovial Sarcoma	Uni-ZAP XR	LP04
HE7T	7 Week Old Early Stage Human, subtracted	Uni-ZAP XR	LP04
HEPA HEPB HEPC	Human Epididymus	Uni-ZAP XR	LP04
HSNA HSNB HSNB HSNM HSNM HSNN	Human Synovium	Uni-ZAP XR	LP04
HPFB HPFC HPFD HPFE	Human Prostate Cancer, Stage C fraction	Uni-ZAP XR	LP04
HE2A HE2D HE2E HE2H HE2I HE2M HE2N HE2O	12 Week Old Early Stage Human	Uni-ZAP XR	LP04
HE2B HE2C HE2F HE2G HE2P HE2Q	12 Week Old Early Stage Human, II	Uni-ZAP XR	LP04
HPTS HPTT HPTU	Human Pituitary, subtracted	Uni-ZAP XR	LP04
HAUA HAUB HAUC	Amniotic Cells - TNF induced	Uni-ZAP XR	LP04
HAQA HAQB HAQC HAQD	Amniotic Cells - Primary Culture	Uni-ZAP XR	LP04
HWTA HWTB HWTC	wilm's tumor	Uni-ZAP XR	LP04
HBSD	Bone Cancer, re-excision	Uni-ZAP XR	LP04
HSGB	Salivary gland, re-excision	Uni-ZAP XR	LP04
HSJA HSJB HSJC	Smooth muscle-ILb induced	Uni-ZAP XR	LP04
HSXA HSXB HSXC HSXD	Human Substantia Nigra	Uni-ZAP XR	LP04
HSXA HSXB HSXC HSXD	Smooth muscle, IL1b induced	Uni-ZAP XR	LP04

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HOUA HOUB HOUC HOUD HOUE	Adipocytes	Uni-ZAP XR	LP04
HPWA HPWB HPWC HPWD HPWE	Prostate BPH	Uni-ZAP XR	LP04
HELA HELB HELC HELD HELE HELF HELG HELH	Endothelial cells-control	Uni-ZAP XR	LP04
HEMA HEMB HEMC HEMD HEME HEMF HEMG HEMH	Endothelial-induced	Uni-ZAP XR	LP04
HBIA HBIB HBIC	Human Brain, Striatum	Uni-ZAP XR	LP04
HHSA HHSB HHSC HHSD HHSE	Human Hypothalamus.Schizophrenia	Uni-ZAP XR	LP04
HNGA HNGB HNGC HNGD HNGE HNGF HNGG HNGH HNGI HNGJ	neutrophils control	Uni-ZAP XR	LP04
HNHA HNHB HNHC HNHD HNHE HNHF HNHG HNHH HNHI HNHI	Neutrophils IL-1 and LPS induced	Uni-ZAP XR	LP04
HSDB HSDC	STRIATUM DEPRESSION	Uni-ZAP XR	LP04
HHPT	Hypothalamus	Uni-ZAP XR	LP04
HSAT HSAU HSAV HSAW HSAX HSAY HSAZ	Anergic T-cell	Uni-ZAP XR	LP04
HBMS HBMT HBMU HBMV HBMW HBMX	Bone marrow	Uni-ZAP XR	LP04
HOEA HOEB HOEC HOED HOEE HOEF HOEJ	Osteoblasts	Uni-ZAP XR	LP04
HAIA HAIB HAIC HAID HAIE HAIF	Epithelial-TNF $\alpha$ and INF induced	Uni-ZAP XR	LP04
HTGA HTGB HTGC HTGD	Apoptotic T-cell	Uni-ZAP XR	LP04
HMCA HMCB HMCC HMCD HMCE	Macrophage-oxLDL	Uni-ZAP XR	LP04
HMAA HMAB HMAB HMAD HMAE HMAF HMAG	Macrophage (GM-CSF treated)	Uni-ZAP XR	LP04
HPHA	Normal Prostate	Uni-ZAP XR	LP04
HPIA HPIB HPIC	LNCAP prostate cell line	Uni-ZAP XR	LP04
HPJA HPJB HPJC	PC3 Prostate cell line	Uni-ZAP XR	LP04
HOSE HOSF HOSG	Human Osteoclastoma, re-excision	Uni-ZAP XR	LP04
HTGE HTGF	Apoptotic T-cell, re-excision	Uni-ZAP XR	LP04
HMAJ HMAK	H Macrophage (GM-CSF treated), re-excision	Uni-ZAP XR	LP04
HACB HACC HACD	Human Adipose Tissue, re-excision	Uni-ZAP XR	LP04
HFFA	H. Frontal Cortex, Epileptic	Uni-ZAP XR	LP04
HFAA HFAB HFAC HFAD HFAE	Alzheimers, spongy change	Uni-ZAP XR	LP04
HFAM	Frontal Lobe, Dementia	Uni-ZAP XR	LP04
HMIA HMIB HMIC	Human Manic Depression Tissue	Uni-ZAP XR	LP04
HTSA HTSE HTSF HTSG HTSH	Human Thymus	pBS	LP05
HPBA HPBB HPBC HPBD HPBE	Human Pineal Gland	pBS	LP05
HSAA HSAB HSAC	HSA 172 Cells	pBS	LP05
HSBA HSBB HSBC HSBM	HSC172 cells	pBS	LP05
HJAA HJAB HJAC HJAD	Jurkat T-cell G1 phase	pBS	LP05
HJBA HJBB HJBC HJBD	Jurkat T-Cell, S phase	pBS	LP05
HAFA HAFB	Aorta endothelial cells + TNF- $\alpha$	pBS	LP05
HAWA HAWB HAWC	Human White Adipose	pBS	LP05
HTNA HTNB	Human Thyroid	pBS	LP05
HONA	Normal Ovary, Premenopausal	pBS	LP05

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HARA HARB	Human Adult Retina	pBS	LP05
HLJA HLJB	Human Lung	pCMVSPORT 1	LP06
HOFM HOFN HOFO	H. Ovarian Tumor, II, OV5232	pCMVSPORT 2.0	LP07
HOGA HOGB HOGC	OV 10-3-95	pCMVSPORT 2.0	LP07
HCGL	CD34+cells. II	pCMVSPORT 2.0	LP07
HDLA	Hodgkin's Lymphoma I	pCMVSPORT 2.0	LP07
HDTA HDTB HDTC HDTD HDTE	Hodgkin's Lymphoma II	pCMVSPORT 2.0	LP07
HKAA HKAB HKAC HKAD HKAE HKAF HKAG HKAH	Keratinocyte	pCMVSPORT2.0	LP07
HCIM	CAPFINDER, Crohn's Disease, lib 2	pCMVSPORT 2.0	LP07
HKAL	Keratinocyte, lib 2	pCMVSPORT2.0	LP07
HKAT	Keratinocyte, lib 3	pCMVSPORT2.0	LP07
HNDA	Nasal polyps	pCMVSPORT2.0	LP07
HDRA	H. Primary Dendritic Cells.lib 3	pCMVSPORT2.0	LP07
HOHA HOHB HOHC	Human Osteoblasts II	pCMVSPORT2.0	LP07
HLDA HLDB HLDC	Liver, Hepatoma	pCMVSPORT3.0	LP08
HLDN HLDO HLDP	Human Liver, normal	pCMVSPORT3.0	LP08
HMTA	pBMC stimulated w/ poly I/C	pCMVSPORT3.0	LP08
HNTA	NTERA2, control	pCMVSPORT3.0	LP08
HDP A HDPB HDPC HDPD HDPF HDPG HDPH HDPI HDPJ HDPK	Primary Dendritic Cells, lib 1	pCMVSPORT3.0	LP08
HDP M HDPN HDPO HDPP	Primary Dendritic cells,frac 2	pCMVSPORT3.0	LP08
HMUA HMUB HMUC	Myeloid Progenitor Cell Line	pCMVSPORT3.0	LP08
HHEA HHEB HHEC HHED	T Cell helper I	pCMVSPORT3.0	LP08
HHEM HHEN HHEO HHPE	T cell helper II	pCMVSPORT3.0	LP08
HEQA HEQB HEQC	Human endometrial stromal cells	pCMVSPORT3.0	LP08
HJMA HJMB	Human endometrial stromal cells- treated with progesterone	pCMVSPORT3.0	LP08
HSWA HSWB HSWC	Human endometrial stromal cells- treated with estradiol	pCMVSPORT3.0	LP08
HSYA HSYB HSYC	Human Thymus Stromal Cells	pCMVSPORT3.0	LP08
HLWA HLWB HLWC	Human Placenta	pCMVSPORT3.0	LP08
HRAA HRAB HRAC	Rejected Kidney, lib 4	pCMVSPORT3.0	LP08
HMTM	PCR, pBMC I/C treated	PCRII	LP09
HMJA	H. Meningioma, M6	pSport 1	LP10
HMKA HMKB HMKC HMKD HMKE	H. Meningioma, M1	pSport 1	LP10
HUSG HUSI	Human umbilical vein endothelial cells, IL-4 induced	pSport 1	LP10
HUSX HUSY	Human Umbilical Vein Endothelial Cells, uninduced	pSport 1	LP10
HOFA	Ovarian Tumor I, OV5232	pSport 1	LP10
HCFA HCFB HCFC HCFD	T-Cell PHA 16 hrs	pSport 1	LP10
HCFL HCFM HCFN HCFO	T-Cell PHA 24 hrs	pSport 1	LP10
HADA HADC HADD HADE HADF HADG	Human Adipose	pSport 1	LP10
HOVA HOVB HOVC	Human Ovary	pSport 1	LP10



Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HTWB HTWC HTWD HTWE HTWF	Resting T-Cell Library,II	pSport 1	LP10
HMMA	Spleen metastatic melanoma	pSport 1	LP10
HLYA HLYB HLYC HLYD HLYE	Spleen, Chronic lymphocytic leukemia	pSport 1	LP10
HCGA	CD34+ cell, I	pSport 1	LP10
HEOM HEON	Human Eosinophils	pSport 1	LP10
HTDA	Human Tonsil, Lib 3	pSport 1	LP10
HSPA	Salivary Gland, Lib 2	pSport 1	LP10
HCHA HCHB HCHC	Breast Cancer cell line, MDA 36	pSport 1	LP10
HCHM HCHN	Breast Cancer Cell line, angiogenic	pSport 1	LP10
HCIA	Crohn's Disease	pSport 1	LP10
HDAA HDAB HDAC	HEL cell line	pSport 1	LP10
HABA	Human Astrocyte	pSport 1	LP10
HUFA HUFB HUFC	Ulcerative Colitis	pSport 1	LP10
HNTM	NTERA2 + retinoic acid, 14 days	pSport 1	LP10
HDQA	Primary Dendritic cells,CapFinder2, frac 1	pSport 1	LP10
HDQM	Primary Dendritic Cells, CapFinder, frac 2	pSport 1	LP10
HLDX	Human Liver, normal,CapFinder	pSport 1	LP10
HULA HULB HULC	Human Dermal Endothelial Cells,untreated	pSport1	LP10
HUMA	Human Dermal Endothelial cells,treated	pSport1	LP10
HCJA	Human Stromal Endometrial fibroblasts, untreated	pSport1	LP10
HCJM	Human Stromal endometrial fibroblasts, treated w/ estradiol	pSport1	LP10
HEDA	Human Stromal endometrial fibroblasts, treated with progesterone	pSport1	LP10
HFNA	Human ovary tumor cell OV350721	pSport1	LP10
HKGA HKGB HKGC HKGD	Merkel Cells	pSport1	LP10
HISA HISB HISC	Pancreas Islet Cell Tumor	pSport1	LP10
HLSA	Skin, burned	pSport1	LP10
HBZA	Prostate,BPH, Lib 2	pSport 1	LP10
HBZS	Prostate BPH,Lib 2, subtracted	pSport 1	LP10
HFIA HFIB HFIC	Synovial Fibroblasts (control)	pSport 1	LP10
HFIH HFII HFIJ	Synovial hypoxia	pSport 1	LP10
HFIT HFIU HFIV	Synovial IL-1/TNF stimulated	pSport 1	LP10
HGCA	Messangial cell, frac 1	pSport1	LP10
HMVA HMVB HMVC	Bone Marrow Stromal Cell, untreated	pSport1	LP10
HFIX HFIY HFIZ	Synovial Fibroblasts (III/TNF), subt	pSport1	LP10
HFOX HFOY HFOZ	Synovial hypoxia-RSF subtracted	pSport1	LP10
HMQA HMQB HMQC HMQD	Human Activated Monocytes	Uni-ZAP XR	LP11
HLIA HLIB HLIC	Human Liver	pCMVSPORT 1	LP012
HHBA HHBB HHBC HHBD HHBE	Human Heart	pCMVSPORT 1	LP012
HBBA HBBB	Human Brain	pCMVSPORT 1	LP012
HLJA HLJB HLJC HLJD HLJE	Human Lung	pCMVSPORT 1	LP012

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HOGA HOGB HOGC	Ovarian Tumor	pCMVSPORT 2.0	LP012
HTJM	Human Tonsils. Lib 2	pCMVSPORT 2.0	LP012
HAMF HAMG	KMH2	pCMVSPORT 3.0	LP012
HAJA HAJB HAJC	L428	pCMVSPORT 3.0	LP012
HWBA HWBB HWBC HWBD HWBE	Dendritic cells, pooled	pCMVSPORT 3.0	LP012
HWAA HWAB HWAC HWAD HWAE	Human Bone Marrow. treated	pCMVSPORT 3.0	LP012
HYAA HYAB HYAC	B Cell lymphoma	pCMVSPORT 3.0	LP012
HWHG HWHH HWHI	Healing groin wound. 6.5 hours post incision	pCMVSPORT 3.0	LP012
HWHP HWHQ HWHR	Healing groin wound: 7.5 hours post incision	pCMVSPORT 3.0	LP012
HARM	Healing groin wound - zero hr post-incision (control)	pCMVSPORT 3.0	LP012
HBIM	Olfactory epithelium: nasalcavity	pCMVSPORT 3.0	LP012
HWDA	Healing Abdomen wound; 70&90 min post incision	pCMVSPORT 3.0	LP012
HWEA	Healing Abdomen Wound;15 days post incision	pCMVSPORT 3.0	LP012
HWJA	Healing Abdomen Wound;21&29 days	pCMVSPORT 3.0	LP012
HNAL	Human Tongue, frac 2	pSPORT1	LP012
HMJA	H. Meningioma, M6	pSPORT1	LP012
HMKA HMKB HMKC HMKD HMKE	H. Meningioma, M1	pSPORT1	LP012
HOFA	Ovarian Tumor I. OV5232	pSPORT1	LP012
HCFA HCFB HCFC HCFD	T-Cell PHA 16 hrs	pSPORT1	LP012
HCFL HCFM HCFN HCFO	T-Cell PHA 24 hrs	pSPORT1	LP012
HMMA HMMB HMMC	Spleen metastatic melanoma	pSPORT1	LP012
HTDA	Human Tonsil, Lib 3	pSPORT1	LP012
HDBA	Human Fetal Thymus	pSPORT1	LP012
HDUA	Pericardium	pSPORT1	LP012
HBZA	Prostate.BPH, Lib 2	pSPORT1	LP012
HWCA	Larynx tumor	pSPORT1	LP012
HWKA	Normal lung	pSPORT1	LP012
HSMB	Bone marrow stroma,treated	pSPORT1	LP012
HBHM	Normal trachea	pSPORT1	LP012
HLFC	Human Larynx	pSPORT1	LP012
HLRB	Siebben Polyposis	pSPORT1	LP012
HNIA	Mammary Gland	pSPORT1	LP012
HNJB	Palate carcinoma	pSPORT1	LP012
HNKA	Palate normal	pSPORT1	LP012
HMZA	Pharynx carcinoma	pSPORT1	LP012
HABG	Cheek Carcinoma	pSPORT1	LP012
HMZM	Pharynx Carcinoma	pSPORT1	LP012
HDRM	Larynx Carcinoma	pSPORT1	LP012
HVAA	Pancreas normal PCA4 No	pSPORT1	LP012
HICA	Tongue carcinoma	pSPORT1	LP012
HUKA HUKB HUKC HUKD HUKF	Human Uterine Cancer	Lambda ZAP II	LP013
HFFA	Human Fetal Brain, random primed	Lambda ZAP II	LP013
HTUA	Activated T-cell labeled with 4-thioluri	Lambda ZAP II	LP013

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HBQA	Early Stage Human Brain, random primed	Lambda ZAP II	LP013
HMEB	Human microvascular Endothelial cells, fract. B	Lambda ZAP II	LP013
HUSH	Human Umbilical Vein Endothelial cells, fract. A, re-excision	Lambda ZAP II	LP013
HLQC HLQD	Hepatocellular tumor, re-excision	Lambda ZAP II	LP013
HTWJ HTWK HTWL	Resting T-cell, re-excision	Lambda ZAP II	LP013
HF6S	Human Whole 6 week Old Embryo (II), sub1	pBluescript	LP013
HHPS	Human Hippocampus, subtracted	pBluescript	LP013
HL1S	LNCAP, differential expression	pBluescript	LP013
HLHS HLHT	Early Stage Human Lung, Subtracted	pBluescript	LP013
HSUS	Supt cells, cyclohexamide treated, subtracted	pBluescript	LP013
HSUT	Supt cells, cyclohexamide treated, differentially expressed	pBluescript	LP013
HSDS	H. Striatum Depression, subtracted	pBluescript	LP013
HPTZ	Human Pituitary, Subtracted VII	pBluescript	LP013
HSDX	H. Striatum Depression, sub1 II	pBluescript	LP013
HSDZ	H. Striatum Depression, sub1	pBluescript	LP013
HPBA HPBB HPBC HPBD HPBE	Human Pineal Gland	pBluescript SK-	LP013
HRTA	Colorectal Tumor	pBluescript SK-	LP013
HSBA HSBB HSBC HSBM	HSC172 cells	pBluescript SK-	LP013
HJAA HJAB HJAC HJAD	Jurkat T-cell G1 phase	pBluescript SK-	LP013
HJBA HJBB HJBC HJBD	Jurkat T-cell, S1 phase	pBluescript SK-	LP013
HTNA HTNB	Human Thyroid	pBluescript SK-	LP013
HAHA HAHB	Human Adult Heart	Uni-ZAP XR	LP013
HE6A	Whole 6 week Old Embryo	Uni-ZAP XR	LP013
HFCA HFCB HFCC HFCD HFCE	Human Fetal Brain	Uni-ZAP XR	LP013
HFKE HFKE HFKE HFKE HFKE	Human Fetal Kidney	Uni-ZAP XR	LP013
HGBA HGBD HGBE HGBF HGBG	Human Gall Bladder	Uni-ZAP XR	LP013
HPRA HPRB HPRC HPRD	Human Prostate	Uni-ZAP XR	LP013
HTEA HTEB HTEC HTED HTEE	Human Testes	Uni-ZAP XR	LP013
HTTA HTTB HTTC HTTD HTTE	Human Testes Tumor	Uni-ZAP XR	LP013
HYBA HYBB	Human Fetal Bone	Uni-ZAP XR	LP013
HFLA	Human Fetal Liver	Uni-ZAP XR	LP013
HHFB HHFC HHFD HHFE HHFF	Human Fetal Heart	Uni-ZAP XR	LP013
HUVB HUVB HUVB HUVB	Human Umbilical Vein, End. remake	Uni-ZAP XR	LP013
HTHB HTHC HTHD	Human Thymus	Uni-ZAP XR	LP013
HSTA HSTB HSTC HSTD	Human Skin Tumor	Uni-ZAP XR	LP013
HTAA HTAB HTAC HTAD HTAE	Human Activated T-cells	Uni-ZAP XR	LP013
HFEA HFEB HFEC	Human Fetal Epithelium (skin)	Uni-ZAP XR	LP013
HJPA HJPB HJPC HJPD	Human Jurkat Membrane Bound Polysomes	Uni-ZAP XR	LP013
HESA	Human Epithelioid Sarcoma	Uni-ZAP XR	LP013
HALS	Human Adult Liver, Subtracted	Uni-ZAP XR	LP013
HFTA HFTB HFTC HFTD	Human Fetal Dura Mater	Uni-ZAP XR	LP013
HCAA HCAB HCAC	Cem cells, cyclohexamide treated	Uni-ZAP XR	LP013

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HRGA HRGB HRGC HRGD	Raji Cells, cyclohexamide treated	Uni-ZAP XR	LP013
HE9A HE9B HE9C HE9D HE9E	Nine Week Old Early Stage Human	Uni-ZAP XR	LP013
HSFA	Human Fibrosarcoma	Uni-ZAP XR	LP013
HATA HATB HATC HATD HATE	Human Adrenal Gland Tumor	Uni-ZAP XR	LP013
HTRA	Human Trachea Tumor	Uni-ZAP XR	LP013
HE2A HE2D HE2E HE2H HE2I	12 Week Old Early Stage Human	Uni-ZAP XR	LP013
HE2B HE2C HE2F HE2G HE2P	12 Week Old Early Stage Human, II	Uni-ZAP XR	LP013
HNEA HNEB HNEC HNED HNEE	Human Neutrophil	Uni-ZAP XR	LP013
HBGA	Human Primary Breast Cancer	Uni-ZAP XR	LP013
HPTS HPTT HPTU	Human Pituitary, subtracted	Uni-ZAP XR	LP013
HMQA HMQB HMQC HMQD	Human Activated Monocytes	Uni-ZAP XR	LP013
HOAA HOAB HOAC	Human Osteosarcoma	Uni-ZAP XR	LP013
HTOA HTOD HTOE HTOF HTOG	human tonsils	Uni-ZAP XR	LP013
HMGB	Human OB MG63 control fraction I	Uni-ZAP XR	LP013
HOPB	Human OB HOS control fraction I	Uni-ZAP XR	LP013
HOQB	Human OB HOS treated (1 nM E2) fraction I	Uni-ZAP XR	LP013
HAUA HAUB HAUC	Amniotic Cells - TNF induced	Uni-ZAP XR	LP013
HAQA HAQB HAQC HAQD	Amniotic Cells - Primary Culture	Uni-ZAP XR	LP013
HROA HROC	HUMAN STOMACH	Uni-ZAP XR	LP013
HBJA HBJB HBJC HBJD HBJE	HUMAN B CELL LYMPHOMA	Uni-ZAP XR	LP013
HODA HODB HODC HODD	human ovarian cancer	Uni-ZAP XR	LP013
HCPA	Corpus Callosum	Uni-ZAP XR	LP013
HSOA	stomach cancer (human)	Uni-ZAP XR	LP013
HERA	SKIN	Uni-ZAP XR	LP013
HMDA	Brain-medulloblastoma	Uni-ZAP XR	LP013
HGLA HGLB HGLD	Glioblastoma	Uni-ZAP XR	LP013
HWTA HWTB HWTC	wilm's tumor	Uni-ZAP XR	LP013
HEAA	H. Atrophic Endometrium	Uni-ZAP XR	LP013
HAPN HAPO HAPB HAPQ HAPR	Human Adult Pulmonary;re-excision	Uni-ZAP XR	LP013
HLTG HLTH	Human T-cell lymphoma;re-excision	Uni-ZAP XR	LP013
HAHC HAHD HAHE	Human Adult Heart;re-excision	Uni-ZAP XR	LP013
HAGA HAGB HAGC HAGD HAGE	Human Amygdala	Uni-ZAP XR	LP013
HSJA HSJB HSJC	Smooth muscle-IL1b induced	Uni-ZAP XR	LP013
HSJA HSHB HSHC	Smooth muscle, IL1b induced	Uni-ZAP XR	LP013
HPWA HPWB HPWC HPWD HPWE	Prostate BPH	Uni-ZAP XR	LP013
HPJA HPJB HPJC	LNCAP prostate cell line	Uni-ZAP XR	LP013
HPJA HPJB HPJC	PC3 Prostate cell line	Uni-ZAP XR	LP013
HBTA	Bone Marrow Stroma, TNF&LPS ind	Uni-ZAP XR	LP013
HMCF HMCB HMCH HMCI HMCJ	Macrophage-oxLDL; re-excision	Uni-ZAP XR	LP013
HAGG HAGH HAGI	Human Amygdala;re-excision	Uni-ZAP XR	LP013
HACA	H. Adipose Tissue	Uni-ZAP XR	LP013
HKFB	K562 + PMA (36 hrs);re-excision	ZAP Express	LP013
HCWT HCWU HCWV	CD34 positive cells (cord blood);re-ex	ZAP Express	LP013
HBWA	Whole brain	ZAP Express	LP013
HBXA HBXB HBXC HBXD	Human Whole Brain #2 - Oligo dT > 1.5Kb	ZAP Express	LP013

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HAVM	Temporal cortex-Alzheimer	pT-Adv	LP014
HAVT	Hippocampus, Alzheimer Subtracted	pT-Adv	LP014
HHAS	CHME Cell Line	Uni-ZAP XR	LP014
HAJR	Larynx normal	pSport 1	LP014
HWLE HWLF HWLG HWLH	Colon Normal	pSport 1	LP014
HCRM HCRN HCRO	Colon Carcinoma	pSport 1	LP014
HWLI HWLJ HWLK	Colon Normal	pSport 1	LP014
HWLH HWLR HWLS HWLT	Colon Tumor	pSport 1	LP014
HBFM	Gastrocnemius Muscle	pSport 1	LP014
HBOD HBOE	Quadriceps Muscle	pSport 1	LP014
HBKD HBKE	Soleus Muscle	pSport 1	LP014
HCCM	Pancreatic Langerhans	pSport 1	LP014
HWGA	Larynx carcinoma	pSport 1	LP014
HWGM HWGN	Larynx carcinoma	pSport 1	LP014
HWLA HWLB HWLC	Normal colon	pSport 1	LP014
HWLM HWLN	Colon Tumor	pSport 1	LP014
HVAM HVAN HVAO	Pancreas Tumor	pSport 1	LP014
HWGQ	Larynx carcinoma	pSport 1	LP014
HAQM HAQN	Salivary Gland	pSport 1	LP014
HASM	Stomach; normal	pSport 1	LP014
HBCM	Uterus; normal	pSport 1	LP014
HCDM	Testis; normal	pSport 1	LP014
HDJM	Brain; normal	pSport 1	LP014
HEFM	Adrenal Gland, normal	pSport 1	LP014
HBAA	Rectum normal	pSport 1	LP014
HFDM	Rectum tumour	pSport 1	LP014
HGAM	Colon, normal	pSport 1	LP014
HHMM	Colon, tumour	pSport 1	LP014
HCLB HCLC	Human Lung Cancer	Lambda Zap II	LP015
HRLA	L1 Cell line	ZAP Express	LP015
HHAM	Hypothalamus, Alzheimer's	pCMVSPORT 3.0	LP015
HKBA	Ku 812F Basophils Line	pSport 1	LP015
HS2S	Saos2, Dexamethosone Treated	pSport 1	LP016
HASA	Lung Carcinoma A549 TNFalpha activated	pSport 1	LP016
HTFM	TF-1 Cell Line GM-CSF Treated	pSport 1	LP016
HYAS	Thyroid Tumour	pSport 1	LP016
HUTS	Larynx Normal	pSport 1	LP016
HXOA	Larynx Tumor	pSport 1	LP016
HEAH	Ea.hy.926 cell line	pSport 1	LP016
HINA	Adenocarcinoma Human	pSport 1	LP016
HRMA	Lung Mesothelium	pSport 1	LP016
HLCL	Human Pre-Differentiated Adipocytes	Uni-Zap XR	LP017
HS2A	Saos2 Cells	pSport 1	LP020
HS2I	Saos2 Cells; Vitamin D3 Treated	pSport 1	LP020
HUCM	CHME Cell Line, untreated	pSport 1	LP020
HEPN	Aryepiglottis Normal	pSport 1	LP020

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HPSN	Sinus Piniformis Tumour	pSport 1	LP020
HNSA	Stomach Normal	pSport 1	LP020
HNSM	Stomach Tumour	pSport 1	LP020
HNLA	Liver Normal Met5No	pSport 1	LP020
HUTA	Liver Tumour Met 5 Tu	pSport 1	LP020
HOCN	Colon Normal	pSport 1	LP020
HOCT	Colon Tumour	pSport 1	LP020
HTNT	Tongue Tumour	pSport 1	LP020
HLXN	Larynx Normal	pSport 1	LP020
HLXT	Larynx Tumour	pSport 1	LP020
HTYN	Thymus	pSport 1	LP020
HPLN	Placenta	pSport 1	LP020
HTNG	Tongue Normal	pSport 1	LP020
HZAA	Thyroid Normal (SDCA2 No)	pSport 1	LP020
HWES	Thyroid Thyroiditis	pSport 1	LP020
HFHD	Ficollated Human Stromal Cells, 5Fu treated	pTrip1Ex2	LP021
HFHM,HFHN	Ficollated Human Stromal Cells, Untreated	pTrip1Ex2	LP021
HPCI	Hep G2 Cells, lambda library	lambda Zap-CMV XR	LP021
HBCA,HBCB,HBCC	H. Lymph node breast Cancer	Uni-ZAP XR	LP021
HCOK	Chondrocytes	pSPORT1	LP022
HDCA, HDCB, HDCC	Dendritic Cells From CD34 Cells	pSPORT1	LP022
HDMA, HDMB	CD40 activated monocyte dendritic cells	pSPORT1	LP022
HDDM, HDDN, HDDO	LPS activated derived dendritic cells	pSPORT1	LP022
HPCR	Hep G2 Cells, PCR library	lambda Zap-CMV XR	LP022
HAAA, HAAB, HAAC	Lung, Cancer (4005313A3): Invasive Poorly Differentiated Lung Adenocarcinoma	pSPORT1	LP022
HIPA, HIPB, HIPC	Lung, Cancer (4005163 B7): Invasive, Poorly Diff. Adenocarcinoma, Metastatic	pSPORT1	LP022
HOOH, HOOI	Ovary, Cancer: (4004562 B6) Papillary Serous Cystic Neoplasm, Low Malignant Pot	pSPORT1	LP022
HIDA	Lung, Normal: (4005313 B1)	pSPORT1	LP022
HUJA,HUJB,HUJC,HUJD,HUJE	B-Cells	pCMVSPORT 3.0	LP022
HNOA,HNOB,HNOC,HNOD	Ovary, Normal: (9805C040R)	pSPORT1	LP022
HNLM	Lung, Normal: (4005313 B1)	pSPORT1	LP022
HSCL	Stromal Cells	pSPORT1	LP022
HAAX	Lung, Cancer: (4005313 A3) Invasive Poorly-differentiated Metastatic lung adenocarcinoma	pSPORT1	LP022
HUUA,HUUB,HUUC,HUUD	B-cells (unstimulated)	pTrip1Ex2	LP022
HWWA,HWWB,HWWC,HWWD,HWE,HWWF,HWWG	B-cells (stimulated)	pSPORT1	LP022
HCCC	Colon, Cancer: (9808C064R)	pCMVSPORT 3.0	LP023
HPDO HPDP HPDQ HPDR HPD	Ovary, Cancer (9809C332): Poorly differentiated adenocarcinoma	pSport 1	LP023

Libraries owned by Catalog	Catalog Description	Vector	ATCC Deposit
HPCO HPCP HPCQ HPCT	Ovary, Cancer (15395A1F): Grade II Papillary Carcinoma	pSport 1	LP023
HOCM HOCO HOCQ HOCQ	Ovary, Cancer: (15799A1F) Poorly differentiated carcinoma	pSport 1	LP023
HCBM HCBN HCBO	Breast, Cancer: (4004943 A5)	pSport 1	LP023
HNBT HNBH HNBV	Breast, Normal: (4005522B2)	pSport 1	LP023
HBCP HBCQ	Breast, Cancer: (4005522 A2)	pSport 1	LP023
HBCJ	Breast, Cancer: (9806C012R)	pSport 1	LP023
HSAM HSAN	Stromal cells 3.88	pSport 1	LP023
HVCA HVCB HVCC HVCD	Ovary, Cancer: (4004332 A2)	pSport 1	LP023
HSCK HSEN HSEO	Stromal cells (HBM3.18)	pSport 1	LP023
HSCP HSCQ	stromal cell clone 2.5	pSport 1	LP023
HUXA	Breast Cancer: (4005385 A2)	pSport 1	LP023
HCOM HCON HCOO HCOP HCOQ	Ovary, Cancer (4004650 A3): Well-Differentiated Micropapillary Serous Carcinoma	pSport 1	LP023
HBNM	Breast, Cancer: (9802C020E)	pSport 1	LP023
HVVA HVVB HVVC HVVD HVVE	Human Bone Marrow, treated	pSport 1	LP023

Two approaches can be used to isolate a particular clone from the deposited sample of plasmid DNAs cited for that clone in Table 5. First, a plasmid is directly isolated by screening the clones using a polynucleotide probe corresponding to the nucleotide sequence of SEQ ID NO:X.

5        Particularly, a specific polynucleotide with 30-40 nucleotides is synthesized using an Applied Biosystems DNA synthesizer according to the sequence reported. The oligonucleotide is labeled, for instance, with  $^{32}\text{P}$ - $\gamma$ -ATP using T4 polynucleotide kinase and purified according to routine methods. (E.g., Maniatis et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Press, Cold Spring, NY (1982).) The plasmid  
10        mixture is transformed into a suitable host, as indicated above (such as XL-1 Blue (Stratagene)) using techniques known to those of skill in the art, such as those provided by the vector supplier or in related publications or patents cited above. The transformants are plated on 1.5% agar plates (containing the appropriate selection agent, e.g., ampicillin) to a density of about 150 transformants (colonies) per plate. These plates are screened using  
15        Nylon membranes according to routine methods for bacterial colony screening (e.g., Sambrook et al., *Molecular Cloning: A Laboratory Manual*, 2nd Edit., (1989), Cold Spring Harbor Laboratory Press, pages 1.93 to 1.104), or other techniques known to those of skill in the art.

      Alternatively, two primers of 17-20 nucleotides derived from both ends of the  
20        nucleotide sequence of SEQ ID NO:X are synthesized and used to amplify the desired cDNA using the deposited cDNA plasmid as a template. The polymerase chain reaction is carried out under routine conditions, for instance, in 25  $\mu\text{l}$  of reaction mixture with 0.5  $\mu\text{g}$  of the above cDNA template. A convenient reaction mixture is 1.5-5 mM  $\text{MgCl}_2$ , 0.01% (w/v) gelatin, 20  $\mu\text{M}$  each of dATP, dCTP, dGTP, dTTP, 25 pmol of each primer and 0.25 Unit of  
25        Taq polymerase. Thirty five cycles of PCR (denaturation at 94°C for 1 min; annealing at 55°C for 1 min; elongation at 72°C for 1 min) are performed with a Perkin-Elmer Cetus automated thermal cycler. The amplified product is analyzed by agarose gel electrophoresis and the DNA band with expected molecular weight is excised and purified. The PCR  
30        product is verified to be the selected sequence by subcloning and sequencing the DNA product.

      Several methods are available for the identification of the 5' or 3' non-coding portions of a gene which may not be present in the deposited clone. These methods include but are not



limited to, filter probing, clone enrichment using specific probes, and protocols similar or identical to 5' and 3' "RACE" protocols which are well known in the art. For instance, a method similar to 5' RACE is available for generating the missing 5' end of a desired full-length transcript. (Fromont-Racine et al., Nucleic Acids Res. 21(7):1683-1684 (1993).)

5 Briefly, a specific RNA oligonucleotide is ligated to the 5' ends of a population of RNA presumably containing full-length gene RNA transcripts. A primer set containing a primer specific to the ligated RNA oligonucleotide and a primer specific to a known sequence of the gene of interest is used to PCR amplify the 5' portion of the desired full-length gene. This amplified product may then be sequenced and used to generate the full  
10 length gene.

This above method starts with total RNA isolated from the desired source, although poly-A<sup>+</sup> RNA can be used. The RNA preparation can then be treated with phosphatase if necessary to eliminate 5' phosphate groups on degraded or damaged RNA which may interfere with the later RNA ligase step. The phosphatase should then be inactivated and the  
15 RNA treated with tobacco acid pyrophosphatase in order to remove the cap structure present at the 5' ends of messenger RNAs. This reaction leaves a 5' phosphate group at the 5' end of the cap cleaved RNA which can then be ligated to an RNA oligonucleotide using T4 RNA ligase.

This modified RNA preparation is used as a template for first strand cDNA synthesis  
20 using a gene specific oligonucleotide. The first strand synthesis reaction is used as a template for PCR amplification of the desired 5' end using a primer specific to the ligated RNA oligonucleotide and a primer specific to the known sequence of the gene of interest. The resultant product is then sequenced and analyzed to confirm that the 5' end sequence belongs to the desired gene.

25

***Example 2: Isolation of Genomic Clones Corresponding to a Polynucleotide***

A human genomic P1 library (Genomic Systems, Inc.) is screened by PCR using primers selected for the sequence corresponding to SEQ ID NO:X, according to the method  
30 described in Example 1. (See also, Sambrook.)

***Example 3: Tissue specific expression analysis***

The Human Genome Sciences, Inc. (HGS) database is derived from sequencing tissue specific cDNA libraries. Libraries generated from a particular tissue are selected and the specific tissue expression pattern of EST groups or assembled contigs within these libraries is determined by comparison of the expression patterns of those groups or contigs within the entire database. ESTs which show tissue specific expression are selected.

The original clone from which the specific EST sequence was generated, is obtained from the catalogued library of clones and the insert amplified by PCR using methods known in the art. The PCR product is denatured then transferred in 96 well format to a nylon membrane (Schleicher and Scheull) generating an array filter of tissue specific clones. Housekeeping genes, maize genes, and known tissue specific genes are included on the filters. These targets can be used in signal normalization and to validate assay sensitivity. Additional targets are included to monitor probe length and specificity of hybridization.

Radioactively labeled hybridization probes are generated by first strand cDNA synthesis per the manufacturer's instructions (Life Technologies) from mRNA/RNA samples prepared from the specific tissue being analyzed. The hybridization probes are purified by gel exclusion chromatography, quantitated, and hybridized with the array filters in hybridization bottles at 65°C overnight. The filters are washed under stringent conditions and signals are captured using a Fuji phosphorimager.

Data is extracted using AIS software and following background subtraction, signal normalization is performed. This includes a normalization of filter-wide expression levels between different experimental runs. Genes that are differentially expressed in the tissue of interest are identified and the full length sequence of these clones is generated.

25

***Example 4: Chromosomal Mapping of the Polynucleotides***

An oligonucleotide primer set is designed according to the sequence at the 5' end of SEQ ID NO:X. This primer preferably spans about 100 nucleotides. This primer set is then used in a polymerase chain reaction under the following set of conditions : 30 seconds, 95°C; 1 minute, 56°C; 1 minute, 70°C. This cycle is repeated 32 times followed by one 5 minute

30

cycle at 70°C. Human, mouse, and hamster DNA is used as template in addition to a somatic cell hybrid panel containing individual chromosomes or chromosome fragments (Bios, Inc). The reactions is analyzed on either 8% polyacrylamide gels or 3.5 % agarose gels. Chromosome mapping is determined by the presence of an approximately 100 bp PCR  
5 fragment in the particular somatic cell hybrid.

***Example 5: Bacterial Expression of a Polypeptide***

A polynucleotide encoding a polypeptide of the present invention is amplified using  
10 PCR oligonucleotide primers corresponding to the 5' and 3' ends of the DNA sequence, as outlined in Example 1, to synthesize insertion fragments. The primers used to amplify the cDNA insert should preferably contain restriction sites, such as BamHI and XbaI, at the 5' end of the primers in order to clone the amplified product into the expression vector. For example, BamHI and XbaI correspond to the restriction enzyme sites on the bacterial  
15 expression vector pQE-9. (Qiagen, Inc., Chatsworth, CA). This plasmid vector encodes antibiotic resistance (Amp<sup>r</sup>), a bacterial origin of replication (ori), an IPTG-regulatable promoter/operator (P/O), a ribosome binding site (RBS), a 6-histidine tag (6-His), and restriction enzyme cloning sites.

The pQE-9 vector is digested with BamHI and XbaI and the amplified fragment is  
20 ligated into the pQE-9 vector maintaining the reading frame initiated at the bacterial RBS. The ligation mixture is then used to transform the E. coli strain M15/rep4 (Qiagen, Inc.) which contains multiple copies of the plasmid pREP4, which expresses the lacI repressor and also confers kanamycin resistance (Kan<sup>r</sup>). Transformants are identified by their ability to grow on LB plates and ampicillin/kanamycin resistant colonies are selected. Plasmid DNA is  
25 isolated and confirmed by restriction analysis.

Clones containing the desired constructs are grown overnight (O/N) in liquid culture in LB media supplemented with both Amp (100 ug/ml) and Kan (25 ug/ml). The O/N culture is used to inoculate a large culture at a ratio of 1:100 to 1:250. The cells are grown to an optical density 600 (O.D.<sup>600</sup>) of between 0.4 and 0.6. IPTG (Isopropyl-B-D-thiogalacto  
30 pyranoside) is then added to a final concentration of 1 mM. IPTG induces by inactivating the lacI repressor, clearing the P/O leading to increased gene expression.

Cells are grown for an extra 3 to 4 hours. Cells are then harvested by centrifugation (20 mins at 6000Xg). The cell pellet is solubilized in the chaotropic agent 6 Molar Guanidine HCl by stirring for 3-4 hours at 4°C. The cell debris is removed by centrifugation, and the supernatant containing the polypeptide is loaded onto a nickel-nitrilo-tri-acetic acid ("Ni-NTA") affinity resin column (available from QIAGEN, Inc., *supra*). Proteins with a 6 x His tag bind to the Ni-NTA resin with high affinity and can be purified in a simple one-step procedure (for details see: The QIAexpressionist (1995) QIAGEN, Inc., *supra*).

Briefly, the supernatant is loaded onto the column in 6 M guanidine-HCl, pH 8, the column is first washed with 10 volumes of 6 M guanidine-HCl, pH 8, then washed with 10 volumes of 6 M guanidine-HCl pH 6, and finally the polypeptide is eluted with 6 M guanidine-HCl, pH 5.

The purified protein is then renatured by dialyzing it against phosphate-buffered saline (PBS) or 50 mM Na-acetate, pH 6 buffer plus 200 mM NaCl. Alternatively, the protein can be successfully refolded while immobilized on the Ni-NTA column. The recommended conditions are as follows: renature using a linear 6M-1M urea gradient in 500 mM NaCl, 20% glycerol, 20 mM Tris/HCl pH 7.4, containing protease inhibitors. The renaturation should be performed over a period of 1.5 hours or more. After renaturation the proteins are eluted by the addition of 250 mM imidazole. Imidazole is removed by a final dialyzing step against PBS or 50 mM sodium acetate pH 6 buffer plus 200 mM NaCl. The purified protein is stored at 4°C or frozen at -80°C.

In addition to the above expression vector, the present invention further includes an expression vector comprising phage operator and promoter elements operatively linked to a polynucleotide of the present invention, called pHE4a. (ATCC Accession Number 209645, deposited on February 25, 1998.) This vector contains: 1) a neomycinphosphotransferase gene as a selection marker, 2) an E. coli origin of replication, 3) a T5 phage promoter sequence, 4) two lac operator sequences, 5) a Shine-Delgarno sequence, and 6) the lactose operon repressor gene (*lacIq*). The origin of replication (*oriC*) is derived from pUC19 (LTI, Gaithersburg, MD). The promoter sequence and operator sequences are made synthetically.

DNA can be inserted into the pHEa by restricting the vector with NdeI and XbaI, BamHI, XhoI, or Asp718, running the restricted product on a gel, and isolating the larger fragment (the stuffer fragment should be about 310 base pairs). The DNA insert is generated according to the PCR protocol described in Example 1, using PCR primers having restriction

sites for NdeI (5' primer) and XbaI, BamHI, XhoI, or Asp718 (3' primer). The PCR insert is gel purified and restricted with compatible enzymes. The insert and vector are ligated according to standard protocols.

The engineered vector could easily be substituted in the above protocol to express  
5 protein in a bacterial system.

***Example 6: Purification of a Polypeptide from an Inclusion Body***

The following alternative method can be used to purify a polypeptide expressed in *E*  
10 *coli* when it is present in the form of inclusion bodies. Unless otherwise specified, all of the following steps are conducted at 4-10°C.

Upon completion of the production phase of the *E. coli* fermentation, the cell culture is cooled to 4-10°C and the cells harvested by continuous centrifugation at 15,000 rpm (Heraeus Sepatech). On the basis of the expected yield of protein per unit weight of cell  
15 paste and the amount of purified protein required, an appropriate amount of cell paste, by weight, is suspended in a buffer solution containing 100 mM Tris, 50 mM EDTA, pH 7.4. The cells are dispersed to a homogeneous suspension using a high shear mixer.

The cells are then lysed by passing the solution through a microfluidizer (Microfluidics, Corp. or APV Gaulin, Inc.) twice at 4000-6000 psi. The homogenate is then  
20 mixed with NaCl solution to a final concentration of 0.5 M NaCl, followed by centrifugation at 7000 xg for 15 min. The resultant pellet is washed again using 0.5M NaCl, 100 mM Tris, 50 mM EDTA, pH 7.4.

The resulting washed inclusion bodies are solubilized with 1.5 M guanidine hydrochloride (GuHCl) for 2-4 hours. After 7000 xg centrifugation for 15 min., the pellet is  
25 discarded and the polypeptide containing supernatant is incubated at 4°C overnight to allow further GuHCl extraction.

Following high speed centrifugation (30,000 xg) to remove insoluble particles, the GuHCl solubilized protein is refolded by quickly mixing the GuHCl extract with 20 volumes of buffer containing 50 mM sodium, pH 4.5, 150 mM NaCl, 2 mM EDTA by vigorous  
30 stirring. The refolded diluted protein solution is kept at 4°C without mixing for 12 hours prior to further purification steps.

To clarify the refolded polypeptide solution, a previously prepared tangential filtration unit equipped with 0.16  $\mu\text{m}$  membrane filter with appropriate surface area (e.g., Filtron), equilibrated with 40 mM sodium acetate, pH 6.0 is employed. The filtered sample is loaded onto a cation exchange resin (e.g., Poros HS-50, Perseptive Biosystems). The column is washed with 40 mM sodium acetate, pH 6.0 and eluted with 250 mM, 500 mM, 1000 mM, and 1500 mM NaCl in the same buffer, in a stepwise manner. The absorbance at 280 nm of the effluent is continuously monitored. Fractions are collected and further analyzed by SDS-PAGE.

Fractions containing the polypeptide are then pooled and mixed with 4 volumes of water. The diluted sample is then loaded onto a previously prepared set of tandem columns of strong anion (Poros HQ-50, Perseptive Biosystems) and weak anion (Poros CM-20, Perseptive Biosystems) exchange resins. The columns are equilibrated with 40 mM sodium acetate, pH 6.0. Both columns are washed with 40 mM sodium acetate, pH 6.0, 200 mM NaCl. The CM-20 column is then eluted using a 10 column volume linear gradient ranging from 0.2 M NaCl, 50 mM sodium acetate, pH 6.0 to 1.0 M NaCl, 50 mM sodium acetate, pH 6.5. Fractions are collected under constant  $A_{280}$  monitoring of the effluent. Fractions containing the polypeptide (determined, for instance, by 16% SDS-PAGE) are then pooled.

The resultant polypeptide should exhibit greater than 95% purity after the above refolding and purification steps. No major contaminant bands should be observed from Commassie blue stained 16% SDS-PAGE gel when 5  $\mu\text{g}$  of purified protein is loaded. The purified protein can also be tested for endotoxin/LPS contamination, and typically the LPS content is less than 0.1 ng/ml according to LAL assays.

#### *Example 7: Cloning and Expression of a Polypeptide in a Baculovirus Expression System*

25

In this example, the plasmid shuttle vector pA2 is used to insert a polynucleotide into a baculovirus to express a polypeptide. This expression vector contains the strong polyhedrin promoter of the *Autographa californica* nuclear polyhedrosis virus (AcMNPV) followed by convenient restriction sites such as BamHI, Xba I and Asp718. The polyadenylation site of the simian virus 40 ("SV40") is used for efficient polyadenylation. For easy selection of recombinant virus, the plasmid contains the beta-galactosidase gene from *E. coli* under control of a weak *Drosophila* promoter in the same orientation, followed by the

30

polyadenylation signal of the polyhedrin gene. The inserted genes are flanked on both sides by viral sequences for cell-mediated homologous recombination with wild-type viral DNA to generate a viable virus that express the cloned polynucleotide.

Many other baculovirus vectors can be used in place of the vector above, such as pAc373, pVL941, and pAcIM1, as one skilled in the art would readily appreciate, as long as the construct provides appropriately located signals for transcription, translation, secretion and the like, including a signal peptide and an in-frame AUG as required. Such vectors are described, for instance, in Luckow et al., *Virology* 170:31-39 (1989).

Specifically, the cDNA sequence contained in the deposited clone, including the AUG initiation codon, is amplified using the PCR protocol described in Example 1. If a naturally occurring signal sequence is used to produce the polypeptide of the present invention, the pA2 vector does not need a second signal peptide. Alternatively, the vector can be modified (pA2 GP) to include a baculovirus leader sequence, using the standard methods described in Summers et al., "A Manual of Methods for Baculovirus Vectors and Insect Cell Culture Procedures," Texas Agricultural Experimental Station Bulletin No. 1555 (1987).

The amplified fragment is isolated from a 1% agarose gel using a commercially available kit ("GeneClean," BIO 101 Inc., La Jolla, Ca.). The fragment then is digested with appropriate restriction enzymes and again purified on a 1% agarose gel.

The plasmid is digested with the corresponding restriction enzymes and optionally, can be dephosphorylated using calf intestinal phosphatase, using routine procedures known in the art. The DNA is then isolated from a 1% agarose gel using a commercially available kit ("GeneClean" BIO 101 Inc., La Jolla, Ca.).

The fragment and the dephosphorylated plasmid are ligated together with T4 DNA ligase. *E. coli* HB101 or other suitable *E. coli* hosts such as XL-1 Blue (Stratagene Cloning Systems, La Jolla, CA) cells are transformed with the ligation mixture and spread on culture plates. Bacteria containing the plasmid are identified by digesting DNA from individual colonies and analyzing the digestion product by gel electrophoresis. The sequence of the cloned fragment is confirmed by DNA sequencing.

Five  $\mu$ g of a plasmid containing the polynucleotide is co-transfected with 1.0  $\mu$ g of a commercially available linearized baculovirus DNA ("BaculoGold™ baculovirus DNA", Pharmingen, San Diego, CA), using the lipofection method described by Felgner et al., *Proc.*

Natl. Acad. Sci. USA 84:7413-7417 (1987). One  $\mu\text{g}$  of BaculoGold™ virus DNA and 5  $\mu\text{g}$  of the plasmid are mixed in a sterile well of a microtiter plate containing 50  $\mu\text{l}$  of serum-free Grace's medium (Life Technologies Inc., Gaithersburg, MD). Afterwards, 10  $\mu\text{l}$  Lipofectin plus 90  $\mu\text{l}$  Grace's medium are added, mixed and incubated for 15 minutes at room temperature. Then the transfection mixture is added drop-wise to Sf9 insect cells (ATCC CRL 1711) seeded in a 35 mm tissue culture plate with 1 ml Grace's medium without serum. The plate is then incubated for 5 hours at 27° C. The transfection solution is then removed from the plate and 1 ml of Grace's insect medium supplemented with 10% fetal calf serum is added. Cultivation is then continued at 27° C for four days.

- 10 After four days the supernatant is collected and a plaque assay is performed, as described by Summers and Smith, *supra*. An agarose gel with "Blue Gal" (Life Technologies Inc., Gaithersburg) is used to allow easy identification and isolation of gal-expressing clones, which produce blue-stained plaques. (A detailed description of a "plaque assay" of this type can also be found in the user's guide for insect cell culture and baculovirology distributed by
- 15 Life Technologies Inc., Gaithersburg, page 9-10.) After appropriate incubation, blue stained plaques are picked with the tip of a micropipettor (e.g., Eppendorf). The agar containing the recombinant viruses is then resuspended in a microcentrifuge tube containing 200  $\mu\text{l}$  of Grace's medium and the suspension containing the recombinant baculovirus is used to infect Sf9 cells seeded in 35 mm dishes. Four days later the supernatants of these culture dishes are
- 20 harvested and then they are stored at 4° C.

- To verify the expression of the polypeptide, Sf9 cells are grown in Grace's medium supplemented with 10% heat-inactivated FBS. The cells are infected with the recombinant baculovirus containing the polynucleotide at a multiplicity of infection ("MOI") of about 2. If radiolabeled proteins are desired, 6 hours later the medium is removed and is replaced with
- 25 SF900 II medium minus methionine and cysteine (available from Life Technologies Inc., Rockville, MD). After 42 hours, 5  $\mu\text{Ci}$  of  $^{35}\text{S}$ -methionine and 5  $\mu\text{Ci}$   $^{35}\text{S}$ -cysteine (available from Amersham) are added. The cells are further incubated for 16 hours and then are harvested by centrifugation. The proteins in the supernatant as well as the intracellular proteins are analyzed by SDS-PAGE followed by autoradiography (if radiolabeled).

- 30 Microsequencing of the amino acid sequence of the amino terminus of purified protein may be used to determine the amino terminal sequence of the produced protein.



*Example 8: Expression of a Polypeptide in Mammalian Cells*

The polypeptide of the present invention can be expressed in a mammalian cell. A typical mammalian expression vector contains a promoter element, which mediates the initiation of transcription of mRNA, a protein coding sequence, and signals required for the termination of transcription and polyadenylation of the transcript. Additional elements include enhancers, Kozak sequences and intervening sequences flanked by donor and acceptor sites for RNA splicing. Highly efficient transcription is achieved with the early and late promoters from SV40, the long terminal repeats (LTRs) from Retroviruses, e.g., RSV, HTLVI, HIVI and the early promoter of the cytomegalovirus (CMV). However, cellular elements can also be used (e.g., the human actin promoter).

Suitable expression vectors for use in practicing the present invention include, for example, vectors such as pSVL and pMSG (Pharmacia, Uppsala, Sweden), pRSVcat (ATCC 37152), pSV2dhfr (ATCC 37146), pBC12MI (ATCC 67109), pCMVSPORT 2.0, and pCMVSPORT 3.0. Mammalian host cells that could be used include, human Hela, 293, H9 and Jurkat cells, mouse NIH3T3 and C127 cells, Cos 1, Cos 7 and CV1, quail QC1-3 cells, mouse L cells and Chinese hamster ovary (CHO) cells.

Alternatively, the polypeptide can be expressed in stable cell lines containing the polynucleotide integrated into a chromosome. The co-transfection with a selectable marker such as DHFR, gpt, neomycin, hygromycin allows the identification and isolation of the transfected cells.

The transfected gene can also be amplified to express large amounts of the encoded protein. The DHFR (dihydrofolate reductase) marker is useful in developing cell lines that carry several hundred or even several thousand copies of the gene of interest. (See, e.g., Alt, F. W., et al., J. Biol. Chem. 253:1357-1370 (1978); Hamlin, J. L. and Ma, C., Biochem. et Biophys. Acta, 1097:107-143 (1990); Page, M. J. and Sydenham, M. A., Biotechnology 9:64-68 (1991).) Another useful selection marker is the enzyme glutamine synthase (GS) (Murphy et al., Biochem J. 227:277-279 (1991); Bebbington et al., Bio/Technology 10:169-175 (1992). Using these markers, the mammalian cells are grown in selective medium and the cells with the highest resistance are selected. These cell lines contain the amplified gene(s) integrated into a chromosome. Chinese hamster ovary (CHO) and NSO cells are often used for the production of proteins.

Derivatives of the plasmid pSV2-dhfr (ATCC Accession No. 37146), the expression vectors pC4 (ATCC Accession No. 209646) and pC6 (ATCC Accession No. 209647) contain the strong promoter (LTR) of the Rous Sarcoma Virus (Cullen et al., Molecular and Cellular Biology, 438-447 (March, 1985)) plus a fragment of the CMV-enhancer (Boshart et al., Cell 5 41:521-530 (1985).) Multiple cloning sites, e.g., with the restriction enzyme cleavage sites BamHI, XbaI and Asp718, facilitate the cloning of the gene of interest. The vectors also contain the 3' intron, the polyadenylation and termination signal of the rat preproinsulin gene, and the mouse DHFR gene under control of the SV40 early promoter.

Specifically, the plasmid pC6, for example, is digested with appropriate restriction 10 enzymes and then dephosphorylated using calf intestinal phosphates by procedures known in the art. The vector is then isolated from a 1% agarose gel.

A polynucleotide of the present invention is amplified according to the protocol outlined in Example 1. If a naturally occurring signal sequence is used to produce the polypeptide of the present invention, the vector does not need a second signal peptide. 15 Alternatively, if a naturally occurring signal sequence is not used, the vector can be modified to include a heterologous signal sequence. (See, e.g., WO 96/34891.)

The amplified fragment is isolated from a 1% agarose gel using a commercially available kit ("GeneClean," BIO 101 Inc., La Jolla, Ca.). The fragment then is digested with appropriate restriction enzymes and again purified on a 1% agarose gel.

20 The amplified fragment is then digested with the same restriction enzyme and purified on a 1% agarose gel. The isolated fragment and the dephosphorylated vector are then ligated with T4 DNA ligase. *E. coli* HB101 or XL-1 Blue cells are then transformed and bacteria are identified that contain the fragment inserted into plasmid pC6 using, for instance, restriction enzyme analysis.

25 Chinese hamster ovary cells lacking an active DHFR gene is used for transfection. Five  $\mu$ g of the expression plasmid pC6 or pC4 is cotransfected with 0.5  $\mu$ g of the plasmid pSVneo using lipofectin (Felgner et al., *supra*). The plasmid pSV2-neo contains a dominant selectable marker, the *neo* gene from Tn5 encoding an enzyme that confers resistance to a group of antibiotics including G418. The cells are seeded in alpha minus MEM 30 supplemented with 1 mg/ml G418. After 2 days, the cells are trypsinized and seeded in hybridoma cloning plates (Greiner, Germany) in alpha minus MEM supplemented with 10, 25, or 50 ng/ml of methotrexate plus 1 mg/ml G418. After about 10-14 days single clones

are trypsinized and then seeded in 6-well petri dishes or 10 ml flasks using different concentrations of methotrexate (50 nM, 100 nM, 200 nM, 400 nM, 800 nM). Clones growing at the highest concentrations of methotrexate are then transferred to new 6-well plates containing even higher concentrations of methotrexate (1  $\mu$ M, 2  $\mu$ M, 5  $\mu$ M, 10 mM, 20 mM). The same procedure is repeated until clones are obtained which grow at a concentration of 100 - 200  $\mu$ M. Expression of the desired gene product is analyzed, for instance, by SDS-PAGE and Western blot or by reversed phase HPLC analysis.

#### *Example 9: Protein Fusions*

10

The polypeptides of the present invention are preferably fused to other proteins. These fusion proteins can be used for a variety of applications. For example, fusion of the present polypeptides to His-tag, HA-tag, protein A, IgG domains, and maltose binding protein facilitates purification. (See Example 5; see also EP A 394,827; Traunecker, et al., Nature 331:84-86 (1988).) Similarly, fusion to IgG-1, IgG-3, and albumin increases the half-life time in vivo. Nuclear localization signals fused to the polypeptides of the present invention can target the protein to a specific subcellular localization, while covalent heterodimer or homodimers can increase or decrease the activity of a fusion protein. Fusion proteins can also create chimeric molecules having more than one function. Finally, fusion proteins can increase solubility and/or stability of the fused protein compared to the non-fused protein. All of the types of fusion proteins described above can be made by modifying the following protocol, which outlines the fusion of a polypeptide to an IgG molecule, or the protocol described in Example 5.

Briefly, the human Fc portion of the IgG molecule can be PCR amplified, using primers that span the 5' and 3' ends of the sequence described below. These primers also should have convenient restriction enzyme sites that will facilitate cloning into an expression vector, preferably a mammalian expression vector.

For example, if pC4 (Accession No. 209646) is used, the human Fc portion can be ligated into the BamHI cloning site. Note that the 3' BamHI site should be destroyed. Next, the vector containing the human Fc portion is re-restricted with BamHI, linearizing the vector, and a polynucleotide of the present invention, isolated by the PCR protocol described in Example 1, is ligated into this BamHI site. Note that the polynucleotide is cloned without

a stop codon, otherwise a fusion protein will not be produced.

If the naturally occurring signal sequence is used to produce the polypeptide of the present invention, pC4 does not need a second signal peptide. Alternatively, if the naturally occurring signal sequence is not used, the vector can be modified to include a heterologous  
 5 signal sequence. (See, e.g., WO 96/34891.)

Human IgG Fc region:

GGGATCCGGAGCCCAAATCTTCTGACAAAACCTCACACATGCCCACCGTGCCAG  
 CACCTGAATTCGAGGGTGCACCGTCAGTCTTCCTCTTCCCCCAAACCCAAGGA  
 10 CACCCTCATGATCTCCCGGACTCCTGAGGTCACATGCGTGGTGGTGGACGTAAGC  
 CACGAAGACCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCAT  
 AATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTGTGGTC  
 AGCGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAGTACAAGTGC  
 AAGGTCTCCAACAAAGCCCTCCCAACCCCCATCGAGAAAACCATCTCCAAGCC  
 15 AAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGCCCCCATCCCGGGATGAG  
 CTGACCAAGAACCAGGTCAGCCTGACCTGCCTGGTCAAAGGCTTCTATCCAAGC  
 GACATCGCCGTGGAGTGGGAGAGCAATGGGCAGCCGGAGAACAACACTACAAGAC  
 CACGCCTCCCGTGCTGGACTCCGACGGCTCCTTCTTCCTCTACAGCAAGCTCACC  
 GTGGACAAGAGCAGGTGGCAGCAGGGGAACGTCTTCTCATGCTCCGTGATGCAT  
 20 GAGGCTCTGCACAACCACTACACGCAGAAGAGCCTCTCCCTGTCTCCGGGTAAAT  
 GAGTGCGACGGCCGCGACTCTAGAGGAT (SEQ ID NO:1685)

*Example 10: Production of an Antibody from a Polypeptide*

25 **a) Hybridoma Technology**

The antibodies of the present invention can be prepared by a variety of methods. (See, Current Protocols, Chapter 2.) As one example of such methods, cells expressing polypeptide of the present invention are administered to an animal to induce the production of sera containing polyclonal antibodies. In a preferred method, a preparation of polypeptide  
 30 of the present invention is prepared and purified to render it substantially free of natural contaminants. Such a preparation is then introduced into an animal in order to produce polyclonal antisera of greater specific activity.

Monoclonal antibodies specific for polypeptide of the present invention are prepared using hybridoma technology. (Kohler et al., *Nature* 256:495 (1975); Kohler et al., *Eur. J. Immunol.* 6:511 (1976); Kohler et al., *Eur. J. Immunol.* 6:292 (1976); Hammerling et al., in: *Monoclonal Antibodies and T-Cell Hybridomas*, Elsevier, N.Y., pp. 563-681 (1981)). In  
5 general, an animal (preferably a mouse) is immunized with polypeptide of the present invention or, more preferably, with a secreted polypeptide of the present invention-expressing cell. Such polypeptide-expressing cells are cultured in any suitable tissue culture medium, preferably in Earle's modified Eagle's medium supplemented with 10% fetal bovine serum (inactivated at about 56°C), and supplemented with about 10 g/l of nonessential amino  
10 acids, about 1,000 U/ml of penicillin, and about 100 µg/ml of streptomycin.

The splenocytes of such mice are extracted and fused with a suitable myeloma cell line. Any suitable myeloma cell line may be employed in accordance with the present invention; however, it is preferable to employ the parent myeloma cell line (SP2O), available from the ATCC. After fusion, the resulting hybridoma cells are selectively maintained in  
15 HAT medium, and then cloned by limiting dilution as described by Wands et al. (*Gastroenterology* 80:225-232 (1981)). The hybridoma cells obtained through such a selection are then assayed to identify clones which secrete antibodies capable of binding the polypeptide of the present invention.

Alternatively, additional antibodies capable of binding to polypeptide of the present  
20 invention can be produced in a two-step procedure using anti-idiotypic antibodies. Such a method makes use of the fact that antibodies are themselves antigens, and therefore, it is possible to obtain an antibody which binds to a second antibody. In accordance with this method, protein specific antibodies are used to immunize an animal, preferably a mouse. The splenocytes of such an animal are then used to produce hybridoma cells, and the hybridoma  
25 cells are screened to identify clones which produce an antibody whose ability to bind to the polypeptide of the present invention-specific antibody can be blocked by polypeptide of the present invention. Such antibodies comprise anti-idiotypic antibodies to the polypeptide of the present invention-specific antibody and are used to immunize an animal to induce formation of further polypeptide of the present invention-specific antibodies.

30 For in vivo use of antibodies in humans, an antibody is "humanized". Such antibodies can be produced using genetic constructs derived from hybridoma cells producing the monoclonal antibodies described above. Methods for producing chimeric and humanized

antibodies are known in the art and are discussed herein. (See, for review, Morrison, Science 229:1202 (1985); Oi et al., BioTechniques 4:214 (1986); Cabilly et al., U.S. Patent No. 4,816,567; Taniguchi et al., EP 171496; Morrison et al., EP 173494; Neuberger et al., WO 8601533; Robinson et al., WO 8702671; Boulianne et al., Nature 312:643 (1984); Neuberger et al., Nature 314:268 (1985).)

**b) Isolation Of Antibody Fragments Directed Against Polypeptide of the Present Invention From A Library Of scFvs**

Naturally occurring V-genes isolated from human PBLs are constructed into a library of antibody fragments which contain reactivities against polypeptide of the present invention to which the donor may or may not have been exposed (see e.g., U.S. Patent 5,885,793 incorporated herein by reference in its entirety).

*Rescue of the Library.* A library of scFvs is constructed from the RNA of human PBLs as described in PCT publication WO 92/01047. To rescue phage displaying antibody fragments, approximately 109 E. coli harboring the phagemid are used to inoculate 50 ml of 2xTY containing 1% glucose and 100 µg/ml of ampicillin (2xTY-AMP-GLU) and grown to an O.D. of 0.8 with shaking. Five ml of this culture is used to inoculate 50 ml of 2xTY-AMP-GLU, 2 x 10<sup>8</sup> TU of delta gene 3 helper (M13 delta gene III, see PCT publication WO 92/01047) are added and the culture incubated at 37°C for 45 minutes without shaking and then at 37°C for 45 minutes with shaking. The culture is centrifuged at 4000 r.p.m. for 10 min. and the pellet resuspended in 2 liters of 2xTY containing 100 µg/ml ampicillin and 50 µg/ml kanamycin and grown overnight. Phage are prepared as described in PCT publication WO 92/01047.

M13 delta gene III is prepared as follows: M13 delta gene III helper phage does not encode gene III protein, hence the phage(mid) displaying antibody fragments have a greater avidity of binding to antigen. Infectious M13 delta gene III particles are made by growing the helper phage in cells harboring a pUC19 derivative supplying the wild type gene III protein during phage morphogenesis. The culture is incubated for 1 hour at 37° C without shaking and then for a further hour at 37°C with shaking. Cells are spun down (IEC-Centra 8,400 r.p.m. for 10 min), resuspended in 300 ml 2xTY broth containing 100 µg ampicillin/ml and 25 µg kanamycin/ml (2xTY-AMP-KAN) and grown overnight, shaking at 37°C. Phage particles are purified and concentrated from the culture medium by two PEG-precipitations

(Sambrook et al., 1990), resuspended in 2 ml PBS and passed through a 0.45  $\mu$ m filter (Minisart NML; Sartorius) to give a final concentration of approximately 10<sup>13</sup> transducing units/ml (ampicillin-resistant clones).

*Panning of the Library.* Immunotubes (Nunc) are coated overnight in PBS with 4 ml of either 100  $\mu$ g/ml or 10  $\mu$ g/ml of a polypeptide of the present invention. Tubes are blocked with 2% Marvel-PBS for 2 hours at 37°C and then washed 3 times in PBS. Approximately 10<sup>13</sup> TU of phage is applied to the tube and incubated for 30 minutes at room temperature tumbling on an over and under turntable and then left to stand for another 1.5 hours. Tubes are washed 10 times with PBS 0.1% Tween-20 and 10 times with PBS. Phage are eluted by adding 1 ml of 100 mM triethylamine and rotating 15 minutes on an under and over turntable after which the solution is immediately neutralized with 0.5 ml of 1.0M Tris-HCl, pH 7.4. Phage are then used to infect 10 ml of mid-log E. coli TG1 by incubating eluted phage with bacteria for 30 minutes at 37°C. The E. coli are then plated on TYE plates containing 1% glucose and 100  $\mu$ g/ml ampicillin. The resulting bacterial library is then rescued with delta gene 3 helper phage as described above to prepare phage for a subsequent round of selection. This process is then repeated for a total of 4 rounds of affinity purification with tube-washing increased to 20 times with PBS, 0.1% Tween-20 and 20 times with PBS for rounds 3 and 4.

*Characterization of Binders.* Eluted phage from the 3rd and 4th rounds of selection are used to infect E. coli HB 2151 and soluble scFv is produced (Marks, et al., 1991) from single colonies for assay. ELISAs are performed with microtitre plates coated with either 10 pg/ml of the polypeptide of the present invention in 50 mM bicarbonate pH 9.6. Clones positive in ELISA are further characterized by PCR fingerprinting (see, e.g., PCT publication WO 92/01047) and then by sequencing. These ELISA positive clones may also be further characterized by techniques known in the art, such as, for example, epitope mapping, binding affinity, receptor signal transduction, ability to block or competitively inhibit antibody/antigen binding, and competitive agonistic or antagonistic activity.

*Example 11: Method of Determining Alterations in a Gene Corresponding to a Polynucleotide*

RNA isolated from entire families or individual patients presenting with a phenotype of interest (such as a disease) is be isolated. cDNA is then generated from these RNA samples using protocols known in the art. (See, Sambrook.) The cDNA is then used as a template for PCR, employing primers surrounding regions of interest in SEQ ID NO:X; and/or the nucleotide sequence of the related cDNA in the cDNA clone contained in a deposited library. Suggested PCR conditions consist of 35 cycles at 95 degrees C for 30 seconds; 60-120 seconds at 52-58 degrees C; and 60-120 seconds at 70 degrees C, using buffer solutions described in Sidransky et al., Science 252:706 (1991).

PCR products are then sequenced using primers labeled at their 5' end with T4 polynucleotide kinase, employing SequiTherm Polymerase. (Epicentre Technologies). The intron-exon borders of selected exons is also determined and genomic PCR products analyzed to confirm the results. PCR products harboring suspected mutations is then cloned and sequenced to validate the results of the direct sequencing.

PCR products is cloned into T-tailed vectors as described in Holton et al., Nucleic Acids Research, 19:1156 (1991) and sequenced with T7 polymerase (United States Biochemical). Affected individuals are identified by mutations not present in unaffected individuals.

Genomic rearrangements are also observed as a method of determining alterations in a gene corresponding to a polynucleotide. Genomic clones isolated according to Example 2 are nick-translated with digoxigenindeoxy-uridine 5'-triphosphate (Boehringer Mannheim), and FISH performed as described in Johnson et al., Methods Cell Biol. 35:73-99 (1991). Hybridization with the labeled probe is carried out using a vast excess of human cot-1 DNA for specific hybridization to the corresponding genomic locus.

Chromosomes are counterstained with 4,6-diamino-2-phenylidole and propidium iodide, producing a combination of C- and R-bands. Aligned images for precise mapping are obtained using a triple-band filter set (Chroma Technology, Brattleboro, VT) in combination with a cooled charge-coupled device camera (Photometrics, Tucson, AZ) and variable excitation wavelength filters. (Johnson et al., Genet. Anal. Tech. Appl., 8:75 (1991).) Image collection, analysis and chromosomal fractional length measurements are performed using the ISee Graphical Program System. (Inovision Corporation, Durham, NC.) Chromosome alterations of the genomic region hybridized by the probe are identified as insertions, deletions, and translocations. These alterations are used as a diagnostic marker for an



associated disease.

*Example 12: Method of Detecting Abnormal Levels of a Polypeptide in a Biological Sample*

5           A polypeptide of the present invention can be detected in a biological sample, and if an increased or decreased level of the polypeptide is detected, this polypeptide is a marker for a particular phenotype. Methods of detection are numerous, and thus, it is understood that one skilled in the art can modify the following assay to fit their particular needs.

          For example, antibody-sandwich ELISAs are used to detect polypeptides in a sample,  
10       preferably a biological sample. Wells of a microtiter plate are coated with specific antibodies, at a final concentration of 0.2 to 10 ug/ml. The antibodies are either monoclonal or polyclonal and are produced by the method described in Example 10. The wells are blocked so that non-specific binding of the polypeptide to the well is reduced.

          The coated wells are then incubated for > 2 hours at RT with a sample containing the  
15       polypeptide. Preferably, serial dilutions of the sample should be used to validate results. The plates are then washed three times with deionized or distilled water to remove unbounded polypeptide.

          Next, 50 ul of specific antibody-alkaline phosphatase conjugate, at a concentration of 25-400 ng, is added and incubated for 2 hours at room temperature. The plates are again  
20       washed three times with deionized or distilled water to remove unbounded conjugate.

          Add 75 ul of 4-methylumbelliferyl phosphate (MUP) or p-nitrophenyl phosphate (NPP) substrate solution to each well and incubate 1 hour at room temperature. Measure the reaction by a microtiter plate reader. Prepare a standard curve, using serial dilutions of a control sample, and plot polypeptide concentration on the X-axis (log scale) and fluorescence  
25       or absorbance of the Y-axis (linear scale). Interpolate the concentration of the polypeptide in the sample using the standard curve.

*Example 13: Formulation*

30           The invention also provides methods of treatment and/or prevention of diseases or disorders (such as, for example, any one or more of the diseases or disorders disclosed

herein) by administration to a subject of an effective amount of a Therapeutic. By therapeutic is meant a polynucleotides or polypeptides of the invention (including fragments and variants), agonists or antagonists thereof, and/or antibodies thereto, in combination with a pharmaceutically acceptable carrier type (e.g., a sterile carrier).

5       The Therapeutic will be formulated and dosed in a fashion consistent with good medical practice, taking into account the clinical condition of the individual patient (especially the side effects of treatment with the Therapeutic alone), the site of delivery, the method of administration, the scheduling of administration, and other factors known to practitioners. The "effective amount" for purposes herein is thus determined by such  
10       considerations.

As a general proposition, the total pharmaceutically effective amount of the Therapeutic administered parenterally per dose will be in the range of about 1 µg/kg/day to 10 mg/kg/day of patient body weight, although, as noted above, this will be subject to therapeutic discretion. More preferably, this dose is at least 0.01 mg/kg/day, and most  
15       preferably for humans between about 0.01 and 1 mg/kg/day for the hormone. If given continuously, the Therapeutic is typically administered at a dose rate of about 1 µg/kg/hour to about 50 µg/kg/hour, either by 1-4 injections per day or by continuous subcutaneous infusions, for example, using a mini-pump. An intravenous bag solution may also be employed. The length of treatment needed to observe changes and the interval following  
20       treatment for responses to occur appears to vary depending on the desired effect.

Therapeutics can be administered orally, rectally, parenterally, intracisternally, intravaginally, intraperitoneally, topically (as by powders, ointments, gels, drops or transdermal patch), buccally, or as an oral or nasal spray. "Pharmaceutically acceptable carrier" refers to a non-toxic solid, semisolid or liquid filler, diluent, encapsulating material  
25       or formulation auxiliary of any. The term "parenteral" as used herein refers to modes of administration which include intravenous, intramuscular, intraperitoneal, intrasternal, subcutaneous and intraarticular injection and infusion.

Therapeutics of the invention are also suitably administered by sustained-release systems. Suitable examples of sustained-release Therapeutics are administered orally,  
30       rectally, parenterally, intracisternally, intravaginally, intraperitoneally, topically (as by powders, ointments, gels, drops or transdermal patch), buccally, or as an oral or nasal spray. "Pharmaceutically acceptable carrier" refers to a non-toxic solid, semisolid or liquid filler,

diluent, encapsulating material or formulation auxiliary of any type. The term "parenteral" as used herein refers to modes of administration which include intravenous, intramuscular, intraperitoneal, intrasternal, subcutaneous and intraarticular injection and infusion.

Therapeutics of the invention are also suitably administered by sustained-release systems. Suitable examples of sustained-release Therapeutics include suitable polymeric materials (such as, for example, semi-permeable polymer matrices in the form of shaped articles, e.g., films, or microcapsules), suitable hydrophobic materials (for example as an emulsion in an acceptable oil) or ion exchange resins, and sparingly soluble derivatives (such as, for example, a sparingly soluble salt).

Sustained-release matrices include polylactides (U.S. Pat. No. 3,773,919, EP 58,481), copolymers of L-glutamic acid and gamma-ethyl-L-glutamate (Sidman et al., *Biopolymers* 22:547-556 (1983)), poly (2- hydroxyethyl methacrylate) (Langer et al., *J. Biomed. Mater. Res.* 15:167-277 (1981), and Langer, *Chem. Tech.* 12:98-105 (1982)), ethylene vinyl acetate (Langer et al., *Id.*) or poly-D- (-)-3-hydroxybutyric acid (EP 133,988).

Sustained-release Therapeutics also include liposomally entrapped Therapeutics of the invention (*see* generally, Langer, *Science* 249:1527-1533 (1990); Treat et al., in *Liposomes in the Therapy of Infectious Disease and Cancer*, Lopez-Berestein and Fidler (eds.), Liss, New York, pp. 317 -327 and 353-365 (1989)). Liposomes containing the Therapeutic are prepared by methods known per se: DE 3,218,121; Epstein et al., *Proc. Natl. Acad. Sci. (USA)* 82:3688-3692 (1985); Hwang et al., *Proc. Natl. Acad. Sci.(USA)* 77:4030-4034 (1980); EP 52,322; EP 36,676; EP 88,046; EP 143,949; EP 142,641; Japanese Pat. Appl. 83-118008; U.S. Pat. Nos. 4,485,045 and 4,544,545; and EP 102,324. Ordinarily, the liposomes are of the small (about 200-800 Angstroms) unilamellar type in which the lipid content is greater than about 30 mol. percent cholesterol, the selected proportion being adjusted for the optimal Therapeutic.

In yet an additional embodiment, the Therapeutics of the invention are delivered by way of a pump (*see* Langer, *supra*; Sefton, *CRC Crit. Ref. Biomed. Eng.* 14:201 (1987); Buchwald et al., *Surgery* 88:507 (1980); Saudek et al., *N. Engl. J. Med.* 321:574 (1989)).

Other controlled release systems are discussed in the review by Langer (*Science* 249:1527-1533 (1990)).

For parenteral administration, in one embodiment, the Therapeutic is formulated generally by mixing it at the desired degree of purity, in a unit dosage injectable form

(solution, suspension, or emulsion), with a pharmaceutically acceptable carrier, i.e., one that is non-toxic to recipients at the dosages and concentrations employed and is compatible with other ingredients of the formulation. For example, the formulation preferably does not include oxidizing agents and other compounds that are known to be deleterious to the  
5 Therapeutic.

Generally, the formulations are prepared by contacting the Therapeutic uniformly and intimately with liquid carriers or finely divided solid carriers or both. Then, if necessary, the product is shaped into the desired formulation. Preferably the carrier is a parenteral carrier, more preferably a solution that is isotonic with the blood of the recipient. Examples of such  
10 carrier vehicles include water, saline, Ringer's solution, and dextrose solution. Non-aqueous vehicles such as fixed oils and ethyl oleate are also useful herein, as well as liposomes.

The carrier suitably contains minor amounts of additives such as substances that enhance isotonicity and chemical stability. Such materials are non-toxic to recipients at the dosages and concentrations employed, and include buffers such as phosphate, citrate,  
15 succinate, acetic acid, and other organic acids or their salts; antioxidants such as ascorbic acid; low molecular weight (less than about ten residues) polypeptides, e.g., polyarginine or tripeptides; proteins, such as serum albumin, gelatin, or immunoglobulins; hydrophilic polymers such as polyvinylpyrrolidone; amino acids, such as glycine, glutamic acid, aspartic acid, or arginine; monosaccharides, disaccharides, and other carbohydrates including  
20 cellulose or its derivatives, glucose, manose, or dextrans; chelating agents such as EDTA; sugar alcohols such as mannitol or sorbitol; counterions such as sodium; and/or nonionic surfactants such as polysorbates, poloxamers, or PEG.

The Therapeutic is typically formulated in such vehicles at a concentration of about 0.1 mg/ml to 100 mg/ml, preferably 1-10 mg/ml, at a pH of about 3 to 8. It will be  
25 understood that the use of certain of the foregoing excipients, carriers, or stabilizers will result in the formation of polypeptide salts.

Any pharmaceutical used for therapeutic administration can be sterile. Sterility is readily accomplished by filtration through sterile filtration membranes (e.g., 0.2 micron membranes). Therapeutics generally are placed into a container having a sterile access port,  
30 for example, an intravenous solution bag or vial having a stopper pierceable by a hypodermic injection needle.

Therapeutics ordinarily will be stored in unit or multi-dose containers, for example,

sealed ampoules or vials, as an aqueous solution or as a lyophilized formulation for reconstitution. As an example of a lyophilized formulation, 10-ml vials are filled with 5 ml of sterile-filtered 1% (w/v) aqueous Therapeutic solution, and the resulting mixture is lyophilized. The infusion solution is prepared by reconstituting the lyophilized Therapeutic  
5 using bacteriostatic Water-for-Injection.

The invention also provides a pharmaceutical pack or kit comprising one or more containers filled with one or more of the ingredients of the Therapeutics of the invention. Associated with such container(s) can be a notice in the form prescribed by a governmental agency regulating the manufacture, use or sale of pharmaceuticals or biological products,  
10 which notice reflects approval by the agency of manufacture, use or sale for human administration. In addition, the Therapeutics may be employed in conjunction with other therapeutic compounds.

The Therapeutics of the invention may be administered alone or in combination with adjuvants. Adjuvants that may be administered with the Therapeutics of the invention  
15 include, but are not limited to, alum, alum plus deoxycholate (ImmunoAg), MTP-PE (Biocine Corp.), QS21 (Genentech, Inc.), BCG, and MPL. In a specific embodiment, Therapeutics of the invention are administered in combination with alum. In another specific embodiment, Therapeutics of the invention are administered in combination with QS-21. Further adjuvants that may be administered with the Therapeutics of the invention include,  
20 but are not limited to, Monophosphoryl lipid immunomodulator, AdjuVax 100a, QS-21, QS-18, CRL1005, Aluminum salts, MF-59, and Virosomal adjuvant technology. Vaccines that may be administered with the Therapeutics of the invention include, but are not limited to, vaccines directed toward protection against MMR (measles, mumps, rubella), polio, varicella, tetanus/diphtheria, hepatitis A, hepatitis B, haemophilus influenzae B, whooping  
25 cough, pneumonia, influenza, Lyme's Disease, rotavirus, cholera, yellow fever, Japanese encephalitis, poliomyelitis, rabies, typhoid fever, and pertussis. Combinations may be administered either concomitantly, e.g., as an admixture, separately but simultaneously or concurrently; or sequentially. This includes presentations in which the combined agents are administered together as a therapeutic mixture, and also procedures in which the combined  
30 agents are administered separately but simultaneously, e.g., as through separate intravenous lines into the same individual. Administration "in combination" further includes the separate administration of one of the compounds or agents given first, followed by the second.

The Therapeutics of the invention may be administered alone or in combination with other therapeutic agents. Therapeutic agents that may be administered in combination with the Therapeutics of the invention, include but not limited to, other members of the TNF family, chemotherapeutic agents, antibiotics, steroidal and non-steroidal anti-inflammatories, conventional immunotherapeutic agents, cytokines and/or growth factors. Combinations may be administered either concomitantly, e.g., as an admixture, separately but simultaneously or concurrently; or sequentially. This includes presentations in which the combined agents are administered together as a therapeutic mixture, and also procedures in which the combined agents are administered separately but simultaneously, e.g., as through separate intravenous lines into the same individual. Administration "in combination" further includes the separate administration of one of the compounds or agents given first, followed by the second.

In one embodiment, the Therapeutics of the invention are administered in combination with members of the TNF family. TNF, TNF-related or TNF-like molecules that may be administered with the Therapeutics of the invention include, but are not limited to, soluble forms of TNF-alpha, lymphotoxin-alpha (LT-alpha, also known as TNF-beta), LT-beta (found in complex heterotrimer LT-alpha2-beta), OPGL, FasL, CD27L, CD30L, CD40L, 4-1BBL, DcR3, OX40L, TNF-gamma (International Publication No. WO 96/14328), AIM-I (International Publication No. WO 97/33899), endokine-alpha (International Publication No. WO 98/07880), TR6 (International Publication No. WO 98/30694), OPG, and neutrokin-alpha (International Publication No. WO 98/18921, OX40, and nerve growth factor (NGF), and soluble forms of Fas, CD30, CD27, CD40 and 4-1BB, TR2 (International Publication No. WO 96/34095), DR3 (International Publication No. WO 97/33904), DR4 (International Publication No. WO 98/32856), TR5 (International Publication No. WO 98/30693), TR6 (International Publication No. WO 98/30694), TR7 (International Publication No. WO 98/41629), TRANK, TR9 (International Publication No. WO 98/56892), TR10 (International Publication No. WO 98/54202), 312C2 (International Publication No. WO 98/06842), and TR12, and soluble forms CD154, CD70, and CD153.

In certain embodiments, Therapeutics of the invention are administered in combination with antiretroviral agents, nucleoside reverse transcriptase inhibitors, non-nucleoside reverse transcriptase inhibitors, and/or protease inhibitors. Nucleoside reverse transcriptase inhibitors that may be administered in combination with the Therapeutics of the invention, include, but are not limited to, RETROVIR™ (zidovudine/AZT), VIDEX™

(didanosine/ddI), HIVID™ (zalcitabine/ddC), ZERIT™ (stavudine/d4T), EPIVIR™ (lamivudine/3TC), and COMBIVIR™ (zidovudine/lamivudine). Non-nucleoside reverse transcriptase inhibitors that may be administered in combination with the Therapeutics of the invention, include, but are not limited to, VIRAMUNE™ (nevirapine), RESCRIPTOR™ (delavirdine), and SUSTIVA™ (efavirenz). Protease inhibitors that may be administered in combination with the Therapeutics of the invention, include, but are not limited to, CRIXIVAN™ (indinavir), NORVIR™ (ritonavir), INVIRASE™ (saquinavir), and VIRACEPT™ (nelfinavir). In a specific embodiment, antiretroviral agents, nucleoside reverse transcriptase inhibitors, non-nucleoside reverse transcriptase inhibitors, and/or protease inhibitors may be used in any combination with Therapeutics of the invention to treat AIDS and/or to prevent or treat HIV infection.

In other embodiments, Therapeutics of the invention may be administered in combination with anti-opportunistic infection agents. Anti-opportunistic agents that may be administered in combination with the Therapeutics of the invention, include, but are not limited to, TRIMETHOPRIM-SULFAMETHOXAZOLE™, DAPSONE™, PENTAMIDINE™, ATOVAQUONE™, ISONIAZID™, RIFAMPIN™, PYRAZINAMIDE™, ETHAMBUTOL™, RIFABUTIN™, CLARITHROMYCIN™, AZITHROMYCIN™, GANCICLOVIR™, FOSCARNET™, CIDOFOVIR™, FLUCONAZOLE™, ITRACONAZOLE™, KETOCONAZOLE™, ACYCLOVIR™, FAMCICOLVIR™, PYRIMETHAMINE™, LEUCOVORIN™, NEUPOGEN™ (filgrastim/G-CSF), and LEUKINE™ (sargramostim/GM-CSF). In a specific embodiment, Therapeutics of the invention are used in any combination with TRIMETHOPRIM-SULFAMETHOXAZOLE™, DAPSONE™, PENTAMIDINE™, and/or ATOVAQUONE™ to prophylactically treat or prevent an opportunistic *Pneumocystis carinii* pneumonia infection. In another specific embodiment, Therapeutics of the invention are used in any combination with ISONIAZID™, RIFAMPIN™, PYRAZINAMIDE™, and/or ETHAMBUTOL™ to prophylactically treat or prevent an opportunistic *Mycobacterium avium* complex infection. In another specific embodiment, Therapeutics of the invention are used in any combination with RIFABUTIN™, CLARITHROMYCIN™, and/or AZITHROMYCIN™ to prophylactically treat or prevent an opportunistic *Mycobacterium tuberculosis* infection. In another specific embodiment, Therapeutics of the invention are used in any combination with GANCICLOVIR™,

FOSCARNET™, and/or CIDOFOVIR™ to prophylactically treat or prevent an opportunistic cytomegalovirus infection. In another specific embodiment, Therapeutics of the invention are used in any combination with FLUCONAZOLE™, ITRACONAZOLE™, and/or KETOCONAZOLE™ to prophylactically treat or prevent an opportunistic fungal infection.

- 5 In another specific embodiment, Therapeutics of the invention are used in any combination with ACYCLOVIR™ and/or FAMCICOLVIR™ to prophylactically treat or prevent an opportunistic herpes simplex virus type I and/or type II infection. In another specific embodiment, Therapeutics of the invention are used in any combination with PYRIMETHAMINE™ and/or LEUCOVORIN™ to prophylactically treat or prevent an
- 10 opportunistic *Toxoplasma gondii* infection. In another specific embodiment, Therapeutics of the invention are used in any combination with LEUCOVORIN™ and/or NEUPOGEN™ to prophylactically treat or prevent an opportunistic bacterial infection.

- In a further embodiment, the Therapeutics of the invention are administered in combination with an antiviral agent. Antiviral agents that may be administered with the
- 15 Therapeutics of the invention include, but are not limited to, acyclovir, ribavirin, amantadine, and remantidine.

- In a further embodiment, the Therapeutics of the invention are administered in combination with an antibiotic agent. Antibiotic agents that may be administered with the Therapeutics of the invention include, but are not limited to, amoxicillin, beta-lactamases,
- 20 aminoglycosides, beta-lactam (glycopeptide), beta-lactamases, Clindamycin, chloramphenicol, cephalosporins, ciprofloxacin, ciprofloxacin, erythromycin, fluoroquinolones, macrolides, metronidazole, penicillins, quinolones, rifampin, streptomycin, sulfonamide, tetracyclines, trimethoprim, trimethoprim-sulfamthoxazole, and vancomycin.

- Conventional nonspecific immunosuppressive agents, that may be administered in
- 25 combination with the Therapeutics of the invention include, but are not limited to, steroids, cyclosporine, cyclosporine analogs, cyclophosphamide methylprednisone, prednisone, azathioprine, FK-506, 15-deoxyspergualin, and other immunosuppressive agents that act by suppressing the function of responding T cells.

- In specific embodiments, Therapeutics of the invention are administered in
- 30 combination with immunosuppressants. Immunosuppressants preparations that may be administered with the Therapeutics of the invention include, but are not limited to, ORTHOCLONE™ (OKT3), SANDIMMUNE™/NEORAL™/SANGDYA™ (cyclosporin),



PROGRAF™ (tacrolimus), CELLCEPT™ (mycophenolate), Azathioprine, glucocorticosteroids, and RAPAMUNE™ (sirolimus). In a specific embodiment, immunosuppressants may be used to prevent rejection of organ or bone marrow transplantation.

In an additional embodiment, Therapeutics of the invention are administered alone or  
5 in combination with one or more intravenous immune globulin preparations. Intravenous immune globulin preparations that may be administered with the Therapeutics of the invention include, but not limited to, GAMMAR™, IVEEGAM™, SANDOGLOBULIN™, GAMMAGARD S/D™, and GAMIMUNE™. In a specific embodiment, Therapeutics of the invention are administered in combination with intravenous immune globulin preparations in  
10 transplantation therapy (e.g., bone marrow transplant).

In an additional embodiment, the Therapeutics of the invention are administered alone or in combination with an anti-inflammatory agent. Anti-inflammatory agents that may be administered with the Therapeutics of the invention include, but are not limited to, glucocorticoids and the nonsteroidal anti-inflammatories, aminoarylcarboxylic acid  
15 derivatives, arylacetic acid derivatives, arylbutyric acid derivatives, arylcarboxylic acids, arylpropionic acid derivatives, pyrazoles, pyrazolones, salicylic acid derivatives, thiazinecarboxamides, e-acetamidocaproic acid, S-adenosylmethionine, 3-amino-4-hydroxybutyric acid, amixetrine, bendazac, benzydamine, bucolome, difenpiramide, ditazol, emorfazone, guaiazulene, nabumetone, nimesulide, orgotein, oxaceprol, paranyline,  
20 perisoxal, pifoxime, proquazone, proxazole, and tenidap.

In another embodiment, compositions of the invention are administered in combination with a chemotherapeutic agent. Chemotherapeutic agents that may be administered with the Therapeutics of the invention include, but are not limited to, antibiotic derivatives (e.g., doxorubicin, bleomycin, daunorubicin, and dactinomycin); antiestrogens  
25 (e.g., tamoxifen); antimetabolites (e.g., fluorouracil, 5-FU, methotrexate, floxuridine, interferon alpha-2b, glutamic acid, plicamycin, mercaptopurine, and 6-thioguanine); cytotoxic agents (e.g., carmustine, BCNU, lomustine, CCNU, cytosine arabinoside, cyclophosphamide, estramustine, hydroxyurea, procarbazine, mitomycin, busulfan, cis-platin, and vincristine sulfate); hormones (e.g., medroxyprogesterone, estramustine phosphate  
30 sodium, ethinyl estradiol, estradiol, megestrol acetate, methyltestosterone, diethylstilbestrol diphosphate, chlorotrianisene, and testolactone); nitrogen mustard derivatives (e.g., mephallen, chorambucil, mechlorethamine (nitrogen mustard) and thiotepa); steroids and

combinations (e.g., bethamethasone sodium phosphate); and others (e.g., dicarbazine, asparaginase, mitotane, vincristine sulfate, vinblastine sulfate, and etoposide).

In a specific embodiment, Therapeutics of the invention are administered in combination with CHOP (cyclophosphamide, doxorubicin, vincristine, and prednisone) or  
5 any combination of the components of CHOP. In another embodiment, Therapeutics of the invention are administered in combination with Rituximab. In a further embodiment, Therapeutics of the invention are administered with Rituxmab and CHOP, or Rituxmab and any combination of the components of CHOP.

In an additional embodiment, the Therapeutics of the invention are administered in  
10 combination with cytokines. Cytokines that may be administered with the Therapeutics of the invention include, but are not limited to, IL2, IL3, IL4, IL5, IL6, IL7, IL10, IL12, IL13, IL15, anti-CD40, CD40L, IFN-gamma and TNF-alpha. In another embodiment, Therapeutics of the invention may be administered with any interleukin, including, but not limited to, IL-1alpha, IL-1beta, IL-2, IL-3, IL-4, IL-5, IL-6, IL-7, IL-8, IL-9, IL-10, IL-11,  
15 IL-12, IL-13, IL-14, IL-15, IL-16, IL-17, IL-18, IL-19, IL-20, and IL-21.

In an additional embodiment, the Therapeutics of the invention are administered in combination with angiogenic proteins. Angiogenic proteins that may be administered with the Therapeutics of the invention include, but are not limited to, Glioma Derived Growth Factor (GDGF), as disclosed in European Patent Number EP-399816; Platelet Derived  
20 Growth Factor-A (PDGF-A), as disclosed in European Patent Number EP-682110; Platelet Derived Growth Factor-B (PDGF-B), as disclosed in European Patent Number EP-282317; Placental Growth Factor (PIGF), as disclosed in International Publication Number WO 92/06194; Placental Growth Factor-2 (PIGF-2), as disclosed in Hauser et al., Growth Factors, 4:259-268 (1993); Vascular Endothelial Growth Factor (VEGF), as disclosed in International  
25 Publication Number WO 90/13649; Vascular Endothelial Growth Factor-A (VEGF-A), as disclosed in European Patent Number EP-506477; Vascular Endothelial Growth Factor-2 (VEGF-2), as disclosed in International Publication Number WO 96/39515; Vascular Endothelial Growth Factor B (VEGF-3); Vascular Endothelial Growth Factor B-186 (VEGF-B186), as disclosed in International Publication Number WO 96/26736; Vascular Endothelial  
30 Growth Factor-D (VEGF-D), as disclosed in International Publication Number WO 98/02543; Vascular Endothelial Growth Factor-D (VEGF-D), as disclosed in International Publication Number WO 98/07832; and Vascular Endothelial Growth Factor-E (VEGF-E), as

disclosed in German Patent Number DE19639601. The above mentioned references are incorporated herein by reference herein.

In an additional embodiment, the Therapeutics of the invention are administered in combination with hematopoietic growth factors. Hematopoietic growth factors that may be administered with the Therapeutics of the invention include, but are not limited to, LEUKINE™ (SARGRAMOSTIM™) and NEUPOGEN™ (FILGRASTIM™).

In an additional embodiment, the Therapeutics of the invention are administered in combination with Fibroblast Growth Factors. Fibroblast Growth Factors that may be administered with the Therapeutics of the invention include, but are not limited to, FGF-1, FGF-2, FGF-3, FGF-4, FGF-5, FGF-6, FGF-7, FGF-8, FGF-9, FGF-10, FGF-11, FGF-12, FGF-13, FGF-14, and FGF-15.

In additional embodiments, the Therapeutics of the invention are administered in combination with other therapeutic or prophylactic regimens, such as, for example, radiation therapy.

15

*Example 14: Method of Treating Decreased Levels of the Polypeptide*

The present invention relates to a method for treating an individual in need of an increased level of a polypeptide of the invention in the body comprising administering to such an individual a composition comprising a therapeutically effective amount of an agonist of the invention (including polypeptides of the invention). Moreover, it will be appreciated that conditions caused by a decrease in the standard or normal expression level of a polypeptide of the present invention in an individual can be treated by administering the agonist or antagonist of the present invention. Thus, the invention also provides a method of treatment of an individual in need of an increased level of the polypeptide comprising administering to such an individual a Therapeutic comprising an amount of the agonist or antagonist to increase the activity level of the polypeptide in such an individual.

For example, a patient with decreased levels of a polypeptide receives a daily dose 0.1-100 ug/kg of the agonist or antagonist for six consecutive days. The exact details of the dosing scheme, based on administration and formulation, are provided in Example 13.

30

*Example 15: Method of Treating Increased Levels of the Polypeptide*

The present invention also relates to a method of treating an individual in need of a decreased level of a polypeptide of the invention in the body comprising administering to such an individual a composition comprising a therapeutically effective amount of an antagonist of the invention (including polypeptides and antibodies of the invention).

In one example, antisense technology is used to inhibit production of a polypeptide of the present invention. This technology is one example of a method of decreasing levels of a polypeptide, due to a variety of etiologies, such as cancer. For example, a patient diagnosed with abnormally increased levels of a polypeptide is administered intravenously antisense polynucleotides at 0.5, 1.0, 1.5, 2.0 and 3.0 mg/kg day for 21 days. This treatment is repeated after a 7-day rest period if the treatment was well tolerated. The formulation of the antisense polynucleotide is provided in Example 13.

*Example 16: Method of Treatment Using Gene Therapy-Ex Vivo*

One method of gene therapy transplants fibroblasts, which are capable of expressing a polypeptide, onto a patient. Generally, fibroblasts are obtained from a subject by skin biopsy. The resulting tissue is placed in tissue-culture medium and separated into small pieces. Small chunks of the tissue are placed on a wet surface of a tissue culture flask, approximately ten pieces are placed in each flask. The flask is turned upside down, closed tight and left at room temperature over night. After 24 hours at room temperature, the flask is inverted and the chunks of tissue remain fixed to the bottom of the flask and fresh media (e.g., Ham's F12 media, with 10% FBS, penicillin and streptomycin) is added. The flasks are then incubated at 37 degree C for approximately one week.

At this time, fresh media is added and subsequently changed every several days. After an additional two weeks in culture, a monolayer of fibroblasts emerge. The monolayer is trypsinized and scaled into larger flasks.

pMV-7 (Kirschmeier, P.T. et al., DNA, 7:219-25 (1988)), flanked by the long terminal repeats of the Moloney murine sarcoma virus, is digested with EcoRI and HindIII and subsequently treated with calf intestinal phosphatase. The linear vector is fractionated on agarose gel and purified, using glass beads.

The cDNA encoding a polypeptide of the present invention can be amplified using

PCR primers which correspond to the 5' and 3' end sequences respectively as set forth in Example 1 using primers and having appropriate restriction sites and initiation/stop codons, if necessary. Preferably, the 5' primer contains an EcoRI site and the 3' primer includes a HindIII site. Equal quantities of the Moloney murine sarcoma virus linear backbone and the amplified EcoRI and HindIII fragment are added together, in the presence of T4 DNA ligase. The resulting mixture is maintained under conditions appropriate for ligation of the two fragments. The ligation mixture is then used to transform bacteria HB101, which are then plated onto agar containing kanamycin for the purpose of confirming that the vector has the gene of interest properly inserted.

The amphotropic pA317 or GP+am12 packaging cells are grown in tissue culture to confluent density in Dulbecco's Modified Eagles Medium (DMEM) with 10% calf serum (CS), penicillin and streptomycin. The MSV vector containing the gene is then added to the media and the packaging cells transduced with the vector. The packaging cells now produce infectious viral particles containing the gene (the packaging cells are now referred to as producer cells).

Fresh media is added to the transduced producer cells, and subsequently, the media is harvested from a 10 cm plate of confluent producer cells. The spent media, containing the infectious viral particles, is filtered through a millipore filter to remove detached producer cells and this media is then used to infect fibroblast cells. Media is removed from a sub-confluent plate of fibroblasts and quickly replaced with the media from the producer cells. This media is removed and replaced with fresh media. If the titer of virus is high, then virtually all fibroblasts will be infected and no selection is required. If the titer is very low, then it is necessary to use a retroviral vector that has a selectable marker, such as neo or his. Once the fibroblasts have been efficiently infected, the fibroblasts are analyzed to determine whether protein is produced.

The engineered fibroblasts are then transplanted onto the host, either alone or after having been grown to confluence on cytodex 3 microcarrier beads.

#### *Example 17: Gene Therapy Using Endogenous Genes Corresponding To Polynucleotides of the Invention*

Another method of gene therapy according to the present invention involves operably

associating the endogenous polynucleotide sequence of the invention with a promoter via homologous recombination as described, for example, in U.S. Patent NO: 5,641,670, issued June 24, 1997; International Publication NO: WO 96/29411, published September 26, 1996; International Publication NO: WO 94/12650, published August 4, 1994; Koller et al., *Proc. Natl. Acad. Sci. USA*, 86:8932-8935 (1989); and Zijlstra et al., *Nature*, 342:435-438 (1989). This method involves the activation of a gene which is present in the target cells, but which is not expressed in the cells, or is expressed at a lower level than desired.

Polynucleotide constructs are made which contain a promoter and targeting sequences, which are homologous to the 5' non-coding sequence of endogenous polynucleotide sequence, flanking the promoter. The targeting sequence will be sufficiently near the 5' end of the polynucleotide sequence so the promoter will be operably linked to the endogenous sequence upon homologous recombination. The promoter and the targeting sequences can be amplified using PCR. Preferably, the amplified promoter contains distinct restriction enzyme sites on the 5' and 3' ends. Preferably, the 3' end of the first targeting sequence contains the same restriction enzyme site as the 5' end of the amplified promoter and the 5' end of the second targeting sequence contains the same restriction site as the 3' end of the amplified promoter.

The amplified promoter and the amplified targeting sequences are digested with the appropriate restriction enzymes and subsequently treated with calf intestinal phosphatase. The digested promoter and digested targeting sequences are added together in the presence of T4 DNA ligase. The resulting mixture is maintained under conditions appropriate for ligation of the two fragments. The construct is size fractionated on an agarose gel then purified by phenol extraction and ethanol precipitation.

In this Example, the polynucleotide constructs are administered as naked polynucleotides via electroporation. However, the polynucleotide constructs may also be administered with transfection-facilitating agents, such as liposomes, viral sequences, viral particles, precipitating agents, etc. Such methods of delivery are known in the art.

Once the cells are transfected, homologous recombination will take place which results in the promoter being operably linked to the endogenous polynucleotide sequence. This results in the expression of polynucleotide corresponding to the polynucleotide in the cell. Expression may be detected by immunological staining, or any other method known in the art.

Fibroblasts are obtained from a subject by skin biopsy. The resulting tissue is placed in DMEM + 10% fetal calf serum. Exponentially growing or early stationary phase fibroblasts are trypsinized and rinsed from the plastic surface with nutrient medium. An aliquot of the cell suspension is removed for counting, and the remaining cells are subjected to centrifugation. The supernatant is aspirated and the pellet is resuspended in 5 ml of electroporation buffer (20 mM HEPES pH 7.3, 137 mM NaCl, 5 mM KCl, 0.7 mM Na<sub>2</sub>HPO<sub>4</sub>, 6 mM dextrose). The cells are recentrifuged, the supernatant aspirated, and the cells resuspended in electroporation buffer containing 1 mg/ml acetylated bovine serum albumin. The final cell suspension contains approximately  $3 \times 10^6$  cells/ml. Electroporation should be performed immediately following resuspension.

Plasmid DNA is prepared according to standard techniques. For example, to construct a plasmid for targeting to the locus corresponding to the polynucleotide of the invention, plasmid pUC18 (MBI Fermentas, Amherst, NY) is digested with HindIII. The CMV promoter is amplified by PCR with an XbaI site on the 5' end and a BamHI site on the 3' end. Two non-coding sequences are amplified via PCR: one non-coding sequence (fragment 1) is amplified with a HindIII site at the 5' end and an Xba site at the 3' end; the other non-coding sequence (fragment 2) is amplified with a BamHI site at the 5' end and a HindIII site at the 3' end. The CMV promoter and the fragments (1 and 2) are digested with the appropriate enzymes (CMV promoter - XbaI and BamHI; fragment 1 - XbaI; fragment 2 - BamHI) and ligated together. The resulting ligation product is digested with HindIII, and ligated with the HindIII-digested pUC18 plasmid.

Plasmid DNA is added to a sterile cuvette with a 0.4 cm electrode gap (Bio-Rad). The final DNA concentration is generally at least 120 µg/ml. 0.5 ml of the cell suspension (containing approximately  $1.5 \times 10^6$  cells) is then added to the cuvette, and the cell suspension and DNA solutions are gently mixed. Electroporation is performed with a Gene-Pulser apparatus (Bio-Rad). Capacitance and voltage are set at 960 µF and 250-300 V, respectively. As voltage increases, cell survival decreases, but the percentage of surviving cells that stably incorporate the introduced DNA into their genome increases dramatically. Given these parameters, a pulse time of approximately 14-20 mSec should be observed.

Electroporated cells are maintained at room temperature for approximately 5 min, and the contents of the cuvette are then gently removed with a sterile transfer pipette. The cells are added directly to 10 ml of prewarmed nutrient media (DMEM with 15% calf serum) in a

10 cm dish and incubated at 37 degree C. The following day, the media is aspirated and replaced with 10 ml of fresh media and incubated for a further 16-24 hours.

The engineered fibroblasts are then injected into the host, either alone or after having been grown to confluence on cytodex 3 microcarrier beads. The fibroblasts now produce the protein product. The fibroblasts can then be introduced into a patient as described above.

*Example 18: Method of Treatment Using Gene Therapy - In Vivo*

Another aspect of the present invention is using *in vivo* gene therapy methods to treat disorders, diseases and conditions. The gene therapy method relates to the introduction of naked nucleic acid (DNA, RNA, and antisense DNA or RNA) sequences into an animal to increase or decrease the expression of the polypeptide. The polynucleotide of the present invention may be operatively linked to a promoter or any other genetic elements necessary for the expression of the polypeptide by the target tissue. Such gene therapy and delivery techniques and methods are known in the art, see, for example, WO90/11092, WO98/11779; U.S. Patent NO. 5693622, 5705151, 5580859; Tabata et al., Cardiovasc. Res. 35(3):470-479 (1997); Chao et al., Pharmacol. Res. 35(6):517-522 (1997); Wolff, Neuromuscul. Disord. 7(5):314-318 (1997); Schwartz et al., Gene Ther. 3(5):405-411 (1996); Tsurumi et al., Circulation 94(12):3281-3290 (1996) (incorporated herein by reference).

The polynucleotide constructs may be delivered by any method that delivers injectable materials to the cells of an animal, such as, injection into the interstitial space of tissues (heart, muscle, skin, lung, liver, intestine and the like). The polynucleotide constructs can be delivered in a pharmaceutically acceptable liquid or aqueous carrier.

The term "naked" polynucleotide, DNA or RNA, refers to sequences that are free from any delivery vehicle that acts to assist, promote, or facilitate entry into the cell, including viral sequences, viral particles, liposome formulations, lipofectin or precipitating agents and the like. However, the polynucleotides of the present invention may also be delivered in liposome formulations (such as those taught in Felgner P.L. et al. (1995) Ann. NY Acad. Sci. 772:126-139 and Abdallah B. et al. (1995) Biol. Cell 85(1):1-7) which can be prepared by methods well known to those skilled in the art.

The polynucleotide vector constructs used in the gene therapy method are preferably constructs that will not integrate into the host genome nor will they contain sequences that



allow for replication. Any strong promoter known to those skilled in the art can be used for driving the expression of DNA. Unlike other gene therapies techniques, one major advantage of introducing naked nucleic acid sequences into target cells is the transitory nature of the polynucleotide synthesis in the cells. Studies have shown that non-replicating DNA  
5 sequences can be introduced into cells to provide production of the desired polypeptide for periods of up to six months.

The polynucleotide construct can be delivered to the interstitial space of tissues within the an animal, including of muscle, skin, brain, lung, liver, spleen, bone marrow, thymus, heart, lymph, blood, bone, cartilage, pancreas, kidney, gall bladder, stomach, intestine, testis,  
10 ovary, uterus, rectum, nervous system, eye, gland, and connective tissue. Interstitial space of the tissues comprises the intercellular fluid, mucopolysaccharide matrix among the reticular fibers of organ tissues, elastic fibers in the walls of vessels or chambers, collagen fibers of fibrous tissues, or that same matrix within connective tissue ensheathing muscle cells or in the lacunae of bone. It is similarly the space occupied by the plasma of the circulation and  
15 the lymph fluid of the lymphatic channels. Delivery to the interstitial space of muscle tissue is preferred for the reasons discussed below. They may be conveniently delivered by injection into the tissues comprising these cells. They are preferably delivered to and expressed in persistent, non-dividing cells which are differentiated, although delivery and expression may be achieved in non-differentiated or less completely differentiated cells, such  
20 as, for example, stem cells of blood or skin fibroblasts. *In vivo* muscle cells are particularly competent in their ability to take up and express polynucleotides.

For the naked polynucleotide injection, an effective dosage amount of DNA or RNA will be in the range of from about 0.05 g/kg body weight to about 50 mg/kg body weight. Preferably the dosage will be from about 0.005 mg/kg to about 20 mg/kg and more preferably  
25 from about 0.05 mg/kg to about 5 mg/kg. Of course, as the artisan of ordinary skill will appreciate, this dosage will vary according to the tissue site of injection. The appropriate and effective dosage of nucleic acid sequence can readily be determined by those of ordinary skill in the art and may depend on the condition being treated and the route of administration. The preferred route of administration is by the parenteral route of injection into the interstitial  
30 space of tissues. However, other parenteral routes may also be used, such as, inhalation of an aerosol formulation particularly for delivery to lungs or bronchial tissues, throat or mucous membranes of the nose. In addition, naked polynucleotide constructs can be delivered to

arteries during angioplasty by the catheter used in the procedure.

The dose response effects of injected polynucleotide in muscle *in vivo* is determined as follows. Suitable template DNA for production of mRNA coding for polypeptide of the present invention is prepared in accordance with a standard recombinant DNA methodology.

- 5 The template DNA, which may be either circular or linear, is either used as naked DNA or complexed with liposomes. The quadriceps muscles of mice are then injected with various amounts of the template DNA.

Five to six week old female and male Balb/C mice are anesthetized by intraperitoneal injection with 0.3 ml of 2.5% Avertin. A 1.5 cm incision is made on the anterior thigh, and  
10 the quadriceps muscle is directly visualized. The template DNA is injected in 0.1 ml of carrier in a 1 cc syringe through a 27 gauge needle over one minute, approximately 0.5 cm from the distal insertion site of the muscle into the knee and about 0.2 cm deep. A suture is placed over the injection site for future localization, and the skin is closed with stainless steel clips.

- 15 After an appropriate incubation time (e.g., 7 days) muscle extracts are prepared by excising the entire quadriceps. Every fifth 15 um cross-section of the individual quadriceps muscles is histochemically stained for protein expression. A time course for protein expression may be done in a similar fashion except that quadriceps from different mice are harvested at different times. Persistence of DNA in muscle following injection may be  
20 determined by Southern blot analysis after preparing total cellular DNA and HIRT supernatants from injected and control mice. The results of the above experimentation in mice can be use to extrapolate proper dosages and other treatment parameters in humans and other animals using naked DNA.

#### 25 *Example 19: Transgenic Animals*

The polypeptides of the invention can also be expressed in transgenic animals. Animals of any species, including, but not limited to, mice, rats, rabbits, hamsters, guinea pigs, pigs, micro-pigs, goats, sheep, cows and non-human primates, *e.g.*, baboons, monkeys,  
30 and chimpanzees may be used to generate transgenic animals. In a specific embodiment, techniques described herein or otherwise known in the art, are used to express polypeptides of the invention in humans, as part of a gene therapy protocol.

Any technique known in the art may be used to introduce the transgene (i.e., polynucleotides of the invention) into animals to produce the founder lines of transgenic animals. Such techniques include, but are not limited to, pronuclear microinjection (Paterson et al., Appl. Microbiol. Biotechnol. 40:691-698 (1994); Carver et al., Biotechnology (NY) 11:1263-1270 (1993); Wright et al., Biotechnology (NY) 9:830-834 (1991); and Hoppe et al., U.S. Pat. No. 4,873,191 (1989)); retrovirus mediated gene transfer into germ lines (Van der Putten et al., Proc. Natl. Acad. Sci., USA 82:6148-6152 (1985)), blastocysts or embryos; gene targeting in embryonic stem cells (Thompson et al., Cell 56:313-321 (1989)); electroporation of cells or embryos (Lo, 1983, Mol Cell. Biol. 3:1803-1814 (1983)); introduction of the polynucleotides of the invention using a gene gun (see, e.g., Ulmer et al., Science 259:1745 (1993); introducing nucleic acid constructs into embryonic pluripotent stem cells and transferring the stem cells back into the blastocyst; and sperm-mediated gene transfer (Lavitrano et al., Cell 57:717-723 (1989); etc. For a review of such techniques, see Gordon, "Transgenic Animals," Intl. Rev. Cytol. 115:171-229 (1989), which is incorporated by reference herein in its entirety.

Any technique known in the art may be used to produce transgenic clones containing polynucleotides of the invention, for example, nuclear transfer into enucleated oocytes of nuclei from cultured embryonic, fetal, or adult cells induced to quiescence (Campbell et al., Nature 380:64-66 (1996); Wilmut et al., Nature 385:810-813 (1997)).

The present invention provides for transgenic animals that carry the transgene in all their cells, as well as animals which carry the transgene in some, but not all their cells, i.e., mosaic animals or chimeric. The transgene may be integrated as a single transgene or as multiple copies such as in concatamers, e.g., head-to-head tandems or head-to-tail tandems. The transgene may also be selectively introduced into and activated in a particular cell type by following, for example, the teaching of Lasko et al. (Lasko et al., Proc. Natl. Acad. Sci. USA 89:6232-6236 (1992)). The regulatory sequences required for such a cell-type specific activation will depend upon the particular cell type of interest, and will be apparent to those of skill in the art. When it is desired that the polynucleotide transgene be integrated into the chromosomal site of the endogenous gene, gene targeting is preferred. Briefly, when such a technique is to be utilized, vectors containing some nucleotide sequences homologous to the endogenous gene are designed for the purpose of integrating, via homologous recombination with chromosomal sequences, into and disrupting the function of the nucleotide sequence of

the endogenous gene. The transgene may also be selectively introduced into a particular cell type, thus inactivating the endogenous gene in only that cell type, by following, for example, the teaching of Gu et al. (Gu et al., Science 265:103-106 (1994)). The regulatory sequences required for such a cell-type specific inactivation will depend upon the particular cell type of interest, and will be apparent to those of skill in the art.

Once transgenic animals have been generated, the expression of the recombinant gene may be assayed utilizing standard techniques. Initial screening may be accomplished by Southern blot analysis or PCR techniques to analyze animal tissues to verify that integration of the transgene has taken place. The level of mRNA expression of the transgene in the tissues of the transgenic animals may also be assessed using techniques which include, but are not limited to, Northern blot analysis of tissue samples obtained from the animal, *in situ* hybridization analysis, and reverse transcriptase-PCR (rt-PCR). Samples of transgenic gene-expressing tissue may also be evaluated immunocytochemically or immunohistochemically using antibodies specific for the transgene product.

Once the founder animals are produced, they may be bred, inbred, outbred, or crossbred to produce colonies of the particular animal. Examples of such breeding strategies include, but are not limited to: outbreeding of founder animals with more than one integration site in order to establish separate lines; inbreeding of separate lines in order to produce compound transgenics that express the transgene at higher levels because of the effects of additive expression of each transgene; crossing of heterozygous transgenic animals to produce animals homozygous for a given integration site in order to both augment expression and eliminate the need for screening of animals by DNA analysis; crossing of separate homozygous lines to produce compound heterozygous or homozygous lines; and breeding to place the transgene on a distinct background that is appropriate for an experimental model of interest.

Transgenic animals of the invention have uses which include, but are not limited to, animal model systems useful in elaborating the biological function of polypeptides of the present invention, studying conditions and/or disorders associated with aberrant expression, and in screening for compounds effective in ameliorating such conditions and/or disorders.

30

*Example 20: Knock-Out Animals*

Endogenous gene expression can also be reduced by inactivating or "knocking out" the gene and/or its promoter using targeted homologous recombination. (*E.g.*, see Smithies et al., *Nature* 317:230-234 (1985); Thomas & Capecchi, *Cell* 51:503-512 (1987); Thompson et al., *Cell* 5:313-321 (1989); each of which is incorporated by reference herein in its entirety). For example, a mutant, non-functional polynucleotide of the invention (or a completely unrelated DNA sequence) flanked by DNA homologous to the endogenous polynucleotide sequence (either the coding regions or regulatory regions of the gene) can be used, with or without a selectable marker and/or a negative selectable marker, to transfect cells that express polypeptides of the invention *in vivo*. In another embodiment, techniques known in the art are used to generate knockouts in cells that contain, but do not express the gene of interest. Insertion of the DNA construct, via targeted homologous recombination, results in inactivation of the targeted gene. Such approaches are particularly suited in research and agricultural fields where modifications to embryonic stem cells can be used to generate animal offspring with an inactive targeted gene (*e.g.*, see Thomas & Capecchi 1987 and Thompson 1989, *supra*). However this approach can be routinely adapted for use in humans provided the recombinant DNA constructs are directly administered or targeted to the required site *in vivo* using appropriate viral vectors that will be apparent to those of skill in the art.

In further embodiments of the invention, cells that are genetically engineered to express the polypeptides of the invention, or alternatively, that are genetically engineered not to express the polypeptides of the invention (*e.g.*, knockouts) are administered to a patient *in vivo*. Such cells may be obtained from the patient (*i.e.*, animal, including human) or an MHC compatible donor and can include, but are not limited to fibroblasts, bone marrow cells, blood cells (*e.g.*, lymphocytes), adipocytes, muscle cells, endothelial cells etc. The cells are genetically engineered *in vitro* using recombinant DNA techniques to introduce the coding sequence of polypeptides of the invention into the cells, or alternatively, to disrupt the coding sequence and/or endogenous regulatory sequence associated with the polypeptides of the invention, *e.g.*, by transduction (using viral vectors, and preferably vectors that integrate the transgene into the cell genome) or transfection procedures, including, but not limited to, the use of plasmids, cosmids, YACs, naked DNA, electroporation, liposomes, etc. The coding sequence of the polypeptides of the invention can be placed under the control of a strong constitutive or inducible promoter or promoter/enhancer to achieve expression, and

preferably secretion, of the polypeptides of the invention. The engineered cells which express and preferably secrete the polypeptides of the invention can be introduced into the patient systemically, e.g., in the circulation, or intraperitoneally.

Alternatively, the cells can be incorporated into a matrix and implanted in the body, e.g., genetically engineered fibroblasts can be implanted as part of a skin graft; genetically engineered endothelial cells can be implanted as part of a lymphatic or vascular graft. (See, for example, Anderson et al. U.S. Patent No. 5,399,349; and Mulligan & Wilson, U.S. Patent No. 5,460,959 each of which is incorporated by reference herein in its entirety).

When the cells to be administered are non-autologous or non-MHC compatible cells, they can be administered using well known techniques which prevent the development of a host immune response against the introduced cells. For example, the cells may be introduced in an encapsulated form which, while allowing for an exchange of components with the immediate extracellular environment, does not allow the introduced cells to be recognized by the host immune system.

Transgenic and "knock-out" animals of the invention have uses which include, but are not limited to, animal model systems useful in elaborating the biological function of polypeptides of the present invention, studying conditions and/or disorders associated with aberrant expression, and in screening for compounds effective in ameliorating such conditions and/or disorders.

20

*Example 22: Assays Detecting Stimulation or Inhibition of B cell Proliferation and Differentiation*

Generation of functional humoral immune responses requires both soluble and cognate signaling between B-lineage cells and their microenvironment. Signals may impart a positive stimulus that allows a B-lineage cell to continue its programmed development, or a negative stimulus that instructs the cell to arrest its current developmental pathway. To date, numerous stimulatory and inhibitory signals have been found to influence B cell responsiveness including IL-2, IL-4, IL-5, IL-6, IL-7, IL10, IL-13, IL-14 and IL-15. Interestingly, these signals are by themselves weak effectors but can, in combination with various co-stimulatory proteins, induce activation, proliferation, differentiation, homing, tolerance and death among B cell populations.

One of the best studied classes of B-cell co-stimulatory proteins is the TNF-superfamily. Within this family CD40, CD27, and CD30 along with their respective ligands CD154, CD70, and CD153 have been found to regulate a variety of immune responses. Assays which allow for the detection and/or observation of the proliferation and differentiation of these B-cell populations and their precursors are valuable tools in determining the effects various proteins may have on these B-cell populations in terms of proliferation and differentiation. Listed below are two assays designed to allow for the detection of the differentiation, proliferation, or inhibition of B-cell populations and their precursors.

**In Vitro Assay-** Agonists or antagonists of the invention can be assessed for its ability to induce activation, proliferation, differentiation or inhibition and/or death in B-cell populations and their precursors. The activity of the agonists or antagonists of the invention on purified human tonsillar B cells, measured qualitatively over the dose range from 0.1 to 10,000 ng/mL, is assessed in a standard B-lymphocyte co-stimulation assay in which purified tonsillar B cells are cultured in the presence of either formalin-fixed *Staphylococcus aureus* Cowan I (SAC) or immobilized anti-human IgM antibody as the priming agent. Second signals such as IL-2 and IL-15 synergize with SAC and IgM crosslinking to elicit B cell proliferation as measured by tritiated-thymidine incorporation. Novel synergizing agents can be readily identified using this assay. The assay involves isolating human tonsillar B cells by magnetic bead (MACS) depletion of CD3-positive cells. The resulting cell population is greater than 95% B cells as assessed by expression of CD45R(B220).

Various dilutions of each sample are placed into individual wells of a 96-well plate to which are added  $10^5$  B-cells suspended in culture medium (RPMI 1640 containing 10% FBS,  $5 \times 10^{-5}$ M 2ME, 100U/ml penicillin, 10ug/ml streptomycin, and  $10^{-5}$  dilution of SAC) in a total volume of 150ul. Proliferation or inhibition is quantitated by a 20h pulse (1uCi/well) with 3H-thymidine (6.7 Ci/mM) beginning 72h post factor addition. The positive and negative controls are IL2 and medium respectively.

**In Vivo Assay-** BALB/c mice are injected (i.p.) twice per day with buffer only, or 2 mg/Kg of agonists or antagonists of the invention, or truncated forms thereof. Mice receive this treatment for 4 consecutive days, at which time they are sacrificed and various tissues and serum collected for analyses. Comparison of H&E sections from normal spleens and spleens treated with agonists or antagonists of the invention identify the results of the activity

of the agonists or antagonists on spleen cells, such as the diffusion of peri-arterial lymphatic sheaths, and/or significant increases in the nucleated cellularity of the red pulp regions, which may indicate the activation of the differentiation and proliferation of B-cell populations. Immunohistochemical studies using a B cell marker, anti-CD45R(B220), are used to  
5 determine whether any physiological changes to splenic cells, such as splenic disorganization, are due to increased B-cell representation within loosely defined B-cell zones that infiltrate established T-cell regions.

Flow cytometric analyses of the spleens from mice treated with agonist or antagonist is used to indicate whether the agonists or antagonists specifically increases the proportion of  
10 ThB+, CD45R(B220)dull B cells over that which is observed in control mice. Likewise, a predicted consequence of increased mature B-cell representation in vivo is a relative increase in serum Ig titers. Accordingly, serum IgM and IgA levels are compared between buffer and agonists or antagonists-treated mice.

The studies described in this example tested activity of agonists or antagonists of the  
15 invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

*Example 23: T Cell Proliferation Assay*

20 A CD3-induced proliferation assay is performed on PBMCs and is measured by the uptake of  $^3\text{H}$ -thymidine. The assay is performed as follows. Ninety-six well plates are coated with 100  $\mu\text{l}$ /well of mAb to CD3 (HIT3a, Pharmingen) or isotype-matched control mAb (B33.1) overnight at 4 degrees C (1  $\mu\text{g}/\text{ml}$  in .05M bicarbonate buffer, pH 9.5), then washed three times with PBS. PBMC are isolated by F/H gradient centrifugation from  
25 human peripheral blood and added to quadruplicate wells ( $5 \times 10^4$ /well) of mAb coated plates in RPMI containing 10% FCS and P/S in the presence of varying concentrations of agonists or antagonists of the invention (total volume 200  $\mu\text{l}$ ). Relevant protein buffer and medium alone are controls. After 48 hr. culture at 37 degrees C, plates are spun for 2 min. at 1000 rpm and 100  $\mu\text{l}$  of supernatant is removed and stored -20 degrees C for measurement of IL-2  
30 (or other cytokines) if effect on proliferation is observed. Wells are supplemented with 100  $\mu\text{l}$  of medium containing 0.5  $\mu\text{Ci}$  of  $^3\text{H}$ -thymidine and cultured at 37 degrees C for 18-24 hr. Wells are harvested and incorporation of  $^3\text{H}$ -thymidine used as a measure of proliferation.



Anti-CD3 alone is the positive control for proliferation. IL-2 (100 U/ml) is also used as a control which enhances proliferation. Control antibody which does not induce proliferation of T cells is used as the negative controls for the effects of agonists or antagonists of the invention.

- 5        The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

10        *Example 24: Effect of Agonists or Antagonists of the Invention on the Expression of MHC Class II, Costimulatory and Adhesion Molecules and Cell Differentiation of Monocytes and Monocyte-Derived Human Dendritic Cells*

- Dendritic cells are generated by the expansion of proliferating precursors found in the peripheral blood: adherent PBMC or elutriated monocytic fractions are cultured for 7-10 days  
15        with GM-CSF (50 ng/ml) and IL-4 (20 ng/ml). These dendritic cells have the characteristic phenotype of immature cells (expression of CD1, CD80, CD86, CD40 and MHC class II antigens). Treatment with activating factors, such as TNF- $\alpha$ , causes a rapid change in surface phenotype (increased expression of MHC class I and II, costimulatory and adhesion molecules, downregulation of FC $\gamma$ RII, upregulation of CD83). These changes correlate with  
20        increased antigen-presenting capacity and with functional maturation of the dendritic cells.

- FACS analysis of surface antigens is performed as follows. Cells are treated 1-3 days with increasing concentrations of agonist or antagonist of the invention or LPS (positive control), washed with PBS containing 1% BSA and 0.02 mM sodium azide, and then incubated with 1:20 dilution of appropriate FITC- or PE-labeled monoclonal antibodies for  
25        30 minutes at 4 degrees C. After an additional wash, the labeled cells are analyzed by flow cytometry on a FACScan (Becton Dickinson).

- Effect on the production of cytokines. Cytokines generated by dendritic cells, in particular IL-12, are important in the initiation of T-cell dependent immune responses. IL-12 strongly  
30        influences the development of Th1 helper T-cell immune response, and induces cytotoxic T and NK cell function. An ELISA is used to measure the IL-12 release as follows. Dendritic cells ( $10^6$ /ml) are treated with increasing concentrations of agonists or antagonists of the

invention for 24 hours. LPS (100 ng/ml) is added to the cell culture as positive control. Supernatants from the cell cultures are then collected and analyzed for IL-12 content using commercial ELISA kit (e.g, R & D Systems (Minneapolis, MN)). The standard protocols provided with the kits are used.

5

Effect on the expression of MHC Class II, costimulatory and adhesion molecules. Three major families of cell surface antigens can be identified on monocytes: adhesion molecules, molecules involved in antigen presentation, and Fc receptor. Modulation of the expression of MHC class II antigens and other costimulatory molecules, such as B7 and ICAM-1, may result in changes in the antigen presenting capacity of monocytes and ability to induce T cell activation. Increase expression of Fc receptors may correlate with improved monocyte cytotoxic activity, cytokine release and phagocytosis.

FACS analysis is used to examine the surface antigens as follows. Monocytes are treated 1-5 days with increasing concentrations of agonists or antagonists of the invention or LPS (positive control), washed with PBS containing 1% BSA and 0.02 mM sodium azide, and then incubated with 1:20 dilution of appropriate FITC- or PE-labeled monoclonal antibodies for 30 minutes at 4 degreesC. After an additional wash, the labeled cells are analyzed by flow cytometry on a FACScan (Becton Dickinson).

20 Monocyte activation and/or increased survival. Assays for molecules that activate (or alternatively, inactivate) monocytes and/or increase monocyte survival (or alternatively, decrease monocyte survival) are known in the art and may routinely be applied to determine whether a molecule of the invention functions as an inhibitor or activator of monocytes. Agonists or antagonists of the invention can be screened using the three assays described below. For each of these assays, Peripheral blood mononuclear cells (PBMC) are purified from single donor leukopacks (American Red Cross, Baltimore, MD) by centrifugation through a Histopaque gradient (Sigma). Monocytes are isolated from PBMC by counterflow centrifugal elutriation.

30 Monocyte Survival Assay. Human peripheral blood monocytes progressively lose viability when cultured in absence of serum or other stimuli. Their death results from internally regulated process (apoptosis). Addition to the culture of activating factors, such as TNF-alpha

dramatically improves cell survival and prevents DNA fragmentation. Propidium iodide (PI) staining is used to measure apoptosis as follows. Monocytes are cultured for 48 hours in polypropylene tubes in serum-free medium (positive control), in the presence of 100 ng/ml TNF-alpha (negative control), and in the presence of varying concentrations of the compound to be tested. Cells are suspended at a concentration of  $2 \times 10^6$ /ml in PBS containing PI at a final concentration of 5  $\mu$ g/ml, and then incubated at room temperature for 5 minutes before FACSscan analysis. PI uptake has been demonstrated to correlate with DNA fragmentation in this experimental paradigm.

- 10 Effect on cytokine release. An important function of monocytes/macrophages is their regulatory activity on other cellular populations of the immune system through the release of cytokines after stimulation. An ELISA to measure cytokine release is performed as follows. Human monocytes are incubated at a density of  $5 \times 10^5$  cells/ml with increasing concentrations of agonists or antagonists of the invention and under the same conditions, but in the absence of agonists or antagonists. For IL-12 production, the cells are primed overnight with IFN (100 U/ml) in presence of agonist or antagonist of the invention. LPS (10 ng/ml) is then added. Conditioned media are collected after 24h and kept frozen until use. Measurement of TNF-alpha, IL-10, MCP-1 and IL-8 is then performed using a commercially available ELISA kit (e. g, R & D Systems (Minneapolis, MN)) and applying the standard protocols provided with the kit.

- Oxidative burst. Purified monocytes are plated in 96-w plate at  $2 \times 10^5$  cell/well. Increasing concentrations of agonists or antagonists of the invention are added to the wells in a total volume of 0.2 ml culture medium (RPMI 1640 + 10% FCS, glutamine and antibiotics). After 3 days incubation, the plates are centrifuged and the medium is removed from the wells. To the macrophage monolayers, 0.2 ml per well of phenol red solution (140 mM NaCl, 10 mM potassium phosphate buffer pH 7.0, 5.5 mM dextrose, 0.56 mM phenol red and 19 U/ml of HRPO) is added, together with the stimulant (200 nM PMA). The plates are incubated at 37°C for 2 hours and the reaction is stopped by adding 20  $\mu$ l 1N NaOH per well. The absorbance is read at 610 nm. To calculate the amount of  $H_2O_2$  produced by the macrophages, a standard curve of a  $H_2O_2$  solution of known molarity is performed for each experiment.

The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

5

*Example 25: Biological Effects of Agonists or Antagonists of the Invention*

Astrocyte and Neuronal Assays.

Agonists or antagonists of the invention, expressed in *Escherichia coli* and purified  
10 as described above, can be tested for activity in promoting the survival, neurite outgrowth, or phenotypic differentiation of cortical neuronal cells and for inducing the proliferation of glial fibrillary acidic protein immunopositive cells, astrocytes. The selection of cortical cells for the bioassay is based on the prevalent expression of FGF-1 and FGF-2 in cortical structures and on the previously reported enhancement of cortical neuronal survival resulting from  
15 FGF-2 treatment. A thymidine incorporation assay, for example, can be used to elucidate an agonist or antagonist of the invention's activity on these cells.

Moreover, previous reports describing the biological effects of FGF-2 (basic FGF) on cortical or hippocampal neurons *in vitro* have demonstrated increases in both neuron survival and neurite outgrowth (Walicke et al., "Fibroblast growth factor promotes survival of  
20 dissociated hippocampal neurons and enhances neurite extension." *Proc. Natl. Acad. Sci. USA* 83:3012-3016. (1986), assay herein incorporated by reference in its entirety). However, reports from experiments done on PC-12 cells suggest that these two responses are not necessarily synonymous and may depend on not only which FGF is being tested but also on which receptor(s) are expressed on the target cells. Using the primary cortical neuronal  
25 culture paradigm, the ability of an agonist or antagonist of the invention to induce neurite outgrowth can be compared to the response achieved with FGF-2 using, for example, a thymidine incorporation assay.

Fibroblast and endothelial cell assays.

30 Human lung fibroblasts are obtained from Clonetics (San Diego, CA) and maintained in growth media from Clonetics. Dermal microvascular endothelial cells are obtained from

Cell Applications (San Diego, CA). For proliferation assays, the human lung fibroblasts and dermal microvascular endothelial cells can be cultured at 5,000 cells/well in a 96-well plate for one day in growth medium. The cells are then incubated for one day in 0.1% BSA basal medium. After replacing the medium with fresh 0.1% BSA medium, the cells are incubated with the test proteins for 3 days. Alamar Blue (Alamar Biosciences, Sacramento, CA) is added to each well to a final concentration of 10%. The cells are incubated for 4 hr. Cell viability is measured by reading in a CytoFluor fluorescence reader. For the PGE<sub>2</sub> assays, the human lung fibroblasts are cultured at 5,000 cells/well in a 96-well plate for one day. After a medium change to 0.1% BSA basal medium, the cells are incubated with FGF-2 or agonists or antagonists of the invention with or without IL-1 $\alpha$  for 24 hours. The supernatants are collected and assayed for PGE<sub>2</sub> by EIA kit (Cayman, Ann Arbor, MI). For the IL-6 assays, the human lung fibroblasts are cultured at 5,000 cells/well in a 96-well plate for one day. After a medium change to 0.1% BSA basal medium, the cells are incubated with FGF-2 or with or without agonists or antagonists of the invention IL-1 $\alpha$  for 24 hours. The supernatants are collected and assayed for IL-6 by ELISA kit (Endogen, Cambridge, MA).

Human lung fibroblasts are cultured with FGF-2 or agonists or antagonists of the invention for 3 days in basal medium before the addition of Alamar Blue to assess effects on growth of the fibroblasts. FGF-2 should show a stimulation at 10 - 2500 ng/ml which can be used to compare stimulation with agonists or antagonists of the invention.

#### Parkinson Models.

The loss of motor function in Parkinson's disease is attributed to a deficiency of striatal dopamine resulting from the degeneration of the nigrostriatal dopaminergic projection neurons. An animal model for Parkinson's that has been extensively characterized involves the systemic administration of 1-methyl-4 phenyl 1,2,3,6-tetrahydropyridine (MPTP). In the CNS, MPTP is taken-up by astrocytes and catabolized by monoamine oxidase B to 1-methyl-4-phenyl pyridine (MPP<sup>+</sup>) and released. Subsequently, MPP<sup>+</sup> is actively accumulated in dopaminergic neurons by the high-affinity reuptake transporter for dopamine. MPP<sup>+</sup> is then concentrated in mitochondria by the electrochemical gradient and selectively inhibits nicotinamide adenine disphosphate: ubiquinone oxidoreductionase (complex I), thereby interfering with electron transport and eventually generating oxygen radicals.

It has been demonstrated in tissue culture paradigms that FGF-2 (basic FGF) has trophic activity towards nigral dopaminergic neurons (Ferrari et al., Dev. Biol. 1989). Recently, Dr. Unsicker's group has demonstrated that administering FGF-2 in gel foam implants in the striatum results in the near complete protection of nigral dopaminergic neurons from the toxicity associated with MPTP exposure (Otto and Unsicker, J. Neuroscience, 1990).

Based on the data with FGF-2, agonists or antagonists of the invention can be evaluated to determine whether it has an action similar to that of FGF-2 in enhancing dopaminergic neuronal survival *in vitro* and it can also be tested *in vivo* for protection of dopaminergic neurons in the striatum from the damage associated with MPTP treatment. The potential effect of an agonist or antagonist of the invention is first examined *in vitro* in a dopaminergic neuronal cell culture paradigm. The cultures are prepared by dissecting the midbrain floor plate from gestation day 14 Wistar rat embryos. The tissue is dissociated with trypsin and seeded at a density of 200,000 cells/cm<sup>2</sup> on polyorthinine-laminin coated glass coverslips. The cells are maintained in Dulbecco's Modified Eagle's medium and F12 medium containing hormonal supplements (N1). The cultures are fixed with paraformaldehyde after 8 days *in vitro* and are processed for tyrosine hydroxylase, a specific marker for dopaminergic neurons, immunohistochemical staining. Dissociated cell cultures are prepared from embryonic rats. The culture medium is changed every third day and the factors are also added at that time.

Since the dopaminergic neurons are isolated from animals at gestation day 14, a developmental time which is past the stage when the dopaminergic precursor cells are proliferating, an increase in the number of tyrosine hydroxylase immunopositive neurons would represent an increase in the number of dopaminergic neurons surviving *in vitro*. Therefore, if an agonist or antagonist of the invention acts to prolong the survival of dopaminergic neurons, it would suggest that the agonist or antagonist may be involved in Parkinson's Disease.

The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

*Example 26: The Effect of Agonists or Antagonists of the Invention on the Growth of Vascular Endothelial Cells*

On day 1, human umbilical vein endothelial cells (HUVEC) are seeded at  $2-5 \times 10^4$  cells/35 mm dish density in M199 medium containing 4% fetal bovine serum (FBS), 16 units/ml heparin, and 50 units/ml endothelial cell growth supplements (ECGS, Biotechnology, Inc.). On day 2, the medium is replaced with M199 containing 10% FBS, 8 units/ml heparin. An agonist or antagonist of the invention, and positive controls, such as VEGF and basic FGF (bFGF) are added, at varying concentrations. On days 4 and 6, the medium is replaced.

10 On day 8, cell number is determined with a Coulter Counter.

An increase in the number of HUVEC cells indicates that the compound of the invention may proliferate vascular endothelial cells, while a decrease in the number of HUVEC cell indicates that the compound of the invention inhibits vascular endothelial cells.

The studies described in this example tested activity of a polypeptide of the invention.

15 However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides (e.g., gene therapy), agonists, and/or antagonists of the invention.

*Example 27: Rat Corneal Wound Healing Model*

20 This animal model shows the effect of an agonist or antagonist of the invention on neovascularization. The experimental protocol includes:

- a) Making a 1-1.5 mm long incision from the center of cornea into the stromal layer.
- b) Inserting a spatula below the lip of the incision facing the outer corner of the eye.
- 25 c) Making a pocket (its base is 1-1.5 mm from the edge of the eye).
- d) Positioning a pellet, containing 50ng- 5ug of an agonist or antagonist of the invention, within the pocket.
- e) Treatment with an agonist or antagonist of the invention can also be applied
- 30 topically to the corneal wounds in a dosage range of 20mg - 500mg (daily treatment for five days).

The studies described in this example tested activity of agonists or antagonists of the

invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

*Example 28: Diabetic Mouse and Glucocorticoid-Impaired Wound Healing Models*

5

*A. Diabetic db+/db+ Mouse Model.*

To demonstrate that an agonist or antagonist of the invention accelerates the healing process, the genetically diabetic mouse model of wound healing is used. The full thickness wound healing model in the db+/db+ mouse is a well characterized, clinically relevant and reproducible model of impaired wound healing. Healing of the diabetic wound is dependent on formation of granulation tissue and re-epithelialization rather than contraction (Gartner, M.H. *et al.*, *J. Surg. Res.* 52:389 (1992); Greenhalgh, D.G. *et al.*, *Am. J. Pathol.* 136:1235 (1990)).

The diabetic animals have many of the characteristic features observed in Type II diabetes mellitus. Homozygous (db+/db+) mice are obese in comparison to their normal heterozygous (db+/+m) littermates. Mutant diabetic (db+/db+) mice have a single autosomal recessive mutation on chromosome 4 (db+) (Coleman *et al.* *Proc. Natl. Acad. Sci. USA* 77:283-293 (1982)). Animals show polyphagia, polydipsia and polyuria. Mutant diabetic mice (db+/db+) have elevated blood glucose, increased or normal insulin levels, and suppressed cell-mediated immunity (Mandel *et al.*, *J. Immunol.* 120:1375 (1978); Debray-Sachs, M. *et al.*, *Clin. Exp. Immunol.* 51(1):1-7 (1983); Leiter *et al.*, *Am. J. of Pathol.* 114:46-55 (1985)). Peripheral neuropathy, myocardial complications, and microvascular lesions, basement membrane thickening and glomerular filtration abnormalities have been described in these animals (Norido, F. *et al.*, *Exp. Neurol.* 83(2):221-232 (1984); Robertson *et al.*, *Diabetes* 29(1):60-67 (1980); Giacomelli *et al.*, *Lab Invest.* 40(4):460-473 (1979); Coleman, D.L., *Diabetes* 31 (Suppl):1-6 (1982)). These homozygous diabetic mice develop hyperglycemia that is resistant to insulin analogous to human type II diabetes (Mandel *et al.*, *J. Immunol.* 120:1375-1377 (1978)).

The characteristics observed in these animals suggests that healing in this model may be similar to the healing observed in human diabetes (Greenhalgh, *et al.*, *Am. J. of Pathol.* 136:1235-1246 (1990)).

Genetically diabetic female C57BL/KsJ (db+/db+) mice and their non-diabetic



(db+/+m) heterozygous littermates are used in this study (Jackson Laboratories). The animals are purchased at 6 weeks of age and are 8 weeks old at the beginning of the study. Animals are individually housed and received food and water ad libitum. All manipulations are performed using aseptic techniques. The experiments are conducted according to the rules and guidelines of Human Genome Sciences, Inc. Institutional Animal Care and Use Committee and the Guidelines for the Care and Use of Laboratory Animals.

Wounding protocol is performed according to previously reported methods (Tsuboi, R. and Rifkin, D.B., *J. Exp. Med.* 172:245-251 (1990)). Briefly, on the day of wounding, animals are anesthetized with an intraperitoneal injection of Avertin (0.01 mg/mL), 2,2,2-tribromoethanol and 2-methyl-2-butanol dissolved in deionized water. The dorsal region of the animal is shaved and the skin washed with 70% ethanol solution and iodine. The surgical area is dried with sterile gauze prior to wounding. An 8 mm full-thickness wound is then created using a Keyes tissue punch. Immediately following wounding, the surrounding skin is gently stretched to eliminate wound expansion. The wounds are left open for the duration of the experiment. Application of the treatment is given topically for 5 consecutive days commencing on the day of wounding. Prior to treatment, wounds are gently cleansed with sterile saline and gauze sponges.

Wounds are visually examined and photographed at a fixed distance at the day of surgery and at two day intervals thereafter. Wound closure is determined by daily measurement on days 1-5 and on day 8. Wounds are measured horizontally and vertically using a calibrated Jameson caliper. Wounds are considered healed if granulation tissue is no longer visible and the wound is covered by a continuous epithelium.

An agonist or antagonist of the invention is administered using at a range different doses, from 4mg to 500mg per wound per day for 8 days in vehicle. Vehicle control groups received 50mL of vehicle solution.

Animals are euthanized on day 8 with an intraperitoneal injection of sodium pentobarbital (300mg/kg). The wounds and surrounding skin are then harvested for histology and immunohistochemistry. Tissue specimens are placed in 10% neutral buffered formalin in tissue cassettes between biopsy sponges for further processing.

Three groups of 10 animals each (5 diabetic and 5 non-diabetic controls) are evaluated: 1) Vehicle placebo control, 2) untreated group, and 3) treated group.

Wound closure is analyzed by measuring the area in the vertical and horizontal axis and

obtaining the total square area of the wound. Contraction is then estimated by establishing the differences between the initial wound area (day 0) and that of post treatment (day 8). The wound area on day 1 is 64mm<sup>2</sup>, the corresponding size of the dermal punch. Calculations are made using the following formula:

5

$$[\text{Open area on day 8}] - [\text{Open area on day 1}] / [\text{Open area on day 1}]$$

Specimens are fixed in 10% buffered formalin and paraffin embedded blocks are sectioned perpendicular to the wound surface (5mm) and cut using a Reichert-Jung microtome.

- 10 Routine hematoxylin-eosin (H&E) staining is performed on cross-sections of bisected wounds. Histologic examination of the wounds are used to assess whether the healing process and the morphologic appearance of the repaired skin is altered by treatment with an agonist or antagonist of the invention. This assessment included verification of the presence of cell accumulation, inflammatory cells, capillaries, fibroblasts, re-epithelialization and
- 15 epidermal maturity (Greenhalgh, D.G. *et al.*, *Am. J. Pathol.* 136:1235 (1990)). A calibrated lens micrometer is used by a blinded observer.

- Tissue sections are also stained immunohistochemically with a polyclonal rabbit anti-human keratin antibody using ABC Elite detection system. Human skin is used as a positive tissue control while non-immune IgG is used as a negative control. Keratinocyte growth is
- 20 determined by evaluating the extent of reepithelialization of the wound using a calibrated lens micrometer.

- Proliferating cell nuclear antigen/cyclin (PCNA) in skin specimens is demonstrated by using anti-PCNA antibody (1:50) with an ABC Elite detection system. Human colon cancer served as a positive tissue control and human brain tissue is used as a negative tissue
- 25 control. Each specimen included a section with omission of the primary antibody and substitution with non-immune mouse IgG. Ranking of these sections is based on the extent of proliferation on a scale of 0-8, the lower side of the scale reflecting slight proliferation to the higher side reflecting intense proliferation.

- Experimental data are analyzed using an unpaired t test. A p value of < 0.05 is
- 30 considered significant.

### *B. Steroid Impaired Rat Model*

The inhibition of wound healing by steroids has been well documented in various *in vitro* and *in vivo* systems (Wahl, Glucocorticoids and Wound healing. In: Anti-Inflammatory Steroid Action: Basic and Clinical Aspects. 280-302 (1989); Wahl *et al.*, *J. Immunol.* 115: 476-481 (1975); Werb *et al.*, *J. Exp. Med.* 147:1684-1694 (1978)). Glucocorticoids retard wound healing by inhibiting angiogenesis, decreasing vascular permeability (Ebert *et al.*, *Am. Intern. Med.* 37:701-705 (1952)), fibroblast proliferation, and collagen synthesis (Beck *et al.*, *Growth Factors.* 5: 295-304 (1991); Haynes *et al.*, *J. Clin. Invest.* 61: 703-797 (1978)) and producing a transient reduction of circulating monocytes (Haynes *et al.*, *J. Clin. Invest.* 61: 703-797 (1978); Wahl, "Glucocorticoids and wound healing", In: Antiinflammatory Steroid Action: Basic and Clinical Aspects, Academic Press, New York, pp. 280-302 (1989)). The systemic administration of steroids to impaired wound healing is a well establish phenomenon in rats (Beck *et al.*, *Growth Factors.* 5: 295-304 (1991); Haynes *et al.*, *J. Clin. Invest.* 61: 703-797 (1978); Wahl, "Glucocorticoids and wound healing", In: Antiinflammatory Steroid Action: Basic and Clinical Aspects, Academic Press, New York, pp. 280-302 (1989); Pierce *et al.*, *Proc. Natl. Acad. Sci. USA* 86: 2229-2233 (1989)).

To demonstrate that an agonist or antagonist of the invention can accelerate the healing process, the effects of multiple topical applications of the agonist or antagonist on full thickness excisional skin wounds in rats in which healing has been impaired by the systemic administration of methylprednisolone is assessed.

Young adult male Sprague Dawley rats weighing 250-300 g (Charles River Laboratories) are used in this example. The animals are purchased at 8 weeks of age and are 9 weeks old at the beginning of the study. The healing response of rats is impaired by the systemic administration of methylprednisolone (17mg/kg/rat intramuscularly) at the time of wounding. Animals are individually housed and received food and water *ad libitum*. All manipulations are performed using aseptic techniques. This study is conducted according to the rules and guidelines of Human Genome Sciences, Inc. Institutional Animal Care and Use Committee and the Guidelines for the Care and Use of Laboratory Animals.

The wounding protocol is followed according to section A, above. On the day of wounding, animals are anesthetized with an intramuscular injection of ketamine (50 mg/kg) and xylazine (5 mg/kg). The dorsal region of the animal is shaved and the skin washed with 70% ethanol and iodine solutions. The surgical area is dried with sterile gauze prior to wounding. An 8 mm full-thickness wound is created using a Keyes tissue punch. The

wounds are left open for the duration of the experiment. Applications of the testing materials are given topically once a day for 7 consecutive days commencing on the day of wounding and subsequent to methylprednisolone administration. Prior to treatment, wounds are gently cleansed with sterile saline and gauze sponges.

5        Wounds are visually examined and photographed at a fixed distance at the day of wounding and at the end of treatment. Wound closure is determined by daily measurement on days 1-5 and on day 8. Wounds are measured horizontally and vertically using a calibrated Jameson caliper. Wounds are considered healed if granulation tissue is no longer visible and the wound is covered by a continuous epithelium.

10       The agonist or antagonist of the invention is administered using at a range different doses, from 4mg to 500mg per wound per day for 8 days in vehicle. Vehicle control groups received 50mL of vehicle solution.

      Animals are euthanized on day 8 with an intraperitoneal injection of sodium pentobarbital (300mg/kg). The wounds and surrounding skin are then harvested for  
15       histology. Tissue specimens are placed in 10% neutral buffered formalin in tissue cassettes between biopsy sponges for further processing.

      Four groups of 10 animals each (5 with methylprednisolone and 5 without glucocorticoid) are evaluated: 1) Untreated group 2) Vehicle placebo control 3) treated groups.

20       Wound closure is analyzed by measuring the area in the vertical and horizontal axis and obtaining the total area of the wound. Closure is then estimated by establishing the differences between the initial wound area (day 0) and that of post treatment (day 8). The wound area on day 1 is 64mm<sup>2</sup>, the corresponding size of the dermal punch. Calculations are made using the following formula:

25       
$$[\text{Open area on day 8}] - [\text{Open area on day 1}] / [\text{Open area on day 1}]$$

      Specimens are fixed in 10% buffered formalin and paraffin embedded blocks are sectioned perpendicular to the wound surface (5mm) and cut using an Olympus microtome. Routine  
30       hematoxylin-eosin (H&E) staining is performed on cross-sections of bisected wounds. Histologic examination of the wounds allows assessment of whether the healing process and the morphologic appearance of the repaired skin is improved by treatment with an agonist or

antagonist of the invention. A calibrated lens micrometer is used by a blinded observer to determine the distance of the wound gap.

Experimental data are analyzed using an unpaired t test. A p value of  $< 0.05$  is considered significant.

- 5        The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

*Example 29: Lymphadema Animal Model*

10

- The purpose of this experimental approach is to create an appropriate and consistent lymphedema model for testing the therapeutic effects of an agonist or antagonist of the invention in lymphangiogenesis and re-establishment of the lymphatic circulatory system in the rat hind limb. Effectiveness is measured by swelling volume of the affected limb, quantification of the amount of lymphatic vasculature, total blood plasma protein, and histopathology. Acute lymphedema is observed for 7-10 days. Perhaps more importantly, the chronic progress of the edema is followed for up to 3-4 weeks.

- Prior to beginning surgery, blood sample is drawn for protein concentration analysis. Male rats weighing approximately ~350g are dosed with Pentobarbital. Subsequently, the right legs are shaved from knee to hip. The shaved area is swabbed with gauze soaked in 70% EtOH. Blood is drawn for serum total protein testing. Circumference and volumetric measurements are made prior to injecting dye into paws after marking 2 measurement levels (0.5 cm above heel, at mid-pt of dorsal paw). The intradermal dorsum of both right and left paws are injected with 0.05 ml of 1% Evan's Blue. Circumference and volumetric measurements are then made following injection of dye into paws.

- Using the knee joint as a landmark, a mid-leg inguinal incision is made circumferentially allowing the femoral vessels to be located. Forceps and hemostats are used to dissect and separate the skin flaps. After locating the femoral vessels, the lymphatic vessel that runs along side and underneath the vessel(s) is located. The main lymphatic vessels in this area are then electrically coagulated or suture ligated.

      Using a microscope, muscles in back of the leg (near the semitendinosus and adductors) are bluntly dissected. The popliteal lymph node is then located. The 2 proximal

and 2 distal lymphatic vessels and distal blood supply of the popliteal node are then and ligated by suturing. The popliteal lymph node, and any accompanying adipose tissue, is then removed by cutting connective tissues.

Care is taken to control any mild bleeding resulting from this procedure. After lymphatics are occluded, the skin flaps are sealed by using liquid skin (Vetbond) (AJ Buck). The separated skin edges are sealed to the underlying muscle tissue while leaving a gap of ~0.5 cm around the leg. Skin also may be anchored by suturing to underlying muscle when necessary.

To avoid infection, animals are housed individually with mesh (no bedding). Recovering animals are checked daily through the optimal edematous peak, which typically occurred by day 5-7. The plateau edematous peak are then observed. To evaluate the intensity of the lymphedema, the circumference and volumes of 2 designated places on each paw before operation and daily for 7 days are measured. The effect plasma proteins on lymphedema is determined and whether protein analysis is a useful testing perimeter is also investigated. The weights of both control and edematous limbs are evaluated at 2 places. Analysis is performed in a blind manner.

Circumference Measurements: Under brief gas anesthetic to prevent limb movement, a cloth tape is used to measure limb circumference. Measurements are done at the ankle bone and dorsal paw by 2 different people then those 2 readings are averaged. Readings are taken from both control and edematous limbs.

Volumetric Measurements: On the day of surgery, animals are anesthetized with Pentobarbital and are tested prior to surgery. For daily volumetrics animals are under brief halothane anesthetic (rapid immobilization and quick recovery), both legs are shaved and equally marked using waterproof marker on legs. Legs are first dipped in water, then dipped into instrument to each marked level then measured by Buxco edema software(Chen/Victor). Data is recorded by one person, while the other is dipping the limb to marked area.

Blood-plasma protein measurements: Blood is drawn, spun, and serum separated prior to surgery and then at conclusion for total protein and Ca<sup>2+</sup> comparison.

Limb Weight Comparison: After drawing blood, the animal is prepared for tissue collection. The limbs are amputated using a quillitine, then both experimental and control legs are cut at the ligature and weighed. A second weighing is done as the tibio-cacaneal joint is disarticulated and the foot is weighed.

Histological Preparations: The transverse muscle located behind the knee (popliteal) area is dissected and arranged in a metal mold, filled with freezeGel, dipped into cold methylbutane, placed into labeled sample bags at - 80EC until sectioning. Upon sectioning, the muscle is observed under fluorescent microscopy for lymphatics..

- 5 The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

10 *Example 30: Suppression of TNF alpha-induced adhesion molecule expression by a Agonist or Antagonist of the Invention*

The recruitment of lymphocytes to areas of inflammation and angiogenesis involves specific receptor-ligand interactions between cell surface adhesion molecules (CAMs) on lymphocytes and the vascular endothelium. The adhesion process, in both normal and  
15 pathological settings, follows a multi-step cascade that involves intercellular adhesion molecule-1 (ICAM-1), vascular cell adhesion molecule-1 (VCAM-1), and endothelial leukocyte adhesion molecule-1 (E-selectin) expression on endothelial cells (EC). The expression of these molecules and others on the vascular endothelium determines the efficiency with which leukocytes may adhere to the local vasculature and extravasate into the  
20 local tissue during the development of an inflammatory response. The local concentration of cytokines and growth factor participate in the modulation of the expression of these CAMs.

Tumor necrosis factor alpha (TNF-a), a potent proinflammatory cytokine, is a stimulator of all three CAMs on endothelial cells and may be involved in a wide variety of inflammatory responses, often resulting in a pathological outcome.

- 25 The potential of an agonist or antagonist of the invention to mediate a suppression of TNF-a induced CAM expression can be examined. A modified ELISA assay which uses ECs as a solid phase absorbent is employed to measure the amount of CAM expression on TNF-a treated ECs when co-stimulated with a member of the FGF family of proteins.

To perform the experiment, human umbilical vein endothelial cell (HUVEC) cultures  
30 are obtained from pooled cord harvests and maintained in growth medium (EGM-2; Clonetics, San Diego, CA) supplemented with 10% FCS and 1% penicillin/streptomycin in a 37 degree C humidified incubator containing 5% CO<sub>2</sub>. HUVECs are seeded in 96-well

plates at concentrations of  $1 \times 10^4$  cells/well in EGM medium at 37 degree C for 18-24 hrs or until confluent. The monolayers are subsequently washed 3 times with a serum-free solution of RPMI-1640 supplemented with 100 U/ml penicillin and 100 mg/ml streptomycin, and treated with a given cytokine and/or growth factor(s) for 24 h at 37 degree C. Following incubation, the cells are then evaluated for CAM expression.

Human Umbilical Vein Endothelial cells (HUVECs) are grown in a standard 96 well plate to confluence. Growth medium is removed from the cells and replaced with 90 ul of 199 Medium (10% FBS). Samples for testing and positive or negative controls are added to the plate in triplicate (in 10 ul volumes). Plates are incubated at 37 degree C for either 5 h (selectin and integrin expression) or 24 h (integrin expression only). Plates are aspirated to remove medium and 100  $\mu$ l of 0.1% paraformaldehyde-PBS(with  $\text{Ca}^{++}$  and  $\text{Mg}^{++}$ ) is added to each well. Plates are held at 4°C for 30 min.

Fixative is then removed from the wells and wells are washed 1X with PBS(+Ca,Mg)+0.5% BSA and drained. Do not allow the wells to dry. Add 10  $\mu$ l of diluted primary antibody to the test and control wells. Anti-ICAM-1-Biotin, Anti-VCAM-1-Biotin and Anti-E-selectin-Biotin are used at a concentration of 10  $\mu$ g/ml (1:10 dilution of 0.1 mg/ml stock antibody). Cells are incubated at 37°C for 30 min. in a humidified environment. Wells are washed X3 with PBS(+Ca,Mg)+0.5% BSA.

Then add 20  $\mu$ l of diluted ExtrAvidin-Alkaline Phosphatase (1:5,000 dilution) to each well and incubated at 37°C for 30 min. Wells are washed X3 with PBS(+Ca,Mg)+0.5% BSA. 1 tablet of p-Nitrophenol Phosphate pNPP is dissolved in 5 ml of glycine buffer (pH 10.4). 100  $\mu$ l of pNPP substrate in glycine buffer is added to each test well. Standard wells in triplicate are prepared from the working dilution of the ExtrAvidin-Alkaline Phosphatase in glycine buffer:  $1:5,000$  ( $10^0$ )  $> 10^{-0.5}$   $> 10^{-1}$   $> 10^{-1.5}$ . 5  $\mu$ l of each dilution is added to triplicate wells and the resulting AP content in each well is 5.50 ng, 1.74 ng, 0.55 ng, 0.18 ng. 100  $\mu$ l of pNPP reagent must then be added to each of the standard wells. The plate must be incubated at 37°C for 4h. A volume of 50  $\mu$ l of 3M NaOH is added to all wells. The results are quantified on a plate reader at 405 nm. The background subtraction option is used on blank wells filled with glycine buffer only. The template is set up to indicate the concentration of AP-conjugate in each standard well [ 5.50 ng; 1.74 ng; 0.55 ng; 0.18 ng]. Results are indicated as amount of bound AP-conjugate in each sample.

The studies described in this example tested activity of agonists or antagonists of the



invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

*Example 31: Production Of Polypeptide of the Invention For High-Throughput Screening Assays*

The following protocol produces a supernatant containing polypeptide of the present invention to be tested. This supernatant can then be used in the Screening Assays described in Examples 33-42.

First, dilute Poly-D-Lysine (644 587 Boehringer-Mannheim) stock solution (1mg/ml in PBS) 1:20 in PBS (w/o calcium or magnesium 17-516F Biowhittaker) for a working solution of 50ug/ml. Add 200 ul of this solution to each well (24 well plates) and incubate at RT for 20 minutes. Be sure to distribute the solution over each well (note: a 12-channel pipetter may be used with tips on every other channel). Aspirate off the Poly-D-Lysine solution and rinse with 1ml PBS (Phosphate Buffered Saline). The PBS should remain in the well until just prior to plating the cells and plates may be poly-lysine coated in advance for up to two weeks.

Plate 293T cells (do not carry cells past P+20) at  $2 \times 10^5$  cells/well in .5ml DMEM(Dulbecco's Modified Eagle Medium)(with 4.5 G/L glucose and L-glutamine (12-604F Biowhittaker))/10% heat inactivated FBS(14-503F Biowhittaker)/1x Penstrep(17-602E Biowhittaker). Let the cells grow overnight.

The next day, mix together in a sterile solution basin: 300 ul Lipofectamine (18324-012 Gibco/BRL) and 5ml Optimem I (31985070 Gibco/BRL)/96-well plate. With a small volume multi-channel pipetter, aliquot approximately 2ug of an expression vector containing a polynucleotide insert, produced by the methods described in Examples 8-10, into an appropriately labeled 96-well round bottom plate. With a multi-channel pipetter, add 50ul of the Lipofectamine/Optimem I mixture to each well. Pipette up and down gently to mix. Incubate at RT 15-45 minutes. After about 20 minutes, use a multi-channel pipetter to add 150ul Optimem I to each well. As a control, one plate of vector DNA lacking an insert should be transfected with each set of transfections.

Preferably, the transfection should be performed by tag-teaming the following tasks. By tag-teaming, hands on time is cut in half, and the cells do not spend too much time on

PBS. First, person A aspirates off the media from four 24-well plates of cells, and then person B rinses each well with .5-1ml PBS. Person A then aspirates off PBS rinse, and person B, using a 12-channel pipetter with tips on every other channel, adds the 200ul of DNA/Lipofectamine/Optimem 1 complex to the odd wells first, then to the even wells, to  
 5 each row on the 24-well plates. Incubate at 37 degree C for 6 hours.

While cells are incubating, prepare appropriate media, either 1%BSA in DMEM with 1x penstrep, or HGS CHO-5 media (116.6 mg/L of CaCl<sub>2</sub> (anhyd); 0.00130 mg/L CuSO<sub>4</sub>-5H<sub>2</sub>O; 0.050 mg/L of Fe(NO<sub>3</sub>)<sub>3</sub>-9H<sub>2</sub>O; 0.417 mg/L of FeSO<sub>4</sub>-7H<sub>2</sub>O; 311.80 mg/L of KCl; 28.64 mg/L of MgCl<sub>2</sub>; 48.84 mg/L of MgSO<sub>4</sub>; 6995.50 mg/L of NaCl; 2400.0 mg/L of  
 10 NaHCO<sub>3</sub>; 62.50 mg/L of NaH<sub>2</sub>PO<sub>4</sub>-H<sub>2</sub>O; 71.02 mg/L of Na<sub>2</sub>HPO<sub>4</sub>; .4320 mg/L of ZnSO<sub>4</sub>-7H<sub>2</sub>O; .002 mg/L of Arachidonic Acid; 1.022 mg/L of Cholesterol; .070 mg/L of DL-alpha-Tocopherol-Acetate; 0.0520 mg/L of Linoleic Acid; 0.010 mg/L of Linolenic Acid; 0.010 mg/L of Myristic Acid; 0.010 mg/L of Oleic Acid; 0.010 mg/L of Palmitic Acid; 0.010 mg/L of Palmitic Acid; 100 mg/L of Pluronic F-68; 0.010 mg/L of Stearic Acid; 2.20 mg/L of  
 15 Tween 80; 4551 mg/L of D-Glucose; 130.85 mg/ml of L- Alanine; 147.50 mg/ml of L- Arginine-HCL; 7.50 mg/ml of L-Asparagine-H<sub>2</sub>O; 6.65 mg/ml of L-Aspartic Acid; 29.56 mg/ml of L-Cystine-2HCL-H<sub>2</sub>O; 31.29 mg/ml of L-Cystine-2HCL; 7.35 mg/ml of L- Glutamic Acid; 365.0 mg/ml of L-Glutamine; 18.75 mg/ml of Glycine; 52.48 mg/ml of L- Histidine-HCL-H<sub>2</sub>O; 106.97 mg/ml of L-Isoleucine; 111.45 mg/ml of L-Leucine; 163.75  
 20 mg/ml of L-Lysine HCL; 32.34 mg/ml of L-Methionine; 68.48 mg/ml of L-Phenylalanine; 40.0 mg/ml of L-Proline; 26.25 mg/ml of L-Serine; 101.05 mg/ml of L-Threonine; 19.22 mg/ml of L-Tryptophan; 91.79 mg/ml of L-Tyrosine-2Na-2H<sub>2</sub>O; and 99.65 mg/ml of L- Valine; 0.0035 mg/L of Biotin; 3.24 mg/L of D-Ca Pantothenate; 11.78 mg/L of Choline Chloride; 4.65 mg/L of Folic Acid; 15.60 mg/L of i-Inositol; 3.02 mg/L of Niacinamide; 3.00  
 25 mg/L of Pyridoxal HCL; 0.031 mg/L of Pyridoxine HCL; 0.319 mg/L of Riboflavin; 3.17 mg/L of Thiamine HCL; 0.365 mg/L of Thymidine; 0.680 mg/L of Vitamin B<sub>12</sub>; 25 mM of HEPES Buffer; 2.39 mg/L of Na Hypoxanthine; 0.105 mg/L of Lipoic Acid; 0.081 mg/L of Sodium Putrescine-2HCL; 55.0 mg/L of Sodium Pyruvate; 0.0067 mg/L of Sodium Selenite; 20uM of Ethanolamine; 0.122 mg/L of Ferric Citrate; 41.70 mg/L of Methyl-B-Cyclodextrin  
 30 complexed with Linoleic Acid; 33.33 mg/L of Methyl-B-Cyclodextrin complexed with Oleic Acid; 10 mg/L of Methyl-B-Cyclodextrin complexed with Retinal Acetate. Adjust

osmolarity to 327 mOsm) with 2mm glutamine and 1x penstrep. (BSA (81-068-3 Bayer) 100gm dissolved in 1L DMEM for a 10% BSA stock solution). Filter the media and collect 50 ul for endotoxin assay in 15ml polystyrene conical.

5 The transfection reaction is terminated, preferably by tag-teaming, at the end of the incubation period. Person A aspirates off the transfection media, while person B adds 1.5ml appropriate media to each well. Incubate at 37 degree C for 45 or 72 hours depending on the media used: 1%BSA for 45 hours or CHO-5 for 72 hours.

10 On day four, using a 300ul multichannel pipetter, aliquot 600ul in one 1ml deep well plate and the remaining supernatant into a 2ml deep well. The supernatants from each well can then be used in the assays described in Examples 33-40.

It is specifically understood that when activity is obtained in any of the assays described below using a supernatant, the activity originates from either the polypeptide of the present invention directly (e.g., as a secreted protein) or by polypeptide of the present invention inducing expression of other proteins, which are then secreted into the supernatant.  
15 Thus, the invention further provides a method of identifying the protein in the supernatant characterized by an activity in a particular assay.

#### *Example 32: Construction of GAS Reporter Construct*

20 One signal transduction pathway involved in the differentiation and proliferation of cells is called the Jaks-STATs pathway. Activated proteins in the Jaks-STATs pathway bind to gamma activation site "GAS" elements or interferon-sensitive responsive element ("ISRE"), located in the promoter of many genes. The binding of a protein to these elements alter the expression of the associated gene.

25 GAS and ISRE elements are recognized by a class of transcription factors called Signal Transducers and Activators of Transcription, or "STATs." There are six members of the STATs family. Stat1 and Stat3 are present in many cell types, as is Stat2 (as response to IFN-alpha is widespread). Stat4 is more restricted and is not in many cell types though it has been found in T helper class 1, cells after treatment with IL-12. Stat5 was originally called  
30 mammary growth factor, but has been found at higher concentrations in other cells including myeloid cells. It can be activated in tissue culture cells by many cytokines.

The STATs are activated to translocate from the cytoplasm to the nucleus upon

tyrosine phosphorylation by a set of kinases known as the Janus Kinase ("Jaks") family. Jaks represent a distinct family of soluble tyrosine kinases and include Tyk2, Jak1, Jak2, and Jak3. These kinases display significant sequence similarity and are generally catalytically inactive in resting cells.

5       The Jaks are activated by a wide range of receptors summarized in the Table below. (Adapted from review by Schidler and Darnell, *Ann. Rev. Biochem.* 64:621-51 (1995).) A cytokine receptor family, capable of activating Jaks, is divided into two groups: (a) Class 1 includes receptors for IL-2, IL-3, IL-4, IL-6, IL-7, IL-9, IL-11, IL-12, IL-15, Epo, PRL, GH, G-CSF, GM-CSF, LIF, CNTF, and thrombopoietin; and (b) Class 2 includes IFN-a, IFN-g,  
10   and IL-10. The Class 1 receptors share a conserved cysteine motif (a set of four conserved cysteines and one tryptophan) and a WSXWS motif (a membrane proximal region encoding Trp-Ser-Xxx-Trp-Ser (SEQ ID NO:1686)).

      Thus, on binding of a ligand to a receptor, Jaks are activated, which in turn activate STATs, which then translocate and bind to GAS elements. This entire process is  
15   encompassed in the Jaks-STATs signal transduction pathway.

      Therefore, activation of the Jaks-STATs pathway, reflected by the binding of the GAS or the ISRE element, can be used to indicate proteins involved in the proliferation and differentiation of cells. For example, growth factors and cytokines are known to activate the Jaks-STATs pathway. (See Table below.) Thus, by using GAS elements linked to reporter  
20   molecules, activators of the Jaks-STATs pathway can be identified.

	<u>Ligand</u>	<u>JAKs</u>				<u>STATS GAS(elements) or ISRE</u>	
		<u>tyk2</u>	<u>Jak1</u>	<u>Jak2</u>	<u>Jak3</u>		
	<u>IFN family</u>						
5	IFN-a/B	+	+	-	-	1,2,3	ISRE
	IFN-g		+	+	-	1	GAS
	(IRF1>Lys6>IFP)						
	IL-10	+	?	?	-	1,3	
10	<u>gp130 family</u>						
	IL-6 (Pleiotrohic)	+	+	+	?	1,3	GAS
	(IRF1>Lys6>IFP)						
	IL-11(Pleiotrohic)	?	+	?	?	1,3	
	OnM(Pleiotrohic)	?	+	+	?	1,3	
15	LIF(Pleiotrohic)	?	+	+	?	1,3	
	CNTF(Pleiotrohic)	-/+	+	+	?	1,3	
	G-CSF(Pleiotrohic)	?	+	?	?	1,3	
	IL-12(Pleiotrohic)	+	-	+	+	1,3	
20	<u>g-C family</u>						
	IL-2 (lymphocytes)	-	+	-	+	1,3,5	GAS
	IL-4 (lymph/myeloid)	-	+	-	+	6	GAS (IRF1 = IFP
	>>Ly6)(IgH)						
	IL-7 (lymphocytes)	-	+	-	+	5	GAS
25	IL-9 (lymphocytes)	-	+	-	+	5	GAS
	IL-13 (lymphocyte)	-	+	?	?	6	GAS
	IL-15	?	+	?	+	5	GAS
	<u>gp140 family</u>						
30	IL-3 (myeloid)	-	-	+	-	5	GAS
	(IRF1>IFP>>Ly6)						
	IL-5 (myeloid)	-	-	+	-	5	GAS
	GM-CSF (myeloid)	-	-	+	-	5	GAS

510

Growth hormone family

	GH	?	-	+	-	5	
	PRL	?	+/-	+	-	1,3,5	
5	EPO	?	-	+	-	5	GAS(B-
	CAS>IRF1=IFP>>Ly6)						

Receptor Tyrosine Kinases

	EGF	?	+	+	-	1,3	GAS (IRF1)
10	PDGF	?	+	+	-	1,3	
	CSF-1	?	+	+	-	1,3	GAS (not IRF1)

To construct a synthetic GAS containing promoter element, which is used in the Biological Assays described in Examples 33-34, a PCR based strategy is employed to generate a GAS-SV40 promoter sequence. The 5' primer contains four tandem copies of the GAS binding site found in the IRF1 promoter and previously demonstrated to bind STATs upon induction with a range of cytokines (Rothman et al., Immunity 1:457-468 (1994).), although other GAS or ISRE elements can be used instead. The 5' primer also contains 18bp of sequence complementary to the SV40 early promoter sequence and is flanked with an XhoI site. The sequence of the 5' primer is:

10 5':GCGCCTCGAGATTTCCCGAAATCTAGATTTCCCGAAATGATTTCCCG  
GAAATGATTTCCCGAAATATCTGCCATCTCAATTAG:3' (SEQ ID NO:1687)

The downstream primer is complementary to the SV40 promoter and is flanked with a Hind III site: 5':GCGGCAAGCTTTTTGCAAAGCCTAGGC:3' (SEQ ID NO:1688)

15 PCR amplification is performed using the SV40 promoter template present in the B-gal:promoter plasmid obtained from Clontech. The resulting PCR fragment is digested with XhoI/Hind III and subcloned into BLSK2-. (Stratagene.) Sequencing with forward and reverse primers confirms that the insert contains the following sequence:

20 5':CTCGAGATTTCCCGAAATCTAGATTTCCCGAAATGATTTCCCGAAA  
TGATTTCCCGAAATATCTGCCATCTCAATTAGTCAGCAACCATAGTCCCG  
CCCCTAACTCCGCCATCCCGCCCCTAACTCCGCCAGTTCCGCCATTCT  
CCGCCCCATGGCTGACTAATTTTTTTTATTTATGCAGAGGCCGAGGCCGCC  
TCGGCCTCTGAGCTATTCCAGAAGTAGTGAGGAGGCTTTTTTGGAGGCCTA  
25 GGCTTTTTGCAAAAAGCTT:3' (SEQ ID NO:1689)

With this GAS promoter element linked to the SV40 promoter, a GAS:SEAP2 reporter construct is next engineered. Here, the reporter molecule is a secreted alkaline phosphatase, or "SEAP." Clearly, however, any reporter molecule can be instead of SEAP, in this or in any of the other Examples. Well known reporter  
30 molecules that can be used instead of SEAP include chloramphenicol

acetyltransferase (CAT), luciferase, alkaline phosphatase, B-galactosidase, green fluorescent protein (GFP), or any protein detectable by an antibody.

The above sequence confirmed synthetic GAS-SV40 promoter element is subcloned into the pSEAP-Promoter vector obtained from Clontech using HindIII and  
5 XhoI, effectively replacing the SV40 promoter with the amplified GAS:SV40 promoter element, to create the GAS-SEAP vector. However, this vector does not contain a neomycin resistance gene, and therefore, is not preferred for mammalian expression systems.

Thus, in order to generate mammalian stable cell lines expressing the GAS-  
10 SEAP reporter, the GAS-SEAP cassette is removed from the GAS-SEAP vector using SalI and NotI, and inserted into a backbone vector containing the neomycin resistance gene, such as pGFP-1 (Clontech), using these restriction sites in the multiple cloning site, to create the GAS-SEAP/Neo vector. Once this vector is transfected into mammalian cells, this vector can then be used as a reporter molecule for GAS binding  
15 as described in Examples 33-34.

Other constructs can be made using the above description and replacing GAS with a different promoter sequence. For example, construction of reporter molecules containing NFK-B and EGR promoter sequences are described in Examples 35 and 36. However, many other promoters can be substituted using the protocols described  
20 in these Examples. For instance, SRE, IL-2, NFAT, or Osteocalcin promoters can be substituted, alone or in combination (e.g., GAS/NF-KB/EGR, GAS/NF-KB, IL-2/NFAT, or NF-KB/GAS). Similarly, other cell lines can be used to test reporter construct activity, such as HELA (epithelial), HUVEC (endothelial), Reh (B-cell), Saos-2 (osteoblast), HUVAC (aortic), or Cardiomyocyte.

25

*Example 33: High-Throughput Screening Assay for T-cell Activity.*

The following protocol is used to assess T-cell activity by identifying factors, and determining whether supernate containing a polypeptide of the invention  
30 proliferates and/or differentiates T-cells. T-cell activity is assessed using the



GAS/SEAP/Neo construct produced in Example 32. Thus, factors that increase SEAP activity indicate the ability to activate the Jaks-STATS signal transduction pathway. The T-cell used in this assay is Jurkat T-cells (ATCC Accession No. TIB-152), although Molt-3 cells (ATCC Accession No. CRL-1552) and Molt-4 cells (ATCC  
5 Accession No. CRL-1582) cells can also be used.

Jurkat T-cells are lymphoblastic CD4+ Th1 helper cells. In order to generate stable cell lines, approximately 2 million Jurkat cells are transfected with the GAS-SEAP/neo vector using DMRIE-C (Life Technologies)(transfection procedure described below). The transfected cells are seeded to a density of approximately  
10 20,000 cells per well and transfectants resistant to 1 mg/ml gentamicin selected. Resistant colonies are expanded and then tested for their response to increasing concentrations of interferon gamma. The dose response of a selected clone is demonstrated.

Specifically, the following protocol will yield sufficient cells for 75 wells  
15 containing 200 ul of cells. Thus, it is either scaled up, or performed in multiple to generate sufficient cells for multiple 96 well plates. Jurkat cells are maintained in RPMI + 10% serum with 1%Pen-Strep. Combine 2.5 mls of OPTI-MEM (Life Technologies) with 10 ug of plasmid DNA in a T25 flask. Add 2.5 ml OPTI-MEM containing 50 ul of DMRIE-C and incubate at room temperature for 15-45 mins.

20 During the incubation period, count cell concentration, spin down the required number of cells ( $10^7$  per transfection), and resuspend in OPTI-MEM to a final concentration of  $10^7$  cells/ml. Then add 1ml of  $1 \times 10^7$  cells in OPTI-MEM to T25 flask and incubate at 37 degree C for 6 hrs. After the incubation, add 10 ml of RPMI + 15% serum.

25 The Jurkat:GAS-SEAP stable reporter lines are maintained in RPMI + 10% serum, 1 mg/ml Gentamicin, and 1% Pen-Strep. These cells are treated with supernatants containing polypeptide of the present invention or polypeptide of the present invention induced polypeptides as produced by the protocol described in Example 31.

30 On the day of treatment with the supernatant, the cells should be washed and

resuspended in fresh RPMI + 10% serum to a density of 500,000 cells per ml. The exact number of cells required will depend on the number of supernatants being screened. For one 96 well plate, approximately 10 million cells (for 10 plates, 100 million cells) are required.

- 5           Transfer the cells to a triangular reservoir boat, in order to dispense the cells into a 96 well dish, using a 12 channel pipette. Using a 12 channel pipette, transfer 200 ul of cells into each well (therefore adding 100, 000 cells per well).

- After all the plates have been seeded, 50 ul of the supernatants are transferred directly from the 96 well plate containing the supernatants into each well using a 12  
10   channel pipette. In addition, a dose of exogenous interferon gamma (0.1, 1.0, 10 ng) is added to wells H9, H10, and H11 to serve as additional positive controls for the assay.

- The 96 well dishes containing Jurkat cells treated with supernatants are placed in an incubator for 48 hrs (note: this time is variable between 48-72 hrs). 35 ul  
15   samples from each well are then transferred to an opaque 96 well plate using a 12 channel pipette. The opaque plates should be covered (using sellophene covers) and stored at -20 degree C until SEAP assays are performed according to Example 37. The plates containing the remaining treated cells are placed at 4 degree C and serve as a source of material for repeating the assay on a specific well if desired.

- 20           As a positive control, 100 Unit/ml interferon gamma can be used which is known to activate Jurkat T cells. Over 30 fold induction is typically observed in the positive control wells.

          The above protocol may be used in the generation of both transient, as well as, stable transfected cells, which would be apparent to those of skill in the art.

25

*Example 34: High-Throughput Screening Assay Identifying Myeloid Activity*

- The following protocol is used to assess myeloid activity of polypeptide of the present invention by determining whether polypeptide of the present invention  
30   proliferates and/or differentiates myeloid cells. Myeloid cell activity is assessed using

the GAS/SEAP/Neo construct produced in Example 32. Thus, factors that increase SEAP activity indicate the ability to activate the Jaks-STATS signal transduction pathway. The myeloid cell used in this assay is U937, a pre-monocyte cell line, although TF-1, HL60, or KG1 can be used.

- 5 To transiently transfect U937 cells with the GAS/SEAP/Neo construct produced in Example 32, a DEAE-Dextran method (Kharbanda et. al., 1994, Cell Growth & Differentiation, 5:259-265) is used. First, harvest  $2 \times 10^7$  U937 cells and wash with PBS. The U937 cells are usually grown in RPMI 1640 medium containing 10% heat-inactivated fetal bovine serum (FBS) supplemented with 100 units/ml  
10 penicillin and 100 mg/ml streptomycin.

Next, suspend the cells in 1 ml of 20 mM Tris-HCl (pH 7.4) buffer containing 0.5 mg/ml DEAE-Dextran, 8 ug GAS-SEAP2 plasmid DNA, 140 mM NaCl, 5 mM KCl, 375 uM  $\text{Na}_2\text{HPO}_4 \cdot 7\text{H}_2\text{O}$ , 1 mM  $\text{MgCl}_2$ , and 675 uM  $\text{CaCl}_2$ . Incubate at 37 degrees C for 45 min.

- 15 Wash the cells with RPMI 1640 medium containing 10% FBS and then resuspend in 10 ml complete medium and incubate at 37 degree C for 36 hr.

The GAS-SEAP/U937 stable cells are obtained by growing the cells in 400 ug/ml G418. The G418-free medium is used for routine growth but every one to two months, the cells should be re-grown in 400 ug/ml G418 for couple of passages.

- 20 These cells are tested by harvesting  $1 \times 10^8$  cells (this is enough for ten 96-well plates assay) and wash with PBS. Suspend the cells in 200 ml above described growth medium, with a final density of  $5 \times 10^5$  cells/ml. Plate 200 ul cells per well in the 96-well plate (or  $1 \times 10^5$  cells/well).

- Add 50 ul of the supernatant prepared by the protocol described in Example  
25 31. Incubate at 37 degree C for 48 to 72 hr. As a positive control, 100 Unit/ml interferon gamma can be used which is known to activate U937 cells. Over 30 fold induction is typically observed in the positive control wells. SEAP assay the supernatant according to the protocol described in Example 37.

- 30 *Example 35: High-Throughput Screening Assay Identifying Neuronal Activity.*

When cells undergo differentiation and proliferation, a group of genes are activated through many different signal transduction pathways. One of these genes, EGR1 (early growth response gene 1), is induced in various tissues and cell types upon activation. The promoter of EGR1 is responsible for such induction. Using the EGR1 promoter linked to reporter molecules, activation of cells can be assessed by polypeptide of the present invention.

Particularly, the following protocol is used to assess neuronal activity in PC12 cell lines. PC12 cells (rat pheochromocytoma cells) are known to proliferate and/or differentiate by activation with a number of mitogens, such as TPA (tetradecanoyl phorbol acetate), NGF (nerve growth factor), and EGF (epidermal growth factor). The EGR1 gene expression is activated during this treatment. Thus, by stably transfecting PC12 cells with a construct containing an EGR promoter linked to SEAP reporter, activation of PC12 cells by polypeptide of the present invention can be assessed.

The EGR/SEAP reporter construct can be assembled by the following protocol. The EGR-1 promoter sequence (-633 to +1)(Sakamoto K et al., Oncogene 6:867-871 (1991)) can be PCR amplified from human genomic DNA using the following primers:

5' GCGCTCGAGGGATGACAGCGATAGAACCCCGG -3' (SEQ ID NO: 1690)

5' GCGAAGCTTCGCGACTCCCCGGATCCGCCTC-3' (SEQ ID NO: 1691)

Using the GAS:SEAP/Neo vector produced in Example 32, EGR1 amplified product can then be inserted into this vector. Linearize the GAS:SEAP/Neo vector using restriction enzymes XhoI/HindIII, removing the GAS/SV40 stuffer. Restrict the EGR1 amplified product with these same enzymes. Ligate the vector and the EGR1 promoter.

To prepare 96 well-plates for cell culture, two mls of a coating solution (1:30 dilution of collagen type I (Upstate Biotech Inc. Cat#08-115) in 30% ethanol (filter

sterilized)) is added per one 10 cm plate or 50 ml per well of the 96-well plate, and allowed to air dry for 2 hr.

PC12 cells are routinely grown in RPMI-1640 medium (Bio Whittaker) containing 10% horse serum (JRH BIOSCIENCES, Cat. # 12449-78P), 5% heat-inactivated fetal bovine serum (FBS) supplemented with 100 units/ml penicillin and 100 ug/ml streptomycin on a precoated 10 cm tissue culture dish. One to four split is done every three to four days. Cells are removed from the plates by scraping and resuspended with pipetting up and down for more than 15 times.

Transfect the EGR/SEAP/Neo construct into PC12 using the Lipofectamine protocol described in Example 31. EGR-SEAP/PC12 stable cells are obtained by growing the cells in 300 ug/ml G418. The G418-free medium is used for routine growth but every one to two months, the cells should be re-grown in 300 ug/ml G418 for couple of passages.

To assay for neuronal activity, a 10 cm plate with cells around 70 to 80% confluent is screened by removing the old medium. Wash the cells once with PBS (Phosphate buffered saline). Then starve the cells in low serum medium (RPMI-1640 containing 1% horse serum and 0.5% FBS with antibiotics) overnight.

The next morning, remove the medium and wash the cells with PBS. Scrape off the cells from the plate, suspend the cells well in 2 ml low serum medium. Count the cell number and add more low serum medium to reach final cell density as  $5 \times 10^5$  cells/ml.

Add 200 ul of the cell suspension to each well of 96-well plate (equivalent to  $1 \times 10^5$  cells/well). Add 50 ul supernatant produced by Example 31, 37 degree C for 48 to 72 hr. As a positive control, a growth factor known to activate PC12 cells through EGR can be used, such as 50 ng/ul of Neuronal Growth Factor (NGF). Over fifty-fold induction of SEAP is typically seen in the positive control wells. SEAP assay the supernatant according to Example 37.

*Example 36: High-Throughput Screening Assay for T-cell Activity*

NF-KB (Nuclear Factor KB) is a transcription factor activated by a wide variety of agents including the inflammatory cytokines IL-1 and TNF, CD30 and CD40, lymphotoxin-alpha and lymphotoxin-beta, by exposure to LPS or thrombin, and by expression of certain viral gene products. As a transcription factor, NF-KB regulates the expression of genes involved in immune cell activation, control of apoptosis (NF- KB appears to shield cells from apoptosis), B and T-cell development, anti-viral and antimicrobial responses, and multiple stress responses.

In non-stimulated conditions, NF- KB is retained in the cytoplasm with I-KB (Inhibitor KB). However, upon stimulation, I- KB is phosphorylated and degraded, causing NF- KB to shuttle to the nucleus, thereby activating transcription of target genes. Target genes activated by NF- KB include IL-2, IL-6, GM-CSF, ICAM-1 and class I MHC.

Due to its central role and ability to respond to a range of stimuli, reporter constructs utilizing the NF-KB promoter element are used to screen the supernatants produced in Example 31. Activators or inhibitors of NF-KB would be useful in treating, preventing, and/or diagnosing diseases. For example, inhibitors of NF-KB could be used to treat those diseases related to the acute or chronic activation of NF-KB, such as rheumatoid arthritis.

To construct a vector containing the NF-KB promoter element, a PCR based strategy is employed. The upstream primer contains four tandem copies of the NF-KB binding site (GGGGACTTTCCC) (SEQ ID NO:1692), 18 bp of sequence complementary to the 5' end of the SV40 early promoter sequence, and is flanked with an XhoI site:

5':GCGGCCTCGAGGGGACTTTCCCGGGGACTTTCCGGGGACTTTCCGGGAC  
TTTCCATCCTGCCATCTCAATTAG:3' (SEQ ID NO:1693)

The downstream primer is complementary to the 3' end of the SV40 promoter and is flanked with a Hind III site:

5':GCGGCAAGCTTTTGTCAAAGCCTAGGC:3' (SEQ ID NO:1688)

PCR amplification is performed using the SV40 promoter template present in the pB-gal:promoter plasmid obtained from Clontech. The resulting PCR fragment is

digested with XhoI and Hind III and subcloned into BLSK2-. (Stratagene)  
Sequencing with the T7 and T3 primers confirms the insert contains the following  
sequence:

5':CTCGAGGGGACTTTCCCGGGGACTTTCCCGGGGACTTTCCCGGGGACTTTCC  
5 ATCTGCCATCTCAATTAGTCAGCAACCATAGTCCCGCCCCTAACTCCGCCC  
ATCCCGCCCCTAACTCCGCCCAGTTCCGCCCATTCTCCGCCCCATGGCTGA  
CTAATTTTTTTTATTTATGCAGAGGCCGAGGCCGCCTCGGCCTCTGAGCTA  
TTCCAGAAGTAGTGAGGAGGCTTTTTTGGAGGCCTAGGCTTTTGCAAAAA  
GCTT:3' (SEQ ID NO:1694)

10       Next, replace the SV40 minimal promoter element present in the pSEAP2-  
promoter plasmid (Clontech) with this NF-KB/SV40 fragment using XhoI and  
HindIII. However, this vector does not contain a neomycin resistance gene, and  
therefore, is not preferred for mammalian expression systems.

15       In order to generate stable mammalian cell lines, the NF-KB/SV40/SEAP  
cassette is removed from the above NF-KB/SEAP vector using restriction enzymes  
Sall and NotI, and inserted into a vector containing neomycin resistance. Particularly,  
the NF-KB/SV40/SEAP cassette was inserted into pGFP-1 (Clontech), replacing the  
GFP gene, after restricting pGFP-1 with Sall and NotI.

20       Once NF-KB/SV40/SEAP/Neo vector is created, stable Jurkat T-cells are  
created and maintained according to the protocol described in Example 33. Similarly,  
the method for assaying supernatants with these stable Jurkat T-cells is also described  
in Example 33. As a positive control, exogenous TNF alpha (0.1, 1, 10 ng) is added to  
wells H9, H10, and H11, with a 5-10 fold activation typically observed.

25   *Example 37: Assay for SEAP Activity*

30       As a reporter molecule for the assays described in Examples 33-36, SEAP  
activity is assayed using the Tropix Phospho-light Kit (Cat. BP-400) according to the  
following general procedure. The Tropix Phospho-light Kit supplies the Dilution,  
Assay, and Reaction Buffers used below.

Prime a dispenser with the 2.5x Dilution Buffer and dispense 15 ul of 2.5x dilution buffer into Optiplates containing 35 ul of a supernatant. Seal the plates with a plastic sealer and incubate at 65 degree C for 30 min. Separate the Optiplates to avoid uneven heating.

- 5 Cool the samples to room temperature for 15 minutes. Empty the dispenser and prime with the Assay Buffer. Add 50 ml Assay Buffer and incubate at room temperature 5 min. Empty the dispenser and prime with the Reaction Buffer (see the table below).. Add 50 ul Reaction Buffer and incubate at room temperature for 20 minutes. Since the intensity of the chemiluminescent signal is time dependent, and it
- 10 takes about 10 minutes to read 5 plates on luminometer, one should treat 5 plates at each time and start the second set 10 minutes later.

Read the relative light unit in the luminometer. Set H12 as blank, and print the results. An increase in chemiluminescence indicates reporter activity.

15 Reaction Buffer Formulation:

# of plates	Rxn buffer diluent (ml)	CSPD (ml)
10	60	3
11	65	3.25
12	70	3.5
13	75	3.75
14	80	4
15	85	4.25
16	90	4.5
17	95	4.75
18	100	5
19	105	5.25
20	110	5.5
21	115	5.75
22	120	6



521

23	125	6.25
24	130	6.5
25	135	6.75
26	140	7
27	145	7.25
28	150	7.5
29	155	7.75
30	160	8
31	165	8.25
32	170	8.5
33	175	8.75
34	180	9
35	185	9.25
36	190	9.5
37	195	9.75
38	200	10
39	205	10.25
40	210	10.5
41	215	10.75
42	220	11
43	225	11.25
44	230	11.5
45	235	11.75
46	240	12
47	245	12.25
48	250	12.5
49	255	12.75
50	260	13

---

*Example 38: High-Throughput Screening Assay Identifying Changes in Small*

*Molecule Concentration and Membrane Permeability*

Binding of a ligand to a receptor is known to alter intracellular levels of small molecules, such as calcium, potassium, sodium, and pH, as well as alter membrane potential. These alterations can be measured in an assay to identify supernatants which bind to receptors of a particular cell. Although the following protocol describes an assay for calcium, this protocol can easily be modified to detect changes in potassium, sodium, pH, membrane potential, or any other small molecule which is detectable by a fluorescent probe.

10 The following assay uses Fluorometric Imaging Plate Reader ("FLIPR") to measure changes in fluorescent molecules (Molecular Probes) that bind small molecules. Clearly, any fluorescent molecule detecting a small molecule can be used instead of the calcium fluorescent molecule, fluo-4 (Molecular Probes, Inc.; catalog no. F-14202), used here.

15 For adherent cells, seed the cells at 10,000 -20,000 cells/well in a Co-star black 96-well plate with clear bottom. The plate is incubated in a CO<sub>2</sub> incubator for 20 hours. The adherent cells are washed two times in Biotek washer with 200 ul of HBSS (Hank's Balanced Salt Solution) leaving 100 ul of buffer after the final wash.

A stock solution of 1 mg/ml fluo-4 is made in 10% pluronic acid DMSO. To load the cells with fluo-4, 50 ul of 12 ug/ml fluo-4 is added to each well. The plate is incubated at 37 degrees C in a CO<sub>2</sub> incubator for 60 min. The plate is washed four times in the Biotek washer with HBSS leaving 100 ul of buffer.

For non-adherent cells, the cells are spun down from culture media. Cells are re-suspended to  $2-5 \times 10^6$  cells/ml with HBSS in a 50-ml conical tube. 4 ul of 1 mg/ml fluo-4 solution in 10% pluronic acid DMSO is added to each ml of cell suspension. The tube is then placed in a 37 degrees C water bath for 30-60 min. The cells are washed twice with HBSS, resuspended to  $1 \times 10^6$  cells/ml, and dispensed into a microplate. 100 ul/well. The plate is centrifuged at 1000 rpm for 5 min. The plate is then washed once in Denley Cell Wash with 200 ul, followed by an aspiration step to 100 ul final volume.

For a non-cell based assay, each well contains a fluorescent molecule, such as fluo-4. The supernatant is added to the well, and a change in fluorescence is detected.

To measure the fluorescence of intracellular calcium, the FLIPR is set for the following parameters: (1) System gain is 300-800 mW; (2) Exposure time is 0.4 second; (3) Camera F/stop is F/2; (4) Excitation is 488 nm; (5) Emission is 530 nm; and (6) Sample addition is 50 ul. Increased emission at 530 nm indicates an extracellular signaling event caused by the a molecule, either polypeptide of the present invention or a molecule induced by polypeptide of the present invention, which has resulted in an increase in the intracellular  $\text{Ca}^{++}$  concentration.

*Example 40: High-Throughput Screening Assay Identifying Tyrosine Kinase Activity*

The Protein Tyrosine Kinases (PTK) represent a diverse group of transmembrane and cytoplasmic kinases. Within the Receptor Protein Tyrosine Kinase (RPTK) group are receptors for a range of mitogenic and metabolic growth factors including the PDGF, FGF, EGF, NGF, HGF and Insulin receptor subfamilies. In addition there are a large family of RPTKs for which the corresponding ligand is unknown. Ligands for RPTKs include mainly secreted small proteins, but also membrane-bound and extracellular matrix proteins.

Activation of RPTK by ligands involves ligand-mediated receptor dimerization, resulting in transphosphorylation of the receptor subunits and activation of the cytoplasmic tyrosine kinases. The cytoplasmic tyrosine kinases include receptor associated tyrosine kinases of the src-family (e.g., src, yes, lck, lyn, fyn) and non-receptor linked and cytosolic protein tyrosine kinases, such as the Jak family, members of which mediate signal transduction triggered by the cytokine superfamily of receptors (e.g., the Interleukins, Interferons, GM-CSF, and Leptin).

Because of the wide range of known factors capable of stimulating tyrosine kinase activity, identifying whether polypeptide of the present invention or a molecule induced by polypeptide of the present invention is capable of activating tyrosine

kinase signal transduction pathways is of interest. Therefore, the following protocol is designed to identify such molecules capable of activating the tyrosine kinase signal transduction pathways.

Seed target cells (e.g., primary keratinocytes) at a density of approximately  
5 25,000 cells per well in a 96 well Loprodyne Silent Screen Plates purchased from Nalge Nunc (Naperville, IL). The plates are sterilized with two 30 minute rinses with 100% ethanol, rinsed with water and dried overnight. Some plates are coated for 2 hr with 100 ml of cell culture grade type I collagen (50 mg/ml), gelatin (2%) or polylysine (50 mg/ml), all of which can be purchased from Sigma Chemicals (St.  
10 Louis, MO) or 10% Matrigel purchased from Becton Dickinson (Bedford, MA), or calf serum, rinsed with PBS and stored at 4 degree C. Cell growth on these plates is assayed by seeding 5,000 cells/well in growth medium and indirect quantitation of cell number through use of alamarBlue as described by the manufacturer Alamar Biosciences, Inc. (Sacramento, CA) after 48 hr. Falcon plate covers #3071 from  
15 Becton Dickinson (Bedford, MA) are used to cover the Loprodyne Silent Screen Plates. Falcon Microtest III cell culture plates can also be used in some proliferation experiments.

To prepare extracts, A431 cells are seeded onto the nylon membranes of Loprodyne plates (20,000/200ml/well) and cultured overnight in complete medium.  
20 Cells are quiesced by incubation in serum-free basal medium for 24 hr. After 5-20 minutes treatment with EGF (60ng/ml) or 50 ul of the supernatant produced in Example 31, the medium was removed and 100 ml of extraction buffer ((20 mM HEPES pH 7.5, 0.15 M NaCl, 1% Triton X-100, 0.1% SDS, 2 mM Na<sub>3</sub>VO<sub>4</sub>, 2 mM Na<sub>4</sub>P<sub>2</sub>O<sub>7</sub> and a cocktail of protease inhibitors (# 1836170) obtained from  
25 Boehringer Mannheim (Indianapolis, IN) is added to each well and the plate is shaken on a rotating shaker for 5 minutes at 4°C. The plate is then placed in a vacuum transfer manifold and the extract filtered through the 0.45 mm membrane bottoms of each well using house vacuum. Extracts are collected in a 96-well catch/assay plate in the bottom of the vacuum manifold and immediately placed on  
30 ice. To obtain extracts clarified by centrifugation, the content of each well, after

detergent solubilization for 5 minutes, is removed and centrifuged for 15 minutes at 4 degree C at 16,000 x g.

Test the filtered extracts for levels of tyrosine kinase activity. Although many methods of detecting tyrosine kinase activity are known, one method is described  
5 here.

Generally, the tyrosine kinase activity of a supernatant is evaluated by determining its ability to phosphorylate a tyrosine residue on a specific substrate (a biotinylated peptide). Biotinylated peptides that can be used for this purpose include PSK1 (corresponding to amino acids 6-20 of the cell division kinase cdc2-p34) and  
10 PSK2 (corresponding to amino acids 1-17 of gastrin). Both peptides are substrates for a range of tyrosine kinases and are available from Boehringer Mannheim.

The tyrosine kinase reaction is set up by adding the following components in order. First, add 10ul of 5uM Biotinylated Peptide, then 10ul ATP/Mg<sub>2</sub><sup>+</sup> (5mM ATP/50mM MgCl<sub>2</sub>), then 10ul of 5x Assay Buffer (40mM imidazole hydrochloride,  
15 pH7.3, 40 mM beta-glycerophosphate, 1mM EGTA, 100mM MgCl<sub>2</sub>, 5 mM MnCl<sub>2</sub>, 0.5 mg/ml BSA), then 5ul of Sodium Vanadate(1mM), and then 5ul of water. Mix the components gently and preincubate the reaction mix at 30 degree C for 2 min. Initiate the reaction by adding 10ul of the control enzyme or the filtered supernatant.

The tyrosine kinase assay reaction is then terminated by adding 10 ul of  
20 120mM EDTA and place the reactions on ice.

Tyrosine kinase activity is determined by transferring 50 ul aliquot of reaction mixture to a microtiter plate (MTP) module and incubating at 37 degree C for 20 min. This allows the streptavidin coated 96 well plate to associate with the biotinylated peptide. Wash the MTP module with 300ul/well of PBS four times. Next add 75 ul  
25 of anti-phosphotyrosine antibody conjugated to horse radish peroxidase(anti-P-Tyr-POD(0.5u/ml)) to each well and incubate at 37 degree C for one hour. Wash the well as above.

Next add 100ul of peroxidase substrate solution (Boehringer Mannheim) and incubate at room temperature for at least 5 mins (up to 30 min). Measure the  
30 absorbance of the sample at 405 nm by using ELISA reader. The level of bound

peroxidase activity is quantitated using an ELISA reader and reflects the level of tyrosine kinase activity.

*Example 41: High-Throughput Screening Assay Identifying Phosphorylation Activity*

5

As a potential alternative and/or compliment to the assay of protein tyrosine kinase activity described in Example 40, an assay which detects activation (phosphorylation) of major intracellular signal transduction intermediates can also be used. For example, as described below one particular assay can detect tyrosine phosphorylation of the Erk-1 and Erk-2 kinases. However, phosphorylation of other molecules, such as Raf, JNK, p38 MAP, Map kinase kinase (MEK), MEK kinase, Src, Muscle specific kinase (MuSK), IRAK, Tec, and Janus, as well as any other phosphoserine, phosphotyrosine, or phosphothreonine molecule, can be detected by substituting these molecules for Erk-1 or Erk-2 in the following assay.

15 Specifically, assay plates are made by coating the wells of a 96-well ELISA plate with 0.1ml of protein G (1ug/ml) for 2 hr at room temp, (RT). The plates are then rinsed with PBS and blocked with 3% BSA/PBS for 1 hr at RT. The protein G plates are then treated with 2 commercial monoclonal antibodies (100ng/well) against Erk-1 and Erk-2 (1 hr at RT) (Santa Cruz Biotechnology). (To detect other molecules, this step can easily be modified by substituting a monoclonal antibody detecting any of the above described molecules.) After 3-5 rinses with PBS, the plates are stored at 4 degree C until use.

25 A431 cells are seeded at 20,000/well in a 96-well Loprodyne filterplate and cultured overnight in growth medium. The cells are then starved for 48 hr in basal medium (DMEM) and then treated with EGF (6ng/well) or 50 ul of the supernatants obtained in Example 31 for 5-20 minutes. The cells are then solubilized and extracts filtered directly into the assay plate.

30 After incubation with the extract for 1 hr at RT, the wells are again rinsed. As a positive control, a commercial preparation of MAP kinase (10ng/well) is used in place of A431 extract. Plates are then treated with a commercial polyclonal (rabbit)

antibody (1 µg/ml) which specifically recognizes the phosphorylated epitope of the Erk-1 and Erk-2 kinases (1 hr at RT). This antibody is biotinylated by standard procedures. The bound polyclonal antibody is then quantitated by successive incubations with Europium-streptavidin and Europium fluorescence enhancing reagent in the Wallac DELFIA instrument (time-resolved fluorescence). An increased fluorescent signal over background indicates a phosphorylation by polypeptide of the present invention or a molecule induced by polypeptide of the present invention.

*Example 42: Assay for the Stimulation of Bone Marrow CD34+ Cell Proliferation*

10

This assay is based on the ability of human CD34+ to proliferate in the presence of hematopoietic growth factors and evaluates the ability of isolated polypeptides expressed in mammalian cells to stimulate proliferation of CD34+ cells.

It has been previously shown that most mature precursors will respond to only a single signal. More immature precursors require at least two signals to respond. Therefore, to test the effect of polypeptides on hematopoietic activity of a wide range of progenitor cells, the assay contains a given polypeptide in the presence or absence of other hematopoietic growth factors. Isolated cells are cultured for 5 days in the presence of Stem Cell Factor (SCF) in combination with tested sample. SCF alone has a very limited effect on the proliferation of bone marrow (BM) cells, acting in such conditions only as a "survival" factor. However, combined with any factor exhibiting stimulatory effect on these cells (e.g., IL-3), SCF will cause a synergistic effect. Therefore, if the tested polypeptide has a stimulatory effect on a hematopoietic progenitors, such activity can be easily detected. Since normal BM cells have a low level of cycling cells, it is likely that any inhibitory effect of a given polypeptide, or agonists or antagonists thereof, might not be detected. Accordingly, assays for an inhibitory effect on progenitors is preferably tested in cells that are first subjected to *in vitro* stimulation with SCF+IL+3, and then contacted with the compound that is being evaluated for inhibition of such induced proliferation.

30 Briefly, CD34+ cells are isolated using methods known in the art. The cells

are thawed and resuspended in medium (QBSF 60 serum-free medium with 1% L-glutamine (500ml) Quality Biological, Inc., Gaithersburg, MD Cat# 160-204-101). After several gentle centrifugation steps at 200 x g, cells are allowed to rest for one hour. The cell count is adjusted to  $2.5 \times 10^5$  cells/ml. During this time, 100  $\mu$ l of  
5 sterile water is added to the peripheral wells of a 96-well plate. The cytokines that can be tested with a given polypeptide in this assay is rhSCF (R&D Systems, Minneapolis, MN, Cat# 255-SC) at 50 ng/ml alone and in combination with rhSCF and rhIL-3 (R&D Systems, Minneapolis, MN, Cat# 203-ML) at 30 ng/ml. After one hour, 10  $\mu$ l of prepared cytokines, 50  $\mu$ l of the supernatants prepared in Example 31  
10 (supernatants at 1:2 dilution = 50  $\mu$ l) and 20  $\mu$ l of diluted cells are added to the media which is already present in the wells to allow for a final total volume of 100  $\mu$ l. The plates are then placed in a 37°C/5% CO<sub>2</sub> incubator for five days.

Eighteen hours before the assay is harvested, 0.5  $\mu$ Ci/well of [3H] Thymidine is added in a 10  $\mu$ l volume to each well to determine the proliferation rate. The  
15 experiment is terminated by harvesting the cells from each 96-well plate to a filtermat using the Tomtec Harvester 96. After harvesting, the filtermats are dried, trimmed and placed into OmniFilter assemblies consisting of one OmniFilter plate and one OmniFilter Tray. 60  $\mu$ l Microscint is added to each well and the plate sealed with TopSeal-A press-on sealing film. A bar code 15 sticker is affixed to the first plate for  
20 counting. The sealed plates is then loaded and the level of radioactivity determined via the Packard Top Count and the printed data collected for analysis. The level of radioactivity reflects the amount of cell proliferation.

The studies described in this example test the activity of a given polypeptide to stimulate bone marrow CD34+ cell proliferation. One skilled in the art could  
25 easily modify the exemplified studies to test the activity of polynucleotides (e.g., gene therapy), antibodies, agonists, and/or antagonists and fragments and variants thereof. As a nonlimiting example, potential antagonists tested in this assay would be expected to inhibit cell proliferation in the presence of cytokines and/or to increase the inhibition of cell proliferation in the presence of cytokines and a given polypeptide.  
30 In contrast, potential agonists tested in this assay would be expected to enhance cell



proliferation and/or to decrease the inhibition of cell proliferation in the presence of cytokines and a given polypeptide.

The ability of a gene to stimulate the proliferation of bone marrow CD34+ cells indicates that polynucleotides and polypeptides corresponding to the gene are  
5 useful for the diagnosis and treatment of disorders affecting the immune system and hematopoiesis. Representative uses are described in the "Immune Activity" and "Infectious Disease" sections above, and elsewhere herein.

*Example 43: Assay for Extracellular Matrix Enhanced Cell Response (EMECR)*

10

The objective of the Extracellular Matrix Enhanced Cell Response (EMECR) assay is to identify gene products (e.g., isolated polypeptides) that act on the hematopoietic stem cells in the context of the extracellular matrix (ECM) induced signal.

15

Cells respond to the regulatory factors in the context of signal(s) received from the surrounding microenvironment. For example, fibroblasts, and endothelial and epithelial stem cells fail to replicate in the absence of signals from the ECM. Hematopoietic stem cells can undergo self-renewal in the bone marrow, but not in *in vitro* suspension culture. The ability of stem cells to undergo self-renewal *in vitro* is  
20 dependent upon their interaction with the stromal cells and the ECM protein fibronectin (fn). Adhesion of cells to fn is mediated by the  $\alpha_5\beta_1$  and  $\alpha_4\beta_1$  integrin receptors, which are expressed by human and mouse hematopoietic stem cells. The factor(s) which integrate with the ECM environment and responsible for stimulating stem cell self-renewal has not yet been identified. Discovery of such factors should  
25 be of great interest in gene therapy and bone marrow transplant applications

Briefly, polystyrene, non tissue culture treated, 96-well plates are coated with fn fragment at a coating concentration of  $0.2 \mu\text{g}/\text{cm}^2$ . Mouse bone marrow cells are plated (1,000 cells/well) in 0.2 ml of serum-free medium. Cells cultured in the presence of IL-3 (5 ng/ml) + SCF (50 ng/ml) would serve as the positive control,

conditions under which little self-renewal but pronounced differentiation of the stem cells is to be expected. Gene products of the invention (e.g., including, but not limited to, polynucleotides and polypeptides of the present invention, and supernatants produced in Example 31), are tested with appropriate negative controls in the presence and absence of SCF(5.0 ng/ml), where test factor supernates represent 10% of the total assay volume. The plated cells are then allowed to grow by incubating in a low oxygen environment ( 5% CO<sub>2</sub>, 7% O<sub>2</sub>, and 88% N<sub>2</sub> ) tissue culture incubator for 7 days. The number of proliferating cells within the wells is then quantitated by measuring thymidine incorporation into cellular DNA. Verification of the positive hits in the assay will require phenotypic characterization of the cells, which can be accomplished by scaling up of the culture system and using appropriate antibody reagents against cell surface antigens and FACScan.

One skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides (e.g., gene therapy), antibodies, agonists, and/or antagonists and fragments and variants thereof.

If a particular polypeptide of the present invention is found to be a stimulator of hematopoietic progenitors, polynucleotides and polypeptides corresponding to the gene encoding said polypeptide may be useful for the diagnosis and treatment of disorders affecting the immune system and hematopoiesis. Representative uses are described in the "Immune Activity" and "Infectious Disease" sections above, and elsewhere herein. The gene product may also be useful in the expansion of stem cells and committed progenitors of various blood lineages, and in the differentiation and/or proliferation of various cell types.

Additionally, the polynucleotides and/or polypeptides of the gene of interest and/or agonists and/or antagonists thereof, may also be employed to inhibit the proliferation and differentiation of hematopoietic cells and therefore may be employed to protect bone marrow stem cells from chemotherapeutic agents during chemotherapy. This antiproliferative effect may allow administration of higher doses of chemotherapeutic agents and, therefore, more effective chemotherapeutic treatment.

Moreover, polynucleotides and polypeptides corresponding to the gene of interest may also be useful for the treatment and diagnosis of hematopoietic related disorders such as, for example, anemia, pancytopenia, leukopenia, thrombocytopenia or leukemia since stromal cells are important in the production of cells of hematopoietic lineages. The uses include bone marrow cell ex-vivo culture, bone marrow transplantation, bone marrow reconstitution, radiotherapy or chemotherapy of neoplasia.

*Example 44: Human Dermal Fibroblast and Aortic Smooth Muscle Cell Proliferation*

10

The polypeptide of interest is added to cultures of normal human dermal fibroblasts (NHDF) and human aortic smooth muscle cells (AoSMC) and two co-assays are performed with each sample. The first assay examines the effect of the polypeptide of interest on the proliferation of normal human dermal fibroblasts (NHDF) or aortic smooth muscle cells (AoSMC). Aberrant growth of fibroblasts or smooth muscle cells is a part of several pathological processes, including fibrosis, and restenosis. The second assay examines IL6 production by both NHDF and SMC. IL6 production is an indication of functional activation. Activated cells will have increased production of a number of cytokines and other factors, which can result in a proinflammatory or immunomodulatory outcome. Assays are run with and without co-TNF $\alpha$  stimulation, in order to check for costimulatory or inhibitory activity.

Briefly, on day 1, 96-well black plates are set up with 1000 cells/well (NHDF) or 2000 cells/well (AoSMC) in 100  $\mu$ l culture media. NHDF culture media contains: Clonetics FB basal media, 1mg/ml hFGF, 5mg/ml insulin, 50mg/ml gentamycin, 2%FBS, while AoSMC culture media contains Clonetics SM basal media, 0.5  $\mu$ g/ml hEGF, 5mg/ml insulin, 1 $\mu$ g/ml hFGF, 50mg/ml gentamycin, 50  $\mu$ g/ml Amphotericin B, 5%FBS. After incubation at 37°C for at least 4-5 hours, culture media is aspirated and replaced with growth arrest media. Growth arrest media for NHDF contains fibroblast basal media, 50mg/ml gentamycin, 2% FBS, while growth arrest media for AoSMC contains SM basal media, 50mg/ml gentamycin, 50 $\mu$ g/ml Amphotericin B,

30

0.4% FBS. Incubate at 37°C until day 2.

On day 2, serial dilutions and templates of the polypeptide of interest are designed such that they always include media controls and known-protein controls. For both stimulation and inhibition experiments, proteins are diluted in growth arrest  
5 media. For inhibition experiments, TNF $\alpha$  is added to a final concentration of 2ng/ml (NHDF) or 5ng/ml (AoSMC). Add 1/3 vol media containing controls or polypeptides of the present invention and incubate at 37°C/5% CO<sub>2</sub> until day 5.

Transfer 60 $\mu$ l from each well to another labeled 96-well plate, cover with a plate-sealer, and store at 4°C until Day 6 (for IL6 ELISA). To the remaining 100  $\mu$ l in  
10 the cell culture plate, aseptically add Alamar Blue in an amount equal to 10% of the culture volume (10 $\mu$ l). Return plates to incubator for 3 to 4 hours. Then measure fluorescence with excitation at 530nm and emission at 590nm using the CytoFluor. This yields the growth stimulation/inhibition data.

On day 5, the IL6 ELISA is performed by coating a 96 well plate with 50-100  
15  $\mu$ l/well of Anti-Human IL6 Monoclonal antibody diluted in PBS, pH 7.4, incubate ON at room temperature.

On day 6, empty the plates into the sink and blot on paper towels. Prepare Assay Buffer containing PBS with 4% BSA. Block the plates with 200  $\mu$ l/well of Pierce Super Block blocking buffer in PBS for 1-2 hr and then wash plates with wash  
20 buffer (PBS, 0.05% Tween-20). Blot plates on paper towels. Then add 50  $\mu$ l/well of diluted Anti-Human IL-6 Monoclonal, Biotin-labeled antibody at 0.50 mg/ml. Make dilutions of IL-6 stock in media (30, 10, 3, 1, 0.3, 0 ng/ml). Add duplicate samples to top row of plate. Cover the plates and incubate for 2 hours at RT on shaker. Plates are washed with wash buffer and blotted on paper towels. Dilute EU-labeled Streptavidin  
25 1:1000 in Assay buffer, and add 100  $\mu$ l/well. Cover the plate and incubate 1 h at RT. Plates are again washed with wash buffer and blotted on paper towels. Add 100  $\mu$ l/well of Enhancement Solution and shake for 5 minutes. Read the plate on the Wallac DELFIA Fluorometer. Readings from triplicate samples in each assay are tabulated and averaged.

30 A positive result in this assay suggests AoSMC cell proliferation and that the

polypeptide of the present invention may be involved in dermal fibroblast proliferation and/or smooth muscle cell proliferation. A positive result also suggests many potential uses of polypeptides, polynucleotides, agonists and/or antagonists of the polynucleotide/polypeptide of the present invention which gives a positive result.

5 For example, inflammation and immune responses, wound healing, and angiogenesis, as detailed throughout this specification. Particularly, polypeptides of the present invention and polynucleotides of the present invention may be used in wound healing and dermal regeneration, as well as the promotion of vascularogenesis, both of the blood vessels and lymphatics. The growth of vessels can be used in the treatment of,  
10 for example, cardiovascular diseases. Additionally, antagonists of polypeptides and polynucleotides of the invention may be useful in treating diseases, disorders, and/or conditions which involve angiogenesis by acting as an anti-vascular (e.g., anti-angiogenesis). These diseases, disorders, and/or conditions are known in the art and/or are described herein, such as, for example, malignancies, solid tumors, benign  
15 tumors, for example hemangiomas, acoustic neuromas, neurofibromas, trachomas, and pyogenic granulomas; arteriosclerotic plaques; ocular angiogenic diseases, for example, diabetic retinopathy, retinopathy of prematurity, macular degeneration, corneal graft rejection, neovascular glaucoma, retrolental fibroplasia, rubeosis, retinoblastoma, uveitis and Pterygia (abnormal blood vessel growth) of the eye;  
20 rheumatoid arthritis; psoriasis; delayed wound healing; endometriosis; vasculogenesis; granulations; hypertrophic scars (keloids); nonunion fractures; scleroderma; trachoma; vascular adhesions; myocardial angiogenesis; coronary collaterals; cerebral collaterals; arteriovenous malformations; ischemic limb angiogenesis; Osler-Webber Syndrome; plaque neovascularization; telangiectasia;  
25 hemophiliac joints; angiofibroma; fibromuscular dysplasia; wound granulation; Crohn's disease; and atherosclerosis. Moreover, antagonists of polypeptides and polynucleotides of the invention may be useful in treating anti-hyperproliferative diseases and/or anti-inflammatory known in the art and/or described herein.

One skilled in the art could easily modify the exemplified studies to test the  
30 activity of polynucleotides (e.g., gene therapy), antibodies, agonists, and/or

antagonists and fragments and variants thereof.

*Example 45: Cellular Adhesion Molecule (CAM) Expression on Endothelial Cells*

5

The recruitment of lymphocytes to areas of inflammation and angiogenesis involves specific receptor-ligand interactions between cell surface adhesion molecules (CAMs) on lymphocytes and the vascular endothelium. The adhesion process, in both normal and pathological settings, follows a multi-step cascade that involves  
10 intercellular adhesion molecule-1 (ICAM-1), vascular cell adhesion molecule-1 (VCAM-1), and endothelial leukocyte adhesion molecule-1 (E-selectin) expression on endothelial cells (EC). The expression of these molecules and others on the vascular endothelium determines the efficiency with which leukocytes may adhere to the local vasculature and extravasate into the local tissue during the development of an  
15 inflammatory response. The local concentration of cytokines and growth factor participate in the modulation of the expression of these CAMs.

Briefly, endothelial cells (e.g., Human Umbilical Vein Endothelial cells (HUVECs)) are grown in a standard 96 well plate to confluence, growth medium is removed from the cells and replaced with 100  $\mu$ l of 199 Medium (10% fetal bovine  
20 serum (FBS)). Samples for testing and positive or negative controls are added to the plate in triplicate (in 10  $\mu$ l volumes). Plates are then incubated at 37°C for either 5 h (selectin and integrin expression) or 24 h (integrin expression only). Plates are aspirated to remove medium and 100  $\mu$ l of 0.1% paraformaldehyde-PBS(with Ca++ and Mg++) is added to each well. Plates are held at 4°C for 30 min. Fixative is  
25 removed from the wells and wells are washed 1X with PBS(+Ca,Mg) + 0.5% BSA and drained. 10  $\mu$ l of diluted primary antibody is added to the test and control wells. Anti-ICAM-1-Biotin, Anti-VCAM-1-Biotin and Anti-E-selectin-Biotin are used at a concentration of 10  $\mu$ g/ml (1:10 dilution of 0.1 mg/ml stock antibody). Cells are incubated at 37°C for 30 min. in a humidified environment. Wells are washed three  
30 times with PBS(+Ca,Mg) + 0.5% BSA. 20  $\mu$ l of diluted ExtrAvidin-Alkaline

Phosphatase (1:5,000 dilution, referred to herein as the working dilution) are added to each well and incubated at 37°C for 30 min. Wells are washed three times with PBS(+Ca,Mg)+0.5% BSA. Dissolve 1 tablet of p-Nitrophenol Phosphate pNPP per 5 ml of glycine buffer (pH 10.4). 100 µl of pNPP substrate in glycine buffer is added to each test well. Standard wells in triplicate are prepared from the working dilution of the ExtrAvidin-Alkaline Phosphatase in glycine buffer: 1:5,000 ( $10^0$ ) >  $10^{-0.5}$  >  $10^{-1}$  >  $10^{-1.5}$ . 5 µl of each dilution is added to triplicate wells and the resulting AP content in each well is 5.50 ng, 1.74 ng, 0.55 ng, 0.18 ng. 100 µl of pNPP reagent is then added to each of the standard wells. The plate is incubated at 37°C for 4h. A volume of 50 µl of 3M NaOH is added to all wells. The plate is read on a plate reader at 405 nm using the background subtraction option on blank wells filled with glycine buffer only. Additionally, the template is set up to indicate the concentration of AP-conjugate in each standard well [ 5.50 ng; 1.74 ng; 0.55 ng; 0.18 ng]. Results are indicated as amount of bound AP-conjugate in each sample.

*Example 46: Alamar Blue Endothelial Cells Proliferation Assay*

This assay may be used to quantitatively determine protein mediated inhibition of bFGF-induced proliferation of Bovine Lymphatic Endothelial Cells (LECs), Bovine Aortic Endothelial Cells (BAECs) or Human Microvascular Uterine Myometrial Cells (UTMECs). This assay incorporates a fluorometric growth indicator based on detection of metabolic activity. A standard Alamar Blue Proliferation Assay is prepared in EGM-2MV with 10 ng /ml of bFGF added as a source of endothelial cell stimulation. This assay may be used with a variety of endothelial cells with slight changes in growth medium and cell concentration. Dilutions of the protein batches to be tested are diluted as appropriate. Serum-free medium (GIBCO SFM) without bFGF is used as a non-stimulated control and Angiostatin or TSP-1 are included as a known inhibitory controls.

Briefly, LEC, BAECs or UTMECs are seeded in growth media at a density of 5000 to 2000 cells/well in a 96 well plate and placed at 37-C overnight. After the

- overnight incubation of the cells, the growth media is removed and replaced with GIBCO EC-SFM. The cells are treated with the appropriate dilutions of the protein of interest or control protein sample(s) (prepared in SFM ) in triplicate wells with additional bFGF to a concentration of 10 ng/ ml. Once the cells have been treated
- 5 with the samples, the plate(s) is/are placed back in the 37° C incubator for three days. After three days 10 ml of stock alamar blue (Biosource Cat# DAL1100) is added to each well and the plate(s) is/are placed back in the 37°C incubator for four hours. The plate(s) are then read at 530nm excitation and 590nm emission using the CytoFluor fluorescence reader. Direct output is recorded in relative fluorescence units.
- 10 Alamar blue is an oxidation-reduction indicator that both fluoresces and changes color in response to chemical reduction of growth medium resulting from cell growth. As cells grow in culture, innate metabolic activity results in a chemical reduction of the immediate surrounding environment. Reduction related to growth causes the indicator to change from oxidized (non-fluorescent blue) form to reduced
- 15 (fluorescent red) form. i.e. stimulated proliferation will produce a stronger signal and inhibited proliferation will produce a weaker signal and the total signal is proportional to the total number of cells as well as their metabolic activity. The background level of activity is observed with the starvation medium alone. This is compared to the output observed from the positive control samples (bFGF in growth medium) and
- 20 protein dilutions.

*Example 47: Detection of Inhibition of a Mixed Lymphocyte Reaction*

- This assay can be used to detect and evaluate inhibition of a Mixed
- 25 Lymphocyte Reaction (MLR) by gene products (e.g., isolated polypeptides). Inhibition of a MLR may be due to a direct effect on cell proliferation and viability, modulation of costimulatory molecules on interacting cells, modulation of adhesiveness between lymphocytes and accessory cells, or modulation of cytokine production by accessory cells. Multiple cells may be targeted by these polypeptides



since the peripheral blood mononuclear fraction used in this assay includes T, B and natural killer lymphocytes, as well as monocytes and dendritic cells.

Polypeptides of interest found to inhibit the MLR may find application in diseases associated with lymphocyte and monocyte activation or proliferation. These  
5 include, but are not limited to, diseases such as asthma, arthritis, diabetes, inflammatory skin conditions, psoriasis, eczema, systemic lupus erythematosus, multiple sclerosis, glomerulonephritis, inflammatory bowel disease, crohn's disease, ulcerative colitis, arteriosclerosis, cirrhosis, graft vs. host disease, host vs. graft disease, hepatitis, leukemia and lymphoma.

10 Briefly, PBMCs from human donors are purified by density gradient centrifugation using Lymphocyte Separation Medium (LSM®, density 1.0770 g/ml, Organon Teknika Corporation, West Chester, PA). PBMCs from two donors are adjusted to  $2 \times 10^6$  cells/ml in RPMI-1640 (Life Technologies, Grand Island, NY) supplemented with 10% FCS and 2 mM glutamine. PBMCs from a third donor is  
15 adjusted to  $2 \times 10^5$  cells/ml. Fifty microliters of PBMCs from each donor is added to wells of a 96-well round bottom microtiter plate. Dilutions of test materials (50  $\mu$ l) is added in triplicate to microtiter wells. Test samples (of the protein of interest) are added for final dilution of 1:4; rhIL-2 (R&D Systems, Minneapolis, MN, catalog number 202-IL) is added to a final concentration of 1  $\mu$ g/ml; anti-CD4 mAb (R&D  
20 Systems, clone 34930.11, catalog number MAB379) is added to a final concentration of 10  $\mu$ g/ml. Cells are cultured for 7-8 days at 37°C in 5% CO<sub>2</sub>, and 1  $\mu$ C of [<sup>3</sup>H] thymidine is added to wells for the last 16 hrs of culture. Cells are harvested and thymidine incorporation determined using a Packard TopCount. Data is expressed as the mean and standard deviation of triplicate determinations.

25 Samples of the protein of interest are screened in separate experiments and compared to the negative control treatment, anti-CD4 mAb, which inhibits proliferation of lymphocytes and the positive control treatment, IL-2 (either as recombinant material or supernatant), which enhances proliferation of lymphocytes.

One skilled in the art could easily modify the exemplified studies to test the  
30 activity of polynucleotides (e.g., gene therapy), antibodies, agonists, and/or

antagonists and fragments and variants thereof.

It will be clear that the invention may be practiced otherwise than as particularly described in the foregoing description and examples. Numerous modifications and variations of the present invention are possible in light of the above teachings and, therefore, are within the scope of the appended claims.

The entire disclosure of each document cited (including patents, patent applications, journal articles, abstracts, laboratory manuals, books, or other disclosures) in the Background of the Invention, Detailed Description, and Examples is hereby incorporated herein by reference. Further, the hard copy of the sequence listing submitted herewith and the corresponding computer readable form are both incorporated herein by reference in their entireties. Moreover, the hard copy of and the corresponding computer readable form of the Sequence Listing of Serial No. 60/124,270 are also incorporated herein by reference in their entireties.

539

Applicant's or agent's file reference number	PA106PCT	International application	UNASSIGNED
-------------------------------------------------	----------	---------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>121</u> . line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209059
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input checked="" type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer Jenifer A. Howell PCT/International Processing Div. (703) 535-6389	Authorized officer

**ATCC Deposit No. 209059****CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

**NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

**AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

**FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

**UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2

ATCC Deposit No. 209059

## DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

## SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

## NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

542

Applicant's or agent's file reference number	PA106PCT	International application number	UNASSIGNED
----------------------------------------------	----------	----------------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

<b>A.</b> The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
<b>B. IDENTIFICATION OF DEPOSIT</b> Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution <u>American Type Culture Collection</u>	
Address of depositary institution (including postal code and country) <u>10801 University Boulevard</u> <u>Manassas, Virginia 20110-2209</u> <u>United States of America</u>	
Date of deposit <u>20 May 1997</u>	Accession Number <u>209060</u>
<b>C. ADDITIONAL INDICATIONS</b> (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
<b>D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE</b> (if the indications are not for all designated States)	
<u>Europe</u> In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
<b>E. SEPARATE FURNISHING OF INDICATIONS</b> (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<b>For receiving Office use only</b> <input checked="" type="checkbox"/> This sheet was received with the international application  Authorized officer <u>FC/International Processing Div.</u> <u>(703) 395-3030</u>	<b>For International Bureau use only</b> <input type="checkbox"/> This sheet was received by the International Bureau on:  Authorized officer
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------

**ATCC Deposit No. 209060****CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

**NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

**AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

**FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

**UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2

ATCC Deposit No. 209060

## DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

## SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

## NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.



545

Applicant's or agent's file reference number	PA106PCT	International application N°	UNASSIGNED
----------------------------------------------	----------	------------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

<b>A.</b> The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
<b>B. IDENTIFICATION OF DEPOSIT</b> Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209061
<b>C. ADDITIONAL INDICATIONS</b> (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
<b>D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE</b> (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
<b>E. SEPARATE FURNISHING OF INDICATIONS</b> (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<b>For receiving Office use only</b> <input checked="" type="checkbox"/> This sheet was received with the international application  Authorized officer PCT/Internat'l Appl Processing Div. (703) 305-6639	<b>For International Bureau use only</b> <input type="checkbox"/> This sheet was received by the International Bureau on:  Authorized officer
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------

**ATCC Deposit No. 209061****CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

**NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

**AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

**FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

**UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2

ATCC Deposit No. 209061

#### **DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

#### **SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

#### **NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

548

Applicant's or agent's file reference number	PA106PCT	International application	UNASSIGNED
-------------------------------------------------	----------	---------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

<b>A.</b> The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
<b>B. IDENTIFICATION OF DEPOSIT</b> Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209062
<b>C. ADDITIONAL INDICATIONS</b> (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
<b>D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE</b> (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
<b>E. SEPARATE FURNISHING OF INDICATIONS</b> (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")     	

<b>For receiving Office use only</b> <input checked="" type="checkbox"/> This sheet was received with the international application  Authorized officer Jeryl McDowell PCT/Internat'l Appl Processing Div. (703) 305-3639	<b>For International Bureau use only</b> <input type="checkbox"/> This sheet was received by the International Bureau on:  Authorized officer
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------

**ATCC Deposit No. 209062****CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

**NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

**AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

**FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

**UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2

ATCC Deposit No. 209062

#### **DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

#### **SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

#### **NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

551

Applicant's or agent's file reference number	PA106PCT	International application number	UNASSIGNED
----------------------------------------------	----------	----------------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209063
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input checked="" type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer PCT/Internat'l Appl Processing Div. (703) 305-3639	Authorized officer

**ATCC Deposit N . 209063****CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

**NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

**AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

**FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

**UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.



Page 2

ATCC Deposit No. 209063

**DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

**SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

**NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

554

Applicant's or agent's file reference number	PA106PCT	International application	UNASSIGNED
-------------------------------------------------	----------	---------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209064
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<input checked="" type="checkbox"/> For receiving Office use only This sheet was received with the international application Authorized officer PCT/International Processing Div. (703) 305-3639	<input type="checkbox"/> For International Bureau use only This sheet was received by the International Bureau on: Authorized officer
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------

**ATCC Deposit No. 209064****CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

**NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

**AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

**FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

**UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2

ATCC Deposit No. 209064

#### **DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

#### **SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

#### **NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

Applicant's or agent's file reference number	PA106PCT	International application	UNASSIGNED
-------------------------------------------------	----------	---------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

<b>A.</b> The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
<b>B. IDENTIFICATION OF DEPOSIT</b> Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209065
<b>C. ADDITIONAL INDICATIONS</b> (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
<b>D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE</b> (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
<b>E. SEPARATE FURNISHING OF INDICATIONS</b> (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<b>For receiving Office use only</b>	<b>For International Bureau use only</b>
<input checked="" type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer Processing Div. (703) 305-3639	Authorized officer

**ATCC Deposit N . 209065****CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

**NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

**AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

**FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

**UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2

ATCC Deposit No. 209065

#### **DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

#### **SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

#### **NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

560

Applicant's or agent's file reference number	PA106PCT	International application	UNASSIGNED
-------------------------------------------------	----------	---------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

<b>A.</b> The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
<b>B. IDENTIFICATION OF DEPOSIT</b> Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution <u>American Type Culture Collection</u>	
Address of depositary institution (including postal code and country) <u>10801 University Boulevard</u> <u>Manassas, Virginia 20110-2209</u> <u>United States of America</u>	
Date of deposit <u>20 May 1997</u>	Accession Number <u>209066</u>
<b>C. ADDITIONAL INDICATIONS</b> (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
<b>D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE</b> (if the indications are not for all designated States)	
<u>Europe</u> In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
<b>E. SEPARATE FURNISHING OF INDICATIONS</b> (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")     	

<input checked="" type="checkbox"/> For receiving Office use only This sheet was received with the international application	<input type="checkbox"/> For International Bureau use only This sheet was received by the International Bureau on:
Authorized officer <u>PCT/Amman Appl Processing Div.</u> <u>(703) 305-3639</u>	Authorized officer



**ATCC Deposit No. 209066****CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

**NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

**AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

**FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

**UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2

ATCC Deposit No. 209066

**DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

**SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

**NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

563

Applicant's or agent's file reference number	PA106PCT	International application I	UNASSIGNED
----------------------------------------------	----------	-----------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

<b>A.</b> The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
<b>B. IDENTIFICATION OF DEPOSIT</b> Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution <u>American Type Culture Collection</u>	
Address of depositary institution (including postal code and country) <u>10801 University Boulevard</u> <u>Manassas, Virginia 20110-2209</u> <u>United States of America</u>	
Date of deposit <u>20 May 1997</u>	Accession Number <u>209067</u>
<b>C. ADDITIONAL INDICATIONS</b> (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
<b>D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE</b> (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
<b>E. SEPARATE FURNISHING OF INDICATIONS</b> (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<b>For receiving Office use only</b> <input checked="" type="checkbox"/> This sheet was received with the international application  Authorized officer <u>Processing Div.</u> <u>(703) 305-6039</u>	<b>For International Bureau use only</b> <input type="checkbox"/> This sheet was received by the International Bureau on:  Authorized officer
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------

**ATCC Deposit No. 209067**

### **CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

### **NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

### **AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

### **FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

### **UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2

ATCC Deposit No. 209067

#### **DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

#### **SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

#### **NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

566

Applicant's or agent's file reference number	PA106PCT	International application?	UNASSIGNED
----------------------------------------------	----------	----------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

<b>A.</b> The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
<b>B. IDENTIFICATION OF DEPOSIT</b> Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209068
<b>C. ADDITIONAL INDICATIONS</b> (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
<b>D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE</b> (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
<b>E. SEPARATE FURNISHING OF INDICATIONS</b> (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<b>For receiving Office use only</b>
<input checked="" type="checkbox"/> This sheet was received with the international application
Authorized officer: PCT/International Processing Div. (703) 365-3329

<b>For International Bureau use only</b>
<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer

**ATCC Deposit N . 209068****CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

**NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

**AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

**FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

**UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2

ATCC Deposit No. 209068

## DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

## SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

## NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.



569

Applicant's or agent's file reference number	PA106PCT	International application!	UNASSIGNED
----------------------------------------------	----------	----------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

<b>A.</b> The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
<b>B. IDENTIFICATION OF DEPOSIT</b> Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 20 May 1997	Accession Number 209069
<b>C. ADDITIONAL INDICATIONS</b> (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
<b>D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE</b> (if the indications are not for all designated States) Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
<b>E. SEPARATE FURNISHING OF INDICATIONS</b> (leave blank if not applicable) The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")          	

<b>For receiving Office use only</b> <input checked="" type="checkbox"/> This sheet was received with the international application  JBD/MSD Authorized officer PCT/Internat. Appl. Processing Div. (703) 305-3639	<b>For International Bureau use only</b> <input type="checkbox"/> This sheet was received by the International Bureau on:  Authorized officer
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------

**ATCC Deposit No. 209069****CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

**NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

**AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

**FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

**UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2

ATCC Deposit No. 209069

## DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

## SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

## NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

572

Applicant's or agent's file reference number	PA106PCT	International application	UNASSIGNED
-------------------------------------------------	----------	---------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

<b>A.</b> The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
<b>B. IDENTIFICATION OF DEPOSIT</b> Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 12 January 1998	Accession Number 209579
<b>C. ADDITIONAL INDICATIONS</b> (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
<b>D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE</b> (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
<b>E. SEPARATE FURNISHING OF INDICATIONS</b> (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<b>For receiving Office use only</b> <input checked="" type="checkbox"/> This sheet was received with the international application  Authorized officer PCT/Internat'l Appl Processing Div. (703) 305-3639	<b>For International Bureau use only</b> <input type="checkbox"/> This sheet was received by the International Bureau on:  Authorized officer
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------

**ATCC Deposit No. 209579****CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

**NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

**AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

**FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

**UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2

ATCC Deposit No. 209579

## DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

## SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

## NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

575

Applicant's or agent's file reference number	PA106PCT	International application	UNASSIGNED
-------------------------------------------------	----------	---------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

<b>A.</b> The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
<b>B. IDENTIFICATION OF DEPOSIT</b> Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 12 January 1998	Accession Number 209578
<b>C. ADDITIONAL INDICATIONS</b> (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
<b>D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE</b> (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
<b>E. SEPARATE FURNISHING OF INDICATIONS</b> (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<b>For receiving Office use only</b> <input checked="" type="checkbox"/> This sheet was received with the international application  Authorized officer Jeryl McDaniel PCT/International Appl Processing Div. (703) 305-8020	<b>For International Bureau use only</b> <input type="checkbox"/> This sheet was received by the International Bureau on:  Authorized officer
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------

**ATCC Dep sit No. 209578**

**CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

**NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

**AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

**FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

**UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.



Page 2

ATCC Deposit No. 209578

## DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

## SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

## NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

578

Applicant's or agent's file reference number	PA106PCT	International application	UNASSIGNED
-------------------------------------------------	----------	---------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

<b>A.</b> The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
<b>B. IDENTIFICATION OF DEPOSIT</b> Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 16 July 1998	Accession Number 203067
<b>C. ADDITIONAL INDICATIONS</b> (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
<b>D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE</b> (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
<b>E. SEPARATE FURNISHING OF INDICATIONS</b> (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<b>For receiving Office use only</b> <input checked="" type="checkbox"/> This sheet was received with the international application Authorized of <u>Gary McDowell</u> PCT/International Appl Processing Div. (703) 305-6639	<b>For International Bureau use only</b> <input type="checkbox"/> This sheet was received by the International Bureau on: Authorized officer
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------

**ATCC Deposit No. 203067****CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

**NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

**AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

**FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

**UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2

ATCC Deposit No. 203067

## DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

## SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

## NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

581

Applicant's or agent's file reference number	PA106PCT	International application	UNASSIGNED
----------------------------------------------	----------	---------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

<b>A.</b> The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
<b>B. IDENTIFICATION OF DEPOSIT</b> Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 16 July 1998	Accession Number 203068
<b>C. ADDITIONAL INDICATIONS</b> (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
<b>D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE</b> (if the indications are not for all designated States) Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
<b>E. SEPARATE FURNISHING OF INDICATIONS</b> (leave blank if not applicable) The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<b>For receiving Office use only</b> <input checked="" type="checkbox"/> This sheet was received with the international application  Authorized officer Jerald McDowell PCT/International Appl Processing Div. (703) 305-3339	<b>For International Bureau use only</b> <input type="checkbox"/> This sheet was received by the International Bureau on:  Authorized officer
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------

**ATCC Deposit No. 203068****CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

**NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

**AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

**FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

**UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2

ATCC Deposit No. 203068

#### **DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

#### **SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

#### **NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

584

Applicant's or agent's file reference number	PA106PCT	International application	UNASSIGNED
----------------------------------------------	----------	---------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT <span style="float: right;">Further deposits are identified on an additional sheet <input type="checkbox"/></span>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 1 February 1999	Accession Number 203609
C. ADDITIONAL INDICATIONS (leave blank if not applicable) <span style="float: right;">This information is continued on an additional sheet <input type="checkbox"/></span>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<p>For receiving Office use only</p> <p><input checked="" type="checkbox"/> This sheet was received with the international application</p> <p>_____          Authorized officer          PCT/International Appl Processing Div.          (703) 305-3339</p>	<p>For International Bureau use only</p> <p><input type="checkbox"/> This sheet was received by the International Bureau on:</p> <p>_____          Authorized officer</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



**ATCC Deposit No. 203609****CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

**NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

**AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

**FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

**UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2

ATCC Deposit No. 203609

## DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

## SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

## NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

587

Applicant's or agent's file reference number	PA106PCT	International application	UNASSIGNED
-------------------------------------------------	----------	---------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

<b>A.</b> The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
<b>B. IDENTIFICATION OF DEPOSIT</b> Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution <u>American Type Culture Collection</u>	
Address of depositary institution (including postal code and country) <u>10801 University Boulevard</u> <u>Manassas, Virginia 20110-2209</u> <u>United States of America</u>	
Date of deposit <u>1 February 1999</u>	Accession Number <u>203610</u>
<b>C. ADDITIONAL INDICATIONS</b> (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
<b>D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE</b> (if the indications are not for all designated States)	
<u>Europe</u> In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
<b>E. SEPARATE FURNISHING OF INDICATIONS</b> (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")     	

<b>For receiving Office use only</b>	<b>For International Bureau use only</b>
<input checked="" type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer <u>Jerry McDowell</u> <u>PCT/International Appi Processing Div.</u> <u>(703) 305-3333</u>	Authorized officer

**ATCC Deposit No. 203610****CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

**NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

**AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

**FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

**UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2

ATCC Deposit No. 203610

## DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

## SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

## NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

590

Applicant's or agent's file reference number	PA106PCT	International application	UNASSIGNED
----------------------------------------------	----------	---------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

<b>A.</b> The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
<b>B. IDENTIFICATION OF DEPOSIT</b> Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 17 November 1998	Accession Number 203485
<b>C. ADDITIONAL INDICATIONS</b> (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
<b>D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE</b> (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
<b>E. SEPARATE FURNISHING OF INDICATIONS</b> (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<b>For receiving Office use only</b> <input checked="" type="checkbox"/> This sheet was received with the international application  Jared McNewell Authorized Officer PCT/Internet Appl Processing Div. (703) 305-3639	<b>For International Bureau use only</b> <input type="checkbox"/> This sheet was received by the International Bureau on:  Authorized officer
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------

**ATCC Deposit No. 203485****CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement; or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

**NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

**AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

**FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

**UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2

ATCC Deposit No. 203485

#### **DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

#### **SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

#### **NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.



593

Applicant's or agent's file reference number	PA106PCT	International application	UNASSIGNED
-------------------------------------------------	----------	---------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 18 June 1999	Accession Number PTA-252
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input checked="" type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Authorized officer Jared McDowell PCT/International Appl Processing Div. (703) 305-3839	Authorized officer

**ATCC Deposit No. PTA-252****CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

**NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

**AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

**FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

**UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2

ATCC Deposit No. PTA-252

## **DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

## **SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

## **NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

596

Applicant's or agent's file reference number	PA106PCT	International application	UNASSIGNED
-------------------------------------------------	----------	---------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

A. The indications made below relate to the microorganism referred to in the description on page <u>121</u> . line <u>N/A</u>	
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution American Type Culture Collection	
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	
Date of deposit 18 June 1999	Accession Number PTA-253
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

For receiving Office use only	For International Bureau use only
<input checked="" type="checkbox"/> This sheet was received with the international application	<input type="checkbox"/> This sheet was received by the International Bureau on:
Jeryl McDowell Authorized officer App'l Processing Div. (703) 305-3639	Authorized officer

**ATCC Deposit No. PTA-253****CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

**NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

**AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

**FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

**UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

Page 2

ATCC Deposit No. PTA-253

#### **DENMARK**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

#### **SWEDEN**

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

#### **NETHERLANDS**

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

599

Applicant's or agent's file reference number	PA106PCT	International application	UNASSIGNED
----------------------------------------------	----------	---------------------------	------------

## INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13bis)

<b>A.</b> The indications made below relate to the microorganism referred to in the description on page <u>121</u> , line <u>N/A</u>	
<b>B. IDENTIFICATION OF DEPOSIT</b> Further deposits are identified on an additional sheet <input type="checkbox"/>	
Name of depositary institution <u>American Type Culture Collection</u>	
Address of depositary institution (including postal code and country) <u>10801 University Boulevard</u> <u>Manassas, Virginia 20110-2209</u> <u>United States of America</u>	
Date of deposit <u>22 December 1999</u>	Accession Number <u>PTA-1081</u>
<b>C. ADDITIONAL INDICATIONS</b> (leave blank if not applicable) This information is continued on an additional sheet <input type="checkbox"/>	
<b>D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE</b> (if the indications are not for all designated States)	
Europe In respect to those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28 (4) EPC).	
<b>E. SEPARATE FURNISHING OF INDICATIONS</b> (leave blank if not applicable)	
The indications listed below will be submitted to the International Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")	

<b>For receiving Office use only</b> <input checked="" type="checkbox"/> This sheet was received with the international application  <u>Jan 27 1999</u> <u>Authorized Officer</u> <u>PCT/Int'l Appl Processing Div.</u> <u>(703) 305-3839</u>	<b>For International Bureau use only</b> <input type="checkbox"/> This sheet was received by the International Bureau on:  Authorized officer
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------

**ATCC Deposit No. PTA-1081****CANADA**

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

**NORWAY**

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

**AUSTRALIA**

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

**FINLAND**

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

**UNITED KINGDOM**

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.



Page 2

ATCC Deposit No. PTA-1081

## DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

## SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

## NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

***What Is Claimed Is:***

1. An isolated nucleic acid molecule comprising a polynucleotide having a nucleotide sequence at least 95% identical to a sequence selected from the group consisting of:
- 5
- (a) a polynucleotide fragment of SEQ ID NO:X or a polynucleotide fragment of the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X;
  - (b) a polynucleotide encoding a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X;
  - 10 (c) a polynucleotide encoding a polypeptide fragment of a polypeptide encoded by SEQ ID NO:X or a polypeptide fragment encoded by the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X;
  - 15 (d) a polynucleotide encoding a polypeptide domain of SEQ ID NO:Y or a polypeptide domain encoded by the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X;
  - (e) a polynucleotide encoding a polypeptide epitope of SEQ ID NO:Y or a polypeptide epitope encoded by the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X;
  - 20 (f) a polynucleotide encoding a polypeptide of SEQ ID NO:Y or the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X, having biological activity;
  - (g) a polynucleotide which is a variant of SEQ ID NO:X;
  - 25 (h) a polynucleotide which is an allelic variant of SEQ ID NO:X;
  - (i) a polynucleotide which encodes a species homologue of the SEQ ID NO:Y;
  - (j) a polynucleotide capable of hybridizing under stringent conditions to any one of the polynucleotides specified in (a)-(i), wherein said polynucleotide does not
  - 30 hybridize under stringent conditions to a nucleic acid molecule having a nucleotide

sequence of only A residues or of only T residues.

2. The isolated nucleic acid molecule of claim 1, wherein the polynucleotide fragment comprises a nucleotide sequence encoding a protein.

5

3. The isolated nucleic acid molecule of claim 1, wherein the polynucleotide fragment comprises a nucleotide sequence encoding the sequence identified as SEQ ID NO:Y or the polypeptide encoded by the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X.

10

4. The isolated nucleic acid molecule of claim 1, wherein the polynucleotide fragment comprises the entire nucleotide sequence of SEQ ID NO:X or the cDNA sequence included in the related cDNA clone, which is hybridizable to SEQ ID NO:X.

15

5. The isolated nucleic acid molecule of claim 2, wherein the nucleotide sequence comprises sequential nucleotide deletions from either the C-terminus or the N-terminus.

20

6. The isolated nucleic acid molecule of claim 3, wherein the nucleotide sequence comprises sequential nucleotide deletions from either the C-terminus or the N-terminus.

25

7. A recombinant vector comprising the isolated nucleic acid molecule of claim 1.

8. A method of making a recombinant host cell comprising the isolated nucleic acid molecule of claim 1.

30

9. A recombinant host cell produced by the method of claim 8.

10. The recombinant host cell of claim 9 comprising vector sequences.
11. An isolated polypeptide comprising an amino acid sequence at least  
5 95% identical to a sequence selected from the group consisting of:
- (a) a polypeptide fragment of SEQ ID NO:Y or of the sequence encoded by the cDNA included in the related cDNA clone;
  - (b) a polypeptide fragment of SEQ ID NO:Y or of the sequence encoded by the cDNA included in the related cDNA clone, having biological activity;
  - 10 (c) a polypeptide domain of SEQ ID NO:Y or of the sequence encoded by the cDNA included in the related cDNA clone;
  - (d) a polypeptide epitope of SEQ ID NO:Y or of the sequence encoded by the cDNA included in the related cDNA clone;
  - (e) a full length protein of SEQ ID NO:Y or of the sequence encoded by the  
15 cDNA included in the related cDNA clone;
  - (f) a variant of SEQ ID NO:Y;
  - (g) an allelic variant of SEQ ID NO:Y; or
  - (h) a species homologue of the SEQ ID NO:Y.
- 20 12. The isolated polypeptide of claim 11, wherein the full length protein comprises sequential amino acid deletions from either the C-terminus or the N-terminus.
13. An isolated antibody that binds specifically to the isolated polypeptide  
25 of claim 11.
14. A recombinant host cell that expresses the isolated polypeptide of claim 11.
- 30 15. A method of making an isolated polypeptide comprising:

605

(a) culturing the recombinant host cell of claim 14 under conditions such that said polypeptide is expressed; and

(b) recovering said polypeptide.

5           16.     The polypeptide produced by claim 15.

17.     A method for preventing, treating, or ameliorating a medical condition, comprising administering to a mammalian subject a therapeutically effective amount of the polypeptide of claim 11 or the polynucleotide of claim 1.

10

18.     A method of diagnosing a pathological condition or a susceptibility to a pathological condition in a subject comprising:

(a) determining the presence or absence of a mutation in the polynucleotide of claim 1; and

15           (b) diagnosing a pathological condition or a susceptibility to a pathological condition based on the presence or absence of said mutation.

19.     A method of diagnosing a pathological condition or a susceptibility to a pathological condition in a subject comprising:

20           (a) determining the presence or amount of expression of the polypeptide of claim 11 in a biological sample; and

(b) diagnosing a pathological condition or a susceptibility to a pathological condition based on the presence or amount of expression of the polypeptide.

25           20.     A method for identifying a binding partner to the polypeptide of claim 11 comprising:

(a) contacting the polypeptide of claim 11 with a binding partner; and

(b) determining whether the binding partner effects an activity of the polypeptide.

30

21. The gene corresponding to the cDNA sequence of SEQ ID NO:Y.
22. A method of identifying an activity in a biological assay, wherein the method comprises:
- 5 (a) expressing SEQ ID NO:X in a cell;
- (b) isolating the supernatant;
- (c) detecting an activity in a biological assay; and
- (d) identifying the protein in the supernatant having the activity.
- 10 23. The product produced by the method of claim 20.

## SEQUENCE LISTING

<110> Craig Rosen,  
Steve Ruben

<120> Human Cancer Associated Gene Sequences and Polypeptides

<130> PA106PCT

<140> Unassigned

<141> 2000-03-08

<150> 60/124,270

<151> 1999-03-12

<160> 1694

<170> PatentIn Ver. 2.0

<210> 1

<211> 556

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (546)

<223> n equals a,t,g, or c

<400> 1

```
gaagagagac tgggttattc ctcccatcag ctgcccagaa aatgaaaaag gcccatttcc 60
taaaaacctg gttcagatca aatccaacaa agacaaagaa ggcaagggtt tctacagcat 120
cactggccaa ggagctgaca caccctgtg tgggtgtctt attattgaaa gagaaacagg 180
atggctgaag gtgacagagc ctctggatag agaacgcatt gccacataca ctctcttctc 240
tcacgctgtg tcatccaacg ggaatgcagt tgaggatcca atggagattt tgatcacggt 300
aaccgatcag aatgacaaca agcccgaatt caccaggag gtctttaagg ggtctgtcat 360
ggaagggtgt cttccaggaa cctctgtaat ggaggtcaca gccacagacg cggacgatgg 420
atgtggaaca cctacaatgc cgccatcgct tacaccatcc tcagcccaag atccctgagc 480
tccctgacaa aaatatgttc accattaaca ggaacacagg rgtcatcagt gttgtcacca 540
cttggnnttg ccgaga 556
```

<210> 2

<211> 2662

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2662)

<223> n equals a,t,g, or c

&lt;400&gt; 2

```
ggctgtggga actcctgggg gaggtggagg tggagccgta ccaggtattt cagccatgtc 60
ccgcgwgat ctgwgccaga gagccaagga tttgagtaaa cggagcttct caagtcagcg 120
gccaggcatg gaacggcaga atcggcgccc tggcccaggg ggcaaggctg gcagcagtg 180
cagcagcagt ggaggaggcg gtgggkggtcc tggaggaagg accggggccag gacgaggcga 240
caagaggagc tggccctctc ccaagaaccg aagtcgtcct ccagaggarc gtcccccg 300
gcttccccctg cctccccccac ctcccagcag ttctgctgct tccgcctgga ccaagttatc 360
cacagcaacc ctgctggcat ccaacargct ctggcccagc ttagtarccg tcaarggagt 420
gtaactgcac caggggggtca tccaaggcac aagcctgggc ctccccaaag ccctcagggc 480
ccctctccta ggcccccaac ccgatacagag ccccagaggg tcaacagcgg cctcagttct 540
gacccccact ttraggagcc gggggcaatg gtgagagggg tgggtgggac tcctcgggac 600
tctgcccggg ttagtccctt tccccctaaa cgtcgggagc ggccctccag aaaaccagag 660
ctgctacagg aggaatcttt gccacctcct catagctctg gattcttggg ctctaagcct 720
gagggcccag gccctcaggc agagtccaga gatacaggca cagaggccct gacccctcac 780
atctggaacc gtttacatac tgccactagc cgaaagagtt accggcccag ctccatggag 840
ccttgatgag agccccctgag tccttttgag gatgtggctg gcacagaaat gagtcaagt 900
gacagtgggg tggacctgag tggggattct caggtgtcat caggtccctg cagccagcga 960
agttccccct atggaggact caagggggca gcagagggac cccccaagag gcctggaggc 1020
tcctcacccc tgaatgctgt tccttgtgag ggtccacctg gctctgaacc tcctaggaga 1080
ccaccacctg cccccacga tggggacaga aaggagctgc cccgggagca gcctctgccc 1140
cctggcccca ttggcacaga acgatacag crtacagacc gaggcacaga gcctggcccc 1200
attcggccat cccatcgacc tgggtcccca gtccagttg gcactartga caaggactca 1260
gacttacgcc tagtggtagg agacagcttg aaagcagaga aggagctaac agcatcagtc 1320
actgaggcca ttctgtatc acgagactgg gagctgcttc ccagtgtgc tgcctctgct 1380
gagccacaat ccaagaacct ggattctggg cactgtgtcc cggagcccag ctccctcaggc 1440
cagcgctgt atctgaggt tttctatggc agtgctgggc cttccagttc tcagatctct 1500
gggggagcca tggactctca attacatcca aacagtggag gcttccgccc tgggacaccc 1560
tcactgcacc ctacagatc acagccccta tacctacccc csggcccagc ccctccctca 1620
gcactgctct ctgggtagc tctcaagggc cagtttcttg atttctccac aatgcaagct 1680
acagagctgg ggaagttgcc ggctggagga gttctctacc ctccaccttc cttcctctac 1740
tctccggctt tctgccccag tcctttgcct gacacatcgt tgcttcagggt acgccaggat 1800
ctgccatccc cttcggattt ttattctact cctctgcagc ctggtggcca aagtggcttt 1860
ctcccttcag gggctcctgc cagcagatgc ttctacccat ggtagactca cagctgcctg 1920
tggtgaactt tggctccctg ccgcccagc cactcctgc cccacctccc ctttctctgt 1980
tacctgtggg ccctgctctg cagcccccca gcctggctgt ggggccccca cctgctcctg 2040
ctactcgggt gctgccttca cctgccaggc cttccccgc tagcttgggg cgagcagagc 2100
tgcattccagt ggaactaaag ccgttccagg attatcaaaa actgagcagc aaccttgggg 2160
gacctggatc atcacggact cccccaactg gaaggtcctt ctctggcctc aattcccgtc 2220
tcaaggccac gccttccacc tacagtggag tcttcgcac ccagcgcgtc gacctttacc 2280
agcaggcctc cccaccagat gccctgcgct ggataccta gccttgggar cggacagggc 2340
cgccacctcg agaaggggcc tcccagcggg cagaggagcc tgggtcccga ggggacaagg 2400
agcctgggtt gccccacccc cgctgagggg gttcctcttg cccctacccc cgggggcttg 2460
tatatagatt ataatatat aagggggaaa ggggtgggag gggaggggtt gtggggcttg 2520
ggcctcactt cccctctoc cccttccct ggtccctgt ccctggggct gtttgttaaa 2580
aaagagtaat aaaaggattt aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2640
aaaaaaaaa aaaaaaaaaa tn 2662
```

&lt;210&gt; 3

&lt;211&gt; 338

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens



&lt;400&gt; 3

```

gtgctttgtg ctttgtgcat gtggtaggca gaacactacc atatgtcccc acatacttac 60
actagacctt ggagcaagag caagaacagc aaaagcacag cgcttttgaa cccaaaagac 120
aagctccctt cttcctgcgt tgtccctcca gctscctctg ctgaccaggt ttagcatcat 180
gtgctctgta aaggaggaat tctggagagt ccagtccatt attacagagc tagtactgaa 240
gggtgagttt ggagttgaag aggcaatgaa attgataact ggcacagaag ccaaataataa 300
gagtattgac taaataatag ctaagtacaa gaacacag 338

```

&lt;210&gt; 4

&lt;211&gt; 813

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (784)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (787)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (793)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (807)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 4

```

aattcggcac gagccacctt gacctcctaa agtgctagga ttacaggcat gagccactgt 60
accataccc tgggagggtt ttgaagagt acatgttatg atttaggttt tagcacaacc 120
ccctcagacc actctgtgga gaacagactg tcagggaacg tgggtggagg cagagagacc 180
agaaaagattc caggaggaca gatgtggtgg gacaagggtg gggagacact gaagccaagg 240
ccctgatcac ccatcctcac agctccagcc tctcaactyc agcctctctc acttattggt 300
tccatgtttg tccatcatga gcctcctcaa caagcccaag agtgagatga cccagagga 360
gctgcagaag cgagaggagg aggaatttaa caccggtcca ctctctgtgc tcacacagtc 420
agtcaagaac aatacccaag tgctcatcaa ctgccgcaac aataagaaac tcctgggccg 480
cgtgaaggcc ttcgataggc actgcaacat ggtgctggag aacgtgaagg agatgtggac 540
tgaggtaccc aagagtggca agggcaagaa gaagtccaag ccagtcaaca aagaccgcta 600
catctccaag atgttctgc gcggggactc agtcatcgtg gtcctgcgga acccgctcat 660
cgccggcaag tagggggccgc ctgtctgttg acagaactca ctctctgtgc ctatgaagac 720
cgctgccatt ggtgttgaga ataataaagc tctgtgtttt tttctaaaaa aaaaaaaaaa 780
aaanytnccg gcngaagctt tttcccntta ggg 813

```

&lt;210&gt; 5

<211> 901  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (838)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (846)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (870)  
<223> n equals a,t,g, or c

<400> 5  
gccgaatgg cgccgacaa gsgcccgcg gctggacctc ggtcgcgagc tgccatggcc 60  
cagtggagga agaagaaagg gctccggaag cgccgaggcg cgccctccca ggcccgcggc 120  
agcaactcgg aggacggcga gtttgagatc caggcggaag atgacgcccg ggcccggaag 180  
ctgggacctg gaagaccctt gccaccttc cccacctcgg aatgcacctc ggatgtggag 240  
ccggacaccc gggagatggg gcgtgcccag aacaagaaga agaagaagtc tggaggcttc 300  
cagtccatgg gcctgagcta ccggtgttc aaaggcatca tgaagaaggg gtacaagggtg 360  
ccaacacca tccagaggaa gaccatcccg gtgatcttgg atggcaagga cgtggtggcc 420  
atggcccggg cgggcagtgg caagacagcc tgcttcctcc tccaatgtt cgagcggctc 480  
aagaccaca gtgccagac cggggcccgc gcctcatcct ctgcgcgacc cgagarctgg 540  
ccctgcagac cctgaagtwc actaaggagc taggcaagtt cactggcctc aagactgcc 600  
tgatcctggg tggagacagg atggaagacc agtttgacgc cctgcacgaa aatcccgaca 660  
taattattgc cacgcccggg cggttggtgc atgtggtgtt ggaaatracc ctgaagctgc 720  
agagtgtgga atacgtrgtg ttcgatgaag ctgaccggct ttttraaatg ggtttcgcag 780  
agcagctgca ggagatcatc gccgtctcc cggggggcca ccagacgggtg ctgttctncc 840  
ccacngtgcc caaactgctg gtggaatttn cccgggctgg cctcacggag cccgtgctca 900  
t 901

<210> 6  
<211> 731  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (106)  
<223> n equals a,t,g, or c

<400> 6  
ggcacgagcg agctcagagt gtgcccgtg cgccgcccgt gtccgtacct gccgcccgcg 60  
ccaccgccac catgcccaac ttgcggcgga cctggaagat gcgcanaagc agaatttcga 120  
cgagctgctg aaggcactgg gtgtgaacgc catgtgagg aaagtggccg tagcggctgc 180

gtccaagccg cacgtggaga tccgccagga cggggatcag ttctacatca agacatccac 240  
cacggtgcgc accactgaga tcaacttcaa ggtcggagaa ggctttgagg aggagaccgt 300  
ggacggacgc aagtgcagga gttagccac ttgggagaaat gagaacaaga tccactgcac 360  
gcaaactctt cttgaagggg acggcccaa aacctactgg acccgtgagc tggccaacga 420  
tgaacttata ctgacgtttg gcgccgatga cgtggtctgc accagaattt atgtccgaga 480  
gtgaaggcag ctggcttgct cctactttca ggaagggatg caggctcccc tgaggaatat 540  
gtcatagtgc tgagctgcca gtggaccgcc cttttccct accaatatta ggtgatcccg 600  
ttttcccat gacaatgttg tagtgcccc caccaccacc cccaggcct tggcgctct 660  
tgtatcceta gtgctccata gtttggcatt tgcacggtt cgaagtcatt aaactggta 720  
gacgtgtctc a 731

<210> 7

<211> 2774

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2652)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2698)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2714)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2756)

<223> n equals a,t,g, or c

<400> 7

ggcagagtca cctttgagta tttcagcctc ttcataatc tatctccctc tctttgattt 60  
catgtaatct ctccttaaat atttctttgc atatgtgggc aagtgtacgt gtgtgtgtgt 120  
catgtgtggc agaggggctt cctaaccctt gcctgatagg tgcagaacgt cggctatcag 180  
agcaagcatt gtggagcggc tmcttatgcc aggctgccat gtgagatgat ccaagaccaa 240  
aacaaggccc tagactgcag taaaaccag aactcaagta gggcagaagg tggaaggctc 300  
atatggwtat aaggcccaa gtataagaca gatggtttga gacttgagac ccgaggacta 360  
agatggaaaag cccatgttcc aagatagata gaagcctcag gcctgaaacc aacaaaagcc 420  
tcaagagcca agaaaacaga ggggtgcctg aattggaccg aagcctgagt tggatggaag 480  
tctcaaggct tgagttagaa gtcttaagac ctgggacagc acacatggaa ggcctaagaa 540  
ctgagacttg tgacacaagg ccaacgacct aagattagcc cagggttgta gctggaagac 600  
ctacaacca aggatggaag gcccctgtca caaagcctac ctatagggat agaggacca 660  
agcgaaaaag gtatctcaag actaacggcc ggaatctgga ggcccatgac ccagaacca 720  
ggaaggatag aagcttgaag acctggggaa atcccaagat gagaacccta aaccctacct 780  
cttttctatt gtttacactt cttactctta gatatttcca gttctcctgt ttatctttaa 840

gcctgattct tttgagatgt actttttgat gttgccggtt accttttagat tgacagtatt 900  
atgcctgggc cagtcttgag ccagctttaa atcacagctt ttacctattt gttaggctat 960  
agtgttttgt aaacttctgt ttctattcac atcttctcca cttgagagag acaccaaatt 1020  
ccagtcagta tctaactctg cttttgttaa cttccctcag gagcagacat tcatataggt 1080  
gatactgtat ttcagtcctt tcttttgacc ccagaagccc tagactgaga agataaaatg 1140  
gtcaggttgt tgggraaaaa aaagtgccag gctctctaga gaaaaatgtg aagagatgct 1200  
ccaggccaat gagaagaatt agacaagaaa tacacagatg tgccagactt ctgagaagca 1260  
cctgccagca acagcttctt tctttgagct taggtgagca ggattctggg gtttgggatt 1320  
tctagtgtat gttatggaaa ggtgactgt gcctgggaca aagcgaggtc ccaaggggac 1380  
agcctgaact ccctgctcat agtagtggcc aaataatttg gtggactgtg ccaacgctac 1440  
tcctgggttt aatacccatc tctaggctta aagatgagag aacctgggac tgttgagcat 1500  
gtttaatact ttccttgatt tttttcttcc tgtttatgtg ggaagtgtat ttaaatgact 1560  
gataatgtgt atgaaagcac tgtaaaacat aagagaaaaa ccaattagtgt tattggcaat 1620  
catgcagtta acatttgaaa tgcagtgta aattgtgaag cattatgtaa atcaggggtc 1680  
cacagttttt ctgtaagggg tcaaatcata aatactttag actgtgggac atatggtttc 1740  
tgttacatat ttgtttttta aacaacgttt ttataaggtc aaaatcattc ttagtttttg 1800  
agccaattgg atttgccctg ctgttcatag cttaccaccc cctgatgtat tatttggtat 1860  
tcagagaaaa tttctgaata ctactagttt ccttttctgt gcctgtccct gtgctaggca 1920  
ctaaaaatgc aatgattatt gatattctagg tgacctgaaa aaaaatagtgt aatgtgcttt 1980  
gtaaactgta aagcacttgt attctactgt gataagcgtt gtggatacaa agaaaggagc 2040  
aagcataaaa aagtgtctct tcaaaaggat atagtactat gcagacacaa ggaattgttt 2100  
gataaatgaa taaattatat gtatatttga ggccaatttg tgtttgctgc tctggtaatt 2160  
ttgagtaaaa atgcagtatt ccagggtatca gaaacgaaaa cacatggaaa ctgcttttaa 2220  
actttaaaat atactgaaaa cataagggac taagcttggt gtggtcacct ataattgtgcc 2280  
agataccatg ctgggtgcta gagctaccaa agggggaaaa gtattctcat agaacaaaaa 2340  
atttcagaaa ggtgcatatt aaagtgtctt gtaactaaa gcatgataca aatgtcaatg 2400  
ggctacatat ttatgaatga atgaatggat gaatgaatat taagtgcctc ttacatacca 2460  
gctatttttg gtactgtaaa atacaagatt aattctccta tgtaataaga ggaaagtta 2520  
tcctctatac tattcagatg taaggaatga tatattgctt aattttaaac aatcaagact 2580  
ttactggtga ggttaagtta aattattact gatacatttt tcccaggtaa ccaggaagag 2640  
ctagtatgag gnaatgaakt aatarcttar acccaagttc ccaagatcgg ccgaaccngg 2700  
ccgcctccta gganggattc cccccgaagg gggcccaag ccttacgcgt ggccanggcg 2760  
gacggtccaa aggc 2774

<210> 8

<211> 2613

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (896)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1246)

<223> n equals a,t,g, or c

<400> 8

tcgaccacg cgtccgccc cgcgtccgtg gcgaacgagg ttatcaagt caaggctgca 60

```

gttgcttggg aggctggaaa gcctctctcc atagaggaga tagagggtggc acccccaaag 120
gctcatgaag ttcgaatcaa gatcattgcc actgcgggtt gccacaccga tgcctatacc 180
ctgagtggag ctgatcctga ggggttgttt ccagtgatct tgggacatga aggtgctgga 240
attgtggaaa gtgttggga gggagtact aagctgaagg cgggtgacac tgcctatcca 300
ctttacatcc cacagtgtgg agaatgcaaa ttttgtctaa atcctaaaac taacctttgc 360
cagaagataa gagtcaactca agggaaagga ttaatgccag atgggtaccag cagatttact 420
tgcaaaggaa agacaatttt gcattacatg ggaaccagca cattttctga atacacagtt 480
gtggctgata tctctgttgc taaaatagat ccttttagcac ctttgataa agtctgcctt 540
ctagggtgtg gcatttcaac cggttatggt gctgctgtga aactgcca gttggagcct 600
ggctctgttt gtgccgtctt tggcttggga ggagtcggat tggcagttat catgggctgt 660
aaagtggctg gtgcttcccg gatcattggt gtggacatca ataaagataa atttgcaagg 720
gccaagaggt ttggagccac tgaatgtatt aacctcagg attttagtaa acccatccag 780
gaagtgtcga ttgagatgac cgatggagga gtggactatt cctttgaatg tattggtaat 840
gtgaagggtca tgagagcagc acttgaggca gtgcacaagg gctggggcgt cacgtnctgt 900
gttgagtag ctgcttcagg tgaagaaatt gccactcgtc cattccagct ggtaacaggt 960
cgcacatgga aaggcactgc ctttgaggga tggaaagagt tagaaaagtgt cccaaagtgt 1020
gtgtctgaat atatgtccaa aaagataaaa gttgatgaat ttgtgactca caatctgtct 1080
tttgatgaaa tcaacaaagc ctttgaactg atgcattctg gaaagagcat tcgaactgtt 1140
gtaaaagattt aattcaaaaag agaaaaataa tgtccatcct gtcgtgatgt gataggagca 1200
gcttaacagg cagggagaag cgctccaac ctacagcct cgtagnrctt cacagctact 1260
ccagaaaata gggttatgtg tgtcattcat gaatctctat aatcaaggac aaggataatt 1320
cagtcatgaa cctgttttct ggatgctcct ccacataaat aattgctagt ttattaagga 1380
atattttaac ataataaaag taatttctac atttgtgtgg aaattgtctt gttttatgct 1440
gtcatcattg tcacgggttg tctgcccatt atcttcattc tgcaaggga agggaaagga 1500
agcagggcag tgggtgggtgt ctgaaacctc agaaacataa cgttgaactt ttaagggtct 1560
cagtcctcgt tgattaaaga acagatccta gccatcagtg acaaagttaa tcaggacca 1620
agtctgcttc tgtgatatta tctttaaggg aggtactgtg cctgttcat acctgtacct 1680
caaattccta ggatggcatc tgcccttcag ggggcaacta aatgtattat tgaaacagca 1740
ttctgggctt aaataggtgt atgtatgtgt tgggtgtgac tgtactatct ctagtatagt 1800
gaactacata ctgaatatcc aagttctcag cacctacttt tgcataatct taacattttg 1860
ccacttcgag atcacattgc cattcctccc ctccagaggt aacaattatc cacaatttga 1920
tgtttatcat tcctgtgttg ttgtactttc actgtgtata acctaaacca tctactcttt 1980
agtactgttt tatatatatt taagcctcat acttgctcat tctacagctt ttttactca 2040
ttattgtata attatatctg aagctctcgt tcattaatgt tagtcctgtg tagcagaatt 2100
caattacggg aactaccata atttatctgt tctccagttg aaggcatgaa gttgttgcca 2160
gtttctgtat tataacactg tagtgaaca ttcttctgca ttgggctcwc tgcgtgttac 2220
ctaagacgta tcacagaata aacacattta gccttataga cattgccaaa ttgctcttca 2280
aagtaaatgt gagtttttgt gaattacatg agtatggaat ggtgttttat tatgacttta 2340
gtttgcattt tcctcaattc tcgttaaatc cttcattcta atggacattt tattgtgaag 2400
aacctgttca tatcctgtgc tcaactttgt attgaattat ttttctctga ataattttta 2460
ggagttcttt tattctagac atcaatcatt tgtcagtttt atatgttgca aatatcttct 2520
agtctatctt gtgacttttc tttttacttt atggtatttt gttgaataaa gttttaatgt 2580
agtcacataa aaaaaaaaaa aaaaaaaaaa aaa 2613

```

<210> 9

<211> 1101

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (730)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (983)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (1055)  
 <223> n equals a,t,g, or c

<400> 9  
 gtcggcacgc ccttcgggac gagctggagg cagagcgtga gtacaaagt atcggcctcg 60  
 gccgcacgca gtagccccc tactccccg ccaagtcagg gcctccctct tccgcggag 120  
 tcgcaaccac gggtagctcg tgtaggtaac ggcaggtcca ggcctccgca tgagcgagg 180  
 cccccgcgc gaccttgaat ggcccgggcg cgcgcggtcg tgtgggagtt gtagtcctcc 240  
 gtccccgtcc gcgcggactc cgtttcccggt ggtgccccgg gcggcccgct tccggcgag 300  
 ttagttacga gtcggcgcac gcggcctcgg tccggttgac ttgcggacc atggaggcg 360  
 gcttcggctc cgatttcggg ggctccggca gcgggaagct ggaccaggg ctcataatgg 420  
 agcaggtgaa agtgcagatc gccgtggcca acgcgcagga gctgctgcag aggatgacgg 480  
 acaagtgttt ccggaagtgt atagggaaac ctgggggctc cctggacaac tccgagcaga 540  
 agtgcacgc catgtgcag gaccgctaca tggacgcctg gaacaccgtg tctcgcgct 600  
 acaactcgc gctgcagcgg gaacgagcca acatgtgacc ggcgagcgc ggccacccca 660  
 ccctgttcat tccataaac gtgctttgag aggcggggtc cgcattgac tactgcctgc 720  
 ccggggcttn aggagggtgg caccggtgct gggacacac ggactgtgtc ctgccaccc 780  
 cccgcctgc cccctgccag ccagtgcag ttggatctcg ggggtgtgg gccctgtgcc 840  
 ttctgaagt gctggcagcc agtggcacct ccttcaggcm tttgggkat tcccctagt 900  
 tgcccaagtc agcctcatat tctgggcgga cagcttgtct ggacttcgga gttgggggtg 960  
 gtcagacacc acaggagctg tcnacctctg cggatgggca aataaattgg tggaggacgg 1020  
 agaraaacct ctttatttcc ctctgagggt gtctntggga agaggtgacg cgtgtccctg 1080  
 gaaccccgag tcggagggtc t 1101

<210> 10  
 <211> 1373  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc feature  
 <222> (1364)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (1373)  
 <223> n equals a,t,g, or c

<400> 10  
 ggattccccg gtcgaccac gcgtccgagc catcattgcc aagaccttca agggccgagg 60

```

gatcacgggg gtagaagata aggagtcttg gcatgggaag cccctcccca aaaacatggc 120
tgagcagatc atccaggaga tctacagcca gatccagagc aaaaagaaga tcctggcaac 180
ccctccacag gaggacgcac cctcagtggg cattgccaac atccgcatgc ccagcctgcc 240
cagctacaaa gttggggaca agatagccac ccgcaaggcc tacgggcagg cactggccaa 300
gctgggccat gccagtgacc gcatcatcgc cctggatggg gacacaaaaa attccacctt 360
ctcggagatc ttcaaaaagg agcaccgcga ccgcttcacg gagtgtctaca ttgctgagca 420
gaacatggtg agcatcgcgg tgggctgtgc caccgcgaac aggacggtgc ctttctgcag 480
cacttttgca gccttcttca cgcgggcctt tgaccagatt cgcattggccg ccattctcga 540
gagcaacatc aacctctgcg gctcccactg cggcgtttcc atcggggaag acgggccctc 600
ccagatggcc ctagaagatc tggctatgtt tcggtcagtc cccacatcaa ctgtctttta 660
cccaagtgat ggcgttgcta cagagaaggc agtggacta gccgccaata caaagggtat 720
ctgtctcatc cggaccagcc gccagaaaaa tgccatcatc tataacaaca atgaggactt 780
ccaggtcgga caagccaagg tggctctgaa gagcaaggat gaccagggtg ccgttatcgg 840
ggctgggggtg accctgcacg aggccttggc cgctgccgaa ctgctgaaga aagaaaagat 900
caacatccgc gtgctggacc ccttcaccat caagcccctg gacagaaaac tcattctcga 960
cagcgtcgtg gccaccaagg gcaggatcct caccgtggag gaccattatt atgaagggtg 1020
cattggtgag gctgtgtcca gtgcagtagt gggcgagcct ggcatcactg tcaccacctt 1080
ggcagttaac cgggtaccaaa gaagtgggaa gccggctgag ctgctgaaga tgtttggtat 1140
cgacagggat gccattgcac aagctgtgag gggcctcatc accaaggcct agggcgggta 1200
tgaagtgtgg ggcgggggtc tatacattcc tgagattctg ggaaagggtg tcaaagatgt 1260
actgagagga ggggtaaata tatgttttga gaaaaatgaa aaaaaaaaaa aaaaaaaaaa 1320
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aan 1373

```

&lt;210&gt; 11

&lt;211&gt; 3804

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 11

```

tcgaccacag cgtccgcaaa gctgaagtcg gctaggtttg caaagctgtg ggctgagcac 60
tcaggcaatc aactctcag aaactgcggc ggctctggac tgcagcctcc caaggctcca 120
tgccagacaa agcatgcgtg tcacacttgc tacaatagcc tggatggttt cttttgtctc 180
caattattca cacacagcaa atattttgcc agatatcgaa aatgaagatt tcatcaaaga 240
ctgcgttcga atacataaca agttccgac agaggtgaaa ccaacagcca gtgatatgct 300
atacatgact tgggaccacg cactagccca aattgcaaaa gcatgggcca gcaattgcc 360
gttttcacat aatacacggc tgaagccacc ccacaagctg caccacaaact tcacttcaact 420
gggagagaac atctggactg ggtctgtgcc cattttttct gtgtcttccg ccatcacaaa 480
ctggtatgac gaaatccagg actatgactt caagactcgg atatgcaaaa aagtctgtgg 540
ccactacact caggttggtt gggcagatag ttacaaagt ggctgcgcag ttcaattttg 600
ccctaaagtt tctggctttg acgctctttc caatggagca cattttatat gcaactacgg 660
accaggaggg aattacccaa cttggccata taagagagga gccacckca gtgcctgccc 720
caataatgac aagtgtttg acaatctctg tgttaaccga cagcgagacc aagtcaaacy 780
ttactactct gttgtatatc caggctggcc catatatcca cgtaacagat acacttctct 840
ctttctcatt gtttaattcag taattctaact actgtctgtt ataattacca ttttgggtaca 900
gcacaagtac cctaatttag ttcttttggg ctaatacaat tcaggaaaga aaaaacccaa 960
aaaccaacct cattcacata tggctttttt ttaaccaat aacaattagg tgtacttcta 1020
ttttaaaca tttcagaaaa aaatatatgt tatagcaata ctcttactca aaagaagaaa 1080
tttctaaact ctatcagata aactcatctt tagtataaat aagcattatt tgcagggttg 1140
cacagggtga ctttttagtaa gtaacctaac ccatgtttca gtttctaaat ctgcaaaatg 1200
agcarggtac agtagcacat ttttaggtga ttcttagtaa ctccagtagc cttcattagt 1260
taaaaacatt attatttttt gcatgctgct tcgactctaa atatctgggt ttccctgtct 1320

```

```

ttttggttta ctacttcccc agattcagaa cagaggagta actaggggat ctgatttttag 1380
aggccttaat tttctgttca tggactgtta aaagtaaaac caaactttca aaagggataa 1440
acctaaatat ttacttggtta tcattagaga gggaacatca aatgctggga catcattact 1500
aaccaatagc atcagacact ggatttaatg gataatcaca atggctgtaa tgtatacaaa 1560
gacatatata ccackttcta gtataaaattt ttcaaaaaaat acaataataa tataatttat 1620
aaagaacact cttctatgaa caaccaccac caccaaaaaa gaaaaagccc tcagaaaatt 1680
tctcaciaaat aaggcaacta atgcctgata tctcaaaatc ctttacaaaa ggagatagtt 1740
ctagtcaagg agttttgggt atgttacttt tttttcttct ttttcttttc atctgcctcc 1800
atcttaagtg caattttctc agctgtaaga gctcccagtt tcttattctt tgctttctta 1860
accttttcct tgatgctggc cacatcaatt ttagtttcag tagaagctag acaaattaaa 1920
agcacaacac atgtaatact ttagatttta ccaagtaaaa caaagaatat atgtttaaca 1980
aagaatataat gtttaaggca gtttaacttca gagtattctt ataattgaat aattgaaagr 2040
tgatcacagt ataaaatata aaaacacttg cctaaagcag ttagaaaattt cttcagatta 2100
agataaaaca atgcataaaa tactttatat attagtacaa gtatacataa aaatggcmta 2160
aatggcataa ttgaaccaat tactggattc aactatatta agactatttc cttaaatcct 2220
acttcagact aaattatttt acctacattc ttttccatat tttggaactt ctgagtcatt 2280
attttccayc ttgcacatta aaataattta aaattacatg tatcccttct caataagttt 2340
aatcagctaa ccctaagcta gaggtcaaaa tctacttcct ctaatatcaa aacgaaaatt 2400
taaagttttc caaatattta ttcaatatta attgaatatt caatgaattc atttaatggt 2460
agattaattc attgaatatt aattcratga atgactaatt aatagtattt taacaagatt 2520
ttggtatatt taacaacatt ttggtataaa agacaataat ttgagagtgt gtggaagtcc 2580
ccctaataga agccaactat ctaatcaatg ccaaaagtgt gaacaaaata gagaaaggaa 2640
gcagtgaaaa agaatgaac tttttcttac cattcaaagt acaggatcac agcataaaaag 2700
aatcataaga taaaacatca aactaccag caacctgaga agcacagagt gttaaagcct 2760
ccaccgtgtg gagaaactaa attagggtaa ctgactattg agtatattga gtacctcaa 2820
agcactcaac tgacaggttt tacagactgg aaattataat acttatgaca tttctacctt 2880
ttatataacc aataatctac catagaatgt agtattytta aagctattaa caagcaatat 2940
attaaaataa taatgtatta tatctgtttc tgaccagtc tatgtacaat attgctggtg 3000
agccctctcc cttcagtgtg tctactgtgc actttggagg gttacttttag gaagaggata 3060
agtgttacca caggggaaaa aaatgcagaa gaggatgcat cagaagaaat ggcatgacaa 3120
tgttttctct tagtgtcttt taaatactag gttagtgcga aagtgatttc tgccatttaa 3180
aaaccacaat cactttcgca ctaatagctc ctgaataaga cctgtcagca tcctttagtc 3240
taaggtgatg agaaatccat gttaccgata tagaagccaa actctaagcc aagatcacat 3300
aaagagaaga aaaagtacaa cttctgataa ttcctctttg agaggcatga cagcagagct 3360
cagggatctt cttgcatttc tacagaagat gcaactggctg ccctgggttt gtatctttca 3420
caacaaagag tcttttccaa gcacagacca gaggtcagga gaggaactgc aatccagttt 3480
gcactgaaat aggcattagc tgccctctaa ttataaatta tctcagccat cccttgctct 3540
taggrttagt aattaatgaa atgctaagag aactgatgaa aagatacaac tgtttcttaa 3600
aaagattcag acaaatttat tatgggttta cttttcctaa ttaataaaga cttttacatc 3660
atagaaagca ttaccttcct taggtttcac aattggtttt tccttaggtg gaataaatgc 3720
tttgtttctt tcctcttgtc tcttactgat ggcttctgct tgtttagcct acattaataa 3780
ataaaaaata tatcagttaa atgt 3804

```

&lt;210&gt; 12

&lt;211&gt; 2157

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (806)



<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (846)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1517)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2110)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2116)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2137)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2150)

<223> n equals a,t,g, or c

<400> 12

```

gcgcacgggt cactcccgct gtatattaag gcgcgcggcga kcgcgccctg aggctgctcc 60
cggacaaggg caacgagcgt ttcgtttgga cttctcgact tgagtgcccg cctccttcgc 120
cgccgcctct gcagtcctca gcgcagtcct tccacaggag ccagcatact tcctgaacat 180
ggagagtgtt gttcgccgct gccattctt atcccgagtc cccaggcct ttctgcagaa 240
agcaggcaaa tctctgttgt tctatgccc aaactgcccc aagatgatgg aagttggggc 300
caagccagcc cctcgggcat tgtccactgc agcagtacac taccaacaga tcaaagaaac 360
ccctccggcc agtgagaaa acaaaactgc taaggccaag gtccaacaga ctctgatgg 420
atcccgagc agtcagatg gcacacagct tccgtctgga cccccctgc ctgccacaag 480
ccagggcact gcaagcaa atgcccttcc ggagcacag atgaatcaga gaggcagcag 540
tgtcttctgc aaagccagtc ttgagcttca ggaggatgtg caggaaatga atgccgtgag 600
gaaagagggt gctgaaacct cagcaggccc cagtgtggtt agtgtgaaaa ccgatggagg 660
ggatcccgat ggactgctga agaacttcca ggacatyatg caaaagcaaa gaccagaaa 720
agtgctcat cttcttcaag ataacttgc aaaatctgtt tccacttttc agtatgatcg 780
tttctttgag aaaaaaattg atgagnaaaa agaataacca cacctatcga gtttttaaaa 840
ctgtgnaacc ggcgagcaca catcttcccc atggcagatg actattcaga ctccctcatc 900
acaaaaagc aagtgtcagt ctggtgcagt aatgactacc taggaatgag tcgccacca 960
cgggtgtgtg gggcagttat ggacactttg aaacaacatg gtgctggggc aggtggtact 1020
agaaatattt ctggaactag taaattccat gtggacttag agcgggagct ggcagacctc 1080

```

```

catgggaaag atgccgcact cttgttttcc tcgtgctttg tggccaatga ctcaaccctc 1140
ttcacccctgg ctaagatgat gccaggctgt gagatttact ctgattctgg gaaccatgcc 1200
tccatgatcc aagggattcg aaacagccga gtgccaaagt acatcttccg ccacaatgat 1260
gtcagccacc tcagagaact gctgcaaaga tctgaccctc cagtcccaa gattgtggca 1320
tttgaaactg tccattcaat ggatggggcg gtgtgccac tggagagct gtgtgatgtg 1380
gcccattgagt ttggagcaat caccttcgtg gatgaggtcc acgcaggggg ctttatgggg 1440
ctcgaggcgg agggattggg gatcgggatg gagtcatgcc aaaaatggac atcatttctg 1500
gaacacttgg caaagcnttt ggtgtgkttg gaggtacat cgccagcacg agttctctga 1560
ttgacaccgt acggtcctat gctgctggct tcatcttcac cacctctctg ccacccatgc 1620
tgctggctgg agccctggag tctgtgcgga tcctgaagag cgctgagggg cgggtgcttc 1680
gccgccagca ccagcgcaac gtcaaaactca tgagacagat gctaattggat gccggcctcc 1740
ctgttgtcca ctgccccagc cacatcatcc ctgtgcgggt tgcagatgct gctaaaaaca 1800
cagaagtctg tratgaacta atgagcagac ataacatcta cgtgcaagca atcaattacc 1860
ctacggtgcc ccggggagaa gagctcctac ggattgcccc caccctcac cacacacccc 1920
agatgatgaa ctacttcctt gagaatctgc tagtcacatg gaagcaagtg gggctgggaa 1980
ctgaagcctc attccttcag ctggagtggc aatttcttgc arggagggcc aytgcatttg 2040
aagtgatgag tgaaaagagag aagtyctatt tttcttcagg gttttgaggc aagtttgggt 2100
attctggttn agggcntgag gcattggacc ttcattnttt ttcaatttan accccag 2157

```

&lt;210&gt; 13

&lt;211&gt; 1117

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1102)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 13

```

ggcagagcct ggactcccgt gagctggaag gaacagattt aatatctagg ggctgggtat 60
ccccacatca ctcatattggg ggtcaaggg acccgggcaa tatagtattc tgctcagtgt 120
ctggagatca tctaccagg ctggggcttc tgggacaggc gaggaccac ggaccctgga 180
agagctggtc caggggactg aactcccgc atctttacag agcagagcat gatcacattc 240
ctgccgtgct tgctggggct cagcctgggc tgcacaggag caggtggctt cgtggcccat 300
gtggaaagca cctgtctgtt ggatgatgct gggactcaa aggatttcac atactgcatc 360
tccttcaaca aggatctgct gacctgctgg gatccagagg agaataagat ggccccttgc 420
gaatttgagg tgctgaatag cttggcgaat gtccctctcac agcacctcaa ccaaaaagac 480
accctgatgc agcgcttgcg caatgggctt cagaattgtg ccacacacac ccagcccttc 540
tggggatcac tgaccaacag gacacggcca ccatctgtgc aagtagccaa aaccactcct 600
tttaacacga gggagcctgt gatgctggcc tgctatgtgt ggggcttcta tccagcagaa 660
gtgactatca cgtggaggaa gaacgggaag cttgtcatgc ctacacagcag tgcgcacaag 720
actgcccagc ccaatggaga ctggacatac cagaccctct cccatttagc cttaccccc 780
tcttacgggg acacttacac ctgkttggt gagcacattg gggctcctga gccatcctt 840
cgggactgga cacctgggct gtcccccatg cagaccctga aggtttctgt gtctgcagt 900
actctgggcc tgggectcat catcttctct cttggtgtga tcagctggcg gagagctggc 960
cactctagtt acactcctct tcctgggtcc aattattcag aaggatggca catttcctag 1020
aggcagaatc tacaacttcc actccaagtg agaaggagrt tcaaactcaa tgrtgstacc 1080
awgcctctcc aacatcttca anccctgac attattt 1117

```

&lt;210&gt; 14

<211> 885  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (869)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (884)  
<223> n equals a,t,g, or c

<400> 14  
gtggtggctc gtttcatccg catctaccca ctcacctgga atggcagcct gtgcatgcgc 60  
ctggaggtgc tggggtgctc tgtggcccct gtctacagct actacgcaca gaatgaggtg 120  
gtggccaccg atgacctgga tttccggcac cacagctaca aggacatgcg ccagctcatg 180  
aaggtggtga acgaggagtg cccaccatc acccgcaactt acagcctggg caagagctca 240  
cgaggcctca agatctatgc catggagatc tcagacaacc ctggggagca tgaactgggg 300  
gagcccgagt tccgctacac tgctgggatc catggcaacg aggtgctggg ccgagagctg 360  
ttgtgctgc tcatgcagta cctgtgccga gagtaccgcg atgggaacct acgtgtgcgc 420  
agctggtgca ggacacacgc atccacctgg tgcctcact gaacctgat ggctacgagg 480  
tggcagcgca gatgggctca gagtttgga actgggcgct gggactgtgg actgaggagg 540  
gctttgacat ctttgaagat ttcccggatc tcaactctgt gctctgggga gctgaggaga 600  
ggaaatgggt cccctaccg gtccccaaca ataacttgcc catccctgaa cgctaccttt 660  
cgccagatgc cacggatatcc acggaggtcc gggccatcat tgcctggatg gagaagaacc 720  
ccttcgtgct gggagcaa atctgaacggcg gcgagcggt agtatectac ccctacgata 780  
tggcccgcac gccttaccca ggagcagctg ctggccgcac catggcagca rcccgggggg 840  
aggatgagga cgaggytcc raggcccang agattccaga ccang 885

<210> 15  
<211> 1024  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (938)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1005)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1012)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1019)

<223> n equals a,t,g, or c

<400> 15

```
cttgcccttc ccagaaggct gtgcggtgctc ctgcgcttyct ccgcggtcctt ccgagcggtc 60
gcgtgaactg cttcctgcag gctggccatg gcgcttcacg ttcccaaggc tccgggcttt 120
gccagatgct caaggaggga gcgaaacact tttcaggatt agaagaggct gtgtatagaa 180
acatacaagc ttgcaaggag cttgcccaa ccactcgtac agcatatgga ccaaattggaa 240
tgaacaaaat ggttatcaac cacttgga agttgtttgt gacaaacgat gcagcaacta 300
ttttaagaga actagaagta cagcatcctg ctgcaaaaat gattgtaatg gcttctcata 360
tgcaagagca agaagttgga gatggcacia actttgttct ggtatttgct ggagctctcc 420
tggaattagc tgaagaactt ctgaggattg gcctgtcagt ttcagaggct atagaagggt 480
atgaaatagc ctgcagaaaa gctcatgaga ttcttcctaa tttggtatgt tgttctgcaa 540
aaaaccttcg agatattgat gaagtctcat ctctacttcg tacctccata atgagtaaac 600
aatatggtta tgaagtattt ctggccaagc ttattgctca ggcatgcgta tctatttttc 660
ctgattccgg ccatttcaat gttgataaca tcagagtttg taaaattctg ggctctggta 720
tcagttcctc ttcagtattg catggcatgg tttttaagaa ggaaaccgaa gtgatgtaac 780
atctgtcaaa gatgcaaaaa tagcagtgtc ctcttgcctt tttgatggca tgataacaga 840
aactaaggga acagtgttga taaagactgc tgaagrattg atgaatttta gtaagggagr 900
agaaacctca tgggtgcaca agtcaaagct attgctgnta ctggtgcaat gtcgagtaca 960
ggtggcaagt ggcagacatg gtctcatatg caataaatta attcntgtag gnggtaacnc 1020
aaat 1024
```

<210> 16

<211> 545

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (40)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (45)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (403)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (476)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
 <222> (507)  
 <223> n equals a,t,g, or c

<400> 16  
 cccgactcac tccccccccc ctccccccgc ctgccggccn ccggnccgga attccccggg 60  
 cgacccacgc gtccggagag gagccccage cttgggattc ccaagtgttt tcattcagtg 120  
 atcaggactg aacacagagg actcaccatg gagtttgggc tgagctggat ttcccttgct 180  
 gctattttta aaggtgtcca gtgtgaggtg cagctggtgg agtctggggg aggcttggtg 240  
 aagcctgggg ggtcccttag actctcctgt gcagcctctg gattcacttt cagtaacgcc 300  
 tggatgagct ggggtccgcca gggtccaggg aaggggctgg agtggggttg ccgtattaaa 360  
 agcaaaactg atggtgggac aacagactac gctgcacccg tgnaaaggca gattcaccat 420  
 ctcaagagat gattcaaaaa acacgytcta tytgcaaatg aacagcctga aaaccngagg 480  
 acacagccgt gtattactgt accacangac ccctaattac tatgatagta rtgcaaaaag 540  
 cttttt 545

<210> 17  
 <211> 623  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc feature  
 <222> (15)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (613)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (616)  
 <223> n equals a,t,g, or c

<400> 17  
 cggattcgcg gccgntcgac gccgagctgg gtgcggtgag gcgcgcagat caccgcgggt 60  
 cctgggcagg gcacggaagg ctaagcaagg ctgacctgct gcagctccc cctcgtgcgc 120  
 tcgccccacc cggccgccgc ccgagcgctc gagaaagtcc tctcgggaga agcagcgctt 180  
 gttcccgggg cagatccagg ttcaggtcct ggctataagt caccatggca cagcaagctg 240  
 ccgataagta tctctatgtg gataaaaact tcatcaacaa tccgctggcc caggccgact 300  
 gggctgccaa gaagctggtg tgggtgcctt ccgacaagag tggctttgag ccagccagcc 360  
 tcaaggagga rgtgggcgaa gaggccatcg tggagctggt ggagaatggg aagaagggtg 420  
 aggtgaacaa ggatgacatc cagaagatga acccgcccaa gttctccaag gtggaggaca 480  
 tggcagagct cacgtgcctc aacgaagcct cgggtgttga caacctcaag gagegttact 540  
 actcagggtc catctacgta agtggctgcc gtggcacccc gcaggctggg tctgagggtc 600  
 ccgaggtggg gngngnggcg ggt 623

<210> 18  
 <211> 559

<212> DNA  
<213> Homo sapiens  
  
<220>  
<221> misc feature  
<222> (371)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (531)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (544)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (547)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (556)  
<223> n equals a,t,g, or c

<400> 18  
cccacgcgtc cgccacgcg tccggtgaga taggtaggca agtgtggaca aagataaaac 60  
tgaaaaacca ctgcaaaggt tgaggtaaga caccataagc cgctgaacta agacaaagtc 120  
attagtaatt ttaaaatgag grtggaatt aactaacaga actgatagga agtgtaaca 180  
tacaacaggg gagtctaaga tggcttccaa ttttactta gaggggtaag ggtaccatta 240  
acttaagatc attaatacag raaaattaat cagatttgga gtttaccaag gtttgctttt 300  
ggttgtaaca atgatatatg ataaaattaa atgrataaat aagtgratgc actggtgaat 360  
taatgagctg ntctcattaa gaccagagta cttatttata acaaaagtaa cttttccctt 420  
tccctgggta catcaaactg tactccacag ataacagaca ccagtgagtt tttcatggtt 480  
aaaaaagccc caactttgac ctataaatgt ggaccaagaa attaaaataa nctggaacca 540  
gcgngcnacg gtattngga 559

<210> 19  
<211> 1355  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (55)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (1045)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1355)  
<223> n equals a,t,g, or c

<400> 19  
cagcccatgg tgtcacctcg gccccggaca acaggcccg cttgggctcc accgnccctc 60  
cagtcacaaa tgtcacctcg gcctcaggct ctgcatcagg ctccagcttct actctgggtgc 120  
acaacggcac ctctgccagg gctaccacaa cccagccag caagagcact ccattctcaa 180  
ttcccagcca ccaacttgat actcctacca cccttgccag ccatagcacc aagactgatg 240  
ccagtagcac tcaccatagc acggtacctc ctctcaacct ctccaatcac agcacttctc 300  
cccagttgtc tactgggggtc tctttctttt tcctgtcttt tcacatttca aacctccagt 360  
ttaattctct tctggaagat cccagcaccg actactacca agagctgcag agagacattt 420  
ctgaaatgtt tttgcagatt tataaacaag ggggttttct gggcctctcc aatattaagt 480  
tcaggccagg atctgtggtg gtacaattga ctctggcctt ccgagaaggc accatcaatg 540  
tccacgacgt ggagacacag ttcaatcagt ataaaacgga agcagcctct cgatataacc 600  
tgacgatctc agacgtcagc gtgagtgatg tgccatttcc tttctctgcc cagtctgggg 660  
ctgggggtgcc aggtctggggc atcgcgctgc tgggtctggt ctgtgttctg gttgcgctgg 720  
ccattgtcta tctcattgcc ttggctgtct gtcagtgccg ccgaaagaac tacgggcagc 780  
tggacatctt tccagcccg gatacctacc atcctatgag cgagtacccc acctaccaca 840  
cccattggcg ctatgtgccc cctagcagta ccgacgtag cccctatgag aaggtttctg 900  
caggtaatgg tggcagcagc ctctcttaca caaaccacgc agtggcagcc acttctgcca 960  
acttgtaggg gcacgtcgcc cgctgagctg agtggccagc cagtgccatt ccaactccact 1020  
caggttcttc agggccagag ccctngcacc ctggttgggc tggtagctg ggagttcagg 1080  
tgggtgtctc acagctcctt cagaggcccc accaatttct cggacacttc tcagtgtgtg 1140  
gaagctcatg tgggccctga ggctcatgcc tgggaagtgt tgtgggtggg gctcccagga 1200  
ggactggccc agagagccct gagatagcgg ggatcctgaa ctggactgaa taaaacgtgg 1260  
tctcccactg aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1320  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaan 1355

<210> 20  
<211> 1280  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1043)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1162)  
<223> n equals a,t,g, or c

<400> 20  
aattcggcac gagccttacc caggtcctgc tcggggctgg ggagaacacc aaaacaaacc 60

```

tggagagcat cctctcttac cccaaggact tcacctgtgt ccaccaggcc ctgaagggct 120
tcacgaccaa aggtgtcacc tcagtctctc agatcttcca cagcccagac ctggccataa 180
gggacacctt tgtgaatgcc tctcggaccc tgtacagcag cagccccaga gtcctaagca 240
acaacagtga cgccaacttg gagctcatca acacctgggt ggccaagaac accaacaaca 300
agatcagccg gctgctagac agtctgccct ccgatacccc ccttgtccctc ctcaatgcta 360
tctacctgag tgccaagtgg aagacaacat ttgatcccaa gaaaaccaga atggaaccct 420
ttcacttcaa aaactcagtt ataaaagtgc ccatgatgaa tagcaagaag taccctgtgg 480
cccatttcat tgaccaaact ttgaaagcca aggtggggca gctgcagctc tcccacaatc 540
tgagtttggg gatcctggta ccccgagaacc tgaaacatcg tcttgaagac atggaacagg 600
ctctcagccc ttctgttttc aaggccatca tggagaaact ggagatgtcc aagtccagc 660
ccactctcct aacactaccc cgcatacaag tgacgaccag ccaggatatg ctctcaatca 720
tggagaaatt ggaattcttc gatttttctt atgaccttaa cctgtgtggg ctgacagagg 780
accagatct tcaggtttct gcgatgcagc accagacagt gctggaactg acagagactg 840
gggtggaggc ggctgcagcc tccgccatct ctgtggccc caccctgctg gtctttgaag 900
tgacgagcgc ctctctcttc rtgctctggg accagcagca caagttccct gtcttcatgg 960
ggcgagtata tgaccccagg gcctgagacc tgacggatca ggtagggcg agcgctacct 1020
ctccagcctc agctctcagt ttnagccctg ctgctgcctg cctggacttg gccctgccca 1080
cctcctgcct caggtgtccg ctatccacca aaagggtcc ctgagggtct gggcaaggga 1140
cctgcttcta ttagcccttc tnccatgccc tgccatgctc tccaaaccac tttttgcagc 1200
tttctctagt tcaagttcac cagactctat aaataaaadc tgacagacca tgaaaaaaaa 1260
aaaaaaaaac tcaagactag                                     1280

```

&lt;210&gt; 21

&lt;211&gt; 1191

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 21

```

gcaattcctt ctggttctt gtgacctcac gcaagaaaag gttgtgtact aaatgaatct 60
gctttaactt gctctccttc ctctggggatc acaccttttt aagaaagcct gtcccttacc 120
ttgaagcaca aacatattct catttttatt ctcccaatac cttgaagggt ttcttctgca 180
catgtatttg tttgatctgc cttttgtgcg tggggtggga gttaggtagg aatcttaaag 240
tggagagcca gtttcttccc aaattactga cctaaccat ccttaacccc cagttcaagg 300
ccacctttgt gatagtgaag ctccacatg ctactcagc cccttctgct ctctcttctt 360
ctctactgtg catgtcggct tgtacttttg ccagtttctc taaagacaca accagagtgg 420
ggtggctgtg tgtgcacaac ttcaacttta catgtggggc tgagtcccta tgttgtatat 480
ccttgtgcaa aagcacaata tgttaattgc tatagctttt aaaaaataa ttaatagttt 540
ttcataatca aattttcttg cttttttgtt ttttcaaaa agcatacttt tattgaagaa 600
taaacccctt atatatgtac acttatttat aactatgaac gcctgaacta ggatagaaat 660
gcattgtgta tattacaaaa cataacaaaa ataatagggg tagggagggt cagatgttgg 720
tcaaaggata taaacctgca gttctatgat gaataagttc tggacatctg gaatacagca 780
tggtgactat acttagtaat actatattgt acacttgaag cttactgaaa gagtaaactc 840
caagtgttct caccacacaa acccaaagg aactatgttc tcaccacaca aacccaaagg 900
gaactatgta ttaattagct tgattgtggg aaccatttca caatgtatac atttgccaaa 960
acattatgtt gtatacctgg aatatataat tttatttatc aattatacct caataaagct 1020
gaaagagggg attactaatt ccacaaaaat acagatttaa caaaaacttt tattcaacaa 1080
acagtgtctat gaagttgtaa attggaaaca aaagaaataa aatttcatcc acagtcttct 1140
catcaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaactcgtag g 1191

```

&lt;210&gt; 22

&lt;211&gt; 853



&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 22

```

cttacacagc agcaacagcc tgctacaggg ccacagccat ctctgggagt tagttttgga 60
acgccattcg gctcaggtat tggcactggc ttgcaatcaa gtggcttagg ttcttcaaac 120
cttggaggat ttggaactag ctctggtttt ggatgcagca ccacaggggc ctccacattt 180
ggatttgga caacaaataa accctcagga agtcttagtg caggcttttg cagctcaagt 240
acatctgggt ttaacttcag caatcctggc atcacggcat cagctggttt gacttttggg 300
gtgtccaatc ctgcctctgc aggttttgga acaggaggac aactccttca gttgaagaaa 360
cctccagctg graacaaaag aggaaaaaga taaacatggg ttgatgtgtt gagagaatcc 420
atagcagcac cggttcattct atgagtctat ttttctaata atgcagtaat taaattgcat 480
cccaggagat ttataaagtt ttgatatttt tccctactct ggratttgaa ctttcttcat 540
gtttgccata ctgaacawct tttttcttgt ggaatttaaa gtccagctgt gttttctttt 600
taatttgatt ctcatgttaa gaaatgttct gattacatca ctgattggta atggttagaa 660
accattaacc taaaacttac tatttaacct agtggttttg ttgatgaggt ttacattatg 720
tgaatacatg cacatttggt tcttatacag gtggtgtgaa ctctagggcc tatactagaa 780
tcaatttggt ccttggttaa ggccttttga attatactgc agggcatctt gtgaatatgt 840
atgtaaatat ata 853

```

&lt;210&gt; 23

&lt;211&gt; 474

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 23

```

ggcacgagct cgtccggccc gtgggtctga cggttgagt agcgctaggg agaatccctg 60
caggtaatat ttgacttttg cttcatatta atctgagtgg aaaataaaaag ggccctcttc 120
tcctctcgct tccctgccgg gcaggcgcca tggcggaagc tcggcgacgg gcgcctgcgg 180
agaggcgatg gcagcgcgcg aaggctcctc gggcccggcg ggcttgactc tgggcccggag 240
cttctcgaac taccggccct tcgagcccca ggcgttgggc ctcagcccga gctggcggt 300
gacgggcttc tccggcatga agggctgagg ctgcaaggtc ccgcagaggc gctgctcaaa 360
ctcctggcgg gactgamcg gcccggackk cgccccgct gggccggggc ctkgtkggk 420
gccargaara agcgtcccag gaagccggcc tgccggcaag agcggggccc agcc 474

```

&lt;210&gt; 24

&lt;211&gt; 2280

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (13)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 24

```

ctctccccct ccnaccctc ccgctccaag attcgccgcc gccgcccggc cagccgcagg 60
agtagccgcc gccggagcgg cgcgcaccca tggccgagaa ccccagcttg gagaaccacc 120
gcatcaagag cttcaagaac aagggccggc atgtggaaac aatgcgaaga catagaaatg 180
aagtgcaggt ggaactgcgg aagaacaaaa gagatgaaca cttattgaaa aagagaaatg 240
ttccccaaga agaaagtcta gaagattcag atgttgatgc tgattttaaa gcacaaaatg 300

```

taaccctaga agctatattg cagaatgcc aagtgataa cccagtggc caattgagt 360  
ctgtccaggc agcaagaaaa ctgttatcca gtgacagaaa tccaccgatt gatgacttaa 420  
taaaatctgg gattttacca attctagtca aatgtctaga aagggatgat aatccttcat 480  
tacagtttga agctgcttgg gcattaacta acatagcatc aggracttct gcacagactc 540  
aagctgttgt gcagtctaat gcagtacctc tttttctgag acttcttcgt tcaccacatc 600  
agaatgtttg tgaacaagca gtatgggctt tgggaaacat tatagggtgat ggtcctcaat 660  
gtagagatta tgtcatatca ctgggagttg tcaaacctct tctgtccttc atcagtcctt 720  
ccatcccat cacttctctt cggaaacgtc catgggtcat tgtcaatctc tgcaggaata 780  
aggatcccc accgcctatg gagacagttc aggagatttt gccagcttta tgtgtcctca 840  
tataccatac agatataaac attctttagt aactgtttg ggctctgtca tacttgacag 900  
atggaggtta tgaacagata cagatgttta ttgattcagg agttgtgccc tttcttgtgc 960  
cccttctgag ccatacaggaa gtcaaagttc aaacagcagc cctcagagca gttggcaaca 1020  
tagtgactgg caccgacgag cagaccaggg ttgttctcaa ttgtgatgtc ctgtcacact 1080  
tcccaaatct cttatcacac ccaaaagaga agataaataa ggaagcagtg tggttccttt 1140  
ccaacataac agcaggcaac cagcaacaag ttcaagctgt aatagatgct ggattaattc 1200  
ctatgataat tcatcagctt gctaaggggg actttggaac acaaaaagaa gctgcttggg 1260  
caatcagcaa cttacaataa agtggcagaa aagatcaggt tgagtacctt gtacagcaga 1320  
atgtaatacc accgttctgt aatttactgt cagtgaagaa ttctcaagtg gttcaggtgg 1380  
ttctagatgg tctaaaaaac attctgataa tggccggtga tgaagcaagc acaatagctg 1440  
aaataataga ggaatgtgga ggtttggaga aaattgaagt tttacagcaa catgaaaatg 1500  
aagacatata taaattagca tttgaaatca tagatcagta tttctctggt gatgatattg 1560  
atgaagatcc ctgcctcatt cctgaagcaa cacaaggagg tacctacaat tttratccaa 1620  
cagccaacct tcaaacaaaa gaatttaatt tttaaattca gttgagtga gcatctttcc 1680  
cacattcaat atgaagcacc accagatggc taccaaatga taagaacaac agcaacmaaa 1740  
ggctccaaaa cacacatgcc tctttgtttt gatgcttcta aagcaagcca tgtctcagtc 1800  
actttgcagt tgccaaaagt cactatcaca tggactgtaa atgcatatgc atgatttctt 1860  
aaactgtttt agaactctcc ttaacaatct caactacctt atttttccct gttccctggt 1920  
gccacaggct gacaactgca gtctccagtt tagaataaat attccatagt ggtgacatgt 1980  
cagctgcccc ctgatactcc tttggaaaat ggtgcgctgt ggatcaagac actttggtat 2040  
gatgcatata caagttggaa gactaaagag gtgcagtggt atctgagcct ccatactgt 2100  
cctccacaaa catattttca tattctttat gtggaagaat agatttttaa gtacaagcca 2160  
aatgattttc attggtggaa ctgacacaaa aaaagtaact taaaaacaag aaacttggtt 2220  
attgaataaa cagataagtt taaaaaaaaa aaaaactact tcatctacca gtaattgatg 2280

&lt;210&gt; 25

&lt;211&gt; 1061

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 25

cgacccggcc cagtgcgcag gcgcgggaaa gttgaactaa taaagtttgt acgagttcag 60  
tggaggagac cgcaagttga gtggaggagg cggcggtggg gccccggacc aggtgcctcc 120  
atggcaggct ctgaagagct ggggctccgg gaagacacgc tgagggtcct agctgccttc 180  
cttaggcgtg gtgaggctgc cgggtctcct gttccaactc cactagaag ccctgcccc 240  
gaagagccaa cagacttctt gagccgcctt cgaagatgtc ttccctgctc cctggggcga 300  
ggagcagccc cctctgagtc ccctcgccct tgctctctgc ccatacggcc ctgctatggt 360  
ttagagcctg gccagctac tccagacttc tatgctttgg tggccagcg gctggaacag 420  
ctggtccaag agcagctgaa atctccgccc agcccagaat tacagggtcc cccatcgaca 480  
gagaaggaag ccatactgcg gaggtggtg gccctgctgg aggaggaggc agaagtcatt 540  
aaccagaagc tggcctcgga ccccgccctg cgcacaagct ggtccgctg tctccgact 600  
ctttcgcccc cctggtggag ctgttctgta gccgggatga cagctctcgc ccaagccgag 660

```

catgccccgg gcccccgct ccttccccgg agccccctggc ccgcctggcc ctagccatgg 720
agctgagccg gcgcgtggcc gggctggggg gcacctggc cggactcagc gtggagcacg 780
tgcacagctt cacgccctgg atccaggcca cgggggctgg gagggcatcc tggctgtttc 840
accctgggac ttgaacttgc cattggactg agctctttct cagaagctgc tacaagatga 900
cacctcatgt ccttgccttc ttcgtgtgct ttccaagtc ttcctattcc actcagggt 960
gtgggggtgg ggttgccta cctgtttttg ccaaaaataa attgtttaa acttttctta 1020
ttaaaacgt taaaaaaaaa aaaaaaaaam agggggggccg c 1061

```

<210> 26

<211> 1572

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (19)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (28)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1491)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1527)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1555)

<223> n equals a,t,g, or c

<400> 26

```

gtttgtcagt ctcggcgng gcggcgngg tggcgcggc ggcgatccac agtgattcgg 60
ccgccgcgcc ggggggtggg ggggctgcgc gggacttttt tttttttcag actgaccgcg 120
gggcagctgc ggacatgtcg accccggccc ggaggaggct catgcgggat ttcaagcgg 180
tacaagagga cccacctgtg ggtgtcagtg gcgcaccatc tgaaaacaac atcatgcagt 240
ggaatgcagt tatatttgga ccagaaggga caccttttga agatgggtact tttaaactag 300
taatagaatt ttctgaagaa tatccaaata aaccaccaac tgttaggttt ttatccaaaa 360
tgtttcatcc aaatgtgtat gctgatggtg gcatatgttt agatattcctt cagaatcgat 420
ggagtccaac atatgatgta tcttctatct taacatcaat tcagtctctg ctggatgaac 480
cgaatcctaa cagtccagcc aatagccagg cagcacagct ttatcaggaa aacaaacgag 540
aatatgagaa aagagtttcg gccattgttg aacaaagctg gaatgattca taatagacaa 600
ctggtctgtt aatctttttc atcattgttg tgtataattt acctctcatt agaaaggcta 660
acaaatttta agtgccacag gttttaagga ttctgcagaa aaaaaagaaa aaagtccttc 720

```

```
agtttagaac ctacaaaagc ttgtgtatct tgattaatgt actttttatt gcatgggtg 780
aactaagtta ttgctgcata aatttgtaat atatcctgtt tgtatttttt tccaagtgt 840
taatgttggg gtggagtttt catgacagaa tatacacatt ttgtaaatct gtactttttt 900
caaatattga atgccttatt tttgaattct ttagattttt aaattggaga aaagcactta 960
aagtttttta tatatgaata ttacatgtaa agctgttaaa atacataact tcagtgaag 1020
agactttgtc acttatttcc ttatgtgtgt aggaggggtt aataagtctc tagctctcca 1080
tctattgata gtttcattta caatttcaaa agaacattct tatattttat caaggaagtc 1140
ttcaaatttg attctaaata gcgattataa tctccaactt tattttgaat gtacctctat 1200
tagtttcaat tgagtaattc tagacataac tggtttgact ctgtccaact ctgtatttag 1260
gccatttggt acagtttcct catgcattac ttactgttaa aactgtacct tttgcgattt 1320
cacagtggc acttctgcca tgagcagaga actgatgcga cttgttttgc tgcttggtag 1380
cactttaaaa aattttttga ttaatgaagg aaagtaaaac cataaacatt tgccaaaaat 1440
tcatgccccg gtattaggca atggaattag gttgcattgg gtttgaggaa ngggcacatt 1500
ggggggggga atcttggggg gtttaacntt aaattatttt gggaaaattt acccnttta 1560
tggccatggc ct 1572
```

<210> 27

<211> 2005

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1976)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1977)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1978)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1979)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1986)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1988)

<223> n equals a,t,g, or c

&lt;400&gt; 27

```

gcgacgcgt gggcgccma cgcgycgca agcagcgggt tagtggtcgc gcgcccgaac 60
tcgcagtc cagccgagcc gcgacccttc cggcgcgtccc caccacacct cgcgcgcatg 120
cgctccgcc gcctagcgct gttcccggt gtggcgctgc ttcttgccgc ggccgcctc 180
gccgctgct ccgacgtgct agaactcacg gacgacaact tcgagagtcg catctccgac 240
acgggctctg cgggcctcat gctcgtcgag ttcttcgcyc cctgggtgtg aactgcaag 300
agactgcac ctgagtatga agctgcagct accagattaa aaggaatagt cccattagca 360
aagggtgatt gactgcca cactaacacc tgtaataaat atggagtcag tggatatcca 420
accctgaaga tatttagaga tggtaagaa gcagggtgctt atgatggacc taggactgct 480
gatggaattg tcagccactt gaagaagcag gcaggaccag cttcagtgc tctcaggact 540
gaggaagaat ttaagaaatt cattagtgtat aaagatgcct ctatagtagg ttttttcgat 600
gattcattca gtgaggctca ctccgagttc ctaaaagcag ccagcaactt gagggataac 660
taccgatttg cacatacgaa tgttgagtct ctggtgaacg agtatgatga taatggagag 720
ggtatcatct tatttcgtcc ttcacatctc actaacaagt ttgaggacaa gactgtggca 780
tatacagagc aaaaaatgac cagtggcaaa attaaaaagt ttatccagga aaacattttt 840
ggtatctgcc ctacatgac agaagacaat aaagatttga tacagggcaa ggacttactt 900
attgcttact atgatgtgga ctatgaaaag aacgctaaag gttccaacta ctggagaaac 960
agggtaatga tgggtggcaa gaaattcctg gatgctgggc aaaaactcaa ctttgcgtga 1020
gtagccgca aaacctttag ccatgaactt tctgattttg gcttgagag cactgctgga 1080
gagattcctg ttgttgctat cagaactgct aaaggagaga agtttgtcat gcaggaggag 1140
ttctcgcgtg atgggaaggc tctggagagg ttcctgcagg attactttga tggcaatctg 1200
aagagatacc tgaagtctga acctatcca gagagcaatg atgggcctgt gaaggtagtg 1260
gtagcagaga attttgatga aatagtgaat aatgaaaata aagatgtgct gattgaattt 1320
tatgcccctt ggtgtggtca ytgtaagaac ctggagccca agtataaaga acttggcgag 1380
aagctcagca aagacccaaa tatcgtcata gccaaagtgg atgccacagc caatgatgtg 1440
cctctccat atgaagtcag aggttttcct accatatact tctctccagc caacaagaag 1500
ctaaatccaa agaaatatga aggtggccgt gaattaagtg attttattag ctatctacaa 1560
agagaagcta caaaccccc tgtaattcaa gaagaaaaac ccaagaagaa gaagaaggca 1620
caggaggatc tctaaagcag tagccaaaca ccactttgta aaaggactct tccatcagag 1680
atgggaaaac cattggggag gactaggacc catatgggaa ttattacctc tcagggccga 1740
gaggacagaa tggatataat ctgaatcctg ttaaaatttc tctaaactgt ttcttagctg 1800
cactgtttat ggaaatacca ggaccagttt atgtttgtgg ttttgggaaa aattatttgt 1860
gttgggggaa atgttgtggg ggtggggttg agttgggggt attttctaata tttttttgta 1920
catttggaac agtgacaata aatgagacc ctttaaaaaa aaaaaaaa aaaaannng 1980
gggggncncc cagtcccat cgccc
2005

```

&lt;210&gt; 28

&lt;211&gt; 1408

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (11)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 28

```

cccgcagaca ngcaattttc acctgtgagg tccctgggtg ctactacttt gsataccacg 60
ttcactgcaa ggggggcaac gtgtgggttg ctctattcaa gaacaacgag cccgtgatgt 120
acacgtacga cgagtacaaa aagggttcc tggaccaggc atctgggagt gcagtgtgct 180
tgctcaggcc cggagaccgg tgttcctcca gatgccctca gaacaggctg caggactgta 240

```

```
tgccgggcag tatgtccact cctccttttc aggatattta ttgtatccca tgtaaaaaaca 300
aaaaaaca aaacaaagaa aagaaagaga ttttatagaa gaaaatgaca caccaaaaaa 360
tccaaatgaa aaacataatt gcttcaaaac acttacacag ttggaaagtt atatgtaagt 420
gaaaatttgg accattgtgt acaataaaaa actaagatgc atgtttaata ctccacacag 480
cagcctgtaa ttgcgaatga tgggatatag ttatgtatca agtactgaca cttggttgta 540
cccactggaa tcatatttagc tgttttatgt tataatgctc cacagtaacc tgcttattca 600
gatcagtcaa aatatatcag tatgaaagat catagctaata gaaaggcact cactcatatt 660
gtttacttta aaatatttat aaatatgcct taaagaaata caaatgataa caattacata 720
ccgtatttac ttgcttaatt tcctctgtat ttgtgtagat actttgacat ggaatatatg 780
gtggggagac ccgtagtgtt accgccccag tgggaggggg ccctgggacc ctggtaatgc 840
tttagtcaaa gggatatctc tctgtatca gaggtgtgt cttttagtaa caggagtcct 900
cgtcagaatt gcgtgtctgt tgtctctaaa agaattgggtg aaccaatcgg cctttgtgaa 960
tttattcagt gccttctctg taccaagcac tgggtaaggc acttttggg agcattagac 1020
agtaaccctc aaggagctag agaaccggat gggagacatg agcggtaatt aactcacttg 1080
ttccccagag ttctattttg ttttgatttt ctttttctgt gacttatttt cctattttct 1140
ttctccatg taattttcac tatggcccaa ctaataataa cacctgggaa attacaagga 1200
aaaaaaattc ttctctaat aactttccaa atttgggaa tatttatttg taatagcagt 1260
tatcagttaa gcttatatag cattaaaaat tctctcctt tgactacaca cacaaccaca 1320
gtgtggttct aatcatggag atatcagtaa tttttagtaa ctgarttttg aggacatttc 1380
tctgttttagc atgtatgcaa actggata 1408
```

&lt;210&gt; 29

&lt;211&gt; 917

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 29

```
ggcacgagcg aggggaggag ccgtggctc ccagccccgc cgcgatgagc ctgggccgcc 60
tttgcgcct actgaagccg gcgtgctct gtggggctct ggccgcgcct ggccctggccg 120
ggaccatgtg cgcgtcccgg gacgactggc gctgtgcgt ccatgcacga kttttccgcg 180
aaggacatcg acgggcacat ggtaacctg gacaagtacc ggggcttcgt gtgcatcgtc 240
accaacgtgg cctcccagtg aggcaagacc gaagtaaaact acactcagct cgtcgacctg 300
cacgcccgat acgtgagtg tggtttgccg atcctggcct tcccgtgtaa ccagttcggg 360
aagcaggagc cagggagtaa cgaagagatc aaagagtctg ccgcgggcta caacgtcaaa 420
ttcgatatgt tcagcaagat ctgctgaac ggggacgacg cccacccgct gtggaagtgg 480
atgaagatcc aacccaaggg caagggcacg ctgggaaatg ccatcaagtg gaacttcacc 540
aagtctctca tcgacaagaa cggctgcgtg gtgaagcgt acggacccat ggaggagccc 600
ctggtgatag agaaggacct gccccactat ttctagctcc acaagtgtgt ggccccgcc 660
gagccccctg ccacgcccty ggagccttc accggcactc atgacggcct gcctgcaaac 720
ctgctgggtg ggcagaccg aaaatccagc gtgcaccccg ccggaggaag gtcccatggc 780
ctgctgggct tggctcggcg cccccacccc tggctacctt gtgggaataa acagacaaat 840
tagcaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 900
aaaaaaaaa aaaaaaa 917
```

&lt;210&gt; 30

&lt;211&gt; 577

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

<222> (501)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (534)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (568)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (575)

<223> n equals a,t,g, or c

<400> 30

```
aattcggcac gaggtcatct ggtggaaaag gagactttaa gattgttttag ggctgggcgg 60
ggtgactcac atctgtaatc ccagcacttt gggaggccaa ggcaggcaga acacttgaag 120
gagttcaaga ccagcgtggc caacgtggtg aacctgtct ctactaaaaa tacaaaaatt 180
gtttagctct gtttttcata atagaaatag aaaaggtaaa attgcttttc ttctgaaaag 240
aacaagtatt gttcatccaa gaagggtttt tgtgactgaa tcagcagtgc ctgccctagt 300
catagctgtg cttcagaaac ctcagcatga ttagtgttkg agcmmaacaa ggragcaaag 360
caaatwcwgt ttttgaaatt ctatctgttg cttgaactat ttgtaataa ttaaactttg 420
gatgttgaga aatcacaaact ttattgttac acttcattgc aacttgaaat tccatgggtc 480
ttaaagttag attggaattc naatgggcgg cctttaaaaa gtaattccca accnttaagg 540
ttaaaaccca ggaaattggg gccaatcnaa aaccngg 577
```

<210> 31

<211> 2059

<212> DNA

<213> Homo sapiens

<400> 31

```
tgggagtaaa aatgtgtctt cagagactgt gaacatcacc atcactcaag gtttggcagt 60
gtcaaccatc tcatcattct ttccacctgg gtaccaagtc tctttctgct tggatgatgg 120
actccttttt gcagtggaca caggactata tttctctgtg aagacaaaca ttcgaagctc 180
aacaagagac tggaggacc ataaatttaa atggagaaa gacctcaag acaaagacc 240
cccatcccat gggggaata agagcagtag cagcagcatc tctgaacatt tctctggatt 300
tgcaaccca tcatcctcag gcctctctac aagcagcagg aaacatagaa ctcagagcca 360
gatcccttat ccaactctcg acttttcctt ggtctccagt ggaagggaag agcccatgat 420
cttcaagcag ggaagcccca gtgagtagct gcattcctag aaattgaagt ttcagrgcta 480
cacaacamt tttctgtccc aaccgttccc tcacagcaaa gcaacaatac aggctagggg 540
tgaaggagga gtgcaaaara gtgtccccac cctcctgccc cccgcaccgt ttgccaccc 600
ttcggaagac ccagtgtgt gatgagtatg agtgtgcctg caactgtgtc aatccacagt 660
gagctgtccc cttgggtact tggcctcaac cgccaccaat gactgtggct gtaccacaac 720
cacctgcctt cccgacaagg tgtgtgtcca ccgaagcacc atctaccctg tgggccagtt 780
ctgggaggag ggctgcgatg tgtgcacctg caccgacatg gaggatgccg tgatgggcct 840
ccgctgggcc cagtgtcccc agaagccctg tgaggacagc tgctcggtcgg gcttcaacta 900
```

```

cgttctgcat gaaggcgagt gctgtggaag gtgcctgcc tctgcctgtg aggtggtgac 960
tggetcaccg cggggggact cccagtcttc ctggaagagt gtcggctccc agtgggcctc 1020
cccgagagaac ccctgcctca tcaatgagtg tgtccgagtg aaggaggagg tctttataca 1080
acaaaggaac gtctcctgcc cccagctgga ggccctgtc tgcccctcgg gctttcagct 1140
gagctgtaag acctcagcgt gctgccaag ctgtcgtgtg gagegcatgg aggcctgcat 1200
gctcaatggc actgtcattg ggcccgggaa gactgtgatg atcgatgtgt gcacgacctg 1260
ccgctgcatg gtgcagggtg gggtcatctc tggattcaag ctggagtga ggaagaccac 1320
ctgcaacccc tgcccctgg gttacaagga agaaaataac acaggatgaat gttgtgggag 1380
atgtttgcct acggcttgca ccattcagct aagaggagga cagatcatga cactgaagcg 1440
tgatgagacg ctccaggatg gctgtgatac tcacttctgc aaggtcaatg agagaggaga 1500
gtacttctgg gagaagaggg tcacaggctg cccacccttt gatgaacaca agtgtctggc 1560
tgagggaggt aaaattatga aaattccagg cacctgctgt gacacatgtg aggagcctga 1620
gtgcaacgac atcactgcc aagctgcagta tgtcaagggt ggaagctgta agtctgaagt 1680
agaggtggat atccactact gccagggcaa atgtgccagc aaagccatgt actccattga 1740
catcaacgat gtgcaggacc agtgctcctg ctgctctccg acacggacgg agcccatgca 1800
ggtggccctg cactgcacca atggctctgt tgtgtaccat gaggttctca atgccatgga 1860
gtgcaaatgc tccccagga agtgagcaa gtgaggtgc tgagctgca tgggtgcctg 1920
ctgctgcctg ccttgctga tggccaggcc agagtgtgc cagtcctctg catgttctgc 1980
tcttggtccc ttctgagccc acaataaagg ctgagctctt atcttgcaaa aaaaaaaaaa 2040
aaaaaaaaa aaaaaaaaaa                                2059

```

<210> 32

<211> 549

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (337)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (378)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (497)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (537)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (546)

<223> n equals a,t,g, or c



&lt;400&gt; 32

```
gcagcgaggg agctgctctg ctacgtacga aaccccgacc cagaagcagg tcgtctacga 60
atggtttagc gccaggttcc ccacgaacgt gcggtgcgtg acgggagagg gggcgccgc 120
tctagaggat ccaagcttac gtacgcgtgc atgcgacgtc atagctcttc tatagtgtca 180
cctaaattca attcactggc cgtcgtttta caacgtcgtg actgggaaaa ccctggcgtt 240
acccaactta atcgcccttc agcacatccc cctttcgcca gctggcgtaa tagcgaagag 300
gcccgcaccg attcgccctt tcccaacagt tgcgcacctg gaatggcgaa tggggacgcg 360
ccctgtatgg gcgcgttnaa gcgcggcggg tgtggtggtt acgcgcagtg gacccgctac 420
acttgccagc gccctagcgc ccgctccttt cgtttcttc ccttccttc tcgccacgtt 480
cgccggcttt ccccttnaag ctctaaatcg gtgggctccc tttaggtgtc ctatttngtg 540
ctttanggt                                     549
```

&lt;210&gt; 33

&lt;211&gt; 841

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 33

```
gctttgaacc tcaacagcca gctgaacata cccaaagaca caagccaact gaagaaacat 60
atcaccttgc tctgcgatag attatocaaa ggtggccgtc tctgcctaag taccgatgca 120
gcagcccac agaccatggt catgccaggt ggttgacta caatcccaga gtcagacct 180
gaagaaagat cagtagaaca agactctaca gaactgttta ccaaccacag acatctcact 240
gcagagacac ccaggcctgt ttcacccctc caaggagtct cggaataatt ccaagtagag 300
ttgtttggtt gagaggaaca tccccatctc aaggccgaac ctgtgtgaac ctcatgccaa 360
gcacagatat arggctggcg cagggtgctt cyaaagctya ccttcctgga gatgacatgc 420
atagaaagag ggggtgggac tttttacttc actaggagaa cttgtaacac catggggaag 480
tcagctgaaa cttgtcttgt tttgccagga aaggaagtag ttgcctttgg tcatccatct 540
gctaatagtc acagaataca gtgaaatgac atagttttgg gttagatatt ataatgcaa 600
gattcagatc caaaataatt tcatacccca ttttttcaca gaattcttat atagtaaag 660
tatcaagttt aataaagcat ctcatgttca aataatatct tggattttat ttataattag 720
agggatttat gaggattgc tctacattat ttcttcaaag gaaaggaaag gaattgaaga 780
ctttgctact ctctggtgtaag acttgaatgt gattatttta taaataaaag aaccactatg 840
a                                             841
```

&lt;210&gt; 34

&lt;211&gt; 863

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (19)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (29)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (44)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (58)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 34

```

accaaaaaag ctttgagant ttccaaccnc cggtttgagg cccngttttt tagaactnag 60
tggaatcccc ccggggcctt caaggaattc ggcacagatt tgcttaggcg cagacgggga 120
agcggagcca acatgccagt ggcgcggagc tgggtttgtc gcaaaactta tgtgaccccg 180
cggagaccct tcgagaaatc tcgtctcgac caagagctga agctgatcgg cgagtatggg 240
ctccggaaca aacgtgaggt ctggaggggc aaatttacct tggccaagat ccgcaaggcc 300
gcccgggaac tgctgacgct tgatgagaag gacccacggc gtctgttcga aggcaacgcc 360
ctgtgcgggc ggctgggtccg cattgggggtg ctggatgagg gcaagatgaa gctggattac 420
atcctgggccc tgaagataga ggatttctta gagagacgcc tgcagaccca ggtcttcaag 480
ctgggcttgg ccaagtccat ccaccacgct cgcgtgctga tccgccagcg ccataatcagg 540
gtccgcaagc aggtgggtgaa catcccgtcc ttcattgtcc gcctggattc ccagaagcac 600
atcgacttct ctctgcgctc tccctacggg ggtggccggc cgggccgcgt gaagaggaa 660
aatgccaaga agggccaggg tggggctggg gctggagacg acgaggagga ggattaagtc 720
cacctgtccc tcctgggctg ctggattgtc tcgttttccg gccaaataaa caggatcagc 780
gctttacaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 840
aaaaaaaaaa aaaaaaaaaa ttt 863

```

&lt;210&gt; 35

&lt;211&gt; 1230

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 35

```

tgcaggaatt cggcacgagc ccagcgccgc cgccatgtcc tccggggcta gcgcgagcgc 60
cctgcagcgc ttggtagagc agctcaagtt ggaggctggc gtggagagga tcaaggtctc 120
tcaggcagct gcagagcttc aacagtactg tatgcagaat gcctgcaagg atgccctgct 180
ggtgggtggt ccagctggaa gtaaccctt ccgggagcct agatcctgtg ctttactctg 240
aagactctag gagagaagtt tgctgaggaa tgccttcaag cacaaagtga tgaatgactg 300
ccttcaagtc tcaagaaaac acttttccct aactttttaga gatatttcag ccctttcctg 360
tggcctggtc ctatagccaa aatcacagat attcatgagt ttctacttga gtgagaaaac 420
tggtgtaagg aatagaattt taaatagtaa taactgcttg tttttttgt gcaagtactt 480
ttatacataa gataaataaa aaccttacca ccaaatacac caaatgcac ctctttcata 540
agtgaattac taagatttct atacctggaa tatcatgtat gtttcattta ctggatgttt 600
acattttagg aaggaataata gtttgtttta tttaaacaac tgaatactta taaactgttg 660
ttcctggaag ttattttatc cataaaaaat ttgttctttt ctcatgaatt tataattcct 720
aaatgaagac cagaaagtac aaattgctgg gaggaagaat aggcctttatt aatcaactga 780
tgtcttgatt tttctaaatg ggaagattgc tttattttta acactaatta tgggagcaga 840
ttcttagcaa acttcttttg aaaagttaat gttatgatgt gcattaggct gccccatcgt 900
gtatataaat gaagcagatt tgatttttgt attcttacgt ttctctgctt tgtagtgtg 960
gctgtactta aagaaataca gaatttcata ttttaaaaa tgttttaaat gtgaccaca 1020
gaacattgta aatgattaaa aactaacatg aaaatattac aacctaaaag aattcttaac 1080
ttcacaagtg ttttacttcg acgatgtgcc tttgatttaa tttgggacac ttttttagaa 1140
ggatacatta ttcgtgtttg caacggtctt tgaagagctt ggaaataaaa tttctgctta 1200

```

attaatcatt tttctatgac agcaaaaaaa

1230

<210> 36

<211> 640

<212> DNA

<213> Homo sapiens

<400> 36

caacccaaat cgctcactat agggaaagct ggtcgcctgc aggtaccggt ccggaattcc 60  
cgggtcgacc cagcggtccg gctgtctgaa gatagatcgc catcatgaac gacaccgtaa 120  
ctatccgcac tagaaagttc atgaccaacc gactacttca gaggaacaa atggtcattg 180  
atgtccttca ccccggaag gcgacagtgc ctaagacaga aattcggga aaactagcca 240  
aaatgtacaa gaccacaccg gatgtcatct ttgtatttg attcagaact cattttggtg 300  
gtggcaagac aactggcttt ggcatgattt atgattccct ggattatgca aagaaaaatg 360  
aacccaaaca tagacttgca agacatggcc tgtatgagaa gaaaaagacc tcaagaaagc 420  
aacgaaaagga acgcaagaac agaataaga aagtcagggg gactgcaaag gccaatgttg 480  
gtgctggcaa aaagccgaag gagtaaggt gctgcaatga tgtagctgt ggccactgtg 540  
gatttttcgc aagaacatta ataaactaaa aacttcaaaa aaaaaaaaaa aaaaaaaaaa 600  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaagg 640

<210> 37

<211> 597

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (10)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (15)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (32)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (556)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (558)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (567)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (590)  
<223> n equals a,t,g, or c

<400> 37  
ggtgagaccn tctanaatat gggtccccgg gntgcogatt cgccaagggt ctcggtcctt 60  
ccgaggaagc taaggctgcg ttgggggtgag gccctcactt catccggcga ctagcaccgc 120  
gtccggcagc gccagcccta cactcgcccg cgccatggcc tctgtctccg agctcgccg 180  
catctactcg gccctcattc tgcacgacga tgaggtgaca gtcacggagg ataagatcaa 240  
tgccctcatt aaagcagccg gtgtaaatgt tgagcctttt tggcctggct tgtttgcaa 300  
ggccttggcc aacgtcaaca ttgggagcct catctgcaat gtaggggccc gtggacctgc 360  
tccagcagct ggtgctgcac cagcaggagg tcctgcccc tccactgctg ctgctccagc 420  
tgaggagaag aaagtggaaag caaagaaaga agaatccgag gagtctgatg atgacatggg 480  
ctttgtgctt ttgtactaaa cctcttttat aacatgttca ataaaaagct gaactttaaa 540  
aaaaaaaaa aaaaancncg ggggggnccg ctttaaaggg tccaagttaa gtacggg 597

<210> 38  
<211> 624  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (79)  
<223> n equals a,t,g, or c

<400> 38  
ggaccccgtc gccctcctga tgctgctcgt ggacgctgat cagccggagc ccatgcgcac 60  
ggggcgcgcg agctcgcgnt cttcctgacc cccgakectg gggccgaggc gaaggaggtg 120  
gaggagacca tcgagggcat gctcctcagg ctggaagagt ttgacgcct ggctgacctg 180  
atcaggagtg atacttcaca gatcctggag gaaaacatcc cagtccttaa ggccaaactg 240  
acagaaatgc gtggcatcta tgccaaagtg gaccggctag aggccttcgt caagatggtt 300  
ggacaccacg tcgccttcct ggaagcagac gtgcttcagg ctgagcggga ccatggggcc 360  
ttccctcagg ccctgcggag gtggctggga tccgcaggct cccctcctc aggaacaagt 420  
camctgsacc kgtgcccgtg acgtacgagc tgcccacact gtataggacg gaggactatt 480  
ttcctgtgga cgccgggkaa gcacagcamc amccccgcac ctgccctcgg cctttgtgag 540  
ctttgtggtc ttcccatcag gaacactgga aagtgcatt gtgtacacgc tgcagcttgg 600  
gggttttttc ttgtattgc tgtt 624

<210> 39  
<211> 1029  
<212> DNA  
<213> Homo sapiens

<400> 39  
ggccccctcga gggatcctct agagcggccg ccgactagtg agctcgtcga cccgggaatt 60

```

cgcgggccgcg tcgacgctca gtcttcacc aaaggccggt cagttctcct gggtccagc 120
ctcctgcaag gactgcaaga rttttcctcc gcagctctga rtctccactt ttttggtgga 180
gaaaggctgc aaaaagaaaa agagacgcag tgagtgggaa aagtatgcat cctattcaaa 240
cctaattgaa tcgargarcc caggacaca cgccctcagg ttgctcarg ggttcatatt 300
tggtgcttag acaaattcaa aatgaggaaa catcggcact tgcccttagt ggccgtcttt 360
tgccctcttc tctcaggctt tcctacaact catgcccagc agcagcaagc agtcattgaa 420
gtcaacaaga gagacatagt cttcctggtg gatggctcat ctgactggg actggccaac 480
ttcaatgcca tccgagactt cattgctaaa gtcattccaga ggctggaaat cggacaggat 540
cttatccagg tggcagtggc ccagtatgca gacactgtga ggctgaatt ttatttcaat 600
acccatccaa caaaaagggr agtcataacc gctgtgcgga aaatgaagcc cctggamggs 660
tcggccctgt acacgggctc tgctctagac tttgttcgta acaacctatt cacgagttca 720
gccggctacc gggtgccga ggggattcct aagcttttgk tgctgatcac aggtggtaag 780
tccctagatg aaatcagcca gcctgcccag gagctgaaga gaagcagcat aatggccttt 840
gccattggga acaagggtgc cgatcaggct gagctggaag agatcgcttt cgactcctcc 900
ctggtgttca tcccagctga gttccgagcc gccccattgc aaggcatgct gcctggcttg 960
ctggcacctc tcaggaccct ctctggaacc cctgaagttc actcaaacia aagggatatc 1020
atctttctg 1029

```

<210> 40

<211> 1107

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1098)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1106)

<223> n equals a,t,g, or c

<400> 40

```

tgaatggctt atttaaataa gttggatcta tggactctcc acagcctaga tattatccta 60
ctgaagatgt gcctcgaaaag ctggtgagcc acggcaaaaa acccttcagt cagcacgtga 120
gaaaactgcg agccagcatt acccccggga ccattctgat catcctcact ggacgccaca 180
ggggcaagggt gagagtacct gtgcttgggg cgcttcactg cagctgcctg gggcgctgg 240
tggaatgctg tttgcacgct aggtgtactt ttcctttatt tacctatggt tggggcaagg 300
ggaaatgata tgcaagatac aacttagttg ttgcaaataa gaagtgtaat ccatggtgat 360
ttattagcca tttcctgctg ttgatwatgt tacacatgty catttactca aaaacgtggt 420
tatgtctgga gtactacctt agtagcttgc tgtggttgct tccagaactg ccgagctgta 480
tacatatata tgtagaaatt tccttaccm aatttagatg cctgtgawtt tawgaatcag 540
aagycagttt taawtgcmga aaacyaatta ttycttttt amcttacaag aggggtggtt 600
tcctgaagca gctggctagt ggcttattac ttgtgactgg acctctggtc ctcaatcgag 660
ttcctctacg aagaacacac cagaaatttg tcattgccac ttcaacaaa atcgatatca 720
gcaatgtaaa aatcccaaaa catcttactg atgcttactt caagaagaag aagctgcgga 780
agccagaca ccaggaagggt gagatcttcg acacagaaaa agagaaatat gagattacgg 840
agcagcgcaa gattgatcag aaagctgtgg actcacaat tttaacaaa atcaaagcta 900
ttcctcagct ccagggttac ctgcgatctg tgtttgctct gacgaatgga atttatctc 960
acaaattggt gttctaaatg tcttaagaac ctaattaaat agctgactac aaaaaaaaa 1020

```

aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa ccccgggggg 1080  
gggcccgggt cccatttngc cctttng 1107

<210> 41  
<211> 1051  
<212> DNA  
<213> Homo sapiens

<400> 41  
cttggaagtc agtcgtagtc ctgcgagtc cggcggggagc tggaagtgcg catccacgac 60  
agaacaaata ttcggtgctt ttacctacct acaacgagcg cgagaacctg ccgctcatcg 120  
tgtggctgct ggtgaaaagc ttctccgaga gtggaatcaa ctatgaaatt ataatacatag 180  
atgatggaag cccagatgga acaagggatg ttgctgaaca gttggagaag atctatgggt 240  
cagacagaat tcttctaaga ccacgagaga aaaagttggg actaggaact gcatatattc 300  
atggaatgaa acatgccaca ggaaactaca tcattattat ggatgctgat ctctcacacc 360  
atccaaaatt tattcctgaa tttattagga agcaaaagga gggtaatttt gatattgtct 420  
ctggaactcg ctacaaagga aatggagggtg tatatggctg ggatttgaaa agaaaaataa 480  
tcagccgtgg ggccaatttt ttaactcaga tcttgctgag accaggagca tctgatttaa 540  
caggaagttt cagattatac cgaaaagaag ttctagagaa attaatagaa aaatgtgttt 600  
ctaaaggcta cgtcttccag atggagatga ttgttcgggc aagacagttg aattatacta 660  
ttggcgaggt tccaatatca tttgtggatc gtgtttatgg tgaatccaag ttgggaggaa 720  
atgaaatagt atctttcttg aaaggattat tgactctttt tgctactaca taaaagaaag 780  
atactcatth atagtacgt tcatttcagg ttaaactatga aagaagcctg gttactgatt 840  
tgtataaaat gtactcttaa agtataaaat ataaggtaag gtaaatthca tgcactcttt 900  
tatgaagacc acctatttta ttttcaaat taaataattt taaagttgct ggcctaataa 960  
gcaatgttct caattttcgt tttcattttg ctgtattgag acctataaat aaatgtatat 1020  
ttttttttgc ataaarwaaa aaaaaaaaaac c 1051

<210> 42  
<211> 2192  
<212> DNA  
<213> Homo sapiens

<400> 42  
ggcgaacctg gtgatgctgg tgctaaaggc gatgctggtc cccctggccc tgccggacc 60  
gctggacccc ctggcccat tggtaatgtt ggtgctcctg gagccaaagg tgctcgcggc 120  
aggtgggtcc cctgggtgct actggtttcc ctggtgctgc tggccgagtc ggtcctcctg 180  
gcccctctgg aaatgctgga cccctggcc ctcctggtcc tgctggcaaa gaaggcgga 240  
aaggccccg tggtagact ggccctgctg gacgtcctgg tgaagttggt cccctggtc 300  
cccctggccc tgctggcgag aaaggatccc ctggtgctga tggctcctgct ggtgctcctg 360  
gtactcccg gcctcaaggt attgctggac agcgtgggtg ggtcggcctg cctggtcaga 420  
gaggagagag aggtctccct ggtcttccct gcccctctgg tgaacctggc aaacaaggctc 480  
cctctggagc aagtggtgaa cgtgggtccc ctggtcccat gggccccct ggattggctg 540  
gacccctgg tgaatctgga cgtgaggggg ctcctggtgc cgaagttccc ctggacgaga 600  
cgttctcct ggcgccaagg gtgaccgtgg tgagaccggc cccgctggac cccctggtgc 660  
tcctggtgct cctggtgccc ctggcccgct tggccctgct ggcaagagt gtgatcgtgg 720  
tgagactggt cctgctggtc ccgcccgtcc tgtcgccct gttggcgccc gtggccccgc 780  
cggaccccaa ggccccctg gtgacaaggg tgagacaggc gaacagggag acagaggcat 840  
aaagggtcac cgtggcttct ctggcctcca gggtccccct ggccctcctg gctctcctg 900  
tgaacaaggt ccctctggag cctctggtcc tgcgtggtccc cgaggtcccc ctggctctgc 960  
tggtgctcct ggcaaatg gactcaacgg tctccctggc cccattgggc cccctggtcc 1020

```

tcgcggctgc actggtgatg ctggtcctgt tggteccccc ggccctcctg gacctcctgg 1080
ccccctgggt cctcccagcg ctggtttcga ctteagcttc ctgccccagc cacctcaaga 1140
gaaggctcac gatggtggcc gctactaccg ggctgatgat gccaatgtgg ttcgtgaccg 1200
tgacctcgag gtggacacca ccctcaagag cctgagccag cagatcgaga acatccggag 1260
cccagaggcg agccgcaaga accccgcccg cacctgccgt gacctcaaga tgtgccactc 1320
tgactggaag agtggagagt actggattga cccaaccaa ggctgcaacc tggatgccat 1380
caaagtcttc tgcaacatgg agactggtga gacctgcgtg taccctactc agcccagtg 1440
ggcccagaag aactggtaca tcagcaagaa cccaaggac aagaggcatg tytggttcgg 1500
cgagagcatg accgatggat tccagttcga gtatggcggc cagggtctccg accctgccga 1560
tgtggccatc cagctgacct tctgcgccct gatgtccacc gaggcctccc agaacatcac 1620
ctaccactgc aagaacagcg tggcctacat ggaccagcag actggcaacc tcaagaaggc 1680
cctgctcttc cagggtctca acgagatcga gatccgcgcc gagggcaaca gccgcttcac 1740
ctacagcgtc actgtcgatg gctgcacgag tcacaccgga gcctggggca agacagtgat 1800
tgaatacaaa accaccaaga cctcccgccct gcccatcatc gatgtggccc ccttggacgt 1860
tgggtgcccc gaccaggaat tcggtctcga cgttggccct gtctgcttcc tgtaaaactcc 1920
ctccatccca acctggtctc ctcccaccca accaacttcc cccccaaccc ggaaacagac 1980
aagcaaccca aactgaaccc cctcaaaaagc caaaaaatgg gagacaattt cacatggact 2040
ttgaaaaata ttttttctct ttgcattcat ctctcaaaact tagtttttat ctttgaccaa 2100
ccgaacatga ccaaaaacca aaagtgcatt caaccttacc aaaaaaaaaa aaaaaaaaaa 2160
actcgggggg ggcccgttac caattggcct aa 2192

```

<210> 43

<211> 353

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (37)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (348)

<223> n equals a,t,g, or c

<400> 43

```

tctctaatac gactcactat agggaaagct ggttacnctg cagggtaccgg tccggaattc 60
ccgggtcgac ccacgcgtcc ggtggggcct caccaagtcc aatgctgatg aatttgaaga 120
catggtggct gaaaagcggc tcatoccaga tggctgtggg gtcaagtaca tcccagtcg 180
tgccctctg gacaagtggc ggccctgca ctcatgaggg cttccaatgt gctgcccccc 240
tcttaatact caccaataaa ttctacttcc tgtccaaaaa aaaaaaaaaa aaaaaaaaaa 300
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaanaa aag 353

```

<210> 44

<211> 3490

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

&lt;222&gt; (782)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1311)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2298)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 44

acaaaaattt tacgatacaa gtagcctgcc agtacggtcc ggaaattccc gggtcgaccc 60  
acgcgtccgg tgaaaactgt tgcattattc ctccatcctg tctggaatac accagggtcaa 120  
caccagagat ctcagatcag aatcagagat ctcagagggg aataagttca tcctcatggg 180  
atggtgaggg gcakgaaagc ggctgggctc ttggacacct gggtctcaga gaacctctgtg 240  
atgatcacc cagccccagg ctgtcttagc ccctggagtt cagaagtcct ctctgtaaag 300  
cctgcctccc amtargtcaa gaggaactag agtacctttg gatttatcag gacctctatg 360  
tttaaatggg tatttccctt tgggaaaact tcagaaaact atgtatcaaa tgaggccctg 420  
tgccctcgat ctatttccct ctctcttctg acctcctccc aggcactctt acttctagcc 480  
gaactcttag ctctgggcag atctccaagc gcctggagtg ctttttagca gagacacctc 540  
gttaagctcc gggatgacct tgtaggagat ctgtctccct gtgcctggag agttacagcc 600  
agcaagggtgc ccccatctta gagtgtggtg tccaaacgtg aggtggcttc ctagttagat 660  
gaggatgtga tccaggaaat ccagtttgga ggcttgatgt gggttttgac ctggcctcag 720  
ccttggggct gtttttccct gttgccccgc tctagacttt tagcagatct gcagcccaca 780  
gnkctttttt ggaaggagtg gcttccctgca ggtgttccac ctgcyttcgg agcctgccac 840  
ccagggccctc agaactgagc cacaggctgc tctggccagg agagaaacag ctctgttggt 900  
ctgcattggg ggaggtacat tcctgcctct tctcaccctc tcaaccagga actggggatt 960  
tgggatgaga tatggtcaga cttgtagata accccaaaga tgtgaagatc gcttggtgaa 1020  
ccattttgaa tgaatagatt ggtttcctgt ggctccctcc aaacctggcc aagcccagct 1080  
tccgaagcag gaaccagcac tgtctctgtg cctgactcac agcatatagg tcaggaaaga 1140  
atggagacgg cattcttgga cttcactggg gctgctggat tggatgggaa accttctgga 1200  
agaggcagat ggggggtcaaa ccactgcctt ggccccagga aggggcatag gtaggtctga 1260  
acaactgccg caagaccact acatgactta gggaaactga aaccaactgg nctcatggag 1320  
aaaacaaatt tgacttgga aaggattat gtaggaataa tgtttgact tgatttcccc 1380  
acgtcataat gaagaatgga agtttgatc tgctcctcgt caggcgagc atctctgaag 1440  
cttgaaaagc tgtcttccag cagcctccgt ggctcgggt tcctaccggc ttctctgcat 1500  
ttggtctgct gatcatgttg ccataatgtg tatggaaagt gtacacattc ttactgggta 1560  
aagacgacta ccaggatatc aacttggtta acattgagtt tgtgtgtgtg tgtgtatgtt 1620  
tgtgtgtttt gtatattgtt tacattttga gaggtagcat tctgtttcaa atgctttttg 1680  
tttttctgac agtattgttg actgggtcat aacattttga gctgtgggtt ggtggatttt 1740  
caattttttt ttttaaaggt cattcgctgt gctatcttca aaaccttgag tttggcccc 1800  
aatttttggc attcaaagt ttaaaagcta tttatcttgg tttatacaag tttcctttct 1860  
cttctttttg tcatggtatt ctatttggc tgtaggttga atgtagagaa agtggactga 1920  
tcccccaagc gttgtctgcc cccactctt cctccttggg tcccgccatt cttttactgg 1980  
gcagtcgagg gcattggagg ggaagtgact gcctcagcc tcaactccctg gggccatgaa 2040  
gaaaagctaa acagtctcat ggcatctcag aataatgttg ggtctcccaa gaagaaagg 2100  
gtaagaataa cgacatggct gattaggcga ggccaggata gggctaaggc caggattcct 2160  
ggctggcatc cagtcacccc ttctcccatc cttccccctc ttcttccaca agtccgcagc 2220



```

cgagacactg tagtctccca gccacagtga tgagtgcctt ggagactcca ctgacctcta 2280
gatgaaggcc cctggccntg gttcctgtta attaacctct gggctcttga gtcccccagc 2340
acaaacttct ttcctgtacc ctgcccgttg gggtcacagg gcatgccggg aagccacagc 2400
tgaggggagc agactgaagc agtgcctcac ctctccttct ttagctcagg ggttgctggg 2460
ctgtggcagg cgccacgagt ggcccctgtg gctgttctca gtggcagtct cttaaagtcc 2520
caccacaggc agctctttat cccctctccc tacttsactc tttctcttgc ctgtgctttt 2580
ggcctcaaac aggcctgctg gtagcgctca gggcgtaggg ctacactcct gccctgcctt 2640
tcctgtcttc atggtctgcc agggcatacc ttggggagggt ggaccaaaga cccaggactt 2700
tttgagtag ccagtcctac ccccagttg tctttttacc aattcagggg gggagagaaa 2760
actgcagcac ccagcatgt gagttactca ggtgttgagg gctagaaggg acagtgcgtt 2820
taacaacac tcagagctct ggccttaaac ctgtggcccc ccaagtctag gaggctcatc 2880
tcttctggc agtcatggc gcaggagggt ctgaaaggga aaacccattc agacaactgt 2940
tccccaatct accagccatc tgcaggggtc agtgaccgtg gccctctccc tcctctagaa 3000
tgtgccactt atgaagagt ccccatgggg aaaaggagac tcagctgtcc cttggcagct 3060
tgtgccagta tcccagggca gaagtttcca caggagcctc ttgcccttgc gcagagccac 3120
tgtgagaggc ggtgggagcc aacacccttg ggggaggggg cagtactgct cggcacatcc 3180
cagcatcagg tcagatcayt gaaattaaaa aatgtgaatt aagttcatat ccaccttttg 3240
gggaagcagg acaaaccacc accccaccaa gtgtgtgact tctccatata cactgcagt 3300
ttccattttt taaatgggaa ttttcaatcc cctgtgcttg tctaactgtc gctttaaaaa 3360
gtttgagacc ctgttactgt ttgaaaatgc atgcatgtta cgatgaatct ccaacctgag 3420
gaaaaaata aaactcaaaa agctttgtgt aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 3480
aaaaaacct                                     3490

```

&lt;210&gt; 45

&lt;211&gt; 781

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (750)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 45

```

gtcagatggt ccttttccca aatcattatt cctttggcca gaagggttga cttgatacct 60
tccagcagcc tggagcctca tggccaaacc aggtcctcag gcatcccagg atttccaggc 120
atcagatgga gggtaggggc tgcccagcaa atgtcagtgt gtgtcaacat ttactgcagg 180
ttcagagctc cctccagggt ccctgagtac atcatgtgct cctgagagtt ttaagggaaa 240
gccaagtaaa gacgtgatga tgttctaaac ccaagcaatt aataaaygcc acggaaatca 300
gtcattcact taccaagtat ttctctgctt tctgccatgt cacgggsgca tgatcccctg 360
gagattgagg gaaataagat cacaggagct cccagtctga gtgagaaaag gcagctgctc 420
tgtggtactg tgcactggac ctgggaatgg cctaaggaga caagcattga gggctgagct 480
cagaagccag ggagaagagc tcagaacccc aggagaggag ctcagaaccc tgggagagga 540
gctcagaacc ctgggagggc ttggtaacct tcgaggatgt ggccgtggag ttcaccaggc 600
aggagtgggc gttgctggac cctgcccata ggacactgta cagggatgtg atgctggaga 660
actgcaggac ctggcctcac targgtgtcg tgttaataaa cccagtctga tatcccagtt 720
ggamcaagac aagaagktgg tgacagaggn aagaggaatc taccaagcac ctgtccagat 780
t                                     781

```

&lt;210&gt; 46

&lt;211&gt; 1431

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 46

```
gggtcgaccc acgcgtccgc ttcagagaag aatttctctt tagttctttg caagaaggta 60
gagataaaga cactttttca aaaatggcaa tggatcaga attcctcaag caggcctggg 120
ttattgaaaa tgaagagcag gaatatgttc aaactgtgaa gtcatccaaa ggtgggtccc 180
gatcagcggg gagcccctat cctaccttca atccatcctc ggatgtcgct gccttgcata 240
aggccataat ggttaaagggt gtggatgaag caaccatcat tgacattcta actaagcgaa 300
acaatgcaca gcgtcaacag atcaaagcag catatctcca ggaaacagga aagcccctgg 360
atgaaacact gaagaaagcc cttacagggtc accttgagga ggttggttta gctctgctaa 420
aaactccagc gcaatttgat gctgatgaac ttcgtgctgc catgaagggc cttggaactg 480
atgaagatac tctaattgag attttggtcat caagaactaa caaagaaatc agagacatta 540
acagggtcta cagagaggaa ctgaagagag atctggccaa agacataacc tcagacacat 600
ctggagattt tcggaacgct ttgctttctc ttgctaaggg tgaccgatct gaggactttg 660
gtgtgaatga agacttggct gattcagatg ccagggcctt gtatgaagca ggagaaagga 720
gaaaggggac agacgtaaac gtgttcaata ccatccttac caccagaagc tatccacaac 780
ttcgagaggt gtttcagaaa tacaccaagt acagtaagca tgacatgaac aaagttctgg 840
acctggagtt gaaagggtgac attgagaaat gcctcacagc tatcgtgaag tgcgccacaa 900
gcaaaccagc tttctttgca gagaagcttc atcaagccat gaaagggtgtt ggaactcgcc 960
ataaggcatt gatcaggatt atgggtttccc gttctgaaat tgacatgaat gatatacaag 1020
cattctatca gaagatgtat ggtatctccc ttgccaagc catcctggat gaaaccaaag 1080
gagattatga gaaaatcctg gtggctcttt gtggaggaaa ctaaaccattc ccttgatggg 1140
ctcaagctat gatcagaaga ctttaattat atattttcat cctataagct taaataggaa 1200
agtttcttca acaggattac agtgtagcta cctacatgct gaaaaatata gcctttaaat 1260
catttttata ttataactct gtataataga gataagtcca ttttttaaaa atgttttccc 1320
caaaccataa aaccctatac aagttgttct agtaacaata catgagaaag atgtctatgt 1380
agctgaaaat aaaatgacgt cacaagacaa aaaaaaaaaa aaaaaaaaaa a 1431
```

&lt;210&gt; 47

&lt;211&gt; 1913

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (43)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1878)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1896)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1905)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1907)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 47

```
cccacgcgtc cggccagctc attgctctta tagcctgtga ggnagraaga aacatttgcy 60
agccaggcta gtgacagaaa tggattcgaa ataycagtgt gtgaagctga atgatgggtca 120
cttcatgcct gtcctgggat ttggcaccta tgcgcctgca gaggttccta aaagtaaagc 180
tytagaggcc rycaaattgg caatwgaagc yggsttcrc catattgatt ctgcwcatkt 240
wtacaataat gaggagcagg ttggactggc catccgaagc aagattgcag atggcagtgt 300
gaagagagaa gacatattct acacttcaa gctttggwg aattcccatc gaccagagtt 360
ggttccgacca gccttggaag ggtcactgaa aaatcttcaa ttggattatg ttgacctcta 420
ycttattcat ttccagtggt ctgtaaagcc aggtgaggaa gtgatcccaa aagatgaaaa 480
tggaataata ctatttgaca cagtggatct ctgtgccacr tgggaggccg tggagaagt 540
taaaagtga ggattggcca agtccatcgg ggtgtccaac ttcaaccrca ggcagctgga 600
gatgatcctc aacaagccag ggctcaagta caagcctgtc tgcaaccagg tggaatgtca 660
tccttacttc aaccagagaa aactgctgga tttctgcaag tcaaaagaca ttgttctggt 720
tgctatagtg gctctgggat ccaycgaga agaaccatgg gtggaccgga actccccggt 780
gctcttgag gaccagtc tttgtgcctt ggcaaaaaag cacaagcgaa cccagccct 840
gattgccctg cgtaccagc trcagcgtgg ggttgtggtc ctggccaaga gctacaatga 900
gcagcgcac agacagaacg tgcaggtgtt tgaattccag ttgacttcag aggagatgaa 960
agccatagat ggctaaaca gaaatgtgcg atatttgacc cttgatattt ttgctggccc 1020
ccctaattat ccattttctg atgaatatta acatggaggg cattgcatga ggtctgccag 1080
aaggccctgc gtgtggatgg tgacacagag gatggctcta tgctgggtgac tggacacatc 1140
gcctctggtt aaatctctcc tgcttggyga yttcagyaag ctacagcwaag gcccatyggc 1200
crgaaargaa agacaataat tttgtttttt cattttgaaa aaattaaatg ctctctccta 1260
aagattcttc acctactttc gtctccataa cttctatggt ttctttcctt ctgacacact 1320
agtgcctcta aattgtgatt tgcctatacg tttaggggcg ggggtggaag atgttaacaa 1380
ccatttaaga ttcatttctg cagtgggagt ggggtgagtt tcaccctctg ggaaaggggc 1440
aggtgacagg tatattatcag tcagtgcctc tctagctctt gtaggaagaa gcacacgcag 1500
gatggagtct agaggatgag cgatattgac tagcaattca tgggctccct ccagcagtgc 1560
gagggtcaga gtttctggag ccttgggagg aggcattccct gtgagggggg gttagggaga 1620
tgggagggca ccaggaaaag tgattagaag tcaggtatgg gaaggctaaa taggacagag 1680
tcgagtacat ctctgcttgg aaaaacatat caacaccctt tttttttgaa cattatatct 1740
tgttcataaa agaaaacttt ccacattggt ttaacaaacc ccacagctgg agagttcagg 1800
cctggaatct ttggatgtgt gccagttca cagattggac cctattgggt tgtgggtggg 1860
ccagggcac caaagacntc attggactaa ttcacnttcc cccgnanagc ccc 1913
```

&lt;210&gt; 48

&lt;211&gt; 1761

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 48

```
cgaggagctc tgagggtctat gctcagctgt gcaacgtggc tcgcattgag gcagagcggg 60
aggccggggg ccacttccgg ccaggctatg agtatggccc cgggcccgat gacctgcact 120
acagcatcta tggcccagat gggggccctt tctacaacta cctgggcccc gaggacaccg 180
```

```

tccctgagcc tgccttcccc aacacagccg gtcactcagc ggaccgcaca cccatccttg 240
agtctccttt gcagccctca gaactccagc cccactacgt ggccagccat ccagagcccc 300
cagccggctt cgaagggtt caggcggagg agtgcgcat cctgaacggc tgtgagaatg 360
gccgctgtgt gcgctgctg gagggttaca cctgtgactg ttttgagggc ttccagctgg 420
atgcggccca catggcctgc gtagatgtga atgagtgtga tgacttgaac gggcctgctg 480
tgctctgtgt ccatggttac tgcgagaaca cagagggtc ctaccgctgc cactgctccc 540
cgggatatgt ggctgaggca gggccccccc actgcactgc caaggagtag cagtcagggg 600
tcagtgtggc aactacctgg aaatggcctc cagtcacagg caggggcctt gaggatgatt 660
tcctagctgg gaagacaccg tgacatcagg ccagagggtt ccaatcagcc ttgcctgctt 720
tcctctctcc cagcttagcc tctggctgta agcttcggtc attgcctcca tgcccttgct 780
tggtcaagc accaccaatc gctttaatgc ttcagccacc gcatgaggcc ctgtccacca 840
cctttcctgg ccttgctatg ggatgcttac caaaggatgg ccctcatcca cctcccaag 900
ctgtgcragc atgcaaggcc ccatggctca cactgcagac acccctttcc agccacaatc 960
caccatcatc ctgacgatcc cacaactggg acagaggcta catctgccct agggaggtcc 1020
ttcagaatct gtggagcaag aaaggatttg gggaagcttg gggactgact ccagagcccc 1080
ctcctaagaa ccatcaccac cactcagcca atctgttctg ggcctgatt ttgccacacc 1140
tccatcctgt agccattct ctgaccccaa ggagtggcag aagatccctt cactcagaga 1200
agcaaggctg atattagctt gttgaatgta agagacacaa atgaagaaga acaaagagcc 1260
tgagaaagca gcaagaggac atgatgaaaa atacgtggag ttgatgagaa aggggagcca 1320
aggctttata cgtctaaaga aaatattcag tagctgaatc cgccagtgta tagcctgtgg 1380
gcaccagcag caagggtgc catgggatac agyaccatc tacaagacc tctattacat 1440
aaacactgct tcttacagga aacaaacctc ttctgggatc tccttttggtg aaaaccagtt 1500
tgatgtgcta aaagtaaaaa gtctattttc cagtgtggtc ttgttcagaa gcagccagat 1560
ttccaatgtt gtttttcccc tccactcaga aaccctgcc ctttcccttc agaaaacgat 1620
ggcaggcatt cctctgagtt tacaagcaga gactcactcc aaccctaaact agctgggagt 1680
tcagaacat ggtggaataa agaaatgtgc atctggtcaa aaaaaaaaaa aaaaaaaaaa 1740
aaaaaaaaa aaaaaaaaaa g 1761

```

<210> 49

<211> 956

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (37)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (352)

<223> n equals a,t,g, or c

<400> 49

```

tgcaggagtt cggcagcagg gtatttagag cgcaggnetg acggggccgga tcgcttcgc 60
cgccgcccgc ccgcaaacct tegtgcccg cccgtcctcg cccccgcctc cgccaccgcc 120
tcggcccgca gagcttgccc cctccccacc cgcagacatg tccgagtcca agagcggccc 180
cgagtatgct tcgtttttcg ccgtcatggg cgcctcggcc gccatggtct tcagcgccct 240
gggcgtgcc tatggcacag ccaagagcgg taccggcatt gcggccatgt ctgtcatgcg 300
gccggagcag atcatgaagt ccatcatccc agtggtcag gctggcatca tngycatcta 360
cggcctggtg gtggcagtc tcatcgccaa ctccctgaat gacgacatca gcctctacaa 420

```

```

gagcttcttc cagctgggag cgggcctgag cgtgggcctg agcggcctgg cagccggctt 480
tgccatcggc atcgtggggg acgctggcgt gcggggcaac gcccagcagc cccgactatt 540
cgtgggcatg atcctgattc tcattctcgc cgaggtgctc ggctcttacg gtctcatcgt 600
cgccctcatc ctctccacaa agtagaccct ctccgagccc accagccaca gaatattatg 660
traagaccac ccctcctcat cgccctcca ggccccgggc gccccacccc ctagagtgtc 720
ctgtgtatgc ggatgattta gaattgtcat ttctctttac tggatgttta tttataaaga 780
tctggcctgt tcctgcgtct gcggagcggc ccttgtctcc cagctatcta taaccttagc 840
tagagtgtcg ccttgtgggt tcctgttgct gagacttcct ggatggagcc gccctcaccg 900
wmcgkcccgt ggccctgcgc ggagctgtgt ccaataaagt tcttgatgt gaaaaa 956

```

<210> 50

<211> 563

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (510)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (519)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (530)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (558)

<223> n equals a,t,g, or c

<400> 50

```

cggacgcgtg ggccctctcc gaatccagag aggcgctgct gacaccgccg ccacaccgcc 60
gccacaccgc cgtgcctca gtcatgccga agcacgagtt ctctgtggac atgacctgtg 120
gaggctgtgc tgaagctgtc tctcgggtcc tcaataagct tggaggagtt aagtatgaca 180
ttgacctgcc caacaagaag gtctgcattg aatctgagca cagcatggac actctgcttg 240
caacctgaa gaaaacagga aagactgttt cctaccttgg ccttgagtag caggggcctg 300
gtccccacag cccacaggat ggaccaaagg gggcaggatg ctgatectcc cgctggcttc 360
cagacagacc tgggacttgg cagtcatgcc gggatgatgt gttcctgcgg agaccctcag 420
ttgtcctatt ccttcctagc ttccctgcaa taaatcaag ctgcttttgt tggaaaaaaa 480
aaaaaaaaaa gggggcgtct aaaaaccaan ttatttcnt gatgaaatcn acctctttgt 540
tccattcat ccggcctnaa aaa 563

```

<210> 51

<211> 3215

<212> DNA

<213> Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (3196)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 51

```
gcctcgggtg ggggtgggagc ggggggggaca gtgccccggg aacccgggtg gtcacacaca 60
cgcaactgcg ctgtcagtag tggacattgt aatccagtcg gcttgttctt gcagcattcc 120
cgctcccttc cctocatagc cacgctccaa accccagggt agccatggcc gggtaaagca 180
agggccattt agattaggaa ggtttttaag atccgcaatg tggagcagca gccactgcac 240
aggaggaggt gacaaacat ttccaacagc aacacagcca ctaaaacaca aaaaggggga 300
ttggcggaag agtgagagcc agcagcaaaa actacatttt gcaacttggt ggtgtggatc 360
tattggctga tctatgcctt tcaactagaa aattctaagt attggcaagt cacgttggtt 420
tcagggtccag agtagtttct ttctgtctgc tttaaatggr aacagactca taccacactt 480
acaattaagg tcaagcccag aaagtataaa gtgcaggagg gaaaagtga agtccattat 540
gtaatagtga cagcaaagg accaggggag aggcattgcc ttctctgccc acagtcttcc 600
cgtgtgattg tctttgaatc tgaatcagcc agtctcagat gccccaaagt ttcggttcct 660
atgagcccg ggcatgatct gatcccaag acatgtggag gggcagcctg tgccctgcctt 720
tgtgtcagaa aaaggaaacc acagtgaagc tgagagagac ggcgattttc gggctgagaa 780
ggcagtagtt ttcaaaacac atagttaaaa aagaaacaaa tgaaaaaat tttagaacag 840
tccagcaaat tgctagtcag ggtgaattgt gaaattgggt gaagagctta sgattctaatt 900
ctcatgtttt ttccttttca cttttttaa agaacaatga caaacacca cttatttttc 960
aagggtttta aacagtctac attgagcatt tgaagggtgt gctagaacaa ggtctcctga 1020
tccgtccgag gctgcttccc agaggagcag ctctccccag gcatttgcca agggaggcgg 1080
atttccctgg tagttagct gtgtggctt ccttccctgaa gagtccgtg ttgccctaga 1140
acctaacc ccctagcaaa actcacagag ctttccgtt ttttcttcc tgtaaagaaa 1200
catttcctt gaacttgatt gcctatggat caaagaaatt cagaacagcc tgccctgtccc 1260
cccgcactt ttacatatat ttgtttcatt tctgcagat gaaagttgac atgggtggg 1320
tgtccccatc cagcgagaga gtttcaaaag caaaacatct ctgcagttt tcccaagtrc 1380
cctgagatac ttcccaaagc cttatgttt aatcagcgat gtatataagc cagttcactt 1440
agacaactt acccttctg tccaatgtac aggaagtagt tctaaaaaaa atgcatatta 1500
atttcttccc ccaaagccgg attcttaatt ctctgcaaca ctttgaggac atttatgatt 1560
gtccctctgg cccaatgctt ataccagtg aggatgctgc agtgaggctg taaagtggcc 1620
ccctgcggcc ctagcctgac ccggaggaaa ggatggtaga ttctgttaac tcttgaagac 1680
tccagtatga aaatcagcat gcccgcctag ttacctaccg gagagttatc ctgataaatt 1740
aacctctcac agttagtgat cctgtcctt taacacctt tttgtgggt tctctctgac 1800
ctttcatcgt aaagtgtggt ggaccttaag tgatttgctt gtaattttg atgattaaaa 1860
aatgtgtata tatattagct aattagaaat attctacttc tctgttgta aactgaaatt 1920
cagagcaagt tcctgagtgc gtggatctgg gtcttagttc tggttgatc actcaagagt 1980
tcagtgtca tacgtatctg ctcatcttga caaagtgcct catgcaaccg ggcctctct 2040
ctgcccagca gtccttagtg gaggggttta cctggaacat tagtagttac cacagaatac 2100
ggaagagcag gtgactgtgc tgtgcagctc tctaaatggg aattctcagg taggaagcaa 2160
cagcttcaga aagagctcaa aataaattgg aaatgtgaat cgcagctgtg ggttttacc 2220
ccgtctgtct cagagtcaca ggacctgag tgcattagtt tactttattg aaggttttag 2280
accatagca gctttgtctc tgtcacatca gcaatttcag aaccaaaagg gaggctctct 2340
gtaggcacag agctgacta tcacgagcct ttgttttct ccacaaagta tctaacaaaa 2400
ccaatgtgca gactgattgg cctggtcatt ggtctccgag agaggaggt tgccctgtgat 2460
ttcctaatta tcgctagggc caagtgaggg tttgtaaagc ttacartaa tcattctgga 2520
tagagtcttg ggaggtcctt ggcagaactc agttaaatct ttgaagaata tttgtagtta 2580
tcttagaaga tagcatggga ggtgaggatt ccaaaaacat tttattttta aaatatcctg 2640
```

tgtaacactt ggctcttggt acctgtgggt tagcatcaag ttctccccag ggtagaatc 2700  
aatcagagct ccagtttgca tttggatgtg taaattacag taatcccatt tcccaaacct 2760  
aaaatctgtt tttctcatca gactctgagt aactggtgc tgtgtcataa cttcatagat 2820  
gcaggaggct caggtgatct gtttgaggag agcaccctag gcagcctgca gggaaataaca 2880  
tactggccgt tctgacctgt tgccagcaga tacacaggac atggatgaaa ttcccgtttc 2940  
ctctagtttc ttctgtagt actcctcttt tagatcctaa gtctcttaca aaagctttga 3000  
atactgtgaa aatgttttac attccatttc atttgtgttg tttttttaac tgcattttac 3060  
cagatgtttt gatgttatcg cttatgttaa tagtaattcc cgtacgtgtt cattttattt 3120  
tcatgctttt tcagccatgt atcaatattc acttgactaa aatcactcaa ttaatcaawa 3180  
aaaaaaaaaa aaaccncggg ggggggcccc gaacc 3215

<210> 52

<211> 626

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (571)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (572)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (573)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (618)

<223> n equals a,t,g, or c

<400> 52

cagtttgtgt attgcggcaa gaaggcccag ctcaacattg gcaatgtgct ccctgtgggc 60  
accatgcctg aggggtacaat cgtgtgctgc ctggaggaga agcctggaga ccgtggcaag 120  
ctggcccggg catcagggaa ctatgccacc gttatctccc acaaccctga gaccaagaag 180  
accctgtgtga agctgccctc cggtccaag aaggttatct cctcagccaa cagagctgtg 240  
gttggtgttg tggttgagg tgccgaatt gacaaaccca tcttgaaggc tggccgggcg 300  
taccacaaat ataaggcaaa gaggaactgc tggccacgag tacggggtgt ggccatgaat 360  
cctgtggagc atccttttgg aggtggcaac caccagcaca tcggcaagcc ctccaccatc 420  
cgagagatg ccctgtctgg ccgcaaagtg ggtctcattg ctgcccgccg gactggacgt 480  
ctccggggaa ccaagactgt gcaggagaaa gagaactagt gctgagggcc tcaataaagt 540  
ttgtgtttat gccaaaaaaa aaaaaaaaaa nnnngggggc cgctttarag rwtcctccaa 600  
ggggccaact tacccttnca tgcaaa 626

<210> 53

<211> 920

<212> DNA  
<213> Homo sapiens  
  
<220>  
<221> misc feature  
<222> (617)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (621)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (725)  
<223> n equals a,t,g, or c

<400> 53  
atgagggtc ggctacagca agaagtagag gagcagctca aaaagaaatg ttctactctg 60  
ctctgctact atgatcccaa ttcagatgct gacagtgaac ccgtgaaggc agcaaagggtg 120  
tggaactcag cagagtcctg gtgggtgagc agcagcagtg ccasgatgcc aagagccagc 180  
agaaggagca gatgttgctg ctggagaaka agagtgtgct ttactcccag gtgcttctcc 240  
gctgcctcac ttgtctgcag aggcttcttc aagaacaccg gctgaagact caatccgagc 300  
tagaccgcat caatgcccag tacctggaag tcaagtgcgg tgctatgatc cttagctga 360  
ggatggagga gctaaagatt ttgtccgaca cttacactgt tgagaaagtg gaagttcatc 420  
gtctgattag ggaccgtttg gagggagcca ttcacctaca ggagcaggac atggagaact 480  
caagacaggt cctgaactcc tatgaggtcc ttggggagga gtttgacagg ctggtgaaag 540  
agtacaccgt actcaagcag gcaacagaga acaagcgggtg ggccctccag gagttcagca 600  
aggctctacc ttgagctcgc ncaggggccag gagacatggc ttctgcatag ctgctgcctc 660  
ctaactcttc tgctagtggg accaccttca cctggggctg ccttcagtac aagggagtgt 720  
ggaanatstt acgcttgaaa cactgcagtc atttaggcac tctcctgggt tctctttatt 780  
ttttatgact gggcctcttc tggaataatc agcaaggaga tttatataat ttttatgcat 840  
agctgtgtgt cagtgtcagc cctgtattgt atttgattat ctccctgaata aagttatgat 900  
attawaaaaa aaaaaaaaaa 920

<210> 54  
<211> 1090  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1024)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1034)  
<223> n equals a,t,g, or c



&lt;400&gt; 54

```

gagtaaccca gaaatgatgt tgcatttttt gctttacctg ataattgaaa ctttcaacaa 60
tctctggagt gactttttct cctcgaattg aaacaagtct atggcaaaag aagctgcatt 120
tttttcacaa aagggaagat ggtaacaatg gtcacttcaa acttttgggc taaattatat 180
gtacacagaa atgttcaaaa tcatagtttt aatgtgtttt gaaaaggcca cacaattata 240
ctttatcttt tcttaataat cctgcaaatc tctgccctgg aatccgaaat ctgaaaatgt 300
actggcttga acaaaatttg ttttgtgtgt tagagttata aatcattaat ctttatttcg 360
ggtggtttac gtttatgcca gttcctttat atttaaattt cttgttttat atattttgaa 420
tgtctttata gatttcttta aatttcctta tagaaccatt aatagaaaat cattacattt 480
aaaatatacc ttacagcaaa agcatccaaa taagtatagg gtttatgtcc ttatttttct 540
ttcagctgaa tacgaatgaa cacagtgggt gaatttctga agggaagtga tgaaattata 600
tttatttcag tgggcacttt tccattttac cactgtacca ttatttggtt cctggagtta 660
tactactaatt ttcatgtatat tactgttaaa ttaccaacac aaggcaattt atttgaaaga 720
ttccgtttat cctgccattg ctttggaaaag cagcaggaaa cgaaatcctt tgacttgtat 780
cagcttctgc agagcatctt tgttttcctt tgctcttctt ttcctacctt ttgaatcaga 840
ttccgtttta gtcaggaaga cttcttggga ccattcttag taacctgaaa tttctttttt 900
aattgcatga agtggattga tcatgagcaa atgatgtgct tatttctccc tcaactgtga 960
atatctttga acttctgttt ttcaatatgg gcagcacaaa ggtgagagat acatattaat 1020
agtngtatgt attnctctta tacattagat acctatattt aaatgaaagg gccaatattg 1080
aaacatatac                                     1090

```

&lt;210&gt; 55

&lt;211&gt; 1464

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (766)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 55

```

ccgctccgga attcccgggt cgacccacgc gtccgcccac gcgtcgccca cgcgtccggg 60
gacgctctca gctctcggcg cacggcccag ctctcttcaa aatgtctact gttcacgaaa 120
tcctgtgcaa gctcagcttg gagggtgatc actctacacc cccaagtga tatgggtctg 180
tcaaagccta tactaaactt gatgctgagc gggatgcttt gaacattgaa acagccatca 240
agaccaaagg tgtggatgag gtcaccattg tcaacatttt gaccaaccgc agcaatgcac 300
agagacagga tattgccttc gcctaccaga gaaggaccaa aaaggaaactt gcatcagcac 360
tgaagtcagc cttatctggc cacctggaga cgggtgatttt gggcctattg aagacacctg 420
ctcagtatga cgcttctgag ctaaaagctt ccatgaaggg gctgggaacc gacgaggact 480
ctctcattga gatcatctgc tccagaacca accaggagct gcaggaaatt aacagagtct 540
acaaggaaat gtacaagact gatctggaga aggacattat ttcggacaca tctggtgact 600
tccgcaagct gatggttgcc ctggcaaagg gtagaagagc agaggatggc tctgtcattg 660
attatgaact gattgaccaa gatgctcggg atctctatga cgctggagtg aagaggaaaag 720
gaactgatgt tcccaagtgg atcagcatca tgaccgagcg gagtgncccc acctccagaa 780
agtatttgat aggtacaaga gttacagccc ttatgacatg ttgaaaagca tcaggaaaga 840
ggttaaagga gacctggaaa atgctttcct gaacctggtt cagtgcattc agaacaagcc 900
cctgtatttt gctgatcggc tgtatgactc catgaagggc aaggggacgc gagataaggt 960
cctgatcaga atcatggctt cccgcagtga agtgagcatg ttgaaaatta ggtctgaatt 1020
caagagaaag tacggaaggt ccctgtacta ttatatccag caagacacta agggcgacta 1080
ccagaaagcg ctgctgtacc tgtgtggtgg agatgactga agcccagcac ggcctgagcg 1140

```

```

tccagaaatg gtgctcacca tgcttcacgc taacaggtct agaaaaccag cttgcgaata 1200
acagtccccg tggccatccc tgtgaggggtg acgttagcat taccaccaac ctcatcttag 1260
ttgcctaagc attgcctggc cttcctgtct agtctctcct gtaagccaaa gaaatgaaca 1320
ttccaaggag ttggaagtga agtctatgat gtgaaacact ttgcctcctg tgtactgtgt 1380
cataaacaga tgaataaact gaatttgtac tttaraaaaa aaaaaaaaaa aactyrgggg 1440
ggggcccgka cccattggcc ttag                                     1464

```

<210> 56

<211> 985

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (647)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (875)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (962)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (973)

<223> n equals a,t,g, or c

<400> 56

```

agaagttgct agtgttcaat gcagctgggg tgaaacccca ggggcaaggt ggctggcttt 60
gatctggacg ggacgctcat caccacacgc tctgggaagg tctttccac tggccccagt 120
gactggagga tcttgtaccc agagattccc cgtaagctcc gagagctgga agccgagggc 180
tacaagctgg tgatcttcac caaccagatg agcatcgggc gcgggaagct gccagccgag 240
gagttcaagg ccaaggtgga ggctgtggtg gagaagctgg gggccccctt ccaggtgctg 300
gtggccacgc acgcaggctt gtaccggaag ccggtgacgg gcatgtggga ccatctgcag 360
gagcaggcca acgacggcac gcccatatcc atcggggaca gcatctttgt gggagacgca 420
gccggacgcc cggccaactg ggccccgggg cggaagaaga aagacttctc ctgcgccgat 480
cgctgtttg ccctcaacct tggcctgccc ttcgccacgc ctgaggagtt ctttctcaag 540
tggccagcag ccggtctcga gctcccagcc tttgatccga ggactgtctc ccgctcaggg 600
cctctctgcc tccccagatc cagggcctc ctgagcgcca cccggangtg gttgtcgcag 660
tgggattccc tggggccggg aagtccacct ttctcaagaa gcacctcgtg tcggccggat 720
atgtccacgt gaacagggac acgctaggct cctggcagcg ctgtgtgacc acgtgtgara 780
cagccctgaa gcaagggaaa cgggtcgcca tcgacaacac aaaccagac gccgcgagcc 840
gcgcaggtg cgtccartgt gcccgagccg cggngtacc cctgccgctg cttcctcttc 900
accgccactc tggagcaggc gcgccacaac aaccgggtga gcccgcttca gcccgggaca 960
cnccccgggg atngcacccc ctgga                                     985

```

<210> 57  
<211> 1246  
<212> DNA  
<213> Homo sapiens

<400> 57  
ctcagagtcg cgaggccgga cgcagcgcgc gccgccccac tcgccccagc cgccgccatg 60  
aaggccgtgg tgcagcgcgt caccggggcc agcgtcacag ttggaggaga gcagattagt 120  
gccattggaa ggggcatatg tgtgttgctg ggtatttccc ttgaggatac gcagaaggaa 180  
ctggaacaca tggtcgaaa gattctaaac ctgctgtgat ttgaggatga gagtgggaag 240  
cactggtcga agagtgtgat ggacaaacag tacgagattc tgtgtgtcag ccagtttacc 300  
ctccagtgtg tcctgaaggg aaacaagcct gatttccacc tagcaatgcc cacggagcag 360  
gcagagggct tctacaacag ctctctggag cagctgcgta aaacatacag gccggagctt 420  
atcaaagatg gcaagtttgg ggcctacatg caggtgcaca ttcagaatga tgggcctgtg 480  
accatagagc tggaatcgcc agctcccggc actgctacct ctgacccaaa gcagctgtca 540  
aagctcgaaa aacagcagca gaggaagaa aagaccagag ctaagggacc ttctgaattc 600  
aagcaaggaa agaaacactc cccgaaaaga agaccgcagt gccagcagcg gggctgaggg 660  
cgacgtgtcc tctgaacggg agccgtagct caggaggcag aattcagtgt gttatcattg 720  
ggcagaactg gatcctgaaa aattcaagat gctaagcacc tacactactt taagaatttg 780  
gaactgaaac atgaagagga agacagaaat aagaatttgg gaacctgaat agctctgcaa 840  
aaaacaccaa aggaccgttt tatcgttttc tgttgttgct gtggtggagt gatgcagtgg 900  
gcactkccsg tgggccaggg ggccgggtgcg catgtggtag aaggtgtgcg ctctgtgcctc 960  
ccccacagaa aggttttgtt ggtttctacc acatcttggc ttgcttttgg aacaggctgg 1020  
ccccagcatc atttgtcatc aagtccactg tgggtgtatc tgcgtgtcca tggcgggggt 1080  
tctccaayac actcacactg tccatgttct ttttattgcc agggcccgtg ttgaagtgtc 1140  
aagagagcaa tcatcaatga taatgtattg tgtgagacct ttgcatcttg taaattttct 1200  
cttttttcta aaaataaata ataataaaat cctaaatctc aacaaa 1246

<210> 58  
<211> 1966  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1926)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1942)  
<223> n equals a,t,g, or c

<400> 58  
gggagaaaga tccttcactc acagaaccag ttattagggg gttaatgaaa ttttggccta 60  
aaacatgtag tcaaaaagag gtcattgtcc ttggggactg gaagaaatat tggatgtgat 120  
tgaaccttca caatttgta aaatccaaga accttgtttt aaacaaatcg ccaagtgtgt 180  
atctagcccc cattttcagg tggcagaaag agcactctat tattggaata atgaatacat 240  
catgagtttg atagargaaa actctaacgt catccttccc atcatgtttt ccagccttta 300  
taggatttca aaagaacatt ggaatccggc tattgtggcg ttggtgtaca atgtgttgaa 360  
ggcatttatg gaaatgaaca gcaccatgtt tgacgagctg acagccacat acaagtcaga 420

```

tcgtcagcgt gagaaaaaga aagaaaagga gcgtgaagaa ttgtggaaaa aattggagga 480
tctggagtta aagagaggtc ttagacgtga tggaataatt ccaacttaac aaaaacaatg 540
acaacaacat tactaacctg tggagtcaca cgtttatgta gtagaagatg gagcaacagt 600
tttctgtatt gtgcaacttt acagtagatt tcacctttgt ttcattatta cagcagcact 660
gtatatacct gtctctaagt aaaggaaaaa acaaaataag gacttcaatc caaagtttgg 720
acagtagatg gacttctcag aactttgcaa acataatcat tgttctcacc ctcttttaaa 780
aaaaaaaaatc ggtcttcaaa gatctgttga tgaaattgct atgttaaaat tccattatcg 840
ggagttcctt atttatcact agcagagagt atgatacaat tttcaaatgt gaacaatcct 900
aaatttagct tgtctttctg ctaagctgtt aaatgtattt atagtaaagg aagaaaaaaa 960
gactgtcatt tccttataag tttgtgtaac atcctcctct ggataacttg actgtaattt 1020
racatctttt tcttttgac atcttcctga gttgaatgtc cacgtggaat ggggtcatga 1080
attataaaag tccctgataa aagttttgtt tactggggtg aacatctttc cagtaaccag 1140
gtagtcctgg tactccttta gttttaaaat taggagttaa gagagaagag gtgataaaca 1200
tagtagggaa ggaatatcg gattcatgca tcagtttatg gtgaatccaa atcaatgtct 1260
tgaatccttt gaaaacaggc actgggacat cacaggcttc agtacctgac cagtattagt 1320
tgcatatatac attgaacaca cataccagag atgtttttaga aatgtgagaa aaacatcctt 1380
ttggaccatt tgaataaaga aagacaaaaca ctaaacaata caaccatgaa attgatcacc 1440
gggattgcaa atctaattg gaaaagagtt gagcaaacag cttggactgt ttggagttgt 1500
tgccttactt ttaatatgt atttataaag tattccagca aaagaggatg tagcctctgg 1560
gaaaaaacia acatgttaca gtgttttttg tagattctcg ttctatatct catcacagcg 1620
ccagccctgt ttttagccgg aaaggattca ggataaacat tattatgcat tctgaattgg 1680
atgcatattc ctaactactg tatttggttac caaaagtgg tctacaaatg ctactgaaaa 1740
aaatctggaa attcctaatag tcctgagtat taataataaa gtttaaaaat gcttttatat 1800
caaaggtgca tcgtgaccaa attgtttaaa aaaaaaaac aaaaaaaca aaatctaggg 1860
ctgtatttta tatatatata tatatatata tatatatata tatatatata tatatatgct 1920
cttatnggac tctctgcttt gntattttaa taaaaaatct tacatc 1966

```

<210> 59

<211> 1611

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (7)

<223> n equals a,t,g, or c

<400> 59

```

cgcgtcngtg cgaattcggc acgaggggac ttcccagagc tcacaatgga ggttgatggt 60
aaggtagagt caattatgaa gaggacagct ttggtagcca atacctcaa tatgcctgtt 120
gctgctagag aagccyctat ttatactgga atcacactgt cagagtactt ccgtgacatg 180
ggctatcatg tcagtatgat ggctgactct acctctagat gggctgaggc cttagagaaa 240
tctctggctg ttttagctgaa atgcctgcag atagtggata tccagcctat cttggtgccc 300
gtctggcctc gttttatgaa cgagcaggca gggtgaaatg tcttggaat cctgaaagag 360
aagggagtgt cagcattgta ggagcagttt ctccacctgg tggtgatttt tctgatccag 420
ttacatctgc cactcttggg atcggttcagg tgttctgggg cttagataag aaactagctc 480
aacgtaagca tttcccctct gtcaattggc tcacagcta cagcaagtat atgcgtgcct 540
tggatgaata ctatgacaaa cacttcacag agttcggtcc tctgaggacg aaagctaagg 600
aaattctgca ggaagaagaa gacctggcag aaattgtaca gcttggtggg aaggcttctt 660
tggcagaaac agataaaatc actctggagg tagcaaaact tatcaaagat gatttcctac 720
aacaaaatgg atatactcct tatgacaggt tctgcccatt ctacaagaca gtagggatgc 780

```

tgtccaacat gattgcattt tatgatatgg ctgtagagt gtttgaaacc actgcccaga 840  
gtgacaataa aatcacatgg tccattattc gtgagcacat gggagacatc ctctataaac 900  
tttctcccat gaaattcaag gatccactga aagatggtga ggcaaagatc aaaagcgact 960  
atgcacaact tcttgaagac atgcagaatg cattccgtag ccttgaagat tagaagcctt 1020  
gaagattaca actgtgattt ccttttcctc agcaagctcc tatgtgtata ttttcctgaa 1080  
tttctcatct caaacccctt gcttctttat tgtgcagctt tgagactagt gcctatgtgt 1140  
gttatttgtt tccctgtttt ttgtgtaggt cttatataaa acaaacattc ctttgttcta 1200  
gtgtgtgaa gggcctccct ctccctttat ctgaagtggg gaatatagta aatatacatt 1260  
ctggttacac tactgtaaac ttgtatgtag ggtgatgacc ctctttgtcc taggtgtacc 1320  
ctttcctcat ctctattaaa ttgtaaacag gactactgca tgtactctct ttgcagttaa 1380  
tttggaaagg aaggccaggt ttctataact ttgaaacagg tactttgtga aatgactcaa 1440  
tttctattgt ggtaaagctca ttggcagctt agcattttgc aaaggaattg ctttgcagga 1500  
aatatttaat ttcaaaaaac ataattgatta atgttccaat tatgcatcac ttccccagk 1560  
ataaaycagg aatgkttgtg agaaaccatt gggaactata ctctttttta a 1611

<210> 60

<211> 1849

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (100)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (977)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1846)

<223> n equals a,t,g, or c

<400> 60

gattcccggg tcgaccacg cgtccgcgcg gaatctcagt tagcgggtgga gaggcagtat 60  
gtccggttca atggcgactg cggaagctag cggcagcgan tgggaaaggg caggaagtcg 120  
agacctcagt cacctattac cggttgagg aggtggcaaa gcgcaactcc ttgaaggaaac 180  
tgtggcttgt gatccatggg cgagtctacg atgtcaccg ctccctcaac gagcaccctg 240  
gaggagaaga ggttctgctg gaacaagctg gtgtagatgc aagtgaagc tttgaagatg 300  
taggacactc ttctgatgcc agagaaatgc taaagcagta ctacattggt gatatccatc 360  
cgagtgcact taaacctgaa agtggtagca aggacccttc aaaaaatgat acatgcaaaa 420  
gttgctgggc atattggatt ttacccatca taggcgctgt tctcttaggt ttctgttacc 480  
gctactacac atcggaaagc aaatcctcct gaggaggcct tgctgaagtt agaaagtgc 540  
tccacttttg ggcgaaaact agagacttgc ttgggggctg cagaagtgc ctctcctcga 600  
atcctgccag ttgcattctt cccccttggg gccaaagcga ttggccagac atcacctcag 660  
atctgagacc agcgtcttcc atctctcaga gccttactcc caaagtacct gctcactgtt 720  
ccgtgttgaa caattgccgg tgtttcctct cttcactggt ttccatgagt acccttatat 780  
ttcacaactt tctgttcata agttatagtg acattgctct ttggtaaaaa tgcctgcttt 840  
ccaatacttt gattgcatat tagacattct taacagggcg gcagtctagt gttgaaagtt 900

```

ttatttttcc atttttcttt taagtaaatt ttttttaaaa aattctgatt tagggctagg 960
tgtgtgtggt caggccngta atcckggcac ttkgggrggc caaggtggga agatcgsttg 1020
aggccaagag ttcaagacca gcctgggcaa catagcgaga cccctatctg tattaataaa 1080
aaatctgatt taattctttt atttatcata aggggtttta ttcctgaagt aaaggtttgc 1140
acctattaaa cttaaaactg ccaaattgatt tttgttcttt tatgtgcgtg ataaaaatac 1200
aaagaatggt gtggccacct cctccctttc aagctagggc agcaggtagc tcttcccagc 1260
ccctgagccc agccccttcc caagtgggtgc cggacaaaaa actacatggc cctttcgtgt 1320
cttgggggtg gaaaggagg gatgaattgg ggtgatagaa ccctggtgaa ttcagagtaa 1380
tctttcttta gaaaactggt gttttctaaa gaaacaggat aggagttag agaaggcacc 1440
aaagctttca ctttggtttg gcaccagttt ctaaccatct gttttttcta ccctagctat 1500
cttttattgg taaaatataa atgtataatt atgtttgtag agctttacca aggagtttcc 1560
ctcctttttt gtttgttgat tagcaaattt ttgattctcc attttccaa agtaagagac 1620
tccagcatgg cttctgttt gccccgcagt aaagtaactt ccatataaaa tggattttga 1680
aagtgaagat tcatgacac agaccgtttt ccatttcac tgtattttat ctccgtgact 1740
ccaactgtg ggttgttct gtttttccat gagaataaaa tactggcggg ttttttcaa 1800
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaggngga 1849

```

```

<210> 61
<211> 233
<212> DNA
<213> Homo sapiens

```

```

<400> 61
aagggtcggc ctctcaaagt gctgggatta caggcattag ccactgtgcc tggccaagaa 60
taaaaatttt ttaatcttga gaaraacat acagktcata catataaaaa gccttgaaaa 120
tattattccc ttgactcac taattacact gctggaatat aaagaaatga tcctaaatat 180
atatgtagtt ttatggctct aaatatgtat aaagctttat gatcactcgt gcc 233

```

```

<210> 62
<211> 2333
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc feature
<222> (3)
<223> n equals a,t,g, or c

```

```

<220>
<221> misc feature
<222> (6)
<223> n equals a,t,g, or c

```

```

<220>
<221> misc feature
<222> (7)
<223> n equals a,t,g, or c

```

```

<220>
<221> misc feature
<222> (14)

```

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2327)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2331)

<223> n equals a,t,g, or c

<400> 62

```
cgncgnnccg cganccacg cgtccggtg aagatatgtg gacttagtcc cactacaacc 60
ttagccatat attttgaggt tgtcaatcag cataatgctc caattcytca aggagggcgt 120
ggtgcaatcc agtttgtgac tcagtatcag cattcaagtg ggcagagacg catccgagtg 180
accaccattg ctaggaactg ggcagatgct caaactcaaa tccaaaacat tgctgcatct 240
tttgaccagg aggcagctgc cattcttatg gcccggttag caatatatag agcagaaaca 300
gaagaaggtc cagatgtgct taggtggctg gacagacagc tcattcgact gtgtcagaaa 360
tttgagagaat atcataaaga tgacccaagt tccttcagat tttcagaaac tttctccctt 420
tatccacagt ttatgtttca ttaagaaga tcttctttcc tgcaagtttt taacaatagt 480
cctgatgaga gtcatatta tcgtcaccat tttatgcgtc aagatctgac ccagtctcta 540
attatgattc agcctatcct gtatgcgtat tcttttagtg gaccaccaga gccggttctt 600
cttgatagca gtagcattct tgcagatcgt attcttctca tggacacatt cttccagatt 660
ttgatttata atggtgagac catagcacag tggcggaagt caggatacca ggatatgcct 720
gagtatgaaa atttccgcc cttctgcaa gcccagtggt atgatgcaca ggaaattctt 780
cactccagat ttccaatgcc aagatacatt gacactgaac atggaggcag ccaggcccgt 840
ttctcctttt caaaagtcaa cccttcacag actcataata atatgtatgc ctgggggcag 900
gagtctggag cacctattct tacagatgat gttagtttac aagtgtttat ggatcacttg 960
aagaaacttg ctgtgtccag tgctgcttga agtgctaata atgttaaaga cacttaagaa 1020
gatgaataa taatcaaat tcattttttc ctttttccat ttatctgttg aaaccaacag 1080
atatgtctct atattttttg tattagtatg gtttgagaca acatatggaa aatgttcaca 1140
tttgtagatt aagctggaat tataatgaga gcaataagaa caaatttatt ttgcttacca 1200
cagtgttata gctggttcta gaaatttgaa gtccttataa cttaattatg ttaataaaa 1260
aatagagtct gcctcgact acagatgtaa ctcatttgta tattgcagac agacccaaag 1320
tggcactgaa tttcttgct caccttttaa aaacttggtc cttaatttta gccagaaagc 1380
aaaaaaacaa tagtaatgat aaatgtgaac atttttgctt attcattgaa ttttttctg 1440
taattttcag cacttatgta tacacttttt ctgtacttac taggttaagg cagatttatt 1500
tttatgattt gtttaggaat tatttgattt tataatggta attttcatga tgataatgtt 1560
tttggttatt tggaaagata gtttagagat gaaaggtttt tttgggtaac aatcccgag 1620
ctgacaaaaa atgtgaaatt tccacaaaat atccaactta tgtgactaaa cgcagtagtt 1680
tttttaaaag gggagataga aaataaatgg ttttggtgga gtgcatttta gtaagccttt 1740
gcagtaaaat gacggttgta actactaaac caaatttagt tttcacagca tggttttgtt 1800
gttttcccct tgtttttcag aggtaaattt tgcattatat ccttcagtat tttaacacta 1860
ttttggcagt ttacacatta ctttttggtt ttccttcctt tttgtgaaat gtattaagtt 1920
gtggttctta ttgaaacagt attatataat gtttgcttaa ttatatcatg tgatgctcag 1980
ttctattttg atttattcat tagtattcac ttttaccttt aaagtttact tgtagcaa 2040
atgtttacat tgataaagcc agatatgttt tgacaatgaa atttacatat caagtactgc 2100
aaataaaagg tgggtgctatg atatatgctt aggaggacag ttttaatgat tgtacttgca 2160
tgaacacaat catatgatgg taaagcagaa acttaagaaa aaattgttta tgtgttatat 2220
tcaattagct taaataagtt gctttgttat attttatttg aattgaacta cgctaggcct 2280
```

aaatgccaat aaaatataact ttctactgtt aaaaaaaaaa aataaanacc nta 2333

<210> 63

<211> 1470

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1410)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1414)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1419)

<223> n equals a,t,g, or c

<400> 63

gcttcctgct gccaccctg tggttctgca gcccagtgcc caagtacttc ttcaagatgg 60  
ccttctacaa tggttgatc ctcttctggt ctgtgctcgc catccctgtg tgtgccgtgc 120  
gaggacgcaa cgtcgagaac atgamgatct tgcgtctaata gctgctccac atcaaatacc 180  
tgtacgggat ccgagtgagg gtgcgagggg ctcaccactt ccctccctcg cagccctatg 240  
ttgttgtctc caaccaccag agctctctcg atctgcttgg gatgatggag gtactgccag 300  
gccgctgtgt gccattgcc aagcgcgagc tactgtgggc tggctctgcc gggctggcct 360  
gctggctggc aggagtcac ttcatcgacc ggaagcgac gggggatgcc atcagtgta 420  
tgtctgaggt cggccagacc ctgctcacc aggacgtgag ggtctgggtg ttctctgagg 480  
gaacgagaaa ccacaatggc tccatgctgc ccttcaaacg tggcgccctc catcttgca 540  
tgcaggccca ggttccatt gtcccatag tcatgtcctc ctaccaagac ttctactgca 600  
agaaggagcg tcgcttcacc tcgggacaat gtcaggtgag ggtgctgcc ccagtgcca 660  
cggaagggtc gacaccagat gacgtcccag ctctggctga cagagtcgg cactccatgc 720  
tactgtttt ccgggaaatc tccactgatg gccggggtgg tggtgactat ctgaagaagc 780  
ctggggggcg tgggtgaacc ctggctctga gctctcctcc catctgtccc catcttctc 840  
cccacacct cccaccagt gggccctgaa gcagggcmaa accctcttcc ttgtctcccc 900  
tctccacct tattctctc tttggaatct tcaactctg aagtgaatgt ggatacagcg 960  
ccactctgc cccctcttg cccatccat ggactctgc ctgggtgag tctccactct 1020  
tgacccccc ctcctactgt cttgtctgtg ggacagttgc ctccccctca tctccagtga 1080  
ctcagcctac acaaggagg ggaacattcc atccccagtg gactctcttc ctatgtggtc 1140  
ttctctaccc ctctaccca cattggccag tggactcacc cattcttttg aacaaatccc 1200  
ccccactcca aagtocatg attcaatgga ctcattccatt tgtgaggagg acttctcgcc 1260  
ctctggctgg aagctgatac ctgaagcact cccaggtcca tcmtgggagc ttctctcagc 1320  
accttcacct tccctcccag tgtagcctcc tgtcagtggt ggctggaccc ttctaattca 1380  
gaggtctcat gcctgccctt gccagatgn ccangggtn tgcamtytyt ggggatacca 1440  
gttcagtctc camatttytg ggtttytggt 1470

<210> 64

<211> 939



<212> DNA  
<213> Homo sapiens  
  
<220>  
<221> misc feature  
<222> (3)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (4)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (11)  
<223> n equals a,t,g, or c

<400> 64  
agnntaccgg ntccggaatt cccgggtcgg acccagcgt cgggtctcct cagaagtgcg 60  
ttagctcttc ggtggtgtgc acacgtccgg aggcctagcc gtcgcgtacc taggatgccg 120  
cgtggaagcc gaagccgcac ctcccgcag gcccctccgg ccagccgggc ccctcagatg 180  
agagctgcac ccaggccagc accagtcgct cagccaccag cagcggcacc cccatctgca 240  
gttggtctct ctgctgctgc gcccgggcag ccagggtctga tggcccagat ggcaaccact 300  
gcagctggcg tggctgtggg ctctgctgtg gggcacacat tgggtcacgc cattactggg 360  
ggcttcagtg gaggaagtaa tgctgagcct gcgaggcctg acatcactta ccaggagcct 420  
cagggaaccc agccagcaca gcagcagcag ccttgcctct atgagatcaa acagtttctg 480  
gagtgtgccc agaaccaggg tgacatcaag ctctgtgagg gtttcaatga ggtgctgaaa 540  
cagtgccgac ttgcaaacgg attggcctaa tgaagaagtt caacctggag agatggaaaa 600  
tcagctctca taactaagtt aatttagtat aaaaatagaa ttgatagtga gggataaaag 660  
tgtaaccatc agttaaacct ctctgtcat tcctagcttc cttgcttcag aattgaaatg 720  
gaagtggggg tgtccctact ctgtagaatc tgggactggg caaatgtttg tgtggcctcc 780  
ttaactagc tgttatgtta tgattttatt ctttgtgagt taattagaat aaagtcattt 840  
tcttccaagg tatggttcat ttagtctata gtctctggtt atgaaattag catcctccca 900  
gatctgacag ctccctgagg gggtatataa ggagtagct 939

<210> 65  
<211> 2068  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (308)  
<223> n equals a,t,g, or c

<400> 65  
gtaggaagtg tctgtagccg cagctgcgsg tccgggattc ccagccatgg cagattcctc 60  
cgggcagcag gtcctgact acaggcccat tctgagcatt agtgacgarg cagccagggc 120  
acaagccctg aacgagcacc tcagcacgcg tagtatgtcc aggggtactc actgtcccaag 180  
gcagacgtgg acgcgttcag gcagctctcg gccccgcccg ctgaccccca gctcttccac 240

```

gtggctcggg ggttcaggca catagaagcg ctccctgggta rccctgtggg caaaggccag 300
ccctgcangc tyccaagcar gcaaaggccg gcgtgtgcag cccagtggt cccctcctgc 360
tgggaccas catgcagact ccacctttac aacagcctca ccaggaacaa ggaagtgttc 420
atacctcaag atgggaaaaa ggtgacgtgg tattgtgtgt ggccaaccgt ctatgacgca 480
tctcacatgg ggcacgccag gtcctacatc tcttttgata tcttgagaag agtgttgaag 540
gattacttca aatttgatgt cttttattgc atgaacatta cggatattga tgacaagatc 600
atcaagaggg cccggcagaa ccacctgttc gagcagatc gggagaagag gcctgaagcg 660
gcacagctct tggaggatgt tcaggccgcc ctgaagccat tttcagtaaa attaaatgag 720
accacggatc ccgataaaaa gcagatgctc gaacggattc agcacgcagt gcagcttgcc 780
acagagccac ttgagaaagc tgtgcagtcc agactcacgg gagaggaagt caacagctgt 840
gtggaggtgt tgctggaaga agccaaggat ttgctctctg actggctgga ttctacactt 900
ggctgtgatg tcactgacaa ttccatcttc tccaagctgc ccaagttctg ggagggggac 960
ttccacagag acatggaagc tctgaatggt ctccctccag atgtcttaac ccgggttagt 1020
gagtatgtgc cagaaattgt gaactttgtc cagaagattg tggacaacgg ttacggctat 1080
gtctccaatg ggtctgtcta ctttgataca gcgaagtttg cttctagcga gaagcactcc 1140
tatgggaagc tgggtgcctga ggccgttga gatcagaaaag cccttcaaga aggggaaggt 1200
gacctgagca tctctgcaga ccgcctgagt gagaagcgt ctcccaacga cttgcctta 1260
tggaaggcct ctaagcccgg agaaccgtcc tggccgtgcc cttggggaaa gggtcgtccg 1320
ggctggcata tcgagtgtc ggccatggca ggcacctcc taggggcttc gatggacatt 1380
cacggaggtg ggttcgacct ccggttcccc caccatgaca atgagctggc acaktcggag 1440
gcctactttg aaaacgactg ctgggtcagg tacttctctg acacaggcca cctgaccatt 1500
gcaggctgca aaatgtcaaa gtcactaaaa aacttcatca ccattaaaga tgccttgaaa 1560
aagcactcag cacggcagtt gcggctggcc ttctcatgc actcgtggaa ggacaccctg 1620
gactactcca gcaacacat ggagtcagcg cttcaatatg agaagttctt gaatgagttt 1680
ttcttaaatg tgaaagatat ctttcgctg cctgttgaca tcaactgtga gtttgagaag 1740
tggggagaag aagaagcaga actgaataag aacttttatg acaagaagac agcaattcac 1800
aaagccctct gtgacaatgt tgacacccgc accgtcatgg aagagatgcg ggccttggtc 1860
agtcagtgc acctctatat ggcagcccgg aaagccgtga ggaagaggcc caaccaggct 1920
ctgctggaga acatgcacct gtacctcacc catatgctga agatctttgg ggcgtagaa 1980
gaggacagct ccctgggatt cccggtcgga gggcctggaa ccagcctcag tctcgaggcc 2040
acagtcatgc cctaccttca ggtgttat

```

2068

&lt;210&gt; 66

&lt;211&gt; 1391

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (16)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (20)

&lt;223&gt; n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (25)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (27)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1343)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1358)  
<223> n equals a,t,g, or c

<400> 66  
nccacgcgctc cgcggnacgn tggngnnttt taaaatgggt ttttttgttg ttgttgatgg 60  
gggggggagag ggtccagcat tttttaaatg ttttcacatc gtgtgttcca aaaataactg 120  
gttagcctaa gtcacttcca cctccaatg ttgtgaatgc agtctctagc attcgctatt 180  
taatgtcttc ttcctgcact atttgagaaa tcgcgaggtc gacttaatac cgcagtcgcc 240  
acttcgcgga ccggaggcgg agtctgctta gttctgagga ctgcgtgggt ccgcgcagag 300  
agctcctgct aggcctgcgc gtcccgttct aaattcttac cctttagtyc ttgtcaccac 360  
ccccgcgctg ggaacggcct gacagtcact cgtcaaagga agtggctgcc ggcagctctt 420  
gacccggaat cggatcctag tcccaccccc tccgctccag gcttccttct gcaacaggcg 480  
tgggtcacgc tctcgctcgg totttctgcc gccatcttgg tcccgcttc cctgcacaaa 540  
atgcccggcg aagcacagaa accgtccctg ctacagagca ggagttgccg cagccccagg 600  
ctgagacagg gtctggaaca gaatctgaca gtgatgaatc agtaccagag cttgaagaac 660  
aggattccac ccaggcaacc acacaacaag cccagctggc ggcagcagct gaaatcgatg 720  
aagaaccagt cagtaaagca aaacagagtc ggagtgaata gaaggcacgg aaggctatgt 780  
ccaaactggg tcttcggcag gttacaggag ttactagagt cactatccgg aaatctaaga 840  
atatcctctt tgtcatcaca aaaccagatg tctacaagag cctgcttca gatacttaca 900  
tagtttttgg ggaagccaag atcgaagatt tatcccagca agcacaacta gcagctgctg 960  
agaaattcaa agttcaaggt gaagctgtct caaacattca agaaaacaca cagactccaa 1020  
ctgtacaaga ggagagtga gaggaagagg tcgatgaaac aggtgtagaa gttaaggaca 1080  
tagaattggc catgtcaca gcaaatgtgt cgagagcaaa ggcagtccga gccctgaaga 1140  
acaacagtaa tgatattgta aatgcgatta tggaaattaac aatgtaacca tatggaagca 1200  
actttttttg gtgtctcaaa ggagtaactg cagcttggtt tgaaatttgt actgtttcta 1260  
tcataaataa agttatggct tcttgttgga tgaaaaaaa aaaaaaaaaa aaaaaaaaaa 1320  
aaaaaaaaaa aaaaaaaagg cgnggccgca ggcttttnc ctttggtggg gggtattttt 1380  
ggcttgccc t 1391

<210> 67  
<211> 659  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (139)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (475)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (585)  
<223> n equals a,t,g, or c

<400> 67  
gcaaggctgc tgctatgggg ccgggcggcg tgtggcgcg ctgctcgccc cactaatgtg 60  
gcgcagggcg gtttcctcgg tggcggggtc cgcggttggg gccgagcccg ggcttcgggt 120  
gctggccgtg cagcgyttnc ccgtagagca gcgttctgcc gggcttgcca gaccccaaac 180  
tttgtccgcg gcctgcacag cgaagcctgg gctggaggag cgggcggagg ggacgggtcaa 240  
cgagggacgc ccagaatcgg acgcggcaga tcatactggg cccaagtttg acatcgatat 300  
gatggtttca cttctgaggc aagaaaatgc aagagacatt tgtgtgatcc argttcctcc 360  
agaaatgaga tatacagatt actttgtgat tgtagtgga acttctaccc gacacttaca 420  
tgccatggcy ttctacgttg tgaaaatgta caaacacctg aaatgtaaac gtganccctc 480  
atgttaagat agaagggaag gacactgatg actggctgtg cgtggatttt ggcagcatgg 540  
tggttcatt tgaatgcttc cagaaaacca gagaaatcta tgganttaga gaaattatgg 600  
accctacgtt cttatgaatg accagtttagc tcagatagca cctgaggaca gtacctgta 659

<210> 68  
<211> 2981  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (2858)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (2948)  
<223> n equals a,t,g, or c

<400> 68  
ggcagagggt ttccggcctg agaaaccgtc atgtttcttg ggagtcacct cagctggcag 60  
ttaccaccgt gttagaaagc agcctcagga ccggccacct ccatcactgg cgtcaccatg 120  
ggggctgtgc tgggtgtott ctccctcgcc agctgggttc catgcctctg cagcgggtgc 180  
tcatgtttgc tgtgtagttg ctgtcctaac agtaagaatt ccacggtgac tcgcctcatt 240  
tatgctttca ttctcctcct gagcactgtc gtatcctata tcatgcagag aaaagagatg 300  
gaaacttact tgaagaagat tcctggattt tgtgaagggg gatttaaaat ccatgaggct 360

```

gatataaatg cagataaaga ttgtgatgtg ctggttggtt ataaagctgt gtatcggatc 420
agcttttgcca tggccatctt tttctttgtc tttctctctg tcatgttcaa agtaaaaaaca 480
agtaaagatc tccgagcggc agtacacaat ggggttttgg tcttcaaaat tgctgccctt 540
attggaatca tgggttggtc tttctacatc cctgggggct atttcagctc agtctgggtt 600
gttgttggtc tgataggggc cgccctcttc atcctcattc agctgggtgt gctggtagat 660
tttgctcatt ctggaatga atcatgggta aatcgaatgg aagaaggaaa cccaagggtg 720
tggtagctg ctttactgtc tttcacaagc gccttttata tcctgtcaat catctgtgtc 780
gggtgtgtct atacatatta caccaaacca gatggctgca cagaaaacaa gttcttctc 840
agtattaacc tgatcctttg cggtgtggct tctattatat cgatccaccc aaaaattcag 900
gaacaccagc ctgctccgg cctcttgagc tcctccctca tcacctcta cactatgtac 960
ctcacctggc cagccatgtc caatgaacct gatcgttctt gcaatcccaa cctgatgagc 1020
tttattacac gcataactgc accaacctg gctcctggaa attcaactgc tgtgggtccct 1080
accctactc caccatcaaa gagtgggtct ttactggatt cagataattt tattggactg 1140
tttgcctttg ttctctgctt cttgtattct agcatccgca cttccactaa tagccaagta 1200
gacaagctga ccctgtcagg gagtgacagc gtcattcctt gtgatacaac taccagtggc 1260
gccagtgtg aagaagatgg acagcctcgg cgggctgtgg acaacgagaa agagggagtg 1320
cagtatagct actccttatt ccacctcatg ctctgcttgg ctctcttcta catcatgatg 1380
accctgacca gctggtagag ccctgatgca aagtttcaga gcatgaccag caagtggcca 1440
gctgtgtggg tcaagatcag ctccagctgg gtctgcctcc tgctttacgt ctggaccctt 1500
gtggtccac ttgtctcac cagtcgggac ttcagctgaa cctctgagt ccaaggacac 1560
cactggaact cacaagggtc tccttcaccg aaaaccata taccttttaa gtttgtttca 1620
actaaaatat taagtgaatg ctttgcaagt ttgactgtat gcaggtttat atcagaaggt 1680
gagattgaat aatgcttgat gcagaatcga aacttctcat ttatctgtat attatgttta 1740
cttctaagga tatagcacia agggaacatt ttttgtttaa agtgaactac agctgtgctg 1800
tgaagagagt tctttataaa gcctgtaggt tcttttaact ttgggtttaaa atgtaagata 1860
ggaaaatgtt ggatatttga ggccatgctt aatataattt tattgcagta tcctttaaaa 1920
gcaaaaaaaa aaaaatgcat ttatattaca gtttctctct atgaaagtcc ttacttatat 1980
gatacaagca ctgtgttttg tgcttaaaact cttcagcggg gtagcatcaa agttcttggg 2040
gaaggatcgt atatgtgggt cccttcctta gaagaatggg tgctgatatg gctactgctt 2100
ctacatcttg agttttttta tttacttttt ttactactga gcattgagac tgcttgattc 2160
aagtctggtg ctttgccaga tgtattaatt tccataaatg ctttgtgagt ttgggttaaaa 2220
tgaagattca cttgggaaaa cactgcagct ttagtctgtg ttactatctt gttatgagta 2280
tgtaaaagta aaatgcatgt gaatttatca tatttgact atgaaggtat ttgggttaaaa 2340
tacaaagact ttttaagatt taaggccctt tcttccaaca gcttttatag ttagcagcca 2400
ttctttatct tctggatagc caggttttat cacgcttcta gtcaggatgc tctattcct 2460
tctaaaaatt acggtctgac tagtgagcaa agtcttgaat ttattcaaaa gtcctaaata 2520
ccttctctag gtaagacact tggtagatga gagacggaag gcattgtcaa gaaccatttt 2580
catgagaggt ggtgtgcaaa aaggtagaat aaaagagttc tttcaamaaa gatttactgt 2640
ctawtctgta ctagacctg taggttttgg ggtacagtgt taaacatgat agaggctctg 2700
ccgtcttga ctttaatagc ttagagaaga gagcaaatga gctgacaggt ggttataatg 2760
tgaattagt ctgtggttta ggaattggag agaactcaaa ggagaggtat ttggtgtaat 2820
ggtaggcttt ctggagaaaa tgatatttaa gccaanct cttagaagtt agctaagaga 2880
gagatgggaa aatgagacga cattgctgga gtagataaaa ctgcatgtta aaggcaggaa 2940
gatggggnaa aaaattccat aaaactggaa tggggaaatg t 2981

```

&lt;210&gt; 69

&lt;211&gt; 603

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

<221> misc feature  
<222> (584)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (590)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (595)  
<223> n equals a,t,g, or c

<400> 69  
tcgacccacg cgtccggcac cgggggaaca aggtcgtgaa aaaaaagggtc ttggtgaggt 60  
gccgccatth catctgtcct cattctctgc gcctttcgca gagcttccag cagcgggtatg 120  
ttggggccaga gcatccggag ttcacaacct ctgtggtccg tagagccact atgaggaggg 180  
ccctgggaag aatttgccat tttcagtgkg taaggggcac ggcttcggtg ggggaggggg 240  
cgcttggttg tgactcgcgc acctgcaagg ccgcctccgg gctgtggcgt gggagatgat 300  
agccagaaac caggctgaga cgcagactag cattccactt agcccaagga ccagttagga 360  
agctgggcat cctagcgcgt accgctaaag gaatgggcag gtagatccgg aagccctgcc 420  
tccatcagcc acctgacgcc ccctcccccg ccccgagaa agccctgaga tggcyccggg 480  
aggccacggc ttaggtgtg ttggttaaag ccgagctgga ggtcatcgga cccgaaatga 540  
aggtcattgg aaaatcatga ggaaatcagg gctctgggta tggnacaggn ttttnaaact 600  
agc 603

<210> 70  
<211> 1101  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (195)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1080)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1081)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1090)  
<223> n equals a,t,g, or c

&lt;400&gt; 70

```

aattcggcac gagcacagct catgttttcc agcctgtgtg ggagcttggt ctgaagagag 60
attaagtgat agcctactta tggatcctgg agaattcttc agaaatccat gtgtaactca 120
ggtgcctatt tggttatgac aaaagatatg gctaattttt attttgaaaa gtttgaataa 180
acttagtttt ctctntttcc acttgcaaag agttttgatg atggagacta ttttcctgtg 240
tggggcacat gccttggatt tgaagagcct tcactgctga ttagtgagaga gtgcttatta 300
actgccacag atactgttga cgtggcaatg ccgctgaact tcactggagg tcaattgcac 360
agcagaatgt tccagaatth tcctactgag ttgttgctgt cattagcagt agaacctctg 420
actgccaat tccataagtg gagcctctcc gtgaagaatt ttacaatgaa tgaaaagtta 480
aagaagtttt tcaatgtctt aactacaaat acagatggca agattgagtt tatttcaaca 540
atggaaggat ataagtatcc agtatatggg gtccagtggc atccagagaa agcaccttat 600
gagtggagaa atttggatgg catttcccat gcacctaatg ctgtgaaaac cgcattttat 660
ttagcagagt tttttgttaa tgaagctcgg aaaaacaacc atcattttta atctgaatct 720
gaagaggaga aagcattgat ttatcagttc agtccaattt atactggaaa tatttcttca 780
tttcagcaat gttacatatt tgattgaaag tcttcaattt gttaacagag caaatttgaa 840
taattccatg attaaactgt tagaataact tgctactcat ggcaagatta ggaagtcaca 900
gattcttttc tataatgtgc ctggctctga ttcttcattc tgtatgtgac tatttatata 960
acattagata attaaatagt gagacataaa tagagtgttt ttcattggaa agccttctta 1020
tatctgaaga ttgaaaaaaa taaatttact gaaatacaaa aaaaaaaaaa aaaaaaatn 1080
nctcggtcgn caagggaatt c 1101

```

&lt;210&gt; 71

&lt;211&gt; 714

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 71

```

ggcagagaaa ctgtggcggg atagttttct ggtccttgtc cagtgaacac cctcggtctg 60
gaagtcagtt cgttctctcc tctcctctct tcttgtttga acatgggtgcg gactaaagca 120
gacagtgttc caggcactta cagaaaagtg gtggctgtct gagccccag aaagggtgctt 180
ggttcttcca cctctgccac taattcgaca tcagtttcat cgaggaaaga gcatgtcctt 240
tgcaacctga tcacacaaat gatgaaaaag aatagaactt tctcattcat ctttgaataa 300
cgtctccttg tttaccctgg tattctagaa tgtaaattha cataaatgtg tttgttccaa 360
ttagctttgt tgaacaggca tttaatthaa aaatttaggt ttaaatttag atgttcaaaa 420
gtagtgtgta aatttgagaa tttgtaagac taattatggg aacttagctt agtattcaat 480
ataatgcatt gtttggtttc ttttaccaaa ttaagtgtct agttcttgc taaaatcaagt 540
cattgcattg tgttctaatt acaagtatgt tgtatttgag atttgcttag attggtgtac 600
tgctgccatt tttattgggt tttgattatt ggaatgggtc catattgtca ctcttctac 660
ttgcttthaa aagcagagtt agatttttgc acattaaaaa attcagtatt aatt 714

```

&lt;210&gt; 72

&lt;211&gt; 2890

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (555)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2853)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2882)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 72

```
aggggaattga gcacccggca gcggtctcag gccaaagcccc ctgccagcat ggccagcgag 60
ttcaagaaga agctcttctg gagggcagtg gtggccgagt tcctggccac gaccctcttt 120
gtcttcatca gcacgggttc tgccctgggc ttcaaatacc cgggtgggaa caaccagacg 180
gcggtccagg acaacgtgaa ggtgtcgtg gccttcgggc tgagcatcgc cacgctggcg 240
cagagtgtgg gccacatcag cggcgccac ctcaaccgg ctgtcacact ggggctgctg 300
ctcagctgcc agatcagcat cttcgtgcc ctcatgtaca tcatcgcca gtgcgtgggg 360
gccatcgtcg ccaccgcat cctctcaggc atcamctcct ccctgactgg gaactcgctt 420
ggccgmaatg acctggctga wgtgtgaac ttcgggccc car ggccctgggca tcgagatcat 480
cgggaccctc cagctgggtg tatgcgtgct ggctactacc gaccggaggc gccgtgamct 540
tggtggctca gccnccctt gccatcgccc tctctgtagc ccttgggaca cctcctgggt 600
attgactaca ctggctgtgg gattaaccct gctcggctcct ttggctccgc ggtgatcaca 660
cacaacttca gcaaccactg gattttctgg gtggggccat tcacggggg agccctggct 720
gtactcatct acgacttcat cctggcccca cgcagcagtg acctcacaga ccgcgtgaag 780
gtgtggacca gcggccagggt ggaggagtat gacctggatg ccgacgacat caactccagg 840
gtggagatga agcccaaata gaaggggtct ggcccgggca tccacgtakg gggcaggggc 900
agggcggggc garggagggg agggtgaaat ccatactgta gacactctga caagctggcc 960
aaagtcaact ccccagatc tgccagacct gcatggtcaa gcctcttatg ggggtgtttc 1020
tatctcttct tttctcttct tgtttcctgg cctcagagct tcctggggac caagatttac 1080
caattcacc actcccttga agttgtggag gaggtgaaag aaagggaccc acctgctagt 1140
cgcccctcag agcatgatgg gaggtgtgcc agaaagtccc ccctcgcccc aaagtgtctc 1200
accgactcac ctgcgcaagt gcctgggatt ctaccgtaat tgctttgtgc ctttgggcac 1260
ggccctcctt ctttccctaa catgcacctt gctcccaatg gtgcttggag ggggaagaga 1320
tcccaggagg tgcatggagg ggggcaagct ttgctccttc agttctgctt gctcccaagc 1380
ccctgacctg ctggaactta ctgcctgacc ttggaatcgt ccctatatca gggcctsaag 1440
gacctccttc tgcaaatgag cagggaccgg cagagctcta caggcctgca gcccctaagt 1500
gcaaacacag catgggtcca gaagacgtgg tctagaccag ggctgctctt tccacttgcc 1560
ctgtgttctt tcccagggg catgactgtc gccacacgcc tctgtgtaca tgtgtgcaga 1620
gcagacaggc tacaagcag agatcgacag acagccagggt agttggaact ttctgttccc 1680
tatggagagg cttccctaca cagggcctgc tattgcagaa tgaagccatt tagagggtga 1740
aggagaaata cccatgttac ttctctgagt tttagttggt ctttccatct atcactgcat 1800
tatcttgtct attcttcagt tctctactcc ctcttgtcag tgtagacaca ggtcaccatt 1860
atgctggtgt atgtttatca aagagcactt gagctgtctg aagcccaaag cctgaggaca 1920
gaaagaccct gatgcaggtc agcccatgga ggcagatgcc cttgctgggc ctgggggttt 1980
tccaagccct cagctgggtc tgaccaggat ggagcaagct cttcccttgc tcatgagctc 2040
ctgatcagag gcatttgagc agctgaataa cctgcacagg cttgctgtat gaccctggc 2100
cacagccttc cctctgcatt gacctggagg ggagaggcca gccttgacct aatgaggtag 2160
ctatagtgc agccaagga cagttcagag atcaggatca gcttgaagg ctggattcta 2220
tctacataag tcctttcaat tccaccaggg ccagagcagc tccaccactg tgcacttagc 2280
catgatggca acagaaacca agagacacaa ttacgcagggt atttagaagc agagggacaa 2340
ccagaaggcc cttaactatc accagtgcac cacatctgca cactctcttc tccattccct 2400
```



```

agcaggaact tctagctcat ttaacagata aagaaactga ggcccacggt ttcagctaga 2460
caatgatttg gccaggccta gtaaccaagg ccctgtctct ggctactccc tggaccacga 2520
ggctgattcc tctcatttcc agcttctcag tttctgcctg ggcaatgcca ggggccagga 2580
gtggggagag ttgtgatgga ggggagaggg gtcacacca cccctgcct ggttctagga 2640
tgctgcacac caaggccctg catctgtctg ctctgcatat atgtctcttt ggagtggaa 2700
tttcattata tgtaagaaa ataaaggaaa atgacttgta aggtcaaaaa aaaaaaaaaa 2760
aaaaaaaaa aaaaagggcg gccgttctag gaggatccaa gcttacgtac ggggtcatgg 2820
gacgtcatag ctcttcttta agtgtcacc aanttcaatt cattgggcct cgtttttaca 2880
antcgtgact                                     2890

```

<210> 73

<211> 2488

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (277)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (446)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2382)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2412)

<223> n equals a,t,g, or c

<400> 73

```

ggcagagtga ccacgtcca tactgggaga ggcttctggg tcaaaggacc agtctgcaga 60
gggatcctgt ggctggaags gaggaggctc cacacggccg ttgcagctac cgcagccagt 120
agagacaggg ttctgccatc ttggccaggc tggctctaaa ctctgacct ctggtgatcc 180
accgcctcgc gcctcccaaa gtgtagggat tacagggtgtg agccaccgca cccggccagg 240
gcacccctct ctctaacaca ggatctgggc atccagnac ggccatgacc cctccaaggc 300
tcttctgggt gtggctgctg gttgcaggaa cccaaggcgt gaacgatggt gacatgcggc 360
tggccgatgg gggcgccacc aaccagggcc gcgtggagat cttctacaga ggccagtggg 420
gcactgtgtg tgaacaacct gtgggnacct gactgatgcc agcgtcgtct gccgggccct 480
gggcttcgag aacgccacc aggctctggg cagagctgcc ttcgggcaag gatcaggccc 540
catcatgctg gacgaggtcc agtgcacggg aaccgaggcc tcactggccg actgcaagtc 600
cctgggctgg ctgaagagca actgcaggca cgagagagac gctggtgtgg tctgcaccaa 660
tgaaaccagg agcaccacaa ccctggacct ctccaggagg ctctcggagg cccttggcca 720
gatctttgac agccagcggg gctgcgacct gtccatcagc gtgaatgtgc agggcgagga 780
cgccctgggc ttctgtggcc acacggtcat cctgactgcc aacctggagg cccaggccct 840
gtggaaggag ccgggcagca atgtcaccat gagtgtggat gctgagtgtg tgcccatggt 900

```

```

cagggacttc tcaggtactt ctactcccca aggattgaca tcaccctgtc gtcagtcaag 960
tgcttccaca agctggcctc tgcttatggg gccaggcagc tgcagggcta ctgcgcaagc 1020
ctctttgcca tcctcctccc ccaggacccc tcgttccaga tgcccctgga cctgtatgcc 1080
tatgcagtgg ccacagggga cgccctgctg gagaagctct gcctacagtt cctggcctgg 1140
aacttcgagg ccttgacgca ggccgaggcc tggcccagtg tccccacaga cctgtccaa 1200
ctgtgctgc ccaggagcga cctggcgggtg cccagcgagc tggccctact gaaggccgtg 1260
gacacctgga gctgggggga gcgtgcctcc catgaggagg tggagggcct ggtggagaag 1320
atccgcttcc ccatgatgct ccctgaggag ctctttgagc tgcagttcaa cctgtccctg 1380
tactggagcc acgaggccct gttccagaag aagactctgc aggccctgga attccacact 1440
gtgcccttcc agttgctggc ccggtacaaa ggccctgaacc tcaccgagga tacctacaag 1500
ccccggattt acacctcgcc cacctggagt gcctttgtga cagacagttc ctggagtga 1560
cggaagtcac aactggtcta tcagtccaga cgggggcctt tggtaaata ttcttctgat 1620
tacttccaag cccctctga ctacagatac taccctacc agtccttcca gactccaaa 1680
caccacagct tcctcttcca ggacaagagg gtgtcctggt ccctggtota cctccccacc 1740
atccagagct gctggaacta cggtctctcc tgctcctcgg acgagctccc tgtcctgggc 1800
ctcaccaagt ctggcggtc agatcgacc attgcctacg aaaacaaagc cctgatgtc 1860
tgcgaagggc tcttcgtggc agacgtcacc gatttcgagg gctggaaggc tgcgattccc 1920
agtgccctgg acaccaacag ctggaagagm acctcctcct tcccctgccc ggcaggcact 1980
tcaacggctt ccgcacggtc atccgcccct tctacctgac caactcctca ggtgtggact 2040
agacggcgtg gcccagggt ggtgagaacc ggagaacccc aggacgcct cactgcaggc 2100
tcccctcctc ggcttccttc ctctctgcaa tgaccttcaa caaccggcca ccagatgtcg 2160
ccctactcac ctgagcgctc agcttcaaga aattactgga aggcttccac tagggtccac 2220
caggagttct cccaccacct caccagtttc cagggtgtaa gcaccaggac gccctcgagg 2280
ttgtcttggg atccccccac agcccctggt cagtctgccc ttgtcactgg tctgaggtca 2340
ttaaaattac attgaggttc ctaaaaaaa aaaaaaaaa aaaaaaaaa aaaaaaaag 2400
gsggcgcgtc tngaggatcc ctcgaggggc ccaagcttac gcgtgcatgc gacgtcatag 2460
ctctctccct ataattggaat cgtattat 2488

```

&lt;210&gt; 74

&lt;211&gt; 711

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (696)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 74

```

ggcacgagcc ggagtggctg gtgggtggga tggaggcgac cttggagcag cacttggaag 60
acactatcta tgtaaaattc aaaactggaa agtataaag ggtacagaga gacacctgcc 120
tcccaccgat gtccctcagc ttccacttac cctccaggag aatgaagaat ccctccattg 180
ttggagtcct gtgcacagat tcacaaggac ttaactctgg ttgccgagg accctgtcag 240
atgagcatgc tggagtata tctgttctag cccagcaagc agctaagcta acctctgacc 300
ccactgatat tcctgtggtg tgtctagaat cagataatgg gaacattatg atccagaaac 360
acgatggcat cacggtggca gtgcacaaaa tggcctcttg atgctcatat ctgttcttca 420
gcagcctgtc ataggaactg gatcctacct atgttaatta cttatagaa ctactaaagt 480
tccagtagtt aggccattca tttaatgtgc attaggcact tttctgttta tttaagagtc 540
aattgcttcc taatgctcta tggaccgact atcaagatat tagtaagaaa ggatcatgtt 600
ttgaagcagc aggtccaggc cactttgtat atagaatttt gctgtattca ataaatctgt 660
ttggaggaaa aaaaaaaaa aaaaaattac tgcggnccga caagggaatt c 711

```

<210> 75  
<211> 906  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (4)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (362)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (889)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (894)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (897)  
<223> n equals a,t,g, or c

<400> 75  
nctncccata accatgttcc catgtgggtg gtcgatgggg ctgcagaagg ccgggaggag 60  
ccgctggggc agcctgggtgc tccggcatag acgtgtgtgg gtggtcaagg caggtcactc 120  
tgccccctctg agcctcagtc ttctgccagt gacgcaggga gacggcactg actgcctccc 180  
aggagcgtcg gtggcctgca gaagatgcgc aggaagctgg gmctcgtgca ggtggagctg 240  
gaggaagacg gggcgctggg gtccaagctc ctggagacca tgcactaac cggtgccgac 300  
ttsacaaaca ccttctactt gctgagctcc ttcccagtg agctagagtc gccaggcctg 360  
gnsqaattcc tggccaggct gatggagcag tgtgcctccc tggaggagct gaggctggcc 420  
ttccggcccm agatggatcc ccggcagcta tccatgatgc tgatgctggc gcagtcaaac 480  
ccgcagctgt tcgcgcttat gggcaccggc gcaggcatcg ccagggagct ggagcgtgtg 540  
gagcagcagt ctgggctgga gcagctgagt gcggcagagc tgcaagagcag gaaccagggc 600  
cactgggctg actggctaca ggcgtacaga gcccggtgg acaaggacct ggaaggcgct 660  
ggggacgctg ccgcctggca ggctkgagca cgtgcgctg atgcacgcca acaaccgaa 720  
gtacgtgctg aggaactaca ttccgcgaga atgccattcg aggttgccga gcgcggggat 780  
tttccagagg tgcggcgggt gttgaaatta tttgagacct tttaccattg cgaggcgggg 840

gccgccacaa gacggccgag gccacgggaa gccgacgggg gcggacggna aggnagnttt 900  
 cttaca 906

<210> 76  
 <211> 271  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc feature  
 <222> (36)  
 <223> n equals a,t,g, or c

<400> 76  
 gaacactcta ctttatgcag gaatagcaga gatgancat ggttgggaag acactagaat 60  
 tcagccagga gaatatcatt aaaagaggga gaaggaaaa cagacttttt gtgtggtaca 120  
 aaaacaaaac cctctgtatc attatgtgaa caacggtgca aaaaagagga gacacagttt 180  
 acccatgggt agctaactat gatagtgaat gttgccttga accttgtttt agaaaaatgg 240  
 caagtgtggg tctcactctt ctagttcctg a 271

<210> 77  
 <211> 673  
 <212> DNA  
 <213> Homo sapiens

<400> 77  
 ttccgacaga gggtagaccag cggcgggtca cgtgacgagg tgccctggcg cgagcctccc 60  
 aagatggcgg tgtgcatcgc ggtgattgcc aaggagaatt acccctctta cattcgcagc 120  
 acccctacgg agaacgagct gaagttccac tacatggtgc acacatctct ggacgtggtg 180  
 gatgagaaga tctccgcaat ggggaaggcc ctggtcgacc agaggagct gtacctgggc 240  
 ctgctctacc ccacggagga ctacaaggta tacggctacg tcaccaactc caaggtgaag 300  
 ttgtcatggt tggtagattc ctccaacaca gcccttcgag acaacgaaat tcgcagcatg 360  
 ttccggaagc tacacaactc ctacacagac gtgatgtgca accccttcta caaccgggg 420  
 gaccgcatcc agtccagggc ctttgataac atggtgacgt cgatgatgat acaggtgtgc 480  
 tgagtgaact gtgctgccag ccacgcgaga ggagcccgcg cagcactgtg gtggggccgt 540  
 cggctctgtt tgggtgcctc ttctgaatg ggagccctgg ggctttcagg gcaggcagct 600  
 gtgcatgttc tctcaactaa aggtcttgtg agaggaaaaa aaaaaaaaaa aaaaaaactc 660  
 gggggggggc cgg 673

<210> 78  
 <211> 367  
 <212> DNA  
 <213> Homo sapiens

<400> 78  
 cttgctttct ttcttacctc tgaaggagaa aagaaagttg ctacttacat gtttgaaaaa 60  
 cctctcaaact ctactcagtc aaaagatttt atgcttcaat ttgggtcatat gtttaagagtt 120  
 tagctttctaa actgatacct cagtagccca tagtttaaaag gagtaaagag tacatggatg 180  
 cttttggtac tactcagaag ctctgagttt ctgggccact gaaaccctga aaagtagcta 240  
 aatacgttca cttgctattt taatccatca ctgtagatat gactcagtc ctttggttatt 300  
 ttcccccaat ttgaaacaat ttaatgtgct gaaaagataa ctttctcctt ttttctttct 360

ttttctc

367

&lt;210&gt; 79

&lt;211&gt; 1344

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1319)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 79

```

gttctgagga gtttccccct tggcagccat gagccggcag ttctggtagt gactgctggg 60
ccctgctgga cagcggtcgc atgcagctcc tatgaggccc ctgccgccgg tcggcgatgt 120
cgggctggag ctgtcgccct cgccgccgct gctgccggtg ccggttgtga gcgggtctcc 180
agtcggctcc tctgggcgtc tcatggccct tagcagctcc ctggtgcccg accggtgcg 240
cctgccgctc tgcttcctgg gtgtctttgt ctgctatttt tactatggga tcctgcagga 300
aaagataaca agaggaaagt atggggaagg agccaagcag gagacgttca cctttgcctt 360
aactttggtc ttcattcaat gtgtgatcaa tgctgtgttt gccaaagatct tgatccagtt 420
ttttgacact gccagggtgg atcgtaccgg gagctggctc tatgctgcct gttctatctc 480
ctatctgggt gccatggtct ccagcaattc agcactacag tttgtcaact acccaactca 540
ggtccttggg aaatcctgca agccaatccc agtcatgctc cttgggggtga ccctcttgaa 600
gaagaagtac ccgttggcca agtacctgtg tgtgctgtta attgtggctg gaggggccct 660
tttcatgtac aaacccaaga aagttgttgg gatagaagaa cacacagtcg gctatggaga 720
gctactcttg ctattatcgc tgaccctgga tggactgact ggtgtttccc aggaccacat 780
gcgggctcat taccaaacag gctccaacca catgatgctg aacatcaacc tttggtcgac 840
attgctgctg ggaatgggaa tcctgttcac tggggagctc tgggagttct tgagctttgc 900
tgaaaggtag cctgccatca tctataacat cctgctcttt gggctgacca gtgccctggg 960
tcagagcttc atctttatga cgttgtgtga ttttgggtccc ctgacctgct ccatcatcac 1020
tacaactcga aagttcttca caattttggc ctctgtgata ctcttcgcca atcccatcag 1080
ccccatgcag tgggtgggca ctgtgcttgt gttcctgggt cttggtcttg atgccaagtt 1140
tgggaaagga cgtaaagaaga catcccacta ggaagagaga gactacctcc acatcaagaa 1200
tatttaagtt attatctcaa acagtacat ctcttgggaa aatggactta ataggaatat 1260
gggactgagt tccagtcttt tttaataaaa taaaatcaag caaaaaaaaa aaaaaaanc 1320
ccgagggggg gcccggaacc caat                                     1344

```

&lt;210&gt; 80

&lt;211&gt; 3748

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 80

```

gccgatttga accgaggatt tgggcggcag gaagagccgc ggcgtaacgg cagccatctt 60
gtttgtttga gtgaatcgga aaggaggcgc cggctgtggc ggcggcgagg gctgctcgga 120
agctacacct cgcaagggtt ccccccttcc cccacccctt ccccgagacc ttttccccctc 180
cccgggccac ccagcccgcc caactcccag cggagagcaa ggttttcttc tgttttcata 240
gccagccaga acaatgttct acgcacattt tgttctcagt aaaagagggc ctctggccaa 300
aatttggcta gcggccatt gggataagaa gctaaccaaa gcccatgtgt tcgagtgtaa 360
tttagagagc agcgtggaga gtatcatctc accaaagggtg aaaatggcat tacggacatc 420
aggacatctc ttactgggag tagttcgaat ctatcacagg aaagccaaat accttcttgc 480

```

agactgtaat gaagcattca ttaagataaa gatggctttt cggccagggtg tggttgacct 540  
 gcctgaggaa aatcgggaag cagcttataa tgccattact ttacctgaag aatttcatga 600  
 ctttgatcag ccactgcctg acttagatga catcgatgtg gccacgagcgc tcagcttgaa 660  
 tcagagtaga gtggaagaga taaccatgag agaagaagtt gggaaacatca gtattttaca 720  
 agaaaaatgat tttggtgatt ttggaatgga tgatcgtgag ataatgagag aaggcagtg 780  
 ttttgaggat gacgacatgt tagtaagcac tactacttct aacctcctat tagagtctga 840  
 acagagcacc agcaatctga atgagaaaat taaccattta gaatatgaag atcaatataa 900  
 ggatgataat tttggagaag gaaatgatgg tggaatatta gatgacaaac ttattagtaa 960  
 taatgatggc ggtatctttg atgatcccc tgccctctct gaggcagggg tgatgttgcc 1020  
 agagcagcct gcacatgacg atatggatga ggatgataat gtatcaatgg gtgggcctga 1080  
 tagtcctgat tcagtggatc ccgttgaacc aatgccaacc atgactgac aaacaacact 1140  
 tgttccaaat gaggaagaag catttgcatt ggagcctatt gatataactg ttaaagaaac 1200  
 aaaaaccaag aggaagagga agctaattgt tgacagtgtc aaagagttgg atagcaagac 1260  
 aattagagcc caacttagtg attattcaga tattgttact actttggatc tggcaccgcc 1320  
 accaagaaat tgatgatgtg gaaagagaca ggaggagtag aaaaactgtt ttctttacct 1380  
 gctcagcctt tgtggaataa cagactactg aagctcttta cacgctgtct tacaccgctt 1440  
 gtaccagaag accttagaaa aaggaggaaa ggaggagagg cagataattt ggatgaattc 1500  
 ctcaaagaat ttgaaaatcc agaggttcct agagaggacc agcaacagca gcacgagcag 1560  
 cgtgatgtta tcgatgagcc cattattgaa gagccaagcc gcctccagga gtcagtgatg 1620  
 gaggccagca gaacaaacat agatgagtca gctatgcctc caccaccacc tcagggaggt 1680  
 aagcgaagag ctggacaaat tgacccagag cctgtgatgc ctccctcagca ggtagagcag 1740  
 atggaaatac cacctgtaga gcttccccca gaagaacctc caaatatctg tcagctaata 1800  
 ccagagttag aacttctgcc agaaaaagag aaggagaaa agaaaggaaa agaagatgat 1860  
 gaagaggaag aggatgaaga tgcacaggg ggcatcaag atcaggaaga aagaagatgg 1920  
 aacaaaagga ctcagcagat gcttcatggc cttcagcgtg ctcttgctaa aactggagct 1980  
 gaatctatca gtttgcttga gttatgtcga aatacgaaca gaaaacaagc tgccgcaaag 2040  
 ttctacagct tcttggttct taaaaagcag caagctattg agctgacaca ggaagaaccg 2100  
 tacagtgaac tcacgcaac acctggacca aggttccata ttatataagg agctagaagc 2160  
 attatagcta gtgttgatt cactagtgtc tacaattgc ccccatgtgt aggggacaca 2220  
 gaacctttg agaaaactta gatttttgc tgtacaaagt cttgacctt ttcttctc 2280  
 attttttcc agtaccattaa atttgcatt ttcatcttt agggaaactg attagatggg 2340  
 ttgtgttgt gttctgatgg agaaaacagc accccaagga ctcaagaag gattttaaca 2400  
 gttcagaaca gatgtgtgca atatttgtgc atgtaataat gttgagtggc agtcaaaagt 2460  
 catgattttt atcttagttc ttcatctact cattgaaaag gaaaacctgt ctgagaaaat 2520  
 gcctgacagt ttaattttaa actatgtgtg aagcttttga caagaaaaaa aaacaaacaa 2580  
 aacttcttt ccacagtaa cactggcaat cttctgtta accactctcc ttagggatgg 2640  
 tatctgaaac aacaatgttc acctcttga gattcgtttt aagtgtatt ccataatgag 2700  
 cagaggtgta cgcgaaattg tgttatgact gatagccttc agctacaaa agataggact 2760  
 gacctggtt aaagtgttct attttgtaa tcattccatt tgagtcttcc tgatgaactt 2820  
 ggctatactg aaatctgtta ttttagtgag gctccaaaat gagcaaagct aggcctgatt 2880  
 agagtagagt gactattaaa aaacataact ttctaggagc tataaatcaa agtttttaaa 2940  
 agatgtttg atatatattga gtattccgat catgaaaaca gaaattgccc tgcctactac 3000  
 aaggacagac tgatgggaaa ttatgcacct ggtcaactta gcttttaagc agacgatgct 3060  
 gtaaaaacta acggcttctc tgatatttat tgtaagtttt agtactgac tccttttcca 3120  
 gtgctgcaca ctctgggtt ggaactttta tagcgttgca acgaaatcct atatccagtt 3180  
 tcctgtaatt taattgaaga aaaatacatc caaataaaga ctttattatt aacagaccag 3240  
 atagcatcag aatcatgtg actgttatga ttatcagaat atgtcttaac tttttagggc 3300  
 aaagttaaca ctgaaagttc tagcttaagt gttgaaactt ttgtgggaaa aaaaaatcac 3360  
 ttttgaaact cagacttcag tgtataccca ataattttaa attatgtgaa atgtttttaa 3420  
 tttgtgaact cgtaattact gttttaatga ttcagtttct tcagagtggg aattgtataa 3480  
 aattgctatt gcagctttat attcaatatg atgtgcctgt aaaccaagga gttttccccg 3540

tttgtaaaaa gacattgtag ataattgaat gtttgatttt agaaaggta ttagtttctt 3600  
gttacacatt ttgttagtct ggtttttgtt gcttatcggg tttaattattg ttcttgaaaa 3660  
tagttgatgc tatgttatgt ataacttttc taataaaagt tgtgttataa gctgtaaaaa 3720  
aaaaaaaaaa aaaaaaaaaa aaaaaacc 3748

<210> 81

<211> 1891

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1869)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1879)

<223> n equals a,t,g, or c

<400> 81

gttgctgtca tttgggctta ctggcttgga ctgaaggta gtagagaata caggaaattc 60  
ttcagagcca atgctggaaa gaaaatctat gagtttacgc ttcagagaat tgtgcaaaaa 120  
tacttcttgg aaatgaaaaa taagatgcct tccttatctc caatagacaa gaattggccc 180  
tcaagacctt acttattctt ggattctact cacaaggagc taaaaaggat tttccacttg 240  
tggagggtga aaaaatacag ggaccaattc acagaccagc agaaacttat ttatgaagag 300  
aaactagaag ccagtgaact cttcaaagac aagaaggctt tatacccatc tagtggtggg 360  
caaccattcc aaggggctta cctggaaatc aacaagaacc ccaagtataa gaaactcaaa 420  
gatgccattg aagaaaagat catcattgct gaagtcgtga acaaaattaa ccgtgctaat 480  
gggaagagta catctcggat tttcctctta acaacaata atctccttct tgctgaccaa 540  
aagtcctggac aaatcaagtc agaggttcca ytggtggatg tgaccaaggt atcaatgagc 600  
tcacaaaatg atggcttctt cgccgtccac ctcaaaggag gctcagaagc agctagttaa 660  
ggagactttc tcttcagcag tgatcacctg attgaaatgg ccaccaagct ctatcgca 720  
actctcagcc aaaccaaaaca gaagctcaat attgagattt ccgatgagtt cctggtacag 780  
ttcagacagg acaaagtatg tgtgaagttt attcagggaa accagaaaaa tgggagtgtc 840  
ccaacatgta aacgaaaaaa caaccgtctc cttgaagttg ctgtccctta actggcgctt 900  
cctctctact ttcattggact tgttcctttg taatagtga atttggtttt gttttatttg 960  
gggttcattg tatgtttggg aatcaccaaa ggctttttaga gttccttggc aaaataaaaa 1020  
tatttgacta atcaattttt attattggaa tagttttaac ctttcaaata catgttctgt 1080  
cctggagcag gattgtagaa actaacagtg tctattttca tgtctgatgt gttcttctt 1140  
tagtcatcat gttaggctctg tgtaccctaa atcagcatat tactcataaa tcattaatta 1200  
atataagcat aggaaatggt cttaaaagat actgcattca ttcacagat atttattcca 1260  
tgcctactct atgctaggca ctgtgctaga tggtagaaa acttattagg aacctttttg 1320  
tttttgagac cattgcattc tggctgggtt gtgctgggtt aacgacatct aagaagggtt 1380  
agaaatggtg agacaaaac aataactgtt aatgatggac agcattatta ggaaccctgt 1440  
agtatgatat ttaacaatat aggcttcaag aagggtggt cctaagaggg ggcagaaatg 1500  
aatgaccagg ttaaatccct ctacatgttg tttctgtttg aaaaaaagaa aactgacatt 1560  
tgaacaggac ttttaatttg tttaaaactc tggtaattac ttgtaacagt agaaaataga 1620  
agtcattctt atttttagaaa aagtgcagaa agcagtcag taagattata tgtttctgtt 1680  
tctggtaaat accatatatg atcctcgaaa tgataatat tccagaatat tgttttcacc 1740  
caaatttgag tagatatttt aaacacctaa caaagtaaag ggctaaaagc cattcagata 1800

gcagtaaaac attctgtatg atgtgcaata aaacatccaa gatctttttt gaaagtgwka 1860  
 tttccgttna agtccccent taggaccccc g 1891

<210> 82

<211> 1954

<212> DNA

<213> Homo sapiens

<400> 82

ttcagtgtct ggcacactga gacacctcca agaaggagat tgatgcatca gggtcagttt 60  
 aacctggaat atctgactac ccctgaatcc acccagaaaag ggggccccaac acccttgtcc 120  
 atttatgggt attttttttc gaagttatta agcatattcc ttttccacga acctcttctg 180  
 tactttgatt gtaatagggt ggctcttaca cccattccaa atgcagttta ttttagacc 240  
 cgattgcaaa tagtgatgta gttttaacca gtatggatta gttcagggat gaactgctcc 300  
 ctccagcctt actggctctg atccacaggg ttttgttttg ttttgttttg tttttgttt 360  
 aagtcgagat ataaaaactg aacacgataa cacttactct taaatcaagc atcaacactt 420  
 tttccctgtt agaattcttt gcatttttgt gtttgtaaca gaaacgcctt aagacactat 480  
 gtttggaat atagaaaact atgtgtgtcc caaggaaatc cctgtaaatt taactcacct 540  
 acaaaaggct ttttccccgc ctttggttgt taacggcatt cctgaaagcc acatgtgttt 600  
 attcattggg cttgttctta tcagcaaata gggtttcttg ttttatgact tttgtctta 660  
 ttttatkttt cctacatttc tttttttttt tttttccytt agaatgccck gggaatata 720  
 ttaagtggka atgraaaata gtaatcatag taaaacgcaa cargargraa accmacccaa 780  
 accagtgaag ttttttagaa cctttagaag ggtggtcttt attcaggttt tactgtaatg 840  
 gtaaggattg actcaagaga cagtattagt aaatttattg tgtatggatc aaaagtgaat 900  
 aatgtatgaa tgagagctgt aagaaggatt tttattttgt tataatttag ttaccatttt 960  
 cagtgttatt tcaaagggtc tttgaagaat tttggggcag ggcacagat tagagtttta 1020  
 aaatttgagt attttgata tcagtgttcc tcatgaagat atacatggat attcaatttt 1080  
 gatggttcc agatttgtaa gattktatgt tgtatatacc attctattaa gaaacatgtc 1140  
 cactgtgctt tcaaacatag ataaagcatg ataaagatta ttatttaaga tatacttgta 1200  
 tttatacttc agatattctt ttgggttttg tacctcaagg cttttttctt cttattgtaa 1260  
 atacacttta cgtgaataca gtctaagtga agaaaataaa taaaaggaag aggtttataa 1320  
 cttgctctat atctgtacag attataatca ataagtgcac tattattaaa tgtttaaagt 1380  
 aagggaaaag tctgggctgc cttccttaat attgcatctc actcccaccc ttaaaaccac 1440  
 agattgcaaa gcatagcatt ttagcatcaa ctacaatcaa aagagcgatt tgctgaagga 1500  
 aaaaatcggac tgcaaatcat tccaaggcca aactgcaact gagccaccca ctcccaaaca 1560  
 ggaaaccctg gtgaagggtc aggaagcacg gagattctct ccaacaaagg tccagttagg 1620  
 aaacgacgct gagaggatga cgacaacgtg caacagcaga aagatgcttg caagcagagt 1680  
 cagggtcacc agtgaatgcc acaaaagttc tctttccac tgtttaattt gacaagagaa 1740  
 gaatttgaag gatatgaaca ttttcaagaa ctctgctgag gtcacttaga gcgccatcac 1800  
 aacttatttg tgtgactaat tgcctagatt gtaagctctt tgagggcagg gcttgtctct 1860  
 tacacatctt tataatcccc tgcagcggct ttcagtattt tgtacttgta ggcacctaat 1920  
 aaatttatta tttgctatac tgaaaaaaaaaaaa 1954

<210> 83

<211> 936

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (895)



<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (930)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (936)

<223> n equals a,t,g, or c

<400> 83

```

aattcggcac gagctggagg cagagcagtc ctctctgggg agcctgaagc aaacatggat 60
caagaaaactg taggcaatgt tgcctgttg gccatcgtca ccctcatcag cgtgggtccag 120
aatggattct ttgcccataa agtggagcac gaaagcagga ccagaaatgg gaggagcttc 180
cagaggaccg gaacacttgc ctttgagcgg gtctacactg ccaaccagaa ctgtgtagat 240
gcgtacccca ctttcctcgc tgtgctctgg tctgcggggc tactttgcag ccaagttcct 300
gctgcgtttg ctggactgat gtacttgttt gtgaggcaaa agtactttgt cggttaccta 360
ggagagagaa cgcagagcac ccctggctac atatttgagg aaacgcacat tactcttcct 420
gttcctcatg tccgttgctg gcatattcaa ctattacctc atcttctttt tcggaagtga 480
ctttgaaaac tacataaaga cgatctccac caccatctcc cctctacttc tcattcccta 540
actctctgct gaatatgggg ttggtgttct catctaatac atacctacaa gtcatacata 600
ttcagctctt gagagcattc tgctcttctt tagatggctg taaatctatt ggccatctgg 660
gcttcacagc ttgagttaac ctgcttttcc cggaacaaa atgatgtcat gtcagctccg 720
ccccttgaa atgaccgtgg ccccaaattt gctattccca tgcattttgt ttgtttcttc 780
acttatcctg ttctctgaag atgttttgtg accaggtttg tgttttctta aaataaaatg 840
cagagacatg ttttaagctg aaaaaaaaaa aaaaaaaacc cggggggggg ccggnaccaa 900
ttcgcccaaa agggggcgat taaaatcccn ggccgn 936

```

<210> 84

<211> 1513

<212> DNA

<213> Homo sapiens

<400> 84

```

tctaaactag tggatccccg ggctgcagga attcggcaca ggctctcaga ggctaagaag 60
gtggagaccg gagaagctgt gaggttcttt agcgtcacct ccctcactgg gcagcatggg 120
ggagaagtca gagaactgtg gggttccaga ggatctgtta aatggtttga aggttacaga 180
tactcaggaa gccgagtgtg ctggccctcc agttcctgat cccaaaaatc agcattccca 240
gagtaagctg ctcagggatg atgaggccca tctccaggag gaccagggag aagaggagtg 300
ttttcatgac tgcagtgcct catttgagga ggagccagga gcggacaagg ttgagaacaa 360
atctaataaa gatgtgaatt cctctgaact agatgaagaa tacctaataa aactggaaaa 420
aaacatgtcg gatgaagaga aacagaaaag aagagaagag agcactagac taaaggaggga 480
gggaaatgaa cagtttaaga aaggagatta tatagaagct gaaagtctct atagtcgagc 540
cctcgaaatg tgcccatcct gcttccaaaa ggagaggctg attctatttt caaatagagc 600
tgacgaagg atgaaacagg acaagaaaga aatggccatc aatgactgca gcaaagcaat 660
tcaattaaac cccagctata tcagggcaat attgaggaga gcagagttgt atgagaagac 720
ggacaagcta gatgaagccc tggaagacta taaatctata ttgaaaaaag atccatcaat 780
acatcaagca agagaagctt gtatgagatt acctaagcaa attgaagaac gtaatgaaag 840
actaaaagaa gagatgttag gttaaattaa agatcttggg aacttggttc tccgaccttt 900

```

```

tgggctctcc acggaataatt tccagatcaa acaggattcc tctaccggt cgtactccat 960
caatttcgtt caaaatccaa ataataacag ataacaaaga taacaaaagc tttacaagct 1020
gacttggaat tgtgtgctgc ttgctgttag ctaggggaaa ggccctgcca atgtttaact 1080
tttaaaagca tcttatctaa aagaaaggct atccagtaga gccagtgct cccttgctcc 1140
tcttttatga tcagggtgaa atgtacttcc tgatgtaatg aacctaatTT gatttccatt 1200
ttaaggtggt gtctgtgcag ctggtgtccc cgattctggc tgtcctatgt ccaggaagaa 1260
gccatttgt tgaggctgac cttcctgac atacacacac acagcccagc aaaagcctct 1320
cctgaaccaa acaaacctgt tggttgggag actgcccaga catgattgat gacgggttcc 1380
cgctgtgtgt cccctccctg atcacacagc taacgaggct gcctccagca tttcctgatt 1440
tcctctgtgg taataaaagc tttctgtgct taataaaaaa aaaaaaaa aaacttcgag 1500
ggggggggccc ggt 1513

```

&lt;210&gt; 85

&lt;211&gt; 1298

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (3)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 85

```

gtngggcggc tgctgctccg ggccctgggca cagcaagcgg cgacgtcaag ctccccgggt 60
tggcgcggtt ggcgggggca gtcccgagcg tgaggaggtc ggcgaggtc acaacagtga 120
ggacgagtat gagcggtctg cagcacgcat cgaggctatg gaccctgcca ctgtcgagca 180
gcaggagcat tggtttgaaa aggccctacg agacaagaag ggcttcatca tcaagcagat 240
gaaggaggat ggcgctgtc tcttccgggc tgtagctgac caggtgtatg gagaccagga 300
catgcatgag gttgtgcgaa agcattgcat ggactatctg atgaagaatg ccgactactt 360
ctccaactat gtcacagagg actttaccac ctacattaac aggaagcgga aaaacaattg 420
ccatggcaac cacattgaga tgcaggccat ggagagatg tacaaccgtc ctgtggaggt 480
gtaccagtac agcacagaac ccatcaacac attccatggg atacatcaaa acgaggacga 540
acccattcgt gttagctacc atcggaatat ccactataat tcagtgggtga atcctaacia 600
ggccaccatt ggtgtggggc tgggcctgcc atcattcaaa ccagggtttg cagagcagtc 660
tctgatgaag aatgccataa aaacatcgga ggagtcagtg attgaacagc agatgctaga 720
agacaagaaa cgggccacag actgggaggg cacaatgaa gccatcgagg agcaggtggc 780
tcgggaatcc tacctgcagt ggttgcggga tcaggagaaa caggctcgcc aggtccgagg 840
ccccagccag ccccggaag ccagcgccac atgcagtctg gccacagcag cagcctccag 900
tggcctggag gagtggacta gccgggtccc gcggcaggag tttcagcctc gtcacctgag 960
caccctgagc tgcatgctga attgggcatg aagccccctt ccccgagcac tgtttttagct 1020
cttgccaaac ctctctcgcc ctgtgcgcca gggtacaagc agtcagttct cggcaggggc 1080
cgaccgggca acttcccccc ttgtgtccct ctaccctgct ttggagtkcc gggccctcat 1140
tcagcagatg tccccctctg ccttttgtct gaatgactgg gatgatgatg agatcctagc 1200
ttcgggtgctg gcagtgctcc aacaggaata cctagacagt atgaagaaaa acaaagtga 1260
cagagaccgg ccccgagaca agagttgatg gagaccga 1298

```

&lt;210&gt; 86

&lt;211&gt; 2009

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

<220>  
<221> misc feature  
<222> (1955)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1959)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (2008)  
<223> n equals a,t,g, or c

<400> 86  
gtgttcgtcc gcttgtcact gaattggacc ctgatgctcc cataagacag aaaatgcccc 60  
ttgatgatct ggatagagaa gatgaagtta gattactcaa atatctcttt actetaatcc 120  
gtgctggaat gacagaagag gcacaacgac tctgtaaacg ctgtgggtcaa gcatggagag 180  
ctgcaacact tgaaggctgg aaactgtacc atgaccttaa tgtaaatgga ggaacagaat 240  
tagaacctgt tgaagggaat ccatatagac gcatttggaa aataagttgc tggagaatgg 300  
cagaagatga gctttttaat agatacgaga gagcaattta tgcagcttta agtgggaatc 360  
ttaagcagct gcttcctgtc tgtgacacct gggaaagacac agtttgggcc tacttccggg 420  
tgatggtgga cagtctggta gaacaggaga tccagacatc agtagcaact ctggatgaaa 480  
ctgaagaact ccctagagaa tatctgggag caaactggac gttagaaaag gtttttgagg 540  
aacttcaagc tactgacaaa aagagagttc tggaaagaga atcaagaaca ttatcatata 600  
gttcaaaagt ttcttatcct gggagacatt gatggtttga tggatgagtt tagcaaatgg 660  
ctttccaaaa gcagaaacaa tctacctgga cacctgcttc gctttatgac tcaccttatt 720  
ttgtttttcc gtactctggg actacagacc aaggaggaag tttctattga agttttaaag 780  
acatacatag agcttttaat aagagagaaa catacaaatc ttatagcatt ttataacctgt 840  
catttgcttc aagacctagc tgttgcccag tatgcattat ttttggaag tggtacagaa 900  
tttgaacagc gccaccattg cctggagttg gctaaagaag cagatttggga tgttgcaaca 960  
ataacaaaaa ctgtagttga gaattatcga aagaaagata atggtgaatt tagtcatcat 1020  
gacctggccc cagccctaga tactggcact actgaggagg atcgtttaaa aattgatgta 1080  
attgactggt tggatattga cccagcgcag agggcagaag cactgaaaca aggcaatgca 1140  
attatgagaa aaytcttggc atcaaaaaag cacgragctg caaaagaagt atttgtgaaa 1200  
attcctcagg attctatagc agaaatctat aatcagtgcg aggaacaagg aatggaaaagt 1260  
ccacttcctg ctgaagatga taatgctatc cgagaacatt tgtgcatcar agcttatattg 1320  
gaagcccatg aaacctttaa tgagtggttt aagcatatga attcagttcc acaaaaacct 1380  
gctttgatac ctcaaccaac ttttactgag aaagtggctc atgaacacaa agaaaagaaa 1440  
tatgaaatgg attttggtat ttggaaaggg catttgatg ccctaactgc tgatgtgaag 1500  
gagaaaatgt ataacgtctt gttgtttgtt gatggagggt ggatggtgga tgttagagag 1560  
gatgccaaag aagaccatga aagaacacat caaatggtct tactgagaaa gctttgtctg 1620  
ccaatggtgt gttttctgct tcatacgata ttgcacagta ctggtcagta tcaggaatgc 1680  
ctacagttag cagatatggt atcctctgag cgccacaaac tgtacctggt attttctaag 1740  
gaagagctaa ggaagtgtgt gcagaagctc agagagtcct ctctaagtgt cctagaccag 1800  
ggacttgacc cattagggtta tgaaattcag ttatagttta atcttcgtaa tctcactaat 1860  
tttcatgata aatgaagttt ttaataaaaat atacttggtta ttagtaaaaa aaaaaaaaaa 1920  
agggcgggccg ctctagagga tccctcgagg ggcencaant tacgcgtgca tgcgacgtca 1980  
tagctctctc cctatagtga gtcgtacng 2009

<210> 87  
<211> 534  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (466)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (477)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (526)  
<223> n equals a,t,g, or c

<400> 87  
ggacgccgac gtgcagttcc tggcctcggg gctgccccca gacacggatc ctgcgttctt 60  
cgagcacctt cgggccctcg actgctccga ggtgacgggtg cgagccctgc cggagggctc 120  
cctcgccctc cccggagtgc cgctcctgca ggtgtccggg ccgctcctgg tgggtgcagct 180  
gctggagaca ccgtgctct gcctggtcag ctacgccagc ctggtggcca ccaacgcagc 240  
gcggttgcg ttgatcgagc ggccagagaa gcggctgcta gagatgggcc tgaggcgggc 300  
tcaggggccc gatggggggc tgacagcctc cacctacagc tacctgggcg gcttcgacag 360  
cagcagcaac gtgctagcgg gccagctgcg aggtgtgccg gtggccggga ccctggccca 420  
ctccttcgtc acttcctttt caggcagcga ggtgcccctg acccgntgtt ggggcanaag 480  
tttgtgaagg gccttggtt gacctggggg caaagccaag ttttgnttga gcaa 534

<210> 88  
<211> 4302  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1015)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (4270)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (4274)  
<223> n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (4296)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 88

```
gtcagtaacc agcacaacat taatagaaat tttaagtga actggagcag aaggacccac 60
ggtggcacct ctccctttct ccacggacat cggacatcct caaaatcaga ctgtcagggtg 120
ggcagaagaa atccagacta gtagaccaca aaccataact gaacaagact ctaacaagaa 180
ttcttcaaca gcagaaatta acgaaacaac aacctcatct actgattttc tggctagagc 240
ttatggtttt gaaatggcca aagaatttgt tacatcgaca ccaaaacat ctgacttgta 300
ttatgaacct tctggagaag gatctggaga agtggatatt gttgattcat ttcacacttc 360
tgcaactact caggcaacca gacaagaaag cagcaccaca tttgtttctg atgggtccct 420
ggaaaaacat cctgaggtgc caagcgctaa agctgttact gctgatggat tcccaacagt 480
ttcagtgatg ctgcctcttc attcagagca gaacaaaagc tccctgatc caactagcac 540
actgtcaaat acagtgtcat atgagaggtc cacagacggt agtttccaag accgtttcag 600
ggaattcgag gattccacct taaaacctaa cagaaaaaaa ccactgaaa atattatcat 660
agacctggac aaagaggaca aggatttaat attgacaatt acagagagta ccatccttga 720
aattctacct gagctgacat cggataaaaa tactatcata gatattgatc atactaaacc 780
tgtgtatgaa gacattcttg gaatgcaaac agatatagat acagaggtac catcagaacc 840
acatgacagt aatgatgaaa gtaatgatga cagcactcaa gttcaagaga tctatgaggc 900
agctgtcaac ctttctttaa ctgaggaaac atttgagggc tctgctgatg ttctggctag 960
ctacactcag gcaacacatg atgaatcaat gacttatgaa gatagaagcc aactnagatc 1020
acatgggctt tcaacttcaca actgggrtcc ctgctcctag cacagaaaca gaattagacg 1080
ttttacttcc cacggcaaca tccctgccaa ttctctgtaa gtctgccaca gttattccag 1140
agattgaagg aataaaagct gaagcaaaag ccctggatga catgtttgaa tcaagcactt 1200
tgtctgatgg tcaagctatt gcagacaaa gtgaaataat accaaccattg ggcaaatttg 1260
aaaggactca ggaggagtat gaagacaaa aacatgctgg tccttctttt cagccagaat 1320
tctcttcagg agctgaggag gcattagtag accatactcc ctatctaagt attgctacta 1380
cccaccttat ggatcagagt gtaacagagg tgctgatgt gatggaagga tccaatcccc 1440
catattacac tgatacaaca ttagcagttt caacatttgc gaagttgtct tctcagacac 1500
catcatctcc cctcactatc tactcaggca gtgaagcctc tggacacaca gagatcccc 1560
agccagtgct tctgccagga atagacgtcg gctcatctgt aatgtcccca caggattctt 1620
ttaaggaaat tcatgtaaat attgaagcga ctttcaaacc atcaagtga gaataccttc 1680
acataactga gcctccctct ttatctcctg acacaaaatt agaaccctca gaagatgatg 1740
gtaaaacctga gttattagaa gaaatggaag cttctccac agaacttatt gctgtggaag 1800
gaactgagat tctccaagat ttccaaaaca aaacckatgg tcaagtttct ggagaagcaa 1860
tcaagatggt tcccaccatt aaaacacctg aggtggaac tgttattaca actgccgatg 1920
aaattgaatt agaaggtgct acacagtggc cacactctac ttctgcttct gccacctatg 1980
gggtcgaggc aggtgtggtg ccttggctaa gtccacagac ttctgagagg ccacgcttt 2040
cttcttctcc agaaataaac cctgaaactc aagcagcttt aatcagaggg caggattcca 2100
cgatagcagc atcagaacag caagtggcag cgagaattct tgattccaat gatcaggcaa 2160
cagtaaacc tgtggaattt aatactgagg ttgcaacacc accattttcc cttctggaga 2220
cttctaataa aacagatttc ctgattggca ttaatgaaga gtcagtggaa ggcacggcaa 2280
tctatttacc aggacctgat cgctgcaaaa tgaaccctg ccttaacgga ggcacctgtt 2340
atcctactga aacttcctac gtatgcacct gtgtgccagg atacagcgga gaccagtgtg 2400
aacttgattt tgatgaatgt cactctaata cctgtcgtaa tggagccact tgtgttgatg 2460
gttttaacac attcaggtgc ctctgccttc caagttatgt tggtgcaact tgtgagcaag 2520
ataccgagac atgtgactat ggctggcaca aattccaagg gcagtgtac aaatactttg 2580
cccatcgacg cacatgggat gcagctgaac gggaatgccg tctgcagggt gccatctca 2640
caagcatcct gtctcacgaa gaacaaatgt ttgttaatcg tgtgggcat gattatcagt 2700
```

```

ggataggcct caatgacaag atgtttgagc atgacttccg ttggactgat ggcagcacac 2760
tgcaatacga gaattggaga cccaaccagc cagacagctt cttttctgct ggagaagact 2820
gtgttgtaat catttggcat gagaatggcc agtggaatga tgttccctgc aattaccatc 2880
tcacctatac gtgcaagaaa ggaacagttg cttgcggcca gccccctggt gtagaaaatg 2940
ccaagacctt tggaagatg aaacctcgtt atgaaatcaa ctccctgatt agataccact 3000
gcaaagatgg tttcattcaa cgtcaccttc caactatccg gtgcttagga aatggaagat 3060
gggctatacc taaaattacc tgcataaacc catctgcata ccaaaggact tattctatga 3120
aatactttta aaattcctca tcagcaaagg acaattcaat aaatacatcc aaacatgatc 3180
atcgttgag cggagggtgg caggagtcga ggcgctgac cctaaaatgg cgaacatgtg 3240
ttttcatcat ttcagccaaa gtcctaactt cctgtgcctt tcctatcacc tcgagaagta 3300
attatcagtt ggtttggatt tttggaccac cgttcagtca ttttgggttg ccgtgctccc 3360
aaaacatttt aaatgaaagt attggcattc aaaaagacag cagacaaaat gaaagaaaat 3420
gagagcagaa agtaagcatt tccagcctat ctaatttctt tagttttcta tttgcctcca 3480
gtgcagtcca tttcctaatt tataccagcc tactgtacta tttaaaatgc tcaatttcag 3540
caccgatggc catgtaaata agatgattta atgttgattt taatcctgta tataaaataa 3600
aaagtcacaa tgagtttggg catattttaa gatgattatg gagccttaga ggtctttaat 3660
cattggttcg gctgctttta tgtagtttag gctggaaatg gtttcacttg ctctttgact 3720
gtcagcaaga ctgaagatgg cttttcctgg acagctagaa aacacaaaat cttgtaggtc 3780
attgcaccta tctcagccat aggtgcagtt tgcttctaca tgatgctaaa ggctgcgaat 3840
gggacctga tggaactaag gactccaatg tcgaactcct ctttgcagca ttcctttttc 3900
ttcacttaca agaaaggcct gaatggagga cttttctgta accaggaaca ttttttaggg 3960
gtcaaagtgc taataattaa ctcaaccagg tctacttttt aatggctttc ataacactaa 4020
ctcataaggt taccgatcaa tgcatttcat acggatatag acctagggct ctggagggtg 4080
ggggattgtt aaaacacatg caaaaaaaaa aaaaaaaaaa aaattttgta tatataacca 4140
ttttaatctt ttataaagtt ttgaatgttc atgtatgaat gctgcagctg tgaagcatat 4200
ataaataaat gaagtaagcc ataaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 4260
aaaaaaaaan aanaaaaaaa aaaaaaaaaa aaaaangggg gg 4302

```

&lt;210&gt; 89

&lt;211&gt; 2782

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (82)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (743)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 89

```

ggaaaagcag gagaccagtt ggtgccagat aatctaaaag aaacagataa ggaaaagggc 60
aatgtggtgc tgaaaggaga antgagtgcc cggatgaaga ttccaagcaa tatgtgggta 120
gaagcctggg aaacagctaa gccaattcct gctagaaggc aaaggagact ctttgatgat 180
acacgggaag cagaaaaggt gctgcactat ctggcaatcc agaaacctgc agaccttgct 240
cggcacctgt taccttgtgt gattcatgca gctgtactca aggtaaagga agaagaaagt 300
ctcgaaaaca tttcttcagt taagaagatc ataaagcaga taatatccca ttccagtaaa 360
gttttgact tccccaatcc agaagacaag aaattggaag aaatcattca ccagattact 420

```

```

aatgtggaag ctctcattgc cagagctcgg tcactaaaag ccaagtttgg aactgagaaa 480
tgtgaacagg aggaggaaaa ggaagatctt gaaaggtttg tgagttgcct gctggagcag 540
cctgaagtgt tagtcaccgg tgcaggaaga ggacatgctg gcaggatcat tcacaagctg 600
tttgtgaatg cccagagggtg ccagctatga ctccaccaga ggaggaattg aagagaatgg 660
gctccccaga ggaagaagg cagaactccg tgtcagactt cccacccctt gctggccggg 720
aattcatttt gsgcamcact gtncgcgccc tgctccctac tccaaagctc tgcctcagcg 780
gatgtacagt gttctcacca aagaggactt tagacttgca ggtgcctttt catcagatac 840
ttccttcttc tgattcttct agcattactc gttggtggct tcagagacag tgcctgcctc 900
tcctgaggga ggaaggtac cagggagaac ctgggagggtc ctggagaggg ccctgtccag 960
ttgggtgatc aggaatcaaa ccagcatcgg aaagacttcc cagcaccaag cttgagctgt 1020
gtcgtttcgt ggagggggca gcgaggatgg gcttgagctg ttgagagatt tctgccctag 1080
agatggcctt tgatatggg ggggtggtgg ggggacacaa acacatcaga cactccgtcc 1140
tcacactggc aggacggtgt tcacgcatt ctcttctgtg accagcctct aggctagcgg 1200
ctgcattcgt ggctgtgca aacacttcgt ggttctatat atcagcagca agtgtgcaaa 1260
ataaaggacc tgttaactca gatttctgga tattttggtg gtagcttcta gtcccagaat 1320
ctgtgttttt aaaatactac atgacattct gtctattcaa tcacctggtg gtcattcttc 1380
ttgtactaat taactgttga tgagcatttt ggatattcta ggagaaagcc tataatttca 1440
catagtttct ctttttcatg taactgtaac cttaaagtat tacttctgat aaaactatat 1500
atcaaatgtc actgcaaat agttttatat ctgtcatgtg agatttgtct tacttatttt 1560
tcttttggtt gccatggaag ttatggccct gaaaatcgtc tccctccctt tctcttgctg 1620
tacagcatgc gttctctttt tgtggttget ggctgggtac tgtatttaat gaagtagaga 1680
atagcacttg caaaaataca gtcttggtac cttagagactg tcatgcagat agtataattt 1740
ggtatatgtg ctaatgcatt gagtagagga ttattttaac aactattttt gcttttgtat 1800
tttagttaa ataatcgatg gggatgtgta gccccccgt gtgaggatga catcaccaca 1860
tttctagttt catggagctc aagatgtctt gtgtctgtgt ggctagatgg cctctgcttg 1920
gtaatcttat ttttaggcct aaaattccca cttaaataca aagtaaaaaat ggttatactg 1980
aagcataaac ctgacctgtg taatttttaa aaattaatag agctgtgcaa accctgttat 2040
ttttgtaaaa aaaaaaaaaa atacatatct atatataata tgtgtgtgtg tgtgacatat 2100
gcacacgtct ctgtgtatgt gaagtagggg aggccctggg ggatgacctc ccagccttta 2160
tgatgctttt ctctatgctg ctggacttca ttcttactgg tccacgcaga tgcaggcgcc 2220
tgaggccagt gctgtaccaa gtagaagacg gttcctaagg acagagtttg tctgttttct 2280
aacaagaaa aattctacaa aggagaggtt gggcggtaca aaggcattgt gaatctaata 2340
aaaggaaagt gtcgctttct gtggcgtttt ctttcatttt ctcccgtgr ggcwtttcag 2400
tctaatttca tgtggktttg tgctgtctca gctctaagt ttgcagctg ctgagcctaa 2460
caaggcagtg gtctcaagaa cattctttgt gcctttttaa agtactccat tttattttta 2520
tgatagttat gtatttattt cacagatata tttaagtacc cacttttgtg caggtagagt 2580
acaagcaatg aagataaaac agaaaccaa acacactccc ttacagggaa aactgacacc 2640
acgttgccac aaaatgttga gtatagtcaa ctctgctgtg tggatcgag ggctgcatt 2700
tatcctacaa ataattgaat gtaatcctac attcatgtat tcattggcag tacggagtaa 2760
taaatgcagc aatgccataa aa 2782

```

&lt;210&gt; 90

&lt;211&gt; 1037

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 90

```

aattcggcac gagctgtctg cgaagtggcc cttgattaca aaaagaagaa acacacctaa 60
acactttatc tccaagttac aaaagtttga ggtgcagagg gaaggccaga tttttttttt 120
aatgaaatta tatagattag atctcagtat ttaaactgtt cctcaatttt gtgaggctgt 180
gttgaaata acccgctct agtgctgttg gtatgcaagg cagcggtgct taatcaatat 240

```

```

ttcctgtgct caccagaggc aaaatgtacc aatatcctga caccattctc tctccattta 300
cttctggtgg ttaccctgac tcttgactct tagaagtgcc cgagatgggg ctaaccttta 360
ttaaacagat cgcataattat gatcttgctg cagccacagt gcagctccac attaactcta 420
cagaccaaac catttgatc tggcatcact tactaacaca cgacatgcgg cttttctgca 480
tcaactgcta tgacgggttaa gaatgtcagt atacaagaag gaatagaaaa ctgatactgt 540
tttaataaat ctgtaatttc aatTTTTTTT tttttttgct gaaatacatt atattgtacg 600
tttgagataa ttctagtaca aagtataata aaactagatg tataataaac cctttaaatc 660
attggtaagt gtacaagtgg tggaactgaa gcatttactg gacaaagtaa tgttactcta 720
atggttactt gctcgtgcgt tgccacactg tgttataatt tgcttcattt ccttgctatt 780
tgatacatag tgtgcatttc tctgtcactg taactattgt aatgacaaat tttcatctta 840
ctgcacaatc aaaatgacat tgataggaat gaactccaga ggctgggcct gaacaggagg 900
gtggtcgtc aggcctggtg ctcagtcgta cgacctgtac ctctcaactt ttgccctatc 960
tgttaaatat atgctatgtc attaaatgct tttaaatcta aaaaaaaaaa aaaaaaaaaa 1020
aacggggggg ggcccgg                                     1037

```

<210> 91

<211> 1052

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (76)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (962)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (965)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1044)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1048)

<223> n equals a,t,g, or c

<400> 91

```

gggcacgagt gcagggtgat gctgcactgc acccagcatc tctgcttatac aggaggctct 60
ggagccacac cgcagnaagc acacgccctt ttgagccaga catgctgact ttctaataag 120
gatgttctct ctccacagct gaaagatgaa aattctaagc tgagaagaaa gctgaatgag 180
gttcaragct tctytraagc wcawacagaa atggtgagga cgcttgagcg gaagttagaa 240
gcaaaaatga atcaaggagg aaagcgacta ccacgacctg gagtcggtgg ttcagcaggt 300

```



```

ggagcagaac ctggagctga tgaccaaacg ggctgtaaaag gcagaaaacc acgtcgtgaa 360
actaaaacag gaaatcagtt tgctccaggc gcagggtctcc aacttccagc gagagaatga 420
agccctgcgg tgcggccagg gtgccagcct gaccgtggtg aagcagaacg ccgacgtggc 480
cctgcagaac ctccgggtgg tcatgaacag tgcacaggct tccatcaagc aactggtttc 540
cggagctgag aactgaatc ttgttgccga aatccttaa tctatagaca gaatttctga 600
agttaaagac gaggaggaag actcttgagg acccctgggt gttctcagca tgaagctccg 660
tgtataccct gaggtcacca ccgctcgatc taaatgtgca gttgtgtcct taaatatgca 720
gtcttcaccc agagtaaagt gttgatcgca agagtccagt gtcgtgccct cagccagttc 780
ttggccacca caatgggagc agccctggcc cgagttgtct ctgtggtttc tatgcagccc 840
ttcttggsga aattcctgcg atcttataga ttctaagtga ctcttggaag acattgtcat 900
aaaagccagt gattttaara aaaaaaaaaa aaaaaggcg ggccggtttt aaaagatccc 960
tnganggggc ccaagcttac gcgtgcattc gacgtcataa cttttttccc tataaggag 1020
cgattataag cttaggcact tggnccgngg tt 1052

```

<210> 92

<211> 1234

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1115)

<223> n equals a,t,g, or c

<400> 92

```

cttcggcgca tgcgcgctga ggccctgcctg accgaccttc agcagggctg ttgctaccat 60
gttctctcgc gcgggtgtcg ctgggctgtc ggccctggacc ttgcagccgc aatggattca 120
agttcgaaat atggcaactt tgaaaagatat caccaggaga ctaaagtcca tcaaaaacat 180
ccagaaaatt ccaagtccta tgaaaatggt agcggcagca aaatatgccc gagctgagag 240
agagctgaaa ccagctcgaa tatatggatt gggatcttta gctctgtatg aaaaagctga 300
tatcaagggg cctgaagaca agaagaaaca cctccttatt ggtgtgtcct cagatcgagg 360
actgtgtggt gctattcatt cctccattgc taaacagatg aaaagcgagg ttgctacact 420
aacagcagct gggaaagaag ttatgcttgt tggaattggt gacaaaatca gaggcatact 480
ttataggact cattctgacc agtttctggt ggcattcaaa gaagtgggaa gaaagcccc 540
cacttttggg gatgcgtcag tcattgccct tgaattacta aattctggat atgaatttga 600
tgaaggctcc atcatcttta ataaattcag gtctgtcatc tcctataaga cagaagaaaa 660
gcccatcttt tcccttaata ccgttgcaag tgctgacagc atgagtatct atgacgatat 720
tgatgctgac gtgctgcaaa attaccaaga atacaatctg gccaacatca tctactactc 780
tctgaaggag tccaccacta gtgagcagag tgccaggatg acagccatgg acaatgccag 840
caagaatgct tctgagatga ttgacaaatt gacattgaCa ttcaaccgta cccgccaagc 900
tgtcatcaca aaagagttga ttgaaattat ctctggtgct gcagctctgt aaagaaggaa 960
aattcagcca gttgattttg tttttagctt actgctgcct ttgtccgaag aaactgttcc 1020
tccattatth gaattactga agacagcaag atatttgtaa attatcttaa aataaacaac 1080
ttaaaataaa atcattgttt ttcttatata taagnacaat agatatagtt tttgaaatga 1140
gatgatacta aaacatttaa aaatattaat atgctactat taaaatthtt tagtagaaga 1200
caaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaa 1234

```

<210> 93

<211> 1571

<212> DNA

<213> Homo sapiens

<220>  
 <221> misc feature  
 <222> (1497)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (1516)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (1530)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (1546)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (1571)  
 <223> n equals a,t,g, or c

<400> 93  
 gagcctgatt ccatcaaaaa gaaaggagta aaaagcaagt tacagcccag cagcacatct 60  
 gctttccctg ggtccggggg ctgccasgag ggascgggar gtctgtccac ctcacaaggc 120  
 aggctctgtc agcttttgtc actccctgat ttcttattct ttgttacctt ttttcgctg 180  
 actgattttt acttggcatt taagtcccc ttagcactgc cagattctaa aaggttatat 240  
 tctttttaa aaagaagaga aagaagaag gaaagaagac aaagaagaa taaaaacctc 300  
 cgagtgttaa ctacttttcc ctttcttctt tttttataa agaatacatt ctttcacatc 360  
 ttgaatttct gtgaatttta gtttccattc tttctgcctt tgcaaaccag acacctaaat 420  
 tatacgtsga agctgttaaa aagttgtttt ttttttttta atggaaaata tccaagaagc 480  
 agcccaggag tatctgacat ggtggaatgg aatcagttag aaagcgaaga aatcactaaa 540  
 aaaagttact tcttttttcc cccaccagt ataatcttca accttactag tttataacag 600  
 tttaatgtcc tatagaagga tcctccacta aagttataat ttttaagtata gtcatataga 660  
 gagatcccta atcccctggg taatctagat actaaagggt gggaagaaca gtcatataga 720  
 cattctttaa tccaaaacca ctgtttgaaa ttagtaagga tattttcagc attcccaaaa 780  
 acatgttatt agcacgttga gctgaaaacg tttttcttcc tcagttagta cagaaaccaa 840  
 agcagtcctgc gtgtatgtct atgtatagac tgtatcgtac ctgggctcat ggagtagtct 900  
 aaatttaaaa cgtcctctct tctacctcca atgaaaatgt ttccgtgtgt ggcgtctgat 960  
 cttccacogt gtgtgtggtc gtctgtggtg gtagcgtgt ttaaggagcg ctgtgtgctg 1020  
 ctagtgttcc acgatgtgtg tggtcgtctg ctggtgtagt agcactgttt gaggagcact 1080  
 gtgcgccgct agtgtgggtt tacacttatg agtgttgta ttacatgtgt tctgctcttc 1140  
 tctccctctc ctgcccctgc cctgctccat cagagagagc tgcagggtctc tgctgccgcc 1200  
 tagtagttcc ctgtcacaaa gggatgccaa ggcttaccga tctgtctgtc aaaaccaaag 1260  
 atgtctggga aatccctcga gaatccctgc agttgatcaa gagactggga aatgggcagt 1320  
 ttggggaagt atggatgggt atgctgagac tcaattactc tcttattagc ttccccgttt 1380  
 ggaagatccc aaacaccaa gatggaaggt gaaaaataag actgcgtgac cgggaagaaa 1440

```

gtttgaatta ctaatagtgg ggaataataa tttcagtttt ggtttttaaac atctggnatt 1500
cctaaaaaaa aaaaanaaaa aaaaaaaacn cgggggggggg cccggnaccc aattccccc 1560
aaagggggggg n 1571

```

<210> 94

<211> 1872

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (4)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (6)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (51)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1271)

<223> n equals a,t,g, or c

<400> 94

```

gggnancccc cccggggggg aaaacggatg ggccccgggc cccccaaaaa ntacccccga 60
ggtttttttt tttttttttg atttaataaa gttttatttt tccaaatgta cagctggttg 120
gacctattca tgcattctca ccagcagctg gacatctcc acccttggt tttctggtgt 180
aaattacttg agctctgtgc tttgaaacca gtttgataag tcctttacta aggagctcct 240
gaagggtctg cctggccagg gagcctcgaa tcttcagtct ctcagagacc acwkcttctt 300
tttggccttg cccccggatt tgttcactgg gtctttgtct ttcttgccg actttccagc 360
gtccttcttc ttcttgctgt ccttaggcgg cattgcgaag ctccggagaat agcagcagac 420
accgcagcct cgtcaagatg tcggacaaaa aggaagcgct gtcagaaaac gkgcccaaaa 480
accaccgtcc gctgtgagta cttccggggc aagaggcgga gccaggcaga rgaagtccca 540
cggcgaagcg ctgccctct agcctgaggc ggaagacagg aagyggattc tagttcccaa 600
gccgcaccgc ctaaatactg ccggagtctg cgctagtgtg gacgcagtac tatagcgtg 660
ttttcttgca ctgataaacg aaaagcaatc caccaggctc cgccagctaa ctttccggca 720
ctacttatgc ccgagcgtgt cgctcccagt gcgcaagtgc agcagggtgc tgcacggggg 780
gcgcgggagg agggaggagg ggaggaggag gctggggttg ggccggcggc aagtgtgtg 840
atgcgggtcc ggggaggggc cgtcgggtag aggtgaata ccagtttccg agcggcaagg 900
cagcgatggc gatttttagt gtgtatgttg tgaacaaagc tggcggttg atttaccagt 960
tggacagcta cgcgccacgg gctgaggctg agaaaacttt cagttatccg ctggatctgc 1020
tgctcaagct acacgatgag cgtgtgttg ttgctttcgg ccagcgggac ggcattccgag 1080
tgggtcatgc agtgctggcc atcaatggca tggacgtgaa tggcaggtac acggccgacg 1140
ggaaagaggg gctggagtat ctgggtaacc ctgctaatta cccggtgtcc attcgatttg 1200
gccggccccg cctcacttct aatgagaagc ttatgctggc ctccatgttc cactcgtct 1260

```

```

ttgccatcgg ntccagctg tctcctgaac aggggaagctc aggcattgag atgctggaga 1320
cagacacatt caaattgcac tgctaccaga cactgacagg gatcaagttt gtggttctag 1380
cagatcctag gcaagctgga atagattctc ttctccgaaa gatttatgag atttactcag 1440
actttgccct caagaatcca ttctattcct tagaaatgcc tatcagggtg gagctctttg 1500
accagaacct gaagctagct ctggagggtg cagagaaggc tggaactttt ggacctgggt 1560
cataggctga acctgttatg gacccccaaa ttctgagagt tcctgcaaca agaatactgc 1620
tgttgacact ccagtggaaa tcccagcagc cttgttagtg cacttgaaa ggggagaatg 1680
ctgacctga tgacttgtag tgattcctga gccttaacac tgtgtctctt ccttctgtat 1740
ataccatggt cttactttcc aactctgtac agatttatat atggaggagc taggtccata 1800
aatgttgtaa taaatattcc tttgatcttg gtgtttgcaa aaaaaaaaaa aaaaaaaact 1860
cgagactagc gg                                     1872

```

&lt;210&gt; 95

&lt;211&gt; 1516

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1505)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 95

```

ggagggcaga aagggagagt gctgggcggg cttagtcgga gattgaggac tgggaatccg 60
cttccgggag ggcactgtct agtgacacagg caacctggcc ttsgcctcct agcccagaaa 120
gccgaatctc cctaatecct gtgacctgtg tcacctctgc atcgcgagga gggggataag 180
tggggagaag tctggtgtca gatgggatgg cgccggaaga gggtgccaca gcggggacgg 240
aaggcgcccc caccccaact ccacgggaat ataaacaatt tgtattttcc gatcagggtg 300
cgggacaggc ttcatgtgga cagccctaac ccagctgctg aatgccagag gccacgaagt 360
acgttggtct ccgaaaagcc cgggcccggc cggatcacgt gggatgagct cgctgcatcg 420
gggtgcccga gctgcgatgc cgccgtcaac ctggccggag agaacatcct caaccctctc 480
cgaagatgga atgaaacctt ccaaaaagag gttctcgga gccgcctaga gaccaccaa 540
ttgctggcta aagccatcac caaagcccca caaccccca aggcctgggt cttagtcaca 600
ggtgtagctt actaccagcc cagtctgact gcggagtatg atgaagacag ccagggagg 660
gactttgact ttttctccaa cctcgttaacc aaatgggaag ctgcagccag gcttcctgga 720
gattctacac gccagggtgt ggtgcgctca ggggttgtgc tgggcccgtg ggggtgtgcc 780
atgggccaca tgetgctgcc ctttcgcctg ggccctgggg gcccacatcg ctcaggccac 840
caattcttcc cctggataca catcggggac ctggcaggaa tcctgaccca tgcccttgaa 900
gcaaaccacg tgcacggggg cctgaatgga gtggctccat cctccgccac taatgctgag 960
tttggccaga ccttcggtgc tgccctgggc cgccgagcct tcacccctct cccagcgct 1020
gtggtgcaag ctgtctttgg gcgacagcgt gccatcatgc tgetggaggg ccagaagggtg 1080
atcccacggc gaacactggc cactggctac cagtattcct tcccagagct aggggctgcc 1140
ttaaaggaaa ttgtagccta agtaggtcat ggcaagggcc tgaggcctgt tcctcacagg 1200
cttccagggt aggcactgtg aataggctca gctcctctag agagctgaag ccatctggtt 1260
cttagattcc tctcccagtc ctctttccca ttgttctgtt gctccacctt attgtctcaa 1320
ggccgtaatc tcatcagggt gggacattaa tcttttcaac tccttgtaag atttcccggg 1380
ttggtttctc tacatgtcct gcagctgccc cacttctcct ttacgctgtg tagagaatgc 1440
tctgcagttt aggcataaaa aataaattgt ctcactaaaa aaaaaaaaaa aaattggggg 1500
gggncccgat acccat                                     1516

```

&lt;210&gt; 96

<211> 1770  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (485)  
<223> n equals a,t,g, or c

<400> 96  
agtgccagga gtgggttcca gatcgggaga gctacgtgtc ccacatgaaa aagagccacg 60  
gtcggacatt gaagcggtag ccatgccggc agwgtgaaca gtccttccac accccaaca 120  
gcctgcgcaa acacatccgc aacaacctg acacagtaaa gaagttctac acctgcgggt 180  
actgcacaga ggacagcccc agctttcctc ggccctccct tctggagagc cacatcagcc 240  
ttatgcatgg catcagaaac cctgatttga gccagacgtc caaagtgaac cctccgggtg 300  
gacattcccc tcaggtgaac catctgaaaa gaccagtcag tggagtgggg gacgctccag 360  
gcaccagcaa tggcgcaact gtctcttcca ccaaaaggca caagtcctt tttcagtgcg 420  
cgaaatgtag ttttgccaca gactcggggc tcgagtttca gagccacata cctcagcacc 480  
aggtnggaca gytccacagc ccaatgtctc ctctgtggtt tgtgctacac ctctgccagc 540  
tccctcagcc gccacctctt cattgtccac aaggtgagag accaggagga ggaggaggaa 600  
gaggaggcgg cggcacggag atggcagtgg aggtggcaga gcagaggagg gctccgggga 660  
rgargtgccc atggagacta gagagaatgg actggaagaa tgtgccggtg agccyttgtc 720  
agctgacca gaggcagga gattgctggg ccgggccctt gaggacgatg gtggccacaa 780  
tgatcacakt caaccacagg cytytcagga ccaggacagc cacacactgt cccctcaggt 840  
gtgaccggag actttgcagt gtgcatggtc aggggtgggt ccgaagtgtc ttccacctgc 900  
cctgcggacc gtggaaaata aaaggctctg ccccgagtgt gagtgtgacc ggtgtgacct 960  
tggagttagt tctgccctga gctgccagtg ctgggtatcc cccagcccca ggaaatgtgg 1020  
ggtcggccag gaccctcaca gctctgaatt tgcttctgtt atttatggct tttcgytgct 1080  
tcttggtgcc ccatctcttg tctgtgtcct tccaaccca agctgcttat gtggcccaac 1140  
cccactgctg tcaactagga ttgaaccca cagcggctgt gctcttctgg gaggttccc 1200  
cttgctgcct tcagccaggg cgctcctcag agctctatct tctgcagac accagctctc 1260  
cttcctgcct ttagatcctg agaaggaggg aaatgagggg tgctgacaca gtccctctgg 1320  
gagagctctg ctagtctgg tttggcgagg gcccttgatc accttgcccc tctccctgt 1380  
cttctctgat tctttccct caaaatagtc ctgagaacta attgtcacac tggctcatca 1440  
tgtctctgtg ggtgggggtg gagaaacctc tgctgcacac ctctgtttgg aacctgggca 1500  
gagcaggagg taaggcaaag gcaggcaggc accaagaacc agacccttg agaaggcgct 1560  
gtgggtgggt cttgttctg ctgttctgcc tttcctgaca ggtgggggtg gggcacacag 1620  
acattggaat atttgtactg ctctcgtgcc atttgagagg cttgctgccc caggcaggcc 1680  
agccctact cctcttggtt aactcatgt tkctcagact atatttcaaa taaaaaatct 1740  
tctcaccatg caggtaggct cttgtattcc 1770

<210> 97  
<211> 938  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (183)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (293)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (360)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (938)  
<223> n equals a,t,g, or c

<400> 97  
gcagaagagg ggagattggg ggagagatga cagctgcagg gatggttgtr agccgctagt 60  
ratggagagc agagggagag ggccaggctc caractccca cacgcccaca cagcacctct 120  
gccaggccta ggagaagaca ggtgcagctc ttgcagctct gcgggtgtgc ggccaaaggc 180  
aangcccacg ggctggatgt cacttccccg actgtctctt ggttggcttg tccttgtgca 240  
agaccagcs tgtcacgaca garcctgggc acttcagagg aggagccagg ttngaattgt 300  
aaggggggaa ttgggggtcca ccatagtctt ctgctctggt cctccacggg tgggaccagn 360  
atggaagtct cctgcctaac ctactgcat tgcactggac ctgggatgcc tatccaccct 420  
ctggcagaag aactcacca ggttatctgt gaagagactc tgggatccca tcacctcaa 480  
gccagagggt ccccaagtca ccgctgagag cacttgagcc tcaaggatgt aagcctgacc 540  
ataggatctt gactccaaca gcggcaaccc ccaccccat tgtggtccgt ccttaaccca 600  
tccactcttc ttcggaggca actgagaaca cataaagcaa gcagctacct agcatcccc 660  
tcctaaagct ttagactcag agcccagggt cccccacaag cctcaaggta gcctcaggtt 720  
tctctaattt cctccactcc cagttcgaag caaacagctt actgcctagt ccccgccaat 780  
ccaaggggcg ggctggctga tggcagcatg gtgggctggc ctgggtgtgg agtgaaagag 840  
tactgtggt gggggcgaga ggaggacttg ggagctggag gtgtgacacc ttcagttctg 900  
ttcctattaa aggaccttct gaagggcaaa aaaaaaan 938

<210> 98  
<211> 311  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (297)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (309)  
<223> n equals a,t,g, or c

<400> 98  
agatgcggct ggagcagcag aagcagacgg tccagatgcg cgcgcagatg cccgccttcc 60  
ccctgcccta cgcccaggca tgtgccatcc tcccgccacc cagaggtttg tgggctgagg 120

```

accaactctc accgctgtct ctttcgtccc cagctccagg ccattgcccgc agccggaggt 180
gtgctctacc agccctcggg accagccagy ttccccagca ccttcagccc ygccggctcg 240
gtggagggct ccccaatgca cggcgtgtac atgagccagc cggtcctcgc cgctgggccc 300
taccacagna t 311

```

```

<210> 99
<211> 620
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc feature
<222> (368)
<223> n equals a,t,g, or c

```

```

<220>
<221> misc feature
<222> (570)
<223> n equals a,t,g, or c

```

```

<400> 99
actgccggtc gttcggacgt cttgcctgtc gctggaggag aggtccgggc tctccaggaa 60
ggtggctgcg gcgacaaaat gaagatattc gtgggcaacg tcgacggggc ggatacgact 120
ccggaggagc tggcagccct ctttgcgccc tacggcacgg tcatgagctg cgccgtcatg 180
aaacagttcg cttcgtgca catgcgcgag aacgcgggcg cgctgcgcgc catcgaagcc 240
ctgcacggcc acgagctgcg gccggggcgc gcgctcgtgg tggagatgtc gcgccaagg 300
cctcttaata cttggaagat tttcgtgggc aatgtgtcgg ctgcatgcac gagccaggaa 360
ctgcgcantc cttcgagcgc cgcggacgcg tcatcgagtg tgacgtggtg aaagactacg 420
cgtttgttca matggagaag gaagcagatg ccaaagccgc aatcgcgag ttcaacggca 480
aagaagtga gggcaagcgc atcaacgtgg aatctycacc aagggtcaga agaaggggcc 540
tggcctggct gtccagtctt gggacaagan caagaaacca agggctgggg ataggccttc 600
cctggaatgg tggctttctg 620

```

```

<210> 100
<211> 2511
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc feature
<222> (12)
<223> n equals a,t,g, or c

```

```

<220>
<221> misc feature
<222> (28)
<223> n equals a,t,g, or c

```

```

<220>
<221> misc feature
<222> (44)

```

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2456)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2488)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2511)

<223> n equals a,t,g, or c

<400> 100

```
gtaccattcc cngaccgctt ggccctgtncg attaatccgc ccnatagga attggcccg 60
gccagattcg gccgagcaag cggaacctct gggaaaagca atctgtggat aaggtcactt 120
ccccactaa ggtttgagac agttccagaa agaaccceaag ctcaagacgc aggacgagct 180
cagttgtaga gggctaattc gctctgtttt gtatttatgt tgatttacta aattgggttc 240
attatctttt atttttcaat atcccagtaa acccatgtat attatcacta tatttaataa 300
tcacagtcta gagatgttca tggtaaaagt actgcctttg cacaggagcc tgtttctaaa 360
gaaacccatg ctgtgaaata gagacttttc tactgatcat cataactctg tatctgagca 420
gtgataccaa ccacatctga agtcaacaga agatccaagt ttaaaattgc ctgcggaatg 480
tgtgcagtat ctagaaaaat gaaccgtagt ttttgtttt ttaaatacag aagtcatgtt 540
gtttctgcac ttataataa agcatggaag aaattatctt agtaggcaat tgtaacactt 600
tttgaaagta acccatttca gatttgaaat actgcaataa tggttgtctt taaaaaaaa 660
aaagaaatgt actgttaagg tattactttt tttcatgctg atgattcata tctaaattac 720
attattatgt tagctgacag tggtagctat tttttaggtt ggttggtttg tggatttctt 780
tagtagtgat agtagcctga accacatttt agataactca attatgtatg tatgtgcata 840
cacatatata aacacactaa tggtagaatg cttttttatg tgctagacta ttatatttag 900
tagtatgtca ttgtaactag ccaatatcac agcttttgaa aaattaaaaa atcacactat 960
attaatattt catatttgcc aacagaaaca tggcagatag gtatcaatat gttttcaatg 1020
cctgatgacc tataagaaga aagtattgaa aagaagagag attagaactg ttagaaggag 1080
ttgaaatttt ctaaaagaca tagtatttag tttataatta aatgcattct tgaagtccag 1140
tgtgaatttt attaatgcta tcatctcgac caagctcaaa gcctacttat tagaaacaat 1200
gaagttcaca ataggtcata aggtctcttc cttttctaaa attgaaagac aagaaattta 1260
gtgccaatat tgtacagaca gaaattccat gtatgagtct caacaaagac tacctttggc 1320
taaagtgtcta gaagcagaga agtaaaagtga gcaaaatcca gtgttgagga gtcagacag 1380
tactttgatc ttatataact ctgaagcatt tcttcaaact tttctacttt tatttgctat 1440
tgatacctgt agtaagttga caatgtggtg aaatttcaaa attatatgta acttctacta 1500
gttttacttt ctccccaag tcttttttaa ctcatgattt ttacacacac aatccagaac 1560
ttattatata gcctctaagt ctttattctt cacagtagat aatgaaagag tcctccagt 1620
tcttgccaaa atgttctagt atagctggat acatacagtg gagtctata aactcatacc 1680
tcagtggact taacaaaat tgtgttagtc tcaattccta ccacactgag ggagcctccc 1740
aaataactat tttcttatct gcagtattcc tccagaagag ctaaccaggg cagggctggc 1800
atgagaagtg acatctgcgt tacaaagtct atcttctca taagtctgta aagagcaatt 1860
gaatcttcta gcttttagcaa acctaaagcca aaggaaggaa agccacgaag aatgcagaag 1920
tcaaaccctc atgacaaagt aggcacaagt ctacaataag ctaaatcaga atttacaatt 1980
```



```

acaagtgtcc caggtagcat tgactcccgt cattggagtg aaatggatca aagtttgaat 2040
taaggcctat ggtaaggtaa cattgctttg ttgtactttt gaacaagagc tcctcctgat 2100
cactattaca tatttttcta gaaaatctaa agttcagaag agaatgtatc actgctgact 2160
tttattccaa tatttggtat gagtaagttt tagggtagaa ttttgttcag tttggattta 2220
atcttttgaa aagtaaattc cttgtttact ggtttgacta taattctctg ttatctttac 2280
gaggtaaaac tgcaagctga ctagcatgtt ctgtgaatct gccattccta aaaattttat 2340
aaacacttga tacttttcac tgataatgga tcgctccaat aaacatatat tgtgaaaatg 2400
catccacaat aaatggaatt ccttcctgca aaaaaaaaaa aaaaaagggc ggccgntcta 2460
gaggatccag gcttacgtac gcgtgccngc gacgtccata gcccttcta n 2511

```

<210> 101

<211> 2981

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (293)

<223> n equals a,t,g, or c

<400> 101

```

cggacgcgtg ggcgccacg ttgtcttgcg cgctttgccc gcctggccct gggactctga 60
ccctcggtta ccctttcctg cccactagc gtggccgcga gcctcggtga gccggccgta 120
ttcccgctct cgcttagggg gcacaggcgc aggcacggc ccggccactc caagccttcg 180
gtgcgcgggc gcgtctggga tacgggcccg ggaggcgccg ccctccgtcc gcccggtgcc 240
tctcaggaac agcgaaccgg agagagcgcc ggagagtgg gctcagtger ganctcggcg 300
ccggggccca tgcccgtgcg ccccgccagg ccggcgccat ggccctccgg agtktgccg 360
agtgcctgca gcaggagacc acctgccccg tgtgcctgca gtacttcgca gagcccatga 420
tgctcgactg cgcccataac atctgttgcg cgtgcctcgc ccgctgctgg ggcacggcag 480
agactaacgt gtcgtgcccg cagtgcgggg agacctccc gcagaggcac atgcggccca 540
accggcacct ggccaacgtg acccaactgg taaagcagct gcgcaccgag cggccgtcgg 600
ggcccgggcg cgagatgggc gtgtgcgaga agcaccgcga gccctgaag ctgtactgcg 660
aggaggacca gatgccatc tgcgtggtgt gcgaccgctc ccgcgagcac cgcggccaca 720
gcgtgctgcc cgtcgaggag gcggtggagg gcttcaagga gcaaaccag aaccagctcg 780
accatttaaa aagagtgaag gatttaaga agagacgtcg ggcccagggg gaacaggcac 840
gagctgaact cttgagccta acccagatgg agaggagaa gattgtttgg gagtttgagc 900
agctgtatca ctcttaaaag gagcatgagt atcgccctct ggcccgcctt gaggagctag 960
acttgcccat ctacaatagc atcaatggtg ccatcaccca gttctcttgc aacatctccc 1020
acctcagcag cctgatcgct cagctagaag agaagcagca gcagcccacc agggagctcc 1080
tgaggacat tggggacaca ttgagcaggg ctgaaagaat caggattcct gaaccttgga 1140
tcacacctcc agatttgcaa gagaaaatcc acatttttgc ccaaaaatgt ctattcttga 1200
cggagagtct aaagcagttc acagaaaaaa tgcagtcaga tatggagaaa atccaagaat 1260
taagagaggc tcagttatac tcagtggacg tgactctgga cccagacacg gcctacccca 1320
gcctgatcct ctctgataat ctgcggcaag tgcggtacag ttacctcaa caggacctgc 1380
ctgacaacct cgagaggttc aatctgtttc cctgtgtctt gggctctcca tgcttcatcg 1440
ccgggagaca ttattgggag gtagaggtgg gagataaagc caagtggacc ataggtgtct 1500
gtgaagactc agtgtgcaga aaaggtggag taacctcagc ccccagaat ggattctggg 1560
cagtgtcttt gtggtatggg aaagaatatt gggctcttac ctcccgaat actgccctac 1620
ccctgcggac ccgctccag cgggtgggga ttttcttggg ctatgatgct ggtgaggtct 1680
ccttctacaa cgtgacagag aggtgtcaca ccttcacttt ctctcatgct accttttgtg 1740
ggcctgtccg gccctacttc agtctgagtt actcgggagg gaaaagtga gctcctctga 1800

```

```

tcattctgccc catgagtggg atagatgggt tttctggcca tgttggaat catggtcatt 1860
ccatggagac ctccccttga ggaggtgaat tcaggccaaa agggctgttg gctgtaatcc 1920
tacgccaggc acaaggcatc ttgttgctt gccacgtcct gtcacagctg ggtatcctta 1980
ccatgttcca cgcccttgca gtgggagaca ggatgtccat gttctctacc atccttttcc 2040
ttcccagca gattgtgaaa tgtaatgaga tgtatcaaga taccctagaa ataaaaacca 2100
gatgtccacc tccagtgttt catactttct gggttttacac atcgctggag ggataaagag 2160
tatggataat ctttggattt ggagagccgt tcaagatact tccagcttct tggctcagcc 2220
tggcttctc tggttcagcc ccacataatg attatggcta tttgctgtca tttctgggt 2280
agggctcctt tctaacaacc tagactggaa taaggccctg tcagcatggc tccctttatc 2340
ccagttttcc gtctgggaac agtacctctg cccctgattc ccaatgtgcc atagttttat 2400
taactccatt aaagaagcct gtatgtgttt tggtagtta cagttatttt acaataatgg 2460
tgggtaatgg cccacctct gtatgagat aatgttctaa tcaatgtctc tgcctttgta 2520
tctttctga gggctttgtc tgtctcttc attctaataa aaggtgtatt ctagtgttg 2580
gtgcatatca tccaggataa tattctgccc aactccatcc tctgttacta gatcccttac 2640
cagtcacatt tgtggactgg tggccagtcg tataccatcc ctggaaggat tctgggacaa 2700
tattccaggg attcattgac ttcttggtc cttttctcca tttcctttgg ggggaagggg 2760
aattgaccat gcttaagtgc atcctatcaa ggggcagctc cgtccccatg gccattggat 2820
catgagacac tctgaagtca gaaggctggg gcagatcact tcaagcaagc ccccatgatg 2880
gttctcagtc ctgcttctct gtgggtacgt gcccctctgt ttaaaaaataa actgaatatg 2940
gatgtttaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa g 2981

```

&lt;210&gt; 102

&lt;211&gt; 2804

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 102

```

ccaaggacac aggtgaaagg ttgagccatg cagtaggctg tgcttttgca gcctgggtta 60
gagcgcaaca ggaagcggcg agaaggaatg tggagtgact gctacttttg atgctagtcg 120
gaccactttt acaagagaag gatcattccg tgtcacaaca gccactgaac aagcagaaag 180
agaggagatc atgaaacaaa tgcaagatgc caagaaagct gaaacagata agatagtcgt 240
tggttcatca gttgcccctg gcaamactgc cccatcccca tctctccca cctctcctac 300
ttctgatgcc acgacctctc tggagatgaa caatcctcat gccatccac gccggcatgc 360
tccaattgaa cagcttgctc gccaaggctc tttccgaggt tttcctgctc ttagccagaa 420
gatgtcacc tttaaacgcc aactatccct acgcatcaat gagtgcctt ccatatgca 480
gaggaagact gatttcccca ttaaaaatgc agtgccagaa gtagaagggg aggcagagag 540
catcagctcc ctgtgcttac agatcaccaa tgccttcagc acacctgagg accccttctc 600
atctgctccg atgaccaaac cagtgcagct ggtggcacca caatctccta ccttccaagg 660
gaccgagtgg gtcaatctt ctggtgctgc ctctccaggt ctctccagg ccggtcatag 720
acgtactccc tctgaggccg accgatggtt agaagagggt tctaagagcg tccgggctca 780
gcagccccag gcctcagctg ctctctgca gccagttctc cagcctctc caccactgc 840
catctcccag ccagcatcac ctttccaagg gaatgcattc ctacacctc agcctgtgcc 900
agtgggtgtg gtcccagccc tgcaaccagc ctttgcctt gccagtcct atcctgtggc 960
caatggaatg ccctatccag ccctaagtgt gcctgtggtg ggcatacty cctcccagat 1020
ggtggccaac gtatttgga ctgcaggcca ccctcaggct gccatcccc atcagtcacc 1080
cagcctggtc aggcagcaga cattccctca ctacaggga agcagtgcta ccaccagtc 1140
cttctttaag cctcctgctc agcacctcaa cggttctgca gctttcaatg gtgtagatga 1200
tggcagggtt gcctcagcag acaggcatac agaggttcct acaggcacct gccagtgga 1260
tccttttgaa gccagtggtg ctgcattaga aaataagtcc aagcagcgta ctaatccctc 1320
ccctaccaac ctttcttcca gtgacttaca gaagacgttt gaaattgaac tttaagcaat 1380
cattatggct atgtatcttg tccataccag acagggagca gggggtagcg gtcaaaggag 1440

```

```

caaaacagac tttgtctcct gattagtact cttttcacta atcccaaagg tcccaaggaa 1500
caagtccagg cccagagtag tgtgaggggt gattttgaaa gacatgggaa aaagcattcc 1560
tagagaaaag ctgccttgca attaggctaa agaagtcaag gaaatgttg tttctgtact 1620
ccctcttccc ttacccctt acaaattctt ggcaacagag aggcaaagta tctgaacaag 1680
aatctatatt ccaagcacat ttactgaaat gtaaaacaca acaggaagca aagcaatctc 1740
cctttgtttt tcaggccatt cacctgcctc ctgtcagtag tggcctgtat tagagatcaa 1800
gaagagtggg ttgtgctcag gctggggaac agagaggcac gctatgctgc cagaattccc 1860
aggagggcat atcagcaact gccagcaga gctatatatt gggggagaag ttgagcttcc 1920
atthtgagta acagaataaa tattatatat atcaaaagcc aaaatcttta tttttatgca 1980
tttagaatat tttaaatagt tctcagatat taagaagtg tatgagttgt aagtaatctt 2040
gccaaaggta aaggggctag ttgtaagaaa ttgtacataa gattgattta tcattgatgc 2100
ctactgaaat aaaaagagga aaggctggaa gctgcagaca ggatccctag cttgttttct 2160
gtcagtcatt cattgtaagt agcacattgc aacaacaatc atgcttatga ccaatacagt 2220
cactaggttg tagttttttt taaataaagg aaaagcagta ttgtcctggg tttaaacctt 2280
tgatggaatt ctaatgtcat tattttaatg gaatcaatcg aaatatgctc tatagagaat 2340
atatctttta tatattgctg cagtttcctt atgttaatcc tttaacacta aggtaacatg 2400
acataatcat accatagaag ggaacacagg ttaccatatt ggtttgtaat atgggtcttg 2460
gtgggttttg ttttatcctt taaattttgt tcccatgagt tttgtgggga tggggattct 2520
ggttttatta gctttgtgtg tgtcctcttc ccccaaaccc ccttttggtg agaacatccc 2580
cttgacagtt gcagcctctt gacctcggt aacaataaga gagctcatct catttttact 2640
tttgaacggt gcccttacia tcaaagttaa gttatatata tttgtactga tgaataatga 2700
taatctgctt taacaaaaat aaatgttcat ggtagaagct tttkcccatg aagggtctgt 2760
ctttccctt tcctttatta gtaaatgaat ttatttttaa aaaa 2804

```

&lt;210&gt; 103

&lt;211&gt; 722

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 103

```

cgggaagagg cggacagcga ggccaagatt tcagctgcgg gacggtcagg ggagacctcc 60
aggcgagggg aaggacggcc agggtagcac ggaagcatgc gacggctgct gatccctctg 120
gccctgtggc tgggygcggg gggcgtgggc gtcgccgagc tcacggaagc ccagcgccgg 180
ggcctgcagg tggccctgga ggaatttcac aagcaccgc cctgtcagtg ggccttccag 240
gagaccagtg tggagagcgc cgtggacacg ccttcccatg ctggaatatt tgtgaggctg 300
gaatttaagc tgcagcagac aagctgccgg aagagggact ggaagaaacc cgagtgcata 360
gtcaggccca atgggaggaa acggaatgc ctggcctgca tcaaactggg ctctgaggac 420
aaagtctctg gccgggttgt ccamtgcccc atagagaccc aagtttgtcg ggagaccag 480
tgcttcaggg tgcagcgggc tggtagaggc cccacagct tctacttccc tggacagttc 540
gccttctcca aggccctgcc ccgcagctaa gccagcactg agmtgcgtgg tgcttccagg 600
accgctgcgg gtggtaacca gtggaagacc ccagcccca gggagaggaa cccgttctat 660
ccccagccat gataataaag ctgctctccc agctgcctct caaaaaaaaa aaaaaaaaaa 720
aa 722

```

&lt;210&gt; 104

&lt;211&gt; 1636

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 104

```

tacggctgcg agaagacgac agaagggggg ctatctgaag aggacgggga cgggagcctg 60

```

```

ctctacagcg tggtaaacac ggccgagcga cgctgatgag gaggagaccc acccggtgac 120
ttgagctcgc tctccagtaa gctactccca ggcttcacca cgctgggctt caaagacgag 180
agaagaaaca aagtcacctt tctctccagt gccactactg cgctttcgat gcagaataat 240
tcagtatttg gcgacttgaa gtcggacgag atggagctgc tctactcagc ctacggagat 300
gagacaggcg tgcagtgtgc gctgagcctg caggagtgtg tgaaggatgc tgggagctac 360
agcaagaaag tgggtggacga cctcctggac cagatcacag gcggagacca ctctaggacg 420
ctcttccagc tgaagcagag aagaaatgtt cccatgaagc ctccagatga agccaagggtt 480
ggggacaccc taggagacag cagcagctct gttctggagt tcatgtcgat gaagtccat 540
cccgacgttt ctgtggatat ctccatgctc agctctctgg ggaagggtga gaaggagctg 600
gaccttgacg acagccattt gaacttggat gagacgacga agctcctgca ggacctgcac 660
gaagcacagg cggacgcggc ggctctcggc cktcgtccaa cctcagctcc ctgtccaacg 720
cctccgagag ggaccagcac cacctgggaa gcccttctcg cctgagtgtc ggggagcagc 780
cagacgtcac ccacgacccc tatgagtttc ttcagctctc agagcctgcg gcctctgcca 840
agacctaaat ctagaccacc ttcagctctt ttattttatt ttttagttt tattttgcac 900
gtgtagagtt tttgtcatca gacaaggact ttgatcctgt cccctttggc atgcgggaag 960
cagccgcggc ggaggtaatg aattgtctgt ggtatcatgt cagcagagtc tccaagcccc 1020
acgaaccctg aggagtggag tcatacgca aggccatag gcacgtgtc agcagagaga 1080
gtctctgtac acagccccgt gaaccctgag gagtggagtc atacacgaag ggcgtgtggc 1140
catcgtgtca gcagagagag tctctgtaca cagccccgtg aaccctgagg agtggagtca 1200
tacgcgaagg gtgtgtggcc aggetgcaga gctgcgtgcc gtttgtgtcc gagcatcacg 1260
tgtggtccca gcccttgttt ctgccagtgt agacacctct gtctgcccc ctgtcctggg 1320
gtcgtctctg ggaggcacag gcacgggtgt gtctggcctc attctgtatc agtccagtgt 1380
gttctgttca tagtttgtgt ctcccaggca ggccatggtg ggggcctcgc aggggccatt 1440
ggggagcaca gggccaggct ggggtgagga gagctcccct gttttctgtt taattgatga 1500
gcctgggaaa ggagtgtgtt ctgcctgccc gttacagtgg agcgttccgt gtccataaaa 1560
cgttttctaa ctggraaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1620
aaaaaggggg gggggg 1636

```

&lt;210&gt; 105

&lt;211&gt; 1561

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 105

```

caggcgggaa catggccacc gagaccctaa tgtggtgcca ggtcctccca agccagcaaa 60
ggagaaacct ccaaaaaaga agggccagga caaaattctt agtaatgagt atgaggagaa 120
gtatgacctc agccggccta ctgcctctca gctggaggac gagctgcagg tggggaatgt 180
tccccttaaa aaagcaaagg agtctaaaaa gcatgaaaag cttgagaaac cagagaagga 240
gaagaaaaaa aagatgaaga atgagaacgc agacaagtta cttaagagtg aaaagcaaat 300
gaagaagtct gagaaaaaga gcaagcaaga gaaagagaag agcaagaaga aaaaaggagg 360
taaaacagaa caggatggct atcagaaacc caccaacaaa cacttcacgc agagtcccaa 420
gaagtcagtg gccgacctgc tggggtcctt tgaaggcaaa cgaagactcc ttctgatcac 480
tgctcccaag gctgagaaca atatgtatgt gcacaacgtg atgaatatct ggaaagtctc 540
tgcaagatgg ctaccaggaa aatctctgtg atccatctc tcggccctgt caacaacagc 600
accatgaaaa tcgaccactt tcagctagat aatgagaagc ccatgcgagt ggtggatgat 660
gaagacttgg tagaccagcg tctcatcagc gagctgagga aagagtacgg aatgacctac 720
aatgacttct tcatggtgct aacagatgtg gatctgagag tcaagcaata ctatgaggta 780
ccaataacaa tgaagtctgt gtttgatctg atcgatactt tccagtcccc aatcaaagat 840
atggagaagc agaagaagga gggcattgtt tgcaaaagag acaaaaagca gtccctggag 900
aacttcctat ccaggttccg gtggaggagg aggttgctgg tgatctctgc tcctaacgat 960
gaagactggg cctattcaca gcagctctct gccctcagtg gtcaggcgtg caattttggt 1020

```

```

ctgcgccaca taaccattct gaagctttta ggcgttgag aggaagttgg gggagtgtta 1080
gaactgttcc caattaatgg gagctctgtt gttgagcgag aagacgtacc agcccatttg 1140
gtgaaagaca ttcgtaacta ttttcaagt agcccgaggt acttctccat gcttctagtc 1200
ggaaaagacg gaaatgtcaa atcctggtat ccttcccaa tgggtgccat ggtgattgtg 1260
tacgatttaa ttgattcgat gcaacttcgg agacaggaaa tggcgattca gcagtcactg 1320
gggatgcgct gccagaaga tgagtatgca ggctatggtt accatagtta ccmccaagga 1380
taccaggatg gttaccagga tgactaccgt catcatgaga gttatcacca kggataccct 1440
tactgagcag aaatatgtaa ccttagactc agccagtttc ctctgcagct gctaaaacta 1500
catgtggcca gctccattct tccacactgc gtactacatt cctgcctttt tcccttcattg 1560
t 1561

```

&lt;210&gt; 106

&lt;211&gt; 486

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 106

```

tcgaccacag cgtccgcca cgcgtccgga aagcagtgtc aagacagtaa ggattcaaac 60
catttgccaa aaatgagtct aagtgcattt actctcttcc tggcattgat tgggtgtacc 120
agtggccagt actatgatta tgattttccc ctatcaattt atgggcaatc atcaccaaaac 180
tgtgcaccag aatgtaactg ccctgaaagc taccgaagtg ccatgtactg tgatgagctg 240
aaattgaaaa gtgtaccaat ggtgcctcct ggaatcaagt atctttacct taggaataac 300
cagattgacc atattgatga aaaggccttt gagaatgtaa ctgatctgca gtggctcatt 360
ctagatcaca accttctaga aaactccaag ataaaaggga gagttttctc taaattgaaa 420
caactgaaga agctgcatat aaaccacaac aacctgacag agtctgtggg cccacttccc 480
aatct 486

```

&lt;210&gt; 107

&lt;211&gt; 800

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 107

```

cttgtatctg atcgtttctaa aaaagagttg tccccggttt taaccagtga agttcatagt 60
gttcgtgcag gacggcatct tgctacaaa ttgaatattt tagtacagca acattttgac 120
ttggettcaa ctactattac aaatattcca atgaaggtga ttcgcatcta ggtggcggca 180
gtcgagaagg ctctgtttaa gaaacaataa cattaaagtg gtgtacacca aggacaaata 240
acattgaatt acactattgt actggagctt atcggatttc acctgtagat gtaaatagta 300
gaccttcctc ctgccttact aattttcttc taaatggctg ttctgtttta ttggaacaac 360
cacgaaagtc aggttctaaa gtcattagtc atatgcttag tagccatgga ggagagattt 420
ttttgcacgt ccttagcagt tctcgatcca ttctagaagr tccaccttca attagtgaag 480
gatgtggagg aagrgttaca gactaccgga ttacagattt tgggtgaattt atgagggaaa 540
acagattaac tccttttcta gaccccgat ataaaatcga tggaaagtctt gaggtccctt 600
tggaacgagc aaaagatcag ttagaaaaac ataccggtta ctggcctatg gatcatttca 660
caaaccacca tttttaacac gcaagcggta gttccattag ccagtgttat tgtggaaaga 720
tcyctggaca gaggaagatg tggttwaaac ggtccaaaaa acatwttcca acttggttgg 780
ataaggggaa ggaaaaaagg 800

```

&lt;210&gt; 108

&lt;211&gt; 1058

&lt;212&gt; DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (895)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1019)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1054)

<223> n equals a,t,g, or c

<400> 108

```

ggcacgagcg tgactggcgc cgaaatggga gaaagcagcg agtgagaggg gaaggggagc 60
caggcgagca cccgggagcc agcgggacct gggcaggggc gcccgagca ggccgcatgg 120
cgggccccgc gcgggatcc ggctggaaga gagcgtacac ggctcgacag agtccggggc 180
cgatgtacca ggtgagcggc cagccccctc tggctgcgac gcgcccttat ggagccccc 240
gcgcamcccg ggcccagccc agaccytaty ccttccttcc tgggctggar gtaktaacag 300
gatccactca ccctgcggag gcagcaccag aggagggctc cctggaggag gcggcaacc 360
ccatgcccc  aggcaatggc cctggcatcc cccagggcct ggacagcact gacctcgacg 420
tccccacaga agctgtgaca tgccagcctc aggggaaccc ttgggctgca cccacttct 480
gccgaatgac tctggccacc cctcagagct gggcggcacc agacgggagg ggaatggtgc 540
cctgggtggc cccaaggccc accggaagt gcagacacac ccactctctg ccagccaggg 600
cagcaagaag agtaagagca gcagcaaac caccacctcc cagatcccc tccaggcaca 660
ggaagactgc tgtgtccact gcatectgtc ctgcctgttc tgcgagttcc tgacgctgtg 720
caacatcgtc ctggactgag ccacctgttg ctctgcagc tcggaggact cgtgcctctg 780
ctgtgctgc tgtggctctg gcgagtgtgc cgactgcgac ctgccctgag acctggactg 840
cggcatcctg gatgcctgt gcgagtcgc ggactgcctg gaaatctgca tggantgtcg 900
tgggctctgc ttctctctc gagcctctgt cgggggctaa gccagcctgg cgccccgca 960
gattccagca gggctcctct gagtggggcc agggccagga ctgtcacaca aggcttgana 1020
aagccccctc ccctggctc ctctaccca ccntgtc 1058

```

<210> 109

<211> 1076

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (780)

<223> n equals a,t,g, or c

<400> 109

```

caggaggaag caggaagaaa caggaggagg aacctgagac agagccgctg aagtccttgc 60
tggaagcaga tgggattaaa tgagcgacga gactgggaga gtgccagaga gagacaccaa 120
gaggatgcag gtctgtctgc tatcagctat gccgctgccc gttgcgctgc agaccgctt 180

```

```
ggccaagaga ggcacccctca aacatctgga gcctgaacca gaggaagaga tcattgccga 240
ggactatgac gatgatoctg tggactacga ggccaccagg ttggagggcc taccaccaag 300
ctggtacaag gtgttcgacc cttcctgcgg gctcccttac tactggaatg cagacacaga 360
ccttgatccc tggctctccc cacatgaccc caactccgtg gttaccaaata cgccaagaa 420
gctcagaagc agtaatgcag atgctgaaga aaagtggac cggagccatg acaagtcgga 480
caggggcat gacaagtcgg accgcagcca tgagaaacta gacaggggcc acgacaagtc 540
agaccggggc cagacaagtc ytgacaggga tcgagagcgt ggctatgaca aggtagacag 600
agagagagag cgagacaggg aacgggatcg ggaccgcggg tatgacaagg cagaccggga 660
agagggcaaa gaacggcgcc accatcgccg ggaggagctg gctccctatc ccaagagcaa 720
gaaggcagta agccgaaagg atgaagagtt agaccccatg gaccctagct catactcagn 780
acgcccccg ggacgtggt caacaggact ccccaagcgg aatgaggcca agactggcgc 840
tgacaccaca gcagctgggc cctcttcca gcagcgccg tatccatccc caggggctgt 900
gctccgggcc aatgcagagg cctcccgaa caagcagcag gattgaagct tcggcctccc 960
tgccctggg ttaaaataaa agctttctgg tgatcctgcc caccaaaaaa aaaaaaaa 1020
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa waaaaaaatt ttgggggggg cccct 1076
```

<210> 110

<211> 1199

<212> DNA

<213> Homo sapiens

<400> 110

```
gttggtggag ttctgcccg atggaagctc cggccgcgga gtgatgggtg cctcagcgaa 60
gatgggcccg gcagggacca tggcgggtgc agcagaggtg gcaggggccc ggcggtggtg 120
ggtagaggag gctgtggtcc tcagggggct gtaggtggag gtatggctcg ggccagcagc 180
gggaacggca gcagaggagc ctggggggca cttcgggcgc cgcaacagca gcttcgagag 240
ctgtgcccag gagtgaacaa ccagccctac ctctgtgaga gtgtgactg ctgcggggag 300
actggtgct gcacctacta ctatgagctc tgggtggtct ggctgctctg gactgtcctc 360
atcctcttta gctgctggtg cgccttcgcg caccgacgag ctaaactcag gctgcaacaa 420
cagcagcggc agcgtgaaat caacttggtg gcctatcatg gggcatgcca tggggctggt 480
cctttcccta ccggttcaact gcttgacctt cgcttcctca gcaccttcaa gccccagcc 540
tacgaggatg tggttcaccg cccaggcaca ccaccccc cttatactgt gggcccaggc 600
cgcccttga ctgcttccag tgaacaaacc tgctgttct cctcatccag ctgcctgccc 660
cactttgaag gaacaaatgt ggaaggtgtt tctcccacc agagtcccc ccctcatcag 720
gagggtgagc ccggggcagg ggtgaccct gcctccacac cccctcctg ccgtatcgc 780
cgtttaactg gcgactccg tattgagctc tgccctgtc ctgcctccg tgaggggtgag 840
ccagtcaagg aggtgagggt tagtgccacc ctgccagatc tggaggacta ctccccgtgt 900
gcactacccc cagagtctgt accgcagatc tttcccatgg ggctgtcttc cagtgaaggg 960
gacatcccat aagtagtttt gagagggtg atgggttact tgcccaccag aaacagccct 1020
agtcccaact ccttgcggtc ctttgcccc tccctgccta cctagaatct gcctgaaagg 1080
gctggagagg ggcagttatg ggggactgt ctgctttac ccccgagga catacacagg 1140
agcctttgat ctcatataag agatgtgaac cagctaaaaa aaaaaaaaaa aaactcag 1199
```

<210> 111

<211> 3630

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (3606)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (3608)

<223> n equals a,t,g, or c

<400> 111

```
cggcgttggt cagtcagagc gagaacatcc cagaggtcgc ccagctccgg cgctgacggg 60
tgtggaccgc ggacgtcgtt gggacagccc ctccccgctg ctccggcgcg gcacctggcc 120
cgcccgctcc tcgctgcgct tcgcctccgc ctccctcgac tcggactcgg gtttatatcg 180
cgctcactt catccagtc ccgggcgagc agcgttgggt ttatgtcttt atttgacgaa 240
aacgacagaa gataccaaaa agttgcaatc aaagatctct tcatcttatt gataaagcca 300
ctaataagcc aaaatgtctg tcaatgtcaa ccgcagcgtg tcagaccagt tctatcgcta 360
caagatgccc cgtctgattg ccaaggttga gggcaaaggc aatggaatca agacagtta 420
agtcaacatg gttgacgttg caaaggcgct taatcgccct ccaacgtatc ccaccaata 480
ttttggttgt gagctgggag cacagaccca gtttgatgtt aagaatgacc gttacattgt 540
caatggatct catgaggcga ataagctgca agacatgttg gatggattca ttaaaaaatt 600
tgttctctgt cctgaatgtg agaatcctga aacagatttg catgtcaatc caaagaagca 660
aacaataggt aattcttgta aagcctgtgg ctatcgaggc atgcttgaca cacatcataa 720
actctgcaca ttcattctca aaaacccacc tgagaatagt gacagtggta caggaaagaa 780
agaaaaagaa aagaaaaaca gaaagggcaa agacaaggaa aatggctccg tatccagcag 840
tgagacacca ccaccaccac caccaccaa tgaattaat cctcctccac atacaatgga 900
agaagaggag gatgatgact ggggagaaga tacaactgag gaagctcaa ggcgtcgaat 960
ggatgaaatc agtgaccatg caaaagttct gacactcagt gatgatttg aaagaacaat 1020
tgaggagagg gtcaatatcc tcttgattt tgtaagaaa aagaaagaag aggggtgtat 1080
tgattcatct gacaaagaaa tcgttgctga agcagaaaaga ctggatgtaa aagccatggg 1140
ccctcttggt ctaactgaag ttctttttaa tgagaagatt agagaacaga ttaagaaata 1200
caggcgccat ttcctacgat tttgtcaca caaaaaaaa gcccaacggg accttcttca 1260
tggttgagg tggtgtgtag caatgcatca agctcagctt atctccaaga ttccacatat 1320
cttgaaggag atgtacgat cagacctttt agaagaagag gtcatcatca gctggtcgga 1380
aaaggcctct aagaaatatg tctccaaaga acttgccaaa gagattcgtg tcaaagcaga 1440
accatttata aaatgggtga aggaggcaga ggaagaatct tctggtggcg aagaagaaga 1500
tgaagatgag aacattgagg tgggtgattc gaaggctgcc agtgtaccga aagttgagac 1560
tgtaaaagtc gacaaacaag atgacgacat cgatattgat gccatttaa gggatggatg 1620
caacctagct taacagtata atgctgcaaa ttttcctcca ttatcagcca gaagtgaac 1680
atgtatgtgc aaaagctaaa atggcttaac atcatgctac actttacact aaaaatctat 1740
tactgtgagt ggtctgttat taagcccaat gagacatcta gggagtccat acacatcagt 1800
gagcagatgt agtttgctta ttatagcat gtttctttt gaaaaactag tgggtggacac 1860
atttgatca catttataca gttataaaaa taaagggttg attttggtcg ttcttcagat 1920
gtttggctct gaatgactta agctgaagta actggctcct tactttaaat gttctgccat 1980
catttcacct gatgagcatt cttggagcct gccagatatt gttaggtcct ggggctgcaa 2040
agaggtcctc aacaggatgt aaagcaaact taattgtaat taatttatc agccattaa 2100
gaaagtacta aagttttatc tctgtagttc ctcaaattgg catctggtaa tgtacattgt 2160
gaggtagact gataatgaaa tgacagtgca acatcttaac caagaagtaa atatgacctc 2220
agtgtcctat aaataatgta agagcaggat ttgaaacttg gagagctgtt ttctcatttc 2280
atgtacactt gcccaaat gtctttgaag tcgtgtgcat tgcacgttg atgagccagg 2340
gaaattatta cattaacaag cattttgtgt gtacgtagta gttactttgt actgagagaa 2400
cttgctttgg ggtgcaatta ataaactgat tttatttggg agaaacaagg aagggtgcac 2460
ttaactagca acctaagcat gatttttcag cttttgccct tagggtttaa attacaattc 2520
caaaatgtta gacatactgt attttttcgt tcagtggtgc ttaattttc ccctcttgca 2580
```



```

gtttgttctg taatgccttt tacatttgga cacatagttt atsccttttt ttggtgtaag 2640
acttgaggata ttttttactt cacattgaat atagccaggc acccaagaag tctgatggcc 2700
acctgagtgac aggtgacaag gacctgacag agcccatgca gggctttaga ttgggacaca 2760
caagagttga taacttcctc atgaactcct tgcctgatct aaactcatat tatgggttct 2820
gactgtttga gtaatcatct tcaagggtta acctcttggc agttaccctt ttcacaaagt 2880
gcacagtggg aatcgagaat cgatagggtt aattttggag cagtggctta taccattcac 2940
ctctgttttt ttgtgattat ttcacagata atgagacctt aataacaaat aggcgtaaaa 3000
aaattttcac attgaaatga tagaaacatt tgatgtaata aaacttggtt ggcttgatat 3060
tttaaggaat tgaaacctag caatcttatt ggagagacaa gaattggtct ccagctgcct 3120
ttgatcaaga ttcgggtgca agtggagcag gagccatata cctggaggga atgtgctttg 3180
tcacacaaaa gaggattttt ttttcttcaa acttgtatgt tgcctagggt tcaaattctt 3240
tgccgcaagg ctgatctgct ttcattaaact ggaattctgt aggagatact ggtgacctaa 3300
gctaagttgc actcagcata ctcagtgtca agctaagag gttctattat aaaggttcta 3360
cttttaatct gagggaaaaac atgttcaggg cttctagaac actaaaaaat ttggcttaaa 3420
ccagtgttca gtctggtgcc aaacttcgaa tggaatacaa attcacataa tctgaacttt 3480
gttcacaggt tatcctaata gagtaattct tcactttgct ctattgaact gtcttaagga 3540
tttgtttaa cagctaagtt acttgattaa aataatgata aaattgtaa aaaaaaaaaa 3600
aaaaantnct gsggtccgct aagggaattc 3630

```

<210> 112

<211> 1526

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1496)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1511)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1512)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1515)

<223> n equals a,t,g, or c

<400> 112

```

tcgaccacg cgtccgcagc aggcctgctg cgcggaaca tggcgggggc cagggtggag 60
tcttgaggct atcagatcgg tatggcattg gcgtccgggc ccgcaaggcg ggcgctagct 120
ggctccgggc agctcggcct tgggggcttc ggggccccga gacgcggggc gtatgagtgg 180
ggcgtgcgct ccacgcggaa gtcggagcct cctccctgg ataggggtgta cgagatccct 240
ggactggagc ccatcacctt tgcgggggaa atgcacttcg tgccctggct ggcgcgggcc 300
atctttccgc cctgggaccg cggctacaag gacccaaggt tctaccgctc gccccctctt 360

```

```

cacgagcatt cgctgtacaa agaccaggcc tgctatatct ttcaccaccg ttgccgcctt 420
ctcgagggtg taaagcaggc cctctggctc accaagacca agttaataga aggccttccc 480
gagaaagtgc ttagccttgt tgatgatcca aggaaccaca tagagaacca agacgagtgc 540
gttctgaatg tgatctctca cgcccgctc tggcagacca ctgaggaaat cccaagaga 600
gagacctact gcccggtcat cgtggacaac ctaatacagc tgtgtaaatc tcagattctc 660
aagcatcctt ctctggccag gaggatctgt gtccaaaact ccacgttttc tgctacctgg 720
aaccgagagt ctctctcct tcaagtccgt ggttctggtg gagcccgact gagcactaag 780
gatcctctgc ccaccatgc ctccagagag gagattgaag ctactaagaa tcatgttcta 840
gagaccttct accccatata acccatcatc gatcttcatt aatgcaatat ttatgatgtg 900
aaaaatgaca caggattcca ggaaggctat ccttaccctt atccccatac cctgtactta 960
ctggacaaaag ccaattttacg accacaccgc cttcaaccag atcagctgcg ggccaagatg 1020
atcctgtttg cttttggcag tgccctggct caggcccgcc tcctctatgg gaatgatgcc 1080
aaggtcttgg agcagcccggt ggtggtgcag agcgtgggca cggatggacg tgtcttccat 1140
ttcctagtgt ttcaactgaa taccacagac ctggactcta acgagggtgt caagaatttg 1200
gcctgggtgg actcagacca gctcctctat cagcattttt ggtgtctccc agtgatcaaa 1260
aagagagtgg ttgtggaacc tgttggccca gttggtttca agccagagac attcagaaa 1320
tttttagctc tatatttgca tgggtgctgc tgagcggagg accctctga atcctgaaac 1380
ccctcttgcc tctcttccac ggaagaggcc tgggccccgt ggagcctcag tgcccgtttg 1440
gcctgctgct ctgctgaca ataaagagcc cttgcgttgc aaaaaaaaaa aaaaangggg 1500
ggccgctcaa nnggncccaa gttagt 1526

```

&lt;210&gt; 113

&lt;211&gt; 585

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (422)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 113

```

tcgaccacg cgtccgcca cgcgtccgc cacgcgtccg ggagcccgtg gacaggatgt 60
tgggtgttgt attaggagat ctgcacatcc cacaccggtg caacagtttg ccagctaaat 120
tcaaaaaact cctggtgcca ggaataatc agcacattct ctgcacagga aacctttgca 180
ccaaagagag ttatgactat ctcaagactc tggctggtga tgttcatatt gtgagaggag 240
acttcgatga gaatctgaat tatccagaac agaaagtgtg gactgttga cagttcaaaa 300
ttggtctgat ccatggacat caagttatc catggggaga tatggccagc ttagccctgt 360
tgacagggca atttgatgtg gacattctta tctygggaca cacacacaaa tttgaagcat 420
tngagcatga aaataaattc tacattaatc caggttctgc cactggggca tataatgcct 480
tggaacaaa cattattyca tcattgtgtt gatggatctc caggcttcta cagtggkac 540
ctatgtgtaa tcagctaatt ggagatgaag tgaaagtaga acgga 585

```

&lt;210&gt; 114

&lt;211&gt; 501

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 114

```

gatgaaaaga aggtttttgc tcttcaaatg cttaagtaaa ctaaaaggca gagctggaaa 60
taaagcccgt attgtggact ccaagtaatg ctctttctgc tacaccatac tttgtggtgt 120

```

```

ctgctcccat gtgcttcttc gctaaggctg atcaaaaaag ttagtaggtt gcttcagcta 180
taagaatttg atggtcttcc ttagtcatca tagtctgcag caatcatitt tggtcatcat 240
tgggatgtct gcttactcct gttgagtaaa tgtgatctat tcacccttgg ragctccttg 300
cacaccaaca gtattcttgg atagggacaa gtgttgtcta agtcagtgac gatttcttta 360
gcataataaa aggctccatg taggatgcta atacttgagt gaaatatgct tcataagcag 420
ccttgttttg acagagttgg tgtaaagtga gggtatgtct tggcctgagc gtcttcaaag 480
catgtgccac tttgtgcac t 501

```

<210> 115

<211> 1965

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (338)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (343)

<223> n equals a,t,g, or c

<400> 115

```

agaggcggca ctggcggcaa gagcagacgc ccgaaccgag cgagaagagc ggagagagcct 60
tatcccctga agccggggccc cgcgtcccag mcctggccca aaggcaggag cagcagacaa 120
gagtgcagtg gtggctgccc ccgcaccagc ctcagtggca gatgacacac cccccccga 180
gcgtcggaac aagagcggta tcatcagtga gcccctcaac aagagcctgc gccgctcccg 240
cccgtctctc cactactctt cttttggcag cagtgggtgt agtggcgggt gcagcatgat 300
gggcggagag tctgctgaca aggccactgc ggctgcanc tgnccctcct gttggccaat 360
gggcatgacc tggcggcggc catggcggtg gacaaaagca accctacctc aaagcacaaa 420
agtgtgtctg tggccagcct gctgagcaag gcagagcggg ccacggagct ggcagccgag 480
ggacagctga cgctgcagca gtttgccgag tccacagaga tgctgaagcg cgtggtgcag 540
gagcatctcc cgctgatgag cgaggcgggt gctggcctgc ctgacatgga ggctgtggca 600
gggtgccgaag ccctcaatgg ccagtcgac ttcccctacc tgggcgcttt ccccatcaac 660
ccaggcctct tcattatgac cccggcaggt gtgttcctgg ccgagagcgc gctgcacatg 720
gcgggccttg ctgagtacc catgcaggga gagctggcct ctgccatcag ctccggcaag 780
aagaagcgga aacgctgcgg catgtgcgcg ccctgccggc ggcgcacaa ctgcgagcag 840
tgcagcagtt gtaggaatcg aaagactggc catcagattt gcaaattcag aaaatgtgag 900
gaactcaaaa agaagccttc cgctgctctg gagaagtgta tgcttccgac gggagccgcc 960
ttccggtggt ttcagtgcg gcggcggaac ccaaagctgc cctctccgtg caatgtcact 1020
gctcgtgtgg tctccagcaa gggattcggg cgaagacaaa cggatgcacc cgtctttaga 1080
acaaaaata ttctctcaca gatttcattc ctgtttttat atatatattt tttgttgtcg 1140
ttttaacatc tccacgtccc tagcataaaa agaaaaagaa aaaaatttaa actgcttttt 1200
cggaagaaca acaacaaaaa agaggtaaa acgaatctat aaagtaccga gacttccttg 1260
gcaaagaatg gacaatcagt ttccttcctg tgcgatgtc gatgttgtct gtgcaggaga 1320
tgcagttttt gtgtagagaa tgtaaatttt ctgtaacctt ttgaaatcta gttactaata 1380
agcactactg taatttagca cagtttaact ccaccctcat ttaaacttcc tttgattcct 1440
tccgaccatg aaatagtgc tagtttgctt ggagaatcca ctcacgttca taaagagaat 1500
gttgatggcg ccgtgtagaa gccgctctgt atccatccac gcgtgcagag ctgccagcag 1560
ggagctcaca gaaggggagg gagcaccagg ccagctgagc tgcaccacac gtcccagac 1620

```

```
tgggatcccc caccccaaca gtgatttttg aaaaaaaaaa gaaagttctg ttcgtttatc 1680
cattgcgatac tggggagccc catctcgata tttccaatcc tggctacttt tcttagagaa 1740
aataagtcct ttttttcttg ccttgctaata ggcaacagaa gaaagggctt ctttgcgtagg 1800
tccctctctg gtgggggttg tccccagggg cccctctcgc ctgggcccc ctscacggc 1860
cagcttcctg ctgatgaaca tgetgtttgt attgttttag gaaaccaggc tgttttgtga 1920
ataaaacgaa tgcattgttg tgtcacgaar maaaaaaaaa aaaaaa 1965
```

<210> 116

<211> 1060

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (299)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1060)

<223> n equals a,t,g, or c

<400> 116

```
gaaacacata cattggatat gggaagatgg cggctgtgtc ggtgtatgct ccaccagttg 60
gaggtttctc ttttgataac tgccgcagaa tgccgtcttg gaagccgatt ttgcaaagag 120
gggatacaag cttccaaagg yccggaaaac tggcacgacc atcgtctggg tggtctataa 180
ggatggcata gttcttgtag cagatacaag agcaactgaa gggatggttg ttgctgacaa 240
gaactgttca aaaatacact tcatactctc taatatattat tgttggtggt ctgggacanc 300
tgcagacaca gacatgacaa cccagctcat ttcttccaac ctggagctcc actccctctc 360
cactggccgt ctcccagag ttgtgacagc caatcggatg ctgaagcaga tgcttttcag 420
gtatcaaggt tacattggtg cagccctagt tttaggggga gtagatgtta ctggacctca 480
cctctacagc atctatcctc atggatcaac tgataagttg ccttatgtca ccatgggttc 540
tggctccttg gcagcaatgg ctgtatttga agataagttt aggccagaca tggaggagga 600
ggaagccaag aatctggtga gcgaagccat cgcagctggc atcttcaacg acctgggctc 660
cggaagcaac attgacctct gcgtcatcag caagaacaag ctggattttc tccgcccata 720
cacagtcccc aacaagaagg ggaccaggct tggccgttac aggtgtgaga aagggactac 780
tgagtcctc actgagaaaa tcaactcctc ggagattgag gtgctggaag aaacagtcca 840
aacaatggac acttcctgaa tggcatcagt ggggtggctgg ccgcggttct ggaaggtggt 900
gagcattgag gccagtaag acactcatgt ggctagtgtt tgccgaatga aactcaactc 960
ataaaaaaac aaaaacccaa ttgggcagct gaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1020
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1060
```

<210> 117

<211> 709

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (174)

<223> n equals a,t,g, or c

&lt;400&gt; 117

```
aattcggcac gagaacatcc attctaaagg gctactgtcc caaatcctgt gtgtcctttt 60
gacttgtctg atcacccaat ggaagtggat acttgtaaag tctacaccac tgtacttggc 120
gttaaatctt gctgaattcg tggtaagctg ttaccatgtc tacattttgt agantgattt 180
tggctgcag caaaattcga tttcacttct cataccctt tccttccact tgaaatgcaa 240
tttagacaga ggccctgtgg tgaaagttgc aatattaagt ttmcccttag aagatcccyt 300
cctcaaacct cagaaccctt agcagtgtta ccctwaaaca aaaatgagct cgagaaaaaa 360
gtagctcagt tacagagaag caaatcgagt tatttcccca cataaaaagt ttcccagat 420
tctaagaatt gcagtatcct gtaccctaaa atttttcaag gtgactcctg ttgtcgtctg 480
ttgataactt taataaaggc catttaagga cataagtttt taaagactcc caaagtgaaa 540
cttaaacatt ttcgggatta tcgattgcat atatcagttt atgctgtgtg ctgaattact 600
atgccatgtg ctatttttagt gtttggggaa aatgaaaaat aaaatttgtt ctttagctta 660
ataaatatgt cttattttta aaaaaaaaaa aaaaaactcg agactagct 709
```

&lt;210&gt; 118

&lt;211&gt; 2053

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (813)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2049)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 118

```
ctccttggcg cctgtcccca cgccccccgc agcgtgacca cgatgctccc cataccccac 60
ccattcccga tacaccttac ttactgtgtg ttggcccagc cagagtgagg aaggagtgtt 120
gccacatttg agatggcggg actgagcaga catgccccca cgagtagcct gactccctgg 180
tgtgtcctcg gaaggaagat cttggggacc cccccaccgg agcacacca rggatcatct 240
ttgcccgtct cctggggacc cccaagaaa tgtggagtcc tcggggggcg tgcactgatg 300
cggggagtgt gggaagtctg gcggttggar ggggtgggtg ggggcagtgg gggctgggcg 360
gggggagttc tggggtagga agtgggtccg ggagattttg gatggaaaag tcaggaggat 420
tgacagcaga cttgcagaat tacatagaga aattaggaac ccccaaattt catgtcaatt 480
gatctattcc ccctctttgt ttcttggggc atttttcctt tttttttttt ttttgttttt 540
tttttaccct tccttagctt tatgcgtca gaaaccaa ataaaccccc ccccatgtaa 600
caggggggca gtgacaaaag caagaacgca cgaagccagc ctggagacca ccacgtcctg 660
ccccccgcca tttatcgccc tgattggatt ttgtttttca tctgtccctg ttgcttgggt 720
tgagttgagg gtggagcctc ctggggggca ctggccactg agcccccttg gagaagtcag 780
aggggagtgg agaaggccac tgtccggcct ggnctctggg gacagtggct ggtccccaga 840
agtccctgagg gcggaggggg ggggtgggca gggctcctc aggtgtcagg aggggtgctc 900
gaggccacag gagggggctc ctggctggcc tgaggctggc cggaggggaa ggggctagca 960
ggtgtgtaaa cagaggggtc catcaggctg gggcagggtg gccgccttcc gcacacttga 1020
ggaaccctcc cctctccctc ggtgacatct tgcccgcctc tcagcaccct gccttgtctc 1080
caggaggtcc gaagctctgt gggacctctt gggggcaagg tggggtgagg ccggggagta 1140
gggaggtcag gcgggtctga gcccacagag caggagagct gccaggctctg cccatcgacc 1200
```

```

aggttgcttg ggccccggag cccacgggtc tggatgatgcc atagcagcca ccaccgcggc 1260
gcctagggct gcggcagga ctcggcctct gggaggttta cctcgcccc acttggtgcc 1320
ccagctcagc cccctgcac gcagcccgac tagcagtcta gaggcctgag gcttctgggt 1380
cctggtgacg gggctggcat gacccgggg gtcgtccatg ccagtccgcc tcagtgcag 1440
aggggtccctc ggcaagcgcc ctgtgagtgg gccattcgga acattggaca gaagcccaaa 1500
gagccaaatt gtcacaattg tggaaacccac attggcctga gatccaaaac gcttcgagge 1560
accccaaat acctgcccac tcgtcaggac acccaccac ccagtgttat attctgcctc 1620
gccggagtgg gtgttcccg gggcacttgc cgaccagccc cttgcgtccc caggtttgca 1680
gctctccctt gggccactaa ccaccttggc cggggtgcc tgtctgacct ccgtgcctag 1740
tcgtggctct ccactctgtc tcctccctgt gtccccaatg tcttcagtgg ggggccccct 1800
cttgggtccc ctctctgcc atcacctgaa gaccccccac ccaaacactg aatgtcacct 1860
gtgcctgcg cctcggtcca ctgcccggc gtgtttgact caactcagct cctttaacgc 1920
taatatcttc ggcaaaatcc catgcttggg ttttgcctt aacctgtaa cgcttgcaat 1980
cccaataaag cattaaaagt catraaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2040
ggggggggnc cgg                                     2053

```

&lt;210&gt; 119

&lt;211&gt; 1824

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 119

```

agttcctagc aagctgttca caagattgcc tgataagaat atggaagctg tatataaagt 60
caacatcttt agaaactcag gatgacgata acataagact gaaggaaaat acttttacc 120
tagaaaatga aaagtgttaa aatagcattt gctgttactc tggagacagt gctagccgg 180
catgaaaact gggtaaattg agttcactgg caacctgtgt tttacaaaga tgggtgccta 240
cagcagccag tgagattatt atctgcttcc atggataaaa ccatgattct ctgggctcca 300
gatgaagagt caggagtttg gctagaacag gttcgagtag gtgaagtagg tgggaatact 360
ttgggatttt atgattgcca gttcaatgaa gatggctcca tgatcattgc tcatgcttcc 420
cacggagcgt tgcacctttg gaaacagaat acagttaacc caagagagtg gactccagag 480
attgtcattt caggacactt tgatgggtgc caagacctag tctgggatcc agaaggagaa 540
tttattatca ctgttgggtac tgatcagaca actagacttt ttgctccatg gaagagaaaa 600
gaccaatcac aggtgacttg gcatgaaatt gcaaggcctc agatacatgg gtatgacctg 660
aaatgttttg caatgattaa tcggtttcag tttgtatctg gagcagatga aaaagttctt 720
cgggtttttt ctgcacctcg gaattttgtg gaaaattttt gtgccattac aggacaatca 780
ctgaatcatg tgcctctgta tcaagatagt gatcttccag aaggagccac tgtccctgca 840
ttgggattat caaataaagc tgtctttcag ggagatatag cttctcagcc ttctgatgaa 900
gaggagctgt taactagtac tggttttgag tatcagcagg tggcctttca gccctccata 960
cttactgagc ctccactga ggatcatctt ctgcagaata ctttgtggcc tgaagttcaa 1020
aaactatatg ggcacgggta tgaaatattt tgtgttactt gtaacagttc aaagactctg 1080
cttgccctcag cttgtaaggc agctaagaaa gagcatgcag ctatcattct ttggaacact 1140
acatcttggg aacagggtgca gaatttagtt ttccacagtt tgacagtcac gcagatggcc 1200
ttctcaccta atgagaagtt cttactagct gtttccagag atcgaacctg gtcattgtgg 1260
aaaaagcagg atacaatctc acctgagttc gagccagttt ttagtctttt tgccttcacc 1320
aacaaaatta cttctgtgca cagtagaatt atttggctct gtgattggag tcctgacagc 1380
aagtatttct tcaactgggag tcgagacaaa aagggtggtg tctgggggtg gtgtgactcc 1440
actgatgact gtattgagca caacattggc ccctgctcct cagtccctgga cgtgggtggg 1500
gctgtgacag ctgtcagcgt ctgcccagtg ctccaccctt ctcaacgata cgtgggttgc 1560
gtaggatttg agtgtggaaa gatttgctta tatacctgga aaaagactga tcaagttcca 1620
gaaataaatg actggaccca ctgtgtagaa acaagtcaaa gccaaagtca tacactggct 1680
atcagaaaat tatgttgga gaattgcagt ggaaaaactg aacagaagga agcagaaggt 1740

```

gctgagtggg tacactttgc aagctgtggg gaagatcaca ctgtgaagat acacagagtc 1800  
 aataaatgtg cactgtaatg gaaa 1824

<210> 120  
 <211> 606  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc feature  
 <222> (144)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (155)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (598)  
 <223> n equals a,t,g, or c

<400> 120  
 aggaagctgg gggaccattt tgcaccatga gtttgtgaaa aatctggatt aaaaaattac 60  
 tcttccagtg ttttctcatg cmaaatttgc tyctarcatg tgataatgag taaactaaaa 120  
 ctatttgcag cttttcctca attnacattt tgggtgtata ctccagagtg atgttatcta 180  
 agtttaagta gtttaagtat gttaaagtgt gatcttttac accacatcac agtgaacaca 240  
 ctggggagat gtgctttttt ggaaaactca aagggtgctag ctccctgatt caaagaaata 300  
 tttctcatgt ttgttcattc tagtttataat tttcatttaa aatccttttag gtttaagtta 360  
 agctttttta aagttagtta aaagaattga gacacaatac taatactgta ggaattgggtg 420  
 aggccttgac ttaaaacttt ctttgtactg tgatttcctt ttgggtgtat ttgctaagt 480  
 gaaacttggt aaattttttg ttaactaaat ttttttctta aaataaagac tttttcacia 540  
 wraaaaaaaa aaaaaaaaaa actcgagggg gggcccgtag ccaatcgctt gtgatgtntc 600  
 gtatac 606

<210> 121  
 <211> 838  
 <212> DNA  
 <213> Homo sapiens

<400> 121  
 gaatcccggg tcgaccacag cgtccgggaa agatcgggcg gcaccgcagg agcaacgggt 60  
 ggtcctgcgg ctgtgatgtc ggtgttgagg cccctggaca agctgcccgg cctgaacacg 120  
 gccaccatct tgctgggtgg cacggaggat gctcttctgc agcagctggc ggactcagtg 180  
 ctcaaagagg actgcgcctc cgagctgaag gtccacttgg caaagtccct ccctttgccc 240  
 tccagtgtga atcgccccg aattgacctg atcgtgtttg tggttaatct tcacagcaaa 300  
 tacagyctcc agaacacaga ggagtccctg cgccatgtgg atgccagctt cttcttgggg 360  
 aargtgtgtt tcctcgccac aggtgtgtgm rggcttttag gccaccatgg cgcarcgcct 420  
 ggtgcgcgtg ctgcagatct gtgctggcca cgtgcccggg gtctcagctc tgaacctgct 480  
 gtccctgctg agaagctctg agggcccctc cctggaggac ctgtgagggt ggctkgcccc 540

tgggctgccc cttctcatgg ctctgtgctg actccataaa cattctctgt tgaggatgtc 600  
cagtcagggc ttgacaggcc caggctcagc cccccgtggc tgggaagggt ccctgcagtg 660  
ccagtgtctg agcagggaga gctgggcaga agcagcgagg gggcccagct ggcgagactg 720  
tagccccctc ccactccac actcactctt gcagagcctg tgtctttaag cagctggcgt 780  
gttacatctc catttaaggt ttcctttgaa caaaaggctc gtggctaaaa aaagttta 838

<210> 122

<211> 656

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (41)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (218)

<223> n equals a,t,g, or c

<400> 122

ggcacgagcg ctcttgctgc gacgcacggt cggaagcgga ncaaggctga ggccgggttg 60  
gcgcgggagc cggggccgct tggagctcgt gtggggtctc cgggccaggc gcgggcatgg 120  
gcgtcctggc cgcagcgggc cgtctcctgg tccgggggtg ggaccgaatg agcaagtggg 180  
cgagcaagcg gggcccgccg agcttcaggc gccgcaangc ccggggcgcc aagggcatcg 240  
gcttcctcac ctggggctgg aggttcgtgc agatcaagga gatggtcccg gaggctcgtc 300  
tcccggatct gaccggcttc aagctcaagc cctacgtgag ctacctcgcc cctgagagcg 360  
aggagacgcc cctgacggcc gcgcagctct tcagcgaagc cgtggcgccg gccatcgaaa 420  
aggacttcaa ggacggtacc ttcgacctg acaacctgga aaagtacggc ttcgagccca 480  
cacaggaggg aaagctcttc cagctctacc ccaggaactt cctgcgctag ctgggcgggg 540  
gagggcgggc ctgccctcat ctcatctcta ttaaaccgct ttgccagcta aaaaaaaaaa 600  
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaggggggg gggcggacgc gtgggc 656

<210> 123

<211> 1386

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1283)

<223> n equals a,t,g, or c

<400> 123

aaccgggnaa aaggaaaccg tgttgtgtac gtaagattca ggaaacgaaa ccaggagccg 60



```

cggggtgttg cgcaaaggtt actcccagac ccttttccgg ctgacttctg agaaggttgc 120
gcacagctgt gcccggcagt ctagaggcgc agaagaggaa gccatcgctt ggccccggct 180
ctctggacct tgtctcgtc gggagcggaa acagcggcag ccagagaact gttttaatca 240
tggaacaaaca aaactcacag atgaatgctt ctccccgga aacaaacttg ccagtgggt 300
atcctcctca gtatccaccg acagcattcc aaggacctcc aggatatagt ggctaccctg 360
ggccccaggt cagctaccca cccccaccag ccggccattc aggtcctggc ccagctggct 420
ttcctgtccc aaatcagcca gtgtataatc agccagtata taatcagcca gttggagctg 480
caggggtacc atggatgcca gcgccacagc ctccattaaa ctgtccacct ggattagaat 540
atttaagtca gatagatcag atactgattc atcagcaaat tgaacttctg gaagttttaa 600
caggttttga aactaataac aaatatgaaa ttaagaacag ctttgagacag agggtttact 660
ttgcagcggg agatactgat tgctgtaccc gaaattgctg tgggccatct agacctttta 720
ccttgaggat tattgataat atgggtcaag aagtcataac tctggagaga ccactaagat 780
gtagcagctg ttgttgctcc tgctgccttc aggagataga aatccaagct cctcctggtg 840
taccaatagg ttatgttatt cagacttggc acccatgtct accaaagttt acaattcaaa 900
atgagaaaag agaggatgta ctaaaaataa gtggtccatg tgttgtgtgc agctgtgtg 960
gagatgttga ttttgagatt aaatctcttg atgaacagtg tgtggttggc aaaatttcca 1020
agcactggac tggaattttg agagaggcat ttacagacgc tgataacttt ggaatccagt 1080
tccctttaga ccttgatgtt aaaatgaaag ctgtaatgat tgggtcctgt ttcctcattg 1140
acttcatgtt ttttgaaagc actggcagcc rggaacaaaa atcaggagtg tggtagtgg 1200
ttagtgaaag tctcctcagg aaatctgaag tctgtatatt gattgagact atctaaactc 1260
ataccygtat grattaagcy gtnaaggcct gtagctctgg ttgtatactt ttgcytttcm 1320
aattawagtt takcttctgt ataactgatt tataaagggt tttgtacatt ttttaatact 1380
cattgg                                     1386

```

<210> 124

<211> 845

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (823)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (825)

<223> n equals a,t,g, or c

<400> 124

```

ggcagaggtt cacaccgga agcaggggcc cgaggcggag ccggccgcga tgagcgggga 60
gccggggcag acgtccgtag cgcctcctcc cgaggaggct gagccgggca gtggggtccg 120
catcgtggtg gagtactgtg aaccctgcgg ctctgaggcg acctacctgg agctggccag 180
tgctgtgaag gagcagtatc cgggcatcga gatcgagtcg cgcctcgggg gcacaggtgc 240
ctttgagata gagataaatg gacagctggt gttctccaag ctggagaatg ggggctttcc 300
ctatgagaaa gatctcattg aggccatccg aagagccagt aatggagaaa ccctagaaaa 360
gatcaccaac agccgtcctc cctgcgtcat cctgtgactg cacaggactc tgggttcctg 420
ctctgttctg ggggtccaaac cttggtctcc ctttggctct gctgggagct cccctgcct 480
ctttcccta cttagctcct tagcaaaag agccctggcct ccactttgcc ctttgggtac 540
aaagaaggaa tagaagattc cgtggccttg ggggcaggag agagacactc tccatgaaca 600
cttctccagc cacctcatat ccccttccca gggtaagtgc ccacgaaagc ccagtccact 660

```

cttcgcctcg gtaatacctg tctgatgcc aagatatttat ttattctccc ctaaccagg 720  
gcaatgtcag ctattggcag taaagtggcg ctacaaacac taaaaaaaaa aaaaaaaaaa 780  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa atntnngggg ggggcccccc 840  
cccccc 845

<210> 125

<211> 1656

<212> DNA

<213> Homo sapiens

<400> 125

ctcccactcc tgcctcgcac tccccttctc catccttgcc cgcctctccc ccgagtcctc 60  
ctcaccgccc ggactctcca ctgttcaact cgagatgcag ctctccactc cagctcaatc 120  
tgctgcagct ggaggagctc ccccgctgctg aggggggctgc tgttgagga ggcctggga 180  
gcagtgcgg gccccacct cccartgcgg aggctgctga gccagaggcc agactggcg 240  
aggctactga gtctccaat caggacgcac ttccggctc cagtacctg ctggaacttc 300  
tgctgcaaga rgactcgcgc tccggcacag gctccgcagc ctccggctcc ttgggctctg 360  
gcttgggctc tgggtctggt tcaggctccc atgaagggg cagcacctca gccagcatca 420  
ctcgcagcag ccagagcagc cacacaagca aatactttgg cagcatcgac tcttccgagg 480  
ctgaggctgg ggctgctcgg ggcggggctg agcctgggga ccagggtgatt aagtacgtgc 540  
tccaggatcc catttggtg ctcatggcca atgctgacca gcgcgtcatg atgacctacc 600  
agggtgcctc caggagcatg acctctgtgc tgaagcagga tcgggagcgg ctccgagcca 660  
tgcagaagca gcagcctcgg tttctgagg accagcggcg ggaactgggt gctgtgact 720  
cctgggtccg gaagggccaa ctgcctcggg ctcttgatgt gatggcctgt gtggactgtg 780  
ggagcagcac ccaagatcct ggtcaccctg atgaccact cttctcagag ctggatggac 840  
tggggctgga gcccatggaa gagggtggag gcgagcaggg cagcagcggg ggcggcagtg 900  
gtgagggaga gggctgcrag gaggcccaag gcggggccaa ggcttcaagc tctcaggact 960  
tggctatgga ggaggaggaa gaaggcagga gctcatccag tccagcctta cctacagcag 1020  
gaaactgcac cagctagact ccattctggg accatctcca ggagtccatg agaggctttc 1080  
ttctcctatg tcccaattct cagaactcag atgtggctag accaaccagt gggaaactgc 1140  
cccagcttct cccaccatag ggggccggac ccccatgcac cagcctagga tccaggggct 1200  
gcctctggcc tcttagggag cagagagcag aactccgcag cccagccag aggagtgtca 1260  
cctcccacct ttggagagga atccttccct cccctggaca aagtgtgctga caagctgctg 1320  
aagtggcctc tccatattcc agctgagcct gaactgact cttgaggggt ggggctgcac 1380  
ttatttattg cggggagaca gctctctctc ccacctctc cccagatggg aggagagcct 1440  
gaggcccaag caggaccggg gggttccagc ccctagctgc tctggagtgg gggagggttg 1500  
tggaacctgg agtccctggg gctgcccctc aggtgggacc caggcgttct cagctgtacc 1560  
ctctgccgat ggcatttggt tttttgatat ttgtgtctgt tactactttt ttaatacaaa 1620  
aagataaaaa cgcccaaaaa aaaaaaaaaa aaacc 1656

<210> 126

<211> 837

<212> DNA

<213> Homo sapiens

<400> 126

tggacgttg ccctgtttgc tttttataaa ccaaactcta tctgaaatcc caacaaaaaa 60  
aatttaactc catatgtgtt cctcttggtc taatcttgct aaccagtgca agtgaccgac 120  
aaaattccag ttatttattt ccaaaatgtt tggaaacagt ataatttgac aaagaaaaat 180  
gatacttctc tttttttgct gttccaccaa atacaattca aatgcttttt gttttatttt 240  
tttaccatt ccaatttcaa aatgtctcaa tgggtgctata ataaataaac ttcaacactc 300

```

tttatgataa caacactgtg ttatattctt tgaatcctag cccatctgca gagcaatgac 360
tgtgctcacc agtaaaagat aacctttctt tctgaaatag tcaaatacga aattagaaaa 420
gccctcccta ttttaactac ctcaactggc cagaaacaca gattgtattc tatgagtccc 480
agaagatgaa aaaaatttta tacgttgata aaacttataa atttcattga ttaatctcct 540
ggaagattgg tttaaaaaga aaagtgtaat gcaagaattt aaagaaatat ttttaaagcc 600
acaattatth taatattgga tatcaactgc ttgtaaaggc gctcctcttt tttcttgtca 660
ttgctggcca agattactaa tatttgggaa ggctttaaag acgcatgtta tgggtgcta 720
gtactttcac ttttaaaactc tagatcagaa ttgttgactt gcattcagaa cataaatgca 780
caaaatctgt acatgtctcc catcagaaaag attcattggc atgccacagg ggattct 837

```

<210> 127

<211> 1217

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1168)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1169)

<223> n equals a,t,g, or c

<400> 127

```

gatcgcgga aggggcacgg gaagcgggtg ggggtgctctg ggaagtatta tggggcctgg 60
gtacgccgag gctgcgggac cggrcctggc tgacttaatc ttcgttcccc acacatttgt 120
ttccgcagtt cgaagcccag ttggggccgac caggtggagg aggaggggga ggacgacaaa 180
tgtgtcacca gcgagctcct caaggggagc cctctggcca caggtgacac cagcccagag 240
ccagagctac tgccgggagc tccactgccc cctcccaagg aggtcatcaa cggaacata 300
aagacagtga cagagtacaa gatagatgag gatggcaaga agttcaagat tgtccgcacc 360
ttcaggattt agaccgggaa ggcttcaaa gctgtcgcaa ggaggaagaa ctggaagaag 420
ttcgggaact cagagtttga ccccccgga cccaatgtgg ccaccaccac tgtcagtgc 480
gatgtctcta tgacgttcat caccagcaaa gaggacctga actgccagga ggaggaggac 540
cctatgaaca aactcaaggg ccagaagatc gtgtcctgcc gcatctgcaa gggcgaccac 600
tggaaccacc gctgccccta caaggatacg ctggggccca tgcagaagga gctggccgag 660
cagctgggcc tgttactgag cgagaaggag aagctgccgg gagagctaga gccggtgcag 720
gccacgcaga acaagacagg gaagtatgtg ccgccgagcc tgcgcgacgg ggccagccgc 780
cgcggggagt ccatgcagcc caaccgcaga gccgacgaca acgccaccat ccgtgtcacc 840
aacttgctag aggacacgcg tgagaccgac ctgcaggagc tcttcgggcc tttcggctcc 900
atctcccgca tctacctggc taaggacaag accactggcc aatccaaggg ctttgccttc 960
atcagcttcc accgcgcgga ggatgctgcg cgtgccattg ccgggggtgc cggctttggc 1020
tacgaccacc tcactctcaa cgtcgagtgg gccaaagcgt ccaccaacta agccagctgc 1080
cactgtgtac tcggtccggg acccttggcg acagaagaca gcctccgaga gcgcgggctc 1140
caagggaat aaagcagctc cactctcnaa aaaaaaaaaa aaaaaaaaag ggcgggcgct 1200
cgcatctag aactagc 1217

```

<210> 128

<211> 1349

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (57)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1133)

<223> n equals a,t,g, or c

<400> 128

```
tggacgcgtg ggtggcggcc ggaggaggag taggtgcggg tgaagatggc ggcagcngag 60
gccgcgaact gcatcatgga ggtgtcctgt ggccaggcgg aaagcagtga gaagcccaac 120
gctgaggaca tgacatccaa agattactac ttgtactcct acgcacactt tggcatccac 180
gaggagatgc tgaaggacga ggtgcgcacc ctcaactacc gcaactccat gtttcataac 240
cggcacctct tcaaggacaa ggtggtgctg gacgtcggct cgggcaccgg catcctctgc 300
atgtttgctg ccaaggccgg ggcccgcaag gtcacgsgga tcgagtgttc cagtatctct 360
gattatgcgg tgaagatcgt caaagccaac aagtttagacc acgtggtgac catcatcaag 420
gggaaggtgg aggaggtgga gctcccagtg gagaaggtgg acatcatcat cagcgagtgg 480
atgggctact gcctcttcta cgagtccatg ctcaacaccg tgctctatgc ccgggacaag 540
tggctggcgc ccgatggcct catcttccca gaccgggcca cgctgtatgt gacggccatc 600
gaggaccggc agtacaaga ctacaagatc cactgggtgg agaacgtgta tggcttcgac 660
atgtcttgca tcaaagatgt ggccattaag gagcccctag tggatgtcgt ggaccccaaa 720
cagctggtca ccaacgcctg cctcataaaag gaggtggaca tctataccgt caaggtggaa 780
gacctgacct tcacctcccc gttctgcctg caagtgaagc ggaatgacta cgtgcacgcc 840
ctggtggcct acttcaacat cgagttcaca cgctgccaca agaggaccgg cttctccacc 900
agccccgagt ccccgtagac gactggaag cagacggtgt tctacatgga ggactacctg 960
accgtgaaga cgggcgagga gatcttcggc accatcggca tgccggccaa cgccaagaac 1020
aaccgggacc tggacttcac catcgacctg gacttcaagg gccagctgtg cgagctgtcc 1080
tgctccaccg actaccgat gcgctgagge ccggtctctc cgccctgcac ganccaggg 1140
gctgagcgtt cctaggcggg ttcggggctc ccccttcctc tccctccctc ccgcagaag 1200
gggttttagg ggcctgggct ggggggatgg ggagggcaca tcgtgactgt gtttttcata 1260
acttatgttt ttatatggtt gcatttacgc caataaatcc tgcagctggg aaaaaaaaaa 1320
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1349
```

<210> 129

<211> 2318

<212> DNA

<213> Homo sapiens

<400> 129

```
tgcgcacgga cgtgctcgag ttctctctgc tctccgctct cgcccgctag ctctcctccc 60
ttccgctcct gcttctctcc ggggtctccc ctccagctcc agccccaccg gcccggtccc 120
gcacggctcc gggtagccat ggaggacccc acgctctata ttgtcgagcg gccgcttccc 180
gggtaccccc acgcccaggc cccggagcct tccctcgctg gggctcaggc agcggaggag 240
ccgtcggggg ccggctcaga agagctgatc aagtcggacc aggtgaacgg cgtgctggtg 300
ctgagcctcc tggacaaaat catcggggcc gtagaccaga tccagctgac tcaagcacag 360
ctggaggagc ggcaggcgga gatggagggc gcagtgcaga gcattccagg cgagctgagc 420
aagctgggca aggcgcacgc accacgagca atacggtgag caagctgctg gagaaggtgc 480
```

gcaaggctcag cgtcaacgtg aagaccgtgc gcggcagcct ggagcgcag gcggggcaga 540  
tcaagaagct ggaggtcaac gaggccgagc tgctkcggcg ccgcaacttt aaagtcatga 600  
tctaccagga tgaagtgaag ctgccggcca aactgagcat cagcaaactc ctgaaagagt 660  
cggaggcgct gccagagaag gaggcgaggg agctgggcca gggcgagcgg cccaggagga 720  
cgcagcgcg cgtgagcttt cgtcggacga ggcggtggag gttgaggagg ttattgagga 780  
gtcccgcgca gagcgtatca agcgrgrcc ctgcggcgcg tggacgactt caagaaggcc 840  
ttctccaagg agaagatgga gaagaccaag gtgcgtacyc gcgagaacct ggagaagacg 900  
cgccctcaaga ccaaggaaaa cctggagaag acgcggcaca ccctggagaa gcgcatgaac 960  
aagctgggca cgcgcttgt gcccggcag cggcgcgaga aactgaagac gtcgcgggac 1020  
aagttgcgca aatccttcac gcccgaccac gtggtgtacg cgcgctccaa gaccgcggtc 1080  
tacaagggtc cacccttcac cttccacgtc aagaagatcc gcgagggcca ggtggaagtg 1140  
gtcaaggcca ccgagatggt ggaggtgggc gccgacgacg acgagggcgg cgcggagcgc 1200  
ggggaggcgg gcgacctgcg gcgcgggagc agccccgacg tgcacgcgct gctggagcgc 1260  
accgaggagt cggacgcgt gctggtggac aagagcgaca gcrctgagc cgccccgct 1320  
gccacccacc ccattcctcg ctccttcga acttcctctt tcgcattctc tctcggtcgc 1380  
agctggctga gatttttcta aattgaaaac acgccccct cccacacct ccaggaaactc 1440  
caactccagt cttagagctg ttaggacctg atggggaggc agcccccgca gtggacagcc 1500  
cccgttgga cacagtcca gtggaatggg aagggaatgg tcaatccctg tcctggttgt 1560  
ccaagtcggg atctcagagg aaattgcagt gattccacgg ttaggcccc ctgggggggc 1620  
tgcttcccc tcagcctctc cccacaccac ccacccagct gctgtcattc cgctcactga 1680  
gctcttcttc attctcacc tgatccctgg gggactcaaa gccaaaactg cccaaagagg 1740  
aaagattgaa tcctaaagg gatccttgcc cccatgggag gccccctact agaaggacgt 1800  
gaaagcagct tttgggggaa actgaggcag tggggaagac agagcagaat gagccctcac 1860  
cctggctggg ggtccagcac aggtgtatc tgcagagggt cccagaggaa cgctggagcc 1920  
aagagaagcc ctgggaagga ggggtgggga acgacatgca tgtgagggat ggcacactga 1980  
tgtgtttatg cacctgtaca caggagcgca tggccatggc tttggaaagg agaatggaaa 2040  
aatagaagaa ggtcggccgg gcttggtggc ttawgcctgt taaccccgac actttgggag 2100  
gccgaggtgg gcggtcacc tgaagtcagg agttcgggac cagcctggca aacaccccat 2160  
ctctactaag cgaaaacca tctctactaa aattacaaaa attagctggg catggttgcg 2220  
catgcctgta aatcccagct actttgggag gctgaggtgg ggagaattgc ttgaacctgg 2280  
ggaggtggga ggttgacgtt gagccaaggt tcgcgaca 2318

<210> 130

<211> 2149

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (787)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (819)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1518)

<223> n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2116)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2147)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 130

aactctaata gatcatacag gaaacggtag ctgcagtagc gtcggaattc ccgggtcgac 60  
ccacgcgtcc ggagaaggca gacgcattccc gaactcgctg gaggacaagg ctcagctctt 120  
gccaggccaa attgagacat gtctgacaca agcgagagtg gtgcaggctt aactcgcttc 180  
caggctgaag cttcagaaaa ggacagtagc tcgatgatgc agactctgtt gacagtgacc 240  
cagaatgtgg aggtcccaga gacaccgaag cctcaaaggc actggagggtc tcagaggatg 300  
tgaaggcttc aaaagcctct ggggtctcaa aggccacaga ggtctcaaag accccagagg 360  
ctcgggaggg acctgccacc caggcctcrt ctactactca gctgactgat acccagggtc 420  
tggcagctga aaacaagagt ctacgagctg acaccaagaa acagaatgct gacccgcagg 480  
ctgtgacaat gcctgccact gagacaaaaa aggtcagcca tgtggctgat acaaagggtca 540  
atacaaaaggc tcaggagact gaggctgcac cctctcaggc cccagcagat gaacctgagc 600  
ctgagagtgc agctgccag tctcaggaga atcaggatac tcggcccaag gtcaaagcca 660  
agaaagcccg aaaggtgaag catctggatg ggggaaggga tggcagcagt gatcagagtc 720  
aggcttctgg aaccacaggt ggccgaaggt ctcaaaggcy ctaatggcct caatggcccc 780  
cagcttncaa ggggtcccat agccttttgg gcccgcagna tcaaggactc ggttggtgc 840  
ttgggcccgg agagccttgc tctccctgag atcacctaaa gcccgtaggg caaggctcgc 900  
cgtagagctg ccaagctcca gtcattccaa gagcctgaag caccaccacc tcgggatgtg 960  
gcccttttgc aagggagggc aaatgatttg gtgaagtacc ttttggttaa agaccagacg 1020  
aagattccca tcaagcgctc ggacatgctg aaggacatca tcaaagaata cactgatgtg 1080  
taccggaaa tcattgaacg agcaggctat tcyttggaga aggtatttgg gattcaattg 1140  
aaggaaattg ataagaatga ccacttgtac attcttctca gcacctaga gccactgat 1200  
gcaggcatatc tggaacgac taaggactca cccaagctgg gtctgtcat ggtgcttctt 1260  
agcatcatct tcatgaatgg aaatcggtcc agtgaggctg tcatctggga ggtgctgcgc 1320  
aagttggggc tgcgcctggg atacatcatt cactctttgg ggacgtgaag aagctcatca 1380  
ctgatgagtt tgtgaagcag aagtacctgg actatgccag agtccccaat agcaatcccc 1440  
ctgaatatga gttcttctgg ggcctgcgct cttactatga gaccagcaag atgaaagtcc 1500  
tcaagtttgc ctgcaagnta caaaagaagg atcccaagga atgggcagct cagtaccgag 1560  
aggcgatgga agcrgatttg aaggctgcag ctgaggctgc agctgaagcc aaggctaggg 1620  
ccgagattag agctcgaatg ggcattgggc tcggctcgga gaatgctgcc gggccctgca 1680  
actgggacga agctgatatc ggaccctggg ccaaagcccg gatccaggcg ggagcagaag 1740  
ctaaagccaa agcccaagag agtggcagtg ccagcactgg tgccagtacc agtaccaata 1800  
acagtgccag tgccagtgcc agcaccagtg gtggcttcag tgctggtgcc agcctgaccg 1860  
ccactctcac atttgggctc ttcgctggcc ttggtggagc tggtgccagc accagtggca 1920  
gctctggtgc ctgtggtttc tcctacaagt gagattttag atattgttaa tcctgccagt 1980  
ctttctcttc aagccagggt gcatcctcag aaacctactc aacacagcac tctaggcagc 2040  
cactatcaat caattgaagt tgacactctg cattaatctt atttgccatt tcaaaaaaaa 2100  
aaaaaaaaa actcgnnggg gggcccggta cccaattggc ccatagnngg 2149

&lt;210&gt; 131

&lt;211&gt; 1020

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (11)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1019)

<223> n equals a,t,g, or c

<400> 131

```
ctcgtgcgta naaggcagcg ccccgagag ctcttgcgcg tcttggtctt gcctgggtgc 60
ggtggttagt ttctgcgact tgtgttgga ctgctgatag gaagatgtct tcaggaaatg 120
ctaaaaattg gcacctgcc cccaacttca aagccacagc tgttatgcca gatggtcagt 180
ttaaagatat cagcctgtct gactacaaag gaaaaatatgt tgtgttcttc tttaccctc 240
ttgacttcac ctttgtgtgc cccacggaga tcattgcttt cagtgatagg gcagaagaat 300
ttaagaaact caactgccaa gtgattggtg cttctgtgga ttctcacttc tgcatctag 360
catgggtcaa tacacctaa aaacaaggag gactgggacc catgaacatt cctttggtat 420
cagaccgaa gcgcaccatt gctcaggatt atggggtctt aaaggctgat gaaggcatct 480
cgttcagggg cttttttatc attgatgata agggatttct tcggcagatc actgtaaagt 540
acctccctgt tggccgctct gtggatgaga ctttgagact agttcaggcc ttccagttca 600
ctgacaaaca tggggaagtg tgcccagctg gctggaaacc tggcagtgat accatcaagc 660
ctgatgtcca aaagagcaaa gaatatttct ccaagcagaa gtgagcgctg ggctgtttta 720
gtgccaggct gcggtgggca gccatgagaa caaaacctct tctgtatttt tttttccat 780
tagtaaaaca caagacttca gattcagccg aattgtggtg tcttacaagg caggcctttc 840
ctacaggggg tggagagacc agcctttctt cctttggtag gaatggcctg agttggcggt 900
gtgggcaggc tactggtttg tatgatgtat tagtagagca acccattaat cttttgtagt 960
ttgtattaaa cttgaactga gaaaaaaaaa aaaaaaaaaa aaaccccggt gggggccng 1020
```

<210> 132

<211> 2319

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (10)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2246)

<223> n equals a,t,g, or c

<400> 132

```
acggctcggn attcccgggt cgaccacgc gtccgctacc ttgaaagggt cagtgcctgc 60
ttgggggtgg gggcgggcca gcactactg tttgttccc caggccagct ggaggtgatc 120
ttgggaccgg cggtgatgc aggatgacaa ccggggccta ggccaagggc tcaaggacaa 180
```

```

caagagaacc tgcaaccggt tccgcctcct gctagagcgg cgaaccrtgg gcagtggagt 240
ccaagatagc cactctacca gctacccatc cctcctcagc cacctgacct ccatgtacct 300
gaacgccccg gcgctcgctc tgctgttagc caggatgcag ctcccaggcc ctggtctgcg 360
ctcatttcat cctctggctt cctcactgcc ctgtgacttc cacctgtca acctacgtac 420
gctccaggct gaggaggaca ccctaccctc ggcgagagacc gcactcatct tacaccgcaa 480
ggttttgact gcggcctgga ggcaagaact tgggcttcaa ctgcaccaca agccaaggca 540
aggtagccct gggcagcctt ttccatggcc tggatgtggt attccttcag ccaacctcct 600
tgacgttact gtacctctg gcctccccgt ccaacagcac tgacgtctat ttggagccca 660
tgagattgac tacctttcgc ctccgcttgg gttagggtctt cttgtggcct gaagagaaag 720
ttcattcaca gagactgcct cttaacatga agatcattgg acaagccaca cgggtatccc 780
atcccgatct gcctcccaga actgtgacac actgggctct gccytcatct tctgtttatt 840
gctgctgctg tgttttcggc gcaaccacaca aaccagtgga tgggtaaata ggcagacgc 900
catgagatca gggagagaag gcccttggtc agagtgggca gtgccaggct ctgctttggg 960
ttgtgagtgg acacccaact gggcacaggc tcaggcaccc atcctttttc caaacaggga 1020
tatagaagtg gtggaagcag acagaagagg taaggaggca taagtgggta acagcccagc 1080
atcagggtca ctgtggcaac agcaggctct aggggaatcc tgtggttatg tagagactcc 1140
atgtcctggt gtgtgagca ggatcagagt gactctggga ggacaggggt ggggaccag 1200
agttagcagt ggggatggag cagtagaagg aatcactgtt tctcctagga gtctgaaggc 1260
ctcgtctgct tctgtgatgg ctttgacgta agtgccgcct ggcctgcatg cattggctaa 1320
caggctgcag aatggcagga aggactcgct agagattgtc atggccagag atcataggtc 1380
acttcaggta gcaagacccc tggcaaactg ggcacttggc ctatgtactg atttgaggga 1440
tggtggcagg ggtgtggggc ccttcaccct gcctgaattc tctttggctt ctgtgctctg 1500
tatgctgctg tccccaaarg ctctttctta ttatggcagg gagtggggat tggctctact 1560
ttctttctct ggaaggaaa gcctccaaga ctccatgtgc ttgggcagct tgagaaggcg 1620
ttcagacca cgcctagcag gcagacctg aagcctcacc tttagtctat ctgcagaggt 1680
attcagttcc tggcacaggg gactaggggc atgtagagta tatgaggagg cagtatggct 1740
gtgcaggagc cttcatttca gcttcaatta atagggaaga atttatgata gctctataga 1800
tgctgaaaag gtatttctga agatttaaaa tccatccctt attaaaactc ttagtaaaatt 1860
aagtctggaa agaaacaccc taatctagat aaaggtctgt ttcagaaaacc aacagtgatg 1920
gcattctaaa gactcagacg ccacaggcat tcccattaaa gtcagaaaact agccaagggc 1980
aagctattat tcagcagtggt cccggcacta ctaaccctg caacaagcca gatgagggaac 2040
ataaggaaga attataattg tcattatttg tagacaataa aactgcctac ctgtaaaacc 2100
taagaatcaa ctgaagacct gtaagagta ttctgtaagt caacccaatg atacacatca 2160
tgttcctgtc cacatactgg ttttcccaa atcagctgat aaattcagt taattccaat 2220
gagatgaaac tttggaattg acagtnctaa agtgcatgg gagagtgaat gtgtgagaac 2280
actaagacca ctctgaacga tgataatgag tttgggggt 2319

```

<210> 133

<211> 1373

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (403)

<223> n equals a,t,g, or c

<400> 133

```

cgcgaccgga agtccgtcac tctcgcgagg ccccagagag caggcgctgg gcagtgtgga 60
ggtcgttgga gtcacttccg cgtcaccagc tcctgtgcct gccagtcggt gccctcccg 120
ctccagccat gctctccgcc ctcgcccggc ctgccagcgc tgctctccgc cgcagcttca 180

```



gcacctcggc ccagaacaat gctaaagtag ctgtgctagg ggcctctgga ggcacccggc 240  
agccactttc acttctcctg aagaacagcc ccttggtgag ccgcctgacc ctctatgata 300  
tcgcgcacac acccgagtg gccgcagatc tgagccacat cgagaccaa ggcgctgtga 360  
aaggctacct cggacctgaa cagctgcctg actgcctgaa agnttgtgat gtggtagtta 420  
ttccggctgg agtccccaga aagccaggca tgaccggga cgacctgttc aacaccaatg 480  
ccacgattgt ggccaccctg accgctgcct gtgcccagca ctgcccggaa gccatgatct 540  
gcgtcattgc caatccggtt aattccacca tccccatcac agcagaagtt ttcaagaagc 600  
atggagtgtg caaccccaac aaaatcttcg gcgtgacgac cctggacatc gtcagagcca 660  
acacctttgt tgacagctg aagggtttgg atccagctcg agtcaacgtc cctgtcattg 720  
gtggccatgc tgggaagacc atcatcccc tgatctctca gtgcaccccc aaggtggact 780  
ttccccagga ccagctgaca gcaactactg ggcggatcca ggaggccggc acggaggtgg 840  
tcaaggctaa agccggagca ggctctgcca cctctccat ggctatgcc ggcgcccgtc 900  
ttgtcttctc ccttgtgat gcaatgaatg gaaaggaaag tgttgtggaa tgttcttcg 960  
ttaagtcaca ggaaacggaa tgtacctact tctccacacc gctgctgctt gggaaaaag 1020  
gcacagagaa gaacctgggc atcgcaaaag tctcctcttt tgaggagaag atgatctcgg 1080  
atgccatccc cgagctgaag gcctccatca agaaggggga agatttcgtg aagaccctga 1140  
agtgcagcgc tgtgacgggt ggccagtttc cttaatttat gaaggcatca tgtcactgca 1200  
aagccgttgc agataaactt tgtattttaa ttgtctttgg tgatgattac tgtattgaca 1260  
tcacatgcc ttccaaattg tgggtggctc tgtggcgca tcaataaaaag ccgtccttga 1320  
ttttattttt caaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaa 1373

&lt;210&gt; 134

&lt;211&gt; 1657

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 134

ggaacaagt cctgtagtgt gtttggatct gtaccctacg actgattata cggatgaatgt 60  
gacctgtctg agatctccta agcggcactc agtcaaataa caatagcaac tccccagca 120  
gtaaaacaga ccacagtaa catttcagga tttaatgaaa cctgcttgag atggagaagc 180  
atcaagacag ctgatatgga ggagatgtat ttattccaca tttggggcca gagatggtat 240  
cagaaggaa ttgcccagga aatgaccttt aatatcagta gcagcagccg agatcccag 300  
gtgtgcttgg acctacgtcc ggtaccaac tacaatgtca gtctccgggc tctgtcttcg 360  
gaacttctctg ttgtcatctc cctgacaacc cagataacag agcctcccct cccggaagta 420  
gaatttttta cgggtcacag aggacctcta ccacgcctca gactgaggaa agccaaggag 480  
aaaaatggac caatcagttc atatcaggtg ttagtgcttc ccctggccct ccaaagcaca 540  
ttttcttgtg attctgaagg cgcttcctcc ttcttttagca acgcctctga tgcctgatga 600  
tacgtggctg cagaactact ggccaaagat gttccagatg atgccatgga gataacctata 660  
ggagacaggc tgtactatgg ggaatattat aatgcaccct tgaaaagagg gactgattac 720  
tgcattatat tacgaatcac aagtgaatgg aataaggtga gaagacactc ctgtgcagtt 780  
tgggtcagg tgaaagattc gtcactcatg ctgctgcaga tggcggtgtg tggactgggt 840  
tccctggctg ttgtgatcat tctcacattc ctctccttct cagcgtgtgt atggcagatg 900  
gacactgagt ggggaggatg cactgctgct gggcaggtgt tctggcagct tctcaggtgc 960  
ccgcacagag gctccgtgtg acttccgtcc agggagcatg tgggcctgca actttctcca 1020  
ttcccagctg ggccccattc ctggatttaa gatggtggct atccctgagg agtcaccata 1080  
aggagaaaac tcaggaattc tgagtcttcc ctgctacagg accagtctctg tgcaatgaac 1140  
ttgagactcc tgatgtacac tgtgatattg accgaagsta catacagatc tgtgaatctt 1200  
ggctgggact tcctctgagt gatgcctgag ggtcagctcc tctagacatt gactgcaaga 1260  
gaatctctgc aacctcctat ataaaagcat ttctgttaat tcattcagaa tccattcttt 1320  
acaatatgca gtgagatggg cttaagtttg ggctagagtt tgactttatg aaggaggtca 1380  
ttgaaaaaga gaacagtgc gtaggcaaat gtttcaagca ctttagaaac agtacttttc 1440

ctataattag ttgatatact aatgagaaaa tatactagcc tgccatgccca ataagtttcc 1500  
tgctgtgtct gttaggcagc attgctttga tgcaatttct attgtcctat atattcaaaa 1560  
gtaatgtcta cattccagta aaaatatccc gtaattaaaa aaaaaaaaaa aaaaaaaaaa 1620  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa ggcgggcc 1657

<210> 135

<211> 2360

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1517)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2330)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2353)

<223> n equals a,t,g, or c

<400> 135

ggcacgagcg cagttgcgtg agggggttgt rctatcctcg gtgctgtggt gcagagctag 60  
ttcctctcca gtcagccgc gtagggttgg acatatttga ctcttttccc cccaggttga 120  
attgacaaaa gcaatggtga tggagaagcc tagtcccctg ctggtcgggc gggaatttgt 180  
gagacagtat tacacactgc tgaaccagcc cccagacatg ctgcatagat tttatggaaa 240  
gaactcttct tatgtccatg ggggattgga ttcaaattgga aagccagcag atgcagtcta 300  
cggacagaaa gaaatccaca ggaaagtgat gtcacaaaac ttcaccaact gccacaccaa 360  
gattcgccat gttgatgctc atgccacgct aaatgatggt gtggtagtcc aggtgatggg 420  
gcttctctct aacaacaacc aggctttgag gagattcatg caaacgtttg tccttgctcc 480  
tgaggggtct gttgcaaaata aattctatgt tcacaatgat atcttcagat accaagatga 540  
ggtctttggt gggtttgtca ctgagcctca ggaggagtct gaagaagaag tagaggaacc 600  
tgaagaaaga cagcaaacac ctgaggtggt acctgatgat tctggaactt tctatgatca 660  
ggcagttgtc agtaatgaca tggagaaca tttagaggag cctgttgctg aaccagagcc 720  
tgatcctgaa ccagaaccag aacaagaacc tgtatctgaa atccaagagg aaaagcctga 780  
gccagtatta gaagaaactg cccctgagga tgctcagaag agttcttctc cagcacctgc 840  
agacatagct cagacagtac aggaagactt gaggacattt tcttgggcat ctgtgaccag 900  
taagaatctt ccacccagtg gagctgttcc agttactggg ataccacctc atgttggttaa 960  
agtaccagct tcacagcccc gtccagagtc taagcctgaa tctcagattc caccacaaa 1020  
acctcagcgg gatcaaagag tgcgagaaca acgaataaat attcctcccc aaaggggacc 1080  
cagaccaatc cgtgaggctg gtgagcaagg tgacattgaa ccccgaagaa tggtagagaca 1140  
ccctgacagt caccaactct tcattggcaa cctgcctcat gaagtggaca aatcagagct 1200  
taaagatttc tttcaaagtt atggaaacgt ggtggagttg cgcattaaca gtgggtggaa 1260  
attaccaat tttggttttg ttgtgtttga tgattctgag cctgttcaga aagtccttag 1320  
caacaggccc atcatgttca gaggtgaggt ccgtctgaat gtcgaagaga agaagactcg 1380  
agctgccagg gaaggcgacc gacgagataa tcgccttcgg ggacctggag gccctcgagg 1440  
tggtgctgggt ggtggaatga gaggccctcc ccgtggaggc atggtgcaga aaccaggatt 1500

```

tggagtgga arggggnttg cgccacggca gtgaatcttc atggatcttc atgcagccat 1560
acaaaccctg gttccaacag aatggtgaat ttctgacagc ctttggtatc ttggagtatg 1620
acccagctct gttataaact gcttaagttt gtataatttt actttttttg tgtgttaatg 1680
gtgtgtgctc cctctccctc tcttcccttt cctgaccttt agtctttcac ttccaatttt 1740
gtggaatgat attttaggaa taacggactt ttaaagaagc aaaaaaaaaa actgaatttc 1800
cttgcttact ttgcatatac agactggatt tttttttttt tttacagcca tttcccaaaa 1860
ggaatgtctt gcatattact gacatttggt atgtttcatt cattggaata tttcttattt 1920
tctacgtgtt tgaaaagcct gtaagaaata caggatttga taatattttg aaggcaggaa 1980
aaacccaaat tgtttcttct ttgagagtca tgactacctt ctggtgtgga gaaattgcca 2040
ttggaaaatt tgacaatttt gattctcact ggtatgttta aaaactgaat aaaaggaata 2100
gaattttttt ttgataaagg atcacaaaac aattctaaaa cctaactgtt tttaccattg 2160
aaatttaaat tgtgataata ggttttaaat gtctagaatg caactgatag gcttttcttg 2220
aactgttagt ttttttgaag tagttttttc cakgtttaat ttgtatttgg ttaaaaaaac 2280
maaaaggcca aaaattcccc aaaaccccg gtaaccacca grgscaaacn gttgtggcct 2340
tccaattaa cntgggatt 2360

```

&lt;210&gt; 136

&lt;211&gt; 1042

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 136

```

gccggtggct gctgtctctg ggcggggcgt gggaggctcc cgagggtggg gccggggcgg 60
gatggctgca gcggcgcccg gggccgggag cgggccctgg gcggcccagg agaagcagtt 120
cccgcggcgg ctgctgagtt tcttcatcta caaccgcgc ttcggggcgc gcgaaggaca 180
ggaggaaaat aagattttat tttatcatcc aatgaggta gaaaagaatg agaagattag 240
aaatgtcggg ttgtgtgaag ctattgtaca gtttacaagg acatttagcc catcaaaacc 300
tgcaaaatct ttacatacac agaagaacag acagttcttc aatgaaccag aagaaaattt 360
ctggatggtc atggttggtc ggartcctat aattgaaaaa cagagtaaag atggaaaacc 420
agttattgaa tatcaagagg aggagttggt ggacaagggt tatagctcgg tctgcgga 480
gtgctacagc atgtacaagc tttttaatgg tacatttctg aaagccatgg aagacggagg 540
cgtcaagctt ctgaaagaaa gattagagaa attcttccat cggtatattgc aaacgctaca 600
tttgacgtca tgtgacctac ttgacatttt tgggtggaatc agcttcttcc cgttgataa 660
aatgacttat ttgaaaatcc agtcctttat taatagaatg gaggaagcc tgaatatagt 720
caaatacact gcttttctct ataacgtaca gctcatctgg agtggattag aacaagatga 780
catgagaatt ttatacaaat accttaccac ctccctttty ccaaggcaca tcgaacctga 840
gttagcagga agggattctc caataagagc agaaatgcca ggaaatcttc aacactatgg 900
aagatttctt accggacctt tgaacctcaa tgatccagat gcaaaatgca gattcccaaa 960
aatttttgta aatacagwtg acacttatga agagctccat ttaatcgktt ataaggyctg 1020
agaaagaacc ccagtttaag tt 1042

```

&lt;210&gt; 137

&lt;211&gt; 1037

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 137

```

ggcaccggga gcggcggtt ggtctacgct gtgcggcggc gacgtcggag gcagcgggga 60
gcggagcggg gccgcgggg cctctccagg gccgcagcgg cagcagttgg gccccccgcc 120
ccggccggcg gaccgaagaa cgcaggaagg gggccggggg gacccgcccc cggccggcgg 180
cagccatgaa ctccaacgtg gagaacctac cccgcacat catccgcctg gtgtacaagg 240

```

```

aggtagacgac actgaccgca gaccaccccg atggcatcaa ggtctttccc aacgaggagg 300
acctcaccga cctccagggtc accatcgagg gccctgaggg gaccccatat gctggagggtc 360
tgttccgcat gaaactcctg ctggggaagg acttccctgc ctccccaccc aagggtact 420
tcctgaccaa gatcttcac ccgaacgtgg gcgccaatgg cgagatctgc gtcaacgtgc 480
tcaagaggga ctggacggct gagctgggca tccgacacgt actgctgacc atcaagtgc 540
tgctgatcca ccctaaccct gagtctgcac tcaacagga ggcgggccgc ctgctcttgg 600
agaactacga ggagtatgcr gctcggggccc gtctgctcac agagatccac gggggcgccg 660
gcggggccag cggcagggcc gaagccggtc gggccctggc cagtggcact gaagcttcct 720
ccaccgaccc tggggcccca gggggcccgg gaggggctga gggccccatg gccagaagc 780
atgtggcga gcgcgataag aagctggcgg ccaagaaaaa gacggacaag aagcgggcgc 840
tgcggggct gtagtgggct ctcttctcc ttccaccgtg accccaacct ctctgtccc 900
ctccctccaa ctctgtctct aagttattta aattatggct ggggtcgggg aggggtacagg 960
gggcactggg acctggattt gtttttctaa ataaagttgg aaaagcaaaa aaaaaaaaaa 1020
aaaaaaaaa aaaaaaa 1037

```

<210> 138

<211> 1490

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1225)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1239)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1348)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1452)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1487)

<223> n equals a,t,g, or c

<400> 138

```

cggcacgagg tggattcttg tccatagtgc atctgcttta agaattaacg aaagcagtgt 60
caagacagta aggattcaaa ccatttgcca aaaatgagtc taagtgcatt tactctcttc 120
ctggcattga ttggtgttac cagtggccag tactatgatt atgattttcc cctatcaatt 180
tatgggcaat catcacaaa ctgtgcacca gaatgtaact gccctgaaag ctacccaagt 240
gccatgtact gtgatgagct gaaattgaaa agtgtaccaa tgggcctcc tggaatcaag 300

```

III

```

tattctttacc ttaggaataa ccagattgac catattgatg aaaaggcctt tgagaatgta 360
actgatctgc agtggctcat tctagatcac aaccttctag aaaactccaa gataaaagg 420
agagttttct ctaaattgaa acaactgaag aagctgcata taaaccacaa caactgaca 480
gagtctgtgg gccacttcc caaatctctg gaggatctgc agcttactca taacaagatc 540
acaaagctgg gctcttttga aggattggtt aacctgacct tcatccatct ccagcacaat 600
cggctgaaag aggatgctgt ttcagctgct tttaaaggct ttaaactact cgaatacctt 660
gacttgagct tcaatcagat agccagactg ccttctggct tccctgtctc tcttctaact 720
ctctacttag acaacaataa gatcagcaac atccctgatg agtatttcaa gcgttttaat 780
gcattgcagt atctgcgttt atctcacaac gaactggctg atagtggaaat acctggaaat 840
tctttcaatg tgtcatccct gggtgagctg gatctgtcct ataacaagct taaaaacata 900
ccaactgtca atgaaaacct tgaaaactat tacctggagg tcaatcaact tgagaagttt 960
gacataaaga gcttctgcaa gatcctgggg ccattatcct actccaagat caagcatttg 1020
cgtttgatg gcaatcgcat ctcaraaacc agtcttcac cggaatgta tgaatgtcta 1080
cgtgktgcta acgaagtcac tcttaattaa tatctgtatc ctggaacaat attttatggk 1140
tatgkttttc tgtgkgtcag ttttcatagt atccatawtt tawtactgkk tattacttcc 1200
atgaatttta aaatctgagg gaaangtttg taaacattna tttttttaa gaaaagagaa 1260
aggcaggcct attcatcaca agaacacaca catatwcacg aatagacatc aaactcatgc 1320
tttatttgta aatttagtgt ttttttantt ctacgtcaaa gatgtgcaaa accttttacg 1380
gttgacaggaa acagccagtt ttaaaatcct taaacttaag ttcctcaagc tggataaaac 1440
ataggagtac cncatgcacaa tatctgaaca tcaatgtcgg taaaatnggg 1490

```

&lt;210&gt; 139

&lt;211&gt; 1684

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (93)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (201)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1657)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1659)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1682)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 139

```
tcgacccacg cgtccggccg gctgagccac agcagggtcg ccgcggggtc ccggggccgt 60
gctcccctgc ccctccggga gcgcgcgggg cgnggcgggg cggggcggga ccaggcgggc 120
gagctgggcc ctccgccctc cctcgggcgg tcacctgggc acgggcgctg caggtgtcgg 180
ggcctcaacc ttgcggaccg nacagccatc gatcctcggg tggcctcgag gtggtggcag 240
ggccgcccc tgacgtccgg agacgaacgc acggaccggg cctccggagc argttcgggt 300
ggaargaamc gctctcgstt cgtcctacac ttgcgcaaat gtctccgagc ttactcacat 360
agcatattgg tatatcaaaa tgaaatgcaa ggaacaaaaa ataacataat tgaaggcagt 420
aaaagtgaat ttaaatagga agatcatcag tcaaggaaag cccactggag aggacagaaa 480
atgaagcagt gttttatcat gtgtatttca gcaggctctt ttgaaattta actaaaaata 540
tgactgctct ctcttcagag aactgctctt ttcagtacca gttacgtcaa acaaacaccg 600
ccctagatgt taactatctg ctattcttga tcatacttg gaaaatatta ttaaatatcc 660
ttacactagg aatgagaaga aaaaacacct gtcaaaattt tatggaatat ttttgcattt 720
cactagcatt cgttgatctt ttacttttgg taaacatttc cattatattg tatttcaggg 780
atthttgtact tttaagcatt aggttcaact aataccacat ctgcctattt actcaaatta 840
tttcttttac ttatggcttt ttgcattatc cagttttcct gacagcttgt atagattatt 900
gcctgaattt ctctaaaaca accaagcttt catttaagtg tcaaaaatta ttttatttct 960
ttacagtaat tttaatttgg atttcagtc ttgcttatgt tttgggagac ccagccatct 1020
accaaagcct gaaggcacag aatgcttatt ctggtcactg tcctttctat gtcagcattc 1080
agagttactg gctgtcattt ttcattggtg tgattttatt ttagactttc ataacctgtt 1140
gggaagaagt tactactttg gtacaggcta tcaggataac ttcctatatg aatgaaacta 1200
tcttatattt tcctttttca tcccactcca gttatactgt gagatctaaa aaaatattct 1260
tatccaagct cattgtctgt tttctcagta cctggttacc atttgtacta cttcaggtaa 1320
tcattgtttt acttaaagtt cagattccag catatattga gatgaatatt ccttggttat 1380
actttgtcaa tagttttctc attgctacag tgtattggtt taattgtcac aagcttaatt 1440
taaaagacat tggattacct ttggatccat ttgtcaactg gaagtgtctg ttcattccac 1500
ttacaattcc taatcttgag caaattgaaa agcctatata aataatgatt tgktaatt 1560
attaattaaa agttacagct gtcataagat cataatttta tgaacagaaa gaactcagga 1620
catattaaaa aataaactgr actaaaacaa aaaaaancna aaaaaaaaaa aaaaggcg 1680
cnac 1684
```

&lt;210&gt; 140

&lt;211&gt; 427

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (395)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (417)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 140

```
ggacttcctc ccagcacatt cctgcactct gccgtgtcca cactgcccc cagacccagt 60
cctccaagcc tgctgccagc tccctgcaag cccctcaggt tgggccttgc cagggtgcc 120
gcaggcagcc ctgggctggg ggtaggggac tccctacagg cacgcagccc tgagacctca 180
gagggccacc ccttgagggt ggccaggccc ccagtggcca acctgagtgc tgccctctgc 240
```

accagccctg ctggcccctg gttccgctgg cccccagat gcctggctga gacacgccat 300  
ggcccttcag ctggcccaca cytyttcccg gscctggaa kttggcaytg cagcagacag 360  
ytccytgggc accagrcagy taacaggaca cagcngccag cccaaacagc agcgggnatg 420  
ggggcag 427

<210> 141  
<211> 889  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (60)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (698)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (889)  
<223> n equals a,t,g, or c

<400> 141  
ggcacgaggt tgacgtcctg tagcatttgc tgttctagaa agtacagaga cacgtagaan 60  
agatgggagg atctagaagg aggtgtctc ctgtgtagt tatatttata tgtaagtga 120  
ccgttgggga aggattgaat acagagacgc tgtctgctt ctgccttaag acagctagct 180  
gaattgctga ttaactttta aaatacccag cttggtttat tttcttaga atctgttgct 240  
aagactgggg acgctgtttt cttttacaaa gggaaatcta agttaatttc aaggcattcg 300  
aaatggggaa agactattat tgcatttttg gaattgagaa aggagcttca gatgaagata 360  
ttaaaaaggc ttaccgaaaa caagccctca aatttcaccc ggacaagaac aaatctcctc 420  
aggcagagga aaaattttaa gaggtcgag aagcttatga agtattgagt gatcctaaaa 480  
agagagaaat atatgrtcag tttggggagg aagggttgaa aggaggagca ggaggtagt 540  
atggacaagg aggtaccttc cggtagacct ttcattggcg tcctcatgct acatttgctg 600  
catttttctg aggttccaac ccctttgaaa ttttcttttg aagacgaatg ggtggtggtg 660  
gagattctga agaaatggaa atagrtggtg atccttnag tgcctttggt ttcagcatga 720  
atggatatcc aagagacagg aattctgttg ggccatccc cctcaaacia gatcctccag 780  
ttattcatga acttagagta tcacttgaag agatatatag tgggtgtacc aaacgggatg 840  
aaagatttct cgaaaaagg taaaacgctg atggtaggag ttacagttn 889

<210> 142  
<211> 1505  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1493)  
<223> n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1499)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1500)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 142

```

agtgagggaa gcgatgggcg cgggaatggc cggcccacgg gtcgcaggag acggggacgcc 60
agctttttggc tccgttcgcg tggctccttc gtcagtactg acacctcggg cttgtagagc 120
acttcacgca gcaaaagcgc ccccgtcta tatcatatcg cctctcggtc ctcctaaaag 180
tcgtatgaga tggagctgga ggaggggaag gcaggcagcg gactccgcca atattatctg 240
tccaagattg aagaactcca gctgattgtg aatgataaga gccaaaacct ccggaggctg 300
caggcacaga ggaacgaact aaatgctaaa gttcgcctat tgcgggagga gctacagctg 360
ctgcaggagc agggctccta tgtgggggaa gtagtccggg ccatggataa gaagaaagtg 420
ttggtcaagg tacatcctga aggtaaattt gttgtagacg tggacaaaaa cattgacatc 480
aatgatgtga cacccaattg ccgggtggct ctaaggaatg acagctacac tctgcacaag 540
atcctgcccc acaaggtaga cccattagtg tcaatgatga tggaggagaa agtaccagat 600
tcaacttatg agatgattgg tggactggac aaacagatca aggagatcaa agaagtgatc 660
gagctgcctg ttaagcatcc tgagctcttc gaagcactgg gcattgctca gcccaaggga 720
gtgctgctgt atggacctcc aggcactggg aagacactgt tggcccgggc tgtggctcat 780
catacggact gtacctttat tcgtgtctct ggctctgaat tggtagagaa attcataggg 840
gaaggggcaa gaatggtgag ggagctgttt gtcattggcac gggaacatgc tccatctatc 900
atcttcatgg acgaaatcga ctccatcggc tcctcgcggc tggagggggg ttctggaggg 960
gacagtgaag tgcagcgcac gatgctggag ttgctcaacc agctygacgg ctttgaggcc 1020
accaagaaca tcaaggttat catggctact aataggattg atatcctgga ctccggcactg 1080
cttcgcccag ggcgcattga cagaaaaatt gaattccac ccccaatga ggaggcccgg 1140
ctggacattt tgaagattca ttctcggaag atgaacctga cccgggggat caacctgaga 1200
aaaattgctg agctcatgcc aggagcatca ggggctgaag tgaaggcggt gtgcacagaa 1260
gctggcatgt atgccctgcg agaacggcga gtccatgtca ctcaggagga ctttgagatg 1320
gcagtagcca aggtcatgca gaaggacagt gagaaaaaca tgtccatcaa gaaattatgg 1380
aagtgagtgg acagcctttg tgtgtatctc tccaataaag ctctgtgggc caagtcaaaa 1440
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aanggggggnn 1500
cccccc                                           1505

```

&lt;210&gt; 143

&lt;211&gt; 1235

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 143

```

cggacgggtg gtagcggcgg cggcgctggc acccggcccc cggcggggcc cggcggacgg 60
cgggcaaaag tcccaggaag gtggcgctcag catctgcagc cgcgtcgacg ttgtcggagc 120
ctccgcggag gaccaggag agccggacta ggaccagggc cctgggcctc cccacactcc 180
ccatggagaa gctggcgggc tctacagagc cccaaggggc tcggccggtc ctgggcccgtg 240
agagtgtoca ggtgcccgat gaccaagact ttgcagctt ccggtcagag tgtgaggctg 300
aggtgggctg gaacctgacc tatagcaggg ctgggggtgct tgtctgggtg caggctgtgg 360

```



```

agatggatcg gacgctgcac aagatcaagt gccggatgga gtgctgtgat gtgccagccg 420
agacactcta cgacgtccta caccgacattg agtaccgcaa gaaatgggac agcaacgtca 480
ttgagacttt tgacatcgcc cgcttgacag tcaacgctga cgtgggctat tactcctgga 540
ggtgtcccaa gcccctgaag aaccgtgatg tcatcaccct ccgctcctgg ctcccatgg 600
gcgctgatta catcattatg aactactcag tcaaacatcc caaataccca cctcggaaaag 660
acttgggtccg agctgtgtcc atccagacgg gctacctcat ccagagcaca gggcccaaga 720
gctgcgtcat cacctacctg gcccgagggtg accccaaagg ctcccttacc aagtgggtgg 780
tgaataaatc ttctcagttc ctggctccca aggccatgaa gaagatgtac aaggcgtgcc 840
tcaagtaccc cgagtggaaa cagaagcacc tgcctcactt caagccgtgg ctgcacccgg 900
agcagagccc gttgccgagc ctggcgctgt cggagctgtc ggtgcagcat gcggactcac 960
tggagaacat cgacgagagc gcggtggccg agagcagaga ggagcggatg ggcggcgccg 1020
gcggcgaggg cagcgacgac gacacctgc tcacctgagc gycgcaccgc ttcagggacg 1080
gagacaggac cggggcagcc ctggggcgcc ggcgctcct gcactttctc cctccccc 1140
cccggcacct ggtggcaccc gcccaggccc aggcgggtgc tgcagcctgg ctggacagag 1200
ccccataaaa cgatcccaca gcctcaaaaa aaaaa 1235

```

<210> 144

<211> 1420

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1385)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1396)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1400)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1410)

<223> n equals a,t,g, or c

<400> 144

```

gcaagaacgg agctgactga ggaaccaact ggagggtctt cactctctcc ttccccagtg 60
tacaaaacca gttttctgca acattcagga gccaaatgag gaaaaagaat caagaatctg 120
actcacagcc catctgatct gttcaaagct gtcttttcca cctgctgaaa ttcattaaat 180
cactggaggc atgcataatg aatggagaat gagtgaactt ccaatgcaac ttggattcac 240
aaaccattta tcatagccaa tatgcagatt ttaaacagca tttcacattt catttgacca 300
tgtcttcttt ttgcacgcgc ctgctgcaga attccctact agaattgtgaa acaacgaaca 360
aaccacagaa cttagagtgt gctgggttagt cacataactt agtagcagga ttgtgtatcc 420
aggcacaaaag gtgtctttgc taatgttctc ttgtacctg ccctgcttca aacgctaaat 480
ggtatgggtc tttctttgtt gccagccata ttctacaaat aagacttttc aatatagtta 540

```

```

tgagtaatat aattttatgt acatataatg ttagaatatt gtacagaatc ttggtttcta 600
cgatgcgctt ttcttgtttc aaaaagagga aaatgcttga tttttgttga tgatactttt 660
gttactgtcc ttaattttcc atagtttggt ttcttaattg tgctactaa gcatcgatct 720
gtgctgatgc caagctatgg actatgtacg caagaccgag caatagacag aggtgcctag 780
gggtccaaaca cactgaacgc acgtggaccg cctggwtcag gagcctcatc agacccttct 840
ccatgcacat ccttcccaaa cagtcacaga ttccattgaa aggagcagat tctatcagtt 900
cttctgtgca gactttaaga gctgaacgtt ctggttctgg aagccatgtg actgcgcaga 960
acaacctaaag aaaccctttg tgcctgagg ggtcgttgac ctctccttcc gggtcggagc 1020
agtcactctg agggcaaaagc gtggtccact gtgtgtgatg ttttcaggat gctaggggtca 1080
aagaaagaaa ccaagtggta cataagccca gcttttctgc tgggctaagt gtaagtgtga 1140
gtaacatggg caagcccctc ttttttgggc tatgtaaagc ctttcctgcc ttgcattaat 1200
gctatctccc tgtgtactgt ttctcttaaa tggagcagat agaaatctgc agtgttgga 1260
gataggtgga tgggagaggg atggataatt ttatcttctg ggcacagag ctggcagccc 1320
cagtttgtcc agagtcttt aaatggaac ccccaaatcc atcccttctt ttccctaacc 1380
cccangggga tattcntagn attaagggcn cgggataagt 1420

```

<210> 145

<211> 1919

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1882)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1898)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1919)

<223> n equals a,t,g, or c

<400> 145

```

gcccacgcgt ccggccgctc gtccgcccg cttgaggccc gcggggagcg cggcgcaatt 60
cgtcggcccg cgggggggcg gcctcccggc atcttcgagg cgaccaagga ctaccaggaa 120
ggggagcggc tgggatggcg cgtccgggcc ccgskagtag aaagcgggag acctgggtctt 180
cgccaagatg aagggtacc cgcactggcc ggcccggatt gatgaactcc cagaggcgct 240
gtgaagcctt cagcaaacaa gtatcctatc ttcttttttg gcacccatga aactgcattt 300
ctaggtccca aagacctttt tccatataag gagtacaaag acaagtttgg aaagtcaaac 360
aaacggaaag gatttaacga aggattgtgg gaaatagaaa ataaccagag agtaaaagttt 420
actggctacc aggcaattca gcaacagagc tcttcagaaa ctgagggaga aggtggaaat 480
actgcagatg caagcagtga ggaagaaggt gatagagtag aagaagatgg aaaaggcaaa 540
agaaagaatg aaaaagcagg ctcaaaacgg aaaaagtcac atacttcaaa gaaatcctct 600
aaacagtcct ggaaatctcc aggagatgaa gatgacaaag actgcaaaaga agaggaaaac 660
aaaagcagct ctgaggggtg agatcggggc aacgacacaa gaaacacaac ttcagacttg 720
cagaaaacca gtgaaggagc ctaactacca taatgaatgc tgcataatga gagaaaccac 780
aagaagggtta tatgttttgg tgtctaatat tcttggattt gatatgaacc aacacatagt 840

```

ccttggtgtc attgacagaa ccccgatttg tatgtacatt attcatattc ctctctggtg 900  
tgtttcgggg ggaaaagaca ttttagcctt ttttaaaagt tactgattta atttcatggt 960  
atttggttgc atgaagttgc ccttaaccac taaggattat caagattttt gcgcagactt 1020  
atacatgtct aggatccttt tatcaaggca gttatgatca tcgttttcct gccttgacct 1080  
caccatcatc aaacactcag ttaaatataa attaacattt tttagatgac cactcaacat 1140  
aatgcttaag aatggaattt cctctctgtg acagaaccca ggaattaatt cctaaatata 1200  
taacgttggg atattgaaga cgaaattaaa attgtccttc agttttgagg ccatgtgtaa 1260  
agtttaacca tattgtaaaa tatctattcc gtattagaaa tagctagtgt acagcttata 1320  
cttctcaaaa ttcataattg tatgtacaca aactaagttt ctatatgtga agttagttag 1380  
tctttttgtg ttactccaaa ataaaggcaa tgattttatt ttttcccagt gccaatataa 1440  
ttttgagcta agcactcaag gtggatactt tacattttta agctggaatc agcaacagcc 1500  
ctatgggaaa ccagacaaa cattgacttt taaatgtaga cttttaaaat aaactgtttt 1560  
cttttggaac tacaattaga atagttaata ttcattcctta aaccattatt atgtgtacat 1620  
tattgttgtc attgtgataa tagagaattt tattttattt tatgccagct tatattgtga 1680  
gaacacattt agtcagtttg ggttttatca atcctgttaa tgcttgcct tggaacatct 1740  
ttcgcgtatt cacggtttgt agttgaaaag tttactgtaa aaaaatcaaa acaaaaaaa 1800  
tgtattgttt ttacagaata aatttattgg aatgtgwact ggggagtaag atttgaggtt 1860  
gtaagcaaac taagttagtg tnaattggcc tccaatangt aacgtggagg cattaatgn 1919

<210> 146

<211> 1379

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (925)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1371)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1377)

<223> n equals a,t,g, or c

<400> 146

gccacgcgt ccgcccacgc gtccgcccac gcgtccgccc acgcgtccgg taagtttaga 60  
tgactgggtca atatcttaaa aatgtatatt agtaagaagt tcttcctgga atttttcttt 120  
cgattctggc agaataaaca ggtgttttta gttttccac tgtctgagcc aagcaggacc 180  
ctgtcccaga gcaagagatg tccccttcca tctctgacct ttgcctggga caagctttga 240  
tggggggccc cagcttcaag gctgtggtgg gaacagcacc cccaaatgcc agcctctcct 300  
ttcttcccat ccaccagtat actgcggggc catttctggt ctttgtccaa caggaaaccc 360  
atttctggtg ggatatgcct tccagtgcc cagggccact caccatgc atctctgtcc 420  
tgcccgtcag tgctgggacg gacagcaagg gcaagcccag tgtctggcrg atagggtgggt 480  
gggaacagag aggggagaat gccgtcctaa gcttctgctt ggggatcccc cacacgacct 540  
gggtactgcc tgggaaacct gtccaaagta aaactatgga cctcgcctcg cccaccggcc 600  
tgcraggcca gcatctccgt gaaggtggat ggaagcgctt ttgtcctcay tttgagctgc 660

aagctgggtc agcggctctg aagccctcga gtgactttct aaccaagac ccagcccctg 720  
gcaggaggag ggtgggtgca gggctgggtg gacaaaaaga ggcctcagca ggcctggaag 780  
acccttccag tacatcccac agcgtgtcga gcagctggga gaacctgtgt caagctcgag 840  
ccgtcatagg tccccatgag gtgtctgaag ccccttcttg gtgatgggag gcagaggtgc 900  
tgacgttctg gagcatggac gtgantcytc aagctggctc cgcgtgggcc cttggagggg 960  
gccaggtgtg tggtagacct ctggatgcct ttaacttcat ggctgcgtca ttcctgattt 1020  
agaactttaa ccggagcttc atctagtgat tgcaaaactg gaccaatggg aggacggcgc 1080  
gcagcccgtc ccctccgtgg aatggagctc agctcttcgg aggcacaaa gcacctgtcg 1140  
cctccgtggt cccctgcgcg agggagtgcg gcctctgcaa gggtcggggg tggcttcggt 1200  
tgctggagt ggccggccct gcttgtgcca tgtggatgtt tgtgagcctc ggtcctacag 1260  
cactgtgtag gctgcatctg ttctgtgctg gtctgttga cttgtatgat atccacaaat 1320  
aaatattttc atggcaaaaa aaaaaaaaaa aaaaaaaaaa aaaagggggg nccccnaa 1379

<210> 147

<211> 514

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (406)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (412)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (418)

<223> n equals a,t,g, or c

<400> 147

ttnggaaact gatcacttat caaggcttta tatattcttt acggatttag acatcaccat 60  
accaagaagc ttactccatc tattccggtc tttgtaggac aggccttcatt tttcagccca 120  
tgttctgtaa gccacacagt atgcctgcag aagctgctta tcggagccaa atataattgt 180  
cagtacaatt taaagaccac tatgtgtccc cggagaccaa cctgtttatt tccctgaaag 240  
accgcaacac cccacacaac atgtttcaga catttggacc ttgttagata agacatttgt 300  
aggagaaaga gatttcttaa attaagtagc ttatatatccc ctagagaagg ccatacaaat 360  
ctgcggacgc gtgggaggac gcgtgggggg accgtgggtc gaacgnaccc ancgccncg 420  
gacgcgtggg cggacgcgtg ggcggacgcg tggcgggacg cgtgggcgga cgcgtgggag 480  
gacgcgtggg cggacgcgtg ggcggacgcg tggg 514

<210> 148

<211> 2058

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 148

```
gtgcgccccg gcgccccggg agcctaccca gcacgcgctc cgccccactg gttccctcca 60
gccgcccgcg tccagccgag tccccactcc ggagtcgccc ctgccgcccg gacatgggtcc 120
tctgcgttca gggacctcgt cctttgctgg ctgtggagcg gactgggcag cggcccctgt 180
gggccccgtc cctggaactg cccaagccag tcatgcagcc cttgcctgct ggggccttcc 240
tcgaggaggt ggcagagggt accccagccc agacagagag tgagccaaag gtgctggacc 300
cagaggagga tctgctgtgc atagccaaga ctttctccta cttcgggaa tctggctggg 360
attgggggtc cattacggcc agcgaggccc gacaacacct gcagaagatg ccagaaggca 420
cgttcttagt acgtgacagc acgcaccca gctacctgtt cacgctgtca gtgaaaacca 480
ctcgtggccc caccaatgta cgcattgagt atgccgactc cagcttccgt ctggactcca 540
actgcttgtc caggccacgc atcctggcct ttccggatgt ggtcagcctt gtgcagcact 600
atgtggcctc ctgcactgct gataccgaa gcgacagccc cgatcctgct cccaccccgg 660
ccctgcctat gcctaaggag gatgcgcta gtgacccagc actgcctgct cctccaccag 720
ccactgctgt acacctaaaa ctggtgcagc cctttgtacg cagaagcagt gccgcagcc 780
tgcaacacct gtgcgcctt gtcatcaacc gtctggtggc cgacgtggac tgccctgccac 840
tgccccggcg catggccgac tacctccgac agtaccctt ccagctctga ctgtacgggg 900
caatctgccc accctcacc cagtcgaccc tggaggggac atcagcccca gctggacttg 960
ggccccact gtccctcctc caggcatcct ggtgcctgca tacctctggc agctggccca 1020
ggaagagcca gcaagagcaa ggcattggag aggggagggtg tcacacaact tggaggtaaa 1080
tgccccagg cgcattgtg cttcattata ctgagccatg tgtcagagga tggggagaca 1140
ggcaggacct tgtctacct gtgggctggg cccagacctc cactcgcttg cctgccctgg 1200
ccacctgaac tgtatgggca ctctcagccc tggtttttca atccccaggg tcgggtagga 1260
cccctactgg cagccagcct ctgtttctgg gaggatgaca tgcagaggaa ctgagatcga 1320
cagtgcactg tgaccccttg ttgaggggta agccaggcta ggggactgca caattataca 1380
ctatttattt atttattctc cttgggggtg gtgtcagggg cgagccaacc ccacctctat 1440
gccctgagcc ctggtagtcc agagacccca actctgccct ggcttctctg gttcttccct 1500
gtggaaagcc catctgaga catcttgctg gaaccaaggc aatcctggat gtccctgtac 1560
tgaccacccc gtctgtgaat gtgtccactc tctctgccc ccagccatat ttggggagga 1620
tggaacaact caataggtaa gaaaatgcag ccggagcctc agtccccagc agagcctgtg 1680
tctcaccccc tcacaggaca gagctgtatc tgcatagagc tgggtctact gtggcgagg 1740
ccccgggggg agtgccctgt ctgtcaggaa gaggggggtg tggtttgagg gccaccactg 1800
cagttctgct aggtctgctt cctgccagg aaggtgcctg cacatgagag gagagaaata 1860
cacgtctgat aagacttcat gaaataataa ttatagcaaa gaacagtttg gtggtctttt 1920
ctcttccact gatttttctg taatgacatt atacctttat tacctcttta ttttattacc 1980
tctataataa aatgatacct ttcattgtaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2040
aaaaaaaaaa aaaaaaaag                                     2058
```

&lt;210&gt; 149

&lt;211&gt; 1781

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 149

```
ggcaattact aaggaaggat tgtatttatg aggataactt cattatttct ctctcttttt 60
aaatctctca ttaggtggct atggaggctt ttacaacagt gatggatatg gaggaaatta 120
taactcccag ggggttgact ggtggggtaa ctgagcctgc tttgcagtag gtcaccctgc 180
caaacaagct aatatggaaa ccacatgtaa cttagccaga ctataccttg ttagcttca 240
agaactcgca gtacattacc agctgtgatt ctccactgaa attttttttt taaggagct 300
```

```

caaggtcaca agaagaaatg aaaggaacaa tcagcagccc tgttcagaag gtggtttgaa 360
gacttcattg ctgtagtttg gattaactcc cctcccgcct acccccatcc caaactgcat 420
ttataatttt gtgactgagg atcatttggt tgttaatgta ctgtgccttt aacttttagac 480
aactttttat ttgatgtgcc tgttggtcca gtaatgtcca agatatcaat tgttttgaca 540
aaataaattt actgaacttg ggctaaaatc aaaccttggc acacagggtg gatacaactt 600
aacaggaatc atcgattcat ccataaataa tataaggaaa aacttatgcg gtagcctgca 660
ttagggcttt ttgatacttg cagattgggg gaaaacaaca aatgtcttga agcatattaa 720
tggaattagt ttctaattgt gcaaactgta ttaagttaaa gttctgattt gctcactcta 780
tcctggatag gtatttagaa cctgatagtc ttaagccat tccagtcag atgagggtgat 840
gtatgaatac atgcatacat tcaaagcact gttttcaaag ttaatgcaag taaatacagc 900
aattcctctt tcaacgttta ggcagatcat taattatgag ctagccaaat gtgggcatac 960
tattacaggg aaagttaaaa ggtctgataa cttgaaatag gtttttagga gaattcatct 1020
acttagactt tttaaatgcc tgccataaat gaaattgaaa tggtagaatg gctgaccaca 1080
gcaatgacca gccctcatta gggccctgga tgatttttgg tctaataacg catgctagtg 1140
ttgatgtttt ttggtcaaga ggggtatgaac aggaagaatt aaatgcagca ggctttattt 1200
taaatgccga ttcacattac tctgttcaag ctgcgttgag atgttaaact ggcttactat 1260
agacttcgta aaaatggctc cagaagagta acaaactgaa atctttgaga tcacacaggt 1320
tggaatatatg tacataactg cacaagggtg caattctgct ctacagtgc gtttttagtca 1380
gttttagttg cataggtttc cattgtattt atagtctgtt tatgctaaat ctggccaaag 1440
atgagcattg tccaccacta aaatgcctct gccactttga attctgtgct aattttgtgg 1500
ccagaatgcg gtgatcaaaa cgctccatct ttttacagt gcataggaag acggcaaaaa 1560
tttcctaaag tgcaatagat tttcaagtgt attgtgcctt gttctaaaac ttttattaag 1620
taggtgcact tgacagtatt gaggtcattt gttatggtgc tatttcaatt agtctaggtt 1680
taggcccttg tacattttgc ccataacttt ttacaagtac ttcttttatk gcwcattaaa 1740
agcggggggc ctaatcacta tgccgggattg aggcgcagag g 1781

```

<210> 150

<211> 1709

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1612)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1660)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1678)

<223> n equals a,t,g, or c

<400> 150

```

gcccacgcgt cgcccacgcg tyccgaggct cgggtcgttg tggtcgctg tcttcccgc 60
tgctcaggg acctgccga ctcagtggc gccatggcat cagatgaagg caaactttt 120
gttgaggggc tgagttttga caccaatgag cagtcgctgg agcaggctct ctcaaagtac 180
ggacagatct ctgaagtggg ggttgtgaaa gacagggaga cccagagatc tcggggattt 240

```

```

ggggtttgtca cctttgagaa cattgacgac gctaaggatg ccatgatggc catgaatggg 300
aagtctgtag atggacggca gatccgagta gaccaggcag gcaagtcgtc agacaaccga 360
tcccgtgggt accgtgggtg ctctgccggg ggccggggct tcttccgtgg gggccgagga 420
cggggccgtg ggttctctag aggaggaggg gaccgaggct atggggggaa ccggttcgag 480
tccaggagtg ggggctacgg aggctccaga gactactata gcagccggag tcagagtggg 540
ggctacagtg accggagctc gggcgggtcc tacagagaca gttacgacag ttacgctaca 600
cacaacgagt aaaaaccctt cctgctcaag atcgtccttc caatggctgt gtgtttaaag 660
attgtgggag cttcgtgtaa cgttaatgtg tagtaaatgc acctccttgt attcccactt 720
tcgtagtcat ttcggttctg atcttgtcaa acccagcctg accgcttctg acgccgggat 780
ggcctcgtaa ctagactttt ctttttaagg aagtgtgtgt tttttttgag ggttttcaaa 840
acattttgaa aagcattttac ttttttgacc acgagccatg agttttcaaa aaaatcgggg 900
ggtgtgtggg tttttgggtt ttgttttagt ttttggttgc gttgcctttt tttttttagt 960
ggggttgggc ccatgaagtg ggtgccccac tcacttctct gagatcgaac ggactgtgaa 1020
tccgctcttt gtcggaagct gagcaagctg tggctttttt ccaactccgt gtgacgtttc 1080
tgagtgtagt gtggtaggac cccggcgggt gtggcagcaa ctgccctgga gccccagccc 1140
ctgctgccat ctgtgtgtg cgcacacag tagacgtgca gacgtccctg agaggttctt 1200
gaagatgttt atttatattg tcctttttta ctggaagacg tacgcatact ccatcgatgt 1260
tgtatttgca gtggctgagg aattcttgta cgcagttttc tttggcttta cgaagccgat 1320
taaaagaccg tgtgaaatga acctgtctct gacaattccc ttgcattgca ccacacactc 1380
cttgcctgag gctcctgcag ccagacctga gcagagagag aaggtggaga agcagcgggt 1440
ctgcaagcct tccctggggc ctgcagagct agaaaggag gcccagcaga ctggcgctgg 1500
tcagggtagg ggagccaggc gggggacggg agcgggcagc tcaggcctca gggcagccct 1560
ggggagggct ctggcatggt ggccagaagg ctggactgtg cgggcaactt ancaaggaca 1620
tggactgcac tgacgtgact ggatgctcat ctagagcagn caagacaaag cactggcncc 1680
caggggactt cagaaggcaa cggttacta 1709

```

<210> 151

<211> 922

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (906)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (915)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (922)

<223> n equals a,t,g, or c

<400> 151

```

gcggaatcta caccttcccg gccagcggta caactgcaga actgcaggag actatctttc 60
tagacaaggc agttgaggag gaggagcgc ttgaggggga ctggcctggc gtgcactccg 120
cacctcgggg acattattgc gcgtggaacg gctgcttttg gaagactatt gccagaaga 180
aaagatgttt ggttttcaca agccaaagat gtaccgaagt atagagggct gctgtatttg 240

```

```

cagagctaaag tcctccagtt ctcgattcac tgacagtaaa cgctatgaaa aggacttcca 300
gagctgtttt ggattgcatg agactcgttc aggagacatc tgcaatgcct gtgtcctgct 360
tgtgaaaaga tggaagaagt tgccagcagg atcaaaaaaa aactggaatc atgtggtaga 420
tgcaagggct ggaccagtc taaagactac attgaaacca aagaaagtga aaactctatc 480
tggaacagg ataaaaagca accagatcag taaactgcag aaggaattta aacgtcataa 540
ttctgatgct cacagtacca cctcaagtgc ctccccagct caatctcctt gttacagtaa 600
ccagtcagat gacggctcag atacagagat ggcttctggt tctaacagaa caccagtttt 660
ttccttttta gatctcactt actggaaaag acagaagata tgttggtgga tcatctataa 720
aggccgtttt ggggaagtcc tcattgacac acatctcttc aagccttgct gcagcaataa 780
gaaagcagct gctgagaagc cagaggagca gggccagagc ctctgcccac ctccactcag 840
gagtggtagc tgagggtttt atgtagaagg ggaacaaaaa aaaaaatata tgaattttga 900
aaaccncaaa ggtanaaaat gn 922

```

<210> 152

<211> 635

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (13)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (594)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (614)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (616)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (628)

<223> n equals a,t,g, or c

<400> 152

```

cggacgcgtg gngtgacac gcagcccacg gtctgtactg acgcgccctc gcttcttctt 60
ctttctcgac tccatcttcg cggtagctgg gaccgccgtt cagtcgcaa tatgcagctc 120
tttctccgag cccaggagct acacaccttc gaggtgaccg gccaggaaac ggtcgcccag 180
atcaaggctc atgtagcctc actggagggc attgccccgg aagatcaagt cgtgctcctg 240
gcaggcgctc ccttgaggga tgaggccact ctgggccagt gcgggggtgga ggccctgact 300
accctggaag tagcaggccg catgcttgga ggtaaagtcc atggttccct ggcccgtgct 360
ggaaaagtga gaggtcagac tcctaaggtg gccaaacagg agaagaagaa gaagaagaca 420

```



```

ggtcgggcta agcggcggat gcagtacaac cggcgctttg tcaacgttgt gccacaccttt 480
ggcaagaaga agggcccca tgccaactct taagtctttt gtaattcttg ctttctctaa 540
taaaaaagcc acttagttca aaaaaaaaaa aaaaaamtgc gggggggccc gkancccaat 600
ttscctata gggngncgtt taaattcntt ggcggg                                     635

```

&lt;210&gt; 153

&lt;211&gt; 2328

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 153

```

acggcagtg cactcaccgc gctcgcgcgg ccccggcgcc ccacgcgcgc gcgtcgttct 60
cccggccgct cgctccccgc cgctcacacc tgagctcact cgcgcacgcc cgcccgcccc 120
gagaaccgcg ccgcccgcctc ggccccgcgg aagccccgcc gcgccatgtc ttcgcctccc 180
gaaggaaact agagactaaa gctggacacc cgcccgccgt gaaagctggt ggaatgcgaa 240
ttgtgcagaa acaccacat acaggagaca ccaaagaaga gaaagacaag gatgaccagg 300
aatgggaaag cccagtgcca cctaaacca ctgtgttcat ctctggggtc atcgccggg 360
gtgacaaaga tttccccccg gcggtgcgc aggtggctca ccagaagccg catgcctcca 420
tggaacaagc tccttcccc aagaaccagc acatccagca gccacgcaag tragcctgga 480
gtccaccagc ctgccccatg gcccgggctc tgetgcactt ggtatttccc tgacagagag 540
aaccagcagt ttcgccc aaa tctactctg ctgggaaatc taaggcaaaa ccaagtgtc 600
tgtcctttgc cttacatttc catattttaa actagaaaca gctccagccc aaacctgtgt 660
tatggggagt ctggttgat gtcatttgat gatcattgtg cccctagagg tgccattagc 720
agaatttgcc aagatccgag aaaaatttta gctttagtgc tatttcagca gtcacctgac 780
gtccttgtct atggtcttaa aaacaagaag gcacacattt gagaagatga gattaagggt 840
aggagaaaac ctcagtcatt gcatgctttt tagtatgggc caataaaatc tcaacacctg 900
tgaggagagta agaactaagg gaatgagttt gggcgggccc tcataaagga ccttagaggc 960
agggacacgc aatgccaaat tcccctctct cgtgagatgg gggatcctgt gcaggctgat 1020
gaggcaccca tgagaaaagc cgaaaaagca tgcattctag aaatagcccc tcaattccag 1080
gagtcaacat gccaaagaat gaggtggag acaggtagct ccgagggagg acttctggca 1140
tgagatctcg gcacggcaag cccagcatcg cctcagccca gacaggctcc accaggagat 1200
caagcaaggg ctgcctttca ggagtcacct cctgagccac ttcagagttc tggagtgac 1260
cacggaccag ggtggaggaa tagacttcta gttcattctg ggacacttga gccagagagt 1320
tgaaaagcttg gaaagaccag ataagaaacc tgcccttgt ctccctaggg acatgagaca 1380
ccacattcca tttgtgctag aaaaacctat ccactgatga gtctaactgt tccaaacgcc 1440
tcccacctgg tgtgcacagc tgccctgggc cattgtcact tgggtgcac aggttgtcct 1500
ccgattttta gatgagtttc ctgtctagag atgtcctagt ctgctcactg gctggtggca 1560
gtagggtagc ctgcgtcttc gaaaagccag agggttcacc tagtcagacg aaactccaga 1620
acagtgtctg tggagggcct gactgtcctg ctcaccaca gccgatctgc tgcaggtcag 1680
caactgtgtc gtgagcagct gccaaaccac agcctttctg gtgctgttct ccagttcacg 1740
tctgccagct ggtgagggca gaggcagacc tggtcagacc cagcggccct cctccctgag 1800
ggagcatggc acagcctcac acttgaaaga cgggtgttgg tttcccatct aatcaactta 1860
agggagccg gcatgtacct ttcaaggccc tgtcaccacc tatttctga tcagttggta 1920
taaaactgag gtggctttta gagaccaga cttggttggc agcgtgcca tggaaacccc 1980
cagcaagcac ctcccagcct gcctttcgga gcagcaccca ggaggggatg ccgcgctcca 2040
gcaacaccag gtcaggcctg tgcagacccc tgccctgccg ctgcagaaat ccagaagcat 2100
ccttaatgct tctcagtctt cagccagagg gagggctgtt atttccagag gtgcgctttt 2160
tatgtacttt tagctagatg tggcatgcat ctgtgagctt tagatcatta aatccaaaat 2220
gtttgcctaa atgagtttat cagttgttaa cttcaagaat attaaatgat ttataataaa 2280
gtcctgcat ttcttccaa aaaaaaaaaa aaaaaaaaaa aaaaaaat          2328

```

<210> 154  
<211> 1268  
<212> DNA  
<213> Homo sapiens  
  
<220>  
<221> misc feature  
<222> (80)  
<223> n equals a,t,g, or c

<400> 154  
aatcggcag agcaggagg gagccagtgg tccctgcctg tccttcacag tgtccctgac 60  
ccagcgtgcc tcacactggn cagggtcagc aaaggtctgg ctgcagtcag gtcctctgtt 120  
cctcgcgctg gcgggggtcag cagacgtctg gccgcagtga ggtccactgt tctctgcagg 180  
gctgtgggct gcatactggc cgagctgctg gcgcacaggc ctcttctccc cggcacttcc 240  
gagatccacc agatcgactt gatcgtgcag ctgctgggca cgcccagtga gaacatctgg 300  
ccgggctttt ccaagctgcc actggtcggc cagtacagcc tccggaagca gccctacaac 360  
aacctgaagc acaagttccc atggctgtcg gaggccgggc tgcgctgctg cacttccctgt 420  
tcatgtacga ccctaagaaa agggcgacgg ccggggactg cctggagagc tcctatttca 480  
aggagaagcc cctaccctgt gagccggagc tcatgccgac ctttccccac caccgcaaca 540  
agcggggccgc ccagccacc tccgagggcc agagcaagcg ctgtaaaccg tgacggtggg 600  
cctggcacac gcctgtattc ccacaccagg tcttccgac agtggtgtct gtgaagggtg 660  
ccgcgagcca ggctgaccag gcgcccggga tccagctcat ccccttggtt gggaacatcc 720  
tccactgact tcctcccact gtctgccctg aacccactgc tgccccaga aaaaggccgg 780  
gtgacaccgg ggggctccca gcccggtgcac cctggaaggc caggtctggc ggctccatcc 840  
gtggctgcag ggggtctcat tggctcctct cgctatgttg gaaatgtgca accactgctt 900  
cttgggagga gtgggtgggt cagtcccccc gctgtctttg agttgtggtg gacgctggcc 960  
tgggatgaga gggcccagaa gaccttcgta tccccctca gtcgcccggg gctgtcccgt 1020  
gcatgggttg gctgtgggga ccccaggtgg gcctggcagg actccagatg aggacaagag 1080  
ggacaaggta tgggtgggga gccacaattg aggatacccc gagactacca ggagagccct 1140  
gggctggagg ctgagctgca tccctgctcc ccacatggag gaccaacag gaggccgtgg 1200  
ctctgatgct gagcgaagct ataggctctt gttggataaa agctttttta asagaaaaaa 1260  
aaaaaaaaa 1268

<210> 155  
<211> 4299  
<212> DNA  
<213> Homo sapiens  
  
<220>  
<221> misc feature  
<222> (2813)  
<223> n equals a,t,g, or c

<400> 155  
gtcagccctc gcgctggggg cgcaggaaac aatagaggcc gcgcgcacag agcgagctct 60  
tgcagcctcc ccgccctcc cgcaacgctc gaccccagga ttccccggc tcgctgccc 120  
gccatggccg acaagggaagc agccttcgac gacgcagtgg aagaacagat gatcaacgag 180  
gaatacaaaa tatggaaaaa gaacaccctt tttctttatg atttggtgat gaccatgct 240  
ctggagtggc ccagcctaac tgcccagtgg cttccagatg taaccagacc agaaggga 300  
gatttcagca ttcacgaact tgcctgggg acacacacat cggtatgaaca aaaccatctt 360

gttatagcca gtgtgcagct ccctaagat gatgctcagt ttgatgcgtc acactacgac 420  
 agtgagaaaag gagaatttgg aggttttggg tcagtttagtg gaaaaattga aatagaaatc 480  
 aagatcaacc atgaaggaga agtaaacagg gcccggtata tgccccagaa cccttgatc 540  
 atcgcaacaa agactccttc cagtgatgtt cttgtctttg actatacaaa acatccttct 600  
 aaaccagatc cttctggaga gtgcaaccca gacttgctgc tccgtggaca tcagaaggaa 660  
 ggctatgggc tttcttgga cccaaatctc agtgggcaact tacttagtgc ttcagatgac 720  
 cataccatct gcctgtggga catcagtgcc gttccaaagg agggaaaagt ggtagatgcg 780  
 aagaccatct ttacagggca tacggcagta gtagaagatg tttcctggca tctactccat 840  
 gagtctctgt ttgggtcagt tgctgatgat cagaaactta tgatttggga tactcgttca 900  
 aacaatactt ccaaaccaag ccactcagtt gatgctcaca ctgctgaagt gaactgcctt 960  
 tctttcaatc cttatagtga gttcattctt gccacaggat cagctgacaa gactgttgcc 1020  
 ttgtgggac tgagaaatct gaaacttaag ttgcattcct ttgagtcaca taaggatgaa 1080  
 atattccagg ttcagtggc acctcacaat gagactattt tagcttccag tggtagtgat 1140  
 cgcagactga atgtctggga tttaaagtaa attggagagg aacaatcccc agaagatgca 1200  
 gaagacgggc caccagagtt gttgtttatt catggtgtgc atactgcaa gatattctgat 1260  
 ttctcctgga atcccaatga accttgggtg atttgttctg tatcagaaga caatatcatg 1320  
 caagtgtggc aaatggcaga gaacatttat aatgatgaag accctgaagg aagcgtggat 1380  
 ccagaaggac aagggtccta gatattgtct tacttgttgt gatttttagac tccccctttt 1440  
 tcttctcaac cctgagagtg atttaacact gggtttgaga cagactttat tcagctatcc 1500  
 ctctatataa taggtaccac cgataatgct attagcccaa accgtgggtg ttttctaaat 1560  
 attaataagg gggcttgatt caacaaagcc acagacttaa cgttgaaatt ttcttcagga 1620  
 attttctagt aaccagggtc taaagtagct acagaaaggg gaattattat tgtgattatt 1680  
 tttctcttta tgctatatcc ccaagttttt cagactcatt taagtaaagg cttagagtga 1740  
 taaggaatag agccaaatga ggtaggtgtc tgagccatga agtataaata ctgaaagatg 1800  
 tcacttttat tcaggaaata gggggagatt caagtcgtat agattcctac tcgaaatct 1860  
 tgacacctga ctttccagga tgcacatttt catacgtaga ccagtttctt cttggtttct 1920  
 tcagttaagt caaaacaaca cgttctctt tccccatata ttcataatatt tttgctcgtt 1980  
 agtgtatttc ttgagctgtt ttcattgtgt ttatttcctg tctgtgaaat ggtgtttttt 2040  
 ttttgttgt tgggtttttt ttttttttt taacttggga ccaccaagtt gtaaagatgt 2100  
 atgtttttac ctgacagtta taccacaggt agactgtcaa gttgagaaga gtgaatcaat 2160  
 aacttgtatt tgttttaaaa attaaattaa tccttgataa gagttgcttt ttttttttag 2220  
 gagttagtcc ttgaccacta gtttgatgcc atctccattt tgggtgacct gtttcaccag 2280  
 caggcctgtt actctccatg actaactgtg taagtgttta aaatggaata aattgctttt 2340  
 ctacataacc ccatgctgat ggggtttatt tagtataaaa catccatcaa acaccagtct 2400  
 ctggcttcta gaagagtcct tcagatgaca gttgtgtgoc atggtctttg actatcaaga 2460  
 gcagaattaa atgtaatagt cccagagctg tagaaaagaa ctttactcct tcccaggga 2520  
 agtgaaagac ataaaacact gaatcagagg tggcacagat tagtctttga taaggtaacg 2580  
 tttctttgaa gtctgtctgt agagaactac atggacttcc aagagtgtca aaggcagtg 2640  
 ggtagagaga atttaaggca agatttaaat ttggaaaagg tgcttgaacc ttttctcaga 2700  
 ggttttattt ccccagtatg tttttcactg gggcctttac ttaggttaga aataataggc 2760  
 tttgaaggcc tctatacca gatgcaataa ccagataaaa ttctgtttt ttncccaatc 2820  
 gcttagtttt tkgtkgttgt tgttttttaa ctgagtagat cattctgacc cagaactact 2880  
 ttcagaggt aagatctttg ggaaaatctg aatagcgta accattagat tcaaatctca 2940  
 aatggtttct tttcaagtct agttgtttta gagtatagt agaaatacct tgacacaatt 3000  
 ttaagagtaa actatatggg tcagcatatc cttgaacaaa aagtagactt tgtaaaagta 3060  
 ttcattttaa ttctaact cgtggcacia aagaatggaa attgtaaacc catgtaatgg 3120  
 aaattggcta tctttttgac cccacatgtg cccctcaaaa atgtttttg tttgggtcaa 3180  
 cacaaggcaa gataattct ttaaaatact cccagatgtg tccatacatt catcctttac 3240  
 tcagtgcata tgtgagggtt gttgctggaa gacaggaggc tcacttttcc tttccttggt 3300  
 gcattgagat cagtatcaac agcagatgaa atagaatcca gcaaagagtt gacatgttct 3360  
 gcctccggcc aactctagaa tctttttaag caggtcagcc agtatttgca acttccacag 3420

```
gatgaattgc ttgccaagtt tctggcactc ttgtctgggt ggaagagtac atccaaagg 3480
tacttagtga tcctttgcta agaagttttt tgctgtttcc gggttacaga twtggccata 3540
tatttctaaa cagcccttat aagtagagag ctcttcagca agactgagcc ttagctgttc 3600
catctctttg ttcttctgtt gctggagttg caccctattt mttactgcy tctgcgttct 3660
tccatttcct ccagctgttc ctgcatgaga tggccaagaa cttttctaata gagccaaaca 3720
ataaaaactc acattgtcca ctcttactta taaaacactt ttttgttcat tgtttaatct 3780
tgatagcagt attgaggctg gtatttatat gataggttat gaaacagggt caaagaagtt 3840
gtgtcttgga aaaaaagtga caatgctttt gaaaatgatg acgaaaaagg catcttgtct 3900
gttaaccaca gcttgcttta atagaatcct ggggagggtg attgggactt ttagtatta 3960
caaccttagt gtcattgagg aggattttgg tctagttagt gggctgagtt tcatatacct 4020
ctccctccat gtgcagggtt gttaagataa ttggtagttt ttaataatat aaaatactta 4080
agttgaaata caaaagtgtg gcamaatta ttaaatattg gctagaattc taggagagtt 4140
acacaactag tggaagtcca tgtttagaaa ataaatggct tgtttaagga aaagtttttg 4200
tgtccaaagc tccttaaagt cagagagatt tctacctggt acttaacatc atatggaaat 4260
tgatgcttta gtgagggtgt tggctatcct attgtcaat 4299
```

&lt;210&gt; 156

&lt;211&gt; 1006

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 156

```
cacgcgtccg cccacgcgtc gaccacgcg tccgccgaaa gcgaagaagg aagctcctgc 60
ccctcctaaa gctgaagcca aagcgaaggc tttaaaggcc aagaaggcag tgttgaaagg 120
tgtccacagc caaaaaaga agaagatccg cacgtcacc accttccggc ggccgaagac 180
actgcgactc cggagacagc ccaaatacct tcggaagagc gctcccagga gaaacaagct 240
tgaccactat gctatcatca agtttccgct gaccactgag tctgccatga agaagataga 300
agacaacaac acacttgtgt tcattgtgga tgttaaagcc aacaagcacc agattaaaca 360
ggctgtgaag aagctgtatg acattgatgt ggccaaggtc aacaccctga ttcggcctga 420
tgagagagaag aaggcatatg ttcgactggc tctgattac gatgctttgg atgttgccaa 480
caaaattggg atcatctaaa ctgagtcag ctgcctaatt ctgaatatat atatatatat 540
atcttttcac cataaamat gcctgtctgt caattctggt ttgggctggg aggccacaca 600
cacacactga catgacagg cttgggcaag actcctgttc tacttatcct tttgaaatac 660
ctcaccctgc cactccacca tgtatgatca ttccagagat ctttgtgact agagttagt 720
tcctaggaaa accagaactc agaacttgcc tccatgggtg agtaacaagc tgtacaagaa 780
ccccttttat ccctggaaga ggctgtgtat gaaaccaatg cccagggttt gaagggtgtt 840
agcatccatt tcaggggagt gtggattggc tggctctctg gtagcatttt gtctcacac 900
acccatctac tatgtccaac cggctctgtc gcttccctca ccccttgccc aataaaggac 960
aaggacttca aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaa 1006
```

&lt;210&gt; 157

&lt;211&gt; 1686

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 157

```
gtgggtcac ctccgagcca cctctgctgc gcaccgcagc ctccgacctc cagcccagga 60
tactttggga cttgccggcg ctccagaaac cgcccagacg gccctccac cttttgtttg 120
cctagggtcg ccgagagcgc ccggagggaa ccgcctggcc ttcggggacc accaattttg 180
tctggaacca cctcccggc gtatcctact cctgtgccc cgaggccatc gtttactgg 240
aggggtcgat ttgtgtgtag tttggtgaca agatttgcac tcacctggcc caaaccttt 300
```

```

ttgtctcttt gggtagccgg aaaactccac ctcaagtttt cttttgtggg gctgcccccc 360
aagtgtcgtt tgttttactg tagggtctcc cgcccgccgc cccagtggtt ttctgagggc 420
ggaaatggcc aattcggggc tgcagttgct gggcttctcc atggccctgc tgggctgggt 480
gggtctggtg gcctgcaccg ccatcccgca gtggcagatg agctcctatg cgggtgacaa 540
catcatcacg gcccaggcca tgtacaaggg gctgtggatg gactgcgtca cgcagagcac 600
ggggatgatg agctgcaaaa tgtacgactc ggtgtctgcc ctgtcccgcc ccttgaggc 660
cactcgagcc ctaatgggtg tctccctggt gctgggcttc ctggccatgt ttgtggccac 720
gatgggcatg aagtgcacgc gctgtggggg agacgacaaa gtgaagaagg cccgtatagc 780
catgggtgga ggcataatth tcatcgtggc aggtcttgcc gccttggtag cttgctcctg 840
gtatggccat cagattgtca cagactttta taacccttg atccctacca acattaagta 900
agtctgggaa ccctgcctcc taaggggaca ggtctggggc cctggaatag ggaggaggc 960
agaggcacgc cagggtttct aaccaccccc ttctyttcac aggtatgagt ttggccctgc 1020
catctttatt ggctgggcag ggtctgccct agtcatcctg ggaggtgcac tgctctcctg 1080
ttcctgtcct gggaatgaga gcaaggctgg gtaccgtgca ccccgctctt accctaagtc 1140
caactcttcc aaggagtatg tgtgacctgg gatctcctg ccccgacctg acaggctatg 1200
ggagtgtcta gatgcctgaa agggcctggg gctgagctca gcctgtgggc agggtgccgg 1260
acaaaggcct cctggctact ctgtccctgc actccatgta tagtcctctt gggttggggg 1320
tggtgggggtg ccgttgggtg gagagacaaa aagagggaga gtgtgctttt tgtacagtaa 1380
taaaaaataa gtattgggaa gcaggctttt ttcccttcag ggcctctgct ttccctccgt 1440
ccagatcctt gcaggagct tggaacctta gtgcacctac ttcagttcag aacacttagc 1500
acccactga ctccactgac aattgactaa aagatgcagg tgctcgtatc tcgacattca 1560
ttcccacccc cctcttattt aaatagctac caaagtaatt cttttttaat aaaaaataa 1620
agatttttat taggtaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1680
aaaaaa
1686

```

<210> 158

<211> 4147

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (13)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (292)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (4145)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (4146)

<223> n equals a,t,g, or c

<400> 158

```

cggacgcgtg ggncggcccc cctctctcgg cccggccatc ttgtgggaag agctgaagca 60
ggcgctcttg gctcggcgcg gcccgctgca atccgtggag gaacgcgccg ccgagccacc 120
atcatgcctg ggcacttaca ggaaggcttc ggctgcgtgg tcaccaaccg attcgaccag 180
ttatttgacg acgaatcgga ccccttcgag gtgctgaagg cagcagagaa caagaaaaaa 240
gaagccggcg ggggcggcgt tgggggccct ggggccaaaga gcgcagctca gngccgcggc 300
ccagaccaac tccaacgcgg caggcaaaca gctgcgcaag gagtcccaga aagaccgcaa 360
gaaccgcgtg ccccccagcg ttggcgtggt tgacaagaaa gaggagacgc agccgcccgt 420
ggcgcttaag aaagaaggaa taagacgagt tggagaaga cctgatcaac aacttcaggg 480
tgaagggaaa ataattgata gaagaccaga aaggcgacca cctcgtgaac gaagattcga 540
aaagccactt gaagaaaagg gtgaaggagg cgaattttca gttgatagac cgattattga 600
ccgacctatt cgaggtcgtg gtggtcttg aagaggtcga gggggccgtg gacgtggaat 660
gggcccagga gatggatttg attctcgtgg caaacgtgaa tttgatagac atagtggaa 720
tgatagatct tctttttcac attacagtgg cctgaagcac gaggacaaac gtggaggtag 780
cggatctcac aactggggaa ctgtcaaaga cgaattaact gacttgatc aatcaaatgt 840
gactgaggaa acacctgaag gtgaagaaca tcatccagtg gcagacactg aaaataagga 900
gaatgaagtt gaagaggtaa aagaggaggg tccaaaagag atgactttgg atgagtggaa 960
ggctattcaa aataaggacc gggcaaaagt agaatttaat atccgaaaac caaatgaaag 1020
tgctgatggg cagtggaaag agggatttgg tcttcataaa tcaaagagtg aagaggctca 1080
tgctgaagat tcggttatgg accatcattt ccggaagcca gcaaatgata taactctca 1140
gctggagatc aattttggag acctggccg cccaggacgt ggccgcaggg gaggacgagg 1200
tggaagtggt cgtggtgggc gcccaaaccg tggcagcagg accgacaagt caagtgtctc 1260
tgctcctgat gtggatgacc cagaggcatt cccagctctg gcttaactgg atgccataag 1320
acaaccctgg ttccttttg aacccttctg ttcaaagctt ttgcatgctt aaggattcca 1380
aacgactaag aaattaaaaa aaaaaagact gtcattcata ccattcacac ctaaagactg 1440
aattttatct gttttaaaaa tgaacttctc ccgtacaca gaagtaacaa atatggtagt 1500
cagttttgta tttagaaatg tattggtagc agggatgttt tcataathtt cagagattat 1560
gcattcttca tgaatacttt tgtattgctg ctgcaaata tgcatttcca aacttgaaat 1620
ataggtgtga acagtgtgta ccagtttaaa gctttcactt catttgtgtt ttttaattaa 1680
ggatttagaa gttcccccaa ttacaaactg gttttaaata ttggacatac tggttttaat 1740
acctgctttg catattcaca catggtcaac tgggacatgt taaactttga tttgtcaaat 1800
tttatgctgt gtggaatact aactatatgt attttaactt agttttaata ttttcatttt 1860
tggggaaaaa tcttttttca cttctcatga tagctgttat atatatatgc taaatcttta 1920
tatacagaaa tatcagtact tgaacaaatt caaagcacat ttggtttatt aaccttgct 1980
ccttgcatgg ctcattaggt tcaaattata actgatttac attttcagct atatttactt 2040
tttaaagtct tgagtttccc attttaaaat ctaaactaga catcttaatt ggtgaaagtt 2100
gtttaaacta ctattgttg gtaggcacat cgtgtcaagt gaagtagttt tataggtatg 2160
ggtttttctt ccccttcac cagggtgggt ggaataagtt gatttgcca atgtgtaata 2220
tttaaactgt tctgtaaaat aagtgtctgg ccatttggtg tgatttctgt gtgtgaaagg 2280
tcccaaaatc aaaatggtag atccataatc agccaccatt taacccttcc ttgttctaaa 2340
acaaaaacca aagggcgctg gttggtaggg tgagggtggg gagtatttta atttttgga 2400
tttggaagc agacagcttt actttgtaag gttggaacag cagcactata catgaaatat 2460
aaacaaaaaa cttttactgt ttctaaattt cctagattgc tattatttgg ttgtaagttg 2520
agtattccac agaaagtgg aattatctct tctctcttcc tccattagaa aattaggtaa 2580
ataatggatt cctataatgg gagcatcacc acttattaaa acacacatag aatgatgaat 2640
taaaaaagtt ttctaggatt gtcttttatt ctgccacatt tattgataaa cagtgaagga 2700
atttttaaaa aatttttaag aattgtttgt cacgtcattt ttagaaatgt tctacctgta 2760
tatggtaatg tccagtttta aaaaatttgg acatcttcaa tcttaaacat ttctatttag 2820
ctgattgggt ctacatata cttctaaaag aaacttttat gttataagag ttactttttg 2880
gataagattt attaatctca gttacctact attctgacat tttaggaagg aggttaattgt 2940
ttttaatgat ggataaactt gtgctggtgt tttggatctt atgatgctga gcatgttctg 3000
cactggtgct aatgtctaata ataattttat atttacacac atacgtgcta cccagagatt 3060

```

aatttagtcc atatgaacta ttgaccatt gttcattgag acagcaacat acgcactcct 3120  
aaatcagtgt gtttagactt ttcaagtatc taactcattt ccaaacatgt accatgtttt 3180  
ataaacctct tgatttccag caacatacta tagaaaaacac ctgctactca aaacacaact 3240  
tctcagtgtc atccattgct gtcgtgagag acaacatagc aatatctggt atgttgcaag 3300  
ctttcaagat agcctgaact taaaaagttg gtgcattagt tgtatctgat ggatataaat 3360  
ttgcctccta gttcactttg tgtcaagagc taaaactgtg aacctaactt tctcttattg 3420  
gtgggtaata actgaaaata aagatttatt ttcattgctca cttcttaaaa gtcataaaaa 3480  
caatcaaata ggatcatgtt tattgtcatg tgtttcctgg kttctgacct gtgtgcacac 3540  
ccctgtgtgt ttataatttt taaattgaat tttatatggg gtttttattt gctaaaaacc 3600  
aggctgttga atcacatttg ggaagggtac ttatcttaat gactaatgac ttaattggga 3660  
aagttgaatt cttgtaaaat acaaaatcca aggacttctt ggatttaatc taattgtcac 3720  
ttcttagcag atcacttttt tgataatgaa agttaagcat actgaatgct acttttgatt 3780  
gacaaactgg ctataatagt ctaggggaaa aatccctaaa cagataaaga ttcctaaagt 3840  
aatgggtggca gctgatgttt cagtgaactt ttatcttgat gcgtttaaat ggaagtaatg 3900  
ccagacctga gatttttaag gcatttttac agcttgattt gaaatgattg gagacatggt 3960  
ttctttatta gctattttga gacctgtgga gtttaagcaag acttttaaaa attggcacca 4020  
tatacatcta gttagtctct ttactcttat ttttttaaat aaaagtagta cacatcaaaa 4080  
aaaaaaaaaa aaaaaaaaaa actcgagggg gggcccgkac ccaatcgccc tatgagtgat 4140  
cgtanna 4147

<210> 159

<211> 1242

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1235)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1236)

<223> n equals a,t,g, or c

<400> 159

agcattttac ggcaagggct tgacttatga gtgtggtcag aggttttagc gaggcggctg 60  
cgcagtacaa cccggagccc ccgccccac gcacacatta ctccaacatt gaggccaacg 120  
agagtgagga ggtccggcag ttccggagac tctttgccc gctggctgga gatgacatgg 180  
aggtcagcgc cacagaactc atgaacattc tcaataaggt tgtgacacga caccctgac 240  
tgaagactga tggttttggc attgacacat gtcgcagcat ggtggccgtg atggatagcg 300  
acaccacagg caagctgggc tttgaggaat tcaagtactt gtggaacaac atcaaaaggt 360  
ggcaggccat atacaaacag ttcgacactg accgatcagg gaccatttgc agtagtgaac 420  
tcccagggtc ctttgaggca gcagggttcc acctgaatga gcatctctat aacatgatca 480  
tccgacgcta ctcatatgaa agtggaaca tggattttga caacttcac agctgcttg 540  
tcaggctgga cgccatgttc cgtgccttca aatctcttga caaagatggc actggacaaa 600  
tccagggtgaa catccaggag tggctgcagc tgactatgta ttctgaact ggagccccag 660  
accgcccccc tcaccgcctt gctataggag tcacctggag cctcggtctc tcccagggcc 720  
gatcctgtct gcagtcacat ctttggtggg cctgctgacc cacaagcttt tgttctctca 780  
gtacttgta cccagcttct caacatccag ggcccaattt gccctgcctg gaggttcccc 840  
tggctctagg acactctaac aagctctgtc cagggtctc cccattccca ccaggccctg 900

```

cacacaccca ctccgtaacc tctcccctgt acctgtgcc a gcctagcac ttgtgatgcc 960
tccatgcccc gagggccctc tctcagttct gggaggatga ctccagtccc tgcacgccct 1020
ggcacaccct tcacgggtgc taccagggcg gccaagctcc agaccgtgcc agaccaggt 1080
gccccagtgc ctttgtctat attctgtctc cagcctgcc gggccaggag gaaataaaca 1140
tgccccagtt gctgatctct aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1200
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaanngggg gg 1242

```

<210> 160

<211> 2229

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (29)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (43)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (55)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (59)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (128)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (301)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2226)

<223> n equals a,t,g, or c

<400> 160

```

tcaccttctt gggcccaagc catccttctt gctttcacct tctcagaag ctggnattnc 60
aggcatgcat gccatgcct ggctactttt taaatTTTT gtgacacaag gtctcaccag 120
gttgccnag gctggtttcg gattcctggg ctcaagtgtat cttccacct aggtttccca 180

```



```

gagtgttga attacaggcg tgagccatca catctggctt gtttatgggt agttaattca 240
ttccagactc tcagcctgaa amcactgaga atgtttgcat gctagttttc cacatcatat 300
ncaatattat taaaatactc atttggaata gaattccata tgggttaacc agagtactgt 360
tggtgatggt gtggctatct gcacgtagca gatttcctgc ttttattcaa agmcaatatt 420
actggatttt aaaatctgct tttamcatta tttttccttt tccactatmca taggtctatg 480
aaaattatcc tacttatgat ttaactgaaa gaaaagattt cataaaaaaca actgtaaaaag 540
agctaatttc ttgagataga ggacagagaa gatgactcgt tcccatagat ttgaagatct 600
gatttatacc attataccag caaagagaat gtatttcctt ttctaaatcc ttgttaagca 660
acgttagtag aacttactgc tgaccttttt atcttgagtg ttatgtgaat ttgagtttgc 720
tgttttaa at tgcatttcta tgccattttt agtttaaaat cttgcatggc attaatgtt 780
ccttgctttt atagttgtat tttgtacatt ttggatttct ttatataagg tcatagattc 840
ttgagctggt gtggttttta gtgcacttaa tattagcttg cttaaggcat acttttaatc 900
aagtagaaca aaaactatta tcaccaggat ttatacatag agagattgta gtatttagta 960
tatgaaatat ttgaaatata catctctgtc agtgtgaaaa ttcagcggca gtgtgtccat 1020
catattaaaa atatacaagc tacagtgtgc cagatcactg aattggaact tttctcctgc 1080
atgtgtatat atgtcaaat gtcagcatga caaaagtgc agatgttatt tttgtatttt 1140
taaaaaacaa ttggttgtat ataaagtttt tttatttctt ttgtgcagat cactttttta 1200
actcacatag gtaggtatct ttatagttgt agactatgga atgtcagtg tccagccaaac 1260
agtatgatgg aacagtgaat gtcaattcag tgatggcaac actgaaggaa cagttaccct 1320
gctttgcctc gaaagtgtca tcaatttgta atttttagtat taactctgta aaagtgtctg 1380
taggtacggt ttatattata taaggacaga ccaaaaatca acctatcaaa gcttcaaaaa 1440
ctttgggaaa ggggtgggatt aagtacaagc acatttggct tacagtaa at gaactgattt 1500
ttattaactg cttttgcca tataaaatgc tgatatttac tggaaaccta gccagcttca 1560
cgattatgac taaagtacca gattataatg ccagaatata atgtgcaggc aatcgtggat 1620
gtctctgaca aagtgtgtct caaaaataat atacttttac attaaagaaa tttaatgttt 1680
ctctggaggt ggggctcttg gctttcagag tttggttaat cagtgttgat tctagatgat 1740
caacataatg gaccactcct gaatgagact taattttgtc tttcaaattt actgtcttaa 1800
atcagtttat taaatctgaa ttttaaaaca tgctgtttat gacacaatga cacatttggt 1860
gcaccaatta agtgttgaaa aatatctttg catcatagaa cagaaatata taaaaatata 1920
tgttgaatgt taacaggtat tttcacaggt ttgtttcttg atagttactc agacactagg 1980
gaaaggtaaa tacaagtga caaaataagc aactaaatga gacctataa ttggccttcg 2040
attttaaata tttgttctta taaacctgt caataaaaat aaatctaaat cactgggtgt 2100
ttaaaaaaaa aaaaaaaaaa aaaaggcgcg ccgctctaga ggatccctcg aggggcccaa 2160
gcttacgcgt gcatgcgacg tcatagctct cccctatag tgagtcgtat taataggagt 2220
ccaaantgg 2229

```

<210> 161

<211> 1920

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (43)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (119)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1755)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1766)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1832)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1841)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1915)  
<223> n equals a,t,g, or c

<400> 161  
cagacgtcct gcaggcggct ggcgagtggg agcctgctgc ganccctga agaggaggca 60  
gatgccgacc tggccgaggg gcccctccc tggacacctg cgctcccctc aagtgaggng 120  
accgtgaccg acatcaccgc caactccatc accgtcacct tccgcgaggc ccaggcagct 180  
gagggtctct tccgagaccg cagtgggaag ttctgaatca ccgtttttac tcttcttaaa 240  
ctgttttctt ttgggcttgg ggtgggactt ccagagatag ggatgggttg ggggcggggt 300  
aattatttta tttaaaaaaa taccgagcag caaaagggga gaagatccca ctactctccc 360  
accacctgcc ctttctctga gggacgttta ccacgaggcc tcaggctggg gatggagaga 420  
gttgcctctg gagttggggt accaccccca gggcaggatg gggacaggat cacctgcccg 480  
ggacaccacc attatcattc tcctctagtg acgcagcagc tggttctggg agttaaaagga 540  
gcattggaag gcccacccc tctccctga gtggccaccc cagcctggtt ggctggtttt 600  
ccccttttct cttgtttcaa ttgggtcttt accttgaact ctctctctg gctttgcggg 660  
gggctgtgga ggctggtttt raccaaaagt gagtggggcg ggaggaaggg gcaggaggaa 720  
gggttgaggt tacttggggc gagtcccttc cccttcagag aggcctctat ccttcccagg 780  
gaggaggcgc cgctgagacc cttctgctga gagctctgcc ctcccctcat cacctggcct 840  
gtgcagaaac gctcatgcac acctggctgc acaggtgtgc acgcattacc cttcgcgtgt 900  
acgttcccat gtgccccgtg aaagcatgtg tggctgcaga cgtgtccaca tgggccttgc 960  
gaacctgggt tagaaaccct ggccaggcga acgtggggtg attcacagca caaaagacct 1020  
caccaccaca cctgcactca cccaccttg catgcacctt gctacctgct tgcggctttc 1080  
agyggagggc aggggtcttg cacaggtgcg atggcaccct atgctccagg catacagatg 1140  
tggtttctcg gctgcaccgg gccaggctgc ggggtgtgcag gcgtctgcta agttgtgtga 1200  
tgtatcagca caggctttga gacgtctgga ccctgtcctt cctcccgtga ggggttcttg 1260  
ttctttctga ctccaggtgac ttttcagccc ttccaattcc cctctttttc tgsccctccc 1320  
tccaactcag ccaaccaggg ygtgggcagt cagggaggga gggagtgtgc caccacgttc 1380  
tcagggcagc ccttgactcc taagcccctt cctccttcca ttctgcaccc cctcccacc 1440  
caacctaaat gccacagctg gggctragct gtattcctgt ggagggacct stgccgtgac 1500

tctytgaggt caggctgtgc tgtgtgaatg ggcaggcttt gccccagccc acccctggca 1560  
aggtgcactt gttttctggt ttgtacaagg tgtcctgggg gcccgtggct tccctgccag 1620  
tgaggagtga cttctccctc tcttcagtc ctgtaggga gacaaaacca gattgggggg 1680  
cccaagggga gcatggaaaa ggccggctcc cctgtcttct cttggctgtc agagtcaggg 1740  
taacacacac caaantggag tgcggnarc aagtttgara cctgcccgcc ctcctcgag 1800  
ctctgctctg tgtcctcagg aaattcacag antctactga ngcaagaaaa gggtgaatcc 1860  
tttcccccaa ttccctcctt cccctgggtt ccccaaaacc aaaaaaagc ctgcnacccc 1920

<210> 162

<211> 2619

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2546)

<223> n equals a,t,g, or c

<400> 162

ctgagaggga cgcgtgccgc ggagccaggc ttactacgtg acccggacac caggcatacg 60  
ctaggggcag tcagctgtgc cttctcttct ggagttgttc cgtgctccca cgtgcttccc 120  
cttctccact ggcgtgggac ccccgggctc ggggcgcagt aataattttt caccatgcat 180  
cggaaaaagg tggataaccg aatccggatt ctcattgaga atggagtagc tgagcggcaa 240  
agatctctct ttgttgtagt tggggatcga ggaaaagatc aggtggtaat acttcatcac 300  
atgttatcca aagcaactgt gaaggctcgg ccttcagtgc tgtggtgtta taagaaagag 360  
ctgggggtta gcagtcaccg gaagaaaaga atgcgacagc tgcagaagaa aataaagaat 420  
ggaacactga acataaagca ggacgacccc tttgaactct tcatagcagc cacaacatt 480  
cgctactgct actacaacga gaccacaag atcctgggca atacctcgg catgtgtgtg 540  
ctgcaggatt ttgaagcctt aactccaaac ttgctggcca ggactgtaga aacagtggaa 600  
gtggtgggct agtggtcac ctcctacgga ccatgaactc actcaagcaa ttgtacacag 660  
tgactatgga tgtgcattcc aggtacagaa ctgaggccca tcaggatgtg gtgggaagat 720  
ttaatgaaag gtttattctg tctctggcct cttgtaagaa gtgtctcgtc attgatgacc 780  
agctcaacat cctgcccac tcctcccacg ttgccaccat ggaggccctg cctcccaga 840  
ctccggatga gactcttggc ccttctgac tggagctgag ggagtgaag gagagcttgc 900  
aggacacca gcctgtgggt gtgttgggtg actgctgtaa gactctagac caggccaaag 960  
ctgtcttgaa atttatcgag ggcattctctg aaaagaccct gagagtagt gttgcactcc 1020  
agctgctoga ggacggggaa aatctgcagc cctgggattg gcgattgctg gggcgggtggc 1080  
atgtgggtac tccaatatct ttgttacctc cccaagccct gataacctcc atactctgtt 1140  
tgaatttgta tttaaaggat ttgatgctct gcaatatcag gaacatctgg attatgagat 1200  
tatccagtct ctaaactctg aatttaacaa agcagtgatc agagtgaatg tatttcgaga 1260  
acacaggcag actattcagt atatacatcc tgcagatgct gtgaagctgg gccaggctga 1320  
actagttgtg attgatgaag ctgcgcccat cccctcccc ttggtgaaga gcctacttgg 1380  
cccctacctt gttttcatgg catccaccat caatggctat gagggcactg gccggtcact 1440  
gtccctcaag ctaattcagc agctccgtca acagagcgc cagagccagg tcagcaccac 1500  
tgctgagaat aagaccacga cgacagccag attggcatca gcgcggacac tgcagaggt 1560  
ttccctccag gagtcaatcc gatacgcccc tggggatgca gtggagaagt ggctgaatga 1620  
cttgctgtgc ctggattgcc tcaacatcac tcggatagtc tcaggctgcc ccttgccctga 1680  
agcttgtgaa ctgtactatg ttaatagaga taccctctt tgctaccaca aggcctctga 1740  
agttktctc caacggctta tggccctcta cgtggcttct cactacaaga actctcccaa 1800  
tgatctccag atgctctccg atgcacctgc tcaccatctc ttctgccttc tgccctctgt 1860  
gccccccacc cagaatgccc ttccagaagt gcttgcgtgt atccagggtg gccttgaag 1920

```

ggagatttct cgccagtcca tcttgaacag tctgtctcga ggcaagaagg cttcagggga 1980
cctgattcca tggacagtgt cagaacagtt ccaagatcca gactttggtg gtctgtctgg 2040
tggaaggggc gttcgattg ctgttcaccc agattatcaa gggatgggct atggcagccg 2100
tgctctgcag ctgtgcaga tgtactatga aggcagggtt ccttgtctgg aggaaaaggt 2160
ccttgagaca ccacaggaaa ttcacaccgt aagcagcgag gctgtcagct tgttgggaaga 2220
ggatcatcact ccccggaagg acctgcctcc ttactcctc aaattgaatg agaggcctgc 2280
cgaacgcctg gattacctgg gtgtttccta tggttgacc cccaggctcc tcaagttctg 2340
gaaacgagct ggatttggtc ctgtttatct gagacagacc ccgaatgacc tgaccggaga 2400
gcactcgtgc atcatgctga agacgctcac tgatgaggat gaggctgacc agggaggctg 2460
gcttgacgcy ttctggaaa agttccgacg gcgggttccta gccttgcctc cctaccagtt 2520
cagtaccttc tctccttccc tggctntgaa catcattcag aacaggaaca tggggaagcc 2580
agcccagcct gccctgagcc gggaggagct ggaagcact 2619

```

<210> 163

<211> 1419

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (230)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (624)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (697)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1187)

<223> n equals a,t,g, or c

<400> 163

```

gatgcagctg acaccattga aactgacact gccactgctg acaccactgt tgccaacaac 60
gtaccccccg ccgccaccag cctcattgac ctatggcctg gcaacgggga aggggcctcc 120
acactccagg gtgagcccag ggccccacg ccaccctcgg gtactgaggt caccctggca 180
gagggtcccc tgctggatga ggtggctccg gagccactgc tgccagcagn cgaaggctgt 240
gccacccttc tcaactttga tgagctgcct gagccgccag ccaccttctg tgaccagag 300
gaagtgggaag gggagcccct ggctgcccc cagaccccaa ctytgccctc agcccttgag 360
gagctggagc aagagcagga gccggagccc cacctgctaa ccaatggcga gaccaccag 420
aaggagggga ccagggccag tgaggggtac ttcagtcaat cacaggagga ggagtttgcc 480
caatcggaag agctctgtgc caaggctccg cctcctgtgt tctacaacaa gcctccagag 540
atcgacatca catgctggga tgcagaccca gttccagaag aggaggaggg cttcgagggt 600
ggtgattagc ggtggcgcca gccntaggct acccttgcca aggccgccca cctgcatcag 660
cctctggcca gacggccccg cgtgcctgca ttcgcancag ctccgcctgg caccactcc 720

```

ggattccggc cctggctggg gacttggccg cttccctacc cacagggcct gacttttaca 780  
gcttttctct ttttttaaaa agttgatagg agacttgtac agttgactgg ctttctcttc 840  
gttggtagtt gagacgctgt tgcaaattcc accctcctt ccctggteca gattgtagct 900  
cttagtcctc cctgctcagc tggccgggtt ggaggcctca ccctgcttgg ggcctggcgt 960  
ggggggagct ctggtgggaa aatgtccccc acctcttttc ctagttttat gtttcttggg 1020  
aaaatatcac tttgtattct ctgtccaggg cttcagatat tttgcacgaa ttttaaaaca 1080  
tggcaataaa tggctcgtgg gctctggctc cctgggagccc cctccccgcc cttcttttga 1140  
ccccttctctg tctggcccaa aggaagtagc aggccagct ggggccnctc ggctaccccc 1200  
cgtctcctgc cgggcagttc ccagggttga ggccctaggg gcggttcagg tcagggttat 1260  
ggatggggcc caggggcttt ggtggccccc ccccaactcc ttcctctttg cttgggttcc 1320  
ttttcacgt ttagtaactg tttttttttt tttttggaaa gcacaaactt ctgtaacggg 1380  
tcgtgctcat gtctgttaat aaagaaatcc agatccagg 1419

<210> 164

<211> 3810

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (189)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2523)

<223> n equals a,t,g, or c

<400> 164

aattttcatg atctttgtat atttatatat atatatttw aaattttgca ttttracttaa 60  
agtgccatga gaaaatttgc atactgcaag gtggtcctag ccacctcctt gatttgggta 120  
ctcttgata tgttctgtct gctttacttc agtgaatgca acaaatgtga tgaaaaaaag 180  
gagagaggnc ttctgtctgg agatgttcta gagccagtag aaaagcctca tgaaggctct 240  
ggagaaatgg ggaaccagt cgtcattcct aaagaggatc aagaaaagat gaaagagatg 300  
tttaaaatca atcagttcaa tttaatggca agtgagatga ttgcactcaa cagatcttta 360  
ccagatgtta ggtagaagg gtgtaaaaca aaggtgtatc cagataatct tcctacaaca 420  
agtgtggtga ttgttttcca caatgaggct tggagcacac ttctgcgaac tgtccatagt 480  
gtcattaatc gctcaccaag acacatgata gaagaaattg ttctagtaga tgatgccagt 540  
gaaagagact ttttgaaaag gccttttagag agttatgtga aaaaactaaa agtaccagtt 600  
catgtaattc gaatggaaca acgttctgga ttgatcagag ctagattaaa aggagctgct 660  
gtgtctaaag gccaagtgat caccttctct gatgccatt gtgagtgtac agtgggatgg 720  
ctggagcctc tcttgccag gatcaaacat gacaggagaa cagtgggtgtg tcccatcatc 780  
gatgtgatca gtgatgatac ttttgagtac atggcaggct ctgatatgac ctatgggtggg 840  
ttcaactgga agctcaattt tcgctggtat cctgttcccc aaagagaaat ggacagaagg 900  
aaaggtgatc ggactcttcc tgtcaggaca cctaccatgg caggaggcct tttttcaata 960  
gacagagatt actttcagga aattggaaca tatgatgctg gaatggatat ttggggagga 1020  
gaaaacctag aaatttcctt taggatttgg cagtgtggag gaactttgga aattgttaca 1080  
tgctcacatg ttggacatgt gtttcggaaa gctacacctt acacgtttcc aggaggcaca 1140  
gggcagatta tcaataaaaa taacagacga cttgcagaag tgtggatgga tgaattcaag 1200  
aatttcttct atataatttc tccaggtgtt acaaaggtag attatggaga tatatcgtca 1260  
agagttggtc taagacacaa actacaatgc aaaccttttt cctggtacct agagaatata 1320

```

tattctgatt ctcaaattcc acgtcactat ttctcattgg gagagatacg aaatgtggaa 1380
acgaatcagt gtctagataa catggctaga aaagagaatg aaaaagtgg aatttttaat 1440
tgccatggta tggggggtaa tcagggtttc tcttatactg ccaacaaaga aattagaaca 1500
gatgaccttt gcttgatgt ttccaaactt aatggcccag ttacaatgct caaatgccac 1560
cacctaaaag gcaaccaact ctgggagtat gaccagtgta aattaaccct gcagcatgtg 1620
aacagtaatc agtgcctgga taaagccaca gaagaggata gccagggtgc cagcattaga 1680
gactgcaatg gaagtcggtc ccagcagtggt cttcttcgaa acgtcaccct gccagaaata 1740
ttctgagacc aaattttacaa aaaaacgaaa aaaataagga ttgactgggc tacctcagca 1800
tacatttctg ccacattctt aagtagcaaa aaaggaaaag tgctttcctc ctctgcagga 1860
tgtaagggtt atcagccatt aaaacttaga cttctctagc ttttactag ctgtgaacca 1920
gccttctgt ccattggacgt gaaactgcat agtaatgaga ctgtgcacac tgatgtttac 1980
aagattgaaa gagtctttct ccgaaaatca tggtaaagaa tactgagaca atgaaaaaaa 2040
atcaacaaaa tatgctttct ggagaactgt accttttatg gtttgcttgc acatcagtag 2100
ttctgctga acgtgctgtc ataatagaaga gatttccaag attttttttc ctgattagaa 2160
ctggtagcca gtatattaaa tattgatata aaaataaaa aactggaacc agattcagaa 2220
tcatgaaaaa aacattttta caacaacaaa aaactatat taaacagggt ttaaaggaaa 2280
ttaaacaaga actatgagaa gtacaatttg ttatagtata gtatcaaatt tctatataga 2340
ttttatacct cagtggggaa aaataactga ttccaatgac attcattttg ttttcatctg 2400
tgatagtcac ggatgctttt attttccttg ggggtgctgaa attgagctga aaaaaaagg 2460
ctctttgaa atagttttta tttctctcta cagttttttt tgtttggtt gtgggctgtt 2520
ggnaattgta atttttaatt gccttctaaa aaatggaaat ttaacaatgt ctgatctcag 2580
ctgaacaaat tagatgtttc agttgctctt ggggtcaactg gcttacagat ttacatgtgc 2640
acacacacac aaatttctta tcacattttc gacttcttca cttgacctaa ctgattatgc 2700
gaaataccca agattcatgc tactgtacca cagatttggt ttacacagca taaatcttca 2760
gttctttgtt tatgattoca cttacaaaaa ggcctgcaga agtgatttat tatttggtta 2820
tttgagagata atacatttga tgggtttttg gaaaaccttt ttcactccat actcagatat 2880
gcttcattgt caaatgcata ttagatttag attattgaat tgtaatgttt atctgctgct 2940
ttttttaaat aaaatttgac tgaaaatgtt taattggcat tttttaatga cttagccaaa 3000
gaagtgcagc tattattoca tattaatagg cttgcatttc ttttcctaaa tcttatttag 3060
gctaaatcag ttttattttt ctctgatttt ttttaatacc acagaatcac ctgagtgtca 3120
attgaaagt gtcaattaaa aggtaacctt ttaatctcgt aggaggaatc tcattaagac 3180
atttttctg atatgtagag cagtctgttg gcaaaaatgc atatattttc tttcatattt 3240
gtaaaattat atttaattga attcttttct ttgattatca aggactttca ctgcaggcag 3300
tgctatttct tgtgcctaag aatgtttcca aaagtgcac cgctaagat atttgccaag 3360
ttgagtgtag acaaagtttc tcatactctg ttcaagttaa tcaacatcaa gcacrtggg 3420
atgctttagg gtgagtctat agtacaaaat gcataaaacca tgtccccagg aaatttgaaa 3480
ggaagcagg gctgaatgga atttttttcc ttttccatga gctgtgttaa ttctatctcc 3540
agtaggccta atgcttgaat aagcaagatg tctaataaat aaattatttt catgctcaga 3600
atttcagggt tttgtactcc agcatagctt ggtcttattt cttactgtat gaaagcttaa 3660
cagcaatgtg atttaagggt ttgtttttaa tgggagatgt aagtgattta attcatgggt 3720
acttttagaa cctgatagat aatcccattg cctttatttt tctaattaaa gaattcctaa 3780
atactttgaa aatacaaaat attcctgaaa 3810

```

&lt;210&gt; 165

&lt;211&gt; 817

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 165

```

acagctgtga gccactgcgt ccagccctaa gatgattcat acctatcggg gaaaacagtg 60
ccactggaga gaacaggctg gcctctgcac tctggattgg tgacaggagt tatccaggcc 120

```

```
tgtctgaagg caatagcagg cctcccatcc ctggaccgcc ttatgtggcc tcccctgacc 180
tctggtccca ctgggaagac tcagccctgc cccaccaag cctgaggcct gtgcagccca 240
cctgggaggg ctcctcagag gcaggcctgg actgggctgg ggccagcttc tccccaggga 300
ctccratgtg ggcggccttg gatgagcaga tgctgcagga gggcatccag gcmtcgcttc 360
ttgacggggc agcccaggaa ccccagagcg caccatggct gtccaagtcc tctgtctcct 420
ctctgcggct gcagcagctg gagcgcatgg gcttccctac ggagcaggcg gtggtggcac 480
tggcagccac aggccgtgtg gaggggtgccg tgtcactggt ggttggagga caagtgggca 540
ctgagaccct ggtgacccat ggaaagggtg ggcctgcccc ctccgagggt cctgggcctc 600
cctagcccag gcagagagtg gggcacaggc aggcccttgg gtgctaaggg ctgggctgca 660
tgtgggtagc ccgagctcct actctgtcta aagagggcca cagtggggag caggggcacc 720
tctggaggca ggagaggccc cccagcatgc tgccctagta cgtgtttaga ataaaaacca 780
gtttgttttt caacctggac ctcttggaa aaaaaaa 817
```

<210> 166

<211> 1578

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (16)

<223> n equals a,t,g,.or c

<220>

<221> misc feature

<222> (38)

<223> n equals a,t,g, or c

<400> 166

```
aggcagaagt cttctnttct ctggcctcac cccctcantic gccatagagc tgggcctggc 60
cttgctggga atggaggcat ccttccaaac ctgggggacg ggggtggggg gtggtwgtgg 120
tgggagggaa accatgtctt gctaaacctg tttctggtgc ctcccatccc cagacccacc 180
agacaccaca cagcagacaa tacacaccca ctgcacaaag cttccatcca catgtgttgt 240
actttcagct ctaggcatgc agacaacccc acacggccac accaccacat gcccaagtgt 300
acacacacag agccacaccg tccctctggg cctgctggct cctcccttgg ctttcccttg 360
gcccacttcc agggcccagg tgctgcaact aaatgtgaaa gctcagtggc cgctccttct 420
ttcagcccat caaccagcat tgggtccata gggaagcaca ggggactcac cctctttcat 480
atcccttgcc ctgccctgaa atggacaatc actttttggg atagggtgaa atttttaaa 540
agcctgcac attcggttcc ctcaaaggga agcccttgcc agtgggggtt tgaaagagaa 600
tttttggaac caacattcaa attctgcctc atctggaggg aaacccaaat tgggaggggg 660
aagaggaccc ctgatgtttt gctgcttcca gagatattag aaactgactc acttgattgg 720
aaaatggaca aaagtgcctt gacgtggagg gtgggcacca gatggggacc agccttgcca 780
actgctgctg tggcctccag cttggctggg tttgcaggcc gccagcagga aggcgaaggt 840
ggtagtacag caagaggcac tggcggggca gcaggcctgc aggagctgtt tttccattgc 900
taggcctgac cctctcttac ctgtgagcgt tcagggggtc cctgagatag tttagatgcc 960
cccccatctt agacctcagc tcccacagtg ccttttaagg gggacctcac ctctgtgca 1020
cagcccaccc actttcctct gcttccctgg cacascccag gcatagacga gctggcgttg 1080
gacccagttc tcccccttt tcagccccac agctgctgcc acagggggcca actagggcca 1140
ggtggaaggg gagctgagaa gccaaacctt agcccagggg tgctgtggga actgggatcc 1200
aatttgtagc ttcctgcctg gcttcagaga gccagcaac cttctaggcc tgctttccag 1260
acttctgaga tagcctggga tgagcaatcc tgttacagta catctggacc ttccctacct 1320
```

gggctctggg gaggtctgtg gcctggagag ggaaaaggag ggaggggggtg tctgcaccac 1380  
ctgggaagat agcacaaggc ctaatgaggt caccctgact cccacccca gcatttcatt 1440  
cataccagat aatagctgca ttactgcca ctgaccttat aaccctctgc accttcaaaa 1500  
agattcatgg tttttaattg ctgcttttaa taacatttgt taaagttaa aaaaaaaaaa 1560  
aatcttcgg gggggggg 1578

<210> 167

<211> 1694

<212> DNA

<213> Homo sapiens

<400> 167

gccacgcgt ccgcccacgc gtccgcccac gcgtssgggc ggcgggcgcg acggccgggc 60  
gctcctgaag cagcagttat ggagcttccc tcagggccgg ggccggagcg gctctttgac 120  
tcgcaccggc ttccgggtga ctgcttccca ctgctcgtgc tgctgctcta cgcgccagtc 180  
gggttctgcc tcctcgctct gcgcctcttt ctgggatcc acgtcttctt ggtcagctgc 240  
gcgctgccag acagcgctct tcgcagattc gtagtgcgga ccatgtgtgc ggtgctaggg 300  
ctcgtggccc ggagggagga ctccggactc cgggatcaca gtgtcagggt cctcatttcc 360  
aaccatgtga cacttttoga ccacaacata gtcaatttgc ttaccacctg tagcaccgtg 420  
agtgaagcgg aggcgarag cgcacgggg cggttccctg gggcccagct gaaggcccc 480  
ctgtcccccac tcgcgttccs catggaggat actgagcctt acccctaacc ccgatcctct 540  
acccaacatg tcagtttttt ttttcatttt cctcaatatt ttttctcttg ctttctcttc 600  
tcctggttcc cagcctctac tcaatagtcc cccagcttt gtgtgctggt ctgggggctt 660  
catggagatg aatgggcggg gggagttggt ggagtcactc aagagattct gtgcttccac 720  
gaggcttccc cccactcctc tgctgctatt cctgaggaa gaggccacca atggccggga 780  
ggggctcctg cgcttcagtt cctggccatt ttctatccaa gatgtggtac aacctcttac 840  
cctgaagtt cagagacccc tggctctctgt gacggtgtca gatgcctcct gggctctcaga 900  
actgctgtgg tacccttttcg tccctttcac ggtgtatcaa gtaagggtgc ttcgtcctgt 960  
tcacgcacca ctagggggaag cgaatgagga gtttgactc cgtgtacaac agctgggtgc 1020  
caaggaattg ggccagacag ggacacggct cactccagct gacaaagcag agcacatgaa 1080  
gcgacaaaga cccccagat tgcgccccca gtcagcccag tcttctttcc ctccctcccc 1140  
tggtccttct cctgatgtgc aactggcaac tctggctcag agagtcaagg aagttttgac 1200  
ccatgtgcca ttgggtgtca tccagagaga cctggccaag actggctgtg tagacttgac 1260  
tatcactaata ctgcttgagg gggccgtagc tttcatgcct gaagacatca ccaagggaac 1320  
tcagtcccta ccacagcct ctgcctccaa gtttccagc tctggcccgg tgacccctca 1380  
gccaacagcc ctaacatttg ccaagtcttc ctgggcccgg caggagagcc tgcaggagcg 1440  
caagcaagca ctatatgaat acgcaagaag gagattcaca gagagacgag cccaggagcg 1500  
tgactgagct caaaggaaca ggatggcacc cagagccgca ggacggagac tgggggcagc 1560  
cctcacccaa ctcacaacag gctggatggg tgggtggtaa aaagggaagg atgaggctcc 1620  
cccaatgtca cattaaattc atggttttca ttcaacaaaa aaaaaaaaaa aaaaaaaaaa 1680  
aaaaaaaaact cgag 1694

<210> 168

<211> 1636

<212> DNA

<213> Homo sapiens

<400> 168

ggcacgagcg ccggagcgcg ctagccgcat tgcgagccga acccgggagc tggcgccatg 60  
gtgctgttgc acgtgctgtt tgagcacgcg gtcggctacg cgtgctggc gctgaaggaa 120  
gtggaggaga tcagtctgct gcagccgca gtaggagagt ccgtgctcaa cctgggcaaa 180



```

ttccacagca tcgttcgtct ggtggccttt tgtecccttg cctcatccca ggttgccctg 240
gaaaatgcc aacgcgtgtc tgaaggggtt gttcatgagg acctccgcct gctcttggag 300
accacactgc cgtccaaaaa gaagaaagta ctcttgggag ttggggatcc caagattggt 360
gccgcaatac aggaggagtt aggggtacaac tgccagactg gaggagtcac agctgagatc 420
ctgcgaggag ttctgtctgca cttccacaat ctggtgaagg gtctgaccga tctgtcagct 480
tgtaaagcac agctggggct gggacacagc tattcccgct ccaaagttaa gtttaattgt 540
aaccgggtgg acaatatgat catccagtcc attagcctcc tggaccagct ggataaggac 600
atcaatacct tctctatgct gtgcaggagg tggtagcggg atcactttcc ggagctgggt 660
aagatcatca acgacaatgc cacatactgc cgtcttgccc agtttattgg aaaccgaagg 720
aactgaatga ggacaagctg gagaagctgg aggagctgac aatggatggg gccaaaggct 780
aggctattct ggatgcctca cggctcctca tgggcatgga catatctgcc attgacttga 840
taaacatcga gagcttctcc agtcgtgtgg tgtctttatc tgaataccgc cagagcctac 900
acacttacct gcgtccaaag atgagccaag tagcccccag cctgtcagcc ctaattgggg 960
aagcggtagg tgcacgtctc atcgcacatg ctggcagcct caccaacctg gccaaagtac 1020
cagcatccac agtgcagatc cttggggctg aaaaggccct gttcagagcc ctgaagacaa 1080
ggggtaacac cccaaaatat ggactcattt tccactccac cttcattggc cgagcagctg 1140
ccaagaacaa aggcgcgcatc tcccgatacc tggcaacaa atgcagtatt gcctcacgaa 1200
tcgattgctt ctctgagggtg cccacgagtg tattcgggga gaagcttcga gaacaagttg 1260
aagagcgact gtcttcttat gagactggag agataccacg aaagaatctg gatgtcatga 1320
aggaagcaat ggttcaggca gaggaagcgg ctgctgagat tactaggaag ctggagaaac 1380
aggagaagaa acgcttaaaag aaggaaaaga aacggctggc tgcacttgcc ctcgcgtctt 1440
cagaaaacag cagtagtact ccagaggagt gtgaggagay gagtgaaaaa cccaaaaaga 1500
agaaaaagca aaagccccag gaggttcttc aggrgratgg aatggaagac ccatctatct 1560
ctttctccaa acccaagaaa aagaaatctt tttccaagga ggagttgatg agtagcgatc 1620
ttgaagagac cgctgg 1636

```

&lt;210&gt; 169

&lt;211&gt; 667

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 169

```

ggcacgagck mgttttcttt tcctctaggg agagaagagg cgatggcggc gatggcatct 60
ctcggcgccc tggcgctgct cctgctgtcc agcctctccc gctgctcagc cgaggcctgc 120
ctggagcccc agatcacccc ttctacttac accacttctg acgctgtcat ttccactgag 180
accgtcttca ttgtggagat ctccctgaca tgcaagaaca ggtccagaa catggctctc 240
tatgtgacg tcggtggaac acaattccct gtcactcgag gccaggatgt ggggcgttat 300
caggtgtcct ggagcctgga ccacaagagc gccacgcag gcacctatga ggttagattc 360
ttcgacgagg agtcctacag cctcctcagg aaggctcaga ggaataacga ggacatttcc 420
atcatccgcg ctctgtttac agtcagcgtg gaccatcggg gcacttgaa cgggccctgg 480
gtgtccactg aggtgctggc tgcggcgatc ggccttgta tctactactt ggccttcagt 540
gcgaagagcc acatccaggc ctgagggcgg caccacagcc ctgcccttgc ttccttcaat 600
aaacatcaca ggacctggga ctgcacagga aaaaaaaaaa aaaactcgrg gggggcccgg 660
tacccaa 667

```

&lt;210&gt; 170

&lt;211&gt; 3598

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

<221> misc feature  
<222> (1)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (16)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (22)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (964)  
<223> n equals a,t,g, or c

<400> 170  
ngcgggtaccg tcgtgntgtg tngtgtttct gaaagctttg tggtttcggt gagctctcag 60  
accgatttct agcgtccgtg ccggggacag gtgtcagagg tcgrctgctg cagacatggc 120  
ggcctccacc gcggccggga agcagcggat tcccaaagtg gccaaaggta aaaacaaagc 180  
cccggctgag gtacagataa ctgctgaaca actcttaaga gaggctaaag aaagagaact 240  
tgagcttctt ccacctccac ctcaacagaa gatcacagat gaagaagaat taaatgatta 300  
taactaagg aaaaggaaga cttttgaaga taatataaga aaaaacagga ctgtgattag 360  
taactggata aaatacgcac aatgggaaga aagcctaaag gagattcaaa gggctcgatc 420  
catatacgag cgtgcttttag atgtagacta ccgaaatatt acactctggc tgaaatacgc 480  
agaaatggaa atgaagaatc gccaaagtcam ccatgctcga aatatctggg accgggccat 540  
aacaacgctg cctcgagtta atcagttctg gtacaagtac acgtacatgg aggaaatgtt 600  
gggaaacggt gccgggtgccc ggcaggtgtt tgagcgtgg atggagtggc agcctgagga 660  
gcaagcctgg cactcctaca tcaactttga gctgagatac aaagaggtgg atcgggcccg 720  
caccatttat gagcgakttg tcctcgtgca ccctgatgtt aagaactgga tcaagtatgc 780  
ccgctttgaa gaaaaacatg cttattttgc ccatgcacgg aaagtgtatg agagagctgt 840  
ggaattcttt ggagatgaac atatggatga gcacctttat gttgcctttg ccaagtttga 900  
agaaaatcag aaagagtttg aaagggtacg agtgatttac aagtatgcc tggacagaat 960  
ttcnaaaca gatgcccaag aactctttaa aaattatacc atctttgaga agaagtttgg 1020  
tgataggcgg ggtattgaag atatcattgt gagcaaacgg agattccagt acgargaaga 1080  
agtgaaggcg aatccacaca attatgatgc atggtttgat tacttgcgct tggtagaaaag 1140  
tgacgcagaa gctgaagccg tgagagaagt ctatgaaagg gccattgcca atgtcccacc 1200  
cattcaggag aagaggcact ggaagcgcta catttatctt tggatcaact atgcactcta 1260  
tgaagaattg gaggcaaagg atcctgagag gacaagacag gtgtatcaag cctcttttga 1320  
actaatcct cacaanaagt tcacatttgs caaaatgtgg atactgtatg cacagtttga 1380  
aatacgacag aagaatctgt cattagccag aagagcattg ggaacttcca taggcaaagt 1440  
tccaaagaac aaattattta aggtttacat agaattggag ctacagcttc gagaatttga 1500  
cagatgccgg aagctttatg aaaagttcct ggaatttggga cctgaaaatt gtacctcatg 1560  
gattaaattc gctgaattag agacaatcct tggatgatatt gacagagcac gggcaatcta 1620  
tgaattagcc atcagtcagc cacgtttaga catgccagag gtgctttgga aatcatatat 1680  
tgattttgaa attgagcagg aagaaacaga aagaacacga aacctttacc ggcggttgct 1740  
tcaacggacg cagcatgtca aggtatggat cagctttgct cagtttgagt tgtcttcagg 1800  
aaaagaagga agtttgacta aatgcagaca aatttatgaa gaagctaaca aaaccatgcy 1860

```

aaactgtgaa gaaaaggaag agagacttat gctgctggaa tcttggcgaa gttttgaaga 1920
agaatttgga acagcttcag ataaggagag agtagacaaa ctcatgccag agaaagtcaa 1980
gaagagaaga aaggtccaga ctgatgatgg gtctgatgca ggctgggaag aatactttga 2040
ttacatcttt ccagaagatg ctgccaacca acctaacctc aaactcctgg ccatggccaa 2100
actgtggaag aaacagcagc aggaaaagga ggatgctgag caccatccag atgaggacgt 2160
cgatgagagt gaatcctgat ctttttttca tagacaaatg ttttgttatt ttataaaatt 2220
aattgtttgg aactcctgtg actcctggaa gttcttatat atttcaccag taagaaattg 2280
attggtatct ttgatggcta ctttttaagt ttttttttaa atgctccttg gttagctagg 2340
ggtagggatt gcaagtaaaag gactttttta actgctggat ttgtttttcc aacygagtc 2400
aaacttttct aatgtctgtc cacatcatgc attaggaaat gtaattaagg taacattcta 2460
cagttacttt tcatgtcata ccataaaaga tagtttatgc attcatctga aatgtgtaac 2520
ttttcatgt cttcagagtc acagacttga gttcatttcc cagctactgc cactcatgat 2580
tatataactt aattttcatt ttctcattc acaaaatggg ccaatagttt gacagctcat 2640
tttgaagatw acattataaa aggaatatac ctgggtgggtg catagtaagt gctcagtaaa 2700
ttgtttgttc taagccactt ttaaaaatgg tttcattcct tgtagaattg aatgcgagt 2760
gattaatwat ttaccttact ttcttactag tgtccagtta tattgttttt tagaacaaca 2820
cttgaaaaat aatttgcagt gattatattt ctgaacaagg ttcagaaaac attgtttact 2880
aagaatttag tctaataatt ycagttaggc gctcatcagt tctccagagt gggtgagttt 2940
gtaatacctt gtttaaagaa taatggcttg ttcacgtgtg tgctatgaaa aatgatgtcc 3000
catgttcaca taaatttggg aaattctgga ctaagactta agtctcgta atcaaattc 3060
tttatagtta ggcttctgta cattatgtat ctccagtagc aatgttgcca tattatttat 3120
ttcccaaact tagtggaaca tggagtcatt tctacctaga gtaccagtaa acatctccca 3180
gtgtgctata gtagaaaatg tctactctc actgctgaca tgtaaactt actcttggtt 3240
tagagcatgt gtagaaacac ctaaggtagc tctatgctaa ataatgaaga gtagcacaag 3300
aatgaatgta tttgctgata cgttgctcac attctcaagc aaaaattcaa ctgcattaac 3360
cgatctgaga gttttccttt aacctggact gtgtttctca agcacatttt ttctttgttc 3420
actgccaaag gactagaact gtatttttaa ggttgttttc ccctaaaagg accttttagta 3480
agcaaattta ttattaaatg tgcacatctt attcaccocaa gggaataaaa gctacttcgt 3540
aatgttggtta ctaaatttta tcttgaaaat aaataacagt gtttgaggac araaaaaa 3598

```

<210> 171

<211> 940

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (12)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (919)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
 <222> (935)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (938)  
 <223> n equals a,t,g, or c

<400> 171  
 gtgggggtntc tntgtgttct cccactgacc acgctttctt tagtgactcc tgattgcctc 60  
 ctcaagtcgc agacactatg ctgcctccca tggccctgcc cagtgtatct tggatgctgc 120  
 tttcctgcct catgctgctg tctcagggtc aagggtgaaga accccagagg gaactgccct 180  
 ctgcacggat ccgctgtccc aaaggctcca aggcctatgg ctcccactgc tatgccttgt 240  
 ttttgtcacc aaaatcctgg acagatgcag atctggcctg ccagaagcgg ccctctggaa 300  
 acctggtgtc tgtgtcagtg ggggctgagg gatccttcgt gtcctccctg gtgaagagca 360  
 ttggtaacag ctactcatat gtctggattg ggctccatga cccacacag ggcaccgagc 420  
 ccaatggaga aggttgggag tggagtagca gtgatgtgat gaattacttt gcatgggaga 480  
 gaaatccctc caccatctca agccccggcc actgtgcgag cctgtcgaga agcacagcat 540  
 ttctgaggtg gaaagattat aactgtaatg tgaggttacc ctatgtctgc aagttcactg 600  
 actagtgcag gagggaagtc agcagcctgt gtttgggtg caactcatca tgggcatgag 660  
 accagtgtag ggactcacc tggaagagaa tattcgctta attccccaa cctgaccacc 720  
 tcattcttat ctttcttctg tttcttctc cccgctgtca tttcagtcct ttcattttgt 780  
 catacggcct aaggctttaa agagcaataa aatttttagt ctgcaaaaaa aaaaaaaaaa 840  
 aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 900  
 aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaanaanaa 940

<210> 172  
 <211> 1458  
 <212> DNA  
 <213> Homo sapiens

<400> 172  
 gtaacagacg gcggcagtg gagaaagccg aagatggcgg tccccgcggc gctgaccta 60  
 cgggagagcc ccagcatgaa gaaagcagtg tcaactgataa atgcaataga tacaggaaga 120  
 tttccacggt tgctcactcg gattcttcaa aaacttcacc tgaaggctga gagcagtttc 180  
 agtgaagaag aggaagaaaa acttcaagcg gcattttctc tagagaaaca agatcttcac 240  
 ctagtctctg aaacaatatc atttatttta gaacaggcag tgtatcacaa tgtgaagcca 300  
 gcagctttgc agcagcaatt agagaacatt catcttagac aagacaaagc tgaagcattt 360  
 gtcaatackt ggtcttctat ggggtcaagaa acagttgaaa agttccggca gagaattctg 420  
 gctccctgta agctagagac ygttgatgg cagcttaacc ttcagatggc tcaactctgct 480  
 caagcaaaac taaaatctcc tcaagctgtg ttacaactcg gagtgaacaa tgaagattca 540  
 aagagcctgg agaaagttct tgtggaattc agtcacaagg agttgtttga tttctataac 600  
 aagctagaga ctatacaagc acagctggat tcccttacat gatgttttcg aagactgttt 660  
 tttcatcac gctcctgcc cctcattatt ttgcattgaa gatacattgc caggttgtgt 720  
 tttctgaagg attcagtgac ttgctttctg taaattatat ggcttatcac ttcttagaca 780  
 aataacaacc aatagagatc attgttaaga atactgaggt tctaataac tttctttagt 840  
 tctgtgagcc aacagtaatt attaagaaca ctttcccttt aaaggaaaca aaagtgaata 900  
 ccatattgtt tttactgtca tagtgtgtgt ttcttgccctg tctgtcttag tttttacttg 960  
 ctggatgata ccataatgta tcaaggagcg tccatggata caagataaga tgtgtacctt 1020  
 agtagaatac agagctttgg taattacatg aataaaatta agaaaatagc catatacaat 1080

caaatacact atggcatttt tatttgaata tgatgagtat attttgcttc ggaaataata 1140  
taggaaggaa atgtaaaata gtgagtagta tggatcagt taattccagt ctgagcttct 1200  
ctgtcaactt cagtttctct ctcagtttaa tgatttaata atagtccagg tttttgtgtg 1260  
tttttcttta tactgcaaat taataatgat tcactttata gtttgggaga cagaatcagg 1320  
tcttgaataa aataattgta atgagtgcta aatgggcacc attattcgaa tcagatacct 1380  
tttatattct ctttcataa atacgttgat ttctgtcaat aaaatttttg tgtcttagga 1440  
aaaaaaaaaa aaagtcga 1458

<210> 173

<211> 2709

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2595)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2622)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2659)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2670)

<223> n equals a,t,g, or c

<400> 173

ggggctgcga gagaggaagc tctttcgcgg cgctacggcg ttggcaccag tctctagaaa 60  
agaagtcagc tctggttcgg agaagcagcg gctggcgtgg gccatccggg gaatgggcgc 120  
cctcgtgacc tagtgttgcg gggcaaaaag ggtcttgccg gcctcgctcg tgcaggggcg 180  
tatctgggcg cctgarccgc gcggtggagc cttgggagcc gccgcagcag ggggcacacc 240  
cggaaccggc ctgagcgccc gggaccatga acggggaggg catctgcagc gccctgccc 300  
ccattcccta ccacaaactc gccgacctgc gctacctgag ccgcggcgcc tctggcactg 360  
tgtcgtccgc ccgccacgca gactggcgcg tccaggtggc cgtgaagcac ctgcacatcc 420  
acactccgct gctcgacagt gaaagaaagg atgtcttaag agaagctgaa attttacaca 480  
aagctagatt tagttacatt cttccaattt tgggaatttg caatgagcct gaatttttgg 540  
gaatagttac tgaatacatg ccaaattgat cattaaatga actcctacat agggaaactg 600  
aatatcctga tgttgcttgg ccattgagat ttcgcacccg gcatgaaatt gcccttggtg 660  
taaattacct gcacaatatg actcctcctt tacttcatca tgacttgaag actcagaata 720  
tcttattgga caatgaattt catgttaaga ttgcagattt tggtttatca aagtggcgca 780  
tgatgtccct ctcacagtca cgaagtagca aatctgcacc agaaggaggg acaattatct 840  
atatgccacc tgaaaactat gaacctggac aaaaatcaag ggccagtatc aagcacgata 900  
tatatagcta tgcagttatc acatgggaag tggtatccag aaaacagcct tttgaagatg 960  
tcaccaatcc tttgcagata atgtatagtg tgtcacaagg acatcgacct gttattaatg 1020

```

aagaaagttt gccatatgat atacctcacc gagcacgtat gatctctcta atagaaagtg 1080
gatgggcaca aaatccagat gaaagaccat ctttcttaaa atgtttaata gaacttgaac 1140
cagttttgag aacatttgaa gagataactt ttcttgaagc tgttattcag ctaaagaaaa 1200
caaagttaca gagtgtttca agtgccattc acctatgtga caagaagaaa atggaattat 1260
ctctgaacat acctgtaaat catgggtccac aagaggaatc atgtggatcc tctcagctcc 1320
atgaaaatag tgggtctcct gaaacttcaa ggtccctgcc agctcctcaa gacaatgatt 1380
ttttatctag aaaagctcaa gactgttatt ttatgaagct gcatcactgt cctggaaatc 1440
acagttggga yagcaccatt tctggatctc aaagggtgc attctgtgat cacaagacca 1500
ctccatgctc tttagcaata ataaatccac tctcaactgc aggaaactca gaacgtctgc 1560
agctgggtat agcccagcag tggatccaga gcaaaaggga agacattgtg aaccaaata 1620
cagaagcctg ccttaaccag tcgctagatg cccttctgtc cagggacttg atcatgaaag 1680
aggactatga acttgttagt accaagccta caaggacctc aaaagtcaga caattactag 1740
acactactga catccaagga gaagaatttg ccaaagtat agtacaaaaa ttgaaagata 1800
acaaacaaat ggtctctcag ccttaccggt aaatacttgt ggtttctaga tcaccatctt 1860
taaattttact tcaaaataaa agcatgtaag tgactgtttt tcaagaagaa atgtgtktca 1920
taaaaggata tttatatctc tgttgctttg acttttttta tataaaatcc gtgagtatta 1980
aagctttatt gaaggttctt tgggtaaata ttagtctccc tccatgacac tgcagtattt 2040
tttttaatta atacaagtaa aaagtttgaa ttttgctaca tagttcaatt tttatgtctc 2100
ttttgttaac agaaccact tttaaaggat agtaattatt cttgtttata acagtgcctt 2160
aaggtatgat gtatttctga tgggaagccat tttcacattc atgttcttca tggattattt 2220
gttacttgkc taarawgcaa tttgatttta tgaagtatat accctttacc caccagagac 2280
agtacagaat ccctgcccta aaatcccagg ctttaattgcc ctacaaaggg ttattaattt 2340
aaaactccat tattaggatt acattttaaa gttttattta tgaattccct ttaaaaatga 2400
tatttcaaag gtaaaacaat acaatataaa gaaaaaaata aatatattaa taccggcttc 2460
ctgtcccat ttttaacctc agccttccct actgtcacca acaaccaagc taaataaagt 2520
caacagcctg atgtgtatct ttctgtccct ttcttctgc ttatatttag gaacatatgc 2580
tcatttgaga aaggntcttt ctgcatatta ttattataat tntacatcat actgcaacct 2640
gctttttgca tttaatagna caggctccn ggtcaggat gggcttaact taccctttta 2700
cttgggtggc 2709

```

&lt;210&gt; 174

&lt;211&gt; 1013

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 174

```

ggtgacatcc cagtgtcccg cgtgcaggca aggcacacct gaagcgtgcc atcctggggc 60
aggaggaggc gctgcggctg cagccctgt gccgcgtcct gcgcgagggt gacctgcttc 120
gggctgtgat ctcccagacg ctgcagcgt cactggccaa gtatgcggag ctcgaccgtg 180
aggatgactt ctgtgaggct gccgaggccc cggacatcca gcctaagacc caccagaagc 240
cagaggccag gatgccacgc ctgtcccagg ggaaggggcc tgacatcttc catcggttg 300
ggccctgtc tgtgttctca gccaaagaacc ggtggcggt ggtggggccc gtccacctga 360
cccaggaga gggcggttt ggcctcacgc ttcggggaga ctgcctgtc ctcatcgtg 420
cgtcattcc agggagccag gccgcggcg ctggcctgaa ggaggcgac tacatttgt 480
cagtgaatgg gcagccatgc aggtgtgga gacacggga ggtggtgac gagctgaagg 540
ctgcgggaga ggcggggcc agcctgcagg tgggtgcgt gctgccagc tctagactgc 600
ccagcttggg ggaccgccc cccgtcctgc tgggccccag ggggcttcta aggagccaga 660
gggagcatgg ttgcaagacc ccggcatcca cgtgggccag tccccgggc ctccctcaact 720
ggagccgaaa ggcccagcag ggcaagactg gaggtgccc cagccctgtg cccagtgaa 780
gccagctccg gcctcatcct tgaagcacc aggggtggcg tgagggccag gatccctgca 840
cgcctcagcc ctggctccag ctggcagcaa gcaccgagca tgccctcccc acccagagga 900

```

cctccgggca atgcctgtcc cgcctcatgc tggaggctgc ctcgggcacc tgcctgcccc 960  
ttaaagactg gtcagacctg aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaa 1013

<210> 175

<211> 1697

<212> DNA

<213> Homo sapiens

<400> 175

gcgtccgata gaaggggcta cagctcacgc atcgtgggtg gaaacatgtc cttgctctcg 60  
cagtggccct ggcaggccag ccttcagttc cagggctacc acctgtgcgg gggctctgtc 120  
atcacgcccc tgtggatcat cactgctgca cactgtgttt atgacttgta cctccccaag 180  
tcatggacca tccagggtgg tctagtttcc ctgttggaaca atccagcccc atcccacttg 240  
gtggagaaga ttgtctacca cagcaagtac aagccaaaga ggctgggcaa tgacatcgcc 300  
cttatgaagc tggccgggcc actcacgttc aatgaaatga tccagcctgt gtgcctgccc 360  
aactctgaag agaacttccc cgatggaaaa gtgtgctgga cgtcaggatg gggggccaca 420  
gaggatggag caggtgacgc cccccctgtc ctgaaccacg cggccgtccc tttgatttcc 480  
aacaagatct gcaaccacag ggacgtgtac ggtggcatca tctccccctc catgctctgc 540  
gcgggctacc tgacgggtgg cgtggacagc tgccaggggg acagcggggg gccctggtg 600  
tgtcaagaga ggaggctgtg gaagttagtg ggagcgacca gctttggcat cggctgcgca 660  
gaggtgaaca agcctggggt gtacaccctg gtcacctcct tcctggactg gatccacgag 720  
cagatggaga gagacctaaa aacctgaaga ggaaggggac aagtagccac ctgagttcct 780  
gaggtgatga agacagcccc atcctccccct ggactcccgt gtaggaacct gcacacgagc 840  
agacaccctt ggagctctga gttccggcac cagtagcagg cccgaaagag gcacccttcc 900  
atctgattcc agcacaacct tcaagctgct ttttgttttt tgtttttttg agatggagtc 960  
tcgtctgtt gccagggtg gagtgacgtg gcgaaatccc tgcctactgc agcctccgct 1020  
tccctgggtc aagcgattct cttgcctcag cttccccagt agctgggacc acagggtgcc 1080  
gccaccacac ccaactaatt tttgtatttt tagtagagac agggtttcac catgttggtc 1140  
aggctgctct caaaccctg acctcaaatg atgtgcctgc ttcagcctcc cacagtgtg 1200  
ggattacagg catggggccac cagcctagc ctcacgctcc tttctgatct tcaataagaa 1260  
caaaagaagc agcaacttgc aagggcggcc tttccactg gtccatctgg ttttctctcc 1320  
aggggtcttg caaaattcct gacgagataa gcagttatgt gacctcacgt gcaaagccac 1380  
caacagccac tcagaaaaga cgaccagcc cagaagtgca gaactgcagt cactgcacgt 1440  
tttcatctct agggaccaga accaaacca cctttctac ttccaagact tattttcaca 1500  
tgtggggagg ttaacttagg aatgactcgt ttaaggccta ttttcatgat ttctttgtag 1560  
catttggtgc ttgacgtatt attgtccttt gattccaaat aatatgtttc cttccctcat 1620  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1680  
aaaaaaaaaa aaaaaaa 1697

<210> 176

<211> 1409

<212> DNA

<213> Homo sapiens

<400> 176

acaatttaca caggaaacag ctatgaccat gattacgcca agctcgaaat taaccctcac 60  
taaagggaac aaaagctgga gctccaccgc ggtggcggcc gctctagaac tagtggtacc 120  
cccgggctgc aggaattccg ctgctggcct ggggtgtgtg ttgaggccgg gtctccgctc 180  
ctgtgcccgg gaagatggtg ctagggtggt gcccggttag ttacttactt ctgtgcggcc 240  
aggcggtttt gctgctgggg aatttacttc tgctgcattg tgtgtctcgg agccactcgc 300  
aaatgctgac cgctgagcct gagctcacat ccgctggcgc cgcccagccg gagggccccg 360

ggggtgctgc gagctgggaa tatggcgacc cccactctcc ggtcatcctc tgctcttacc 420  
tacctgatga atttatagaa tgtgaagacc cagtggatca tggtagaaat gcaactgcat 480  
cccaggaact tgggttatggt tgtctcaagt tggcggtca ggcctacagc gacgtggaac 540  
acacttcagt ccagtgccat gccttagatg gaattgagtg tgccagtcct aggacctttc 600  
tacgagaaaa taaaccttgt ataaagtata ccggacacta cttcataacc actttactct 660  
actccttctt cctgggatgt tttggtgtgg atcgattctg tttgggacac actggcactg 720  
cagtagggaa gctgttgacg cttggaggac ttgggatttg gtggtttgtt gaccttattt 780  
tgctaattac tggagggctg atgccaagtg atggcagcaa ctggtgcact gtttactaaa 840  
aagagctgcc atcatggccc agggaggcgg gtgaaagctc cgtcttctga attcatctct 900  
acaggctcaa aactcctctt tgatatcaga cctgatgtta ttttccttct tttggagggc 960  
atttgtttg ttaagaaggc ttctttggac tttggaattt caaccagat tttaccttgc 1020  
agacggaatg acaagcaaaa agtggtgtgg ggaatcaaat ttgttccttt cctcatgcac 1080  
aaaacataaa ggatagtggc gagtttaca gctgtggatg ggtttccata gtcttccttt 1140  
ctgtacattg ctatatcttc agtccttgg agcaagtgga cctaacaagt tgagcaaaa 1200  
gaatatttgg atccatgttc ctctgtgac cctgagtcct catgcaagga gatctgaagc 1260  
tgaacaatga aaatcttcag cagaaataga aatggccgtg gattgtaata cacactgaaa 1320  
ttctgacttt ctgaatttaa atgtagaata aattttacca acttgaaaa aaaaaaaaaa 1380  
aaaaaaaaa aaaaaaaaaa aaactcgag 1409

<210> 177

<211> 1503

<212> DNA

<213> Homo sapiens

<400> 177

tgccacatca cgggggtttc ttattttagt gttttgtttt caagtttggg tgctttattt 60  
ccattctcta aaagtaagt tcttgctctt acgagagtta gtgttccttt tgaaccagg 120  
tgttccacct gacagtgttt gtctttcata gactttccag aatagacata gtcaagatca 180  
gacacgtgag cttctctctc attttaatgt gagaaaaatc atctttcaga gacaaggcac 240  
cgcttagaaa tgtatgtcca ggtatgaaag aaccttttta aaatggctgg ttgttccaga 300  
tccagatttc tctgcacact ggacttcgta gagtaagtgt ggtagacaaa gagactacac 360  
tgcaacaaca ccagtgaata tcattgctaa gaagactttg ggtcgtgttt ctgagccact 420  
ctcacagctt ttgtagactt atttgatttt gaaacaagca gttagctaaa tctattttcc 480  
ttttatgcat atatttaaat tggctcaact taatatggtg ttcttacaga atatgagccc 540  
atttgaaaata aggttttagg caattttgct gttggctctg atttgatat agcaaattta 600  
aagttacaga gtgtttccta gatagaagat tagttcattt ggttcatttt gtctttgaag 660  
caagccaagc tcatgagcca gttggttatt tgcataaat gaacacccat cactatatgc 720  
tatgttgagg ggaggcaagt ctgatcttcg aataattgat aaagtttaat atctttgtag 780  
ccaaaataca atttgcaaac cctaactcca gatgtgtcgt atgaatcttg acaaccagg 840  
cttgagattt gttttactga ttgccaatca ggtatattat ttgtgatgtt cgtgggagca 900  
tgcaaatag aagacagtgt tggggagtt cctcagtatt gaattacatg tgtgactca 960  
ggcctgccag tcaactgaatt ctgacttgta aagggtttta cctgctgttc caatcattga 1020  
ggaccaattt gctttttgat aagattggaa aacatttatg gagactttcc cagttaaatc 1080  
tatgacagt tcccacttaa atagtgaat ttagtatatt ctgagataac tgcaacacaa 1140  
aattgaaatg tgccagtatg tcatcttctt acctggaaga tactgtatat ttggaaagt 1200  
tatgcttctc tcaataaata catgttatta aataagccat atcacagttt aagaaattgt 1260  
atatacttta tcatatgccc ttccagaaac cagggtatttt gcatatgatt gatttttagaa 1320  
agattttgaa gctgggggtt gtccatgtta attaagatca aagtatatat atatatatat 1380  
atatgtgctg tatttgcaac ttccacattg taatttccta tacacttatt aaagtattgt 1440  
tttgccatgt ggtttattaa ataaaaatgt acagtctctt aaaaaaaaaa aagaaaaaaa 1500  
aaa 1503



<210> 178  
<211> 1378  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (3)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (82)  
<223> n equals a,t,g, or c

<400> 178  
aanctgcccc gcctgcaggt accggtccgg aattcccggg tcgacccaag cgttcgcccc 60  
cgcgtccggg gaatgccata gntaattcac cagcagtaat cctttaataa ctggcagagc 120  
actttattct tctggtgagc tccctgaata tttatttttc tgattataaa ttttctatat 180  
tagtagcatt ttttaattat tacttcttca ctatagagca tttactttta gtctctagat 240  
gtatatattt gaatgctrta cttggcataa catagattaa aatcataatg catgactaaa 300  
aactccttgg atttatttcc cattttaaaa tttttagcgg taagttcaga tttataatct 360  
ttctctagac ttccatggtc tgaatgttgc ctgctgaagt agcaacctaa aaagtatccc 420  
ctgcttatgc ttctccagtt ggccctccat gtccataggc ttcgcatctg tgattcagcc 480  
cactgtgggt caaaaatatt tggggaaaaa aatggatggt tgcgcctttg ctgaacatgt 540  
acaaactttt ttttgtcatt aaacaatata gtataacaac tatttacaaa gcatttacat 600  
tgtattagct attataggta atctagagat gatttaaagt gtatggtagg atgtgcacag 660  
gttatatgca aatactacac cattttctat aagggaactg aacatcatgg acttttagtat 720  
cctagggggg tcttgaacc catcacccat aggggcacca taggacaact atagtaccgt 780  
gtttatttcc tattaattca ggttccggtt agagtctaaa actaaacct aatcatttag 840  
tcacagtgtg aaacaaaatg gaaataacag ctcaaactct caaaatatta ctatagcatt 900  
atgtttaaaa taatctacaa caaaaatgta ccattttcaa gcagtactac attaggagcc 960  
cttttataga aaataatttc ttctttaccc ccgttccagt gtgaatctag tattctgtta 1020  
acatttgtgt ggcatttgga gttgtcatc cccattgaag ggagagcctt ctcagacatg 1080  
aagcaaggga aacatactga atagttttac acaaatttga tctggcttcc atttgtcccc 1140  
ctcatttccc aaatgtttaa atgtattgga tttggattct caatgtataa gttgccttat 1200  
ctgttaaatgt ctatcttctg tctctttaat tttgtatatc tgctgttttg cttttggata 1260  
cattttctaa ttagaagtca catgataaat ataatcagta tagtaataat accataatgt 1320  
gcacatactc aataaataaa tgactgcatt gttgtaaaaa aaaaaaaaaa aaaaaaaa 1378

<210> 179  
<211> 2251  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (2020)  
<223> n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2050)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 179

```
ccgaaagaga aaacaggccg cgcgggcggc agaggagccg ggcgccgcaa tggacgtgcg 60
ggcgctgccg tggctgccgt ggctgctgtg gctgctgtgc cggggcggcg gcgatgccga 120
ctcccgcgcc cccttcaccc cgacctggcc gcgagccgcg gagcgtgaag ccgccgcctt 180
ccgggaaagt cttaatagac atcgatactt gaattcttta tttcccagtg aaaactccac 240
cgcttcttat ggaataaatc agttttccta tttgtttcct gaagagttaa aagccattta 300
tttaagaagc aaaccttcca agtttcccag atactcagca gaagtacata tgtccatccc 360
caatgtgtct ttgccgttaa gatttgactg gagggacaag caggttgtga cacaagtga 420
aaaccagcag atgtgtggag gatgtggggc cttcagcgtg gtgggggcag tggatctgc 480
ttatgcaata aaggggaagc ccctggaaga cctaagtgtc cagcaggtca ttgactgttc 540
gtataataat tatggctgca atggaggctc tactctcaat gctttgaact ggttaaaca 600
gatgcaagta aaactggtga aagattcaga atatcctttt aaagcacaaa atggtctgtg 660
ccattacttt tctggttcac attctggatt ttcaatcaaa gggtattctg catatgactt 720
cagtgaccaa gaagatgaaa tggcaaaagc acttcttacc tttggccctt tggtagtcat 780
agtagatgca gtgagctggc aagattatct gggaggcatt atacagcatc actgctctag 840
tggagaagca aatcatgcag ttctcataac tgggtttgat aaaacaggaa gcactccata 900
ttggattgtg cgaattcctt ggggaagttc ttggggagta gatggttatg cccatgtcaa 960
aatgggaagt aatgtttgtg gtattgcaga ttccgtttct tctatatttg tgtgacatgt 1020
tgggcagatc aagagacagc tacaaaaatg aaggttttca taatgcaatg taacatagta 1080
cttcaagta ttattcaact tcaagtttca gcaactacct acaaagatt ctaaggccta 1140
gtagtattta aactaagttt cagaatgttc ccttcttgta gagagatgga caaccaaagt 1200
cagtgggaca aactccagca cagaagcctg cgagggaagcc tatggaatag ttctctgtcc 1260
tgagacgaaa ttcagattag gagatatttt aggccctgc aactggggaa ggctactgtt 1320
tgtttttgtt tgcttattat ttatttgttt gtttattgtg agatatttca ggtgggatca 1380
aagaggtcat aagaatttat tttcttttgt ggggtgtaac tactagcttt agattacccc 1440
tatacacaag aatggccaac ctaaaattat gtgtgtcttg tacagttagt tatattagca 1500
gccctctgag atggcgtatc tatcggaagg atttcaaaca ccaattgctt tacctgaaca 1560
aatgggtgctt accctttgaa cagcagagtg accaygtaga aggaaggaaa agggcaaat 1620
cgcttcagtt aaactgaaat taaatgaaca ataaggcaac tatataagta acttctagta 1680
gcattgcctg agagacaaat tattgtttga taattttcat tgtgaatagg aatccaatag 1740
atcatattgc ttactttgtt ctttttatac tatagaataa tattttgttc tctagtatat 1800
caaaatacca aaatattatc tcatattttc tccctctttc tcttactctt taccaagttt 1860
tcctgggtggc ttggcttccc tgactaaaaga attaagtctc atttttactt tccatktcta 1920
ttttcttacc acttggttg ctcctttgt ctctgtactt tacsacgata ggatscactc 1980
ttcttctcct taatcataac aactctatc aagccactcn tagctgggac taacactgtg 2040
gttcagactn gtcagttccg cagcttctgc tctgtgatgt cttggacctg cgctctgacg 2100
actgacaggc actgagctat ggccaagggtg tcggtgatct cgccgggttc tgaaagggtg 2160
ctcagaaaac tgtaggcatg agtctttacc aatcgagaat tgggactaga ctagtagacc 2220
tagtcgcttt cggtgacctg tccgtacgtt t 2251
```

&lt;210&gt; 180

&lt;211&gt; 1000

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

<221> misc feature

<222> (20)

<223> n equals a,t,g, or c

<400> 180

```
ctatagatca tagaggaatn gtagctgcag tacgggtccga attccccgggt cgacccacgc 60
gtccggggaa ggcgggagac agcgcagttt gaatcgcggt gcgacgaagg agtaggtggt 120
gggatctcac cgtgggtccg attagccttt tctctgcctt gcttgcttga gcttcagcgg 180
aattcgaaat ggctggcggg aaggctggaa aggactccgg aaaggccaag acaaaggcgg 240
tttcccgcgc gcagagagcc ggcttgcaat tcccagtggt ccgtattcat cgacacctaa 300
aatctaggac gaccagtcac ggacgtgtgg gcgcgactgc cgctgtgtac agcgcagcca 360
tcctggagta cctcaccgca gaggtacttg aactggcagg aaatgcatca aaagacttaa 420
aggtaaagcg tattaccctt cgtcacttgc aacttgctat tcgtggagat gaagaattgg 480
attctctcat caaggctaca attgctggtg gtggtgtcat tccacacatc cacaaatctc 540
tgattgggaa gaaaggacaa cagaagactg tctaaaggat gcctggattc cttgttatct 600
caggactcta aatactctaa cagctgtcca gtgttggtga ttccagtggg ctgtatctct 660
gtgaaaaaca caattttgcc tttttgtaat tctatttgag caagttggaa gtttaattag 720
ctttccaacc aaccaaattt ctgcattcga gtcttaacca tatttaagtg ttactgtggc 780
ttcaaagaag ctattgattc tgaagtagtg ggttttgatt gagttgactg tttttaaaaa 840
actgtttgga ttttaattgt gatgcagaag ttatagtaac aaacatttggt ttttgtacag 900
acattatttc cactctggtg gataagttca ataaagggtc tatcccaaaa aaaaaaaaaa 960
aaaaaaaaaa aaaaaaaaaa maaaaaaggg gggggccccc 1000
```

<210> 181

<211> 1429

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (761)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1407)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1420)

<223> n equals a,t,g, or c

<400> 181

```
actgggactc ccagcagagc ccaccagcca gccctggccc acccccagc ctccagagaa 60
gcccgcgacg ggctgtcttg gtgtccgcca tccagggtct ggcagagcct ctgagatgat 120
gcatgatgcc cccccctcag cgcaggctgc agagcccggc cccacctccc tgcgcccttg 180
aggggccccca gcgtctgcag ggtgacgcct garacagcac cactgctgag gagtgaggac 240
tgtcctccca cagacctgca gtgagggggc ctccatgcgc agatgagggg cactgacccc 300
acctgcgctt ctgctggagg aggggaagct gggcccaaaag gccmgsgrag gcagcgtggg 360
ctctgccaat gtgggctgcc cctcgcacac agggctcaca gggcaggcct tgctggggtc 420
```

```

cagggctgtt ggaggacccc gagggctgag gagcagcagg acccgctgc tcccatcctc 480
accagatca ggaaccaggg cctccctgtt cacggtgaca caggtcaggg ctccagagtga 540
ccctcrctg tcacctgtc acagggatgc tgggtgctgg tgagacccc cactgcasac 600
gggaatgcct aggtcccttc ccgaccagc cagctgcagg gcacggggac ctggatagtt 660
aagggctttt ccaaacatgc atccatttac tgacacttcc tgccttgtt catggagagc 720
tgttcgctcc tcccagatgg ctccggaggg ccgcaggsga nccttgagc ctggtgacct 780
cctgtmamtc actgaggcca tcagggccct gccccaggcc tggacgggcc ctccctccct 840
cctgtgcccc agctgccagg yggccctggg gaggggtggt gtggtgttgg gaaggggtcc 900
tgcaggggga ggaggacttg gagggctctg gggcagctgt cctgaaccga ctgacctga 960
ggaggccgct tagtctgtc ttgcttttca tcaccgtccc gcacagtga cggaggtccc 1020
cggttgctgg tcaggctccc atggcttgtt ctctggaacc tgactttaga tgttttggga 1080
tcaggagccc ccaacacagg caagtccacc ccataataac cctgccagtg ccagggtggg 1140
ctggggactc tggcacagt atgccgggc ccaggacagc agcactccc ctgcacacag 1200
acggcctagg ggtggcgctc agacccacc ctacgctcat ctctggaagg ggcagccctg 1260
agtggctact ggtcagggca gtggccaagc ctgctgtgtc cttcctccac aaggtcccc 1320
caccgctcag tgcagcggg tgacgtgtgt tcttttgagt ccttgatga ataaaaggct 1380
ggaaacctaa aaaaaaaaaa aaaaanggg ggccctctan aggggtcaa 1429

```

<210> 182

<211> 2725

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2713)

<223> n equals a,t,g, or c

<400> 182

```

taacagggca aaaaaagggc tggaaacttc gctatcatgg agatccaatg ccctgcccta 60
aggaagacac tccaattct gtttgggagc ctgcgaagggt gcttgtgtt gtcagacaaa 120
tacagccagg cctgccaccc cttaggctcc aaagtccgga ggtgcagaaa gccaggacca 180
agagacaggc agtcaccag ggtggacaaa tcgccagaga tgtggtgcat tgcctgttt 240
tacttttg catgggttta tgcagacct accatgtatg gggagatcct gtcccctaac 300
tatcctcagg catatcccag tgaggtagag aaatcttggg acatagaagt tcctgaagg 360
tatgggattc acctctactt caccatctg gacattgagc tgcagagaa ctgtgcgtat 420
gactcagtgc agataatctc aggagacact gaagaaggga ggctctgtg acagaggagc 480
agtaacaatc cccactctcc aattgtggaa gagttccaag tccatacaa caaactccag 540
gtgatcttta agtcagactt ttccaatgaa gagcgtttta cggggtttgc tgcatactat 600
gttgccacag acataaatga atgcacagat tttgtagatg tccctttag ccacttctgc 660
aacaatttca ttggtggtta cttctgctcc tgcccccg aatatttctt ccatgatgac 720
atgaagaatt gcggagttaa ttgcagtggg gatgtattca ctgcactgat tggggagatt 780
gcaagtccca attatcccaa accatatcca gagaactcaa ggtgtgaata ccagatccg 840
ttggagaaag ggttccaagt ggtggtgacc ttgcggagag aagattttga tgtggaagca 900
gctgactcag cgggaaactg ccttgacagt ttagtttttg ttgcaggaga tcggcaattt 960
ggtccctact gtggtcatgg attccctggg sctctaaata ttgaaacca gagtaatgct 1020
cttgatatca tcttccaaac tgatctaaca gggcaaaaaa agggctggaa acttcgctat 1080
catggagatc caatgccctg ccctaaggaa gacactccca attctgtttg ggagcctgcg 1140
aaggcaaaat atgtctttag agatgtggtg cagataacct gtctggatgg gtttgaagtt 1200
gtggagggac gtgttggtgc aacatcttcc tattcgactt gtcaaagcaa tggaaagtgg 1260
agtaattcca aactgaaatg tcaacctgtg gactgtggca ttcctgaatc cattgagaat 1320

```

ggtaaagttg aagaccacaga gaggcactttg tttgggttctg tcatccgcta cacttgtgag 1380  
gagccatatt actacatgga aaatggagga ggtggggagt atcactgtgc tggtaacggg 1440  
agctgggtga atgaggtgct gggcccggag ctgccgaaat gtgttccagt ctgtggagtc 1500  
cccagagaac cttttgaaga aaaacagagg ataattggag gatccgatgc agatattaaa 1560  
aacttcccct ggcaagtctt ctttgacaac ccattgggctg gtggagcgct cattaatgag 1620  
tactgggtgc tgacggctgc tcatgttgtg gagggaaaca gggagccaac aatgtatgtt 1680  
gggtccacct cagtgcagac ctacggctg gcaaaatcca agatgctcac tcctgagcat 1740  
gtgtttattc atccgggatg gaagctgctg gaagtcccag aaggacgaac caattttgat 1800  
aatgacattg cactggtgctg gctgaaagac ccagtgaaaa tgggaccac cgtctctccc 1860  
atctgcctac caggcacctc ttccgactac aacctcatgg atggggacct gggactgac 1920  
tcaggctggg gccgaacaga gaagagagat cgtgctgttc gcctcaaggc ggcaagggtta 1980  
cctgtagctc ctttaagaaa atgcaaagaa gtgaaagtgg agaaaccac agcagatgca 2040  
gaggcctatg ttttctactc taacatgatc tgtgctggag gagagaagg catggatagc 2100  
tgtaaagggg acagtgggtg ggcctttgct gtacaggatc ccaatgacaa gaccaaattc 2160  
tacgcagctg gcctgggtgc ctggggggccc cagtgtggga cctatgggct ctacacacgg 2220  
gtaaagaact atgttgactg gataatgaag actatgcagg aaaatagcac cccccgtgag 2280  
gactaatcca gatcacccc accagcctct ccaagggtgg tgaccaatgc attaccttct 2340  
gttccttatg atattctcat tatttcatca tgactgaaag aagacacgag cgaatgattt 2400  
aaatagaact tgattgttga gacgccttgc tagaggtaga gtttgatcat agaattgtgc 2460  
tggtcataca tttgtggtct gactccttgg ggtcctttcc ccggagtacc tattgtagat 2520  
aacactatgg gtggggcact cctttcttgc actattccac agggatacct taattccttg 2580  
tttcctcttt acctgttcaa aattccattt acttgatcat tctcagtatc cactgtctat 2640  
gtacaataaa ggatgtttat aagcaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2700  
aaaaaaaaaa aanaaaaaaa aaaag 2725

<210> 183

<211> 1751

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (344)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (416)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1617)

<223> n equals a,t,g, or c

<400> 183

ggggggcggca ggttgccggcg gcgcgggagc ggggtctccag gctggcgagc gccaggaca 60  
ggcatgttgt tgggactggc ggccatggag ctgaagggtgt ggggtggatgg catccagcgt 120  
gtggtctgtg ggggtctcaga gcagaccacc tgccaggaaag tgggtcatcg actagcccaa 180  
gcaataggcc agactggccg ctttgtgctt gtgcagcggc ttccgggagaa ggagcggcag 240  
ttgctgccac aagagtgtcc agtgggcggc caggccacct gcggacagtt tgccagcgat 300

```

gtccagtttg tcctgaggcg cacagggccc agcctagctg ggangccctc ctcagacagc 360
tgtccacccc cggaacgctg cctaattcgt gccagcctcc ctgtaaagcc acgggntgcg 420
ctgggctgtg agccccgcaa aacactgacc cccgagccag cccccagcct ctcacgccct 480
gggctgctgg cctgtgaaca cccacaccag gctgctgcac agacctgctg ggcctggagc 540
tcagggtgca gaggaatgct gaggagctgg gccatgagga cttctgggag caagagctgc 600
gccgggagca ggcccgggag cgagagggac aggcacgcct gcaggcacta agtgccggcca 660
ctgtgagca tgccgcccgg ctgcaggccc tggacgtca ggcccgtgcc ctggaggctg 720
agctgcagct ggcagcggag gccctgggc cccctcacc tatggcatct gccactgagc 780
gcctgcacca ggacctggct gttcaggagc ggcagagtgc ggaggtgcag ggcagcctgg 840
ctctggtgag ccgggccctg gaggcagcag agcgagcctt gcaggctcag gctcaggagc 900
tggaggagct gaaccgagag ctccgtcagt gcaacctgca gcagttcatc cagcagaccg 960
gggctgcgct gccaccgccc ccacggcctg acaggggccc tcctggcact caggctcggag 1020
tggttctggg gggaggctgg gaggtgagga cctggcccar cccactcca agctgacttc 1080
ccaaccaca gggccctctg cctcagccag agaggagtc ctctggggc ctccctctga 1140
gtcccatgct ggtgcccagc ctaggccccg agggatgtc tgtgccccac ctccccctgg 1200
ggcaccgggc cctcctgtgg ctgcagccac tgcagcctgt gtcctccgc agtgggcccc 1260
atgacgcaga actcctggag gtagcagcag ctctgcccc agagtgggtg cctctggcag 1320
cccagcccca ggctctgtga cagcctagt agggctgcaa gaccatcctg cccggaccac 1380
agaaggagag ttggcgggtca cagagggctc ctctgccagg cagtgggaag ccctgggttt 1440
ggcctcagga gctgggggtg cagtggggga ctgccctagt ccttgccagg tcgccagcac 1500
cctggagaag catggggcgt agccagctcg gaacttgcca ggcccaaaag gccacgactg 1560
cctgttgggg acaggagatg catggacagt gtgctcaagc tgtgggcatg tgcttgnctg 1620
cgggagaggt ccttactgt gtgtacacag caagagcatg tgtgtgccac ttcccctacc 1680
ccaactgaa aacctcaata aactgccga akyakaaaaa aaaaaaaaaa aaaaaaaaaa 1740
aaaaaaaaa a 1751

```

<210> 184

<211> 2200

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2096)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2140)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2157)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2181)

<223> n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2184)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 184

```

ggcacgagca ggcacatact gaagggcaac ttctcaatcc gtacagccaa gatgcagcag 60
catgtgtgtg aaaccatcat ccgcactctt aaaagacatg gagctgttca gttgtgtact 120
ccactactgc ttccccgaaa cagacaaata tatgagcaca acgaagctgc cctattcatg 180
gaccacagcg ggatgctggt gatgcttcct tttgacctgc ggatcccttt tgcaagatat 240
gtggcaagaa ataatatatt gaatttaaaa cgatactgca tagaacgtgt gttcaggccg 300
cgcaagtttag atcgatttca tcccaaagaa cttctggagt gtgcatttga tattgtcact 360
tctaccacca acagctttct gccactgct gaaattatct acactatcta tgaaatcatc 420
caagagtttc cagcacttca ggaaagaaat tacagtattt atttgaacca taccatgtta 480
ttgaaagcaa tactcttaca ctgtgggac ccagaagata aactcagtca agtctacatt 540
attctgtatg atgctgtgac agagaagctg acgaggagag aagtggaaagc taaattttgt 600
aatctgtctt tgtcttctaa tagtctgtgt cgactctaca agtttattga acagaaggga 660
gatttgcaag atcttatgcc aacaataaat tcattaataa aacagaaaac aggtattgca 720
cagttggtga agtatggctt aaaagaccta gaggaggttg ttggactgtt gaagaaactc 780
ggcatcaagt tacaggtctt gatcaatttg ggcttggtt acaaggtgca gcagcacaat 840
ggaatcatct tccagtttgt ggctttcatc aaacgaaggc aaagggtgt acctgaaatc 900
ctcgcagytg gaggcagata tgacctgctg attccccagt ttagagggcc acaagctctg 960
gggccagttc ccaactgcat tggggtcagc atagctatag acaagatata tgctgctgtc 1020
ctcaacatgg aggaatctgt tacaataagc tcttgtgacc tcctgggtgt aagtkttggt 1080
cagatgtcta tgtccagggc catcaaccta acccagaaac tctggacagc aggcatacaca 1140
gcagaaatca tgtacgactg gtcacagtcc caagaggaat tacaagagta ctgcagacat 1200
catgaaatca cctatgtggc ccttgtctcg gataaagaag gaagccatgt caagggttaag 1260
tctttcgaga aggaaaggca gacagagaag cgtgtgctgg agactgaact tgtggaccat 1320
gtactgcaga aactgaggac taaagtcact gatgaaagga atggcagaga agcttccgat 1380
aatcttgca tgcaaaatct gaaggggtca ttttctaata cttcagggtt gtttgaaatc 1440
catggagcaa cagtggttcc cattgtgagt gtgctagccc cggagaagct gtcagccagc 1500
actaggagge gctatgaaac tcaggtacaa actcgacttc agacctccct tgccaactta 1560
catcagaaaa gcagtgaat tgaaattctg gctgtggatc tacccaaaga aacaatatta 1620
cagtttttat cattagagt ggatgctgat gaacaggcat ttaacacaaac tgtgaagcag 1680
ctgctgtcac gcctgccaaa gcaaagatac ctcaaattag tctgtgatga aatttataac 1740
atcaaagtag aaaaaaagg gtctgtgcta tttctgtaca gctatagaga tgactactac 1800
agaatcttat tttaacctta aagaactgtc gttaacctca ttcaaacaga cagaggctta 1860
tactggaata atggaatgtt gtacattcat cataatttaa aattaaattc taagaagagg 1920
ctgggtgcag tggctcacac ctttaatccc agcactttgg gaagccaagg caggaagact 1980
gcttgaaacc aggagtttga gaccagcctg agcaacaaag caagacccca tctctataaa 2040
aactaaaaaa attagttggg catggtggca catgcctgta gtcccagcta ctccanagge 2100
tgagatggat catctgagcc tcaggaggtt gacgctgcan tgactgtgac tgcgcncctg 2160
actccatctg gggcaacaga ncangacctt gcttaaatac 2200

```

&lt;210&gt; 185

&lt;211&gt; 1987

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (523)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 185

```
aactgtggcg cktcttggtg aagatggacg tccacgatct ctttcgccgg ctccggcgcg 60
gggccaaatt cgacacgaga cgcttctcgg cagacgcagc tcgattccag ataggaaaaa 120
ggaaatatga ctttgattct tcggaggtgc ttcagggact ggactttttt ggaacaaga 180
agtctgtccc aggtgtgtgt ggagcatcac aaacacatca gaagcccaa aatggagaga 240
aaaaagaaga gagcctaact gaaaggaaga gggagcagag caagaaaaaa aggaagacga 300
tgacttcaga aattgcttcc caagaagaag gtgctactat acagtggatg tcatctgtag 360
aagcaaagat tgaagacaaa aaagttcaga gagaaagtaa actaacttcc ggaaagttgg 420
agaatctcag aaaagaaaaag ataaacttct tgccgaataa acacaaaatt cacgtccaag 480
gaaccgatct tctgaccca attgctacat ttcagcaact tgnaccagga atataaaatc 540
aattctcgac tacttcagaa cattctagat gcaggtttcc aaatgcctac gccaatccaa 600
atgcaagcca tcccagttat gctgcatggg cgggaacttc tggcttctgc tccaactgga 660
tctgaaaaaa cattagcttt tagcattcct attttaatgc agctgaaaca acccgcaaat 720
aaaggcttca gagccctgat tatatcacca acacgagaac ttgccagcca gattcacaga 780
gagttaataa aaatttctga gggaacagga ttcagaatac acatgatcca caaagcagca 840
gtggcagcca agaatttgg acctaaatca tctaaaaagt ttgatattct tgtgactact 900
ccaaatcgac taatctattt attaaagcaa gatcccccg gaatcgacct agcaagtgtt 960
gagtggtctg tagtagacga atcagataaa ctgtttgaag atggcaaaac tgggttcaga 1020
gaccagctgg cttccatttt cctggcctgc acatcccaca aggtccgaag agctatgttc 1080
agtgcactt ttgcatatga tgttgaacag tggtgcaaac tcaacctgga caatgtcatc 1140
agtgtgtcca ttggagcaag gaattctgca gtagaaactg tagaacaaga gcttctcttt 1200
gttgagctcg agaccgaaa acttctggcc gtgagagaac ttgttaaaaa gggtttcaat 1260
ccacctgttc ttgtttttgt tcagtccatt gaaagggcta aagaactttt tcatgagctc 1320
atatatgaag gtattaatgt ggatgttatt catgcagaga gaacacaaca acagagagat 1380
aacacagtc acagtttcag agcaggaaaa atctgggttc tgatttgtag agccttgcta 1440
gcaagaggga ttgattttaa aggtgtgaac ttggtgatca actatgactt tccaactagc 1500
tcagtggat atatccacag gataggtcga actggaagag cagggaataa gggaaaagca 1560
attacatttt tactgagga tgataagcca ttattaagaa gcgttgctaa tgttatacag 1620
caggctgggt gtctgtgacc agaatacata aaaggttttc agaaactact aagcaaaaaa 1680
aagaaaaaga tgattaagaa accattggaa agggagagca ttagtacaac tccaaaatgt 1740
ttcttagaaa aagtaagga taaacagaaa aaggtcactg gtcagaacag caagaagaaa 1800
gtagctcttg aagacaaaag ttaaaaacag actttaaaaa tactgtccca gaaatgtaat 1860
tttatgatcc cagcatgaat gttattttca tggaaactt gaagtcttac agtcacctgt 1920
accaaacatt tgaaatcaac tacaagtaca tgggactggg gataaatgat cctaaactat 1980
caagtca
```

&lt;210&gt; 186

&lt;211&gt; 1737

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 186

```
tcgagttttt tttttttttt ttttaaggta aaaaaaaaaat acaccttcag tttcctgggtg 60
tgatcctggg taaaatggat gatttttcat tgaaagtttt gctgattaac aattaaagtg 120
ggatgatatg tgggcaaaat cacttatgaa agtagaagca agaatcagtt ggtttgctac 180
cacataaagc catgctgttt ttggtcaaac tgtgtaaact ggaaaaattc acatcatttc 240
tgagtttaat cactttagga tatattcaca ttgttttggg gaatttgctg aattgaattg 300
ttttcttttc tcaaatctgt gatctctttt ctttatcctg tttctttgtt cctttcgttt 360
```



```

gctttcttat ttttcttttg ttccattctt ttcttacttt tttccctttt ccttttttgg 420
ggaggtggc tagtagtggt tgagaaaaga atagaagtga aatttgcata atgaatgtaa 480
aagggaata aaagtctttt gaaggtagct atactagcac ttttgatcat cttcagggcc 540
cacaaaaatg ttgtcaagat tttaaagggt tataattctg cttaagctct agtttgact 600
taggtatcct aactatgttg gaggtatttg cattgtttaa agttaggata aaagcaagtt 660
cctcctgtga ctgcaacgtc ttactgattg ggacagttgc caggaggata ccaacttgat 720
agcagagggg gttttatgca aacgcactca cctccgcctt ggggaatgaa agggtcactt 780
ctgcatcatc actagctagt tttctagtgt tagagaggct taaaaatggt tgccattctc 840
ataagtgttt tgaacttgat ctttgtgact tgtgcttttt tagcttctct cttgaatcag 900
agtatcattg tcttctcca aggagttaga atttcccagt ttaaaacaaa aagggaatg 960
tcctagggtt tctttgtgct tctcattttt cctttgttga ttcaattcct gtgatttttg 1020
ttctcttccc tgaagtgtt tacagtgcac ggaatctcca tcattgttat ttaacgata 1080
gtaattcaca gtcctcagaa gcctattttt aaagcagaag caaaaaagaa aaacaaaata 1140
acaaaaacaa cccttctctt tttctctcat ctcacctctc tgtgttgatt actaatcatc 1200
ttagatatta ttgctagtgg atgtatggta gatgggttga agcttttctg ataattatta 1260
cacaatttaa aacaacatat atatttaaaa taaatatata cagtaaatat attgagccat 1320
gttaacctgc caatgagatc tgtgaaaaaa taatggcctc atttttctct ttttaatttc 1380
ttttaccctt ttgtgaagca gctatacgtg gcatacatgt atttaaagaa aaaaaaatg 1440
atgtagagtg ttttttttac acttttaact tagcatgtgg tgttgaagta ttactgtaga 1500
tcaagtgtgt cttccgcact aagatgtgag gaaattgtga tttgttctct ccaccacaaa 1560
tgaattacac atttattatc ttctatcatt ttgaaacact gcagtttacc atgggacact 1620
gtatatattt cttgccataa tggtaaagga ctgattgata tatttaagag ttaataaatt 1680
tgtgatttct gctgaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaa 1737

```

<210> 187

<211> 1132

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1131)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1132)

<223> n equals a,t,g, or c

<400> 187

```

ggcagagtg acacctgcat caagaccaag tcgcagctga tgatgccagt ttcaaggccc 60
atgggcctgt ccccaacccc cagcccatcg acccagctag cctggaggag ttcaagagga 120
agatcctgga gtcccagagg ccccctgcag gcatccctgt agcccatcc agtggtgag 180
gaggctccag gcctgaggac caagggatgg cccgactcgg cggtttgagg aggatgcagg 240
gatatgctca cagcgcccga cacaaccccc tcccgcgcc cccaaccacc cagggccacc 300
atcagacaac tccctgcatg caaaccccta gtaccctctc acaccgcac ccgcgcctca 360
cgatccctca cccagagcac acggccgcgg agatgacgtc acgcaagcaa cggcgctgac 420
gtcacatatc accgtggtga tggcgtcacg tggccatgta gacgtcacga agagatatag 480
cgatggcgtc gtgcagatgc agcacgtcgc acacagacat ggggaacttg gcatgacgtc 540
acaccgagat gcagcaacga cgtcacgggc catgtcgacg tcacacatat taatgtcaca 600
cagacgcggc gatggcatca cacagacggt gatgatgtca cacacagaca cagtgacaac 660

```

```
acacaccatg acaacgacac ctatagatat ggcaccaaca tcacatgcac gcatgccott 720
tcacacacac tttctacca attctcacct agtgtcacgt tccccgacc ctggcacacg 780
ggccaaggta cccacaggat cccatcccct cccgcacagc cctgggcccc agcacctccc 840
ctctccagc ttcctggcct cccagccact tcctcacccc cagtgcctgg acccgagggt 900
gagaacagga agccattcac ctccgctcct tgagcgtgag tgtttccagg accccctcgg 960
ggccctgagc cgggggtgag ggtcacctgt tgtcgggagg ggagccactc cttctcccc 1020
aactcccagc cctgcctgtg gcccgttgaa atgttggtgg cacttaataa atattagtaa 1080
atccttaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa nn 1132
```

<210> 188

<211> 1267

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (12)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (25)

<223> n equals a,t,g, or c

<400> 188

```
ggggatggat gntctccttc agctnttttg gagacactat agaaggtacg cctgcaggta 60
ccggtccgga attcccgggt tgatccacgc gtccgcccac gcgtccgccc acgcgtccgc 120
tggaaggcag ctatgcgact caccgtgctg tgtgctgtgt gcctgctgcc tggcagcctg 180
gccctgccgc tgctcagga ggcgggaggc atgagtgagc tacagtggga acaggctcag 240
gactatctca agagatttta tctctatgac tcagaaacaa aaaatgccaa cagttagaa 300
gccaaactca aggagatgca aaaattcttt ggcctacctt taactggaat gttaaactcc 360
cgcgatcatag aaataatgca gaagcccaga tgtggagtgc cagatgttgc agaatactca 420
ctatttccaa atagcccaaa atggacttcc aaagtgttca cctacaggat cgtatcatat 480
actcgagact taccgcatat tacagtggat cgattagtgt caaaggcttt aaacatgtgg 540
ggcaaagaga tccccctgca tttcaggaaa gttgtatggg gaactgctga catcatgatt 600
ggctttgcgc gaggagctca tggggactcc taccatttg atgggccagg aaacacgctg 660
gtcatgcct ttgcgcctgg gacaggcttc ggaggagatg ctacttcga tgaggatgaa 720
cgctggacgg atggtagcag tctagggatt aacttcctgt atgctgcaac tcatgaactt 780
ggccattctt tgggtatggg acattcctct gatcctaag cagtgtgta tccaacctat 840
ggaaatggag atccccaaaa ttttaaactt tcccaggatg atattaaagg cattcagaaa 900
ctatatggaa agagaagtaa ttcaagaaag aaatagaaac ttcaggcaga acatccattc 960
attcattcat tggattgtat atcattgttg cacaatcaga attgataagc actgttcctc 1020
cactccattt agcaattatg tcacctttt ttattgcagt tggtttttga atgtctttca 1080
ctccttttaa ggataaactc ctttatgggt tgactgtgtc ttattcatct atacttgcag 1140
tggttagatg tcaataaatg ttacatacac aaataaataa aatgtttatt ccatggtaaa 1200
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1260
aaaaata 1267
```

<210> 189

<211> 3787

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (22)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (155)

<223> n equals a,t,g, or c

<400> 189

```
agtcgcgaat tcccgggttt gntgacgcgt ccgcagcaag gtgcctcgct gtgtcaaacac 60
tcagcctggc ttccactgcc tgcctgccc gcccgcatac agagggaacc agcccgtcgg 120
ggtcggcctg gaagcagcca agacggaaaa gcaantgtgt gagcccgaaa acccatgcaa 180
ggacaagaca cacaactgcc acaagcacgc ggagtgcac tacctgggtc acttcagcga 240
ccccatgtac aagtgcgagt gccagasagg ctacgcgggc gacgggctca tctgcgggga 300
ggactcggac ctggacggct ggcccaacct caatctggtc tgcgccacca acgccaccta 360
ccactgcac aaggataact gcccacatct gcaaatctct gggcaggaa actttgacaa 420
ggacgggatt ggcgatgcct gtgatgatga cgatgacaat gacgggtgta ccgatgagaa 480
ggacaactgc cagctcctct tcaatccccg ccaggctgac tatgacaagg atgaggttg 540
ggaccgctgt gacaactgcc cttacgtgca caaccctgcc cagatcgaca cagacaacaa 600
tgagaggggt gacgcctgct ccgtggacat tgatggggac gatgtcttca atgaacgaga 660
caattgtccc tacgtctaca aactgacca gagggacacg gatggtgacg gtgtggggga 720
tcaactgtgac aactgcccc tggtgcacaa ccctgaccag accgacgtgg acaatgacct 780
tggtggggac cagtgtgaca acaacgagga catagatgac gacggccacc agaacaacca 840
ggacaactgc ccctacatct ccaacgccaa ccaggctgac catgacagag acggccaggg 900
cgacgcctgt gaccctgatg atgacaacga tggcgtcccc gatgacaggg acaactgccg 960
gcttgtgttc aaccagacc aggaggactt ggacggtgat ggacggggtg atatttgtaa 1020
agatgatttt gacaatgaca acatcccaga tattgatgat gtgtgtcctg aaaacaatgc 1080
catcagttag acagacttca ggaacttcca gatggtcccc ttggatccca aagggaccac 1140
ccaaattgat cccaactggg tcattcgcca tcaaggcaag gagctggttc agacagccaa 1200
ctcggacccc ggcacgcgtg taggttttga cgagtttggg tctgtggact tcagtggcac 1260
attctacgta aacactgacc gggacgacga ctatgccggc ttcgtctttg gttaccagtc 1320
aagcagccgc ttctatgttg tgatgtggaa gcagggtgac cagacctact gggaggacca 1380
gcccacgcgg gcctatggct actccggcgt gtccctcaag gtggtgaact ccaccacggg 1440
gacgggcgag cacctgagga acgcgctgtg gcacasgggg aacacgccgg ggcaggtgcg 1500
aaccttatgg cagacccca ggaacattgg ctggaaggac tacacggcct ataggtggca 1560
cctgactcac aggcccaaga ctggtacat cagagtccta gtgcatgaag gaaaacaggt 1620
catggcagac tcaggaccta tctatgacca aacctacgct ggcgggcggc tgggtctatt 1680
tgtcttctct caagaaatgg tctatttctc agacctcaag tacgaatgca gagatattta 1740
aacaagatth gctgcatttc cggcaatgcc ctgtgcatgc catggtccct agacacctca 1800
gttcattgtg gtccctgttg cttctctctc tagcagcacc tcctgtccct tgaccttaac 1860
tctgatggtt cttcacctcc tgccagcaac cccaaacca agtgccttca gaggataaat 1920
atcaatggaa ckcagagatg aacatctaac ccactagagg aaaccagttt ggtgatatat 1980
gagactttat gtggagtga aattgggcat gccattacat tgctttttct tgtttgttta 2040
aaaagaatga cgtttacata taaaatgtaa ttacttattg tatttatgtg tatatggagt 2100
tgaagggaat actgtgcata agccattatg ataaattaag catgaaaaat attgctgaac 2160
tacttttggg gcttaaagtt gtcactatct ttgaattaga gttgctctac aatgacacac 2220
aatcccrth aaataaatta taaacaaggg tcaattcaaa tttgaagtaa tgttttagta 2280
```

```

aggagagatt agaagacaac aggcatagca aatgacataa gctaccgatt aactaatcgg 2340
aacatgtaaa acagttacaa aaataaacga actctcctct tgtcctacaa tgaaagccct 2400
catgtgcagt agagatgcag ttcatcaaaa gaacaaacat ccttgcaaat ggggtgtgacg 2460
cggttccaga tgtggatttg gcaaaacctc atttaagtaa aaggtttagca gagcaaaagt 2520
cgggtgcttta gctgctgctt gtgccgctgt ggcgtcgggg aggcctcctgc ctgagcttcc 2580
ttccccagct ttgtgcctg agaggaacca gagcagacgc acaggccgga aaaggcgcat 2640
ctaacgcgta tctaggcttt ggtaactgct gacaagtgtc ttttacctga tttgatgata 2700
catttcatta aggttccagt tataaatatt ttgttaatat ttattaagtg actatagaat 2760
gcaactccat ttaccagtaa cttattttta atatgcctag taacacatat gtagtataat 2820
ttctagaaac aaacatctaa taagtatata atcctgtgaa aatatgaggc ttgataatat 2880
taggttgtca cgatgaagca tgctagaagc tgtaacagaa tacatagaga ataatgagga 2940
gtttatgatg gaaccttaat atataatgtt gccagcgatt ttagttcaat atttgttact 3000
gttatctatc tgctgtatat ggaattcttt taattcaaac gctgaaaacg aatcagcatt 3060
tagtcttgcc aggcacaccc aataatcagt catgtgtaat atgcacaagt ttgtttttgt 3120
ttttgttttt ttgttggtt ggtttgtttt ttgtctttaa gttgcatgat ctttctgcag 3180
gaaatagtea ctcacccac tccacataag gggtttagta agagaagtct gtctrtctga 3240
tgatggatag ggggcaaatc tttttccctt ttctgttaat agtcacaca tttctatgcc 3300
aaacaggaac gatccataac tttagtctta atgtacacat tgcattttga taaaattaat 3360
tttgttgttt cctttgaggt tgatcgttgt gttgtgtttt tgctgcactt tttacttttt 3420
tgctgttgga gctgtattcc cgagaccaac gaagcgttg gatacttcat taaatgtagc 3480
gactgtcaac agcgtgcagg ttttctgttt ctgtgtgttg ggggtcaaccg tacaatggtg 3540
tgaggatgac gatgatgtga atatttagaa tgtaccatat tttttgtaaa ttatttatgt 3600
ttttctaaac aaatttatcg tataggttga tgaaacgtca tgtgttttgc caaagactgt 3660
aaatatttat ttatgtgttc acatgggtcaa aatttcacca ctgaaaccct gcacttagct 3720
agaacctcat ttttaaagat taacaacagg aaataaattg taaaaaagg tttctataaa 3780
aaaaaaa 3787

```

<210> 190

<211> 554

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (520)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (542)

<223> n equals a,t,g, or c

<400> 190

```

ggcagaggga cagcaacatt tcccacagga caggartttg tcggcccttg ccttggcaga 60
gctgaggcat ttggagatc aaagatgggt agaaaagatg ctgctactat aaaacttctt 120
gttgatcagt acagaaaaca aattggtaaa caggattata aaaaaactaa acctattttta 180
cgagcaacca aattaaaagc agaagcaaag aaaacagcaa taggcataaa ggaagttggc 240
cttgtaacttg cagctatatt ggcactacta ctggctttct atgctttctt ttatctcaga 300
ctcaccacgg atgttgacce tgatctggac caagatgaag attagctaag caacaatcaa 360
tgcatgaaag agaaataact ttacgaaagc accttttggg accaaaactt tcaatactga 420
aactgtaaca tctttaattm tttctgctaa tattttcagt ttgcagacat atgatttttg 480

```

atagttgcat aggatgtcag gaaaagaacc ttacctagcn atgcagtata gtatgtgcta 540  
cngggatact tgta 554

<210> 191

<211> 874

<212> DNA

<213> Homo sapiens

<400> 191

ggcacagacg ggatgaggcg ctgcagtctc tgcgctttcg acgccgcccg ggggcccagg 60  
cgctgatgc gtgtgggcct cgcgctgac ttggtgggccc acgtgaacct gctgctgggg 120  
gccgtgctgc atggcacctg cctgcggcac gtggccaatc cccgcggcgc tgtcacgccg 180  
gagtacaccg tagccaatgt catctctgtc ggctcggggc tgctgagcgt ttccgtggga 240  
ttgtggccct cctggcgtcc aggaamcttc ttcccccctc actgcactgg gtcctgctgg 300  
camtagctct ggtgaacctg ctcttgctcg ttgcctgtc cctgggcctc cttcttgctg 360  
tgctactcac tgtggccaac ggtggccgccc gccttattgc tgactgccac ccaggactgc 420  
tggatcctct ggtaccactg gatgaggggc cgggacatac tgactgcccc ttgacccca 480  
caagaatcta tgatacagcc ttggctctct ggatcccttc tttgctcatg tctgcagggg 540  
aggtgctct atctggttac tgctgtgtgg ctgcactcac tctacgtgga gttgggccc 600  
gcagggaagga cggacttcag gggcagctag aggaaatgac agagcttgaa tctcctaaat 660  
gtaaaaggca ggaaaatgag cagctactgg atcaaaatca agaaatccgg gcatcacaga 720  
gaagttgggt ttaggacagc aggtgctgtt ccgagactca gtcctaaagg gtttttttct 780  
ccactaagca aggggccctg acctcgggat gagataacaa attgtaataa agtaacttct 840  
cttttcttct aaaaaaaaaa aaaaaaaact cgag 874

<210> 192

<211> 2103

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (140)

<223> n equals a,t,g, or c

<400> 192

tagtagtaaa caggtgggga ctccattgcc agcttggtgc cttatctact gggcagtcga 60  
gttgggtgtc tcatgggcag aaataggttg taaagggtggc caactctcca ggtgagagag 120  
agttttgtag caggactttn gggtgtaaat cgactattac caacctactg gtgggtgaga 180  
gttcaagaaa cccatgaaaa aggacatagt ggaagatgaa gatgatgact ttctgaaagg 240  
cgaagtggcc cagaatgata ccgtgattgg gatcacacca agctcctttg acacgcattt 300  
ccgaagtcct tcaagtagtg tgggctcccc acccgtgttg tacatgcaac ccagtcacct 360  
ctgacggcag aaatttggtga ctgagatgtg acatttgga ttccccatca cttgtcatgc 420  
cctcagcacc cagcttgtgc cattgggcatt tgatggcatt gaactagagc gagtgcctgc 480  
ctcggtgtg gcacttccag gttcgactga atcaagcatc tgaagactgg gtttttttgt 540  
tgttgttgtt ccccttacag acaaaatgaa gactatcatg tgcaatcttt tacagtgggg 600  
ttgatgatac atttggaagg atttgctgt ttaatatgta cattttttgt gttaacagct 660  
ttttgacaca attactgggt aatttcta ataggcagca gactgtttta cgggttgctg 720  
ttttaacatg ggtttttgtc agatccatgg tcttaggact tgactgatga gctttcagtg 780  
aagaatcctc taagataaaa cttctattta aagactttta ctagaaagt tttattttgg 840  
ctacattgtt caccttctgc tgtattggtt tttgtctgtt gggatttcaa gggagtgtag 900

```

agaagacaga aggaaagctg agagctggcc cgacatggtc tgggacacag agttggagct 960
ggcactgaag atctccaggg acttcagaga ccaataaaag cccatagggg agagagagag 1020
gatataggga aacagaatca gatgtgtaat atacttgga cagcgaaaaa atggatttaa 1080
aagacaaaaa tggaggtcca ggtagatgta attcacacag actgaaagtg agttcgggct 1140
tgtgtaaaac acatgagatt ggatttgacc ccttggtctt caagtgtccc cttagatcta 1200
gaactgctcc ttggtggcca ttagatcgag tcagtttga tctgcatcac ttagttattg 1260
ggaatttctt tgttggaac aggaaaattt ttttagatta tttggtgtac ggttttgctc 1320
acaacaatag gtggaagttg ctagtgagc cttggtctga tggctgtgtg catcgacat 1380
tcggttggg gaaatccttc tctaaagcct cttttgtat tttataact aaacagagga 1440
agtcttcaga agacctcgct ttaaaacaaa tttgtgcaa cactgctaga gtcattttga 1500
agctcaagca ttttcacttt gtttcttaca tgtgtacttt tttgtttact tgtgaaaatg 1560
gccatcttta agcatattta ttttctgcca ctttatttaa aggcaagcaa tattttcttg 1620
atcataaata ttttgtaatg aaatacttcc tcttttccag ggctttgtat gcacttgat 1680
aattacattg atggcaatgt agagtttgaa tttcagtcg taaatacttt tttggaaaat 1740
agaaattttt attgctttta agttttggat atgggtggtt ttcttttccg ggtttggtgg 1800
aaagtaattt gagaacttta aggttgctct ttttaactgt ggcaaatgt tgatttttta 1860
atattagata aaacgagtaa acgaaattcc ccagaaatta gtagtaagtg gggctcttgt 1920
gggttgggaa gtagttttta tgtagaaaga catttacata taagtctgtt taatttcaa 1980
ggagtttgtg aaaaaaaatc catggtgaaa atgaaacaat gacatggtta atctggaact 2040
tacgttctta taccaataaa aggtacctca atamaaaaaa aaaaaaaaaa accccggggg 2100
ggg 2103

```

<210> 193

<211> 1317

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1314)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1315)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1316)

<223> n equals a,t,g, or c

<400> 193

```

agcatagcct tcgtgtgaag gccagtgaac agcagctgag ctaattcatg aggtatttgc 60
ccttctgaag ttggaatctg taatgattta aaacatgaga ctggtccagt gggcttgttg 120
ctccagacct catgccttct gggaccaga catctctgca atctcgggaa ctggaatata 180
ccacttcttg tcaaggtact agcaagttgc cgtggataca gaaatctctg caggcaagtt 240
gctccagagc atattgcagg acaagcctgt aacgaatagt taaattcacg gcatctggat 300
tcctaatect tttccgaaat ggcaggtgtg agtgcctgta taaaatattc tatgtttacc 360
ttcaacttct tgttctggct atgtggtatc ttgatcctag cattagcaat atgggtacga 420
gtaagcaatg actctcaagc aatttttggg tctgaagatg taggctctag ctctacgtt 480

```

```
gctgtggaca tattgattgc tgtaggtgcc atcatcatga ttctgggctt cctgggatgc 540
tgcggtgcta taaaagaaag tcgctgcatg cttctgttgt ttttcatagg dttgcttctg 600
atcctgctcc tgcaggtggc gacaggtatc ctaggagctg ttttcaaadc taagtctgat 660
cgcattgtga atgaaactct ctatgaaaac acaaagcttt tgagcgccac aggggaaagt 720
gaaaaacaat tccaggaagc cataattgtg tttcaagaag agtttaaag ctgcggtttg 780
gtcaatggag ctgctgattg gggaaataat tttcaacact atcctgaatt atgtgcctgt 840
ctagataagc agagaccatg ccaaagctat aatggaaaac aagtttaca agagacctgt 900
atttctttca taaaagactt cttggcaaaa aatttgatta tagttattgg aatatcattt 960
ggactggcag ttattgagat actgggtttg gtgttttcta tggctctgta ttgccagatc 1020
gggaacaaat gaactctgtg atgcatcaac ctatcgctag tcaaaccctt taaaatgtt 1080
gctttggctt tgtaaattta aatatgtaag tgctatataa gtcaggagca gctgtctttt 1140
taaaatgtct cggctagcta gaccacagat atcttctaga catattgaac acatttaaga 1200
tttgagggat ataagggaaa atgatatgaa tgtgtatttt tactcaaaat aaaagtaact 1260
gtttacgttg aaaaaaaaaa aaaargkcgg ccgytytara gayccarctt actnnnc 1317
```

<210> 194

<211> 1252

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1231)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1240)

<223> n equals a,t,g, or c

<400> 194

```
gcccacgmgc ggccgcgcgg aggaggccaa gatggcggca gctgcggctt cgcttcgcgg 60
ggtagtgttg ggcccgcggg gcgcggggct cccgggcgcg cgtgcccggg gtctgctgtg 120
cagcgcgcgg cccgggcagc tcccgcctacg gacacctcag gcagtggcct tgcgtctgaa 180
gtctggcctt tcccagaggc ggaaagtgat gctgtcagcg ctgggcatgc tggcggcagg 240
gggtgcgggg ctggccgttg ctctgcattc ggctgtgagt gccagtgacc tggagctgca 300
ccccccagc tatccgttgt ctcaccgttg cctcctctct tccttgacc acaccagcat 360
ccggaggggt ttccaggtat ataagcaggt gtgcgcctcc tgccacagca tggacttcgt 420
ggcctaccgc cacttggttg gcgtgtgcta cacggaggat gaagctaagg agctgggtgc 480
ggaggtggag gttcaagacg gcccacatga agatggggag atgttcatgc ggccaggga 540
gctgttcgac tatttcccaa aaccataccc caacagttag gctgctcgag ctgccaacaa 600
cggagcattg cccctgacc tcagctacat cgtgcgagct aggcattgtg gtgaggacta 660
cgtcttctcc ctgctcacgg gctactgca gccaccacc ggggtgtcac tgcgggaagg 720
tctctacttc aaccctact ttcctggcca ggccattgcc atggcccctc ccatctacac 780
agatgtctta gagtttgacg atggcaccac agctaccatg tcccagatag ccaaggatgt 840
gtgcaccttc ctgcgtggg catctgagcc agagcacgac catcgaaaac gcatggggct 900
caagatgttg atgatgatg ctctgctggg gccctgggc tacaccataa agcggcacia 960
gtggtcagtc ctgaagagtc ggaagctggc atatcgccg cccaagttag cctgtccagt 1020
gtctgcttgc catcctgcca gaacaggccc tcaagcccaa gagccatccc agcctgttca 1080
ggcctcagct aagcctctct tcatctggaa gaagaggcaa gggggcagga gaccaggctc 1140
tagctctggg ccctccttca gcccacatca tgggaataaa ttaattttct caatgtaaaa 1200
```

aaaaaaaaa aaaactcggg gggggcccg ncccaatttn cccttttggg gg 1252

<210> 195

<211> 1688

<212> DNA

<213> Homo sapiens

<400> 195

ggcagagcg gaactgctcc ggagggcacg ggctccgtag caccaactgc aaggaccct 60  
ccccctgcgg gcgctcccat ggcacagtcc gcgttcgaga gtgacctgca ctgctgctt 120  
cagctggatg caccatccc caatgcaccc cctgcgcgct ggcagcaaaa gccaaggaag 180  
ccgcagcccg gccccctcac ccatgcgggc cgccaaccga tcccacagcg ccggcaggac 240  
tccgggccga actcctggca aatccagttc caagggtcag accactccta gcaaacctgg 300  
cgggtgaccgc tatatcccc atcgcagtgc tgcccagatg gaggtggcca gcttcctct 360  
gagcaaggag aaccagcctg aaaacagcca gacgcccacc aagaaggaa atcagaaagc 420  
ctgggctttg aacctgaacg gttttgatgt agaggaagcc aagatccttc ggctcagtgg 480  
aaaaccacaa aatgcgccag agggttayca gaacagactg aaagtactct acagccaaaa 540  
ggccactcct ggctccagcc ggaagacctg ccgttacatt ccttccctgc cagaccgat 600  
cctggatgcg cctgaaatcc gaaatgacta ttacctgaac cttgtggatt ggagttctgg 660  
gaatgtactg gccgtggcac tggacaacag tgtgtacctg tggagtgcaa gctctggtga 720  
catcctgcag cttttgcaa tggagcagcc tggggaatat atacctctg tggcctggat 780  
caaagagggc aactacttgg ctgtgggcac cagcagtgct gaggtgcagc tatgggatgt 840  
gcagcagcag aaacggcttc gaaatatgac cagtcactct gcccgagtgg gctccctaag 900  
ctggaacagc tatatcctgt ccagtggttc acgttctggc cacatccacc accatgatgt 960  
tcgggtagca gaacaccatg tggccacact gagtggccac agccaggaag tgtgtgggct 1020  
gcgctgggcc ccagatggac gacatttggc cagtgggtgt aatgataact tggtaaatgt 1080  
gtggcctagt gctcctggag aggggtggctg ggttcctctg cagacattca cccagcatca 1140  
aggggctgtc aaggccgtag catggtgtcc ctggcagtcc aatgtccttg caacaggagg 1200  
gggcaccagt gatcgacaca ttcgcactctg gaatgtgtgc tctggggcct gtctgagtgc 1260  
cgtggatgcc cattcccagg tgtgtccat cctctggctc cccattaca aggagctcat 1320  
ctcaggccat ggctttgcac agaaccagct agttatttgg aagtacccaa ccatggccaa 1380  
ggtggctgaa ctcaaaggc acacatcccg ggtcctgagt ctgacctga gccagatgg 1440  
ggccacagtg gcatccgcag cagcagatga gacctgagg ctatggcgct gttttgagtt 1500  
ggaccctgcy cggcgccggg agcgggagaa ggccagtga gccaaaagca gcctcatcca 1560  
ccaaggcatc cgtgaagac caaccatca cctcagttgt tttttattt tctaataaag 1620  
tcatgtctcc cttcatgttt tttttttaa aaaaaaaaa aaaaaaaaa aaaaaaaaa 1680  
aaaaaaaaa 1688

<210> 196

<211> 756

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (756)

<223> n equals a,t,g, or c

<400> 196

ggcagagcc gccctcggcg tcctctgtag cgggcgacct aggccgcggg acccgagcg 60  
aggtagaggc cagggcagcg cgtccgggag cggagtccgc gcccgccgc gccatgccgg 120



```

acagctggga caaggatgtg taccctgagc ccccgcgccg cagccgggtg cagcccaatc 180
ccatcgctcta catgatgaaa gcgttcgacc tcatcggtgga ccgaccctgtg accctcgtga 240
gagaatttat agagcggcag cagcaaaaga acaggtatta ctactaccac cggcagtacc 300
gccgcgtgcc agacatcact gagtgcgaag aggaggacat catgtgcatg tatgaagccg 360
aaatgcagtg gaagagggac tacaaagtcg accaagaaat tatcaacatt atgcaggatc 420
ggctcaaagc ctgtcagcag agggaaggac agaactacca gcagaactgt atcaaggaag 480
tggagcagtt caccaggtg gccaaaggcct accaggaccg ctatcaggac ctgggggcct 540
acagttctgc caggaagtgc ctggccaaac agaggcagag gatgctgcaa gagagaaaag 600
ctgcaaaaga ggccgccgct gccacctcct gaggcagctg tgggtgcccc tgctgtgtgg 660
ctctgtatga ctgttgctga aatataaagc cctgcaacct gaaaaaaaaa aaaaaaaaaa 720
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaattn

```

&lt;210&gt; 197

&lt;211&gt; 1471

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (458)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 197

```

ttggctgctc ctgacctcag caaaccaaga gggatcact gggatacatc agattggatg 60
ccaagcgctt ctctgccgga catacaagag ttccccaact atgaggtgat tgatgagcag 120
acaccctgt actcagcaga tccaaacgcc atcgatacgg actattacco tggaggctac 180
gacatcgaag gtgattttcc tccaccccca gaagacttcc ccgcagctga tgagctacca 240
ccgttaccgc ccgaattcag caatcagttt gaatccatcc accctcctag agacatgcct 300
gccgcgggta gcttgggttc ttcataaaga aaccggcaga ggttcaactt gaatcagtat 360
ttgcccaatt tttatccctt cgatatgtct gaacctcaaa caaaaggcac tggtgagaat 420
agtacttgta gagaacccca tgccccttac ccgccagngt atcaaagaca cttcgaggcg 480
ccgcgtgtcg agagcatgcc catgtctgtg tacgcctcca ccgcctcctg ctctgacgtg 540
tcagcctgct gcgaagtgga gtccgaggtc atgatgagt actatgagag cggggacgac 600
ggccacttcg aagaggtgac gatccgccc ctggattccc agcagcacac ggaagtctga 660
ctctcaactc ccccaaaagt gcctgacttt agtgaaccta gaggtgatgt gagtaatccg 720
cgtgtttctt tgcagcagtg cttccaagct ttttttggtg agccgaatgg gcatggctgc 780
gctggatcct gcgcctctgg acgtgctagc catttccagt gtcccaacta ctgtcatcgt 840
gaggttttca tcggctgtgc catttcccaa cgtcttttgg gatttacatc tgtctgtgtt 900
aaaataatca aacgaaaaat cagtcctgtg ttgtcagcat gattcatgta tttatataga 960
tttgattatt ttaattttcc tgtctctttt ttttgtaaat tttatgtaca gatttgattt 1020
ttcatagttt taactagatt tccaagatat tttgtgcatt tgtttcaact gaattttggt 1080
ggtggtagtg ccattatcta gcacctgat tttttttttt tactataacc agggtttcat 1140
tctgtctttt tccactgaag tgtgacattt tgtagtaga tttcagtgtg gtcattcatt 1200
tctagctgta cataggatga aggagagatc agatacatga acatgtctta catgggttgc 1260
tgtatttaga attataaaca tttttcatta ttggaaagtg taacggggac cttctgcata 1320
cctgttttaga accaaaacca ccatgacaca gtttttatag tgtctgtata tttgtgatgc 1380
aatggtcttg taaagggttt taatgaaaac taccattagc cagtctttct tactgacaat 1440
aaattattaa taaaataaaa aaaaaaaaaa a

```

&lt;210&gt; 198

&lt;211&gt; 692

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (43)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 198

```
gtgaattggt aattcgacct cccctatagg gccgaatttg ggntaccggg cccccccctt 60
agtgcggctt gctcttgga gttcaggctc gggtgtcttt tgggagccat ggagagtgc 120
ttttatctgc gttactacgt ggggcacaag ggcaagttcg gccacgagtt cctggagttt 180
gagtttcgac cggacgggaa gttaagatat gccacaaca gcaattacaa gaatgatgct 240
atgatcagaa aagaggctta tgtacataaa agcgtgatgg aggaactgaa gagaataatt 300
gacgacagtg aaattaccaa agaggatgat gcattgtggc ctctcctga ccgagtgggc 360
cggcaggagc ttgaaatcgt cattggagat gaacacattt cttttacaac atcaaaaatt 420
ggttccctta ttgatgtcaa tcaatccaag gatccagaag gcttacgagt attttattat 480
cttgccagg acctgaagt tttggctctt agtcttattg gattacactt caagattaaa 540
ccaatctaga ctgaatattg gtgtggacat ggggggtggg tgggagtaga aaattttgtg 600
tatatcaggg cagtattttt ttatgaacta taaatgattg tctttaataa atatgtgata 660
aaatccaatt tttattattt tataaagacc tg 692
```

&lt;210&gt; 199

&lt;211&gt; 1573

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 199

```
ctcgtgccga attcggcacg agccggcgcc agctacgccg ctgccgctgt cactatggcc 60
cattacaaag ccgccgactc gaagcgtgag cagttccgga ggtacttga gaagtcgggg 120
gtgctggaca cgctgaccaa ggtgttggtg gccttatatg aagaaccaga gaaacctaac 180
agtgccttggt atttttttaa gcatcactta ggagctgcta ctccagaaaa tccagaaata 240
gagctgcttc gcctagaact ggccgaaatg aaagagaagt atgaagctat tgtagaagaa 300
aataaaaaac tgaaagcaaa gcttgctcag tatgaaccac ctccaggagg gaagcgtgct 360
gaataggatt cttctcagtt tgaaagacaa tgaaaaatgg ttttgtaga cttgaatagt 420
ttgtatagta tataatcttt tctgaacaga tgctatagaa ctcttttaat atgtttaatt 480
cacctatcac actctgttaa aaacacatag aatcatcaat aaaaactcaa tataactttc 540
tttgggtctt aaagcaggag aatccaaagt aaatcctgaa caaacctaa acacagccat 600
ctaactcatt accttaaaag acattctgkt tattagtctg attaggaatg atggcactgg 660
ttgtatttta gccaagacag tttagcatgg agctattcct tgggtgcagt caggatatga 720
acacaggtag agtcattctt tgaaggtag actgttctgt atattcccta taggcagctg 780
gagagatctg tgtgacacaa gatgcttttg tacgggttcc catgaatctt ctgctcttgt 840
ttgtgtgaca tggaacaaat aacttctttg ccaccacttt gccttagata actgtgtgtg 900
tgtgtgccag tttgaactct gacaccacat ttctcttcta tgcaatcatg cctgtctgat 960
aatcttgcat tgctttctc tgagctttag tgggtcctag ttgcacactg gcctttctgt 1020
gctgtttttc aatttgcta ataatagcag ttaccctgat tgtaatttat gtaacttta 1080
acaggatcac actgtacccc ctgcctgcct tatttgctta ctgagcacag gacagaggca 1140
atatacaact ctgggttcac acacaagctg agatgagaag aggaatgagc catatattgg 1200
ggaaaatcat agttttagg tataattata tagtgctttt ctccctcaa gtatttttct 1260
agccttgaat tcattttatc ttcatatcc ctgtgaagta ggtgggacaa gtataagggg 1320
aagaggggtg ctgaattttt aggccaaaga ctgatattaa tacaatcac tcactaactg 1380
```

tagagccttg ggcattatca gtgaactact ctgagattta ctgtcttcat ctgtttaatg 1440  
agtagaatgt ccgtgatgcc tacctcacag ggttggtgtg agggcacaat gagaatgtat 1500  
gtgaaagatt tgtaaatggt aaagcactat attcttggtta aaaaaaaaaa aaaaaaaaaa 1560  
aaaaaaaaaa aaa 1573

<210> 200

<211> 2742

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (26)

<223> n equals a,t,g, or c

<400> 200

gggtcgaccc acgcgtccgc ccacgntccg tgaatggtga actccagaaa gccattgact 60  
tattcacaga tgccatcaag ctgaatcctc gcttgccat tttgtatgcc aagagggcca 120  
gtgtcttcgt caaattacag aagccaaatg ctgccatccg agactgtgac agagccattg 180  
aaataaatcc tgattcagct cagcettaca agtggcgggg gaaagcacac agacttctag 240  
gccactggga agaagcagcc catgatcttg cccttgccctg taaattggat tatgatgaag 300  
atgctagtgc aatgctgaaa gaagttcaac ctagggcaca gaaaattgca gaacatcgga 360  
gaaagtatga gcgaaaacgt gaagagcgag agatcaaaga aagaatagaa cgagttaaga 420  
aggctcgaga agagcatgag agagcccaga gggaggaaga agccagacga cagtcaggag 480  
ctcagtatgg ctcttttcca ggtggctttc ctgggggaat gcctggtaat tttcccgga 540  
gaatgcctgg aatgggaggg ggcattgcctg gaatggctgg aatgcctgga ctcaatgaaa 600  
ttcttagtga tcagagaggt cttgcagcca tgcaggatcc agaagttatg gtggctttcc 660  
aggatgtggc tcagaaccca gcaaataatgt caaaatacca gagcaaccca aaggttatga 720  
atctcatcag taaattgtca gccaaatttg gaggtcaagc gtaatgtcct tctgataaat 780  
aaagcccttg ctgaaggaaa agcaacctag atcaccttat ggatgtcgca ataatacaaa 840  
ccagtgtacc tctgaccttc tcatcaagag agctgggggtg ctttgaagat aatccctacc 900  
cctctcccc aaatgcagct gaagcatttt acagtgggtt gccattaggg tattcattca 960  
gataatgttt tcctactagg aattacaaac tttaaacact ttttaaatct tcaaaatatt 1020  
taaaacaaat ttaaagggcc tgtaattct tatatttttc tttactaatc attttggatt 1080  
ttttctcttg aattattggc agggaatata cttatgtatg gaagattact gctctgagt 1140  
aaataaaagt tattagtgcg aggcaaacat aactcatttg aggataaagt ttgtgttgga 1200  
tatgtggttc ctgatgcatt ttgacttgtc tttttaaatg ctttatcttt ttctttaaag 1260  
atattttca ataaaactaa ttgggaccac ccgtatttca gtaggacctg ggtagggatt 1320  
ggaagtactt ggcagggcag cagcaatctt gctgtgtttg atataacatg catccttggg 1380  
caggttgccc ttaaacttta cactgtggtg aagggatgtt ttttttgtaa tgctgcagta 1440  
gagttggagt acttagttct cttgttgctc agtatatcta ataagtgttt ttcattattat 1500  
ttccacgtaa gggaaataag gtagtacttt tctttttata tttctatgct taaaattctc 1560  
tttctagtc aaaaattgcc caaatctgtg tttgctttct gcttgctaca tttgtctccc 1620  
ttacttttct tgagctaaag acaggctttt tccaccggca tcatcactgc tatcatcatt 1680  
aacagcgtaa ttatacaagc atatttaatg ctgagttaa ttaatatgt aatacatatg 1740  
gtaattgtag ggtaataccc acaacaactg tagtttctta ctggccaag agaatgctta 1800  
ttaagtgtt agacttccat tctggcaaaa tcttgccctta tcagaagaca ttggaaagag 1860  
ggattccctt tgggtgtttg tcttctactt agaaaaacct attgcagtta gtttatcttg 1920  
tagtattcat ctttgtattc tgaagataag gtttgaatta aattgatata cacagagggg 1980  
aaccgatttt ttttatccaa tgtgaattat aaatgagata atccacagtt attcattgtg 2040  
gagttgttga gactatgaaa gactcattgt ctttgtattc agctcttaaa tagtgtaact 2100

```
atatccccac ctctgcttgc tttctttccc tcccctccaa tgataaagaa aatgataaat 2160
tttctgttgt gcattcaatt cttattttta ataagactaa gtatagggat tgtacctgac 2220
attgctacgt ttctaccagt gtttcaattt aaagtgctag tgtttaaaaa cattttcaag 2280
ggataaggcc ttctgtactt tgcttatttg aagaatcagt ggtaggagca gtgaagtaaa 2340
ttctatggag tacatttcta aaataccaca tttctgaaat cataaataag ttatttcagg 2400
ttctaaccct ttgctgtaca caagcagaca gaaatgcac tggtacataa atgagaaaaa 2460
gctattatgc tgatggagca tgctttttta atccttttaa aacactcacc atataaactt 2520
gcatttgagc ttgtgtgttc ttttgttaat gtgtagagtt ctcttttctc gaaattgcc 2580
gtgtgtactt ggcttaactc aagaacagtt tctcttgat tccttatttg atttatttaa 2640
cctaattata ttctaataatt gcaaataata ccataagtg gtaaaagtaa aattcctctt 2700
ctgaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaggggggg gg 2742
```

&lt;210&gt; 201

&lt;211&gt; 1417

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 201

```
atgaagactt gtcaagagga aaaattgatg ggacacttgg gtgttgatt gtatgagtat 60
ttgggtgaag agtaccctga agtattgggc agcattcttg gagcactgaa ggccattgta 120
aatgtcatag gtatgcataa gatgactcca ccaattaaag atctgctgcc tagactcacc 180
cccattctaa agaacagaca tgaaaaagta caagagaatt gtattgatct tgttggtcgt 240
attgctgaca ggggagctga atatgtatct gcaagagagt ggatgaggat ttgctttgag 300
cttttagagc tcttaaaagc ccacaaaag gctattcgta gagccacagt caacacattt 360
ggttatattg caaaggccat tggccctcat gatgtattgg ctacacttct gaacaacctc 420
aaagtccaag aaaggcagaa cagagtttgt accactgtag caatagctat tgttgagaa 480
acatgttcac cctttacagt actccctgcc ttaatgaatg aatacagagt tcctgaactg 540
aatgttcaaa atggagtgtt aaaatcgctt tccttcttgt ttgaatatat tggtgaaatg 600
ggaaaagact acatttatgc cgtaacaccg ttacttgaag atgctttaat ggatagagac 660
cttgtagaca gacagacggc tagtgagtg gtacagcaca tgctcacttg ggtttatgga 720
tttggttgtg aagattcgct gaatcacttg ttgaactatg tatggcccaa tgrtttgag 780
acatctcttc atgtaattca ggcagttatg ggagccctag agggcctgag agttgctatt 840
ggaccatgta gaatgttgca atattgttta cagggtctgt ttcaccagc ccggaaagtc 900
agagatgtat attggaaaat ttacaactcc atctacattg gttcccagga cgctctcata 960
gcacattacc caagaatcta caacgatgat aagaacacct atattcgta tgaacttgac 1020
tatatcttat aattttattg tttattttgt gtttaatgca cagctacttc acacctaaa 1080
cttgctttga tttggtgatg taaactttta aacattgcag atcagtgtag aactggatcat 1140
agaggaagag ctagaaatcc agtagcatga tttttaaata acctgtcttt gtttttgatg 1200
ttaaacagta aatgccagta gtgaccaaga acacagtgat tatatacact atactggagg 1260
gatttcattt ttaattcatc tttatgaaga tttagaactc attccttggtg tttaaaggga 1320
atgtttaatt gagaaataaa catttggtga caaatgcta aaaaaaaaaa aaaaaaaaaa 1380
ctcgaggggg gcccgtaccc aattcgccgt atagtga 1417
```

&lt;210&gt; 202

&lt;211&gt; 1512

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (855)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1512)

<223> n equals a,t,g, or c

<400> 202

```
cttagaagac cctatgcaag gtacaacggc ttgtaccggt ccggaattcg cgggcgcgkc 60
aacttgagaga gtactcgggt tcgtgaactt cccggaggcg caatgagctg cattaacctg 120
cccactgtgc tgccyggctc cccagcaag acccgggggc agatccaggt gattctcggg 180
ccgatgttct caggaaaaag cacagagttg atgagacgcg tccgtcgctt ccagattgct 240
cagtacaagt gcctgggtgat caagtatgcc aaagacactc gctacagcag cagcttctgc 300
acacatgacc ggaacaccat ggaggcrtcg cccgcctgcc tgctccgaga cgtggcccg 360
gaggccctgg gcgtggctgt cataggcatc gacgaggggc agtttttccc tgacatcgtg 420
gagttctgcg aggccatggc caacgccggg aagaccgtaa ttgtggctgc actggatggg 480
accttycaga ggaagccatt tggggccatc ctgaacctgg tgccgctggc cgagagcgtg 540
gtgaagctga cggcgggtgtg catggagtgc ttccgggaag ccgcctatac caagaggctc 600
ggcacagaga aggaggtcga ggtgattggg ggagcagaca agtaccactc cgtgtgtcgg 660
ctctgctact tcaagaaggc ctcaggccag cctgccgggc cggacaacaa agagaactgc 720
ccagtgccag gaaagccagg ggaagccgtg gctgccagga agctctttgc cccacagcag 780
attctgcaat gcagccctgc caactgaggg acctgcgagg gccgcccgtt cccttcctgc 840
cactgccgcc tactnggacg ctgccctgca tgctgccag ccactccagg aggaagtcgg 900
gaggcgtgga ggggtgaccac accttggcct tctgggaact ctctttgtg tggctgcccc 960
acctgccgca tgctccctcc tctcctaccc actggtctgc ttaaagcttc cctctcagct 1020
gctgggacga tcgcccaggc tggagctggc cccgcttggg ggcctgggat ctggcacact 1080
ccctctcctt ggggtgaggg acagagcccc acgctgttga catcagcctg cttcttcccc 1140
tctgcggctt tcaactgctga gtttctgttc tccctgggaa gcctgtgcca gcacctttga 1200
gccttggccc acaactgaggc ttaggcctct ctgcctggga tgggctccca ccctccctg 1260
aggatggcct ggattcacgc cctcttgtt ccttttkggc tcaaagccct tcctacctct 1320
ggtgatggtt tccacaggaa caacagcatc ttccaccaag atgggtggca ccaaccttgc 1380
tgggacttgg atcccagggg cttatctctt caagtgtgga gagggcaggg tccacgcctc 1440
tgctgtagct tatgaaatta actaattgaa aattcaaaaa aaaaaaaaaa aaaaaaaaaa 1500
aaaaaaaaa an 1512
```

<210> 203

<211> 419

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (384)

<223> n equals a,t,g, or c

<400> 203

```
cctgggcaga gccggtggca agggcctccc ctgccgctgt gccaggcagg cagtgcctaa 60
tccggggagc ctggagctgg ggggaaggcc ggggacagcc cggccctgcc ccctcccccg 120
ctgggagccc agcaacttct gaggaaggtt tggcacccat ggcgtggcgg tgccccagga 180
tgggcagggt cccgctggcc tgggtgcttg cgctgtgcgg ctggggcgtg catggcccc 240
aggggcacgc argctgaaga aagtcccttc gtgggcaacc cagggaatat cacaggtgcc 300
```

cggggactca cgggcaccct tcggtgtcag ctccagggtc agggagagcc ccccgaggta 360  
cattggcttc gggatggaca gatnctggag ctgcgagaca gcacccagac ccagggtgtt 419

<210> 204

<211> 2833

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2802)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2822)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2831)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2832)

<223> n equals a,t,g, or c

<400> 204

gctcgtgccg aattcggcac gagggaagtg aagccccagc gagcggctgc agcggggccg 60  
tgaggagcag ccagcgggag gcggcggcga gtcggtgagc agctgggaag agcagaaccg 120  
gggcggagca cctgcaggcg cgggcggcgg cccaccatg gcgattcgca agaaaagcac 180  
caagagcccc ccagtgtgta gccacgaatt cgtctgcag aatcacgcgg acatcgtctc 240  
ctgtgtggcg atggtcttcc tgctggggct catgtttgag ataacggcaa aagcttctat 300  
catttttgtt actcttcagt acaatgtcac cctccagca acagaagaac aagctactga 360  
atcagtgtcc ctttattact atggcatcaa agatttggt actgttttct tctacatgct 420  
agtggcgata attattcatg ccgtaattca agagtatatg ttggataaaa ttaacaggcg 480  
aatgcacttc tccaaaacaa aacacagcaa gttaaatgaa tctggtcagc ttagtgcggt 540  
ctacctttt gcctgtgttt ggggcacatt cattctcatc tctgaaaact acatctcaga 600  
cccaactatc ttatggaggg cttatcccca taacctgatg acatttcaaa tgaagttttt 660  
ctacatatca cagctggcct actggcttca tgcttttcct gaactctact tccagaaaac 720  
caaaaaagaa gatattcctc gtcagcttgt ctacattggt ctttacctct tccacattgc 780  
tgagagcttac cttttgaact tgaatcatct aggacttgtt cttctggtgc tacattatct 840  
tggtgaattt cttttccaca tttccgcct gttttatttt agcaatgaaa agtatcagaa 900  
aggattttct ctgtgggcag ttctttttgt tttgggaaga cttctgactt taattctttc 960  
agtactgact gttgggtttt gccttgcaag agcagaaaat cagaagctgg atttcagtac 1020  
tggaacttc aatgtgttag ctgttagaat cgctgttctg gcattccatt gcgttactca 1080  
ggcatttatg atgtggaagt tcattaatct tcagcttcga aggtggaggg aacattctgc 1140  
ttttcaggca ccagctgtga agaagaaacc aacagtaact aaaggcagat cttctaaaaa 1200  
aggaacagaa aatggtgtga atggaacatt aacttcaaat gtagcagact ctccccggaa 1260  
taaaaaagag aaatcttcat aatgaattat aaactaattg attaatgtcc ccaaagaaat 1320

```

ctgctttcta ctatatcttt cagcattaga gatttttctg ttcttgaaaa tacagtctgt 1380
gctctttgat ttttgctatt gtacggtttc atgcattttt ttaaagggca tttgagggga 1440
ggattattgc tatgaatgaa aaaaatattt tagcttagac taagctacct gccttcaaaa 1500
tagtttaggg accaccacca ttttttattt tgtttttatt tttgaacatt tttctaata 1560
tttggagaga aaactattta caaaaattcc acatatcagt gatacaattt cttgctgtca 1620
ccaatttttt ataatagcag agtggcctgt tctaagaagg ccatattttt taagttatct 1680
ttcagggtaa catggaaata ctataaagtt ggatgtcaaa cttaaatatg ttttcagtgt 1740
tctctaattt tttggaattt ttgtagactt tacacctgga aaaaaagatt tgtaaaatca 1800
ccggaacaat tgtgtgcttt attttatagg tagtggttat tagtattaca tccccatttt 1860
aaaaacaaaa acataataat gggtacaaca cgtggagttt tactaacata catattaaat 1920
caaagtatat tcttaaaagt acttgtgaag taaaatcttt cttgtgcatt ttcaatactt 1980
gtaaactgga aatcagaaaa tttttactat gaacaggaaa atctgacata tagccctttt 2040
tgatatgttt attaataatg attcttaatg gggctcataa taagttaa atgcacagca 2100
tcttagaaaa gttaaacctg caaacacttt taaaacataa tgcctacttg atttatatct 2160
ataaaaagac tgacaggtaa ttatatgttg aaaacattta atgcactaac tttaaagaaa 2220
ttgaaaattc aggtggataa atagtcttac aaaagacaat gtgctttatg ttatacctat 2280
agctttggtc ccatctttta ttgagaaaca tttatctgta taaaacatat ttttggataa 2340
atatatatat atatatattgt atcgctacag aaaggctcta aaaagcattt gaggaaaata 2400
tttggttccc ttttctataa tcacctttta agattcttat agctacattt gggtttattca 2460
tcataatttac agtatatata ttgttctttt cagtgttcac atcttggtcc ccatttctca 2520
cttggtgcac cagctgtttg tgccattttt agtgtaaaag ttgcagacct attagatctg 2580
cagtttaagt tgccatgctg ctaggaaatt gtcctttttc tttctagctg ttaacctact 2640
tcctggaaaa agtagtagct ctctgtagca ttatggagtt tcagtggaac caaatttttg 2700
ccattaaaaa ctggcattat actgaactat acattgagaa atcaatcaaa ataaaaattt 2760
ttactttcac aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa anaaaaaaaa aaaaaaaaaa 2820
aaaaaaaaa nna 2833

```

<210> 205

<211> 5830

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (5584)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (5585)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (5821)

<223> n equals a,t,g, or c

<400> 205

```

cctgcgagtt cagggctcct gccgctctcc aggagcaacc tctactccgg acgcacaggc 60
attccccg cgccctccagc cctcgccgcc ctgcgcccg ctccccggcg ccgcgctccg 120
gtacacacag gatccctgct gggcaccaac agctccacca tggggctggc ctggggacta 180

```

ggcgtcctgt tccatgatgca tgtgtgtggc accaaccgca ttccagagtc tggcggagac 240  
 aacagcgtgt ttgacatctt tgaactcacc ggggcccggc gcaaggggtc tgggcccga 300  
 ctggtgaagg gccccgaccc ttccagccca gctttccgca tcgaggatgc caacctgac 360  
 cccctgtgc ctgatgacaa gttccaagac ctggtggatg ctgtgcgggc agaaaagggt 420  
 ttcctccttc tggcatccct gaggcagatg aagaagaccc ggggcacgct gctggccctg 480  
 gagcggaag accactctgg ccaggtcttc agcgtggtgt ccaatggcaa ggcgggaccc 540  
 ctggacctca gcctgaccgt ccaaggaaag cagcacgtgg tgtctgtgga agaagctctc 600  
 ctggcaaccg gccagtggaa gagcatcacc ctgtttgtgc aggaagacag ggcccagctg 660  
 tacatcgact gtgaaaagat ggagaatgct gagttggacg tccccatcca aagcgtcttc 720  
 accagagacc tggccagcat cgcagactc cgcacgcaa aggggggctg caatgacaat 780  
 ttccaggggg tgctgcagaa tgtgaggttt gtctttggaa ccacaccaga agacatcctc 840  
 aggaacaaag gctgtccag ctctaccagt gtccctctca cccttgacaa caacgtggtg 900  
 aatggttcca gccctgccat ccgcactaac tacattggcc acaagacaaa ggacttgcaa 960  
 gccatctgctg gcctctcctg tgatgagctg tccagcatgg tccctggaact caggggcctg 1020  
 cgcaccattg tgaccacgct gcaggacagc atccgcaaag tgactgaaga gaacaaagag 1080  
 ttggccaatg agctgaggcg gcctccccta tgctatcaca acggagttca gtacagaaat 1140  
 aacgaggaat ggactgttga tagctgcact gactgtcact gtcagaactc agttaccatc 1200  
 tgcaaaaagg tgcctgccc catcatgccc tgcctcaatg ccacagttcc tgatggagaa 1260  
 tgctgtcttc gctgttgccc cagcgactct cgggacgatg gctggtctcc atggtccgag 1320  
 tggacctcct gttctacgag ctgtggcaat ggaattcagc agcggggccg ctctctgcgac 1380  
 agcgtcaac aaccgatgtg agggctcctc ggtccagaca cggacctgcc acattcagga 1440  
 gtgtgacaag agatttaaac aggatggtgg ctggagccac tgggtcccggt ggtcatcttg 1500  
 ttctgtgaca tgtggtgatg gtgtgatcac aaggatccgg ctctgcaact ctcccagccc 1560  
 ccagatgaac gggaaacccct gtgaaggcga acgcgggaga ccaaagcctg caagaaagac 1620  
 gcctgccccca tcaatggagg ctgggtcctt tggtcaccat gggacatctg ttctgtcacc 1680  
 tgtggaggag gggtagagaa acgtagtcgt ctctgcaaca accccrcacc ccagtttgga 1740  
 ggcaaggact gcgttggtga tgtaacagaa aaccagatct gcaacaagca ggactgtcca 1800  
 attgatggat gcctgtccaa tccctgcttt gccggcgtga agtgtagtag ctaccctgat 1860  
 ggcagctgga aatgtggtgc ttgtccccct ggttacagtg gaaatggcat ccagtgcaca 1920  
 gatgttgatg agtgcaaga agtgccatg gcctgcttca accacaatgg agagcaccgg 1980  
 tgtgagaaca cggaccccggt ctacaactgc ctgccctgcc cccacgctt caccggtcca 2040  
 cagcccttcg gccagggtgt cgaacatgcc acggccaaca aacaggtgtg caagccccgt 2100  
 aacccttgca cggatgggac ccacgactgc aacaagaacg ccaagtgaac ctacctgggc 2160  
 cactatgagc acccatgta ccgctgcgag tgcaagcctg gctacgctgg caatggcatc 2220  
 atctgcgggg aggcacacaga cctggatggc tggcccaatg agaacctgggt gtgcgtggcc 2280  
 aatgcgactt accactgcaa aaaggataat tgccccaacc ttcccaactc agggcaggaa 2340  
 gactatgaca aggatggaat tggatgatgc tgtgatgatg acgatgacaa tgataaaatt 2400  
 ccagatgaca gggacaactg tccattccat tacaaccag ctacgtatga ctatgacaga 2460  
 gatgatgtgg gagaccgctg tgacaactgt cctacaacc acaaccaga tcaggcagac 2520  
 acagacaaca atggggaagg agacgcctgt gctgcagaca ttgatggaga cggatccctc 2580  
 aatgaacggg acaactgcca gtacgtctac aatgtggacc agagagacac tgatatggat 2640  
 ggggttgagg atcagtgtga caattgcccc ttggaacaca atccggatca gctggactct 2700  
 gactcagacc gcattggaga tacctgtgac aacaatcagg atattgatga agatggccac 2760  
 cagaacaatc tggacaactg tccctatgtg cccaatgcca accaggctga ccatgacaaa 2820  
 gatggcaagg gagatgcctg tgaccacgat gatgacaacg atggcattcc tgatgacaag 2880  
 gacaactgca gactcgtgcc caatcccagc cagaaggact ctgacggcga tggctcagggt 2940  
 gatgcctgca aagatgattt tgaccatgac agtgtgccag acatcgatga catctgtcct 3000  
 gagaatgttg acatcagtga gaccgatttc cgccgattcc agatgattcc tctggacccc 3060  
 aaaggacat cccaaaatga ccctaactgg gttgtacgcc atcagggtaa agaactcgtc 3120  
 cagactgtca actgtgatcc tggactcgct gtaggttatg atgagtttaa tgctgtggac 3180  
 ttcagtggca ccttcttcat caacaccgaa agggacgatg actatgctgg atttgtcttt 3240



ggctaccagt ccagcagccg cttttatgtt gtgatgtgga agcaagtcac ccagtcctac 3300  
tgggacacca accccacgag ggctcaggga tactcgggcc tttctgtgaa agttgtaaac 3360  
tccaccacag ggcttggcga gcacctgcgg aacgccctgt ggcacacagg aracaccct 3420  
ggccaggtgc gcacctgtg gcatgacct cgtcacatag gctggaaaga tttcaccgcc 3480  
tacagatggc gtctcagcca caggccaaag acgggtttca ttagagtggg gatgtatgaa 3540  
gggaagaaaa tcatggctga ctcaggacct atctatgata aaacctatgc tggtggtaga 3600  
ctaggggtgt ttgtcttctc tcaagaaatg gtgttcttct ctgacctgaa atacgaatgt 3660  
agagatccct aatcatcaaa ttgttgattg aaagactgat cataaaccaa tgctgggtatt 3720  
gcaccttctg gaactatggg cttgagaaaa cccccaggat cacttctcct tggcttcctt 3780  
cttttctgtg cttgcatcag tgtggactcc tagaacgtgc gacctgcctc aagaaaatgc 3840  
agttttcaaa aacagactca gcattcagcc tccaatgaat aagacatctt ccaagcatat 3900  
aaacaattgc tttggtttcc ttttgaaaaa gcatctactt gcttcagttg ggaaggtgcc 3960  
cattccactc tgctttgtc acagagcagg gtgctattgt gaggccatct ctgagcagtg 4020  
gactcaaaaag cattttcagg catgtcagag aaggaggagc tctactagaat tagcaaacaa 4080  
aaccaccctg acatctcctc tcaggaacac ggggagcaga ggccaaagca ctaaggggag 4140  
ggcgcatacc cgagacgatt gtatgaagaa aatatggagg aactgttaca tgttcggtac 4200  
taagtcattt tcaggggatt gaaagactat tgctggattt catgatgctg actggcggtta 4260  
sctgattaac ccatgtaaat aggcacttaa atagaagcag gaaagggaga caaagactgg 4320  
cttctggact tcctccctga tccccaccct tactcatcac ctgcagtgcc cagaattagg 4380  
gaatcagaat caaaccagt taaggcagtg ctggctgcca ttgcctggtc acattgaaat 4440  
tggtggtctt attctagat tagcttgtgc agatgtagca ggaaaatagg aaaacctacc 4500  
atctcagtga gcaccagct cctcccaaag gaggggcagc cgtgcttata tttttatggt 4560  
tacaatggca caaaattatt atcaacctaa ctaaaacatt ccttttctct ttttctctga 4620  
attatcatgg agttttctaa ttctctcttt tggaatgtag atttttttta aatgctttac 4680  
gatgtaaaat atttattttt tacttattct ggaagatctg gctgaaggat tattcatgga 4740  
acaggaagaa gcgtaaagac tatccatgtc atctttgttg agagtcttcg tgactgtaa 4800  
attgtaaata cagattattt attaactctg ttctgcctgg aaatttaggc ttcatacgg 4860  
aagtgtttga gagcaagtag ttgacattta tcagcaaadc tcttgcaaga acagcacaa 4920  
gaaaatcagt ctaataagct gctctgcccc ttgtgctcag agtggtgtt atgggattct 4980  
tttttctct gttttatctt ttcaagtggg attagtggg tatccatttg caaatgtttt 5040  
aaattgcaaa gaaagccatg aggtcttcaa tactgtttta ccccatccct tgtgcatatt 5100  
tccagggaga aggaaagcat atacactttt ttctttcatt tttccaaaag agaaaaaat 5160  
gacaaaaggt gaaacttaca tacaatat acctcatttg ttgtgtgact gagtaaagaa 5220  
tttttgatc aagcggaaa agtttaagt tctaacaac ttaaagctac tgtagtacct 5280  
aaaaagtcag tgtgtacat agcataaaaa ctctgcagag aagtattccc aataaggaaa 5340  
tagcattgaa atgttaaata caatttctga agttatgtt ttttttctat catctggtat 5400  
accattgctt tatttttata aattatttct tcattgccat tggaaatag atctcagatt 5460  
gtgtagatat gctattttaa taatttatca ggaaatactg cctgtagagt tagtatttct 5520  
atttttatat aatgtttgca cactgaattg aagaattgtt ggtttttct ttttttgtt 5580  
ttgnnttttt tttttttttt ttttgctttt gacctccat ttttactatt tgccaatacc 5640  
tttttctagg aatgtgcttt tttttgtaca catttttatc cattttacct tctaaagcag 5700  
tgtaagttgt atattactgt ttcttatgta caaggaacaa caataaatca tatggaaatt 5760  
tatattttaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaasgg ggggcccccc 5820  
nagggggccc 5830

&lt;210&gt; 206

&lt;211&gt; 755

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

<221> misc feature

<222> (368)

<223> n equals a,t,g, or c

<400> 206

```
tcgaccacag cgtccgccag tcgcacatct cagacacctc cgtggttgtc aagctggaca 60
acagccggga cctgaacatg gactgcatca ttgccgagat taaggcacag tatgacgaca 120
ttgtcaccgg cagccggggc gagggccgagt cctggtaccg cagcaagtgt gaggagatga 180
aggccacggg gatcaggcac ggggagaccc tgcgccgcac caaggaggag atcaacgagc 240
tgaaccgcat gatccagagg ctgacggccg aggtggagaa tgccaagtgc cagaactcca 300
agctggaggc cgcggtggcc cagtctgagc agcagggtga ggcggccctc agtcatgccc 360
gctgcaanct ggccgagctg gagggcgccc tgcagaaggc caagcaggac atggcctgcc 420
tgatcaggga gtaccaggag gtgatgaact ccaagctggg cctggacatc gagatcgcca 480
cctacaggcg cctgctggag ggcgaggagc agaggctatg tgaaggcatt ggggctgtga 540
atgtctgtgt cagcagctyc cggggcgggg tcgtgtgcgg ggacctctgc gtgtcaggct 600
yccggccagt gactgcagtg tctgcagcgc tycgtgcaac ggaacgtgg cggtagcac 660
cggcctgtgt gcgccctgcg gcaattgaca ccamctgcgg agggggttct gcggcgtggg 720
ctyctgtggt atcaagytte ccccccttt ggggg 755
```

<210> 207

<211> 1996

<212> DNA

<213> Homo sapiens

<400> 207

```
gggtcgaccc acgcgtccga tttagagccg ggtaggggag cgcagcrgcc agatacctca 60
gcgtacactg gcggaactgg atttctctcc cgcctgccgg cctgcctgcc acagccggac 120
tccgccactc cggtagcctc atggctgcaa cctgtgagat tagcaacatt tttagcaact 180
acttcagtgc gatgtacagc tcggaggact ccaccctggc ctctgttccc cctgctgcca 240
cctttggggc cgatgacttg gtactgaccc tgagcaaccc ccagatgtca ttggagggtta 300
cagagaaggc cagctggttg ggggaacagc cccagttctg gtcgaagacg caggttcttg 360
actggatcag ctaccaagtg gagaagaaca agtacgacgc aagcgccatt gacttctcac 420
gatgtgacat ggatggcgcc accctctgca attgtgccct tgaggagctg cgtctggtct 480
ttgggcctct gggggaccaa ctccatgccc agctgcgaga cctcacttcc agctcttctg 540
atgagctcag ttggatcatt gagctgctgg agaaggatgg catggccttc caggaggccc 600
tagaccagg gccctttgac cagggcagcc ccttgccca ggagctgctg gacgacggtc 660
agcaagccag cccctaccac cccggcagct gtggcgcagg agccccctcc ccyggcagct 720
ctgacgtctc caccgcaggg actggtgctt ctcgagctc cactcctca gactccggtg 780
gaagtgacgt ggacctggat cccactgatg gcaagctctt cccagcgat ggttttcgtg 840
actgcaagaa gggggatccc aagcacggga agcggaaacg aggcgggcc cgaaagtga 900
gcaaagagta ctgggactgt ctcgagggca agaagagcaa gcacgcgcc agaggcacc 960
acctgtggga gttcatccgg gacatcctca tccaccggga gctcaacgag ggccctcatga 1020
agtgggagaa tcggcatgaa ggcgtcttca agttcctgct ctccgagget gtggcccaac 1080
tatggggcca aaagaaaaag aacagcaaca tgacctacga gaagctgagc cgggccatga 1140
ggtactacta caaacgggag atcctggaac ggtggtatgg ccggcgactc gtctacaagt 1200
ttggcaaaaa ctcaagcggc tggaaggagg aagaggttct ccagagtcgg aactgagggt 1260
tggaactata cccgggacca aactcacgga cactcgagg cctgcaaac ttctgggag 1320
gacaggcagg ccagatggcc cctccactgg ggaatgctcc cagctgtgct gtggagagaa 1380
gctgatgttt tgggtgattg tcagccatcg tctgggact cggagactat ggcctcgct 1440
ccccaccctc ctcttggaat tacaagccct ggggtttgaa gctgacttta tagctgcaag 1500
tgtatctcct tttatctggt gcctcctcaa acccagctct agacactaaa tgacagacaac 1560
```

```

accttcctcc tgcagacacc tggactgagc caaggaggcc tggggaggcc ctaggggagc 1620
accgtgatgg agaggacaga gcaggggctc cagcaccttc tttctggact ggcgttcacc 1680
tccctgctca gtgcttgggc tccacgggca ggggtcagag cactccctaa tttatgtgct 1740
atataaatat gtcagatgta catagagatc tttttttctt aaaacattcc cctccccact 1800
cctctcccac agagtgtggt actgttccag gccctccagt gggctgatgc tgggaccctt 1860
aggatggggc tcccagctcc tttctcctgt gaatggaggc agagacctcc aataaagtgc 1920
cttctgggct ttttctaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1980
aaaaaaaaaa ctcgag                                     1996

```

<210> 208

<211> 1668

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1505)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1565)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1598)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1620)

<223> n equals a,t,g, or c

<400> 208

```

cacactgctc gcttcggata ctccaggcgt ctcccgttgc ggccgctccc tgccttagag 60
gccagccttg gacacttgct gcccttttcc agcccgattt ctgggatcct tccctctgag 120
ccaacatctg ggtcctgcct tcgacaccac cccaaggctt cctacctgac gtgcctggag 180
tctgccccag gggcccttgt cctggggccat ggccmagaag ggggtcctgg ggcctgggca 240
gctgggggct gtggccattc tgccttatct tggattactc cggctcggga caggagcgga 300
aggggcagaa gctycctgcg gtgtggcccc ccaagcacgc atcacagggt gcagcagtgc 360
agtcgccggt cagtggccct ggcaggctcag catcacctat gaaggcgtcc atgtgtgtgg 420
tggctctctc gtgtctgagc agtgggtgct gtcagctgct cactgcttcc ccagcgagca 480
ccacaaggaa gcctatgagg tcaagctggg ggcccaccag ctagactcct actccgagga 540
cgccaagggt agcacctga aggacatcat cccccacccc agctacctcc aggagggtc 600
ccaggggcag attgactcc tccaactcag cagaccatc accttctccc gctacatccg 660
gcccactctg ctccctgcag ccaacgcctc cttccccaac ggcctccact gactgtcac 720
tggctggggg catgtggccc cctcagttag cctcctgacg cccaagccac tgcagcaact 780
cgagggtcct ctgatcagtc gtgagacgtg gtaactgcct gtacaacatc gacgccaagc 840
ctgaggagcc gcactttgtc caagaggaca tgggtgtgtg tggctatgtg gaggggggca 900
aggacgcctg ccagggtgac tctggggggc cactctcctg ccctgtggag ggtctctggt 960

```

```

acctgacggg cattgtgagc tggggagatg cctgtggggc ccgcaacagg cctggtgtgt 1020
acactctggc ctccagctat gcctcctgga tccaaagcaa ggtgacagaa ctccagcctc 1080
gtgtggtgcc ccaaaccagc gagtcccagc ccgacagcaa cctctgtggc agccacctgg 1140
ccttcagctc tgccccagcc cagggcttgc tgaggcccat ccttttcctg cctctggggc 1200
tggctctggg cctcctctcc ccatggctca gcgagcactg agctggccct acttccagga 1260
tggatgcata acactcaagg acaggagcct ggtccttccc tgatggcctt tggaccagga 1320
gcctgacttg agccactcct tccttcagga ctctgcggga ggctggggcc ccatcttgat 1380
ctttgagccc attcttctgg gtgtgctttt tgggaccatc actgagagtc aggagtttta 1440
ctgcctgtag caatggccag agcctctggc ccctcamcca ccatggacca gccattggs 1500
cgagntcctg gggagtcctg ggaccttggg tatgaaaatg agccctgggt tcccacctgt 1560
ttctngaaga ctgcttcccg gccgccttc ccagactnga tgagcacatt tttttgcn 1620
ttccctgtg tttttgggtt gggcaacttt ttggaagttt gaggagaa 1668

```

<210> 209

<211> 2250

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (23)

<223> n equals a,t,g, or c

<400> 209

```

gctttaagca aaaaggtctt tangtgacac tatagaaggt acgcctgcag gtaccggtcc 60
ggaattcgcg gccgcgtcga cattcgccgc cgcagcagcc gccgcccccg ggagccgcgcg 120
ggaccctcgc gtcgtcgcgc ccgcgcgcgc ccagatcccc gcaccatgcc gtcggagaag 180
accttcaagc agcgcgcgcac cttcgaacaa agagtagaag atgtccgact tattcgagag 240
cagcatccaa ccaaaatccc ggtgataata gaacgataca aggggtgagaa gcagcttcct 300
gttctggata aaacaaagt ccttgtacct gaccatgtca acatgagtga gctcatcaag 360
ataattagaa ggcgcttaca gctcaatgct aatcaggcct tcttcctgtt ggtgaacgga 420
cacagcatgg tcagcgtctc cacaccaatc tcagaggtgt atgagagtga gaaagatgaa 480
gatggattcc tgtacatggt ctatgcctcc caggagacgt tcgggatgaa attgtcagt 540
taaaaccaga aaaaatgcat ctcttctaga attgtttaaa cccttacc aa gga a a a a a 600
ggggtgttac caactgagat cgatcagttc atccaatcac agatcatgaa acagtagtgt 660
tcccacctag gagtgttagg aagttgtgtt tgtgtttcaa gcagaaaaac tgagctccaa 720
gtgagcacat tcagctttgg aaactatatt atttaagtga ggctagcttg ttttcaaatt 780
ttaaaagt ttt aaaaataaaa tactttgcat tctaagttgc caataaaata gacctcaag 840
ttattttaat gctcttttct cactaatagg aacttgtaat tccagcagta atttaaaggc 900
tttcagagag accctgagtc ttctcttcag gttcacagaa cccgcgcct ttttgggtag 960
aagttttcta ctacgctaga gagatctccc taagaggatc tttaggcctg agttgtgaag 1020
cgcaaccccc gcaaaacgca tttgccatca cagttggcac aaacgcaggg taaacgggct 1080
gtgtgagaaa acggccctga ctgtaaaactg ctgaaggctc ctgactccta agagaaccac 1140
acccaaagtc ctactcttg caggggtaga catttctggt ttggtttgtt ctctagatag 1200
ttacacacat aaagacacca ctcaaaagga aacttgaata atttataatt ttgatcgagt 1260
ttcttaaaag accctggaga aagagtggca tttcttctgt ttcaggtttt gtctgagttc 1320
aaactagtgc ctgtgtgtgt acggaaagca gcagtgtacc agtgtcactc tggagtacag 1380
cgggagaaac acaaaatagt ataactgaaa acattaacat tcagacacac tcccttctgc 1440
cttccggctt aaagctgtgg atgatccacg tttttgtttt tttaagtta aatgtgtaac 1500
tcagtattac tgaaaaggta cccacatttt gaatagtagt tatcactctt aggtcagaca 1560
gccatcagaa ttctcccaca ccaagtgcac gtcagttgtg gagaaaacat agcaaaaaga 1620

```

gccgtacgct ctttacagat actaatgtca agagttaaac ctccctcaggt tcaacctgtg 1680  
ataaaagact agtgcttccc agtacttgca tgggggtcac tatttatagt tttcttgagg 1740  
gtatcacagg aaaatcacaa ttacaccact ttagacccta tgtgtagcag gtcacaactt 1800  
acccttggtg gtttagatgt gtatgaaata cctgtatacg ttagtgaaag ctgtttactg 1860  
taacggggaa aaccagattc tttgcatctg ggccctctac tgattgttaa aggagtccct 1920  
gtcacctgct cccccacccc ccgcatgcgt ctgtccactt ggctaacttt taatatgtgt 1980  
atTTTTacat tatgtatatt cttaactgga ctgtctcggt tagactgtat acatcatac 2040  
tgacattatt gtaactaccg tgtgatcagt aagattcctg taagaaatac tgctttttaa 2100  
gaaaaaaaaa aacatgctga ggggtgacct atatcccatg tgagtgggtca ctttatttat 2160  
aggatcttta aaacattttt aatgaactaa gttgaataaa ggcacaatta aaaactgtca 2220  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2250

<210> 210

<211> 838

<212> DNA

<213> Homo sapiens

<400> 210

ggcgggcta cgtgctccgc ccgctgtgag cctgtccggc ccccgccgc tccggagcaa 60  
cccgcgagct tacaccggct tctctctgtc ctccggccgc gcgccgccat cgccgtcatg 120  
ctgggcccgc ctctccgcgc ctgctgtgtg gccgcaacca cccgggccga ccctcgaggc 180  
ctccctgcaact ccgcccggac ccccgccccc gccgtggcta tccagtcagt tcgctgctat 240  
tcccattgggt cacaggagac agatgaggag tttgatgctc gctgggtaac atacttcaac 300  
aagccagata tagatgcctg ggaattgcgt aaagggataa acacacttgt tacctatgat 360  
atggttccag agcccaaaat cattgatgct gctttgcggg catgcagacg gttaaatgat 420  
tttgctagta cagttcgtat cctagagggt gttaaggaca aagcaggacc tcataaggaa 480  
atctaccctt atgtcatcca ggaacttaga ccaactttaa atgaactggg aatctccact 540  
ccggaggaaac tgggccttga caaagtgtaa accgcatgga tgggcttccc caaggattta 600  
ttgacattgc tacttgagtg tgaacagtta cctggaaata ctgatgataa catattacct 660  
tatttgaaca agtttccctt tattgagtac caagccatgt aatggtaact tggactttta 720  
taaaagggaa atgagtttga actgaaaaaa aaaaaaaaaa aaactcatac agactgaagc 780  
gcggtgatta aataatgaaa gagttcgacg cggccgggaa tttaggaggt aaatatcc 838

<210> 211

<211> 1213

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1206)

<223> n equals a,t,g, or c

<400> 211

gcccacgcgt ccggcaggaa ccgcggtgc tggacaagag ggggtcgggtg gatactgacc 60  
tttgcctcgg cctcgctcgtg aagacacagc gcatctcccc gctgtaggct tcctcccaca 120  
gaaccctgtt cgggcctcag agcgtctggt gagatgctgt tgccgctgct gctgctgcta 180  
cccatgtgct gggccttgga ggtcaagagg ccccggggcg tctccctcac caatcatcac 240  
ttctacgatg agtccaagcc ttccacctgc ctggacggtt cgccaccat cccatttgat 300  
caggtcaacg atgactattg cgactgaaa gatggctctg acgagccagg cacggctgcc 360  
tgtcctaagt gcagcttcca ctgcaccaac actggctata agccctgta tatccctccc 420

```

aaccgggtca acgatggtgt ttgtgactgc tgcgatggaa cagacgagta caacagcggc 480
gtcatctgtg agaacacctg caaagagaag ggccgtaagg agagagagtc cctgcagcag 540
atggccgagg tcacccgcga agggttccgt ctgaagaaga tccttattga ggactggaag 600
aaggcacggg aggagaagca gaaaaagctc attgagctac aggctgggaa gaagtctctg 660
gaagaccagg tggagatgct gcggacagtg aaggagggaag ctgagaagcc agagagagag 720
gccaaagagc agcaccagaa gctgtgggaa gagcagctgg ctgctgcaa ggcccaacag 780
gagcaggagc tggcggctga tgccttcaag gagctggatg atgacatgga cgggacggtc 840
tcggtgactg agctgcagac tcacccggag ctggacacag atggggatgg ggcgttgtca 900
gaagcgggaag ctcaggccct ytcagtggg gacacacaga cagacgccac ctctttctac 960
gaccgcgtct ggggccagg cggggctggt ccacattccc aggccccaac agccttcaaa 1020
gatgggtaaa ggagcttgcc ctccctgggc cccccacctt ggtgactcgc cccaccaccc 1080
ccagccctgt ccctgccacc cctcctagtg gggactagtg aatgacttga cctgtgacct 1140
caatacaata aatgtgatcc cccacccaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1200
aaaaaaaaaa aaa                                     1213

```

<210> 212

<211> 969

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (922)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (955)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (958)

<223> n equals a,t,g, or c

<400> 212

```

ccactgcttc ccatgggcag tcttgctcat atcctgggag ctctgtttct ttcagaccca 60
aaggaaccca agcagaaatc tttgtatgta tatgtatgaa gaggttgtct gtttttagga 120
gttgatgta aaagctaagg aaaccttttc ttttggaga tcagtataaa catgctgctt 180
ttggtaaaat tcttttgagc cattttcatc taaatataac ttctgtttca ttttttttcc 240
taaataaac tcagagttaa atgagggctt ttcacatgga acaagctttt gagagggcct 300
gtgttgctga agttttcgcc cttggattgc tggggtgata ttggtgacaa actctgtagg 360
gaaggactgg gaacctgtca atcttttttc tttggttggg tggattgggc agggaaatagc 420
tgacttgatt tgttataagt ttggaagggt atagtgttgg cacattcttc attgatcaca 480
cttttaggga ttcttgaaga aaagggaagc aaaacataca cacacacccc cacccaatct 540
aacagcgtat tcaagcagat tccacgaatc ctgcggccag gtttaataaa ggcaggaaag 600
ttcccttccc tgctcacaca caacgaaaac atggtggcca aagtggatga ggtgaagtcc 660
acaatcaagt tccaaatgaa gaagtggtta tgtctggctg tagctgttgg tcacgtgaag 720
atgacagacg atgagcttgt gtataacatt cacctggctg tcaacttctt ggtgtcattg 780
ctcaagaaaa actggcagaa tgtccgggcc ttatatatca agagcaccat gggcaagccc 840
cagcgcctat attaaggcac atttgaataa attctattac cagttaaaaa aaaaaaaaaa 900

```

aaaaaaaaa aaaaaaaaaa anaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaanccncg 960  
gggggggggg 969

<210> 213

<211> 1694

<212> DNA

<213> Homo sapiens

<400> 213

ggcacgagag aagaggcggg agtggacctg gtcagcccta ccccaactgac cccaccggac 60  
ccaggcgcgg cctccgcccac agccacagcc cctgcccctg ctgcggcgcg gcgaggcgag 120  
gcgatggcca aggtgtcggg gctgaacgtg gcggtccttg agaaccgag ccctttccac 180  
agccccttcc gggtcgagat cagcttcgag tgcagtgaag ccctggcgga cgacctggag 240  
tggaagatca tttatgttgg ctcggtgag agtgaggaat ttgatcagat cctagactcg 300  
gtgctggtgg gccctgtgcc agcagggaga cacatgtttg tctttcaggc cgacgcccc 360  
aaccatccc tcatcccaga gactgatgcc gtgggtgtga ctgtggtcct catcacctgc 420  
acctaccatg gacaggagtt catccgagtg ggctactacg tcaacaacga gtacctcaac 480  
cctgagctgc gtgagaacct gcccatgaag ccagatttct cccagctcca gcggaacatc 540  
ttggcctcga acccccggtt gaccgccttc catatcaact gggacaacaa catggacagg 600  
ctggaggcca tagagacca ggaccctcc ctgggctgcg gcctcccact caactgcact 660  
cctatcaagg gcttggggct ccctggctgc atccctggcc tcctccctga gaactccatg 720  
gactgcatct aactgcagga acccagagtg tcccagcacg ccgggagggg caaccaggcc 780  
tcccagcgag tcctgcaggg cccatctaga ggaytttggg ggccatcagc ttgcaatcca 840  
ggtctgtcaa actcagcccy taggaaagaa caggccttgg gtytycccta gtcctggcca 900  
gaaggatgat ctgccttttc ctctacaggc ctataagaag cagggtacttc agttctaaat 960  
tctgacttgt gttcttttctg tcttcataaa ttctaactaa ggccactgtg ccaactgtgca 1020  
cccttgagta ccattgatcc aaagctttcc cacagacctc cctggcccac ctagaggcctt 1080  
tcttggtcag tgctgtcaa ggytccagtc ctgctgagcc aaaggctttg tcattccttt 1140  
ctcttcctgt acatctgagc agaccactc cagctttctg gtgtcacagg cgggaatgtt 1200  
agttagtagg tagacttaga tcccatttct gtcctgctcc caggaagatt cttaggtcct 1260  
cttcaatcca gcagccctc ccagaggtgt gatcagcagg atgctgagga accatgttgc 1320  
ctttcctgtc aatcacagcc accttcctgt tatctcctaa atggatcttg cttttccttg 1380  
aggctgccc gggtggaaga tggatcaga gggcctgcct gggcagtctg tctccgggcc 1440  
agggtcaggg accctctkcc tctggcagcc ttaacctgtc ctctgctagg accaggtga 1500  
ttcaagcca gggaagcaac tgggaccctg aaaactgtcc ctcccagcc cgctccccct 1560  
ctctgtgccc tgggtcccctt gctgccatgt ggatgctgtt gtgattgctg tttgtatatt 1620  
atcaaaatgt ttttatatta aaaatgtttg gtctgaaaat taaaagcact tcatttgaaa 1680  
aaaaaaaaa aaaa 1694

<210> 214

<211> 1210

<212> DNA

<213> Homo sapiens

<400> 214

ggcacgagcc gggcgctctc ctccsggacg ctgagggggc cgaggagacc gtgaggctct 60  
ggcctgcagc tcgcgcgcgc atggacgctg ccgagggtcg attcctcgcc gagaaggagc 120  
tggttaccat tatccccaac ttcagtctgg acaagatcta cctcatcggg ggggaccttg 180  
ggccttttaa cctggttta cccgtggaag tgcccctgtg gctggcgatt aacctgaaac 240  
aaagacagaa atgtcgctg ctccctccag agtgagtgga tgtagaaaag ttggagaaga 300  
tgagggatca tgaacgaaa gaagaaactt ttaccccaat gccagccct tactacatgg 360

aacttacgaa gctcctgtta aatcatgctt cagacaacat cccgaaggca gacgaaatcc 420  
ggaccctggt caaggatatg tgggacactc gtatagccaa actccgagtg tctgctgaca 480  
gctttgtgag acagcaggag gcacatgcca agctggataa cttgaccttg atggagatca 540  
acaccagcgg gactttcctc acacaagcgc tcaaccacat gtacaaactc cgcacgaacc 600  
tccagcctct ggagagtact cagtctcagg acttctagag aaaggcctgg tgcaggcggc 660  
ttgtcggggg atgtgagcgc tcaggacgtg atgaggtagt cgtggttctg gagctctaga 720  
aacacttctg atgcatgaaa aatgtgtgat ggtgcaagga atggattcag gatgttgttg 780  
gagaacaag tttgtgatta gtccttaaaa cttagctccc tgggacattc ttcaattcca 840  
catctgtttc tagaaaccag ccctttttcc ccccaacttt gagaaataaa aaagccttag 900  
gtaaataagt cattctccct agcagagcca cttgggtctc ctgcatggaa gccatcacac 960  
ttgggcagggt gttcagtgc tggtaggtgt agatacagca ggagtggcca tgtggtccac 1020  
ggctttttac cccttcttga tccctsatctc ttgggctgaa tttagactct ctcacagagg 1080  
tggctcacag agaaggatgg cagatggtgc agccaacaat gctgaccggg gcttatcctc 1140  
taagccctga tccacaataa aatgggacct aactcaaaaa aaagagagag agagagagag 1200  
agagagagac 1210

<210> 215

<211> 1776

<212> DNA

<213> Homo sapiens

<400> 215

agctggcccc gacgccagaa aatgttccac gtgggatacc ctgcgtgggk ttcactgtag 60  
tagctgcact aggtgattct tggagcgggc ctgagagaca aggacatgtg gatcccagtg 120  
gtcgggcttc ctggcggcct gaggtctccc gccttggcgg gcgctggctg cttttgcatt 180  
ttaaggtctg aagcggcgac gcgaaagcat ttgccggcga ggaaccactg tgggctctct 240  
gactcctctc cgcagctgtg gcccgaaccg gatttcagga atccgccaaag gaaggcgtct 300  
aaggccagct tagactttta gcgttacgta accgatcgga gattggctga gaccctggcg 360  
caaatctatt tgggaaaacc aagtagacct ccacacctac tgetggagtg caatccaggt 420  
cctggaatcc tgactcaggc attacttgaa gctggtgcc aagtggttgc gctcgaaagt 480  
gacaaaactt ttattccaca tttggagtcc ttaggaaaa atctggatgg aaaactacga 540  
gtgattcact gtgacttctt taaactagat cctagaagtg gtggagtaat aaaaccacct 600  
gctatgtctt ctcgagggtc cttaagaat ttgggaatag aagcagttcc ttggacagca 660  
gacatccctt tcaaatagat tggaatgttc ccaagtagag gtgagaaaag ggcacttttg 720  
aaactcgcac atgacttgta ttcctgtact tctatatata aatttgacg aatagaagta 780  
aatatgttta ttggtgaaaa agaattccag aaactaatgg cagatccygg aaatccagac 840  
ttgtatcatg tattaagtgt tatctggcaa ttgacttgtg agattaaggt tctgcacatg 900  
gagccttggc catcatttga tatatacacc cggaaggcgc cgctggaaaa cccaaagcgt 960  
agggaattat tagaccaatt acaacaaaag ctgtatctta ttcaaagat tcctcgtcaa 1020  
aatttattta ccaagaactt aacacctatg aactataata tattttttca cttgttaaag 1080  
cactgttttg ggaggcgcag sgccactgta atagaccact tacgttcatt gactccactt 1140  
gatgcgagag atatatgat gcaaatagga aaacaggagg atgagaaaag agttaacatg 1200  
caccctcaag acttcaaac actttttgaa actatagagc gttccaaaga ttgtgcttat 1260  
aatggctgt atgatgaaac cctggaagat aggtagcaac tagactgtcg ttttgggtg 1320  
agcggttcat ttatttgaa actatgacat gaaaaccaa tttgaaaact cacatccttt 1380  
cagcagaagg taactgttct tgtctgcac aagccaggca gatcatttct cctaagctga 1440  
tatcattggc ttattggatg aaacagtgtc tgctatttta ttcacaattg aataaaatga 1500  
aaacttcaat taatttgga tttgatcaga ttgaattcgt tttgtttcag attcctatatt 1560  
aaatatttca cttgtactgt tgctgatttt tgcacttctc tgaagagcaa gagtctgtac 1620  
attattaagc ttagaaaagta agcaaaactg atttactggt ttgcctttca gtttgttgaa 1680  
atgtattgtc aagtactgta caatgaaatt gtttaaattt taatatgatt taagcttttt 1740



agaaattaaa atatttttaaa taagaaaaaa aaaaaa

1776

<210> 216

<211> 1418

<212> DNA

<213> Homo sapiens

<400> 216

agggtttcct ggataggctt gctgaagatg aaggggacag tgagccagag gccgttggac 60  
agtccagggg agaagacaga agaagtagag aggcagggcc tggtagacagt atcagtgaagt 120  
gccatacaga attgtgtatt caccagcatc atgaaacagt tgtggtcttt tgagttgacg 180  
ttggcagagt aaaggagcgt gtccctggagc cattcctgaa tctccccttc tttgtgacag 240  
ctcctccac cccccaaaa aataaaaaaa ccacaaaaaa caaaaaaca aaactaaggc 300  
acttcactta gagactggag tcctgcttat aatcatgcat ataaccttta cttgatgga 360  
tctggccaga ggggtgttgg agcccagccc acccacatag cagtcaagct cttaggggag 420  
cagaagaaaa gcaggaagaa tttaaatgtt taattttttt tttaaattga cttttctagt 480  
tattaaaagt tgcttgtttc agcagtgata ttgtataaag aacatcttgt aagatactcc 540  
tgacatcttg ctttagcaca tgtacagtac agtttctatg ataattgtgtt tgctctaact 600  
tccttggtt ctccttcagc ccattccact tcctctagag cagttgggtt ggaggctcat 660  
tgaggcaagc agcaacattg gagggggagc agggcagtg tgtgtctgct gcctcccatg 720  
cccgttctga cctcagcctt ggaactctc aagaacctga agattccagt ggtcagtgct 780  
ggtggggggt gggaggagag agcggcagag aagctctgag agccccttcc cccacaacaa 840  
atctagctct agttgttata tttaggcaaa actttgtagt cttctttccc ttttatgatg 900  
gattttgata aaagtacaaa acagggtttt tcttttttat cacctttgaa tttggaaatt 960  
ttgagacccc aagctcttct gtacctattt aaagtccacc aaggggactg cagctcctag 1020  
aacatgagaa tcaagcctct taattttaaa ctgcggaatg tggcctctgc tcctccgctc 1080  
ctcctgccca aggacgacga ggattgctcc agggctgctg ggtagtttac cgtcccttct 1140  
ataggcatgg agttggcact gacatcacag cttcataacc ccaccaccgc cagcttcccc 1200  
tgctcctac atccagtctg ttcttgttca tagtgagaat cctgtgttcc cacttcagtg 1260  
acacctgaat tgtttgttgt tgtttttttt ttttattgtc ttcaaagagg aagggcccca 1320  
ttaaagggtg aacttgtaat aaattggaat ttcaaataaa cctcatgtac ttgtgtttat 1380  
aaagaagaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaa 1418

<210> 217

<211> 2200

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2188)

<223> n equals a,t,g, or c

<400> 217

gggcacgagg ccagttcct gttcccagac tgaggcccag ccccttcgc ccgtttccat 60  
cacgagtgcc gccagcatgt ctgacaaact gccctacaaa gtgcgagaca tcggcctggc 120  
tgctgggga cgcaaggccc tggacattgc tgagaacgag atgccgggac tgatgcgtat 180  
gcgggagcgg tactcggcct ccaagccact gaaggggcgc cgcacgctg gctgcctgca 240  
catgaccgtg gagacggccg tcctcattga gacctcgtc accctgggtg ctgaggtgca 300  
gtggtccagc tgcaacatct tctccacca ggaccatgcg gcggctgcca ttgccaaggc 360  
tggcattccg gtgtatgcct ggaaggcgca aacggacgag gagtacctgt ggtgcattga 420

```

gcagaccctg tacttcaagg acggggcccct caacatgatt ctggacgacg ggggacacct 480
caccaacctc atccacacca agtaccgcga gcttctgccg ggcatccgag gcatctctga 540
ggagaccacg actgggggtcc acaacctcta caagatgatg gccaatggga tcctcaaggt 600
gcctgccatc aatgtcaatg actccgtcac caagagcaag ttgacaacc tctatggctg 660
ccgggagtc ctcatagatg gcatcaagcg ggccacagat gtgatgattg ccggcaaggt 720
agcgggtgta gcaggctatg gtgatgtggg caagggtgtg gccaggccc tgcgggggtt 780
cggagcccgc gtcacatca cagagattga ccccatcaac gcatgcagg ctgccatgga 840
gggctatgag gtgaccacca tggatgaggc ctgtcaggag ggcaacatct ttgtcaccac 900
cacaggctgt attgacatca tccttgccg gacttttgag cagatgaagg atgatgccat 960
tgtgtgtaac attggacact ttgacgtgga gatcgatgtc aagtggctca acgagaacgc 1020
cgtggagaag gtgaacatca agccgcagg ggaccggtat cggttgaaga atgggcgccg 1080
catcatcctg ctggccgagg gtcggctggt caacctgggt tgtgccatgg gccaccccag 1140
cttcgtgatg agtaactcct tcaccaacca ggtgatggcg cagatcgagc tgtggacca 1200
tccagacaag taccgcgtt gggttcattt cctgcccagg aagctggatg aggcagtggc 1260
tgaagcccac ctgggcaagc tgaatgtgaa gttgaccaag ctaactgaga agcaagccca 1320
gtacctgggc atgtcctgtg atggccpctt caagccggat cactaccgct actgagagcc 1380
aggtctgcgt ttcacctcc agctgctgtc cttgcccagg cccacacctt cctccctaag 1440
agctaattgg accaactttg tgattggtt gtcagtgtcc cccatcgact ctctggggct 1500
gatcacttag tttttggcct ctgctgcagc cgtcactatg ttccaaatgt ggcagcggga 1560
acagagtacc ctcttcaagc cccggtcatg atggagggtc cagccacagg gaaccatgag 1620
ctcagtggtc ttggaacagc tactaagtc agtccttct tagcctggaa gtcagttagt 1680
gagtcacaaa gcccatgtgt tttgccatct aggccttcac ctggtctgtg gacttatacc 1740
tgtgtgcttg gtttacaggt ccagtgggtc ttcagcccat gacagatgag aaggggctat 1800
attgaagggc aaagaggaa tggtgtttga atttctctga gagcctggct tagtgctggg 1860
ccttctctta aacctatta caatgagggt agtactttta gtccctgttt tacaggggtt 1920
agaatagact gttaaggggc aactgagaaa gaacagagaa gtgacagcta ggggttgaga 1980
ggggccagaa aaacatgaat gcaggcagat ttcgtgaaat ctgccaccac ttataacca 2040
gatggttcct ttcacaacc tggtgcaaaa agagaataat ttggcctata atgttaaaag 2100
aaagcaggaa ggtgggtaaa taaaaatctt ggtgcctgga aaaaaaaaaa aaaaaaaar 2160
aaaraaaaaa aaaaaaaaaa aaaaaanaa aaaaaaaaaa 2200

```

&lt;210&gt; 218

&lt;211&gt; 1853

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (890)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1794)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 218

```

gggaaggagt catggcggat ggtcagggtg cggaactgct gctccggcgg ctggaggcgt 60
ctgatggcgg cctggacagc gccgagttgg cggtgagct gggcatggag caccaggcgg 120
tggtgggcgc cgtgaagagc cttcaggcgc tgggcgagg catcgaggct gaacttcggt 180
ccaccaagca ctgggagctt actgcggagg gcgaggagat tgcccgggag ggcagccatg 240

```

```
aggcccgtgt gtttcgaagc attccccag agggcctggc ccagagcgag cttatgcgac 300
tgcccagtg caaagtgggc ttcagcaagg ccatgtccaa caagtggatt cgggtggaca 360
agagtgcggc tgacggggcc cgggtgttcc gagtgtgga cagcatggag gatgaggtgc 420
agcggcggct ccagctggtc cgggggggac aggtgagaa gctgggggag aaggagagga 480
gcgagctgag gaagaggaag ctgttggctg aagtgactct gaagacctac tgggtgagca 540
aaggcagtg ctttagtacc agcatctcca agcaagagac agagctgagc ccagagatga 600
tctccagtg ctcttggcgg gaccggccct tcaagcccta caacttcttg gccacgggtg 660
tcctccccga cagcggccac cttcaccgc tgctcaaggc ccgtcccgag ttccgacaga 720
tcttcctgga gatgggggttc accgagatgc cgactgataa cttcattgag agctccttct 780
ggaactttga cgcctcttc cagccccagc agcaccagc ccgtgaccag cacgacacct 840
tcttccttcg agatccagcg gaggcctgc agctcccaat ggactatgtn cagcgggtca 900
agcggaccga ctctcagggc ggctacggct cacaggggta caagtataac tggaagctgg 960
acgaggcccg gaaaaaccta ctgcgaacct acaccacatc agccagcgcc cgtgcgctct 1020
accgccttgc ccagaagaag cccttcactc cggctcaagta cttctccatc gaccgcgtat 1080
tccggaatga gaccctggac gccacgcacc tggctgagtt ccaccagatc gagggcggtg 1140
tggcgatca tgggtctacc ttgggccacc tcatgggcgt tctgcgggag ttcttyacca 1200
agctgggtat cacgcaactc cgcttcaagc cagcctacaa ccatacaca gagcccagca 1260
tggaggtgtt cagctaccac caaggcctga agaagtgggt ggaggtcgga aactcggggg 1320
tcttcctgct agagatgctg ctgcccctgg ggcttccga gaacgtgtcg gtcattgcct 1380
ggggcctctc cctggagcgc ccaacgatga tcaaataatg catcaacaat atccgggagc 1440
tgggtggcca caaggtgaac ctgcagatgg tgtatgacag tcccctgtgc cgcctggatg 1500
ccgagccgag gccccctccc acacaggagg ctgcgtgaca tgggccactc taggacaggt 1560
catcctcccc gagtccctgc tgctgcgctc ctttgcattc ctggccagtg accttgattt 1620
tatgaggcct ctgtgaggcc agccccacc ttcctcttcc ccacctgtcc caggaccaga 1680
atccagggga cagaggactg ggtagcaggt tccttctgtt gtcctgtgtg gtgtgtctac 1740
tgtgaggggt ggccctgagg agacctgtgg gccacctatt gtctaataaa gtgngcagtt 1800
gcccccaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaa 1853
```

<210> 219

<211> 1093

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1090)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1091)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1092)

<223> n equals a,t,g, or c

<400> 219

```
gcgtgctggc tctacacccc gcgtgcgcc aggggtgctg ctgtatccc caccggggt 60
ccgagctgcc cctgcagcgc tggctatggg cgagggcact tgtgagaagc gccgggacgc 120
```

```

cgagtatggc gccagcccgg agcagggtgc agacaatggc gatgaccact cagaaggagg 180
cctggtggag aaccacgtgg acagcaccat gaacatgttg ggcgggggag gcagtgtctg 240
ccggaagccc ctcaagtcgg gtatgaagga gctggccgtg ttccgggaga aggtcactga 300
gcagcaccgg cagatgggca aggggtggcaa gcatcacctt ggcctggagg agcccaagaa 360
gctgcgacca cccctgccca ggactccctg ccaacaggaa ctggaccagg tcctggagcg 420
gatctccacc atgcgccttc cggatgagcg gggccctctg gagcacctct actccctgca 480
catccccaac tgtgacaagc atggcctgta caacctcaaa cagtgcäaga tgtctctgaa 540
cgggcagcgt ggggagtgct ggtgtgtgaa ccccaacacc ggggaagctga tccagggagc 600
ccccaccatc cgggggggacc ccgagtggtca tctcttctac aatgagcagc aggaggtctg 660
cggggtgcac acccagcggg tgcagtagac cgcagccagc cgggtgcctg cgccccctgc 720
ccccgcccc ctccaaacac cggcagaaaa cggagagtgc ttgggtggtg ggtgctggag 780
gattttccag ttctgacaca cgtatttata tttggaaga gaccagcacc gagctcggca 840
cctccccggc ctctctcttc ccagctgcag atggcacacc tgctccttct tgctttcccc 900
gggggaggaa gggggtgtg gtcggggagc tggggtacag gtttggggag ggggaagaga 960
aatttttatt tttgaacccc tgtgtccctt ttgcataaga ttaaagggaag gaaaagtaaa 1020
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1080
aaaaaaaaan nna 1093

```

&lt;210&gt; 220

&lt;211&gt; 2155

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 220

```

accacgcgt ccgctagaga gggattttmc ggtctcgtgg gcagaggaac aaccaggaac 60
ttgggtcag tctccacccc acagtggggc ggatccgtcc cggataagac ccgctgtctg 120
gccctgagta ggggtgtgacc tccgcagccg cagaggagga gcgcascgg cctcgaagaa 180
cttctgcttg ggtggctgaa ctctgatctt gacctagagt catggccatg gcaaccaaag 240
gaggtactgt caaagctgct tcaggattca atgccatgga agatgcccg accctgagga 300
aggccatgaa agggctcggc accgatgaag acgccattat tagcgtcctt gcctaccgca 360
acaccgcccc gcgccaggag atcaggacag cctacaagag caccatcggc agggacttga 420
tagacgacct gaagtacaaa ctgagtggca acttcgagca ggtgattgtg gggatgatga 480
cgcccacggt gctgtatgac gtgcaagagc tgcgaagggc catgaaggga gccggcactg 540
atgagggtcg cctaattgag atcctggcct cccggacccc tgaggagatc cggcgcataa 600
gcaaaccta ccagcagcaa tatggacgga gccttgaaga tgacattcgc tctgacacat 660
cgttcatgtt ccagcgagtg ctggtgtctc tgtcagctgg tgggagggat gaaggaaatt 720
atctggacga tgctctctg agacaggatg cccaggacct gtatgaggct ggagagaaga 780
aatgggggac agatgagggt aaatttctaa ctgttctctg ttcccgaac cgaaatcacc 840
tgttgcatgt gtttgatgaa tacaaaagga tatcacagaa ggatattgaa cagagtatta 900
aatctgaaac atctggtagc tttgaagatg ctctgctggc tatagtaaag tgcattgagga 960
acaaatctgc atattttgct gaaaagctct ataaatcgat gaagggttg ggcaccgatg 1020
ataacaccct catcagagtg atggtttctc gagcagaaat tgacatgttg gatatccggg 1080
cacacttcaa gagactctat ggaaagtctc tgtactcgtt catcaagggt gacacatctg 1140
gagactacag gaaagtactg cttgttctct gtggaggaga tgattaaaat aaaaatccca 1200
gaaggacagg aggattctca acactttgaa tttttttaac ttcatttttc tacactgcta 1260
ttatcattat ctcaaatgc ttatttccaa ttaaaacgcc tacagctgcc tctagaata 1320
tagactgtct gtattattat tcacctataa ttagtcatta tgatgcttta aagctgtact 1380
tgcatttcaa agcttataag atataaatgg agattttaaa gtagaaataa atatgtattc 1440
catgttttta aaagattact ttctactttg tgtttcacag acattgaata tattaaatta 1500
ttccatattt tcttttcagt gaaaaatttt ttaaatggaa gactgttcta aaatcacttt 1560
ttccctaata ccaattttta gagtggctag tagtttcttc atttgaaatt gtaagcatcc 1620

```

```

ggtcagtaag aatgcccac cagttttcta tatttcatag tcaaagcctt gaaagcatct 1680
acaaatctct ttttttaggt tttgtccata gcatcagttg atccttacta agtttttcat 1740
gggagacttc cttcatcaca tcttatgttg aaatcacttt ctgtagtcaa agtataccaa 1800
aaccaattta tctgaactaa attctaaagt atgggttatac aaaccatata catctgggta 1860
ccaaacataa atgctgaaca ttocatatta ttatagttaa tgtcttaatc cagcttgcaa 1920
gtgaatggaa aaaaaaataa gcttcaaact aggtattctg ggaatgatgt aatgctctga 1980
atthagtatg atataaagaa aacttttttg tgctaaaaat acttttttaa atcaattttg 2040
ttgattgtag taatttctat ttgcactgtg cctttcaact ccagaaacat tctgaagatg 2100
tacttggatt taattaaaaa gttcactttg taaaaaaaaa aaaawaaaaa aaaac 2155

```

<210> 221

<211> 1264

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (4)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (5)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (7)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (17)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (22)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (125)

<223> n equals a,t,g, or c

<400> 221

```

gtcnnngac agtgacngta cngtattccc gggtcgaccc acgcgtccgg taaaattctg 60
ggctctggta tcagttcctc ttcagtattg catggcatgg tttttaagaa ggaaaccgaa 120
gtgantgtaa catctgtcaa agatgcaaaa atagcagtggt actcttggtc ttttgatggc 180
atgataacag aaactaaggg aacagtgttg ataaagactg ctgaagaatt gatgaatttt 240
agtaaggagg aagaaaacct catggatgca caagtcaaag ctattgctga tactggtgca 300

```

```

aatgtcgtag taacaggtgg caaagtggca gacatggctc ttcattatgc aaataaatat 360
aatatcatgt tagtgaggct aaactcaaaa tgggatctcc gaagactttg taaaactgtt 420
ggtgtctacag ctcttcctag attgacacct cctgtccttg aagaaatggg aactgtgtac 480
agtgtttacc tctcagaagt tggagatact caggtggtgg tttttaagca tgaaaaggaa 540
gatggcgcca tttctaccat agtacttcga ggctctacag acaatctgat ggatgacata 600
gaaagggcag tagacgatgg tgttaatact ttcaaagtgc ttacaaggga taaacgtctt 660
gtacccggag gtggagcaac agaaattgaa ttagccaaac agatcacatc atatggagag 720
acatgtcctg gacttgaaca gtatgtctatt aagaagtttg ctgaggcatt tgaagctatt 780
ccccgcgcac tggcagaaaa ctctggagtt aaggccaatg aagtaatctc taaactttat 840
gcagtacatc aagaaggaaa taaaaacgtt ggattagata ttgaggctga agtccctgct 900
gtaaaggaca tgctggaagc tgggtattcta gatacttacc tgggaaaata ttgggctatc 960
aaactcgcta ctaatgtctg agtcactgta cttagagtgg atcagatcat catggcaaaa 1020
ccagctggtg ggcccaagcc tccaagtggg aagaaagact gggatgatga ccaaatgat 1080
tgaaattggc ttaattttta ctgtaggta aggctgtatt tgtagtagta ctcaagaatc 1140
acctgatgtt ttcttattct ccttaaatta agagttattt tgtgtttgta ttcttggctg 1200
gatgttataa taaacatatt gttactgtca aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1260
aaaa                                              1264

```

&lt;210&gt; 222

&lt;211&gt; 2085

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 222

```

ccttgggaga ggaggaacag gcccttgggc agatgcaggc attaccagca gggagcagac 60
ttacctccga agatggagac aggtgactga gagctgcagg cctcctctgc tcttccaaac 120
acgtagcatt tgcacccctc caaagccatc tttgtaaagg aaaacgtatt tgtaattgaa 180
tccagaagaa tttagttaga catagacata actcttcaac cttaactatg gcaatacatt 240
tgtgctttta ctgttacata gcagtatcac cacttaccag gatccaaatc gaaataataa 300
aagctgtctc catagtttta aatcgaatag tgccatcatc acagtatatt agtcaaatag 360
aagcttcctc agaaatgtat cccacataga gttttaagac ttggattctc ttctgccctt 420
gttaatctcc aactaattac tacagattga cacgttttta attagctgtc ctttgtaaga 480
agtcaggaaa cctgatgctg tgtccaaaat tatgcactgt ttgttgaagt agaaccagaa 540
atcctgacct cctgttaaat gacatcagtt tccccctctg agcaacagac tgcttgcctt 600
gctaggagag gaggatgggg ggctgagcac tcaggctgtc cattgaaacc ccttgtccat 660
gaatagggtc atactcctaa gactgatggg gtgttgatct tctaggacat cacttgttta 720
ttcagtcccc caaacacaga tttctcttct agcactttag agttgatcct tgaagtctct 780
cctggttcat tcaaatacaa gctgtgtgag tctggtggtt ttctgtgatt ggtctaattg 840
gagctctttg aacagacaga tctgacagtg aatgactctc ccctgcttct ggcataactg 900
ctttgcctct gtctagtgtc caagcatctt agctgttcaa gaggagaggg cagcataact 960
tcctgaccac cgggtgcaga tatcagagca ttctggactc ctgagaggca gtggcctctt 1020
gagtgaacag gggaggccag tagatgcccc agatccagag ccgtggctgc aaatccagca 1080
ggaataagga gggacaacca cagcctctc atccatgtgt catttccaag gggttgctt 1140
gtgtctcagc tcattctggg cagcacgttt gtcttctgtc cctagagatt tgaaggattt 1200
tggaactctt tgaatgggtg actggacttg gctttacaga gttgggtgct ttttctctc 1260
tgcaattacc tgtcatagca ttttgtgctc accacgaagg atggtctctg ccttctcttg 1320
tcggtgtatg ccactctaac ctaggaaac aaagtatatt ggcctcaaac ggagaccag 1380
ggttgccagt tttccgtggg ccttcccctc ccttgaaatg tctttaatta cctcccctt 1440
atcgtcaggc cacgtgtgac ttctgttctt agcactgcca gggtcattga cttccatcta 1500
agcttgcatc aggaagatgt tccttctgtg atcattggta ctgaagccag aaaagctctc 1560
attcaggaac tctgaagagc aaaaagggac aaacactaac tgctgagctg ggccatttga 1620

```

tctcctttca ccttgcaattg ctgtcacagc accttgtatg atggcaggac aggctccagc 1680  
agagagaact gcacagtgc cactgtattt ttcacgctct tccagggatc cctgtccccc 1740  
gacattgaag agatctcatt caggccagag acacagagac cacatagccc agtgattaaa 1800  
ccccggtttc actctggccc caggagtgga gcctggccac tcctgttttg ttctcactgg 1860  
gaggcccaact ggcttggat catctcctca tgcacaccgc gagttttacc tgcttgcttg 1920  
ctttcctgga ctgctgtttg caagaaagta actaaaacat gaaaagtaaa cctccagctt 1980  
ccacagtata ttacctgccg ttgcatgcat ttgaaagta rcctcctccc ttgccaccgt 2040  
cttkgtggca gtagcggatg caagaatgga tgggagcttt ccgag 2085

<210> 223

<211> 2921

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1609)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2919)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2920)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2921)

<223> n equals a,t,g, or c

<400> 223

aaaaaaaaa aaaaaaagaa aaaaaaagaa aaagaaaaga aaggagcagg gaggtagagc 60  
cctctgtacc ctccatcacc agaaaaagct gaagaggggc tgagtaggag ggacagatgc 120  
tggccagggc acagggtttg aagcataaaa ctcttgccct gtttgctgac tcgttgagac 180  
aggggtgcca gaaggggata gacttcctg gggcgtgggg agagcaggag gctcaagtga 240  
gatgctcttg gtgctagaaa ccgccctccc tcatgcctgg ggtctctccc tgccaggacc 300  
ctgmcccgc taggctctgc cctgtctcat ccagcccaa cagcatggtg gtggaacacc 360  
ccgagttcct caaggcaggg aaggagcctg gcctgcagat ctggcgtgtg gagaagttcg 420  
atctggtgcc cgtgccacc aacctttatg gagacttctt caccggcgac gcctacgtca 480  
tcctgaagac agtgcaactg aggaacggaa atctgcagta tgacctcac tactggctgg 540  
gcaatgagtg cagccaggat gagagcgggg cgccgccat ctttaccgtg cagctggatg 600  
actacctgaa cggccggggc gtgcagcacc gtgagtccag ggcttcgagt cggccacctt 660  
cctaggctac ttcaagtctg gcctgaagta caagaaagga ggtgtggcat caggattcaa 720  
gcacgtggta cccaacgagg tgggtgtgca gagactctt cagggtcaaag ggcggcgtgt 780  
ggtccgtgcc accgaggtac ctgtgtcctg ggagagctt aacaatggcg actgcttcat 840  
cctggacctg ggcaacaaca tccaccagtg gtgtggttcc aacagcaatc ggtatgaaag 900  
actgaaggcc acacaggtgt ccaagggcat ccgggacaac gagcggagtg gccgggcccc 960

```
agtgcacgtg tctgaggagg gcaactgagcc cgaggcgatg ctccagggtgc tgggccccaa 1020
gccggctctg cctgcaggta ccgaggacac cgccaaggag gatgcggcca accgcaagct 1080
ggccaagctc tacaaggtct ccaatggtgc agggaccatg tccgtctccc tcgtggctga 1140
tgagaacccc ttcgcccagg gggccctgaa gtcagaggac tgcttcatcc tggaccacgg 1200
caaagatggg aaaatctttg tctggaaagg caagcaggca aacacggagg agaggaaggc 1260
tgccctcaaa acagcctctg acttcatcac caagatggac taccccaagc agactcaggt 1320
ctcggctcct cctgagggcg gtgagacccc actgttcaag cagttcttca agaactggcg 1380
ggacccagac cagacagatg gcctgggctt gtcctacett tccagccata tcgccaacgt 1440
ggagcgggtg cccttcgacg ccgccacctc gcacacctcc actgccatgg ccgccagca 1500
cggcatggat gacgatggca caggccagaa acagatctgg agaatcgaag gttccaacaa 1560
ggtgcccgtg gacctgcca catatggaca gttctatgga ggcgacagnt acatcattct 1620
gtacaactac cgccatggtg gccgccaggg gcagataatc tataactggc aggggtgccc 1680
gtctacccag gatgaggtcg ctgcatctgc catcctgact gctcagctgg atgaggagct 1740
gggaaggtacc cctgtccaga gccgtgtggt ccaaggcaag gagcccgccc acctcatga 1800
cctgttttgt ggggaagccca tgatcatcta caaggcgccg acctcccgcg agggcgggca 1860
gacagccctc gccagacccc gcctcttcca ggtccgcgcc aacagcgctg gagccaccg 1920
ggctgttgag gtattgccta aggtgtgtgc actgaactcc aacgatgcct ttgttctgaa 1980
aaccctctca gcgcctacc tgtgggtggg tacaggagcc agcgaggcag agaagacggg 2040
ggcccaggag ctgctcaggg tgctgcgggc ccaacctgtg cagggtggcag aaggcagcga 2100
gccagatggc ttctgggagg ccctgggcgg gaaggctgcc taccgcacat cccacggct 2160
gaaggacaag aagatggatg cccatcctcc tcgcctcttt gcctgctcca acaagattgg 2220
acgttttgtg atcgaagagg ttctgtgtga gctcatgcag gaagacctgg caacggatga 2280
cgtcatgctt ctggacacct gggaccaggc ctttgtctgg gttggaaagg attctcaaga 2340
agaagaaaag acagaagcct tgacttctgc taagcgttac atcgagacgg acccagccaa 2400
tcgggatcgg cggacgcca tcaccgtgtg gaagcaaggc tttgagcctc cctcctttgt 2460
gggtgtgttc cttggtgtgg atgatgatta ctggtctgtg gacccttgg acagggccat 2520
ggctgagctg gctgcctgag gaggggcagg gccacccat gtcaccggtc agtgcctttt 2580
ggaactgtcc ttcctcaaaa gaggccttag agcgagcaga gcagctctgc tatgagtgtg 2640
tgtgtgtgtg tgtgtgtgtt cttttttttt tttttacagt atccaaaaat agccctgcaa 2700
aaattcagag tccttgcaaa attgtctaaa atgtcagtgt ttgggaaatt aaatccaata 2760
aaaacatttt gaagtgtgwa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2820
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2880
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa n 2921
```

<210> 224

<211> 4395

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (325)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (4382)

<223> n equals a,t,g, or c

<220>

<221> misc feature



&lt;222&gt; (4391)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 224

```
ggtaagtcct ttattcatag cacagtcctc actaaacata aggagcttca tctggaagaa 60
gaagaagaag atgaagcagc agcagctgca gcagcagcag cccaggaagt tgaagccaat 120
gtccatgttc cacaagtagt tctgaggatt cagggtctaa acgtagaggc tgctgagcca 180
gaagtggagg ctgccgagcc agaagtggag gctgctgagc cagaagtgga ggctgctgag 240
ccaaacggag aggctgaagg gccagatgga gaggtctgag agccatttg agaggctgga 300
cagccaaatg gagaggccga gcagncaa atgagggtct atgagccaga tgggtcaggt 360
attgaagacc cagaagaaag agctgaagag ccagagggca aaagctgaag agccagaggg 420
agatgccgac ggagccctga cgggtgtgga attgaagcac ccaggaagaa ggtgaagtat 480
caagagattc aggtagaaga accatactat gactgccatg aatgcacaga aaccttact 540
tccagcacag cattcagtga acacctgaaa actcatgcca gcatgatcat atttgagcct 600
gcaaatgcct ttggggagtg ctcaggctac atcgaacgtg ccagcaccag cacaggtggt 660
gccaatcaag ctgatgagaa gtacttcaaa tgtgacgtct gtgggcagct cttcaatgac 720
cgctgtccc tcgccagaca ccagaatacc cacactggct gagggcatgg ggtaaagggt 780
agaaaacctt cacctaggac ttgacctta ccaaaccaca gagaatcaa accaatccat 840
gataatgtca gtaggagact taaccttagt gtgttacaca cctgacttaa catctctaaa 900
ctcagattga aaagagaccg aatgtgcaga ttccacagtc ttaagctttc cccttcagat 960
gtcagtgtct gcatgtggga aagccatagc acacatctta cttttccaag taatcagatt 1020
gagaaaaccc tatgagtatt ccagactaca gagtttgccc aaatcaactg taaatgacac 1080
ttgtgtaacg tatatatagt gtttcatgag gtgtatataa aatagcaaat tatgacagaa 1140
cagtgtacac atatatattg atttatatga tatacagtta cagtttactc tgcagaggta 1200
ccttacctgg tattctttga atttttttt tttttggagg aggaagagag caacaaattt 1260
gattatattt ttaagtgtct tagatcctga gaaagattta ttgtgcatta tttgaacctt 1320
gtcaatatct ttttgagtaa ttgttttgtt tcttaccctt aaatagctct gtgaagctgt 1380
aggcatgata gataacatgg cttttactcc ttactgtttg aaaagataag tacttttagct 1440
tctttctgca gccatttcat ctgcrccaac actttggaac ctaatactgt gtaaggcttt 1500
acaatatagc gattggcttt ttgtgaccca gattgattgg ttgccacatg ttatgtttgt 1560
tgaagtgggt ctcattgcaa aatattacac atttgtgttc tgggtttttt ttttttttta 1620
accaatacaa tatgtgtttg atgatatgga attgataaaa cccgaagctt ttccctgtaa 1680
atcttacatc tttgccttta aagaatgggt tacaaccatc actagatcac agtagtcct 1740
aatgaagggt gagaaccgta ggagaggctc tcagtctgta aataatgttg caggctaata 1800
acctttcatc acttcctttg tgcgcttcct gccttaagtg acaagtagca acatggcttg 1860
ggtcccctgt gcagcatcag cttatgtctc cacaagtcag tttkcaccct aggtgcccag 1920
gagctagtat ccttagatct ttctatcgct aacttaattc tcttcgttat ttatctgacc 1980
ctctaactcc atgtctaact tgcattaaaa aaaaaaaat tctttacagt caacccaagc 2040
ttaacatgga ctcaggttcc ccagcagcct taatttggtt tgtaaacatc tgttccttct 2100
ttttcagctc tcctagagta tttctgagtg ttgtgttcat ctaatcttag tattctttta 2160
attacaaatt gacctcacag cttgaggttt cttgtgtcct attctgtgga ctacctgtgc 2220
tcctttgctt cccctcccct cgcataataa ctatattaag aaattttttt tggccttgag 2280
ttggctggaa aaaaaatata aaatttaaaa aatttaaaaa aaaagatttg caaaatgtaa 2340
gtgtagatca tttgaacaag caaaattaaa gtaccactg ggggaaatgt gtctgaatct 2400
tactcttctg gatctgcagg attagggtct ggaagtatgt caaagatgsa gggagtgtca 2460
aagtttagga agattgtaga gctgagagca agaagcagaa atgagttagt caaagaaggg 2520
agtcctaata catcaccaga tctaggaggg gagaggagac agacagaaga aaacaccaga 2580
ggcaagaact gtagaaggcc aggtttctga gaattgaatt agcgggggtg cctgagcagt 2640
ttggaaaagg agtttttgat ggtatggtgt aggtgagggc tggctgcata ggaaggactg 2700
aggttggaac ggacatcggt aaagctgagg ggcagtgagg tttactacat gggaaaagga 2760
ctcttgaaac gagaatcagt gttgatgtcr ggggtgaact tgtgggtaca ttacttggtg 2820
```

```

ttaacattgt tggcagtggt agcccccttt cagaaagcaa cttgctgtaa gtcaggggtgt 2880
ccgttccaac cttcagctag tgaaaaggta gtaacaaatg gtaacaaga gaatgattgt 2940
ttaaacctat ctgtggacac ttaatgcaac tgtttaaaaa tgataatcac gagttatgta 3000
gcaacgtgga aatatattta cagaacatta agtggagaaa gcaggacacg aaagtatat 3060
tatactacag ttataactca acagttcatt tatatgctgt tcatttaaca gttcatttaa 3120
acagttcatt ataactgttt aaaaatatat atgcttatag tcaaaagctg ttgtgggtgt 3180
gttggtgtag gcttatagtt gagcattatt ttcttaaaatt tcttgaatgt tctttatggt 3240
agtgttacta aaaagtattat gatcacattt tcattgtgaa cataatttga actcattatc 3300
acacacttgg aaaatacaga aaagtggagg aaaaaaaatc atatccccac catocaaaga 3360
catatactct cctcttatct tgttcattct tgtttctgtg cacagggtta tgattataac 3420
tgtgtcaaaa tgatatattca aaatagctgt tacattacct ttgtggratt atgggttaa 3480
actttcactt taattttttc aaatgttccc tataataatg tcctgataac agtgtattat 3540
gtgtgtctcc attggtgtgc ataatacata ccagaggaa aaattagaaa ataaagtaaa 3600
ttattttaaa aaattaccta tattcccaac acctaacaac tactgctaac atcttgatct 3660
gtttcctcta tcttgtttca gtgcacacgc ttgtgataac agtggttaa atgtgtgcat 3720
aaagtcttaa atgaaaagat gtggaataa actaaaatag tgttgtcatt gtgggaattt 3780
ggttaaatat tttgtctcaa attccttaaa taatctttgg tgttttggt ataaatttta 3840
tgtatgtatt ttccattaca aatataatac atactcatac aaaactttgg aaattcagta 3900
aagaaaattc acacatattc ccaacacca acaacaatta actgttaaca tcttgatctg 3960
tgcactagtc tgtgattatt aggggtgttag tgataagtat gcataaatgt caaagatggg 4020
aagaaagatg aaaaacaaga aatagttgtg tgggtgtgtg gggattatgg ttattttgtt 4080
tcggtttcct tgaaagggtca tcattctagt gttttggtag tccacctta ctacatatat 4140
ttccattata tatgaaatgt gttcattata gaaactttga agttacagaa atgtagaaga 4200
gaaactcacc catgttttca ccatccaaag agtgtggtta acatcttgat atattttctt 4260
catcttggtt ctgtgcacag gtttttggtt tgtaaatatg gttgtggtca ttctatctgt 4320
aatagtgtca acaataaaaa taaagttaaa aataaatatt aaaaaagaaa aaaaaaacc 4380
cngggggggg nccgg 4395

```

<210> 225

<211> 3035

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2911)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2959)

<223> n equals a,t,g, or c

<400> 225

```

cccggagcag cgcggcagca gcatggetca cgggcccggc gcgctgatgc tcaagtgcgt 60
ggtggtcggc gacggggcgg tgggcaagac gtgcctactc atgagctatg ccaacgacgc 120
cttcccggag agtacgtgcc caccgtcttc gaccactacg caggaagact atgaccgtct 180
gaggccttta tcttacccaa tgaccgatgt cttccttata tgcttctcgg tggtaaattc 240
agcctcattt caaaatgtka aagaggagtg ggtaccggaa cttaaggaat acgcaccaa 300
tgtacccttt ttattaatag gaactcagat tgatctccga gatgacccca aaacttttagc 360
aagactgaat gatatgaaag aaaaacctat atgtgtggaa caaggacaga aactagcaaa 420

```

```

agagatagga gcatgctgct atgtggaatg ttcagcttta acccagaagg gattgaagac 480
tgtttttgat gaggctatca tagccatttt aactccaaag aaacacactg taaaaaaaaaag 540
aataggatca agatgtataa actgttggtt aattacgtga gaaacatctt cagtggccaa 600
ggaaactgtc catttctctc agaaagcaaa tgaaatgcta cagctatacc cagacctttt 660
ataggtaatg aagcagttca aaacttgaaa gaaaacaaaa cctgtcctca gaattctata 720
aagtgtatta agaatgttcc ttaaaggttt aagaagcagt aagcagcatc tgaagccaca 780
atctattata aatactttat ttcaactaga aggtacaatc tctcaggggt ttcatagttt 840
aaaaagctac aatcacatca tgttgtaact acgtaaaaaa cagagctgta aatggaactg 900
cttggtcttg accatacaca tttctgcccc gcccttacag aatctgcaca aagaaatc 960
tccctttgct ccagttaatt gttcttgat gtaagttgct ttctattcca gtatatccag 1020
agtgggtaaa taacaaggcc agccacgtag ccaaaggctg ctccaagcgt acaggagatg 1080
ggccatacct gaggagagaa tgtatgagat caaaaaagaa caaatgtttt attattactt 1140
gagcacaagt gtaacctaaa ttttctata ttaaagctta atgtgctttc ttaaagaatg 1200
ccaaaagtgt aataaggctc taactgcatt tatcatgaac actaaaaatg tacacatttt 1260
agttaatgtg cattaactgt taacaaggct tctggcaatt gtagatttag ttgacgctc 1320
cccaaagtgc atgagacaca tgctaaaatt acaaatataa attttgggtc agactttgcc 1380
ataatgatag actcaattta gctctctgaa ctagtggta atttttttt tttaattccc 1440
actttggctg tgtacatcaa atgaaatgag aagtgtgtat gctgaccaa ccacaagaaa 1500
ctttctttaa gttgtgttaa agaggaaaga cctagaatcc aagcgtgtta catgaaaatt 1560
gtaacagagc agctgcttcc accttcaga tatagatgtt ggaaccacag cagaagtat 1620
agagcgacaa cttatataca cacctagaat gtaagttaa caaaataccg gcttcacag 1680
acctctttc tccagccata ttacatcagg ctagaagtaa ttaatgttga tttatttcat 1740
ctacaagcag ttggtcccta agtgaaaggc tctgcttgaa aaaaaaaga aaaaaaagt 1800
ggaggaaaat tttcatgttc ttctgtgaag cttatttggg acactggagc catttctaat 1860
ctttctctgg ggggaacagg ccacagaact gtgttagagg tgaaccatct taattactag 1920
ttctattacc taattcagct tccttggttg gtctgctgtg gatctgcctt attgcatatg 1980
ccatgcatca gataatgat gcatcagata atggtgttag acaaagcttc attgtgaaca 2040
acctaagca ttttagagaa acaatctcat cacatttttt ctgcctttc ctacatttaa 2100
acttgctgtt gcccaaatta taatttttta aatgtctttg gtgggcttct gtttaattcac 2160
atgacttgag cttatagcta tgtctactgc acagattggg taatggaaca ctaaactttt 2220
atacttgaaa atgacagcct taaatgctca tatcagtcac aaatctagga tgtactgtct 2280
tggtgtatgt gagctttgta gagattttta aaaatataag catcaccttc ccattgaaga 2340
gtggagagag tctactggat gactggccag gaactttctc tctgaatcgg acatttggat 2400
gtcttctttc ttccaagaaa tgggtgttca cattaaagta tcatggcctt atgtatgctc 2460
aaatggaatc ttatgtaact ttctatttta attttggctc gcttattttt agataaaatt 2520
gaaaggaatt gtataaatca attaacatat tagctgagtt gtccaacaca tggataaac 2580
gaattacaac agtaaaactat tacacatttc caactgcct ttggggattt atgaggattt 2640
tttttgggtg ggggaggggg ctccaattca tatctctgaa accttcaca cttggtttac 2700
taattcaaak ttagaagtct agaatttgcc ctgccctaac agaaacagat taggaatttg 2760
tctacacaaa ctggtgtcac ctggttcttg actgggattt ggtttcctca ttataaatat 2820
gggaggtaga acagagatct ccaacgtctc tcccatttat cacagtaatt ttcttattca 2880
cagtaatcat tgttggrtgt tactttttca ncttcacatt ctcaagatgg taaaaatcat 2940
gtatatagat tatcagaant ctaagcaaa atgactgtca catctgaagc tgaggtgcct 3000
taggtacatc ggccgcgacc acggttaagcc gaatt 3035

```

&lt;210&gt; 226

&lt;211&gt; 1511

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 226

ccggctccgc tgcggaaggc ggacgactag agtcgttggg cccggcgcgga cccgcaggag 60  
cgtagagagc gcgggactag agtcgagagc tccgggacgt ggatcggagc cggcgcgatg 120  
ggcggagagc aggaggagga gcggttcgac ggcatgttgc tggccatggc tcagcagcac 180  
gagggcgggc tgcaggagct tgtgaacacc ttcttcagct tccttcgacg caaaacagac 240  
tttttcattg gaggagaaga agggatggca gagaagctta tcacacagac tttcagccac 300  
cacaatcagc tggcacagaa gacccggcgg gagaagagag cccggcagga ggccgagcgg 360  
cgggagaagg cggagcgggc ggccagactg gccaaaggaag ccaagtcaga gacctcaggg 420  
ccccagatca aggagctaac tgatgaagag gcagagaggc tgcagctaga gattgaccag 480  
aaaaaggatg cagagaatca tgaggccag ctcaagaacg gcagccttga ctccccaggg 540  
aagcaggata ctgaggaaaga tgaggaggaa gatgagaagg acaaaggaaa actgaagccc 600  
aacctaggca acggggcaga cctgcccaat taccgctgga cccagaccct gtcggagctg 660  
gacctggcgg tccctttctg tgtgaacttc cggtgaaag ggaaggacat ggtggtggac 720  
atccagcggc ggcacctccg ggtggggctc aaggggcagc cagcgatcat tgatggggag 780  
ctctacaatg aagtgaaggc ggaggagagc tcgtggctca ttgaggacgg caaggtggtg 840  
actgtgcatac tggagaagat caataagatg gagtgggtga gccgcttggg gtccagtgc 900  
cctgagatca acaccaagaa gattaaccct gagaattcca agctgtcaga cctggacagt 960  
gagactcgca gcatggtgga aaagatgatg tatgaccagc gacagaagtc catggggctg 1020  
ccaacttcag acgaacagaa gaaacaggag attctgaaga agttcatgga tcaacatccg 1080  
gagatggatt tttccaagc taaattcaac tagccctgt ttttctctcc ctgaactctt 1140  
ggggctgagc tgcaaccacc caactttctt tccactctt ctctgggact tgtgggcctc 1200  
agggcttggg gcaggcatgg gactggccca ggcacacagg tcccggggca tcaggagaaa 1260  
ggctgggtct tgggacctg tctccccag ttggcctact gttacacatt aaaacgattt 1320  
gcccagctcc ttctgtgtcc tctcttgct ctggccttcc tctggggcac aggcctctta 1380  
cggctgctgc tgggaactgg gaktttggct tctagcccag attctgccat gtgacctagg 1440  
gcacatcctt gcccctctct gggcctcagt ttctcattac ttaaagatta aaacaagctt 1500  
tgccggtgtt a 1511

<210> 227

<211> 2239

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2238)

<223> n equals a,t,g, or c

<400> 227

ggcacgaggg gagctggggg ctgagtttcc ctgagtagag gctggcacag gagagaaggg 60  
atcccccca cctcgtccag gccagaagat gtccagcttc ttgaggtctt cctaagtctg 120  
gctctcctgg gaccaagaga aaatcccggc ccttgaccaa gaagctgctg atgggagctc 180  
caccctggga gggggtgccg gcaccatggg attgagcgcc cgctacggac cccagttcac 240  
cctgcagcac gtgccgact accgccagaw tgtctacatc ccaggcagca atgccacact 300  
gaccaacgca gctggcaagc ggggatggca agggcccagc aggtggcaat ggcaacaaga 360  
agaagtcggg caagaaggag aagaagtaac atggaggcca ggccaagagc cacagggcgg 420  
cctctcccca accagcccag cttctcctta cctgcacca ggcctcagag tttcagggtt 480  
aacccccaga atactggtag gggccaaggc catgctcccc ttgggaaaca gaaacaagtg 540  
cccagtcagc acctaccctt tccccccag gggkttgaat atgcaaaagc agttccgctg 600  
ggaaccccc tccaatcaac tgctgtacct atgggggtag tggggttact gtagacacca 660  
agaaccattt gccacacccc gtttagttac agctgaactc ctccatcttc caaatcaatc 720  
aggcccatcc atcccatgcc tccctctctc ccacccact ccaacagttc ctctttcccc 780

```

agtaaggtgg ttggggtggt gaagtaccaa gtaacctaca agcctcctag ttctgaaaag 840
ttgsaagggc atcatgacct cttggcctct cctttgattc tcaatcttcc cccaaagcat 900
ggtttgggtgc cagccccttc acctccttcc agagcccaag atcaatgctc aagttttgga 960
ggacatgatc accatcccca tgggtactgat gcttgctgga tttagggagg gcattttgct 1020
accaagcctc ttccaacgc cctggggacc aktctctgt tttgttttc attgtttgac 1080
gtttccactg catgccttga cttccccac ctcctctca aacaagagac tccactgcat 1140
gttccaagac agtatggggt ggtaagataa ggaagggaag tgtgtggatg tggatgggtg 1200
gggcatggac aaagcttgac acatcaagtt atcaaggcct tggaggaggc tctgtatgtc 1260
ctcaggggac tgacaacatc ctccagattc cagccataaa ccaataacta ggctggacct 1320
ttcccactac ataatagggc tcagcccagg cagccagctt tgggctgagc taacaggacc 1380
aatggattaa actggcattt cagtccaagg aagctcgaag caggtttagg accaggtccc 1440
cttgagaggt cagagggggc tctgtgggtg ctgggtactc cagaggtgcc actggtggaa 1500
gggtcagcgg ascccagcag gaagggtggg ccagccaggc cattcttagt ccctgggttg 1560
gggaggcagg gagctagggc agggaccaa tgaacagaaa gtctcagccc aggatggggc 1620
ttcttcaaca gggcccctgc cctcctgaag cctcagtcct tcacctgccc aggtgccgtt 1680
tctcttccgt gaaggccact gccaggtcc ccagtgcgcc ccctagtggc catagcctgg 1740
ttaaagtctc ccagtgcctc cttgtgcata gacctcttc tcccacccc ttctgcccct 1800
gggtccccgg ccatccagcg gggctgccag agaaccaccag acctgccctt acagtatgt 1860
agcgccccct ccctctttcg gctgggttag aatagccagt agtgtagtgc ggtgtgcttt 1920
tacgtgatgg cgggtgggca gcgggcgcg ggctccgcgc agccgtctgt ccttgatctg 1980
cccgcgcggg ccctgtttgt gttttgtgct gtgtccacgc gctaaggcga cccctcccc 2040
cgtactgact tctcctataa gcgcttctct tcgcatagtc acgtagctcc caccacccc 2100
tcttctgtg tctcacgcaa gttttatact ctaatattta tatggctttt tttcttcgac 2160
aaaaaataa taaaacgttt cttctgaaaa aaaaaaaaaa aaaaaaaaaa gggggggccc 2220
ggtccccaat cccccctnt 2239

```

&lt;210&gt; 228

&lt;211&gt; 2346

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 228

```

ggcacgagcc gaccggcgcg gcgctagcct cggggcttga cgggattgtg gcggtcctct 60
ctccaattc ggaagctaca gctacctccg gacgctctca agatggcgac ctctctgggt 120
tccaacacct acaacaggca gaactgggag gatcgggact tccccattct gtgccagaca 180
tgtcttgagg aaaaccata tatccgaatg accaaagaaa agtatgggaa ggaatgcaaa 240
atctgtgcca ggccattcac agtgtttcgc tgggtccctg gagtccgcat gcgtttcaag 300
aagactgaag tgtgccaaac ctgcagtaaa ttgaagaatg tctgtcagac ctgcctctta 360
gacctagagt atggcctgcc catccagggt cgtgacgcag gattgtcttt taaagatgac 420
atgccaaagt cagatgtcaa caaagagtac tatacacaga atatggagag agagatttct 480
aactctgatg gaacacggcc agttggcatg ctggggaaag ccacatctac cagtgcacatg 540
ctgtcaaac tggcccgac cacaccctac tacaaaagga atcgacccca catttgctcc 600
ttctgggtga aaggagagt taagagagga gaggaatgtc catacagaca tgagaagcct 660
acagatccag atgacccct tgctgatcag aatattaaag accgttatta cggaatcaat 720
gatcctgtag ctgacaagct tctaaagcgg gcttcacaa tgctcggct ggaccacca 780
gaggataaaa ctatcaccac actatatgtt ggtggtctag gtgataccat tactgagaca 840
gatttaagaa atcatttcta ccagttcgga gagatccgga cgatcactgt tgtgcagaga 900
cagcagtgtg ctttcatcca gtttgccaca cggcaggctg cagaagtggc tgctgagaag 960
tcctttaata agttgattgt aaatggccgc agactgaatg tgaaatggg aagatcccag 1020
gcagccagag gaaaagaaaa agagaaagat ggaactacag actctgggat caaactagaa 1080
cctgttccag gattgccagg agctcttct cctcctctg cagcagaaga agaagcctct 1140

```

```

gccaactact tcaacttgcc cccaagtggc cctccagctg tgggtgaacat tgctctgcca 1200
ccgccccctg gcattgctcc acccccaccc ccagggtttg ggccacacat gttccaccca 1260
atgggaccac cccctccttt catgcggtct ccaggaccaa tccactatcc ttctcaggac 1320
cctcagagga tgggagctca tgctggaaaa cacagcagcc cctagcacct tgtcaccact 1380
ctggggctct gtggaagaaa gggcacttaa aactcccagt aaatcttga ataatatat 1440
tttctcttcc cttgtagttt ccatggtagc tgaatgtgct cagatgtgag cagtcagaga 1500
ctgacagcca tgctttccta tacttggtca aaggatcgat ggaccgtaaa taagctgcca 1560
ttaacacatc tggttactgc tgtaacatga ctaataaaac cgaacgcctg ttccccctac 1620
ccgtgtgggg gacacgcaga tgagtgaatt ggaatgtcca gcagagttac cctcccaatt 1680
atatgttcat tttgtatatt ttttggtcgg gggaaaaatt gacctgcagt aaaaaaacct 1740
ttgaccattt ttatgtccat tggatacttt cctttttatc atcttaaaaa aagataacta 1800
gtactaatca ttgtagtggc ctaagtgtga ttttaactctt gaagtcacac cctccgaaag 1860
atgagtagaa accagcacca gcacagccca gatcttctct ttcctctcct ttctctcatt 1920
tattcctaaa ggaatctgac cattttacgt ctctacggcc caaaaaaaga caaaaataaa 1980
aattcctttt tattcctgtc aactggatgg aaacacaaat ttcattggagc tgtgtacat 2040
cgaagaaacc tgggtgtctg catgaaatta ctgtaaaaga cttcctgtaa aacacgttct 2100
ttaacaaact gaaatgaaaa gcattggagc gtctgaatga aagacgtgac ctctgtctgg 2160
gactctgatg gtcttcagca ttcacctcgt tgtgtcttca gtgtctcatt gtcacccctg 2220
cttctgtttg gtcttagagt gtttggtat aactgaattg tagatggtaa aggaaatttg 2280
atgtgttttt tgtttttaaa taattaaaac gggccaattt ttcaaaaaaa aaaaaaaaaa 2340
aaaaaa

```

&lt;210&gt; 229

&lt;211&gt; 2246

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2235)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 229

```

ggcagacggc cgggtggcggc tgcggcaaca gcggggccga tgtgtagttg gtgactgcct 60
ctccagatgc tgaggtgcct gtatcatttg cacaggccag tgctgaaccg tagtggagta 120
ggctgtgcct tctgaagcag tatctattca caatgaagtt gcagtctccc gaattccagt 180
cacttttcac agaaggactg aagagtctga cagaattatt tgtcaaagag aatcacgaat 240
taagaatagc aggaggagca gtgagggatt tattaaatgg agtaaagcct caggatatag 300
attttgccac cactgctacc cctactcaaa tgaaggagat gtttcagtcg gctgggattc 360
ggatgataaa caacagagga gaaaagcacg gaacaattac tgccaggctt catgaagaaa 420
attttgagat tactacacta cggattgatg tcaccactga tggaagacat gctgaggtag 480
aatttacaac tgactggcag aaagatgcgg aacgcagaga tctcactata aattctatgt 540
ttttaggttt tgatggcact ttatttgact actttaatgg ttatgaagat ttaaaaaata 600
agaaagttag atttgttggc catgctaaac agagaataca agaggattat cttagaattt 660
taagatactt cagggttttat gggagaattg tagacaaacc tggtgaccat gatcctgaga 720
ctttggaagc aattgcagaa aatgcaaaag gcttggtctg aatatcagga gaaaggattt 780
gggtggaact gaaaaaaatt cttgttggtg accatgtaaa tcatttgatt caccttatct 840
atgatcttga tgtggctcct tatataggtt tacctgctaa tgcaagttaa gaagaatttg 900
acaaagtcag taaaaatgtt gatggttttt caccaaagcc agtgactctt ttggcctcat 960
tattcaaagk acmagatgat gtcmaaaat tggawttgag gttgaagatc gcgaaagagg 1020
agaaaaacct tggcttattt atagttaaaa ataggaaaga tttaattaaa gcaacagata 1080

```

gttcagaccc attgaaaccc tatcaagact tcattataga ttctagggaa cctgatgcac 1140  
actcgtgtat gtgaactact gaagtaccaa ggagagcact gtctcctaaa ggaaatgcag 1200  
cagtggtcca ttctccatt tcctgtaagt ggccatgaca tcagaaaagt gggcatttct 1260  
tcaggaaaag aaattggggc tctattacaa cagttgcgag aacagtggaa aaaaagtggg 1320  
taccaaattg aaaaagatga acttctgagt tacataaaga agacctaaaa ctgatggcta 1380  
ctaaaaagca gagcatttct ggtaagacta aattttctcc cctccctctt aatgaggttt 1440  
tagagactac accagaataa aagacagttt aggggacctc tgtagaacia caagggctct 1500  
atthttgtga ttatatattt caagaactaa acagagatcc acctttctgg atctgattta 1560  
tatcactgaa atgtacagtt cttttggaat agtttcacct gagaaaaacat agttggctat 1620  
tatcwatctt aacctgttca ggcttttaaa aaaaactggt tttgcatagg gtagtactaa 1680  
gatcttaaaa agtggttaact gtcttgaaga aaaaacgttt attgtttgtt tgcaattgaa 1740  
ataacagggt taccttaaca atgactgtct atgatgtgtc agttcttctc tgaattccaa 1800  
aataaacctg tgcttaaaaa agaaataatt gaccaagtaa gtttgcataa aatgtgaata 1860  
ctaaatgtgt cccagttgc tgccattcat atgtacagga tttgttctag caagctatgc 1920  
ttcagtatgt ggttgatatt tttctgtcac aatgatttct ttatgcatgc agagcctggg 1980  
aaagtcattg gattaacttg agggctcacta ttgagcctat taattaatta attattgttt 2040  
taataaaaca aacattggta ttggaagata aatatgttta tgtggtatct gacaatgtgt 2100  
attaggtgtc atatacaatg gtaatatgcc tgtctttaa gtgttatttt attaatataa 2160  
aggatatggc tattattata tattctctaa agatttatcc tctaaagaaa gatttgagtc 2220  
ctaaatgctt tcatncaggt aaataa 2246

<210> 230

<211> 2002

<212> DNA

<213> Homo sapiens

<400> 230

tctagactag tggatccccg ggctgcagga attcggcacg agatggcggc agcgatgcct 60  
gcccggctgt tggggtggcg gtgacgacag gcagcaaaag accagctggg ccagattcgc 120  
ctgctggagt gctggatgga gcctttctct gccctctgtg acatttccaa ttttagataa 180  
tgctcacat ctctgtcccc cgggacccc ctggagcccc catgatccct aagaagacag 240  
cttgaaacta gatctcacc ccaggatgtt gcggaggctg ctggagcggc cttgcacgct 300  
ggcctgctt gtgggtccc agctggctgt catgatgtac ctgtcactgg ggggcttccg 360  
aagtctcagt gccctatttg gccgagatca gggaccgaca ttgactatt ctcaccctcg 420  
tgatgtctac agtaacctca gtcacctgcc tggggcccca rgggtctc carctctca 480  
aggtctgccc tactgtccag aacgatctcc tctcttagtg ggtcctgtgt cgggtgctt 540  
tagccagtg ccatcactgg cagagattgt ggagcggat ccccggttag aaccagggg 600  
ccggtaccgc cctgcagggt gtgagccccg ctcccgaaca gccatcattg tgcctcatcg 660  
tgccgggag caccacctgc gcctgctgct ctaccacctg cacccttct tgcagcgcca 720  
gcagcttgc tatggcatct atgtcatcca ccaggctgga aatggaacat ttaacagggc 780  
aaaactgtt aacgttggg tgcgagagg cctgcgtgat gaagagtgg actgcctgtt 840  
cttgacgat gtggacctt tgccagaaa tgaccacaat ctgtatgtgt gtgacccccg 900  
gggacccgc catgttgccg ttgctatgaa caagtttga tacagcctcc cgtaccccc 960  
gtacttcgga ggagtctcag cacttactcc tgaccagtac ctgaagatga atggcttccc 1020  
caatgaatac tggggtggg gtggtgagga tgacgacatt gctaccaggg tgcgcttggc 1080  
tgggatgaag atctctcggc cccacacatc ttaggacac tataagatgg tgaagaccg 1140  
aggagataag ggcaatgag aaaatcccca cagatttgac ctctgggtcc gtaccagaa 1200  
ttcctggacg caagatggga tgaactcact gacataccag ttgctggctc gagagctggg 1260  
gcctctttat accaaccatc cagcagacat tgggactgac cctcggggtc ctcgggctcc 1320  
ttctgggcca cgttaccac ctggttctc ccaagcctc cgtcaagaga tgctgcaacg 1380  
ccggcccca gccaggcctg ggcctctatc tactgccaac cacacagccc tccgaggttc 1440

```

acactgactc ctccttctcg tctaccttaa tcatgaaacc gaattcatgg ggttgatttc 1500
tccccaccct cagctcctca ctgttctcag agggatgtga gggaaactgaa ctctgggtgcc 1560
gtgctagggg gtaggggcct ctccctcact gctggactgg agctgggctc ctgtagacct 1620
gaggggtccc tctctctagg gtctcctgta gggcttatga ctgtgaatcc ttgatgtcat 1680
gattttatgt gacgattcct aggagtcctt gcccttagag taggagcagg gctggacccc 1740
aagccctccc ctcttccatg gagagaagag tgatctggct tctcctcgga cctctgtgaa 1800
tatttattct atttatggtt cccgggaagt tgtttggtga aggaagcccc tccctgggca 1860
ttttctgcct atgctggaat agctccctct tctggctcctg gctcaggggg ctgggatttt 1920
gatatatatt ctaataaagg actttgtctc gcaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1980
aaaaaaaaaa aaaaaaaaaa aa                                     2002

```

&lt;210&gt; 231

&lt;211&gt; 994

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (394)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (853)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 231

```

tcgaccacag cgtccgggtg gaggaggtcg gctggttatc gggagttgga gggctgaggt 60
cgggaggggtg gtgtgtacag agctctagga ctcacgcacc aggccagtcg cgggttttgg 120
gccgaggcct gggttacaag cagcaagtgc gcggttgagg ccactgagag gccgttttag 180
aaaactgttt aaaacaaaga gcaattgatg gataaatcag gaatagattc tcttgacct 240
gtgacatctg atgctgtgga acttgcaaat cgaagtgata actcttctga tagcagctta 300
tttaaaactc agtgtatccc ttactcacct aaaggggaga aaagaaaccc cattcgaaaa 360
tttgttcgta cacctgaaag tggtcacgca agtnattcat caagtgactc atcttttgaa 420
ccaataccat tgactataaa agctattttt gaaagattca agaacaggaa aaagagatat 480
aaaaaaaaaga aaaagaggag gtaccagcca acaggaagac cacggggaag accagaagga 540
aggagaaatc ctatatactc actaatagat aagaagaaac aatttagaag cagaggatct 600
ggcttcccat ttttagaatc agagaatgaa aaaaacgcac cttggagaaa aattttaacg 660
tttgagcaag ctgttgcaag aggatTTTTT aactatattg aaaaactgaa gtatgaacac 720
cacctgaaag aatcattgaa gcaaatgaat gttggtgaag atttagaaaa tgaagatttt 780
gacagtcgta gatacaaat tttggatgat gatggatcca tttctcctat tgaggagtca 840
acgtaagtgg aantcatatg aaatactttg gtaatagggt ataaattaaa tttctatggt 900
aattgcttca tttttgcct ttaatatagt tatacttaaa taatgaacaa agatacagag 960
tatgacaatt gggattatta cagttgagcc aagc                                     994

```

&lt;210&gt; 232

&lt;211&gt; 486

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;



<221> misc feature  
 <222> (49)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (440)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (485)  
 <223> n equals a,t,g, or c

<400> 232  
 gactcactat agggcaaaagc tggtagcct gccaggtacc gggcccgna attcccggt 60  
 cgaccacgc gtccgggaac agccttctcc tgcctctct gcacctggac aactcaactc 120  
 ctgccaagat gtctgccag cagaaccagc agcagtgcc acccccaccc aagtgtccct 180  
 cacccaagtg tccccaaaag agcccagtag agtgtctgcc tccagcttcc tctggctgtg 240  
 ccccaagctc tgggggctgt ggcctagctc cgaggcggc tgcttcctga accaccacag 300  
 gcgccaccac cgatgccggc gccagaggyc caactcctgt gacagggcag tggtcagcaa 360  
 ggcgrggggt ctggstgckg cayggtctg ggggctgctg ctgatccaga tcctgatgct 420  
 gagacaagcg atctttggan gaaacaagaa ttcccaagag gccagaaca gccccatctg 480  
 gaagnc 486

<210> 233  
 <211> 2081  
 <212> DNA  
 <213> Homo sapiens

<400> 233  
 gaagcagttc ttggcatgca cgatacacag tactgaccta cctccagacc atggtatttt 60  
 ataacctctt tattttccta aacaatgaag atgcagttaa agatatcagg tggctgggta 120  
 taagtctttt ggaggacgaa caactggagg ttccagaaat ggctgtact accttaagcg 180  
 gtctgtaca gtgtaacttt cttaccatgg acagtcctat gcagattcat tttgagcaac 240  
 tttgcaaaac aaaactacct aagaaaagaa agcgagacc tggttctgta ggagatacca 300  
 ttccttctgc agagtgggc aaacgccatg ctgggggtgct aggacttggg gcatgtgttc 360  
 tttctagtc ttacgatgtt cccacctgga tgcccagct cctcatgaat ctcatgtcac 420  
 atctaaatga tcctcagcct attgagatga ctgtaaaaaa aaccttatcc aatttccgaa 480  
 gactcaccat gacaactggc aggaacataa acagcaattc actgatgacc aactgcttgt 540  
 tctcaccgat cttcttgtgt caccatgcta ttatgcatag aaagatgact agtcctcact 600  
 tcaggctctt ttcattcaaaa attccacacc ctcaggtacc atctgtggtg gctctctgca 660  
 agttttaaaa ctgcctctgc tgagctctca tcatttttgt ggtttctgtg ttagatctcg 720  
 ttagtctgca ttccacagct tctcagttgc catttgattt cccaacttgt ccggaagtgt 780  
 ttccagaata ctgatcactt ttttttttga ggcattctgac aaagtcacaa agtctcagac 840  
 tagaaataat taccagatg gatcatggca tccaagacca gagtctcaga actcattaag 900  
 aaacagttta cttggaatgg agaataccca tctgtaatac aggtcctgtc atttcattca 960  
 tctcaaatta ttttgaattc ttcccaaag gctgctggat ttaggtggta ataggggctg 1020  
 tgggccataa atctgaagcc ttgagaacct tgggtctgga gagccatgaa gaggggaagga 1080  
 aaagagggca agtccatgaac ctaaccaatg acctgatgga ttgctcgacc aagacacaga 1140  
 agtgaagtct gtgtctgtgc acttcccaca gactggagtt tttggtgctg aatagagcca 1200

```

gttgctaaaa aattgggggt ttggtgaaga aatctgattg ttgtgtgtat tcaatgtgtg 1260
attttaaaaa taaacagcaa caacaataaa aaccctgact ggctgttttt yccctgtatt 1320
ctttacaact attttttgac cctctgaaaa ttattatact tcacctaaat ggaagactgc 1380
tgtgtttgtg gaaattttgt aattttttwa ttattttwat tctctctccc tttttatttt 1440
gcctgcagaa tcgttgagag actaataagg cttaatatat aattgatttg tttaatatgt 1500
tatataaatg taaaagagtg tataaactgt agagatagca ttggcaagac attgtacaga 1560
tgcaaccttt tacacaacat cattgtgtaa ttgttaaaga ttcacrtgta gttctttatt 1620
atagtgtttt tgggctttgt acccactgaa tgccattttt tgtgttttta aattattttc 1680
tttatcttgt tacaaaaact gagatgtggg gttttttttt ttcagtccac ttatcattag 1740
aatgtctgaa cttttatgta acatttttgt gtgcctctct caatgctaac accacatgtt 1800
tgcctatgac aagtttatag agtgaaaggg tatcttcttg gttgaaataa ttcacaaatt 1860
ggtgaatgtc atcttgcaac acaccctgta cagtcttctt taaaggaaca ctacagtata 1920
tttttagtat ctacatgctg aatgactgaa tacagacctt aagacagcag tgstcctggg 1980
acagtattta agtgctggca tacacaggcg taatccctgt ataaagtagt gccaaactga 2040
tttcagttgt gtaactagtt taaaacccaa taaatggatt c 2081

```

<210> 234

<211> 516

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (490)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (498)

<223> n equals a,t,g, or c

<400> 234

```

cggcacgagg ggccaggggt cgggcctgcg cctccctcgg ctccctggcg gggcctcggg 60
gagaggggtg gaagatgtct atggatgtga cattcctggg gacgggtgca gcatacccat 120
ctccaacccg ggggtgcctct gctgtggtcc ttcggtgtga aggcgagtsc tggctctttg 180
actgtgggga gggaacacag acacagctta tgaaaagcca acttaaagca gggagaatta 240
ccaagatctt catcacacac cttcatggag accatttctt tggccttcct gggctcctct 300
gcacaatcag cctgcagagt ggctccatgg tgtccaaaca gcctattgaa atctatggcc 360
ctgtaggctt cgggacttta tctggcgaac catggaactc tctcamacgg gagctggtct 420
tccattatgt ggttcatgaa ctggttccta cagcagatca atgtcctgca gaaggaacta 480
aaagaatttn cgcagttnaa tagagcagac agtcct 516

```

<210> 235

<211> 1129

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (807)

<223> n equals a,t,g, or c

&lt;400&gt; 235

```
cagctcgwcc tctgcttcct tacagcacc ccacctgcca gagctgatcc tccctaggcc 60
ctgcctaacc ttgagttggc cccaatccc tctggctgca gaagtcccct taccaccaat 120
gagaggaggg gcaggaccag atcttttgag agctgagggt tgagggcatt gagccaacac 180
acagatttgt cgctctgtc ccgaagaca cctgcaccct ccatgcggas caagatgggg 240
aatggaactg aggaagatta taactttgtc ttcaaggtgg tgctgatcgg cgaatcaggt 300
gtggggaaga ccaatctact ctcccgattc acgcgcaatg agttcagcca cgacagccgc 360
accaccatcg gggttgagtt ctccaccgc actgtgatgt tgggcaccgc tgctgtcaag 420
gctcagatct gggacacagc tggcctggag cggatccgag ccatcacctc ggcgtactat 480
cgtggtgcag tgggggccct cctggtgttt gacctaacca agcaccagac ctatgctgtg 540
gtggagcgat ggctgaagga gctctatgac catgctgaag ccacgatcgt cgtcatgctc 600
gtgggtaaca aaagtgacct cagccaggcc cgggaagtgc ccactgagga ggcccgaaatg 660
ttcgctgaaa acaatggact gctcttcctg gagacctcag ccctggactc taccaatgtt 720
gagctagcct ttgagactgt cctgaaagaa atctttgcga aggtgtccaa gcagagacag 780
aacagcatcc ggaccaatgc catcacntct ggcaagtccc aggtctggaca ggagcctggc 840
cctggggaga agagggcctg ttgcatcagc ctctgacctt ggccagcacc acctgcccc 900
actgctttt tgggtccccct tgtcccaact tcagccccag gacctttcct tgccctttgg 960
ttccagatat cagactgttc cctgttcaca gcacctcag ggtcttaagg tcttcatgcc 1020
ctatcacaaa tacctctttt atctgtccac ccctcacaga ctaggaccct caaataaagc 1080
tgttttatat caaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1129
```

&lt;210&gt; 236

&lt;211&gt; 1045

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (973)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1001)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1014)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 236

```
atctctaaag gcagctcagg ctccgtgtgg ctgcgcaacc tgcaactggg cctcttcggc 60
acagcactgg gcctggtggg gctctggtgg gctgagggtg ccgccgtggc caccggtggt 120
ttcttttttg ggtacacacc tgctgtcttg ggcgtggtgc tcaaccaggc cttcggcggg 180
ctactggtgg ctgtggttgt caagtacgct gacaatatcc tcaagggtt tgccacctcc 240
ctgtccattg tgctgtccac tgttgccctc attcgccctt ttggcttcca cgtggaccca 300
ttatttgccc ttggcgctgg actcgtcatt ggtgctgtct acctctacag ccttccccga 360
ggtgcagyca aagccatagc ctctgcctct gcctccgctt ccggggccctg cgttcaccag 420
cagcctcccg ggcagccacc accaccgagc ctgtcttccc accgtggaga cctcatcacg 480
```

gagccctttc tgccaaagtc agtgctggtg aagtragggc tggcagcaat ggggggacac 540  
aagggaaggg gactggggtg gaggggtgtg ggcattctgca ggaccaagt cgccaccctc 600  
cggggccttg ctctcttggtg tttgggagat ggtcttttct cccagggtcac tgagacttct 660  
ggaggggtgt gggactagag ctgggtgtca cgtgaaccct tcctggtagg gtgacccctc 720  
tcccctggag ggggtgtttag agctgccgcc tctgctccct ctaacctctt tggaggcagg 780  
gttgggggta ttgtcattca aggccttttt tttgtctgct ccctccccga ccctgtgccc 840  
tcttctggag gttctcgtct gggagagtcc ctccagcagt ccctcactca taaggcacac 900  
tggacaaaac tccgagtctt aggaatgacg atgcctactg tggggtagtg ccatagtttg 960  
gcttttctcc ttncacgttg atatgtatag tcgctttggg nctgccagtt cttntacttg 1020  
aatgcttctg gagccaggaa aggca 1045

<210> 237

<211> 690

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (666)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (678)

<223> n equals a,t,g, or c

<400> 237

ggagggaggt ctgccacagc totccgcacc tctcctctcc cagggcagcc tgtgagcagc 60  
aagctgtggc tctgactctg caggaggaca gagcatccct gacgctttca ggggggcccct 120  
cggcactggc ctttgacctc tccaaggtac caggcccaga ggcagccccc aggetgyggg 180  
cgctgacact gggcctggca aaacgcgtgt ggagcctgga gcggcgactg gcagctgcag 240  
aagagacagc tgtcagcccc aggaagagcc cccggcctgc agggcctcag ctcttcttac 300  
cagaccaga tccccagaga ggtggccctg gacctggagt caggaggcgg tgtccaggag 360  
agtcgctcat caaccccggt ttcaagagta agaaaccagc tgggtggcgtg gacttcgatg 420  
agacctgaag gtgcagcaca agcgtggccc cgcggggagt ccgcctatga ggggagaggc 480  
agtctttgag gccccatca gagaccccc gccaccacct ccacctgcct gtctggggcc 540  
aggactaaca cggtcctca aattccttcc ctgtcaaata aacagctccc ttggttgga 600  
aaaaaaaaa aaaaaaaaaa agtttttttt aattttaagg cgggccaaag ttttttttcc 660  
tttttngttg aagggttnat tttttagttt 690

<210> 238

<211> 1873

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (568)

<223> n equals a,t,g, or c

<400> 238

```

cccgggctca gtatgtggcg ccttcctcgc gcgctgtgtg tgcacgctgc aaagaccagc 60
aagctctctg gaccttggag caggcctgcc gccttcatgt ccactctcct catcaatcag 120
ccccagtatg cgtggctgaa agagctgggg ctccgcgagg aaaacgaggg cgtgtataat 180
ggaagctggg gaggccgggg agaggttatt acgacctatt gccctgctaa caacgagcca 240
atagcaagag tccgacaggg cagtgtggca gactatgaag aaactgtaaa gaaagcaaga 300
gaagcatgga aaatctgggc agatattcct gctccaaaac gaggagaaat agtaagacag 360
attggcgatg ccttgcgggg gaagatccaa gtactaggaa gcttgggtgc tttggagatg 420
gggaaaatct tagtggaagg tgtgggtgaa gttcargagt atgtggatat ctgtgactat 480
gctgktggtt tatcaaggat gattggagga cctatcttgc cttctgaaag atctggccat 540
gcactgattg agcagtggaa tcccgtangc ctggttgga tcatcacggc attcaatttc 600
cctgtggcag tgatgggtt gaacacgcca tcgccatgat ctgtggaaat gtctgcctct 660
ggaaggagag tccaaccact tccctcatta gtgtggctgt cacaagata atagccaagg 720
ttctggagga caacaagctg cctgggtgcaa tttgttcctt gacttgtggt ggagcagata 780
ttggcacagc aatggccaaa gatgaacgag tgaacctgct gtccttcact gggagcactc 840
aggtgggaaa acaggtgggc ctgatggtgc aggagagggt tgggagaagt ctgttggaac 900
ttggagga aaatgccatt attgcctttg aagatgcaga cctcagctta gttgttccat 960
cagctctctt cgctgctgtg ggaacagctg gccagagggt taccactgcg aggcgactgt 1020
ttatacatga aagcatccat gatgaggttg taaacagact taaaaaggcc tatgcacaga 1080
tccgagttgg gaacccatgg gaccctaatt ttctctatgg gccactccac accaagcagg 1140
cagtgaagcat gtttcttggg gcagtggaa aagcaaagaa agaagggtgg acagtgggtct 1200
atgggggcaa ggttatggat cgccttgga attatgtaga accgacaatt gtgacaggct 1260
ttggccacga tgcgtccatt gcacacacag agacttttgc tccgattctc tatgtcttta 1320
aattcaagaa tgaagaagag gtctttgcat ggaataatga agtaaaacag ggactttcaa 1380
gtagcatctt taccaaagat ctgggcagaa tctttcgctg gcttggacct aaaggatcag 1440
actgtggcat tgtaaatgtc aacattccaa caagtggggc tgagattgga ggtgcctttg 1500
gaggagaaaa gcacactggg ggtggcaggg agtctggcag tgatgcctgg aaacagtaca 1560
tgagaaggct tacttgact atcaactaca gtaaagacct tcctctggcc caaggaatca 1620
agtttcagta aaggtgtttt agatgaacat cccttaattt gaggtgttcc agcagctgtt 1680
tttggaagaa acaaagaaaa ttaaagtttt ccctgaataa atgcattatt atgactgtga 1740
cagtactaa tccccctatg accccaaagc cctgattaaa tcaagagatt ccttttttaa 1800
aaatcaaaat aaaattgtta caacatagcc atagttacta aaagatgagt taggtggatt 1860
tttattatgg tca 1873

```

<210> 239

<211> 905

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (873)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (874)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (897)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (898)

<223> n equals a,t,g, or c

<400> 239

```
tgcgggtcccc cttctaggtc gacccacgcg tccggtgggg ccccgggcgg cgttgaccat 60
gaccacagcag ggcgcggcgc tgcagaacta caacaacgag ctggtcaagt gcatagagga 120
gctgtgccag aagcgggagg agctgtgccg gcagatccag gaggaggagg acgagaagca 180
gcggtgcag aatgaggtga ggcagctgac agagaagctg gcccgcgtca acgagaacct 240
ggcacgcaag attgcctctc gcaacgagtt cgaccggacc atcgcggaaga cggaggccgc 300
ctacctcaag atcctggaga gctcccagac tttgctcagc gttctcaaga gggaagctgg 360
gaacctgacc aaggctacag cccagacca gaaaagtagc ggcggcaggg acagctgacc 420
agaccacggg cagggcctgc ctccgtgtgc ccctcagctc agccccagca agtgtgtgct 480
cagagcatct ttgttcttca cggcagcagc taccttccct cactgtctca ggtgccgaga 540
ggggcaggtg ccagcctcca ctggcatcag tgacaagccc agggcacagc ccaccgggg 600
gtcctcgctt catgctcaca caggctatgg ggatgggtgg ctccagggtca gctctgcaag 660
gggcttgtct ctgtggcacc cacactcctg ccctgccagg gaggctctgg ttgtctgagc 720
accatggggg cccctcacc ttgtccctcc tcagccagca gaggcccagg gcaagggaca 780
ggaggacagg gggttctcctt caccacagaa cccaaacctc aggtctcacc cctgtggcct 840
gtgattatga ataaagatta tctttgtaaa gannaaaaaa aaaaaaaaaa aaaaccnngg 900
ggggg                                           905
```

<210> 240

<211> 1484

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1457)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1471)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1480)

<223> n equals a,t,g, or c

<400> 240

```
gtaacaaaac tcaggtaaça accattagct tttgcaagaa gtcagggtga ctagcaagga 60
gtctgcttct gctacttgga gaagagattt agaattatgt atcttttgtt acagatatac 120
agatatacaa atatacagat atacaaataa ggggtgaagat ggagggaatc tgataaagac 180
atcttataaa ttcaacagac acaaaagaat ttgatctccc ataagcaact gtgaaattac 240
aataacagat cctgggaagt tctacaattc taattcagtt ttttcaaggg ggaacatggc 300
```

```

aaaggtgttc agtttcatcc ttgttaaccac cgctctgaya atgggcaggg aaatttcggc 360
gctcgaggac tgtgcccagg agcagatgcg gctcagagcc caggtgcgcc tgcttgagac 420
ccgggtcaaa cagcaacagg tcaagatcaa gcagcttttg caggagaatg aagtccagtt 480
ccttgataaa ggagatgaga atactgtcgt tgatcttgga agcaagaggc agtatgcaga 540
ttgttcagag attttcaatg atgggtataa gctcagtggg ttttcaaaa tcaaacctct 600
ccagagccca gcagaatttt ctgtttattg tgacatgtcc gatggaggag gatggactgt 660
aattcagaga cgatctgatg gcagtgaaaa ctttaacaga ggatggaaa gactatgaaaa 720
tggctttgga aattttgtcc aaaaacatgg tgaatattgg ctgggcaata aaaatcttca 780
cttcttgacc actcaagaag actacacttt aaaaatcgac cttgcagatt ttgaaaaaaa 840
tagccgttat gcacaatata agaatttcaa agttggagat gaaaagaatt tctacgagtt 900
gaatattggg gaatattctg gaacagctgg agattccctt gcggggaatt ttcacacctg 960
ggtgcagtgg tgggctagtc accaaagaat gaaattcagc acgtgggaca gagatcatga 1020
caactatgaa ggggaactgcg cagaagaaga tcagtctggc tgggtggtta acaggtgtca 1080
ctctgcaaac ctgaatggtg tatactacag cggcccctac acggctaaaa cagacaatgg 1140
gattgtctgg tacacctggc atgggtggtg gtattctctg aaatctgtgg ttatgaaaa 1200
taggccaaat gattttattc caaatgtaat ttaattgctg ctgttgggct ttcgtttctg 1260
caattcagct ttgtttaaag tgatttgaag aatactcatt ctgaacatat ccatgcgcaa 1320
tcatgataac tgttgtgagt agtgcttttc attcttctca cttgcctttg ttacttaatg 1380
tgctttcagt acagcagata tgcaatatcc accaaataaa tgtagactgt gttaawaaaa 1440
aaacaacaaa tatgaanaaa aaaaaaaaaa nggggggctn tttt 1484

```

&lt;210&gt; 241

&lt;211&gt; 1521

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 241

```

caaaagcctt aatgggcctg cagactttga aaagcgagtg gagggcggtg ggcggccgcg 60
tgcgcccctg gtcaatgcc tccctgacagc acccgagttc cttattttaca ctggetgcat 120
ggtttgtgtg tttctgtttt gtttctctcc cctgcaggg ctgtttkcg ggtggggtg 180
ggggttcgct atgtcggatg acgattcgag ggccagcacc agctcctcct catcttcgtc 240
ttccaaccag caaacggaga aagaaacaaa caccoccaa gagaaggaga gtaaagtcag 300
catgagcaaa aactccaaac tcctctccac cagcgccaag agaattcaga aggagctggc 360
ggacatcact ttagaccctc cacctaattg cagtgtggt cccaaaggcg ataacatcta 420
tgaatggaga tcaaccattc tagggcctcc aggatccgtg tatgagggtg gtgtattctt 480
tctcgatatc acttttacac cagaatatcc cttcaagcct ccaaaggtta catttcggac 540
aagaatctat cattgtaata ttaacagtca aggtgttatt tgcttgga ca tattgaaaga 600
taattggagt ccagcactaa ccatttctaa agtcctcctt tctatctgct cacttcttac 660
agactgtaat cctgccgacc ccttggtggg aagtattgcc actcagtata tgaccaacag 720
agcagaacat gacagaatgg ccagacagtg gaccaagaga tacgctacat aaattgggg 780
ttcacaattc ttacattatt tgtctgtcac agaagagagc tgcttatgat tttgaaggg 840
tcagggaggg tgggagttgg taaagagtag ggtatttcta taacagatat tattcagtct 900
tatttcctaa gattttgttg taacttaagg tatcttgcta cagtagacag aattggtaat 960
agcaactttt aaaattgtca ttagttctgc aatattagct gaaatgtagt acagaaaaga 1020
atgtacattt agacatttgg gttcagttgc ttgtagtctg taaatttaaa acagcttaat 1080
ttggtacagg ttacacatat ggccatttat gtaaagtcct tctaagacta catactttt 1140
gttttaaaaca aaattggaat ttgtttccc ttcttggaag ggaacattga tatttaacag 1200
agtttttaga gattgtcatc tcatatatat aaaatggaca cgtggctata aaacaccata 1260
taagagatga gtagtgcggt ttattttata tgccaatcta ctttgtttta aaaaggctctg 1320
aatcaggact tgtgaaaacc tgtagtgaag taccttaagc tgtaactaa ctgtaaggcg 1380
tggaatagga gttgctcagt ggattggttc tatgtgtgg actacttaag tctgcatttg 1440

```

ttactgtgct aataaacaat attaaaaacc acctaataaa cactgctgtg ttcatttact 1500  
tttcttttgc cttttggttg c 1521

<210> 242

<211> 1144

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1093)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1105)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1106)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1139)

<223> n equals a,t,g, or c

<400> 242

gcaaactgct acgaagaaat acagataaaa aaggcaagcc tgaaatagca tgtgaaaacc 60  
cacattgtac agtagtacct ttgaagcagc ctactctaca cattgcagac aaagatccaa 120  
tcccagagga gcaggaatta gaagcttatg tagatgatag agatattgat agtgatttca 180  
gaaaggatga tttttattac ttgtctcaag aagacaaaga gagacagaag cgtgagcatg 240  
aagaatccaa gaggggtgctc caagaattaa aatctgtgct gggattttaa gcttcagagg 300  
cagaaaggca gaagtgaag caacttctat ttagtgatca tgtgtttctt catatagctt 360  
taaaattatg ctattgacat tatgggaaag atttatcaat gagagaaatg tgtctctttt 420  
tcagccgtgt tgaaatcctt gtctcctgta gaccagtggt aaccataag taattcagaa 480  
ccatcaatga attcagatat gggaaaagtc agtaaaaatg atactgaaga ggaaagtaat 540  
aaatccgcca caacagacaa tgaaataagt aggactgagt atttatgtga aaactctcta 600  
gaaggtaaaa ataaagataa ttcttcaaat gaagtcttcc cccaaggagc agaagaaaga 660  
atgtgttacc aatgtgagag tgaagatgaa ccacaagcag atggaagtgg tctgaccact 720  
gcccctccaa ctcccaggga ctctattacg ccctccatta agcagaggct ggcacggcta 780  
cagctgtcac cagattttac cttcactgct ggccttgctg cagaagtggc tgctagatct 840  
ctctccttta ccaccatgca ggaacagact tttggtgatg aggaggaaga acaaataata 900  
gaagaaaata aaaatgagat agaagaaaag taagaaccaa gattcatatg aagtgatatt 960  
agattgttcc ttttacaaaa gtgttttagct tcaagactgg aaagggaata tgagtgtaa 1020  
tttactatat ataaagctaa gatgtggatt tacaggaaga accctggttt gaataactga 1080  
tskgaaatta ggnaaaactt gtcnnggca tttcccgttg aaagttcccc cttaaaganc 1140  
cccg 1144

<210> 243



<211> 934  
<212> DNA  
<213> Homo sapiens

<400> 243  
aacacaggaa aagtcgtcct gccaatcact gtgtttatct ctatggagat gagatttcat 60  
tttcatgtca tgagaccagt aggttttcag ctatatgcc aaggagatggc acgtggagtc 120  
cccgaacacc atcatgtgga gacatttgca attttcctcc taaaattgcc catgggcatt 180  
ataaacaatc tagttcatac agctttttca aagaagagat tatatatgaa tgtgataaag 240  
gctacattct ggtcggacag gcgaaactct cctgcagtta ttcacactgg tcagctccag 300  
ccccccaatg taaagctctg tgcggaac cagaattagt gaatggaagg ttgtctgtgg 360  
ataaggatca gtatgttgag cctgaaaatg tcaccatcca atgtgattct ggctatgggtg 420  
tggttggtcc ccaaagtatc acttgctctg ggaacagaac ctggtaccca gaggtgcca 480  
agtgtgagtg ggagaccccc gaaggctgtg aacaagtgtc cacaggcaaa agactcatgc 540  
agtgtctccc aaacccagag gatgtgaaaa tggccctgga ggtatataag ctgtctctgg 600  
aaattgaaca actggaacta cagagagaca gcgcaagaca atccactttg gataaagaac 660  
tataattttt ctcaaaagaa ggaggaaaag gtgtcttgct ggcttgctc ttgcaattca 720  
atacagatca gtttagcaaa tctactgtca atttggcagt gatattcatc ataataaata 780  
tctagaaatg ataatttgct aaagtttagt gctttgagat tgtgaaatta ttaatcatcc 840  
tctgtgtggc tcatgttttt gcttttcaac acacaaagca caaatttttt ttcgattaaa 900  
aatgtatgta taaaaaaaaa aaaaaaaaaa tcga 934

<210> 244  
<211> 915  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (210)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (243)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (244)  
<223> n equals a,t,g, or c

<400> 244  
gcgaccgccg gggcgctgca gaacatcacg gcaggcgacc gagtgggagg ggggtgctgag 60  
ccgcctgccc tggagcagga gcgtattctg aacccctgc tagaccgtgt caggaccgcc 120  
gaccaccacc agctgcgctc actgactggc ctcacccgaa acctgtctcg gaacgctagg 180  
aacaaggacg agatgtccac gaagggtggt gagccacctg atcgagaagc tgccrggcas 240  
gtnnnggtga gaagtygcc ccagccgagg tgctggtcaa catcatagct gtgctcaaca 300  
acctggtggt ggccagcccc atcgtgccc gagacctgct gtattttgac ggactccgaa 360  
agctcatctt catcaagaag aagcgggaca gccccgacag tgagaagtc tcccgggcag 420  
catccagcct cctggccaac ctgtggcagt acaacaagct ccaccgtgac ttcggggcga 480

```

aggctatcgg aaggaggact tcctgggccc ataggtgaag ccttctggag gagaagggtga 540
cgtggccccag cgtccaaggg acagactcag ctccaggctg cttggcagcc cagcctggag 600
gagaaggcta atgacggagg ggccccctgc tggggcccct gtgtgcatct ttgaggggtcc 660
tggggcacca ggaggggagc ggtcttatag ctggggactt ggcttccgca gggcaggggg 720
tggggcaggg ctcaaggctg ctctggtgta tgggggtggtg acccagtcac attggcagag 780
gtgggggttg gctgtggcct ggcagtatct tgggatagcc agcactggga ataaagatgg 840
ccatgaacag tcaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 900
aaaaaaaaaa aaaac 915

```

&lt;210&gt; 245

&lt;211&gt; 1276

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 245

```

gaattcggca gagccccaag gaagaccagc ctgcctctgg tcggttcctg gcgctctgcg 60
tttcgtgacc ttgtccagta gaaggctatt taattttcac aactgcttga attttgacat 120
acaagatgaa gcaagatgcc tcaagaaatg ctgcctacac tgtggattgt gaagattatg 180
tgcatgtggt agaatttaat ccctttgaga atggggattc aggaaaccta attgcatatg 240
gtggcaataa ttatgtggtc attggcacgt gtacgtttca ggaagaagaa gcagacgttg 300
aaggcattca gtataaaaca cttcgaacat ttcacatgg agtcagggtt gatggcatag 360
cttggagccc agagactaga cttgattcat tgcctccagt aatcaaattt tgtacttcag 420
ctgctgatat gaaaattaga ttattttactt cagatcttca ggataaaaaat gaatataagg 480
ttttagaggg ccataccgat ttcattaatg gtttggtggt tgatcccaaa gaaggccaag 540
aaattgcaag tgtgagtga gatcacacct gcaggatttg gaacttgga ggagtgcaa 600
cagctcattt tgttcttcat tctcctggca tgagtgtgtg ctggcatcct gaggagactt 660
ttaagcta at ggttgagag aagaatggaa caatccggtt ttatgatctt ttggcccaac 720
aggctatatt atctcttgaa tcagaacaag tgccattaat gtcagcacac tgggtgctta 780
aaaacacctt caaagttgga gccgttgag gaaatgattg gtttaatttg gatattactc 840
ggtccagtta tcctcaaaat aagagacctg ttcacatgga tcgagcctgc ttattcaggt 900
ggtccacaat tagtgaaaat ctggttgcaa ccaactggta tcctggcaaa atgcaagcca 960
gtttcaaat catcatttag gacacctca gccatcctc atgggttctg tagccgttg 1020
atctggactg tcctggcatc gaactctccc tctgtgtgta attggaggag accacaagct 1080
gttgttttg gtagctgaag tataaagtgt tttctgtacc ttagattcac aaactttgta 1140
tttttagtac atattttgaa gaatttctat agtacatatt ttgaagaatt tttatatcaa 1200
atataccgta tacttttaga aatgtctcag ttgcttttat taaataaaat gttgatggtt 1260
tgaaaaatta aaaaaa 1276

```

&lt;210&gt; 246

&lt;211&gt; 3366

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 246

```

cccacgcgtc cgaactggac agggatgacc aacctgctgg atatcccagg acttagctca 60
ctctctgaca ccatgatcat ggactccatt gctgccttcc tcgtgttgcc caaccgatta 120
ctggtgcccc ttgtgectga ccttcaagat gtggctcagt tgcgttcccc tctgcccagg 180
ggcattattc gaattcacct gctggctgct cgagggtgta gttccaagga caaatatgtg 240
aagggcctga ttgagggcaa gtcagaccca tatgcacttg tgcgtttggg taccagaca 300
ttctgcagtc gtgtcattga tgaagaactc aaccacagc ggggagagac ttatgaggtg 360
atggtacacg aggtcccagg gcaggagatt gaagtggagg tggtcgacaa ggatccagat 420

```

aaagatgact ttctgggcag aatgaagctg gatgtaggga aggtgttaca ggctagcgtt 480  
ctggatgatt gggtccctct acaaggtggg caaggccaag ttcacttgag gctagaatgg 540  
ctgtcacttt tgtcagatgc agagaaactg gagcaggttc tacagtggaa ttggggagtc 600  
tcctctcgac cagatccccc gtcagctgcc atcttagttg tctacctgga tcggggccag 660  
gatcttcctc tgaagaaggg gaacaaggaa cccaacccta tggtagaact gtcaattcag 720  
gatgtgactc aggagagcaa ggctgtctac agtaccaact gccagtggtg ggaggaagcg 780  
ttccggttct tcctacaaga ccctcaaagc caggagctcg atgtgcaagt gaaggatgat 840  
tccaggcccc tgacttttagg agcactgacg ctgcctctgg cccgcctgct gactgcccc 900  
gaactcatcc tggaccagtg gttccagctc agcagctctg gtccaaactc cagactctat 960  
atgaaactag tcatgaggat cctgtacttg gattcatcag aaatatgctt cccacgggtg 1020  
cctgggtgtc ctgggtgctg ggacgtggac agtgagaatc cccagagagg cagcagtggtg 1080  
gatgccccac ctgcaccctg tcacacgact cctgatagcc agtttgggac tgagcatgtg 1140  
cttcggatcc atgtattaga ggcccaggac ctgattgcca aagaccgttt cttgggggga 1200  
ctgggtgaagg gcaagtcaga cccctatgtc aaactaaagt tggcaggacg aagcttccgc 1260  
agcatgtgtg tccgggaaga tctcaatccc cgttggaatg aggtttttga ggtgatcgtc 1320  
acatcagttc caggccaaga gctagaggtt gaagtctttg acaaggactt ggacaaggat 1380  
gattttcttg gcagggttaa agtgcgtctc accacagtct taaacagtgg cttccttgat 1440  
gagtggctga ccctggagga tgtcccatct ggcgcctgc acttgccctt ggagcgtctc 1500  
acccccctc ccactgctgc tgagttagag gaggtgctgc aggtgaatag tttgatccag 1560  
actcagaaga gtgcgagct ggctgcggcc ctgctatcca tctatatgga gcgggcagag 1620  
gacctccgc tgcgaaaagg caccaagcac ctacgccctt atgctactct cactgtggga 1680  
gatagttctc ataaaacca gactatttcg caaacttcag cccctgtctg ggatgagagt 1740  
gcctcctttc tcatcaggaa accacacact gagagcctag agttgcaggt tcggggtgag 1800  
ggcactggcg tgctgggctc attatccctg ccctctcag agctcctcgt ggctgaccag 1860  
ctctgcttgg accgctggtt tacactcagc agtggtcagg ggcaggtgct actgagagca 1920  
cagctaggga tcctggtgtc ccagcactcg ggaagtgaag ctcatagcca cagctacagc 1980  
cacagctcct catcgctgag tgaagaacca gagctctcgg ggggaccccy tcacatcacc 2040  
tcctcagccc cagagctccg gcagcgctta acacatgttg acagtccctt tgaggctcca 2100  
gcsgggctc tgggccagggt gaaactgact ctgtggtact acagtgaaga acgaaagctg 2160  
gtcagcattg ttcattggtg cgggtccctt cgacagaatg gacgtgatcc tcctgatccc 2220  
tatgtgtcac tgttgctact gccagacaag aaccgaggca ccaagaggag gacctcacag 2280  
aagaagagga ccctgagtc tgaatttaat gaacggtttg agtgggaact cccctggat 2340  
gaggcccaga gacgaaaagt ggaatgtctt tcaagtcta attcctcctt catgtcaaga 2400  
gagcgtgagc tgctggggaa ggtgcagctg gacctagctg agacagacct tcccagggtg 2460  
gtagcccgtt ggtatgacct gatggacaac aaggacaagg gcagctccta ggagctggcg 2520  
agtcccagcc tgactgtctt gtcttcctgc ctctgtctcg ctccatcacc gcctcaatgt 2580  
gatgagccta aagctagggt ccaagggcag agcctgtgcc cttcagccct ttcacctaac 2640  
aggcccatat tcgggccttt gcctgaccaa agagaagaac cgtatgttcc ctttactgca 2700  
cggcctttat ccttctgggc ccctggggcg gggacctgag ctggctgttt cctgctttgc 2760  
ctgcacattg ttctcccttc ctcccaactc ctacgggcct tctgtatctg tgctggcca 2820  
gtggcagcac tagcagtggg attagcttat gccaaataca gctttggaag gatctttttt 2880  
tctttaacta gatggtcacc ttcttcctta ccacacatgg gtgggaagggt ggacaggcta 2940  
acctctccag ctgtgagcct cttagactac tgcatgtagc aaatgttcag cagctcaggc 3000  
ccccatgtcc agttctgtcc ccactgtcct caaccctgtc ctgaaaattc tactgctttg 3060  
atggctgggg ccagctctctt gtcactttgg aaactgagga cgcgtggatt ctactcaagc 3120  
ctccaagtag tggcatatca gtcttgagc tcctagctgg tgatacggag agggcttttg 3180  
aggacttggg acagcagggc caattttttt gcccaagtgc ctaggctgct aactcactga 3240  
ctagaactta atctggtact ttacagtttt gcaccaactc tgccaagcca ctggatctta 3300  
cattaaacat catactcaaa aaaaaaaaaa aaaaaaatt cggggggggg cccgttacc 3360  
atttgg 3366

<210> 247  
<211> 2148  
<212> DNA  
<213> Homo sapiens  
  
<220>  
<221> misc feature  
<222> (1259)  
<223> n equals a,t,g, or c

<400> 247  
gcggccgcca agcgatccct gctccgcgcg acactgcgtg cccgcgcacg cagagaggcg 60  
gtgacgcact ttacggcggc agcgtaagtg cgtgacgctc gtcagtggct tcagttcaca 120  
cgtggcgcca gcggaggcag gttgmtgtgt ttgtgcttcc ttctacagcc aatatgaaaa 180  
ggcctaagtt aaagaaagca agtaaacgca tgacctgcca taagcggat aaaatccaaa 240  
aaaaggttcg agaacatcat cgaaaattaa gaaaggaggc taaaaagcrg ggtcacaaga 300  
agcctaaggaa agaccagga gttccaaaca gtgctccctt taaggaggct cttcttaggg 360  
aagctgagct aaggaaacag aggcttgaag aactaaaaca gcagcagaaa cttgacaggc 420  
agaaggaaact agaaaagaaa agaaaacttg aaactaatcc tgatattaag ccatcaaagt 480  
tggaacctat ggaaaaggag tttgggcttt gcaaaactga gaacaaagcc aagtcgggca 540  
aacagaattc aaagaagctg tactgccaag aacttaaaaa ggtgattgaa gcctccgatg 600  
ttgtcctaga ggtgttgat gccagagatc ctcttggttg cagatgtcct caggtagaag 660  
aggccattgt ccagagtga cagaaaaagc tggacttat attaaataaa tcagatctgg 720  
taccaaagga gaatttgag agctggctaa attatttgaa gaaagaattg ccaacagtgg 780  
tgttcagagc ctcaacaaaa ccaaaggata aagggagat aaccaagcgt gtgaaggcaa 840  
agaagaatgc tgctccattc agaagtgaag tctgctttgg gaaagagggc ctttggaac 900  
ttcttgaggg ttttcaggaa acttgacgca aagccattcg ggttgagta attggtttcc 960  
caaattgagg gaaaagcagc attatcaata gcttaaaaca agaacagatg tgtaattgtg 1020  
gtgtatccat ggggcttaca aggagcatgc aagttgtccc cttggacaaa cagatcaca 1080  
tcatagatag tccgagcttc atcgtatctc cacttaattc ctctctgctg cttgctctgc 1140  
gaagtcacgc aagtattgaa gtagtaaaac cgatggaggc tgccagtgcc atcctttccc 1200  
aggctgatgc tcgacaggta gtactgaaat atactgtccc aggctacagg aattctctng 1260  
gaatttttta ctrtgcttgc tcagagaaga ggtatgcacc aaaaagggtg ratcccaaat 1320  
gttgaagggt ctgccaaact gctgtggtct gagtggacag gtaagcttt cttttctgtt 1380  
ggcattttgg tgaccactag aataaacctt cttttgacac atcttatttt taatatcagt 1440  
gcctcattag cttactattg ccatccccct acatcttggc ctctctctcc atattttaat 1500  
gagagtattg tggtagacat gaaaagcggc ttcaatctgg aagaactgga aaagaacaat 1560  
gcacagagca taagagccat caagggccct catttgcca atagcatcct tttccagtct 1620  
tccggtctga caaatggaat aatagaagaa aaggacatac atgaagaatt gccaaaacgg 1680  
aaagaaagga agcaggagga gagggaggat gacaaagaca gtgaccagga aactgttgat 1740  
gaagaagttg atgaaaacag ctcaggcatg tttgctgcag aagagacagg ggaggcactg 1800  
tctgaggaga ctacagcagg tgaacagtct acaaggctct ttatcttgga taaaatcatt 1860  
gaagaggatg atgcttatga cttcagtaca gattatgtgt aacagaacaa tggcttttta 1920  
tgattttttt ttttaacattt taagcagact gctaaactgt tctctgtata agttatggta 1980  
tgcatgagct gtgtaaattt tgtgaatatg tattatatta aaaccaggca acttggaatc 2040  
cctaaattct gtaaaaagac aattcatctc attgtgagtg gaagtagtta tctggaataa 2100  
aaaaagaaga tacctattaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2148

<210> 248  
<211> 2225  
<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (14)

<223> n equals a,t,g, or c

<400> 248

```
ccaaagaatt gggncacagc acgtgctgac caccatgcct cgatgaactg ggtccccctgc 60
ggccactctt attttgwgc cacacttaat agcttcatcc acgtcctcat gtactcttac 120
tatggtttgt cgtcagtcct ttccatgcgt ccatacctct ggtggkaaga agtacatcac 180
tcaggggcag ctgcttcagt ttgtgctgac aatcatccag accagctgcg gggtcactctg 240
gccgtgcaca ttccctcttg gttggttgta tttccagatt ggatacatga tttccctgat 300
tgctctcttc aaaaacttct acattcagac ctacaacaag aaaggggcct cccgaaggaa 360
agaccacctg aaggaccacc agaatgggtc catggctgct gtgaatggac acaccaacag 420
cttttcaccc ctggaaaaca atgtgaagcc aaggaagctg cggaaggatt gaagtcaaaag 480
aattgaaacc ctccaaacca cgtcatctga ttgtaagcac aatatgagtt gtgccccaat 540
gctcgttaac agctgctgta actagtctgg cctacaatag tgtgattcat gtaggacttc 600
tttcatcaat tcaaaacccc tagaaaacgt atacagatta tataagtagg gataagattt 660
ctaacatttc tgggctctct gaccctgcg ctagactgtg gaaagggagt attattatag 720
tatacaacac tgctgttgcc ttattagtta taacatgata ggtgctgaat tgtgattcac 780
aatttaaaaa cactgtaatc caaacttttt tttttaactg tagatcatgc atgtgattgt 840
aaatgtaaat ttgtacaatg ttgttatggt agagaaacac acatgcctta aaatttaaaa 900
agcaggggccc aaagcttatt agtttaaat agggtatggt tcaagtttgt attaatattgt 960
aatagctctg tttagaaaaa atcaaagacc atgatttatg aaactaatgt gacataattt 1020
ccagtgaact gttgatgtga aatcagacac ggcaccttca gttttgtact attggctttg 1080
aatcaagcag gctcaaactc agtggaaacag tcagttaaac tttttaacag atcttatttt 1140
tttattttga gtgccactat taatgtaaaa aggggggggc tctacagcag tcgtgatgaa 1200
acttaaatat atattctttg tcctcgagat tttaggaagg gtgtaggggt agtaggcat 1260
ttttaatttc tgaagtgtca agtggtttta tacagcaaac aaaaagtcaa ttttgctttc 1320
caccagtgcg agagaggatg tatacttttc aagagagatg attgcctatt taccgtttga 1380
cagagtcccg tagatgagca atggggaact ggttgccagg gtctaaattt ggattgattt 1440
atgcactgtt atctgttttg acacagattt ccttgtaaaa tgtgcctagt ttacccaaat 1500
taacaaaggg ggggaaagga ccttagaact ttttaaggta aaatcaaata tagctacagc 1560
ataagagaat cgagaaattt gatagaggtg acttgtttaa tgtaaatcta atagtacttg 1620
taatttcttt ctgcttagaa tctaaagatg tgtttagaac ctcttgttta aaaataatag 1680
actgcttata ataaaatcac atctcacaca tttgaggcag tggtaaaaca ggtaaaagcct 1740
atgatgtgtg tcatttttaa gtgtcggaat tttagcctct aataccttct ccattggggg 1800
aaagatattc ttggaaccac tcatgacata tcttagaagg tcattgacaa tgtataaact 1860
aattgttggt ttgatattta tgtaaatatc agtttaccat gctttaattt tgcacattcg 1920
tactataggg agcctatttg ttctctatta gtcttggtgg tttctgtttt gaaaaggagt 1980
catggcatct gtttacattt accttatcaa acctagaatg tgtatattta taaatgtatg 2040
tcttcattgc taggtactaa tttgcagatg tctttacata tttcaataca gaaactataa 2100
cattcaatag tgtgctgtca aagtgtgctt agctcacctg gatataccta cattgttaaa 2160
tgtctaaaca gtaatcatta aaacattttt gattaaaaaa aaaaaaaaaa aaaaaaaaaa 2220
aaaaa 2225
```

<210> 249

<211> 1204

<212> DNA

<213> Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1197)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 249

```

tcgccgctgg ctccgtctgt tggggggcga acacgccgcg gtcctcgtcg tggtgagcgc 60
ascactcagg ctggtcctgg ggggtggggct gtaggggaaa gtgctaaagc cgctgagtga 120
agtaagaact ctgctagaga ggaaatggct gcttcatcat catcctcctc agctgggtgg 180
gtcagtggaa gttctgtcac tggatctggg ttcagtgtct cagaccttgc cccaccacgg 240
aaagcccttt tcacctaccc caaaggagct ggagagatgt tagaagatgg ctctgagaga 300
ttctctcgcg aatctgtttt tagctatcaa gtggcatcca cgcttaaaca ggtgaaacat 360
gatcagcaag ttgctcggat ggaaaaacta gctggtttgg tagaagagct ggaggctgac 420
gagtggcggg ttaagcccat cgagcagctg ctgggattca cccctcttc aggttgatac 480
tgcttgatg gtacacctctg gtgcgcagca agtgcaaagc cagtggggga ctttctcaca 540
gcttacatag ccatccagag atccacagct acgtcactga attgttaatg cacatttgta 600
cttggtttct ctgtatctat tcacaggcaa caaatactta tatgtgtgat ctttcaggga 660
atgttttggt tatttggttt taaaagtatt gggaatcaga ttaagacaat cagtttcaga 720
gaaccaggag gtttggggtt aagagatact caaaaatttt cacaagccaa gtagggcata 780
tatcagattt ggccaactga atggcgtctg tcctgtcatc catatggtgc ctggaaatat 840
ttaccagtca aggtcaaggt cagcatctgt gggttaaaat atagcattct gacctaaaaa 900
agttattttg cagatgaatg tgttttcaac tcaggacctt tccaaatgag gaatttttaa 960
atattctttt ttttttctta tttttagaca tcaattctat agattctgac tttttctaac 1020
ctcttataga catgccaaat gctggcaaaa agaagtgtt tttggatatg gcagcacttg 1080
taaaaaataa gcagtaagca aaatcctttt aaacacagaa atcctgagtt cttctcattg 1140
gtggactcaa gcaattctgt agcaataaaa tcctttgaaa gagctccaaa aaaaaanaaa 1200
aaaa                                              1204

```

&lt;210&gt; 250

&lt;211&gt; 1314

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 250

```

gcgctccttt cctggcagca ggggtttcaa tgggaggaat gctgcttcta aattacttgg 60
gcaaaattgg gtccaaaacg cctttgatgg cagctgcaac tttttccgtt ggttggaaca 120
ccttcgcttg ctcagagtca ttggaaaaac cactgaactg gctacttttt aattactatt 180
tgacaacctg ccttcagtct tcagttaata agcaccgaca tatgtttgta aaacaagttg 240
atatggatca tgtcatgaag gctaaatcca tcagagagtt tgataagcga ttcacttcag 300
tcatgtttgg ataccaaaca attgatgatt attatactga tgccagtcag agtcctagac 360
tgaagtcatg aggaattcca gtattgtgtc taaattctgt ggatgatgtt ttctcaccga 420
gtcatgctat tccaatagaa actgctaagc aaaatcctaa tgttgctttg gtccttactt 480
cttatggagg ccatattggg tttctggagg gaatctggcc aagacagtcc acttacatgg 540
atcgtgtctt caagcaattt gtgcaagcca tgggtgagca tggacatgaa ctctcttaac 600
atgtagttct ttgggtgcat tttgtctgaa ccacaattgt gaaggcagct cagcttagtg 660
cacaaatttt aactgttgta tataaagcaa ataagccagc agatgggtga agaggtccag 720
aatgatatgc aaaaactact ttttagagaa acaaaacaac ttgttagcaa caaattaaat 780
atagtattag attgttactt acgtagattt tatttttact atgccttacc aagtacatcc 840
ttaaacaag tagtatgtac atgaaattgc acttaaccaa aactattgtg taaaacaaat 900
tttaattcct cagggtttta atttaaaacta gtattttttt agattatttg ttttaggtga 960

```

```
tttaatggta ctttaataac tactaagaaa tattggctat ttcaatgtaa gttataaggt 1020
ggtacattcc taaggggtatt tatagttgat gataacatga aaactgaaat aagataaaat 1080
acaacgtgct aaatctttta tgtattctaa ctttaaaaga caagtgcac aaagtttagac 1140
tgacttctat atgtgctctt ttactctgat aatattaaat taggactaac ttatgtttta 1200
taatgattat aatttacatg cttattttta aaatagtata tgtggacaca tatatatcat 1260
tatattaaaa taaattctac cattttaaat tggaaaaaaa aaaaaaaaaa aaaa      1314
```

<210> 251

<211> 1159

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1132)

<223> n equals a,t,g, or c

<400> 251

```
cctgcctcag cctcctcagt agctgggact acaagtgcct gccaccacgc ctgggttatt 60
ttttatattt ttagtagaga cggggtttca ctgtgttagc caggatggtc tcgatctcca 120
ggatgggtctc gatctccagg atggtctcga tctcctgacg tcgtgatcca cccgcctcgg 180
cctcccaaaa tgctgggatt acaggtgtga gccactgtgc ccggccaaaa gaacagaaat 240
tattttatcc tgaagtaagc tgtttatatt tgggattata ctgaacctat ttgtccaata 300
acctgagttt tcaaataatt ttagttctat aagtactata attatataaa tattaatgaa 360
ttcagattag ctgaaaggaa aaaaagtaga agcctgacta cttggtgcta actactaaag 420
attttggcag aatcaatgtt ggatttggct ttcctgtccc ttccccatgc cagcccccca 480
gagtgttctg ccttgtgtcg cctcccttca cckggagtgc cacacccctc tctctgccag 540
ttcagctctt cattcttcaa ggcctgacct tgtctgacct ttgtgcctct aaaccctggg 600
gccccacctc tcttgggtcc tatgtcagggt gatgtttgtg tttttgggta tgcccatctc 660
catagccaga ccaagcactc tggaagccag ggttgggtgc ttatttatct gtttgccatg 720
cagaaaatat cttgcacaaa attacctctg ttaaggaatc tgaagctgaa tttagtttgg 780
ctgagtcagg gttgggtttt ttttaagggg ctgtgggggtg aaatgttgac tggaagccac 840
ccacaaacac acacctgctg gtttaggaacc cggctgtggg tggttctgag ctgtttggct 900
tcattgacag tttctgattg ccctgagcac caggtctcat cttgcatctc atcctggcct 960
ggagaacatt cagtttcctt ccaacccttc ccacctttcc cccactccct tggaggaaact 1020
gaagttgggg ttgaggagag ccagatggct ggagtgggta tttgaaggkc tttctgtcac 1080
ctgttcagtg tggctgtccc caccctgct gacmaagact gactgaaatg tnaaataata 1140
cagaccatct caactcaga                                     1159
```

<210> 252

<211> 2488

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (7)

<223> n equals a,t,g, or c

<220>

<221> misc feature

&lt;222&gt; (64)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2334)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 252

```
tgtatgncca gctggtactc ctgcaggtac cggctccgat tcccgggtcg acccacgcgt 60
ccngggacgc gtgggttgct cggcagcttg caaagcctga caacaccttg tttgtaaaaca 120
gaacactttt tgatcaggtc cttgaattcc tttgtagtcc tgacgatgac tcccgcact 180
ctgaaaagaca gcaggtcctt ttagaattgc tgcaggctgg aggcatagtt caatttgaag 240
agagtcgact catccggatg gcagaaaaag ctgagttcta tcaaatttgt gaatttatgt 300
atgaaaagaga acaccaatat gacaaaatta ttgattgcya cttacgtgac cctctgcgag 360
aggaagaagt ctttaattac attcacaata tcttayccat tcccggacac agtgcagagg 420
agaagcagtc tgtatggcag aaagcaatgg atcatattga ggaacycgkg kccctgaagc 480
cttgtaaagc tgcggagctg gttgccaccc acttttcttg acatattgaa acggtcatta 540
aaaaacttca gaaccaggtt ttgcttttca aatttttgag gagtcttctt gacccaaggg 600
aaggtattca tgtaaatcaa gaattactgc aaatatctcc ttgtatcaca gacgagttca 660
ttgagctgtt gtgtcagttc aaccaacccc aagttataga gactctgcaa gtccttgagt 720
gctaccgtct ggaagaaact attcagatta ctcaagaagta tcaacttcat gaagtcaccg 780
cttatctatt ggaaaagaaa ggagatattc atggtgcctt cctaataatg ttagagagac 840
tacaaaagcaa acttcaagag gtaacacatc aaggtgaaaa taccaaagag gatccctcat 900
tgaaggatgt tgaagatact atggtggaga ccattgtctt ttgccagaga aattcacata 960
atgtgaacca gcagcaacgt gagggccctt gggttccgtt attggaggca atgatggccc 1020
ctcagaagct gtccagttca gccattcctc atctacactc tgaagctctg aagtctttga 1080
ccatgcaagt tttaaatagc atggcagcat ttattgccct tccatcaatc ttgcaaagaa 1140
tcttacagga tccagtttat ggaaaaggaa aacttgagaa aatccaggga cttatcttgg 1200
gaatgttaga tacctttaac tatgaacaaa ccctgctgga aacaacaacc agccttytaa 1260
accaagatct ccattggtca ttgtgtaacc tgagagcttc ggtcaccaga ggactgaatc 1320
ccaaacaaga ttactgctct atatgtttgc agcagtacaa gagacgcaa gaaatggctg 1380
atgaaataat tgtcttttagc tgtggccatt tgtatcactc attctgccta caaaacaaag 1440
aatgcactgt ggaatttgag ggccaaacaa gatggacatg ctacaaatgc agttcaagta 1500
acaaaagtagg aaaactcagt gaaaattcat ctgaaattaa aaagggaagg ataaccccat 1560
cacaggtaaa aatgtctcca tcgtatcctc agtccaaagg ggatcccact gctaaaaagg 1620
gaacctcaga acctgttctg gatccacagc aaatccaagc atttgatcag ctttgccgtc 1680
tctaccgagg aagctccagg ctggctctcc tcacggaact ctcccagaat cgcagcagcg 1740
agagctatag gccattcagt ggctcgcaga gtgctcctgc tttcaacagc atcttccaga 1800
atgagaactt ccagctgcag ctcatcctc cacctgtgac tgaggattga tgactccatg 1860
gagcctggcc caggagaacc agagatgatc ccgaggcagc tggggagagg ccccgctct 1920
ggtgggcttg gcctccacca cctcccatgc ttctgagaag aggttccaaa ttgggctcct 1980
gtgcccagag cgtccacagc accattccca gtgtagactc ccagtcttct ccacattgct 2040
gtcatggcgt cagttcacca gactcattga ttttgttttg cttgttaagc aaaggaatgt 2100
cacatacctc tgtccagctt tttaggaat acatttcgcc tattgcgact ttttccattt 2160
acctgaagc ctagaaagta ggtggaactc acacaaatgg cattccagag tctgccatac 2220
tccgtctcct ccagctgctg gataatacag aggaacttca acttctacag ggaacagtgg 2280
ttggccaggc tgcagtataa ctgaagcatg ccttgagag agcagacact gtgngggcca 2340
gggcatctc cttttaatgt gttcatgtta aaacctattt gagtgtgaaga cttgcccttt 2400
ctaacaataa atgctctgtg ttaagtctt gcaggtctcc tggctggctg gctggctctc 2460
agtctgtcaa gtcattggag acatttgc 2488
```



<210> 253  
<211> 1554  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (6)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (81)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1496)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1523)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1535)  
<223> n equals a,t,g, or c

<400> 253  
actggnaatc cactactatt tggaaagctg gtccgcctgc aggtaccggt ccggaattcc 60  
cgggtcgacc cacgcgtccg nggacgcgtg ggttctggtt ttgctctagt gtttggttt 120  
cttcgcggct gctcaagatg aaccgactct tcgggaaagc gaaacccaag gctccgccgc 180  
ccagcctgac tgactgcatt ggcacggtgg acagtagagc agaatccatt gacaagaaga 240  
tttctcgatt ggatgctgag ctagtgaagt ataaggatca gatcaagaag atgagagagg 300  
gtcctgcaaa gaatatggtc aagcagaaaag ccttgcgagt tttaaagcaa aagaggatgt 360  
atgagcagca gcgggacaat cttgccaac agtcattcaa catggaacaa gccaattata 420  
ccatccagtc tttgaaggac accaagacca cggttgatgc tatgaaactg ggagtaaagg 480  
aaatgaagaa ggcatacaag caagtgaaga tcgaccagat tgaggattta caagaccagc 540  
tagaggatat gatggaagat gcaaatgaaa tccaagaagc actgagtcgc agttatggca 600  
ccccagaact ggatgaagat gatttagaag cagagttgga tgcactaggt gatgagcttc 660  
tggctgatga agacagttct tatttgatg aggcagcatc tgcacctgca attccagaag 720  
gtgttcccac tgatacaaaa aacaaggatg gagttctggt ggatgaattt ggattgccac 780  
agatccctgc ttcatagatt tgcattcattc aagcatatct tgtaaaacaa acacatatta 840  
tgggactagg aaatatttat ctttccaaat ttgccataac agatttaggt ttctttcctt 900  
tctttgaagg aaagttaaat tacattgctc ttttattttt tccattaaga gactcattgc 960  
ttgggaaatg ctttcttcgt actaaaattt gattcctttt tttcttatga aaaacgaact 1020  
cagtttaaaa gtatttttag ctcgtatgac ttgttttcat tcattaataa taatttgaaa 1080  
taaaactaat gaaatggaat cttaaaagtc tatgacagtg taactctaca gtctcaaaat 1140

```

gacctgataa attgataaga caaagatgag attattgggg ctgttcatat tatgattcag 1200
aatcattttc tattgtggta ttatagggtg gttaaagtga tggccttttt gatggggttt 1260
gttggtgtctt gtgaacaagt cgttactgtg tccattattg gaatggaatt atcactactg 1320
tatcatgagt gggatattttg attctatggt tccctcagta ttacatcttg acttgtaatc 1380
aattatgaat atttcttgat atttaatgta taggacattt atttatactc aataaatatt 1440
tttcaaaagg aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaggggcg cccgcncatg 1500
aggatcccc gagggggggcc cangcttacg cgtgncatgc gacgtccaaa gccc 1554

```

<210> 254

<211> 1506

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (43)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1492)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1501)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1506)

<223> n equals a,t,g, or c

<400> 254

```

ctggaagaat tcgcgtggca ggagaggcgg ggcaattttg ctnagctttc tcgcgggctt 60
gcagctgcgg caagtgcctg cggcggctgc tcgcgcaagt cagctggcgt gggaactacc 120
ctttgtagct gagaacggct tgtttattgc tacaagact ctattgacat tggtagcttc 180
agcggcagca gcttcttacg gtataaagct gttgcttcct gaagaggcta caagcatcct 240
tccctaggac tgctgtaagc tttgagcctc tagcaggaga catgcctcgg ggacgaaaga 300
gtcggcgccg ccgtaatgcg agagccgcag aagagaaccg caacaatcgc aaaatccagg 360
cctcagaggc ctccgagacc cctatggccg cctctgtggt agcagcacc cccgaagacg 420
acctgagcgg ccccaggaa gacccgagca ctccagagga ggcttctacc acccctgaag 480
aagcctcgag cactgcccaa gcacaaaagc cttcagtgcc ccggagcaat tttcagggca 540
ccaagaaaag tctcctgatg tctatattag cgctcatctt catcatgggc aacagcgcca 600
aggaagctct ggtctgaaa gtgctgggga agttaggaat gcagcctgga cgtcagcaca 660
gcatctttgg agatccgaag aagatcgtca cagaagagtt tgtgcgcaga gggtagctga 720
tttataaacc ggtgcccgt agcagtcggg ttgagtatga gttcttctgg gggccccgag 780
cacacgtgga atcgagcaa ctgaaagtca tgcattttgt ggcaagggtt cgtaaccgat 840
gctctaaaga ctggccttgt aattatgact gggattcgga cgatgatgca gaggttgagg 900
ctatcctcaa ttcagggtgt aggggttatt ccgccctta agtagatctg aggcagaccc 960
ttgggggtgt aaaagagagt cacagggtacc ccaaggagta gatgccaggg tcctaagttg 1020

```

```

aaaatgatgt cgattggggg cgggggacac tgtatttgat atttgtgatc agtgatcatt 1080
gttcaactgc gaaatagagt gtttgctttt gataatggaa aattgtattc gttttaaaat 1140
tccgtttgtt gagaataaca atatgtttta aaatataatt gaacaaattt ttttctttgt 1200
ttcctgtcat tgacatttag tataacagtt ttgctaactg tctaaaatga agtcgttcca 1260
tcataatcta tgatcttgta cagcacttat agaaataagc tggtcttttg aagttgaaat 1320
accagtaaaa atgttgaaga aggatggagg atttcttcat atctgacgtt tctgaaaccc 1380
tttgtgtctg ctgttgtgtg aagattgaca tttacatga ttttccttag ttactgcaga 1440
acatagagaa aaataaaagc ctaacgaata gtaaaaaaaa aaaaaaaacc tngggggggg 1500
ncccggn 1506

```

<210> 255

<211> 654

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (632)

<223> n equals a,t,g, or c

<400> 255

```

actcacnta ttggaaaagc tggtacgcct gcagggtccc gtccggaatt cccgggtcga 60
cccacgcgtc cgatctttcc gcgccggtga gtagcactct ctgagagctc caatttcac 120
cgtctgccat cggcgccatc ctgcaatcta agccacaatg gtgcgcatga atgtcctggc 180
agatgctctc aagagtatca acaatgccga aaagagagagc aaacgccagg tgcttattag 240
gccgtgctcc aaagtcatcg tccggtttct cactgtgatg atgaagcatg gttacattgg 300
cgaatttgaa atcattgatg accacagagc tgggaaaatt gttgtgaacc tcacaggcag 360
gctaaacaag tgtgggggtga tcagccccag atttgacgtg caactcaaag acctggaaa 420
atggcagaat aatctgcttc catcccgcca gtttggttct attgtactga caacctcagc 480
tggcatcatg gaccatgaag aagcaagacg aaaacacaca ggagggaaaa tcctgggatt 540
ctttttctag ggatgtaata catatattta caaataaaat gcctcatgga caaaaaaaaa 600
aaaaaaaaa aaaaaagggs gsggtctag anggccaag cttacgtacg cgtg 654

```

<210> 256

<211> 1992

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (558)

<223> n equals a,t,g, or c

<400> 256

```

gctcgccata cacctgcgca acgcatgac caccgcgaag aaggaaacat accagtctgt 60
gtacaactgg cagtatgtgc actgcctctt cctgtggtgc cgggtcctga gcactgcggg 120

```

ccccagcgaa scctccagcc cttggtctac ccccttgccc aagtcacatc tggctgtatc 180  
aagctcatcc ccactgccc cttctacccg ctgcgaatgc actgcatccg tggcctgacg 240  
ctgctctcgg ggagctcggg ggccttcac cgggtgctgc ctttcatcct ggagatgttc 300  
cagcaggtcg acttcaacag gaagccaggg cgcagtagct ccaagcccat caacttctcc 360  
gtgatcctga agctgtccaa tgtcaacctg caggagaagg cgtaccggga cggcctgggtg 420  
gagcagctgt acgacctcac cctggagtac ctgcacagcc aggcacactg catcggcttc 480  
ccggagctgg tgcctcctgt ggtcctgcag ctgaagtcgt tcctccggga gtgcaagggtg 540  
gccaaactact gccggcangt gcagcagctg cttgggaagg ttcaggagaa ctccggcatac 600  
atctgcagcc gccgccagag ggtttccttc ggcgtctctg agcagcaggg agtggaagcc 660  
tgaggagaagc tgacccggga agaggggaca cccytgacct tgtactacag ccactggcgc 720  
aagctgcgtg accgggagat ccagctggag atcagtgcca aagagcggct ggaagacctg 780  
aacttccttg agatcaaacg aaggaagatg gctgacagga aggatgagga caggaagcaa 840  
tttaaaagacc tctttgacct gaacagctct gaagaggacg acaccgaggg attctcggag 900  
agagggatac tgaggccctc gagcactcgg catgggggtg aagacgatga agaggacgag 960  
gagaggggcg agaggacag cagcaactcg gaggggtaat ggtcttggga tggagaccca 1020  
gacgcagagg cggggctggc cctggggag ctgcagcagc tggcccaggg gccggaggac 1080  
gagctggagg atctgcagct ctcagaggac gactgaggca gcccatctgg ggggcctgta 1140  
ggggctgcgg ggctgggtggc cagtgtttcc acctccctgg cagtcaggcc tagaggctgg 1200  
cgtctgtgca gttgggggag gcagtagaca cgggacaggg tttattattt atttttcagc 1260  
atgaaagacc aaacgtatcg agagctgggc tgggctgggc tgggtgtggc gctgaagccc 1320  
cacagctgtg ggctgctgaa gtcagctccg cgggggagct gacctgacg tcagcagacc 1380  
gagaccagtc ccagttccag ggggaggcct gcagcccctg gcccmttcca ccacctctgc 1440  
cctccgtctg cagacctcgt ccactctcac cmggtctctg yttactccc ccaagtcttt 1500  
ggaaatgtgt tcttttctt tgaagtcaca ttttctttta aaattttttg ttttgcatcc 1560  
gaaaccgaaa gaaataaagc ggtgggaggc agggccattg tgttgagtgg tgggaagggtt 1620  
gccgtcctgg ctgcaggacg cctctcggaa agagatgttc acgtcccagt ggggtgtggac 1680  
tcttctcttc atgatacggg tgtgcggacc atcctctctg ttcaagcctg ccgccgccac 1740  
aggtggggcc actcccgtcg ctgtcaccat cgctggcaga gaagctggga gtctcgtcct 1800  
tcttcagggt ccggggcgga ggcagggcga ctgtcctctt gtctgccagc cgcaccggtt 1860  
caccggggag gatattcggc agcccgggca gtcgcagatc ggaggatgca cctgcaggat 1920  
ccccttgagc ataagcgtct tcagactttt cccttccgag cggaggggagc ggcccgcgag 1980  
ccccaaagcgc tg 1992

<210> 257

<211> 2273

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2271)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2273)

<223> n equals a,t,g, or c

<400> 257

ggcacgagct ggcggggaag gagaggtcag ggcgtccggg ctgcgccgct aggtcggggc 60  
cgcggcgtcc cccaccctaa gtcccacctc cggccgggca tgggtacccg ggcgggctg 120

gctcgccctg ggcccactca ctggtccaga agcagctgta ggtgcccacc aagcccatga 180  
cgacgctgct ggccaggggc cagccctatt caggcaggag ctgctcttct ggggtatcgc 240  
gatccactta aggatgaggc agacttggtg acaagctggt ctgagcagcg cttccagagc 300  
cagaactgag cccagtgaga gcgcaccctg gggcagcctg gattcctggg gtgtcccccg 360  
cagccacaca cagccatgca ctacccaact gcactcctct tcctcatcct ggccaatggg 420  
gcccaggcct ttcgcatctg cgccttcaat gcccagcggc tgacactggc caaggaggcc 480  
agggagcagg tgatggacac cttagttcgg atactggctc gctgtgacat catggtgctg 540  
caggaggtgg tggactcttc cggcagcgcc atcccgcctc tgcttcgaga actcaatcga 600  
tttgatggct ctgggcccta cagcaccctg agcagccccc agctggggcg cagcacctac 660  
atggagacgt atgtgtactt ctatcgggtc cacaacacac aggtcctgag ttcctacgtg 720  
tacaacgatg aggatgacgt ctttgcccgg gagccatttg tggccagtt ctctttgccc 780  
agcaatgtcc ttcccagcct ggtgttggtc ccgctgcaca ccactcctaa ggccgtagag 840  
aaggagctga acgcccctca cgatgtgttt ctggaggtct cccagcactg gcagagcaag 900  
gacgtgatcc tgcttgggga cttcaatgct gactgcgctt cactgaccaa aaagcgcctg 960  
gacaagctgg agctgcggac tgagccaggc ttccactggg tgattgccga tggggaggag 1020  
accacagtgc gggccagcac ccactgcacc tatgaccgag tcgtgctgca cggggagcgc 1080  
tgccggagtc tgctgcacac tgccgctgcc tttgacttcc ccacgagctt ccagctcacc 1140  
gaggaggagg ccctcaacat cagtaccac taccctgtgg aggtggagct gaagctgagc 1200  
caggcgcaca gcgtccagcc tctcagcctc actgttctgt tgctgctatc actcctgtcc 1260  
cctcagctgt gccctgctgc ctgagcgctc ccctaccccc ccagggcctg ctgccttttg 1320  
ggacttaaac cccagcctcc cccgtccatc cagccctggg gctggggggc ttcaactata 1380  
gttgccctgt gactgtagtc caccctgcc tgccctgttt gatttggtc ttgttctttg 1440  
gttgggcttg tgcttagatt aggagaggaa gccaggggccc ctgcactcat gccacctgcc 1500  
aggtagtgtg gtatcaggag tggagacaaa gtgggctctg ggttggggta ggggaaggga 1560  
gggttcagaa agaggaatga agatgttgta tgacaagaag gaaagttact gagaacaaaa 1620  
accagattg gtgagatagg acacttgtgc agcagatatg ccaatggggc atgtttattg 1680  
tggtattgta agaataacca ggaaaccatt aagccccaat agctacaagg aggggtggtta 1740  
atctgtctata tcaaactcct tccctgaac cagcaaacac cgggaaacat tttggctcat 1800  
tataatccgg tgaacaatgc agtcaggcct gttataaccg ctgagcagcc acactcgac 1860  
ctcctgggtg ctgtagtctg tgttggtaca ggcttctgca tgcttggtta agtccagcca 1920  
aggctggtca aggaacatc tccacacaga aaatctgcac cagttatgta agctaaaaag 1980  
ctgtgtgaac ccagggtgtcc cggaaagggg ctgcaggaca cagcaaatg ccagcagcrt 2040  
gccggacccc tcccttccat cctcctctcc aaagaasaga ggtcaggaaa acaactggct 2100  
gggacgtgag aagggctcat gttaactat atcacattt atggtttgga accatcacc 2160  
caaggtaaaa aaaaaataaa aggtattccc aggtatgttt ggcaaaaata aataaaggta 2220  
attaaaaacc taaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaattttgctg ncn 2273

&lt;210&gt; 258

&lt;211&gt; 1504

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 258

ctgtactctg ccctagattg ttttagcttc tgttctgtaa tcatgagttt ggttggagat 60  
attctccata gatgatcttc tactgaaatg cctaaagaag tcacaggctg gcttctgttt 120  
tattcaggga tttttttaa aagtcaatca gaaaagggat actggagctt cttcatgtat 180  
gtaacagcat attaaactgg agacagtgat gaatcagcta caaaggtaat attgtattaa 240  
aatcatgttt aagatagctg cttttatgtg tattttatat tgcatgcttt tgtaaaaaaca 300  
tgctgggtga tgaaagatta gttttagaga gaaaatgttc atctgtgcag aggatgcatt 360  
ttcttccatt aattctggaa aaaacgttca cagttatata tatggtattt tgcaaaagga 420  
ctattaatag aaccttttga gatgaattaa tgtaagaata ttttttaaat aggcttactg 480

```

tcaaatgca actttttttt tagatacaga gtggaaaaca gtgctaagtc atttggcacc 540
tccttacaaa tttttttcat ggtcacattt attaaatgtt actacatttc tgaatttttg 600
aaaaatgtat tttatcatta aatggcatta ttttaaaggg tgaaaaactg acacagtcaa 660
ttcagaaaaat ggactgaagt ctgaataagg tcattgcatt taaaaagcat ataactgtac 720
ttgactgatg agggagggtg tactttcatt gtatataggt cttattttcat aaacagatat 780
cctgtatcaa ataaaagtat ttgttatata tttgaagtta tgcattggaaa ggagtgtgtt 840
taaattgtta caaacaataa tgcgtcatta aaggccatgc tgatcttgca taactataag 900
tactatgaat gaatttggtt ggttttggtg ttgtacagct cacatgttta cactcagt 960
gccctaattt cccctgaggg aatcgctttt taagtgatcc ttacagtggg gttttatgtt 1020
actttattac agagctcctt ggttttttac ttctgcactt aaattttttt aaataacatg 1080
atgatggtac attttcctct attgtctagc taagggtctt cgggtccacca gtaaataaga 1140
tcaaatgctc ttaaatgttc ctgttaccat cctaatgtaa atactggatt tttctgtcat 1200
ttagcaccat gctgcttctg tctgtcttaa tgctggcatt aagatcatga gccctttttc 1260
tccagtagta caggctttga aaactacttc tattaagtta ttgatgcaat ttgatatttt 1320
ttcataatct atatttaaac aaaattacat cattgcatca tcttttctaa attcatctcc 1380
attaaaactt gccttaagct accagattgc ttttgccacc attggccata ctgtgtgttt 1440
gtttgtttta tttactttca caataaactt ctgtgtagta aaaaaaaaaa aaaaaaaaaa 1500
aaaa                                              1504

```

<210> 259

<211> 1792

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (107)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (487)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1306)

<223> n equals a,t,g, or c

<400> 259

```

aattcggcac gagctacatc gggggactcc tctcagcctt ctacctgaca ggagaagagg 60
tgttccgaat aaaggccatc aggctgggag agaagctcct gccggcnttc aacaccccca 120
cggaatccc aaaggcggtg gtgagcttca aaagtgggaa ctggggctgg gccacagccg 180
gcagcagcag catcttggcg gagtttgat cctgcactt ggaattctta cacctcactg 240
aactctctgg caaccaggtc ttcgctgaaa aggtcaggaa catccgcaag gtcctcagga 300
agatcgaaaa gccctttggc ctctacccca acttcctcag cccagtgaagt gggaaactggg 360
tgcaacacca tgtctcagtt ggaggactcg gggacagttt ttatgaatat ttgatcaaat 420
cctggttgat gtcgggcaag acagatatgg aggctaaaaa tatgtactac gaagccttgg 480
aggcgantag agacctactt gctgaatgty tctcccgggg ggctgacctt cattgccgag 540
tggcgagggg ggattctgga ccacaagatg gggcacctgg cctgtttctc cgggggcatg 600
atcgcccttg gcccgaggat gccaaaggag aaaagagggc ccactaccga gagctcgcag 660

```

```

cccagatcac caagacgtgt cacgagtcac acgcccgcctc agacacccaaa cttgggcctg 720
aggcttcttg ttaactccg gcagagaggc cgtggccacc cagctgagcg agagytacta 780
catcctcccg ccagaggttg tggagagcta catgtacctg tggcgacaga cccacaaccc 840
catctacagg gagtggggct gggaggtggt gctggccttg gagaaatact gtcggacaga 900
agccggtttc tctgggatcc aagacgtgta cagtagcacc cccaaccacg acaacaagca 960
gcagagcttc tttctagcgg agacactaaa gtatctctat cttctgttct ctgaagatga 1020
cttgctctcc ctggaagact ggggtgtcaa caccgaggcc caccactcc cggatgaacca 1080
ctcagacagc tccggcagag ctggggcaga cactgacccc atctcctgcc gccgccctgg 1140
ggccgccgca ggatgccttg ccttttcagg atttgagact gttctcaaag ggattgggaa 1200
cgaaggcccc atctcgggca gacccccagc agatgtgtcg gacaagcaac ttcttttcct 1260
ctgtgaggag acaagacttg gagactcagc gatgtcaggc cagggnatg gccacactgg 1320
cccacacatt ctttctaca gagaatttct atgaagccca ctcacttgcc attccagggc 1380
caaaggaccg gaggtttgca tatccgcccc ttgtatttga ttgcttcct ttgggtttct 1440
tggtttttgt tttgcttga tttgtcttt tctctacagt ttagttttgt cacaattaca 1500
catatagttt tcaaatcat gcactttcta aaatggtgtc atcctgaaaa acaaaacca 1560
gtgtttgcac acacacaaaa tcttgacccc gttatctata ttttaaatgc tttttgcca 1620
acactgaccc tatgttcaac tttgtgtcat ttacctata atttgaggag gggtttccct 1680
ttgggcctca gtgttcaaaa ttactagtgc tattttcatt attattgtaa tggaaaaatc 1740
tgtggactag aataaaagag tttattgaat aagaaaaaaa aaaaaaaaaa aa 1792

```

<210> 260

<211> 2048

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (66)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (67)

<223> n equals a,t,g, or c

<400> 260

```

atcccttttg atccgggcct gggctgagtg ctcccccccg gcttcaggtg acgcgggccc 60
gcgganntgg ggtcgcccga gttgggctgg ggaagccagg gacggaggtg tccggccgctc 120
accctagag gagggcgtgc gggggtctgt tttgcatgcg agccaccctc ctggctgctc 180
ctgcgggttc cctgtccagg aagaagcggg tggagttgga tgacaactta gataccgagc 240
gtcccgctca gaaacgagct cgaagtgggc ccagccccag actgcccccc tgctgtgtgc 300
ccctgagccc gaggaggcgg ggcgggccta ccaggcctgc actgccctac aggcactgag 360
tatacctgca agtgtacccc gtccaggaag ccctggccgt gctggagccc taygcgggc 420
tgcccccgca caagcatgtg gctcgcccca ctgaggtcct ggctgggtacc cagctcctct 480
acgccttttt cactcgacc catggggaca tgcacagcct ggtgcgaagc gccaccgtat 540
ccctgagcct gaggctgccg tgcctctccg ccagatggcc accgccctgg cgcactgtca 600
ccagcacggt ctggtcctgc gtgatctcaa gctgtgtcgc tttgtcttcg ctgaccgtga 660
gaggaagaag ctggtgctgg agaacctgga ggaactcctgc gtgctgactg ggccagatga 720
ttccctgtgg gacaagcacg cgtgcccagc ctacgtggga cctgagatac tcagctcamg 780
ggcctcatatc tcgggcaagg cagccgatgt ctggagcctg ggcgtggcgc tcttcacat 840
gctggccggc cactaccctc tccaggactc ggagcctgct ctgctcttcg gcaagatccc 900

```

```

ccgcggggcc tacgccttgc ctgcaggcct ctcgcccccct gcccgctgtc tggttcgctg 960
cctccttcgt cgggagccag ctgaacggct cacagccaca ggcatcctcc tgcaccctcg 1020
gctgcgacag gacccgatgc ccttagcycc aacccgatcc catctctggg aggctgcccc 1080
ggtggtccct gatggactgg ggctggacga agccagggaa gaggagggag acagagaagt 1140
ggttctgtat ggctaggacc accctactac acgctcagct gccaacagtg gattgagttt 1200
gggggtagct ccaagccttc tcctgcctct gaactgagcc aaaccttcag tgccttccag 1260
aaggagaaaa ggcagaagcc tgtgtggagt gtgctgtgta cacatctgct ttgttccaca 1320
cacatgcagt tcctgcttgg gtgcttatca ggtgccaaagc cctgttctcg gtgctgggag 1380
tacagcagtg agcaaaggag acaatattcc ctgctcacag agatgacaaa ctggcatcct 1440
tgagctgaca acacttttcc atgaccatag gtcactgtct aactgggta cactttgtac 1500
cagtgtcggc ctccactgat gctgggtgctc aggcacctct gtccaaggac aatcccttcc 1560
acaaacaaac cagctgcctt tgtatcttgt accttttcag agaaaggag gtatccctgt 1620
gccaaaggct ccaggcctct cccctgcaac tcaggacca agcccagctc actctgggaa 1680
ctgtrttccc agcatctctg tcctcttgat taagagattc tccttccagg cctaagcctg 1740
ggatttgggc cagagataag aatccaaact atgaggctag ttcttgtcta actcaagact 1800
gttctggaat gaggtgccag gcctgtcaac catggggctt ctgacctgag caccaagggt 1860
gaggacagc attaggcagg gtctgtcctg tggccacctg gaaagtccca ggtgggactc 1920
ttctggggac acttggggtc cacaatccca ggtccatact ctaggttttg gataccatga 1980
gtatgtatgt ttacctgtgc ctaataaagg agaattatga aataaaaaaa aaaaaaaaaa 2040
aactcgac                                     2048

```

<210> 261

<211> 1282

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1244)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1261)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1265)

<223> n equals a,t,g, or c

<400> 261

```

ctcgtgtcgc cgccattttg ccgggggttg aatgtgaggc ggagcggcgg caggagcggg 60
tagtgccagc tacggtccgc ggctgggggt cctcctccg tttctgtatc cccacgagat 120
cctatagcaa tggaactcag cgatgcaaac ctgcaaacac taacagaata tttaaagaaa 180
acacttgatc ctgactcctg catccgacgt ccagctgaga aatttcttga atctgttgaa 240
ggaaatcaga attatccact gttgcttttg acattactgg agaagtccca ggataatgtt 300
atcaaagtat gtgcttcagt aacattcaaa aactatatta aaaggaaactg gagaattgtt 360
gaagatgaac caaacaaaat ttgtgaagcc gatcgagtgg ccattaaagc caacatagtg 420
cacttgatgc ttagcagccc agagcaaatt cagaagcagt taagtgatgc aattagcatt 480
attggcagag aagattttcc acagaaatgg cctgacttgc tgacagaaat ggtgaatcgc 540

```



```

tttcagagtg gagatttcca tgttattaat ggagtcctcc gtacagcaca ttcattattt 600
aaaagatacc gtcatagaatt taagtcaaac gagttatgga ctgaaattaa gcttggtctg 660
gatgcctttg ctttgccttt gactaatctt ttttaaggcca ctattgaact ctgcagtacc 720
catgcaaatg atgcctctgc cctgaggatt ctgttttctt ccctsatcct gatctcaaaa 780
ttgttctata gtttaaactt tcaggatctc cctgaatttt ttgaagataa tatggaaact 840
tgatgaata attttcatac tctcttaaca ttggataata agcttttaca aactgatgat 900
gaagaggaag ccggttatt ggagctctta aaatcccaga tttgtgataa tgccgcactc 960
tatgcacaaa agtacgatga agaattccag cgatacctgc ctggtttgtg tacagccatc 1020
tggaattta ctagttacaa cgggtcaaga ggtaaataat gatttgttg taagtaatgc 1080
aattcaattt ctggcttcag tttgtgagag acctcattat aagaatctat ttgaggacca 1140
gaacacgctg acaagtatct gtgaaaagg ttattgtgcc taacatggga tttagagctg 1200
ctgatggaag aagcattgaa gtaattctga ggggttacag aggnagatt tggaagggtc 1260
ngtnttggt actagacgca gg                                     1282

```

&lt;210&gt; 262

&lt;211&gt; 599

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 262

```

ggcacgagcc ccggcagagg cggargcgga gtcggcctga gaggtctctc gtcgctgcag 60
gcgcctcagc ccagccgcgt gccttgccc atggccgcct actcttaccg ccccgccct 120
ggggccggcc ctgggcctgc tgcaggcgcg gcgctgccgg accagagctt cctgtggaac 180
gttttccaga gggctcgataa agacaggagt ggagtgatat cagacaccga gcttcagcaa 240
gctctctcca acggcacgtg gactcccttt aatccagtga ctgtcaggtc gatcatatcc 300
atgtttgacc gtgagaacaa ggccggcggt aacttcagcg agttcacggg tgtgtggaag 360
tacatcacgg actggcagaa cgtcttccgc acgtacgacc gggacaactc cgggatgatc 420
gataagaacg agctgaagca ggccctctma gtttcggcta ccggtctct kaccagttcc 480
acgacatcct cattcgaaaag kttgacaggc argggacggg gcaratcgsc ttcgacgast 540
taatccaagg ctggcatggc ctgcagaggt ttacggatat attcaaaggt ttcggcacg 599

```

&lt;210&gt; 263

&lt;211&gt; 1261

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 263

```

ggcacgaggt tgttcggagc gggcgagcgg agttagcagg gctttactgc agagcgcgcc 60
gggcactcca gcgaccgtgg ggatcagcgt aggtgagctg tggccttttg cgaggtgctg 120
cagccatagc tacgtgcgtt cgctacgagg attgagcgtc tccaccagc aagtgggcaa 180
gaggcggcag gaagtgggta cgcagggcg caaggcgac agcctctaga cgactcgctt 240
tccctccggc caacctctga agcccgctcc tactttgaca gctgcagggc cgcggcctgg 300
tcttctgtgc ttcaccatct acataatgaa tcccagtatg aagcagaaac aagaagaaat 360
caaaagagaat ataaagaata gttctgtccc aagaagaact ctgaagatga ttcagccttc 420
tgatcttgga tctcttggtg gaagagaaaa tgagctgtcc gcaggcttgt ccaaaaggaa 480
acatcggaat gaccacttaa catctacaac ttccagccct ggggttattg tcccagaatc 540
tagtgaatat aaaaatcttg gaggagtcac ccaggagtca tttgatctta tgattaaaga 600
aaatccatcc tctcagtatt ggaaggaagt ggcagaaaaa cggagaaaag cgctgtatga 660
agcacttaag gaaaatgaga aacttcataa agaaattgaa caaaaggaca atgaaattgc 720
ccgcctgaaa aaggagaata aagaactggc agaagtagca gaacatgtac agtatatggc 780
agagctaata gagagactga atggtgaacc tctggataat tttgaatcac tggataatca 840

```

220

```

ggaatttgat tctgaagaag aaactgttga ggattctcta gtggaagact cagaaattgg 900
cacgtgtgct gaaggaactg tatcttcctc tacggatgca aagccatgta tatgaaatgc 960
attaatatat gactgttgag aattttactg ccgaagttaa cctccactag ttctttgtag 1020
cagagtacat aactacataa tgccaactct ggaatcaaat ttccttggtt gaatcctggg 1080
accctattgc attaaagtac aaatactatg tatttttaat ctatgatggt ttatgtgaat 1140
aggattttct cagttgtcag ccatgactta tgtttattac taaataaact tcaaactcct 1200
gttgaacatt gtgtataact tagaataatg aaatataagg agtatgtgta gaaaaaaaaa 1260
a                                                    1261

```

&lt;210&gt; 264

&lt;211&gt; 1020

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 264

```

ctgctcctgg ccaacatcca gtattttatc ttgactgtcc taaccttacc ttagatgcta 60
acagaagggt cctgctcaaa taacactggg tgctatatgt atgggtaaat gtgtacatcc 120
tattccttcc tctttatctc acaatttttg tctccactaa gcaagaagta aactaacact 180
tcgtcactct aaagaaataa cttatgtaaa actcttagta accctgtttg tcttcaaatg 240
agtaaataga ccaaagtggg gggacaattt tctagtcttg tagagggaaa aacatctgag 300
tcaacatttt gaaatgcaga ggggtattgt acatgacgac atggaaaagg gcacttttaa 360
acacagctta ctcttcctca agtacagaga gtatatagt aatcaaaact aactacagcc 420
attcttttta aagcccaagg gatggagcaa aggtgtaagg atgttacctg tttgttttaa 480
tcagagagca aaaagaagtc acaatagttt gggagaaaaa gtagtatggt gagtaagggt 540
atgcgtataa tttcatactg aattttattac tatttgggat gtacgtcart gttctaacaa 600
acactgccaa cacgtcaatt ttttaaaaag cgtgggccac attgctaaga atttgttaa 660
gcataactgt attttttggt ttagggcctt attgatgttt tgccgttcca atgtatgcat 720
ttttttactc aataaacttg tcttaatttt agaactgtct gatgatttcg tactggaaag 780
aactactcaa agacggcagt gtaaaagcaa gtcttaggaa agtcccattt tatttgtgtc 840
taacaaacat acaggaactg aaatattttt gttaaactct gggatgcacc gaagtaactt 900
aaaacaaacc gttcaacagg ttcccccaac cgcccacgcc acataaagaa cagacatatc 960
tacacttgaa aaagctcata cctgtctcag ttctgaaagt cccctaagga ttgcttgctg 1020

```

&lt;210&gt; 265

&lt;211&gt; 571

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (557)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (565)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 265

```

ctttacggca sgmgcccgcg tcgctagcta gtcgttctga agcggcgccc agagaagagt 60
caagggcacg agcatcgggc catgccttcc ttggacatcc agaaaagggt cggccttaac 120

```

221

```

atagatcgat gggtgacaat ccagagtggg gaacagccct acaagatggc tggtcgatgc 180
catgcttttg aaaaagaatg gatagaatgt gcacatggaa tcggttatac tcgggcagag 240
aaagagtgcag agatagaata tgatgatttc gtagagtgtt tgcttcggca gaaaacgatg 300
agacgtgcag gtaccatcag gaagcagcgg gataagctga taaaggaagg aaagtacacc 360
cctccacctc accacattgg caagggggag cctcggccct gaacagagca gctgctgatg 420
tctggaggct gattttcctg ttctctgttc tccactggaa aggttggtta cgacaaacct 480
ccttgtcaaa gtgtgtaaaa ataaaggatt gctccatcct aaaaaaaaaa aaaaaaaaaa 540
aaaatttggg ggggggnccc cgtancccat t 571

```

&lt;210&gt; 266

&lt;211&gt; 1350

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (204)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1313)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 266

```

tgccgccatc gtcgtggggc ttctggggca gctagggctg cccgccgcgc tgcctgcgcc 60
ggaccggggc ggggtccagtc ccgggcgggc cgtcgcggga gagaaataac atctgctttg 120
ctgccgagct cagaggagac cccagacccc tcccgcagcc agagggctgg agcctgctca 180
gaggtgcttt gaagatgccg gagncccgcc tctgctgttg gcagctgtgt tgcctggcct 240
ggtgctgctg gtggtgctgc tgcgtcttct gaggcactgg ggctggggcc tgtgccttat 300
cggttggaac gagttcatcc tgcagcccat ccacaacctg ctcatgggtg acaccaagga 360
gcagcgcata ctgaaccayg tgctgcagca tgcggagccc gggaacgcac agagcgtgct 420
ggaggccatt gacacctact gcgagcagaa ggagtgggcc atgaacgtgg gcgacaagaa 480
aggcaagatc gtggacgccg tgattcagga gcaccagccc tccgtgctgc tggagctggg 540
ggcctactgt ggctactcag ctgtgcgcac ggcccgcctg ctgtcaccag gggcgaggct 600
catcaccatc gagatcaacc ccgactgtgc cgccatcacc cagcggatgg tggatttcgc 660
tggcrtgaag gacaagggtca cccttgtggt tggagcgtcc caggacatca tccccagct 720
gaagaagaag tatgatgtgg acacactgga catggtcttc ctgcaccact ggaaggaccg 780
gtacctgccg gacacgcttc tcttgaggga atgtggcctg ctgcggaagg ggacagtgc 840
actggctgac aacgtgatct gccaggtgc gccagacttc ctagcacacg tgcgcgggag 900
cagctgcttt gagtgcacac actaccaatc gttcctggaa tacaggaggg tggtgacgg 960
cctggagaag gccatctaca agggcccagg cagcgaagca gggccctgac tgccccccc 1020
ggccccctc tcgggctctc tcaccagacc tggtagtgaa ggtgccagac gtgctcctgc 1080
tgaccttctg cggtccggg ctgtgtccta aatgcaaagc acacctcgcc gagcctgcgc 1140
cctgacatgc taacctctct gaactgcaac actggattgt tcttttttaa gactcaatca 1200
tgacttcttt actaacactg gctagctata ttatcttata tactaatatc atgttttaaa 1260
aatataaaat agaaattaag aatctaaawa aaawaaaaaa acggggggcg cntntaaagg 1320
tccaagctta acgtaagcgt gcatgggaag 1350

```

&lt;210&gt; 267

&lt;211&gt; 1319

222

<212> DNA  
<213> Homo sapiens  
  
<220>  
<221> misc feature  
<222> (7)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (61)  
<223> n equals a,t,g, or c

<400> 267  
gcaaganaga aattaaccct cactaaaggg aacaaaagct ggagctccac cgcgggtggcg 60  
nccgctctag aactagtggg tcccccgggc tgcaggaatt cggcacgaga gactccgcga 120  
cctactgacc cggcgactga caggctccaa ctacccgga ctcagtatta gccttcgcct 180  
cactggctcc tctgcacaag aggmggcttc cggagtagcc ctcggtgaag cccagacca 240  
cagctatgag tcccttcgtg tgacgtctgc gcagaaacat gttctgcatg tccagctcaa 300  
ccggcccaac aagaggaatg ccatgaacaa ggtcttctgg agagagatgg tagagtgtt 360  
caacaagatt tcgagagacg ctgactgtcg ggcggtggtg atctctggtg caggaaaaat 420  
gttcaactgca ggtattgacc tgatggacat ggcttcggac atcctgcagc ccaaaggaga 480  
tgatgtggcc cggatcagct ggtacctccg tgacatcatc actcgatacc aggagacctt 540  
caacgtcatc gagaggtgcc ccaagcccggt gattgctgcc gtccatgggg gctgcattgg 600  
cggaggtgtg gaccttgtca ccgcctgtga catccggtac tgtgcccagg atgctttctt 660  
ccaggtgaag gaggtggacg tgggtttggc tgccgatgta ggaacactgc agcgctgcc 720  
caaggtcatc gggaaccaga gcctggtcaa cgagctggcc ttcaccgccc gcaagatgat 780  
ggctgacgag gccctgggca gtgggctggt cagccgggtg tccccagaca aagaggtcat 840  
gctggatgct gccttagcgc tggcgccga gatttccagc aagagccccg tggcgtgcag 900  
agcaccaagg tcaacctgct gtattccgc gaccattcgg tggccgagag cctcaactac 960  
gtggcgtcct ggaacatgag catgctgcag acccaagacc tcgtgaagtc ggtccaggcc 1020  
acgactgaga acaaggaact gaaaaccgtc acctctccca agctctgaga gccctcgcgt 1080  
cccaggcccc agccaggggg ccggccttgt ccgcctcat ccacagaaag ggaggtggg 1140  
cgatgacagt tgttctatg ccttctgacc cagtttccca gtttataact ttatgacaat 1200  
gagttttctca agcccaaggc cttatcttca ccccaaaaac aataaagcaa agtaaagaaa 1260  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaagg ggggggggc 1319

<210> 268  
<211> 3694  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (746)  
<223> n equals a,t,g, or c

<400> 268  
cggagctgcg ccctggtgtg caagcactgg taccgctgcc tgcacggcga tgagaacagc 60  
gaggtgtggc ggagcctgtg cgcccgcagc ctggcagaag aggctctgcg caggacatc 120  
ctgtgcaacc tgcccagcta caaggccaag atacgtgctt ttcaacatgc cttcagcact 180

```

aatgactgct ccaggaatgt ctacattaag aagaatggct ttactttaca tcgaaacccc 240
attgctcaga gcactgatgg tgcaaggacc aagattgggt tcagtgaagg ccgccatgca 300
tggaagtgt ggtgggaggg ccctctgggc actgtggcag tgattggaat tgccacaaaa 360
cgggccccca tgcagtgcc aaggttatgt gcattgctgg gcagtgatga ccagagctgg 420
ggctggaatc tgggtggacaa taatctacta cataatggag aagtcaatgg cagttttcca 480
cagtgcacaa acgcacacaa atatcagata ggagaaagaa ttcgagtcac cttggacatg 540
gaagataaga ctttagcttt tgaacgtgga tatgagttcc tgggggttgc ttttagagga 600
cttccaaagg tctgcttata ccagcagtt tctgctgtat atggcaacac agaagtgact 660
ttggtttacc ttgaaaaacc tttggacgga tgacagtggc tttcttgtga tgacmgacas 720
aatggaggag agatctgctt atgggnaakt asaaccatga agtgactgtc acacatgcat 780
gtccaagaaa catcctgaaa acacatgaag tcgtaaaactg gagaagcagc tctacagcag 840
agattatctc gtgtttcctc tttctactgg gccagaaaaa tcctcagggt tgcagttggt 900
tgagtgggca gttgacatat gcagtgtgca ccgatgttg tctctaagtt agcaatgtgt 960
tatttccagc tttaaagggt agattgtaga gatctgttca aagggataag gaaatagcaa 1020
gatttttaag tagtgtgttt gtgaagactg atcccatttt acaactgcct gttctttctc 1080
cagtcctttt ttttccagcc agcttgacta ttagaaaagt atgaaactgg ttgggtttta 1140
tttaatattt ttaatatatt gagaagcatg gctgcctgg actgcacttc tctaaaagt 1200
agatataaaa ttgtgcagct attttaaaag ttgtatataa tatgtgtgta aaaaaaaaa 1260
actgtaaaaa agaaaggaca aacaggttgt tttgttctag ttctaatttc ttaaaaacca 1320
ctacatggtt acaaaattgg aataacattt tggggggaca actgggttaa ctacaaagaa 1380
gaggatttwa agaggagatg tgttgwattg acycatttkg watwattttw ggcttacagt 1440
tcccatagct gttagagtct ggtttgtttt tgtttttact ctcaaaatca tagtaaagat 1500
ctctcagctc cctggctaaa gattgaagga aggcaaatct atttctaatt atacatata 1560
cagtaaggat gatctcaaca taatagtaat gtgtatcttt tggtatccag ttttattttt 1620
ggccttctaa gaaagtgtct cataacacag aacattgcc a tttgctcttg taggcctcaa 1680
atatgaaagc tattagtcac agagcctagg aaaaaagaa ttgattaatg gtccttttat 1740
tttgaacct tataaatgct gtagatatta tcaaaaaaat tttaatttca tattgtttac 1800
atcatgcaac taatctaagc ctcaaactcg ttattggggc tataaagaaa acgtttactt 1860
accagctga aacaggttaa gaatatctt aatctcatta tagataattg ccccatggg 1920
acttgaaata caacaccttg tgctgaaac ttcagggttg gcaatatttg aaggtttcgt 1980
tgtaraagag tttacatta actcctattt tgacttaca atcttgttc tcatcactaa 2040
aatgcttttg aattaataat ccaaccaca tgagctgaga gtttttctt tgttagaaaa 2100
gaaacagaca tcttctgta tgaaagtata aattgtatgg ttttagatac ataagaattg 2160
acaaagcga gcgaaatctt tgtactctg agtctctgct gtatgtatgt tttgttttaa 2220
atctgattag ggcacccag cagctggcgg ggtactcttg attgctcctt gggagttaa 2280
attgtcaata ctctgtgaa gcaagggtt tcagccatag aacaaagatt tattgttgcc 2340
acctgaaaag tttacaagta tttatttgtt atttgataca ttgcttgaaa agatgaaatc 2400
tgttaaagat tcttttcgat gtccagggtt agargaaacc tccttgattt gagtgaacta 2460
tatgttaaag gtattagaga atgtaggtgg tatagaaatt gatttttctt ggtgtagaac 2520
aactcagttc ggcaaagttt aaaatttgat taaacaagag aagtggttca ggttgaagat 2580
ggacttggtt ggaagtgatc aagtccttta agtactgtt tctttttcag gttgtgatgt 2640
ggccattccg aattttgttg agagtgtgtt ttataattgt ctcttttctc ttgttagtaa 2700
acattcattt gcaacagttt tgaagtgctt gagtggaaaa ccgaaacaca tggttattgc 2760
gtattggacc tagaatgaaa taattgcctc aatatttaac aacaagccat tcttatctca 2820
aagattttaa tccccgaatg tccattctgc aaatcatatg caattgaagt gagcagcatg 2880
agcatctggg tcatgagggc cttcattttc gtaaatgtt cactaaaacc cagtagtagc 2940
tctacaaaat cttaaactgc tgcagtgtct aaggagatgg aatatctttg tcattggtgc 3000
tgaggagagc atttcggtag aagacagttg cgctgaaga ttgagtgtaa atcattcaaa 3060
ccagtgttcc tcaagtgttg ctgtatacac tttgtagtca ctttggaatg ttggaagaca 3120
catcgatgct tgggttccgt atgccaagat tctgatgttg gtctggaata tgagctggtc 3180
ataaggattt ttaaaaactt tctggtcatt tcaatatgct gccaaaggtg agaaccactg 3240

```

```

ttgtaaaatt caccttgagt tttctcatct gcaaaataga aaaaaaaat ccttgctccc 3300
tcccttcact acctcacaag gatattgagg gttaaaggaga aaataatggg aaagtgcttg 3360
tgccgtggat gaaaagtgtc attaaaagtc aaaggagtgt tctgtttcaa ttcatagtat 3420
gatcagggaa agtgtaactg agtatacttt gttgacttgg gaaacctgga gcactttctt 3480
tggttggtta acgaagcatg cagatgtgga agcagacgtt actattatcc ctactatggt 3540
cttctgtcat actgagacag gctgttttaa ttacctggtt ttacatagga aagaagaaat 3600
attaaggctt aaagtttgta atgatcaatg gctcataatt cattaaatct tttcatacaa 3660
ggaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaa                                     3694

```

<210> 269

<211> 1242

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (4)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (31)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (46)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (460)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1233)

<223> n equals a,t,g, or c

<400> 269

```

ccanccctca ctaaagggaa caaaagctgg ngctccaccg cggtgncgac cgctctagaa 60
ctagtggatc cccgggctg caggaattcg gcaccgcaaa aaaatttaaa aaatacagtg 120
ttttgtattg atatatgtac tgtgtgtgtc tgtgtgtgtg agatcaagat caggttttga 180
ttggtgatgt actattactg ttgtccttgg tcaggggacac agaggatgtt tggggtttgg 240
tggtgagaca ttatctaaca cgtgctgtgt cctttttggg tttgagcccc acaccagtga 300
gaagcatcag caccgtgaac ttgtctgaga atagcagtgt tgtcatcccc ccaccgact 360
acttggaatg cttatccatg ggggcagytg ccgacaggag agcagattcg gccaggacga 420
catccacctt taaggcccca gcgtccaagc ccgagaccgn ggctcctaac gatgccaacg 480
ggactgcaaa gccgcctttt ctacgcggag aaaaccctt tgccactgtg aaactccgcc 540
cgactgtgac gaatgatcgc tcggcaccca tcattcgatg agaggacagc caaggactct 600
cccgggcctc tccggttctc ccttgcgga tgatgggcgc atcctgtctg ccacgtgctg 660

```

225

acgggtcggga agcttcagtg gagaggccta actctaattgt cgcttgctta agcaaatcat 720  
gcttctctgt ttcacgtagt tgggttgaca agtttctgcc ttttaagataa atgagtaata 780  
gtctaattgac cagctcagcc atttaaaata ttttcttctt attctgttca agaaacagta 840  
aaacttggttt caatctttac tgtatttttt aaatgaattt tttccttaat aacagccaga 900  
ataagggata gtctatgctt tcaggactgg ctttctgcac ctgatatgaa tgagaccagt 960  
tttattttat aaagcatgtg ctcttaatat cattatgtct aaagaagata tcacgtaagt 1020  
ttgcatctta gcatgcaaata cataatttta agcaatataa attatgaaaa tactatataa 1080  
atgtaattta acttaaaatg ttttaagtgt gagcttccag agrtgggagg aaacccccac 1140  
cctccctcca accacgccag agsctgtagg agtgctaagg acgstttgcc tggcccttta 1200  
tcacagccac acgtaggcac ytcgacggga atnctccctt cc 1242

&lt;210&gt; 270

&lt;211&gt; 2057

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (22)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2053)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2054)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 270

cggagcgggt tgtaatgtat tncgtggattt tattttgctg tattagctcc tcaagagtta 60  
ctgatctatg aaatggcaga gaatggaaaa aattgtgacc agagacgtgt agcaatgaac 120  
aaggaacatc ataatggaaa ttccacagac cctcttcag tgaatgaaaa gaagaggagg 180  
gagcgggaag aaaggcagaa tattgtcctg tggagacagc cgctcattac cttgcagtat 240  
ttttctctgg aaatccttgt aatcttgaag gaatggayct caaaattatg gcatcgtcaa 300  
agcattgtgg tgtctttttt actgctgctt gctgtgctta tagctacgta ttatgttgaa 360  
ggagtgcac aacagtatgt gcaacgtata gagaaacagt ttcttttgta tgcctactgg 420  
ataggcttag gaattttgtc ttctgttggg cttggaacag ggctgcacac ctttctgctt 480  
tatctgggtc cacatatagc ctcatgtaca ttagctgctt atgaatgcaa ttcagttaat 540  
tttcccgaac caccctatcc tgatcagatt atttgtccag atgaagaggg cactgaagga 600  
accatttctt tgtggagtat catctcaaaa gttaggattg aagcctgcat gtgggggtatc 660  
ggtacagcaa tcggagagct gcctccatat ttcattggyca gagcagctcg cctctcagg 720  
gctgaaccag atgatgaaga gtatcaggaa tttgaagaga tgctggaaca tgcagagtct 780  
gcacaagact ttgcctcccg ggccaaactg gcagttcaaa aactagtaca gaaagtggga 840  
ttttttggaa ttttggcctg tgcttcaatt ccaaatcctt tatttgatct ggctggaata 900  
acgtgtggac actttctggt accttttttg acccttcttg gtgcaaccct aattggaaaa 960  
gcaataataa aaatgcatat ccagaaaaatt tttgttataa taacattcag caagcacata 1020  
gtggagcaaa tgggtgcttt cattggtgct gtccccggca taggtccatc tctgcagaag 1080  
ccatttcagg agtacctgga ggctcaacgg cagaagcttc accacaaaag cgaaatgggc 1140

```

acaccacagg gagaaaactg gttgtcctgg atgtttgaaa agttggtcgt tgtcatgggtg 1200
tgttacttca tcctatctat cattaactcc atggcacaaa gttatgcaa acgaatccag 1260
cagcggttga actcagagga gaaaactaaa taagtagaga aagttttaaa ctgcagaaat 1320
tggagtggat ggggtctgcc tttaattggg aggactccaa gccgggaagg aaaattccct 1380
tttccaacct gtatcaattt ttacaacttt tttcctgaaa gcagtttagt ccatactttg 1440
cactgacata ctttttcctt ctgtgctaag gtaaggatc caccctcgat gcaatccacc 1500
ttgtgttttc ttagggtgga atgtgatgtt cagcagcaaa cttgcaacag actggccttc 1560
tgtttgttac tttcaaaagg cccacatgat acaattagag aattcccacc gcacaaaaaa 1620
agttcctaag tatgttaa atgtcaagct ttttaggctt gtcacaaatg attgctttgt 1680
tttcctaagt catcaaaatg tatataaatt atctagattg gataacagtc ttgcatgttt 1740
atcatgttac aatttaatat tccatcctgc ccaacccttc ctctcccatc ctcaaaaaag 1800
ggccatttta tgatgcattg cacaccctct ggggaaattg atctttaaat tttgagacag 1860
tataaggaaa atctggttgg tgtcttaca gtgagctgac accatttttt attctgtgta 1920
tttagaatga agtcttgaaa aaaactttat aaagacatct ttaatcattc caaaaaaaaa 1980
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaggaaaa 2040
aaaaaaaaaa aannaaa 2057

```

<210> 271

<211> 960

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (4)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (31)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (951)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (956)

<223> n equals a,t,g, or c

<400> 271

```

aagnatagaa attaaccctc acgtaaaggg nacaaaagct ggagctccac cgcggtgcgg 60
ccgctctaga actagtggat cccccgggct gcaggaattc ggcacgagct cttccacccc 120
tgccaggccc agcagccacc acagcgctg cttcctcggc cctgaaatca tgcccctagg 180
tctcctgtgg ctgggcctag ccctgttggg ggctctgcat gccaggccc aggactccac 240
ctcagacctg atcccagccc cacctctgag caaggctcct ctgcagcaga acttccagga 300
caaccaattc caggggaagt ggtatgtggt aggcctggca gggaatgcaa ttctcagaga 360
agacaaagac ccgcaaaaga tgtatgccac catctatgag ctgaaagaag acaagagcta 420
caatgtcacc tccgtcctgt ttaggaaaaa gaagtgtgac tactggatca ggacttttgt 480

```



227

tccaggttgc cagcccggcg agttcacgct gggcaacatt aagagttacc ctggattaac 540  
gagttacctc gtccgagtgg tgagcaccaa ctacaaccag catgctatgg tgttcttcaa 600  
gaaagtttct caaacaggg agtacttcaa gatcaccctc tacgggagaa ccaaggagct 660  
gacttcggaa ctaaaggaga acttcatccg cttctccaaa tctctgggcc tccctgaaaa 720  
ccacatcgtc ttcctgtcc caatcgacca gtgtatcgac ggctgagtgc acaggtgccg 780  
ccagctgccg caccagcccg aacaccattg agggagctgg gagaccctcc ccacagtgcc 840  
acccatgcag ctgctcccca ggccaccccg ctgatggagc cccaccttgt ctgctaaaata 900  
aacatgtgcc ctgagaaaaa aaaaaaaaaa aaaaaaaaaa aagggggggg ncccgtcccc 960

&lt;210&gt; 272

&lt;211&gt; 1167

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 272

ggcacgaggg aagtaggttt ctacccgacc gcattttacg tgggtgctgca tttccggtag 60  
cgggcgcggg aaatcggctg tgggagagag gctaggcctc tgaggaggcg aatccggcgg 120  
gtatcagagc catcagaacc gccaccatga cggtgggcaa gagcagcaag atgctgcagc 180  
atattgatta caggatgagg tgcattctgc aggacggccg gatcttcatt ggcaccttca 240  
aggcttttga caagcacatg aatttgatcc tctgtgactg tgatgagttc agaaagatca 300  
agccaaagaa ctccaaacaa gcagaaaggg aagagaagcg agtcctcggc ctgggtgctgc 360  
tgcgagggga gaactctggtc tcaatgacag tagagggacc tcctcccaaa gatactggta 420  
ttgctcgagt tccacttgct ggagctgccg ggggcccagg gatcggcagg gctgctggca 480  
gaggaatccc agctgggggt cccatgcccc aggtctctgc aggacttgct gggccagtcc 540  
gtgggggttg cgggccatcc caacaggtga tgacccaca aggaagaggt actgttgagc 600  
ccgctgcagc tgctgccaca gccagtattg ccggggctcc aaccagtagc ccacctggcc 660  
gtgggggttc tccccacct atgggcccag gagcaccccc tccaggcatg atggggccac 720  
ctcctggtat gagacctcct atgggtcccc caatggggat ccccccctga agagggactc 780  
caatgggcat gccccctccg ggaatgcggc ctcctcccc tgggatgcga ggccttcttt 840  
gaccttggc cacagagtat ggaagtagct ccgcagagcg gtgggctcga ttcctcaggg 900  
ccacgttacc acagacctgt ttgtttctta tgcgttggtt cgtggagtct catgggattg 960  
tctggtttcc cttacagggc cccctcccc gggaaatgcgc ccaccaagcg cctagactca 1020  
tcttgccct cctcagctcc ctgcctgttt cccgtaagcg tgtacatagt ctttttatct 1080  
ccttggtgcc tatgaaactg gtttataata aactcttaag agaacattaa aaaaaaaaaa 1140  
aaaaactyrr gggggggccc ggtccca 1167

&lt;210&gt; 273

&lt;211&gt; 2771

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (16)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (27)

&lt;223&gt; n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (42)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (64)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (2715)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (2717)  
<223> n equals a,t,g, or c

<400> 273  
tcctcactaa agggancaaa agctgngct ccaccgcggt gncgaccgct ctagaactag 60  
tggntccccc gggtgcagg aattcggcac gagccsaccc gcctcttgge tcctctcctc 120  
taggcgcgtcg ctttcgggtt ctctcatcgc ttcgtcgttc gccaatgttt gaggagaagg 180  
ccagcagtc ttcagggaag atgggaggcg aggagaagcc gattggtgct ggtgaagaga 240  
agcaaaagga aggaggcaaa aagaagaaca aagaaggatc tggagatgga ggtcagactg 300  
agttgaatcc ttggcctgaa tatatttaca cacgtcttga gatgtataat atactaaaag 360  
cagaacatga ttccattctg gcagaaaagg cagaaaaaga tagcaagcca attaaagtca 420  
ctttgcctga tggtaaacag gttgatgcgg aatcttggaa aactacacca tatcaaattg 480  
cctgtggaat tagtcaaggc ctggccgaca acaccgttat tgctaaagta aataatgttg 540  
tgtgggacct ggaccgccct ctggaagaag attgtacctt ggagcttctc aagtttgagg 600  
atgaggaagc tcaggcagtg tattggcact ctagtgtcga cataatgggt gaagccatgg 660  
aaagagtcta tgggtgatgt ttatgtacg gtccgccaat agaaaatgga ttctattatg 720  
acatgtacct cgaagaaggg ggtgtgtcta gcaatgattt ctcttctctg gaggctttgt 780  
gtaagaaaat cattaaagaa aaacaagctt ttgaaagact ggaagttaag aaagaaactt 840  
tactggcaat gtttaagtac aacaagttca aatgccggat attgaatgaa aaggtgaata 900  
ctccaactac cacagtctat agatgtggcc ctttgataga tctctgccgg ggtcctcatg 960  
ttagacacac gggcaaaatt aaggctttaa aaatacacaa aaatcctcc acgtactggg 1020  
aaggcaaagc agatatggag actctccaga gaatttatgg catttcattc ccagatccta 1080  
aaatgttgaa agagtgggag aagttccaag aggaagctaa aaaccgagat cataggaaaa 1140  
ttggcaggga ccaagaacta tatttctttc atgaactcag ccctggaagt tgcttttttc 1200  
tgccaaaagg agcctacatt tataatgcac ttattgaatt cattaggagc gaatatagga 1260  
aaagaggatt ccaggaggta gtcaccccaa acatcttcaa cagccgactc tggatgacct 1320  
cgggccactg gcagcactac agcgagaaca tgttctcctt tgaggtggag aaggagctgt 1380  
ttgccctgaa acccatgaac tgcccaggac actgccttat gtttgatcat cggccaagg 1440  
cctggcgaga actgcctctg cggttagctg attttggggt acttcatagg aacgagctgt 1500  
ctggagcact cacaggactc acccgggtac gaagattcca acaggatgat gctcacatat 1560  
tctgtgccat ggagcagatt gaagatgaaa taaaagggtt tttggatttt ctacgtacgg 1620  
tatatagcgt atttgatttt tcttttaaac taaacctttc tactcgcccg gaaaaattcc 1680  
ttggagatat cgaagtatgg gatcaagctg agaaacaact tgaaaacagt ctgaatgaat 1740  
ttggtgaaaa gtgggagtta aactctggag atggagcttt ctatggccca aagattgaca 1800

```

tacagattaa agatgcgatt gggcgggtacc accagtgtgc aaccatccag ctggatttcc 1860
agttgcccac cagatttaat cttacttatg taagccatga tggatgatgat aagaaaaggc 1920
cagtgtattgt tcatcgagcc atcttgggat cagtggaaag aatgattgct atcctcacag 1980
aaaactatgg gggcaaatgg cccttttggc tgtcccctcg ccaggtaatg gtagttccag 2040
tgaggaccaac ctgtgatgaa tatgccc aaa aggtacgaca acaattccac gatgccaat 2100
tcatggcaga cattgatctg gatccaggct gtacattgaa taaaaagatt cgaaatgcac 2160
agttagcaca gtataacttc attttagttg ttggtgaaa agagaaaatc agtggcactg 2220
ttaatatccg cacaagagac aataaggctc acggggaacg caccatttct gaaactatcg 2280
agcggctaca gcagctcaaa gagttccgca gcaaacaggc agaagaagaa ttttaatgaa 2340
aaaattacc agattggctc catggaaaag gaggaacagc gtttccgtaa aattgacttt 2400
gtactctgaa aacgtcaatt tatattgaac ttggaggagt ttggcaaagt ctgaatagg 2460
caacctgcag gcgtaactat ttttgacct gtcagtttt aaacaatgtg catttgaagg 2520
agttaattaa aagagagcca ataaaatgat tttactcatt cagtatctga gtactggaag 2580
tgaaacatga ggaatgctt agtgtaatgt gggagaactt ttttgtaa ttaatgcaat 2640
tgaaaaagtt ttcaaattca attaagataa ctagaattgg attatggtgt aaaaataaaa 2700
aaaaaattta ttcanaaaa aaaaaaaaaa aaaaaaaagc tacctcgcc gcgaccacgc 2760
taagccgaat t 2771

```

<210> 274

<211> 1889

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (15)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (57)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (87)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (113)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1676)

<223> n equals a,t,g, or c

<400> 274

```

cacgacgtcc gcggnacggt gggacggaac gcgtgggcgg acgcgtgggc ggacgcntgg 60
gttcggaac ctatcgatta cacagtnctg gatgatgtgg gccatggtgt cangcatgga 120

```

```

aatagaccag cctgcaggaa ctggcacact gtcgagaaca aatcctccta ctcagaaacc 180
gccaaagtcct cccatgtcag gccggggaac actgggacgg aatactcctt ataaaaccct 240
ggaacctgtt aaaccccaa cagttcctaa tgactatatg accagtcctg ctaggcttgg 300
aagtcagcat agtcaggca ggacagcatc tttaaatacag agaccaagga cacacagtgg 360
aagtagtgga ggaagtggaa gtcgagaaaa cagtggtagc agtagtattg gcattcccat 420
tgctgtgcct acaccttcgc caccactat tggaccagca gcccgggct cagctcctgg 480
ttcccagtat ggcacaatga ccaggcagat atctcgacac aactctacta cttcttcgac 540
atcttctggg ggatacagac gaactccctc tgtgactgct caattttctg ctcagcctca 600
tgtaaatgga ggtccacttt attctcaaaa ttcaatttct attgctccac cccctcccc 660
tatgcctcag ttgactccac agatacctct cacaggcttc gtggccaggg tgcaggaaaa 720
cattgctgat agtccaactc caccgccacc acctccacca gatgacattc ccatgtttga 780
tgactctcca cctccccac caccaccacc agtggattat gaagatgagg aggctgcagt 840
agttcagtat aatgatccat atgcagatgg ggatcctgct tgggccccca agaattatat 900
tgagaaagtt gttgcaatat atgattatac aaaagacaag gatgatgagc tgtcatttat 960
ggagggtgca atcatttatg ttataaagaa gaatgatgat ggctgggatg aaggagtctg 1020
caatcgagtg actggtctgt tccctgggaa ctatgttgaa tcaatcatgc actatactga 1080
ttaatttttt ttttctttt gaagtagatt cttattactc agtcatactg tgggactatt 1140
atggttaaca gaactgtctt aatatgtttt aaaatgtgcc catattttca gaacatgctg 1200
ttttattggg aaattgaatg tctacctgta agcataaatc tttgaggcag tttatgtatt 1260
gctgaatagc aatttataca agaagctgtc cataactgat tatgcttatg tacttactta 1320
cacattttta actttatgac cagcctaaat attctggggg aagtggggta taatatttaa 1380
cgaatcatga ttcagattgt accattacat gtttcagtgc agcatgggta ctaacgctat 1440
gtcagactaa tattaataatc agaaaattta aatgctgggtg ctggtcagac tttttttgtt 1500
agattctctc atttaaaaaa aatactgttt gtttaaagca tgcataaaaa tttatgtatt 1560
gaaatatact taaaaattca agatgcttcc catttggtga atatttacct ggaggactcg 1620
tacttaggtg tcttaacgtg aattgagtct ccaagggtctc catgtgaaac aaaagnagca 1680
aaaagagaat tatctgtaat gttgtaattt gtacctaaatg tttttaatga gtgaaatttg 1740
cattataaac tttttccatt cataaataca taagtgaacc aaagggtttt gtcctttcct 1800
tcactgattt gctttaaaaa aaataaaaga taatgattta ttgcagaaaa aaaaaaaaaa 1860
aaaaaaaaa aaaaaataaa aaaaaataaa 1889

```

&lt;210&gt; 275

&lt;211&gt; 604

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 275

```

ttttccgggc cacctgggtc ctcagccagt gcctttgaaa catttctgcc tgtaatgtca 60
gggccaatt gcgttactga gcatgttctg accggcccggt ttgggcatca cctgccattc 120
tcctgccatc ctctcaacag ctctgtgggg tgggtcctcc ccataacctg atgcaccgac 180
cacacagtgg aaagtgacaa agccagcgcc ttgccccagg ccccgagggtg tggagcccgt 240
ctgctcaggg ttgcaggccc agattctcca ctgctaccga gatcgcccgc atgagggtgct 300
gctgtgctcg gacctggtca aggcatacca gcgtgctgtg agcgccscgc acaagggtcg 360
aggagcagac atcattccct gccctggcag tgacttggag ccctgaagaa gggaccaatc 420
atgggaccac agccactgtg ccctgccgtt tcctgctggg ccctgcata tgcccctgag 480
cctggggctg ccacgtgttt aggaacaaa gtatgcgcta ctgtctgaaa acaataaag 540
cagatgcctt tgttttcaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 600
aaag 604

```

&lt;210&gt; 276

&lt;211&gt; 1381

<212> DNA  
<213> Homo sapiens  
  
<220>  
<221> misc feature  
<222> (1348)  
<223> n equals a,t,g, or c  
  
<220>  
<221> misc feature  
<222> (1349)  
<223> n equals a,t,g, or c  
  
<220>  
<221> misc feature  
<222> (1350)  
<223> n equals a,t,g, or c  
  
<220>  
<221> misc feature  
<222> (1358)  
<223> n equals a,t,g, or c  
  
<220>  
<221> misc feature  
<222> (1359)  
<223> n equals a,t,g, or c

<400> 276  
tccgtggtgt ggttgactct gaggatctgc ccctgaacat ctcccgagaa atgctccagc 60  
agagcaaaat cttgaaagtc attcgcaaaa acattgttaa gaagtgcctt gagctcttct 120  
ctgagctggc agaagacaag gagaattaca agaaattcta tgaggcattc tctaaaaatc 180  
tcaagcttgg aatccacgaa gactccacta accgccgccg cctgtctgag ctgctgcgct 240  
atcatacctc ccagtctgga gatgagatga catctctgtc agagtatgtt tctcgcatga 300  
aggagacaca gaagtccatc tattacatca ctggtgagag caaagagcag gtggccaact 360  
cagcttttgt ggagcgagtg cggaaacggg gcttcgaggt ggtatatatg accgagccca 420  
ttgacgagta ctgtgtgcag cagctcaagg aatttgatgg gaagagcctg gtctcagtta 480  
ccaaggaggg tctggagctg cctgaggatg aggaggagaa gaagaagatg gaagagagca 540  
aggcaaaagt tgagaacctc tgcaagctca tgaaagaaat cttagataag aaggttgaga 600  
aggtgacaat ctccaataga cttgtgtctt caccttgctg cattgtgacc agcacctacg 660  
gtgggacagc caatatggag cggatcatga aagcccaggc acttcgggac aactccacca 720  
tgggctatat gatggccaaa aagcacctgg agatcaaccc tgaccacccc attgtggaga 780  
cgctgcgcca gaaggctgag gccgacaaga atgataaggc agttaaggac ctggtggtgc 840  
tgctgtttga aaccgccctg ctatcttctg gcttttccct tgaggatccc cagaccact 900  
ccaaccgcat ctatcgcatg atcaagctag gtctaggtat tgatgaagat gaagtggcag 960  
cagaggaacc caatgctgca gttcctgatg agatcccccc tctcgagggc gatgaggatg 1020  
cgtctcgcat ggaagaagtc gattaggtta ggagttcata gttggaaaac ttgtgccctt 1080  
gtatagtgtc cccatgggct cccactgcag cctcgagtgc cctgtccca cctggctccc 1140  
cctgctggtg tctagtgtt ttttccctct cctgtccttg tggtgaaggc agtaaaactaa 1200  
gggtgtcaag cccattccc tctctactct tgacagcagg attggatgtt gtgtattgtg 1260  
gtttatttta ttttcttcat tttgtctgta aattaaagta tgcaaaataa agaatatgcc 1320

gtttttatatac aaaaaaaaaa aaaaaaannn ggggggggng ccccggtccc matttcccc 1380  
c 1381

<210> 277

<211> 1149

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (680)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1088)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1098)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1140)

<223> n equals a,t,g, or c

<400> 277

tcccgggggg gatTTTTTTTT tTTTTTTTTT tTTTTTTTTT tgcttaaaaa aaagccatga 60  
cggctctccc acaattcatc ttccctgcgc catctttgta ttatttctaa tttattttgg 120  
atgtcaaaaag gcaactgatga agatattttc tctggagtct ccttctttct aaccgggctc 180  
tcccgatgtg aaccgagccg togtccgccc gccgcccgcg ccgcccgcgc cgccgcccgc 240  
cccgcagccc accatgtctc gccgcaagca aggcaaacc cagcacttaa gcaaaccgga 300  
attctcgccc gagcctcttg aagccattct tacagatgat gaaccagacc acggcccgtt 360  
gggagctcca gaaggggatc atgacctcct cacctgtggg cagtgccaga tgaacttccc 420  
attgggggac attcttattt ttatcgagca caaacggaaa caatgcaatg gcagcctctg 480  
cttagaaaaa gctgtggata agccaccttc cccttcacca atcgagatga aaaaagcatc 540  
caatcccgtg gaggttggca tccaggtcac gccagaggat gacgattgtt tatcaacgtc 600  
atctagagga atttgcccca aacaggaaca catagcagat aaacttctgc actggagggg 660  
cctctcctcc cctcgttctn gcacatggag ctctaattccc cacgcctggg atgagtgcag 720  
aataatgcccc gcaggtattt gtaaagatga gccagcagc tacacatgta caacttgcaa 780  
acagccattc accagtgcac ggtttctctt gcaacacgca cagaacactc atggattaag 840  
aatctactta gaaagcgaac acggaagtcc cctgaccccg cgggttggtg tcccttcagg 900  
actaggtgca gaatgtcctt cccagccacc tctccatggg attcatattg cagacaataa 960  
cccctttaac ctgctaagaa taccaggatc agtatcgaga gaggttccg gcctggggcag 1020  
aagggcgctt tccaccact cccccctgt ttagtccacc accgagacat cattgggacc 1080  
cccaccgnat agagcgcntg gggggcggtg aggagatggg cctggggcaa acccttcaan 1140  
ccgagttgc 1149

<210> 278

&lt;211&gt; 811

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 278

```
ggagaccaga gtgggaggaa ggcggggagt ccaggttccg ccccgaggcc gacttcctcc 60
tggtcggcgg ctgcagcggg gtgagcggcg gcagcggccg gggatcctgg agccatgggg 120
cgcgcgcgcg acgccatcct ggatgcgctg gagaacctga ccgccgagga gctcaagaag 180
ttcaagctga agctgctgtc ggtgccgctg cgcgagggct acgggcgcat cccgcggggc 240
gcgtgctgtt ccatggacgc cttggacctc accgacaagc tggtcagctt ctacctggag 300
acctacggcg ccgagctcac cgctaacctg ctgcgcgaca tgggcctgca ggagatggcc 360
gggcagctgc aggcggccac gcaccagggc tctggagccg cgccagctgg gatccaggcc 420
cctcctcagt cggcagccaa gccaggcctg cactttatag accagaccg ggctgcgctt 480
atcgcgaggg tcacaaacgt tgagtggctg ctggatgctc tgtacgggaa ggctcctgacg 540
gatgagcagt accaggcagt gcggccgagc ccaccaaccc aagcaagatg cggaagctct 600
tcagtttcac accagcctgg aactggacct gcaaggactt gctcctccag gccctaaggg 660
agtcccagtc ctacctggtg gaggacctgg agcgagctga ggctccttcc cagcaacact 720
ccggtcascc ctggcaatcc caccaaatca tcctgaatct gatcttttta tacacaatat 780
acgaaaagcc agcttgaaaa aaaaaaaaaa a                                     811
```

&lt;210&gt; 279

&lt;211&gt; 1260

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1249)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1252)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 279

```
ggtcggcgac agggaggag gaagcctagg agtccgccgc gggacggagg cctgggggaa 60
ctgggagttc agctttctgc agagggccac taggaacctc ggattgcca cggaagccag 120
ccacttityt tgacagtcca gccacacctc tcttctgccc ggagaagctc cagggggtgc 180
ctttktgatc acagcatctt cacaaggacc aaaggaaaat aagatttcty gtaagaacac 240
cgtgaccaca tctttaaata gaccttttc gtggctycca caagatttac acctycacac 300
tgaggccgga agtggttttg cccctataaa acatggcgaa aagctttctt gtctccaagg 360
aaacgccacg taatgagtca aagctgtggc gcacgcgcag aagtacaagc taccggaagt 420
gatggcgccc ctactaaagc cttgggggta gtacgcgtcg cagcagcttc ttccgacagt 480
tgtgttgctg caatggtgga gaagaaaact tcggttcgct cccaggaccc cgggcagcgg 540
cgggtgctgg accgggctgc ccggcagcgt cgcacacacc ggcagctgga ggccctggag 600
aatgacaact tccaggatga cccccacgcg ggactccctc agctcggcaa gagactgcct 660
cagtttgatg acgatgcgga cactggaaa gaaaaagaaga aaacccgagg tgatcatttt 720
aaacttcgct tccgaaaaaa ctttcaggcc ctgttgagg agcagaactt gagtgtggcc 780
gagggcccta actacctgac ggcctgtgcg ggaccccat cgcgcccca gcgcccttc 840
tgtgctgtct gtggcttccc atccccctac acctgtgtca gctgcggtgc ccggtactgc 900
```

actgtgctgt gtctggggac ccaccaggag accaggtgtc tgaagtggac tgtgtgagcc 960  
 tgggcattcc cagagaggaa gggccgctgt gcactgcccg gccttcagaa agacagaatt 1020  
 tcatcaccca atgcaggggg agctcttcct ggaccaaggg aggagccgct cattcaccca 1080  
 acaaaactgt gtcttatctg ccaggaaaga ccagcctcac tcctgggaac tgtctggcag 1140  
 gtaggctggg cccccagtg ctgttagaat aaaaagcctc gtgccggaaa aaaaaaara 1200  
 aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaant tngggggggg 1260

<210> 280

<211> 1668

<212> DNA

<213> Homo sapiens

<400> 280

gggaactgcc aaaagtgtgc atttggttac agtggactcg actgtaagga caaatttcag 60  
 ctgatcctca ctattgtggg caccatcgct ggcattgtca ttctcagcat gataattgca 120  
 ttgattgtsa cagcaagatc aaataacaaa acgaagcata ttgaagaaga gaacttgatt 180  
 gacgaagact ttcaaaatct aaaactgcgg tcgacaggct tcaccaatct tggagcagaa 240  
 gggagcgtct ttctaagggt caggataacg gcctccagag acagccagat gcaaaatccc 300  
 tattcaagcc acagcagcat gccccgcct gactattaga atcataagaa tgtggaaccc 360  
 gccatggccc ccaaccaatg tacaagctat tatttagagt gtttagaaag actgatggag 420  
 aagtgagcac cagtaaagat ctggcctccg ggggttttct tccatctgac atctgccagc 480  
 ctctctgaat ggaagtgtg aatgtttgca acgaatccag ctacttgct aaataagaat 540  
 ctatgacatt aaatgtagta gatgctatta gcgcttgta gagaggtggt tttcttcaat 600  
 cagtacaaag tactgagaca atgggttagg ttgttttctt aattcttttc ctggtagggc 660  
 aacaagaacc atttccaatc tagaggaag ctcoccagca ttgcttgctc ctgggcaaac 720  
 attgctcttg agttaagtga cctaattccc ctgggagaca tacgcatcaa ctgtggagg 780  
 ccgaggggat gagaaggat acccaccacc tttcaagggt cacaagctca ctctctgaca 840  
 agtcagaata gggacactgc ttctatccct ccaatggaga gattctggca acctttgaac 900  
 agcccagagc ttgcaacctc gcctcaccca agaagactgg aaagagacat atctctcagc 960  
 tttttcagga ggcgtgcctg ggaatccagg aactttttga tgctaattag aaggcctgga 1020  
 ctaaaaatgt ccactatggg gtgcactcta cagtttttga aatgctagga ggcagaaggg 1080  
 gcagagagta aaaaacatga cctggtagaa ggaagagagg caaaggaaac tgggtgggga 1140  
 ggaatcaatta gagaggagg accctgggac cacttcttc cttaggctcc ctctccatc 1200  
 agcaaaaggag cacttctcta atcatgccct ccgaaagact ggctgggaga aggttttaaa 1260  
 acaaaaaatc caggagtaag agccttaggt cagtttgaaa ttggagacaa actgtctggc 1320  
 aaagggtgcg agagggagct tgtgtcagg agtccagccg tccagcctcg ggggtgagg 1380  
 ttctgagggtg tgccattggg gcctcagcct tctctggtga cagaggctca gctgtggcca 1440  
 ccaacacaca accacacaca cacaaccaca cacacaaatg ggggcaacca catccagtac 1500  
 aagcttttac aaatgttatt agtgtccttt tttatttcta atgccttgct ctcttaaaag 1560  
 ttattttatt tggtattatt atttgttctt gactgttaat tgtgaatggt aatgcaataa 1620  
 agtgcctttg ttagatggaa aaaaaaaaaa aaaaaaaaaa aaaaaaaa 1668

<210> 281

<211> 2328

<212> DNA

<213> Homo sapiens

<400> 281

ggaaagtgtg tgtgtggcat ggtgtcctat ttgaacgacc tgcccagtc gcgcatccag 60  
 ccacagcagg tagcagctc gccaaccatg gtggatatca acagccccga aagcctaacc 120  
 gaagcatata aactccgtgc agccagatta gtgaaattg ctgcaaaaaa ccttcaaaaa 180



```

gaagtgattc acagaaaaag caaggaggta gcttggaaac taacttctgt tgaccttggt 240
cgagcaagtg aggcacattg ccactatgtg gtagttaagc tcttttcaga aaaactcctc 300
aaaattcaag ataaagccat tcaagctgtc ttaaggagtt tatgtctgct gtattctctg 360
tatggaatca gtcagaacgc gggggatttc cttcagggga gcatcatgac agagcctcag 420
attacacaag taaaccagcg tgtaaaggag ttactcactc tgattcgctc agatgctggt 480
gctttgggtg atgcatttga ttttcaggat gtgacacttg gctctgtgct tggccgctat 540
gatgggaatg tgtatgaaaa cttgtttgag tgggctaaga actccccact gaacaaagca 600
gaggtccacg aatcttataa gcacctgaag tcactgcagt ccaagctctg aagtgtcaca 660
aggacaagtt taatctgctt cagaaagcgc ctgtgtgcaa ctcaaatttt gtggaatcct 720
tttcgaattc aaatagctat agagcaaatg ataaattgac ccctttttat aaatggaggg 780
aaaaaatgaa cagatttcag agattaaatg aaaaaagca gatgttttaa gtgcaattaa 840
cactgaaaga gacctgttaa accattcaga aaaagcttaa gaaatgcgat atgacttcct 900
tttgaatgc tgctgatccc agtagactat gacttttgat aattagcaga atttaactac 960
tgagtagttg attattttca cattttaatt gctaactact ggctatataa gtgtttttaa 1020
gcaaagggtat ttttgaagtg gtgtagaacc cttccaagct ttcctgctca gtgttctacc 1080
agacttacc tggggcctgg cttaaaagca ggattgaaga aaagggactg ggggaaggaa 1140
acttattgga aaacttgatg cgaatgagtt tctgcttggc acagtctctg cctgcttgct 1200
ctcctttgct gatggattgc atttatcaaa ctattcatgc tagcattttt ccaacgaggg 1260
aacttattcc gcacgggcct actgtaggac cattgtctcg tgtaattagg aattttccat 1320
ttgaaggaty gctaaattgt cacagtagta ggaagtatag ggaacacctc cagctgtggc 1380
actgtttag ctttgaggatg cagagtgtaa ctctgggaca atcagatttc acatattctg 1440
tcactctggc ataagccatt aaaagcttg agattactgt atttggcatt aaaaaaaat 1500
gtcacttagg tcagcactcc cagacgtagc acagaaaaac cctttgacac aaaccatgtg 1560
ttctgatttt tgggttcagaa aatattgaaa ctgtgagttg tttttttttt aacaactggg 1620
aaaaacaaa aacaaaaaac tatagttaga aaaatggaag ttccataggt tctatttctt 1680
actctatgta tggctttggt ttcagcttat ttctaggagc tttctctgaa tcgctaattg 1740
tcctttcagt tgaaatctaa tttatacaat cattctatac ttaaagggtta aatacatcct 1800
aattaatttt ttcttaaagt caatgtaagt cactttgttt tgtttttttt taatctacgc 1860
catatgcctc atgaaaccag ctgttctaga atcagtcctg agaatatggc ttaattccat 1920
ggaacataa ctccatctt gggacctgac ataatatcta tctatcctgg ggaactggta 1980
atatgagact tataggttac agcagaaatg ctacatgttg acaaaagcct taatcgttcc 2040
actgggagaa ctaattgata attgtgttaa gattgaagat taaccctgtg ttaatctcac 2100
ttgagtctat cctgacagta gttcagattc tggaaaatga taaactgacc tgctagatgt 2160
agaattgttt caaaattagt gttgaaatac cttgttcaca gatgaatata tgggcaggat 2220
ctgaggggtg ttggaatgac acccccctat ccagttgcat agatgggatg tctttgcagg 2280
tttgaggaga tcacgcacct gcagagcccc ctttgaccca gtacctca 2328

```

&lt;210&gt; 282

&lt;211&gt; 956

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 282

```

ggccgagccc gcgcccccca gaccccgaga gctcgcagct ccggccccgc ggcgatggcg 60
cggagctgcg cgtgctggtg gacatggacg gcgtcctggc cgacttcgag gccggcctcc 120
tgccgggctt ccgcccgcgc ttccctgagg agccgcacgt gccgctggag carcgccgcg 180
gcttctctggc ccgcgagcag taccgcgcc tgcggcccga cctggcggat aaagtggcca 240
gtgtgtacga agccccgggc tttttcctgg acctggagcc catcccggga gccttgagc 300
ctgtgcggga gatgaacgac ctaccggaca cgcaggtcct catctgcacc agccccctgc 360
tgaagtacca ccactgtgtg ggtgagaagt accgctgggt ggagcagcac ctggggcccc 420
agttcgtaga acgaattatc ctgacaaggg acaagacggt ggtcctgggg gacctgctca 480

```

ttgatgacaa ggacacagtt cgaggccagg aggagacccc aagctgggag cacatcttgt 540  
tcacctgctg ccacaatcgg cacctggtcc tgcccccgac aaggagacgg ctgctctcct 600  
ggagtgacaa ctggagggag atcttagata gcaagcgcgg agctgcgcag cgggaatgag 660  
cggggatgcc gcgggcagca gctggagcta aaggaagggc aggcccacag gggccaccgc 720  
agagccgagt cggggcggca tcgtgctggt gcctctggcc ccgtggagtg gaggaggcag 780  
ataccgttaa gcgtgtgct accggcccca ggccagcca cccggtacct cccgagaggc 840  
tgtccctgga ccctggctgg catggaaata cagtgggaaa accagtcggg acctttaata 900  
aaagaccttg gctttctaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaat 956

<210> 283

<211> 1402

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (26)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (88)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (97)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (131)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1344)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1355)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1394)

<223> n equals a,t,g, or c

<400> 283

cccccgccc cccgcacccc cgaaanccag tgaagggtgaa gactccgcgg cccgcgggcg 60

```

tgccaggaga gcggactgtt tgatgtgntg ccgggggncg tgcaggggcg agtgggttcg 120
ggcggggggg nagaaaagat ttttttcttc tcttaatcgg aatcgtgatg gtgttggtt 180
atctcaatgg tgggggttaat atagcatgtt atcctgtcta tcttttaaag atttctgtat 240
aagactgttg agcagttttt aaaatagtgt aggataatat aaaaagcaga tagatggcgc 300
tatgtttgat tcctacaacg aaattatcac cagctttttt tcattcttaa ctctttaaag 360
gattcaaacg caactcaaat ctgtgctgga ctttaaaaaa acaattcagg accaaaattt 420
ttctcagtgt gtgtgtttat tccttatagg tgtaaatgag aagacgtgtt ttttccttc 480
accgatgctc catcctcgta tttctttttc cttgtaaatg taatcagatg ccattttata 540
tgtggacgta tttatactgg ccaaacatat tttttctttt gtcccttttt ttctttcctt 600
tctttttact tcctttattt ctttattcct tccttttctt ttttttctt tttttttctt 660
tttttttttg tagttgttgt taccacgcc attttacgtc tccttcactg aagggttaga 720
gttttaactt ttaatttttt atatttaa attagactttt gacactttta aaaaacaaaa 780
aaagacaaga gagatgaaaa cgtttgatta ttttctcagt gtatttttgt aaaaaatata 840
taaagggggt gtaaatcggt gtaaatcgct gtttggtatt cctgatttta taacagggcg 900
gctggttaat atctcacaca gtttaaaaaa tcagccccta atttctccat gtttacactt 960
caatctgcag gcttcttaaa gtgacagtat cccttaacct gccaccagtg tccaccctcc 1020
ggccccgctc ttgtaaaaag gggaggagaa ttagccaaac actgtaagct ttaagaaaa 1080
acaaagtgtt aaacgaaata ctgctctgtc cagaggcttt aaaactgggt caattacagc 1140
aaaaagggat tctgtagctt taacttgtaa accacatctt ttttgcaact tttttataag 1200
caaaaacgtg ccgtttaaac cactggatct atctaaatgc cgatttgagt tcgcgacact 1260
atgtactgcg tttttcattc ttgkatttga ctatttaate ctttctactt gtcgctaaat 1320
ataaatggtt taaggcctaa tggntgsatg atagncataw ggkgtcaggt ttataacttt 1380
gggttaaaaa ttgnaaaagg gg                                     1402

```

<210> 284

<211> 675

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (20)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (520)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (560)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (618)

<223> n equals a,t,g, or c

<400> 284

```

accccccttta ggaaaaaagn tggagctcca ccgcggtggc ggccgctcta gactcgagga 60

```

```

attccagatg cgagcgcggc cgcggccccc gccgctctgg gcgactgtgc tggcgctggg 120
ggcgctggcg ggcgttggcg taggagggcc caacatctgt accacgcgag gtgtgagctc 180
ctgccagcag tgcttggttg tgagcccat gtgtgcctgg tgctctgatg aggccctgcc 240
tctgggctca cctcgctgtg acctgaagga gaatctgctg aaggataact gtgccccaga 300
atccatcgag ttccagtgga gtgaggcccg agtactagag gacaggcccc tcagcgacaa 360
gggctctgga gacagctccc aggtcactca agtcagtccc cagaggattg cactccggct 420
ccggccagat gattcgaaga atttctccat ccaagtgcgg caggtggarg attaccctgt 480
ggacatctac tacttgatgg acctgtctta ctccatgaan ggatgatctg tggarcatcc 540
agaacctggg taccaagctn ggccacccar atgcgaaagc tcaccartaa cctgcggatt 600
ggcttcsggg catttgtnng acaagcctgt gtcaccatac atgtacctcg tgcgaatttt 660
ggctcagggc aaatt 675

```

<210> 285

<211> 1339

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1330)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1331)

<223> n equals a,t,g, or c

<400> 285

```

gccgcaacct ttccaaggga gtggttggtg gatcgccatc ttagggaaaa gatgttctcg 60
tccgtggcgc acctggcgcg gccgaacccc ttcaacacgc cacatctgca gctggtgcac 120
gatggtctcg gggacctccg ccgccgtgga agagtacagt tgtgaatttg gctccgcgaa 180
gtattatgca ctgtgtggct ttggtggggc cttaagtgtg ggtctgacac aactgctgt 240
ggttcccctg gatttagtga aatgocgtat gcaggtggac ccccaaaagt acaagggcac 300
atttaacgga ttctcagtta cacttaaaga ggatggtgtt cgtggtttgg ctaaaggatg 360
ggctccgact ttcttggtt actccatgca gggactctgc aagtttggct tttatgaagt 420
ctttaaagtc ttgtatagca atatgcttgg agaggagaat acttatctct ggcgcacatc 480
actatatattg gctgcctctg ccaagtgtga attctttgct gacattgccc tggctcctat 540
ggaagctgct aaggttcgaa ttcaaaccga gccaggttat gccaacactt tgagggatgc 600
agctcccaaa atgtataagg aagaaggcct aaaagcattc tacaaggggg ttgctcctct 660
ctggatgaga cagataccat acaccatgat gaagttcgcc tgctttgaac gtactgttga 720
agcactgtac aagtttgttg ttccaaagcc ccgcagtga tgttcaaagc cagagcagct 780
ggttgtaaca tttgtagcag gttacatagc tggagtcttt tgtgcaattg tttctcacc 840
tgctgattct gtggtatctg tgttgaataa agaaaaaggt agcagtgtt ctctggtcct 900
caagagactt ggatttaaag gtgtatggaa gggactgttt gcccgatca tcatgattgg 960
taccctgact gcactacagt ggtttatcta tgactccgtg aaggtctact tcagacttcc 1020
tcgccctcct ccacccgaga tgccagagtc tctgaagaag aagcttgggt taactcagta 1080
gttagatcaa agcaaatgtg gactgaatct gcttgttgat cagtgttgaa gaaagtgcaa 1140
aaggaaactt tatatatattg acagtgtagg aaattgtcta ttctgatata aattactgta 1200
gtactcttgc ttaaggcaag agtttcagat ttactgttga aataaaccca actcttcag 1260
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1320
aaaaaaaaa naaaaaaaaa 1339

```

<210> 286  
<211> 1398  
<212> DNA  
<213> Homo sapiens

<400> 286  
ctctggagcc accagcagaa cctcttcaat atcttgcag ttacagattt cactgctccc 60  
accagcttgg agacaacatg tggttcttga caactctgct cctttgggtt ccagttgatg 120  
ggcaagtgga caccacaaag gcagtgatca ctttgcagcc tccatgggtc agcgtgttcc 180  
aagaggaaac cgtaaccttg cactgtgagg tgctccatct gcctgggagc agctcyacac 240  
agtggtttct caatggcaca gccactcaga cctcgacccc cagctacaga atcacctctg 300  
ccagtgtcaa tgacagtggg gaatacaggt gccagagagg tctctcaggg cgaagtgacc 360  
ccatacagct ggaaatccac agaggctggc tactactgca ggtctccagc agagtcttca 420  
cggaaggaga acctctggcc ttgagggtgc atgcgtggaa ggataagctg gtgtacaatg 480  
tgctttacta tcgaaatggc aaagccttta agtttttcca ctggaattct aacctcacca 540  
ttctgaaaac caacataagt cacaatggca cctaccattg ctccaggcatg ggaaagcatc 600  
gctacacatc agcaggaata tcwrtcactg tgaaagagct atttccagct ccagtgtctga 660  
atgcatctgt gacatcccca ctccctggagg ggaatctggt caccctgagc tgtgaaacaa 720  
agttgtctct gcagaggcct ggtttgcagc tttacttctc cttctacatg ggcagcaaga 780  
ccctgcgagg caggaacaca tcctctgaat accaaatact aactgctaga agagaagact 840  
ctgggttata ctggtgcgag gctgccacag aggatggaaa tgccttaag cgcagccctg 900  
agttggagct tcaagtgtt ggccctccag taccactcc tgcctggtt catgtccttt 960  
tctatctggc agtgggaata atgttttttag tgaacactgt tctctgggtg acaataccta 1020  
aagaactgaa aagaagaaa aagtggrrat tagaaatctc tttggattct ggtcatgaga 1080  
agaaggtaat ttccagcctt caagaagaca gacatttaga agaagagctg aaatgtcagg 1140  
aacaaaaaga agaacagctg caggaagggg tgcaccggaa ggagccccag ggggccacgt 1200  
agcagcggct cagtgggtgg ccatcgatct ggaccgtccc ctgcccactt gctccccgtg 1260  
agcactgcgt acaaacatcc aaaagttcaa caacaccaga actgtgtgtc tcatggtatg 1320  
taactcttaa agcaaataaa tgaactgact tcaactgaaa aaaaaaaaaa aaaaaaaaaa 1380  
aaaaaaaaaa aaaaaaaaaa 1398

<210> 287  
<211> 926  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (20)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (22)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (896)  
<223> n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (917)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 287

```
gaaatccctt ttatctttcn tntttttttt aagggccttt ctaactccgc tgccgccatg 60
gctcctgtga aaaagcttgt ggtgaagggg ggcaaaaaaa agaagcaagt tctgaagttc 120
actcttgatt gcaccacccc tgtagaagat ggaatcatgg atgctgccaa ttttgagcag 180
tttttgcaag aaaggatcaa agtgaacgga aaagctggga accttggttg aggggtggtg 240
accatcgaaa ggagcaagag caagatcacc gtgacatccg aggtgccttt ctccaaaagg 300
tatttgaaat atctcaccaa aaaatatttg aagaagaata atctacgtga ctggttgcgc 360
gtagtgtgta acagcaaaaga gagttacgaa ttacgttact tccagattaa ccaggacgaa 420
gaagaggagg aagacgagga ttaaatttca tttatctgga aaattttgta tgagttcttg 480
aataaaactt gggaaccaa atggtggttt atccttgtat ctctgcagtg tggattgaac 540
agaaaatttg aaatcatagt caaagggctt cccttggttc gccactcatt tatttgtaac 600
ttgacttctt tttttttctg cttaaaaatt tcaattctcg tggtaatacc agagtagaag 660
gagagggtga ctttaccgaa ctgacagcca ttggggaggc agatgcgggt gtggagggtg 720
gggctgaagg tagtgactgt ttgattttaa aaagtgtgac tgtcagttgt atctgttgct 780
tttctcaatg attcagggat acaaattggc ttctctcatt cattaaaaga aaacgcgaca 840
tctttctaag attctctgtg ggaaaatgac tgtcaataaa atgcggggtt ctgggncaaa 900
aaaaaaaaa aaaaccncgg ggagtc 926
```

&lt;210&gt; 288

&lt;211&gt; 3094

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 288

```
agagagctca gatggccctt ttaagggggc tccaagaacc aacatcactg ctctttttaga 60
taaacctctg ccctccactc cttgcttgag tgggttaaag gaactaacag ttgtcccttt 120
aggaggacaa aatgggggtca agaggacaca gaagagttgt atagcaccag attgggtcca 180
aatagttaat ggatgtgtgc acattttctg ttcagggatt aagaccagaa tatcagtggg 240
tttgttttcc ccaccaagtg gcctctttaga ctagtcatat acttatgatt agctctaaag 300
atttcaaata gtggcagaca gtgtcttctg aatgtaagtt ttgagaaata cgagtctgtc 360
agagcggcca taagccataa agagtcaatc tcttaattat atttttcatc atgtaacaa 420
gtttcccatc tccctttctt agattgcacc agtgaaggag atgttttgca aagattcaga 480
gaactaattt ttcactggat aagacctgag taaccagac cccccaccgt ggttcttttc 540
acagccctcg actttgcaat taaaaaggga tattgtaaat gaaaggctgc agtgccagtt 600
ttaagaaaga atttctgtga agtgtgagga ctctggagtc tagctcacat aaagagagtg 660
ttatataaaa atccgacagc tgaactaggt tgctcttttt tggcaggagg tggggatgag 720
atttgacacc aatatgggca aaattagata accttttggt taatataaat gattttgatt 780
tggaggccta atttgtagat tgtgaaagca gcttttagtt taacttatc acagaccct 840
tataattacc atgttttttt tttcttccta aatctotttg ttcagcttgt gaatcttacg 900
tgcccgtaaa gttgggatgt tgaattggct cttctttggt ctggcagtga gtcaagtgtc 960
cagcattttt tcataagtgt tttttaaatt tgtctccag cattttatgg ctccctccctc 1020
ccatgtcctc agaccagca aaagcgtaga ggcagaatta gaggcctctc caggccagct 1080
cctctgccca catgtcatc aaggtgtgaa tttgagcaca gtccagaaat ggagacatcc 1140
caccgccagt tgaataatgg ccattcatg ccaaccttgc caacacggag agggcagaga 1200
tgcaactagaa gaccttcac cctcccttcc tctgccccaa gtcactacag ttggttctat 1260
```

```

tgaagccagt cttaaagaaa cctgggttaa agacaccagc acttctgctt gctgggctgg 1320
ctggacctgt gaagcmatgg gcaggtagtg cctcttgaga gtcattttat ttggccacct 1380
tcaggtagaga ctatccatag acacatgcta ggataggccc cgctgggagg gcagttacag 1440
gagagagtag gtggtggtga cgtgagggtg gtgaaggatc cagagacaag acttagatgt 1500
ttcgttcatt cactcactca ttcagttact cctaagactt ttcagtttca taaggaagag 1560
tgttgcctga ggccctaggg aatattgggg aatagaaggg attgaggaaa cattaataat 1620
agttattcaa aagacccaaa tgcttatact tctctctccc tcttctctc tctgacacac 1680
acacacacac acacacacac acacacacac gtgcacattc ctcccttaca tgctcatttg 1740
tgcttaaat gtgccttata ggtaaatcca ggatgactga ggaatccctc gtcactggga 1800
gattttgtat atattctttt attattagat tgagttgggt gtggggaaaa atttttttct 1860
gaaggctcaa aagtggtttc ctaaaagtga gccactatca gatttgaca tcaggagaaa 1920
agaaataggg ttacgtccat taggaaaatc ccagtttgca ggagtgaat cacatcaaaa 1980
aaacaaccag ccaggattaa aggtattata aatcctcata gcggaacatt tctcagggca 2040
aaggaaacctg gctcatttga agattaatgt tccatgcctt tgtggtcaaa sggtcagcac 2100
ttaacacagg aaaaaactag gtgttctaga aggaaggga ataataattc ttgagcattt 2160
ggaatgtttt atttagcctt ggtttctaga aggaaggga ataataattc ttgagcattt 2220
actaagggtg tgctgtctgt gctaagtaaa ttttaagtct ttcagtttta tagatacga 2280
aaacaagggt gactctttac cacaggatga ataaagaact aagtaatatg ggaaatgcag 2340
caatttctgg actagctgag ccgattcctt cctgtgagca cactgtaagc tttcaagttc 2400
tctgggcagg aattacagca cctgtccctt gcaatggccc tgctgtgtga tgctcatcgc 2460
ttcccttctg gctggagcag tccccagggt gtccatctcc tatctttttg ttccaatctt 2520
ctgtgagttc cagctagcag gctttacatc tggggaaagg aaaaccagg gttttagctc 2580
tgttctctgc tccatcctt cgctcaccag ctgagtgaga acatgaactt tttgcaccat 2640
gtacccatgg cttacactac ttagaaaatc accttttcag ataaaacagt ttatgagttc 2700
atagagaaca ccagcactct ttgacaaaac tgtgagtgac ccttttttaa caatgctgag 2760
caggccctga gctataatca acggtgagct ttaatgtcta tgctgacagt taggttttgc 2820
tctcttttgt aacaggttac gtagaccagc agtgtttaaa tctaaatacg ttgtgagtct 2880
gttatctgtc ctatcgctt ttttaaatga ctttttatc tttatcatag ctaagtaaat 2940
acaaaaaaa aaaaaaagct ttgtaggaca cttgtactta gtttgggaaa aaaaaataaa 3000
ttgaaattgt tatgcttttg tatttccatt tcttgcaaat aaatattttt tcttaaatag 3060
taagatgttg cccagtcttt ataactcttg tact 3094

```

&lt;210&gt; 289

&lt;211&gt; 1983

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 289

```

gacctcagag gagtcaaggc cccgcctgtc ccagctgtct gtgactgacg tgaccaccag 60
ttcactgagg ctcaactggg aggccccacc gggggccttc gactccttcc tgctccgctt 120
tggggttcca tcaccaagca ctctggagcc gcattccgct ccaactgctgc agcgcgagct 180
gatggtgccc gggacgcggc actcggccgt gctccgggac ctgcgttccg ggactctgta 240
cagcctgaca ctgtatgggc tgcgaggacc ccacaaggcc gacagcatcc agggaaaccgc 300
ccgcaccctc agcccagttc tggagagccc ccgtgacctc caattcagtg aaatcaggga 360
gacctcagcc aaggtcaact ggatgcccc accatcccgg gcggacagct tcaaagtctc 420
ctaccagctg gcggacggag gggagcctca gagtgtgcag gtggatggcc agggccggac 480
ccagaaactc caggggctga tcccaggcgc tcgctatgag gtgaccgtgg tctcgttccg 540
aggctttgag gagagtgagc ctctcacagg cttcctcacc acggttccctg acggtccac 600
acagttgcgt gcaactgaact tgaccgaggg attcgcctgt ctgcaactga agcccccca 660
gaatcctgtr gacacctatg acrtccaggt cacagcccct ggggccccgc ctctgcaggc 720
ggagacccca ggcagcgcgg tggactacce cctgcatgac cttgtcctcc acaccaacta 780

```

```

caccgccaca gtgcgtggcc tgcggggccc caacctcact tccccagcca gcatcacctt 840
caccacaggg ctagaggccc ctcgggactt ggaggccaag gaagtgacct cccgcaccgc 900
cctgctcact tggactgagc ccccagtcg gcccgcaggc tacctgctca gcttccacac 960
ccctggtgga cagaccaggg agatcctgct cccaggaggg atcacatctc accagctcct 1020
tggcctcttt ccctccacct cctacaatgc acggytccag gccatgtggg gccagagcct 1080
cctgccgccc gktkccacct ctttcaccac ggggtgggctg cggatcccct tccccaggga 1140
ctgcggggag gagatgcaga acggagccgg tgcctccagg accagacca tcttcctcaa 1200
cggcaaccgc gagcggtccc tgaacgkkt ttgcgacatg gagactgatg ggggcgggctg 1260
gctggtgttc cagcgycgca tggatggaca gacagacttc tggagggact gggaggacta 1320
tgccccatggt tttgggaaca tctctggaga gttctggctg ggcaatgagg ccctgcacag 1380
cctgacacag gcaggtgact actccatgcg cgtggacctg cgggctgggg acgaggctgt 1440
gttcgcccag tacgactcct tccacgtaga ctcggctgcg gagtactacc gcctccactt 1500
ggagggctac cagggcaccg cagggactcc atgagctacc acagcggcag tgtcttctct 1560
gcccgtgatc gggaccccaa cagcttgctc atctcctgcg ctgtctccta ccgagggggc 1620
tgggtggtaca ggaactgcca ctacgccaac ctcaacgggc tctacgggag cacagtggac 1680
catcagggag tgagctggtt ccaactggaag ggcttcgagt tctcgggtgc cttcacggaa 1740
atgaagctga gaccaagaaa ctttcgctcc ccagcggggg gaggctgagc tgctgcccac 1800
ctctctcgca cccagtatg actgccgagc actgaggggt cggcccgaga gaagagccag 1860
ggctcctcac caccagccg ctggaggaag ccttctctgc cagcgatctc gcagcactgt 1920
gtttacaggg gggaggggag gggttcgtac gggagcaata aaggagaaac tgaggtaccc 1980
gga

```

<210> 290

<211> 1298

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1224)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1231)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1242)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1262)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1285)

<223> n equals a,t,g, or c



&lt;400&gt; 290

```

gaaggacagc agaccagaca gtcacagcag ccttgacaaa acgttcctgg aactcaagct 60
cttctccaca gaggaggaca gagcagacag cagagaccat ggagtctccc tcggccctc 120
cccacagatg gtgcatcccc tggcagaggc tcctgctcac agcctcactt ctaaccttct 180
ggaacccgcc caccactgcc aagctcacta ttgaatccac gccgttcaat gtcgcagagg 240
ggaaggaggt gcttctactt gtccacaatc tgccccagca tctttttggc tacagctggt 300
acaaaggtga aagagtggat ggcaaccgtc aaattatagg atatgtaata ggaactcaac 360
aagctacccc agggcccgca tacagtggtc gagagataat atacccaat gcatccctgc 420
tgatccagaa catcatccag aatgacacag gattctacac cctacacgtc ataaagtcag 480
atcttgtaga tgaagaagca actggccagt tccgggtata cccggagctg cccaagccct 540
ccatctycag caacaactcc aaaccctgtg aggacaagga tgctgtggcc ttcacctgtg 600
aacctgagac tcaggacgca acctacctgt ggtgggtaaa caatcagarc ctcccgttca 660
gtcccaggct gcagctgtcc aatggcaaca ggaccctcac tctattcaat gtcacaagaa 720
atgacacagc aagctacaaa tgtgaaaccc agaaccctagt gagtgccagg cgcagtgtgatt 780
cagtcatcct gaatgtcctc tatggcccg atgccccac catttcccct ctaaacadat 840
cttacagatc aggggaaaat ctgaacctct cctgccacgc agcctctaac ccacctgcac 900
agtactcttg gtttgtcaat gggactttcc agcaatccac ccaagagctc tttatcccca 960
acatcactgt gaataatagt ggatcctata cgtgccaaagc ccataactca gacactggcc 1020
tcaataggac cacagtcacg acgatcacag tctatgcaga gccacccaaa cccttcatca 1080
ccagcaacaa ctccaacccc gtggaggatg aggatgctgt agccttaacc tgtgaacctg 1140
agattcagaa cacaacctac ctgtggtggg taaataatca gagccttccg gtcagtccca 1200
ggctgcactt gccaatgaca acangacct nactctactc antggcacia ggaatgatgt 1260
angaccctat gaatgtggaa tccanaacaa attaatgt 1298

```

&lt;210&gt; 291

&lt;211&gt; 2459

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (3)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (4)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1604)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1605)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

<221> misc feature  
<222> (2374)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (2392)  
<223> n equals a,t,g, or c

<400> 291

```
cgnnccacgc gtccgcagca rggccaacag tcacagcagc cctgaccaga gcattcctgg 60
agctcaagct ctctacaaag aggtggacag agaagacagc agagaccatg ggacccccct 120
cagccccctcc ctgcagattg catgtcccoct ggaaggaggt cctgctcaca gcctcacttc 180
taaccttctg gaaccacccc accactgcca agctcactat tgaatccacg ccrttcaatg 240
tcgcagaggg gaaggaggtt cttctactcg cccacaacct gccccagaat cgtattgggt 300
acagctggta caaaggcgaa agagtggatg gcaacagtct aattgtagga tatgtaatag 360
gaactcaaca agctacccca gggcccgcat acagtggctg agagacaata taccccaatg 420
yatccctgct gatccagaac gtcaccacaga atgacacagg attctatacc ctacaagtca 480
taaagtcaga tcttgtgaat gaagaagcaa ccggacagtt ccatgtatac ccggagctgc 540
ccaagccctc catctccarc aacaactcca accccgtgga ggrcaaggat gctgtrgct 600
tcacctgtga acctgaggtt cagaacacaa cctacctgtg gtgggtaaat ggtcagagcc 660
tcccggtcag tccaggtctg cagctgtcca atggcaacat gaccctcact ctactcagcg 720
tcaaaggaa cgatgcagga tcctatgaat gtgaaataca gaaccacgag agtgccaacc 780
goagtgacc agtcaccctg aatgtcctct atggcccaga tggccccacc atttccccct 840
caaaggccaa ttaccgtcca ggggaaaatc tgaacctctc ctgccacgca gcctctaacc 900
cacctgcaca gtactcttg ttttcaatg ggackttcca gcaatccacm caagagctct 960
ttatccccc aaactactgtg aataatagt gacocatac gtgccaagcc cataactcag 1020
acactggcct caataggacc acagtcacga cgatcacagt ctatgcagag ccacccaaac 1080
ccttcacac cagcaacaac tccaaccccg tggaggatga ggatgctgta gccttaacct 1140
gtgaacctga gattcagaac acaacctacc tgtggtgggt aaataatcag agcctcccgg 1200
tcagtcccag gctgcagctg tccaatgaca acaggaccct cactctactc agtgtcaca 1260
ggaatgatgt aggaccctat gagtgtggaa tccagaacga attaagtgtt gaccacagcg 1320
accagtcct cctgaatgtc ctctatggcc cagacgaccc caccatttcc ccctcataca 1380
cctattaccg tccaggggtg aacctcagcc tctcctgcca tgcagcctct aaccacctg 1440
cacagtattc ttggtgatt gatgggaaca tccagcaaca cacacaagag ctctttatct 1500
ccaacatcac tgagaagaac agcggactct atacctgcca ggccaataac tcagccagtg 1560
gccacagcag gactacagtc aagacaatca cagtctctgc gganntgccc aagccctcca 1620
tctccagcaa caactccaaa cccgtggagg acaaggatgc tgtggccttc acctgtgaac 1680
ctgaggctca gaacacaacc tacctgtggt gggtaaatgg tcagagcctc ccagtcagtc 1740
ccaggctgca gctgtccaat ggcaacagga ccctcactct attcaatgtc acaagaaatg 1800
acgcaagagc ctatgtatgt ggaatccaga actcagtgag tgcaaaccgc agtgaccacg 1860
tcacctgga tgtcctctat gggccggaca ccccatcat ttcccccca gactcgtctt 1920
acctttcggg agcgaacctc aacctctcct gccactcggc ctctaaccga tccccgcagt 1980
attcttgccg tatcaatggg ataccgcagc aacacacaca agttctcttt atcgccaaa 2040
tcacgcaaaa taataacggg acctatgcct gttttgtctc taacttggtt actggccgca 2100
ataattccat agtcaagagc atcacagtct ctgcatctgg aacttctcct ggtctctcag 2160
ctggggccac tgtcggcatc atgattggag tgtggttggt ggttgctctg atatagcagc 2220
cctggtgtag tttcttcatt tcaggaagac tgacagttgt tttgcttctt ccttaaagca 2280
tttgcaacag ctacagtcta aaattgcttc ttaccaagg atattttacag aaaagactct 2340
gaccagagaa tcgagaacca tcctagccaa catngtgaaa accccatctg tnactaaaaa 2400
tacaaaaatg agctgggctt tgtggcgcgc acctgttagt ccccgtaaat ttggggaggt 2459
```

245

<210> 292  
 <211> 570  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc feature  
 <222> (567)  
 <223> n equals a,t,g, or c

<400> 292  
 aattcggcac gmgccggagt gtggtacttc tcctagttgc agtcaggctt catacgctat 60  
 tgtcctgccc gttagagcag ccagcgggta cagaatggat tttggaagag ggagtcacca 120  
 ctggacctcc aaggaagcca cgtgcagaca tctacaacct tcgatctcct gacgagttta 180  
 ttgtttggcca aaaccaggct ttgattgaac caggatgaat gcgggtgttg gaagtagaat 240  
 atatatatac atataaaatt ggttgggagc cacgtgtacc agtgtgtgtt gatcttggct 300  
 tgattcagtc tgccttgtaa cagaaactgg cgatggaata tgagaggagc cctctggaaa 360  
 gaaaaggaca gaccctgtgc ttcatgaaa gtgaagatct ggctgaacca gttccacaag 420  
 gttactgtat acatagcctg agtttaaaag gctgtgccca cttcaagaat gtcattgtta 480  
 gactttgaaa tttctaactg cctacctgca taaagaaaat aaaatctttt aaatcaaaaa 540  
 aaaaaaaaaa raagggggcc gctctanagg 570

<210> 293  
 <211> 2468  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc feature  
 <222> (2076)  
 <223> n equals a,t,g, or c

<400> 293  
 gggtttgaga agattggaca gtgcttcagg caccgtgtac acagcaatgg atgtggccac 60  
 aggacaggag gtggccatta agcagatgaa tcttcagcag cagccaaga aagagctgat 120  
 tattaatgag atcctgggtca tgagggaata caagaacca aacattgtga attacttgga 180  
 cagttacctc gtgggagatg agctgtgggt tgttatggaa tacttggctg gaggtcctt 240  
 gacagatgtg gtgacagaaa cttgcatgga tgaaggccaa attgcagctg tgtgccgtga 300  
 gktctgcag gctctggagt tcttgcatc gaaccagata accccagagc agagcaaacg 360  
 gagcaccatg gtaggaaccc catactggat ggcaccagag gttgtgacac gaaaggccta 420  
 tgggcccagg gttgacatct ggtccctggg catcatggcc atcgaaatga ttgaagggga 480  
 gcctccatac ctcaatgaaa accctctgag agccttgtac ctcattgcca ccaatgggac 540  
 cccagaactt cagaacccag agaagctgtc agctatcttc cgggactttc tgaaccgctg 600  
 tctcgagatg gatgtggaga agagagggtc agctaaagag ctgctacagc atcaattcct 660  
 gaagattgcc aagccccctc ccagcctcac tccactgatt gctgcagcta aggaggcaac 720  
 aaagaacaat cactaaaacc acactcacc cagcctcatt gtgccaagcc ttctgtgaga 780  
 taaatgcaca tttcagaat tccaactcct gatgccctct tctccttgcc ttgcttctcc 840  
 catcttctga tctagcactc ctcaagactt tgatccttgg aaaccgtgtg tccagcattg 900  
 aagagaactg caactgaatg actaatcaga tgatggccat ttctaaataa ggaatttcct 960  
 cccaattcat ggatatgagg gtggtttatg attaagggtt tatataaata aatgtttcta 1020

gtcttccgtg tgtcaaaatc ctcacctcct tcataaccat ctcccacaat taattcttga 1080  
ctatataaat ttatggtttg ataataattat caatttgtaa tcaattgaga tttctttagt 1140  
gcttgctttt ctgtgactca actgcccaga caccctcattg tacttgaaaa ctggaacagc 1200  
ttgggaatgc catgggggtt gataatctgc cagggacatg aagaggctca gcttcctgga 1260  
ccatgacttt ggctcagctg atcctgacat gggagaacaa ccacatttt ctttgtgtgt 1320  
gcttctagca gctgttcggg aggacctga cccaayagtg ttcccatgct gtttcttgtg 1380  
aaatgctctc ggctatgtag cagcttttga ttccctgcat accctaggct gctgccccta 1440  
tcctgtccct tgtttataac attgagaggt tttctagggc acatactgag tgagagcagt 1500  
gttgagaagt cggggaaaat ggtgactact tttagagcaa ggctgggcat cagcacctgt 1560  
ccagctctac ttgtgtgatg tttcaggaac tcagcccctt tttctgccta ggataaggag 1620  
ctgaaagatt aacttgatc ttctaattgt ccaaactctt tggtcacaat aaagagtctc 1680  
caaattagag actgcatgtt agttctggat ggatttgggt gcctgacatg ataccctgcc 1740  
agctgtgagg ggaccccggt ttttaagatgc atggccaagc tctctgcaa tggaatgct 1800  
tacactgggt gttggggatg tttgctacct cctgctattt ttgtggtttt ggttctccca 1860  
ctatggtagg acccctggcc agcattgtgg cttgtcatgt cagcccatt gactaccttc 1920  
tcattgctctg aggtactact gcctctgcag cacaaatttc tatttctgtc aataaaagga 1980  
gatgaaaata ttctattgga gtatgcctt cttttttctc ttcgtttttt ctttcctttt 2040  
ctaatttttt atatgaaata atgagtaagt ttcttntga accatttgag agtggttaagt 2100  
tgagataga atgcccctt accactatat acctgaatgt gtattctttc yttttaacac 2160  
ttttatttta aatataaatt aagagaaatg ggccaaaacc atttgattg tttaaagaat 2220  
aattataaac acacttgat ccaccaaac aagaaakgga aactgacag taagaacctt 2280  
ctctatcttg tccttcctt ctcattatag cccccaccta agaggtaacc accatcttga 2340  
ctttatttta aataactttc ttgcttttct gtatactttc atcacattca ggtgtgttcc 2400  
aatacaagta gattttagt cggccagttt ttgaacttta aataaacata tcataataga 2460  
taaaaaaa 2468

<210> 294

<211> 1080

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1038)

<223> n equals a,t,g, or c

<400> 294

ctcgtgccga attcggcacg agcccacggg cccggcgcca tgagtgttgc cgcttctctg 60  
atgacaacca aatcatcacc agctctgggg ataccacctg tgccctgtgg gacattgaga 120  
caggccagca gacagtgggt tttgctggac acagtgggga tgtgatgtcc ctgtccctgg 180  
ccccgatgg ccgcacgtt gtgtcaggcg cctgtgatgc ctctatcaag ctgtgggacg 240  
tgcgggattc catgtgccga cagacctca tcggccatga atccgacatc aatgcagtgg 300  
ctttcttccc caacggctac gccttcacca ccggctctga cgacgccacg tgccgcctct 360  
tcgacctgcg ggccgatcag gagctcctca tgtactccca tgacaacatc atctgtggca 420  
tcacctctgt tgccctctcg cgcagcgacg gctgctgctc gctggctacg acgacttcaa 480  
ctgcaacatc tgggatgcca tgaaggcgga ccgtgcagga gtccctcgctg gccacgacaa 540  
ccgcgtgagc tgccctcggg tcaccgacga tggcatggct gtggccacg gctcctggga 600  
ctccttctc aagatctgga actaatggcc ccacccccac tgggcccagg ccaggagggg 660  
ccctgcccac gcccacacta caggccaggg ctgcggggct ggcgcaatcc cagccccctt 720  
ccccgggcca cggggccttg ggtccctgcc ctcccaccca ggtttggttc ctcccggggc 780  
ccccactgtg gagataagaa ggggatggaa tgggggaaga ggaggagcag gaggccctca 840

247

tccttctgct gccctggggt tggggcctca cccctctgga gggccggagg caggaggtgg 900  
aaacccagg ggctggcttt tttaaaactg gttttatatt aatttttatt atattttcag 960  
tttttccata aaggagccaa ttccaactct gwaaaaaaaa aaaaaaaaaa acttcgrggg 1020  
ggggcccgta cccaattngc ctttaggggg gggtttaaat taatggcggg gttttaaaag 1080

&lt;210&gt; 295

&lt;211&gt; 2695

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 295

tcatgattcc aagctaaagg aaattaaaaa tgtaatttaa taatttccta tttttagggt 60  
tggttaatttt ttctacaaa aaaaccttga aatttttagat atcccaatgt gaatctaatt 120  
tccatatata cagaaattag acaaataata agtctttagt tcaacttaag catatctcaa 180  
atgacttctc taaattttaa gttgatcatg ataggatcat aaaagacaga aaagacttaa 240  
gtaatcttgt aatgacaatt atttccattt ttgctgaact aaaaaatatt aacttcataa 300  
atatgttact acagcttcca gatttaaaga aaaaaagttt cccccactct caattaaaag 360  
ttagaacctt ccacttttaa aattatacaa atatttcttt ttacattac acagaagcct 420  
tctgtaccat ttacgaatt tctgtcttca taatataagt gaaaatactg tcatttcaat 480  
tttctgcttt aaattgtttt taataagcat yccaaagtga tacagactta agcttttaat 540  
caatcagtc ttcagttgat agacaaagt agcgatgctt tatgctagga aacttggtga 600  
cagtaacctg tgcgacttta tgcagaagac aaatgctagt aattattatg cacagaggaa 660  
aaatcatttt aagtatgtgg taaagcagct tcatctttca aaattgattt gctctggttt 720  
ttcttttagtc cattagattc cagaatgtcc ttttactggg aatttagtta tgtattaaga 780  
taacctgttt tcagttcttt ttgaaaagaa gacattatatt atattgaacc accttatttt 840  
aaaattttta acttttatat accacttggtg tgattccagt gtcatgtctt gggtttgatg 900  
tcgttggaaca gaaaagtgt tcaattattt taaatgaatt tttcccatg tttgaggctt 960  
agtctgtaaa tgtgttgctg taacagaaaa tacttgggta tgcattactt gaatacttga 1020  
aaactgaaat taataagatg tattacataa tgaattagat ttctctgaac agtttttaca 1080  
ctgaaaatct tcatttctgg attgcagttt gaaatggaat gaagacctga attatttggg 1140  
tagaaaaaat tatgatagt cttataagaa ctgtaaaactg ttttaacta ttttggtgtt 1200  
gacgcatcaa acttcaagtt ttttgtaagt ttctctctg aaattttctt tctcttctat 1260  
actttatgca cttactatac tactgatgta ataaaagagc agggttaaaa atattgtatc 1320  
tgtattcatt gtgaatcctg tagcttttct agttaacaaa aaatcgcttt ctaaaatact 1380  
cttaatccca ttgttttggg taacatctta cccatttgtt gtatttcaaa tgccattaat 1440  
catttttagta caacacctat gtttataaaa atttgaaaac attacatatt gtatttaaaa 1500  
ctaattagtg aagagtaaga aaaaaactag ccaacagaat tgtaggtgat gcattagtta 1560  
aatttcaaaa ctcataataa aggaactttc agagattggg tgaaaccag tggatatccct 1620  
gtaaattagc tcctgtgact ggaaaagacc ccaaaaaggc agtagaggag attagtgttt 1680  
acttgctgtg gttgtggtgt gctgctactt aattataggt agtgacacac tgaaattcct 1740  
atttgctcaa taatctgaag tagtttccta ttttatctg tactaaattg actataaatt 1800  
gagctgcaa agaggaaact ttttgactgt actgtattta ggagcctttg tacagcttgg 1860  
tcaaatttcc atgatatgaa gtatttgagt tttaaaatat actgttatta aaaggaaaaa 1920  
gacatggcca ttattccatg tgcttaaatg ataatttcct tattcagttt cagaagaaaa 1980  
agaatgaaat tgggtaactg tcattgcgtt agytttatgt tgaattggga aattgtggca 2040  
taaaacttaa attcgtgttt atcaaatgtg aaccatagta gtataatgct gctttgtata 2100  
taatgtaagt gtcacaaata gtctcagcac tgaaaatgta ttgataacct ttaaatgaat 2160  
gcaacttttg atgtaggtgt tttgctatgc ctcagaaaa atctgtctga gaatttgta 2220  
atctgtttga taatgaagat acttctgtt ttcttgtttc atattttcat gttcaaaatt 2280  
taagttttac atttttacta ctgttaattt aaataaaatt tgttctgtgg ataaaatgag 2340  
gttggcagtg aagaaaatta aaaacagcct cattcatgta actggttaag taaaaataga 2400

ttttcactat gtgttcataa acttttaatg aagctgtttg tctttcagtt caaatataag 2460  
tgatgttttag gctttatttc tgtaataaag gctttttacc attgattaaa tgaaggaatg 2520  
tatctttttg aagagattta tattctgtaa ataaaaattc gttgtaacaa taaagttgag 2580  
ttctaactac aaaaaaaaaa aagtcgacac cgccgggaat ttaggtgtag tagtcccccg 2640  
ggaaattcgg accggttact gaaggcgatc cagttttccc aaagttgggc gtatt 2695

<210> 296

<211> 1394

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1238)

<223> n equals a,t,g, or c

<400> 296

gcccacgcgt ccgagctcag tcagcagaag agataaaagc aaacaggtct gggaggcagt 60  
tctgttgcca ctctctctcc tgtcaatgat ggatctcaga aataccccag ccaaattctct 120  
ggacaagttc attgaagact atctcttgcc agacacgtgt ttccgcatgc aaatcaacca 180  
tgccattgac atcatctgtg gggtcctgaa ggaaaggtgc ttccgaggta gctcctaccc 240  
tgtgtgtgtg tccaaggtgg taaaggggtg ctcctcaggc aagggcacca ccctcagagg 300  
ccgactcgac gctgacctgg ttgtcttcct cagtcctctc accacttttc aggatcagtt 360  
aaatcgccgg ggagagttca tccaggaaat taggagacag ctggaagcct gtcaaagaga 420  
gagagcattt tccgtgaagt ttgaggtcca ggctccacgc tggggcaacc cccgtgcgct 480  
cagcttcgta ctgagttcgc tccagctcgg ggagggggtk gaggctcgatg tgctgcctgc 540  
ctttgatgcc ctggattttg ccgwwacagg tcaattgact ggcggctata aacctaacc 600  
ccaaattctat gtcaagctca tcgaggagtg caccgacctg cagaaagagg gcgagttctc 660  
cacctgcttc acagaactac agagagactt cctgaagcag cgccccacca agctcaagag 720  
cctcatccgc ctagtcaagc actggtacca aaattgtaag aagaagcttg ggaagctgcc 780  
acctcagtat gccctggagc tcctgacggg ctatgcttgg gagcgaggga gcatgaaaac 840  
acatttcaac acagcccagg gatttcggac ggtcttgaa ttagtcataa actaccagca 900  
actctgcac tactggacaa agtattatga ctttaaaaac cccattattg aaaagtacct 960  
gagaaggcag ctcacgaaac ccaggcctgt gatcctggac ccggcggacc ctacaggaaa 1020  
cttgggtggg ggagacccaa aggggtggag gcagctggca caagargctg aggcctggct 1080  
gaattaccca tgctttaaga attgggatgg gtccccagtg agctcctgga ttctgtggt 1140  
gagacctcct gcttctccc tgccattcat ccctgccct ctccatgaag cttgagacat 1200  
atagctggag accattcttt ccaaagaact tacctctntc gcaaaggcca tttatattca 1260  
tatagtgaca ggctgtgctc catattttac agtcattttg gtcacaatcg agggtttctg 1320  
gaattttcac atcccttgtc cagaattcat tcccctaaga gtaataataa ataattctta 1380  
acaccaaaaa aaaa 1394

<210> 297

<211> 998

<212> DNA

<213> Homo sapiens

<400> 297

ggcacgaggt gaaataacgg gcccatataa atccctctgc cgcccgccct caagatggat 60  
tgcccgcat gaaattcctc cgcragataa ttaaactcgg ggccctcatcc gggcaaaatt 120  
acattccttg tgacgactgc gcatgctcgg aaaggggacg caatcragat cccaaacgcg 180

gtacagacca aaccgcagtc cacgttacgg atcggttac tccgaggagt tggcctcatt 240  
tctgcagtcg gcgctccctg tagtttctcc tctcgaacgc cagggtggagc aaccggccgg 300  
ataccgccac agccctggca ggcggcgctg tgatgcctga gctgacctc tctcctgcc 360  
cagctcctca cccctgaaa atgttcgcct gctccaagtt tgtctccact cctccttg 420  
tcaagagcac ctcacagctg ctgagccgct cgctatctgc agtgggtgctg aaacgaccgg 480  
agatactgac agatgagagc ctcagcagct tggcagctctc atgtcccctt acctcacttg 540  
tctctagccg cagcttccaa accagcgcca tttcaaggga catcgacaca gcagccaagt 600  
tcattggagc tggggctgcc acagtggggg tggctgggtc tggggctggg attggaactg 660  
tgtttgggag cctcatcatt ggttatgcc aagacccttc tctgaagcaa cagctcttct 720  
cctacgccat tctgggcttt gccctctcgg aggccatggg gctcttttct ctgatggtag 780  
cctttctcat cctctttgcc atgtgaagga gccgtctcca cctcccatag ttctcccg 840  
tctggttggc cccgtgtgtt ccttttccta tacctcccca ggcagcctgg ggaacgtggt 900  
tggtcaggg tttgacagag aaaagacaaa taaatactgt attaataaga aaaaaaaaaa 960  
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaa 998

&lt;210&gt; 298

&lt;211&gt; 1666

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 298

atccttcact aagcctgctt tagtttccac cacctgcttc tgcattcttt taatggctcc 60  
ttaggtctcc aggaagcta acagccaggg agaggatcag tctcttgctg gaccctggca 120  
gctttkttga gagcgacatg tttgtggaac acagatgtgc agattttgga atggctgctg 180  
ataagaataa gtttctgga gacagcgtgg tcaactggac aggccgaatc aatggaagat 240  
tggtttatgt cttcagtcag gattttacag tttttggagg cagtctgtca ggagcacatg 300  
ccaaaagat ctgcaaaatc atggaccagg ccataacggt gggggctcca gtgattgggc 360  
tgaatgactc tgggggagca cggatccaag aaggagtggg gtctttggct ggctatgcag 420  
acatctttct gaggaatgtt acggcatccg gagtcattcc tcagatttct ctgatcatgg 480  
gccatgtgc tgggtggggc gtctactccc cagccctaac agacttcacg ttcatggtaa 540  
aggacacctc ctactgttc atcactggcc ctgatgttgt gaagtctgtc accaatgagg 600  
atgttaccca ggaggagctc ggtggtgcca agaccacac caccatgtca ggtgtggccc 660  
acagagcttt tgaatatgat gttgatgcct tgtgtaactc ccgggatttc ttcaactacc 720  
tgcccctgag cagtcaggac ccgctccccg tccgtgagtg ccacgatccc agtgaccgtc 780  
tggttcctga gcttgacaca attgtccctt tggaaatcaac caaagcctac aacatggtgg 840  
acatcataca ctctgttgtt gatgagcgtg aattttttga gatcatgccc aattatgcca 900  
agaacatcat tgttggtttt gcaagaatga atgggaggac tgttggaatt gttggcaacc 960  
aacctaaggt ggccctcagga tgcttgata ttaattcatc tgtgaaaggg gctcgttttg 1020  
tcagattctg tgatgcattc aatattccac tcatcacttt tgttgatgtc cctggctttc 1080  
tacctggcac agcacaggaa tacgggggca tcatccggca tggtgccaag cttctctacg 1140  
catttgctga ggcaactgta cccaaagtca cagtcattcc caggaaggcc tatggagggtg 1200  
cctatgatgt catgagctct aagcaccttt gtggtgatac caactatgcc tggcccaccg 1260  
cagagattgc agtcatggga gcaaaggcg ctgtggagat catcttcaa gggcatgaga 1320  
atgtggaagc tgctcaggca gactacatcg agaagtttgc caacccttc cctgcagcag 1380  
tgcgagggtt tgtggatgac atcatccaac cttcttccac acgtgcccgga atctgctgtg 1440  
acctggtatg cttggccagc aagaaggtac aacgtccttg gagaaaacat gcaaatattc 1500  
cattgtaaac aaatcaaagg aaaagaaacc aagaactgaa ttactgtctg cccattcaca 1560  
tcccattcct gccttttgca atcatgaaac ctgggaatcc aaatagttgg ataacttaga 1620  
ataactaagt ttattaaatt ctagaagat aaaaaaaaaa aaaaaa 1666

&lt;210&gt; 299

<211> 2444  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (4)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (402)  
<223> n equals a,t,g, or c

<400> 299  
ctgngtgagc tggagcgcta tgtcacctcc tgtttgcgga agaaaaggaa acctcaagct 60  
gagaaagttg atgtgattgc cggctcctcc aagatgaagg gcttctcgtc ctcagagtcg 120  
gagagctcca gtgagtcag ctcctctgac agcgaagmcw ccgaaacagg tcctgcctaa 180  
tcattggaca cggactctta ataaaacggt cttcagttcc agattccttc ccagcaagct 240  
atagcttaag tccattttct tccgtgaaag ggacaggact ccatcaagtt atggaattcc 300  
tcagagccct gggcctgtcc cccggggtgg attagtcag tccagcagca cagcctagt 360  
ccgccttcg ggaaggctgc ctgcctggcc agccgcccag gnctctctgt gtaaagactg 420  
cctggctgtc ctgcccagcc ttcctggttc tctgggtgcc tctgggtggg tggcatctcc 480  
tggagggtga tgacaatccc caacacatgc attcatgtgg tgctactctg tgtgcaaagc 540  
cagaccccaa gtatgttttc tctctttgtc ccacccctct tttctgga ctttggaacc 600  
taactacttc cctcctgaac cttgcagtga catcagttcc ggagagctct cgttcagtg 660  
gcggaagaac actctgacct ctagagctgt ctagataag gaggggagc tttagaggca 720  
aggcctctag accctggaag gctcagtgag gctcttccca cagcatgctt ctcactggtg 780  
ccctgtaagg ctcgagccac cgctgactct gaggcttttg gagtctttcc tccttcgtct 840  
ccattgttcc cgtgcatttc caaaagctta agttgcctgg tgggcatttc ccagtttct 900  
ttggcctccg tcttctcaag tcacataggg aaagtacctc ctggaaccag gctgcagtat 960  
gcaggamctg ccaggcagsc actggtgaag ggccttgggc ctatcatccc cccaacccca 1020  
cctcacccca cccgcctcct ctagtggggt gagtctgggc tgggtggacca gaggagggtg 1080  
tcacagacc tcagggactg ccccatggac acctctgact ggtgttaaca gtgtgaacat 1140  
tttccccgtc ttcatccct tagaatgacg acagcccctg ggggtgggac aggcgagtg 1200  
ggccacatca tccaagccct ccagagaca caaataggct ttttgcctt aaaaataaat 1260  
accagccctt ttttggtcac aaatccagca tctcagcaga aaactgcctg acatgaaaag 1320  
tcccctgagg aactgcatct gcgtttcagg ggttttctat ttttctcct tttttaaagt 1380  
gtagatttg ggtgcttct agaggcctgc cttcttctgg aactggaagt gggctatcac 1440  
catgggcaag cccttgggtg caggctcccc acctgcctgg gaactctggc agctctcctc 1500  
agctccttg gcttgagcag ctgcaactgc ccagatttg ctgtggaagc aggggctagc 1560  
cctggcctca ccaggcccty cgggggccc gcattgatgc tcaggagtgc ctgggctgct 1620  
cttgatcctt tctgggcac cagcttccag ttaagctctg tttgccaac aaactattct 1680  
cagctgccct ttggcctgcg cctgatgtgt tctgttgca gtcccgcctg cctgagacag 1740  
gagcaggcag gagagccttc atgccagat tcccacagga caattgggga gctgctggca 1800  
ttgtctttct gggaagattc tgcttcttg gaccaaatgg cagcctgatt accagtgtcg 1860  
ggcctgcatg ctgccccga cacacgcacg cagcgcaca cacgtgtgca catgggcat 1920  
agccacaagc cagctctcct ccagggtcct ttcaacctcg ctgtccaggg accctgtcct 1980  
tcttgcccgt ggggcttcca tctggcagag aacgttcagg gcttgttgaa cttgaaagct 2040  
cattagactt aagctgtcac ctgtgcttg tgccccagga acagccagag aggacagtgc 2100  
ccactcactt cttgttgga gcctcctgtg caggaagtgc cagccgggcc tcgacgcacc 2160



```

agctggctgt gggtcctgag gaggggcggg aggcggccgc tcagtgcaga tggggactcc 2220
tctcctctgc cctgacctta cctccatta cctccttcac tggagtgggg ctgggggggtg 2280
gggtggaatca gtgttttaat cggattttta aaaaacattt tatttctttg tacaattacc 2340
atcctatgta aagatgaaat ttgtgttgag ttgaagattg tcatggaata aagatcacac 2400
cgtacttgag gccatcttca tgtaaaaaaa aaaaaaaaaa aaaa 2444

```

<210> 300

<211> 1026

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1026)

<223> n equals a,t,g, or c

<400> 300

```

gctcctgcgc gctgacgtca ggtgcgtgcc cctgtccggc agccgaggag accccgcgca 60
gtgctgccaa cgccccggtg gagaagctga ggtcatcatc agatttgaaa tatttaaagt 120
ggatacaaaa ctatttcagc aatgcagaca attaatgtgt ttgttggtgg cgatgggtgct 180
gttggttaaaa catgtctcct gatatacctac acaacaaaca aatttccatc ggaatatgta 240
ccgactgttt ttgacaacta tgcagtcaca gttatgattg gtggagaacc atatactctt 300
ggactttttg atactgcagg gcaagaggat tatgacagat tacgaccgct gagttatcca 360
caaacagatg tatttctagt ctgtttttca gtggtctctc catcttcatt tgaaaacgtg 420
aaagaaaagt ggggtgcctga gataactcac cactgtccaa agactccttt ctgcttgtt 480
gggactcaaa ttgatctcag agatgacccc tctactattg agaaacttgc caagaacaaa 540
cagaagccta tcaactccaga gactgctgaa aagctggccc gtgacctgaa ggctgtcaag 600
tatgtggagt gttctgcact tacacagaaa ggcctaaaga atgtatttga cgaagcaata 660
ttggtgccc tggagcctcc agaaccgaag aagagccgca ggtgtgtgct gctatgaaca 720
tctctccaga gccctttctg cacagctggt gtcggcatca tactaaaagc aatgttttaa 780
tcaaaactaaa gattaaaaat taaaattcgt ttttgcaata atgacaaatg ccctgcacct 840
acccacatgc actcgtgtga gacaaggccc ataggatag cccccccctt cccctccca 900
gtactagtta attttgagta attgtattgt cagaaaagtg attagtacta tttttttttg 960
ttgtttcaaa aaaaaaattt ttgtgtgtgt gttttttttt tttttttttt tttggggggt 1020
aaaaan 1026

```

<210> 301

<211> 830

<212> DNA

<213> Homo sapiens

<400> 301

```

tggtgatctg gactgtcccg actgggtcct ggcagaaatc agcacgctgg ccaagatgta 60
tgaraagatc ctgaagctca cggtgacgc caagtttgag tcaggcgatg tgaaggccac 120
agtggcagtg ctgagtttca tcctctccag tgcggccaag cacagtgtcg atggcgaatc 180
cttgccagtg gaactgcagc agctggggct gcccaaagag cacgcgccca gcctgtgccg 240
ctgttatgag gagaagcaaa gcccttgca gaagcacttg cgggtctgca gcctacgcat 300
gaatagggtg gcaggtgtg gctggcgggt ggactacacc ctgagctcca gcctgctgca 360
atccgtggaa gagcccatgg tgcacctgcg gctggagggt gcagctgccc cagggacccc 420
agcccagcct gttgccatgt ccctctcagc agacaagttc caggtcctcc tggcagaact 480
gaagcaggcc cagaccctga tgagctccct gggctgagga gaagggtgtt ccaggcctgt 540

```

gtggagcgc cctgcccgtg tggagtcacg ccctctgaac tgctcttcg gaggcagccc 600  
tggttctagg atgctgaggc cctggcccgg actctggcct cccagatccc cagctgcctc 660  
acttctctct tgagaacttg gctcagggct cctgaggacc tttcccagca ttaccttccc 720  
ttcccttgaa aggcaattgt tggctgtttt cataagcagg aaaaaataaac agaagtataa 780  
aggaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 830

<210> 302

<211> 3300

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1158)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (3232)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (3280)

<223> n equals a,t,g, or c

<400> 302

cagccgcgac agtctcaagg gggcgggcgc gctggagaag gagagccatc gccgctcgtg 60  
cccgtcaac gccgccagcc taaacggcgc cccaagggg ggcaagtacg acgacgtcac 120  
cctgatgggc gcggaggtag ccagcggcgc ctgcatgaag accggactct ggaagagcga 180  
aactaccgtc taaggtgggc cgggcgacgc ggtagacggg ctggccacgc ggctcgttcc 240  
cccgtccctc ggggccctcc aaggtgtctc cgtagtcagc aggttggagg cagaggagcc 300  
gatggctgga ggaagccac aggcggatgt tccccacttg cctagagggc atccctctgg 360  
ggtagcgaca gacaatccca gaaacacgca taatacattt ccgtccagcc cggggcagtc 420  
tgactgtcgg tgccctccca ggaacgggga aggcctccgt ctgtgtgaaa gggcacagca 480  
catcccaggt gcaccctccc caagtactcc caccgccct actgtccatg cggcctcact 540  
gggggccatc agcctcacca gcaaagcaga gatgagagcg tgggaactgt gttctttcct 600  
ccctgccctc tactgatttc agcccagccc ctgcctagat cctaggtccc ttttctccc 660  
gagtttggtt ggcacgagag ctagcccagc acatgaagca ggtgatgtta agtcacaagg 720  
tgctgctttt cagatccact atgcaagagg ggagggtggg gccacgtgra aaggcagctc 780  
tagacatcaa ccagtcctgg gggaggggag tgggaaccgg gcacaactag gaacaatgcc 840  
accattccca caggagtggg acttaaacca gacagcaggg ttcagagggt gcacacsagg 900  
acaaagctga ggcctgcac ctcaacagct gactgccagg tgcctgtggg tgaactgagg 960  
ggagtagagg gagagggcag gtggaactgg ggcagaatct agtcatgccc taaagctagt 1020  
cctgtaacaa atggtgcccc agaaagctgc aggtgggtgtt tggagaagca gttacttttc 1080  
agttacaaga cccatctccc tagtctcagc cttacaacac cacgggacta aggaagagca 1140  
cttccttgcc tccgtaangc cagaggaaga accatcccaa tcatttgatc tccagctcca 1200  
cagtagagag aaacctacaa aatgtcaaac cagcttcccg actcccagga gctcaagcca 1260  
agcccagagg cagtggctgg ggtccctgca ggtcatgagg ggcctatgcc tttactcctt 1320  
ttaaacacca gcaccgtct tttcccacaa ctaaaaccaa ccaccagcat ttactacag 1380  
gaccaaatgg aaaccgaggg aacctgggt cttgggaaga acaacaggaa accaaggtct 1440

gacctagggt tccctcccag tcttcacatc actctggcct catcaccaag gtgacagagg 1500  
acacagggga gggggaaaac ccacacacac tccttggaat gggtcctgtt atttatgctt 1560  
gctgcacaga catattagaa gaaaaaaaaa agctttgtat tattcttcca catatgctgg 1620  
ctgctgttta cacaccctgc caatgcctta gcaactggaga gctttttgca atatgctggg 1680  
gaaaggggag ggaggggaatg aaagtgccaa agaaaacatg tttttaagaa ctcggtttt 1740  
atacaataga atgttttcta gcagatgcct ctgtttttaa tatattaaaa ttttgcaaag 1800  
ccctttgagc tactgcctta gtctacccac tgccttttg ttatgaggta gaggatctca 1860  
tgacaccata cacacaaacc catcattgcc tgtgaatgca cgtagggcca gaattcccca 1920  
gttcccgtc ctctgagggt tgatactgct gggaaatgcca accactccac aagcagagg 1980  
aagccccctc aggcctgcag gaggagccgc agcagtgtgt ccaattcaaa ccagcagcaa 2040  
agagcctgac attttcccat ccacttatga ggaaagccat ctcacagaac atggacatag 2100  
gcaacttgct ctcccacacc aagggatggg aatctctcct acctatagtc atccctgcac 2160  
tcctgacttt actccaggac ccagggtcca actaatggca gagcccctct tggttccttc 2220  
aaacaagaaa agcaatacct acggactggt gtacacttcc atccttggtt ataacaggaa 2280  
tgttatcaag ctgtcagaac aggtgaagt gctcccagt gatatccatc agggaggggt 2340  
agggacactc gtggcagcct gtctagcagc ctgggctctc tgaaagtccc taacttcctg 2400  
aggggtacgc aaatactgtt ctatttcact atcagaaatg ttctcatctc cagtgcagct 2460  
ggagacaggg ggtacagggc agatccgctt cggggacttc aacatgcagg gtggcaagar 2520  
aagggcagga ctggccggcc gcttcccctg gggtaaacct aaggaattrk ttcmcacctc 2580  
cccttctcct tgcccctgtc cccactccgg tggtctcttc tctcggtct ccacttctgc 2640  
tgtcccatcc cgaaaggcag agcggaccag tgactggcgg tgctggagaa ggtcacccgat 2700  
gtgcttcacc acagaccgtt tgtcaagtct cagaactcgt aaccaggcca gctgctcagc 2760  
catccgcagc agcacagcca gcagctcctg caggcgggag gacgccgggt agggcaggtc 2820  
cacatttgcc aatttacaaa atcgggcaag ggaacatgaa agccgatctg caggctgcag 2880  
cgactgccaa gccaggaag tgcagcagct gatgacgggc aagggatgcc tcccggtcac 2940  
cagccacgtc tcatttgcca gctccaccaaa ctgcattggt cgagacagca tcttctctt 3000  
gtcttccacg tatttgctg gcacagaagg tgaagcttg aacagtttg agctgaaata 3060  
acaaaaatga gggttggatc ttaatgatat aggggctgct ctcccacagt gaggaaagac 3120  
agcccactca agatggggaa gctattctgc cctcaggaat actcaagctc actgggcagc 3180  
aagttaataa aggtagttag agaaaacagg gcgtcttccg cttgttaggg gnaggtggaa 3240  
ggatggagga gaaccacgaa catttattgg gccgctcccn atccacatta ttctgagtgc 3300

<210> 303

<211> 475

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (444)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (451)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (454)

<223> n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (470)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 303

```
caaagaattc ggcacgaggt ctgatcttcc tgcggctgaa ccgcccggct gagccgacat 60
tgccggcgtc ttggcgattc ggcccgacga gctccgcttt cgctacagca tggtagccta 120
ctggagacag gctggactca gctacatccg atactcccag atctgtgcaa aagcagttag 180
agatgcaactg aagacagaat tcaaagcaaa tgctgagaag acttctggca gcaacgtaaa 240
aattgtgaaa gtaaagaagg aataatctac cctgactaaa gcttgaaatg ctacatttcc 300
aagggtgaaga tgtgtgggca catgttatgg cagattgaaa aggatctcat tccatgggaa 360
aaaaaaaaat cctgtcttgt tcataaattg acaatgtcaa taaattgaaa tatgggtcac 420
tgttaaaaaa aaaaaaaaaa aaangggggg nccnttttaa agaattoaan tttac 475
```

&lt;210&gt; 304

&lt;211&gt; 2902

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2888)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2891)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 304

```
ttacatgcta atcaagtgat ccacagagac atcaaaagtg acaatgtact tttgggaatg 60
gaaggatctg ttaagctcac tgacttttgt ttctgtgccc agatcacccc tgagcagagc 120
aaacgcagta ccatggtcgg aacgccatac tggatggcac cagagktggg tacacggaaa 180
gcttatggcc cttaaagtcga catatggtct ctgggtatca tggctattga gatggtagaa 240
ggagagcctc catacctcaa tgaaaatccc ttgagggcct tgtacctaat agcaactaat 300
ggaaccccag aacttcagaa tccagagaaa ctttcccca tatttcggga tttcttaaat 360
cgatgtttgg aaatggatgt ggaaaaaagg gggttcagcca aagaattatt acagcatcct 420
ttcctgaaac tggccaaacc gttatctagc ttgacaccac tgatcatggc agctaaagaa 480
gcaatgaaga gtaaccgtta acatcactgc tgtggcctca tactcttttt tccattttct 540
acaagaagcc ttttagtata tgaaaattat tactcttttt ggggttttaa gaaatgggtct 600
gcataacctg aatgaaagaa gcaaatgact attctctgaa gacaaccaag agaaaattgc 660
aaaaagacaa gtatgacttt tatatgaacc ccttctttag ggtccagaag gaattgtgga 720
ctgaatcact agccttaggt ctttcagcaa acagcctatc agggccattt atcatgtgtg 780
agatttgcac tttactttgc tgactttgtt gtaatagatc ccattcattg tcccctttgg 840
ggtatttcca atacttgaat ggcagatttg agtttttcag agtatgtgtt tcatctgcta 900
gtctttctct ccttcatagc ttttcttttc ctggacttgc tccttttgag ttgcttttgc 960
gtttctcatg cctaggcaag tgtaatagaa attatgtagc tccttatgtt ggcaaaggag 1020
ctctatatag tttcactttg tataaaagtgt aggaccagct gttgttacat gtaatatatt 1080
agttcagaac ttgacctgaa ggaagggaag aaaagtatgt gatttttacc tttttaaca 1140
```

```

aatgtgaaaa agtcagtttt agaaatttcg tggtagtaag ttcggcattt gttacatgta 1200
tagagagaag actaataatc tctatttata actaaatcat tgagatagaa aaagattccc 1260
attgactgta gacttcttcc cattttgtct tcccttctgc ctgtttcccc ttcaggcttg 1320
gctctaggaa ccaaagtgat ttgttggtgt tccaacctgg gctttgtgac tttgggtagt 1380
gccactacct tcttccctcc tttcccccct caatttgga ataaatttct gtatatgttg 1440
caattttagg tttaggtttg ttctttttct ttttcattaa tctctctca cctcacagat 1500
acccctccc atggcaaata atataataac cagtgaattt tcaggaattt aaaaattagc 1560
ttttttccac ttaaaggaga aaaatatttg ggactagcag cagaggcagt aagagatgtg 1620
aaccttggtg agctctgata cagtgagaag agattatact catgaaagag aatgttagtg 1680
ttacagagaa gcagccgata gcaaatcrac tgtagagact tggcggcggg ggcattgccc 1740
caggctcgtca gcagtgtggt attatctatg agaacttgag cgacagagta tttcttgatg 1800
aatttataga tcatttgaga tgttgagtta cttagttta gttttgtttt gttttttcaa 1860
ataagtagag actattgtaa aaaacgagaa aggaaaatga aatgtgcgtg ttgatagcaa 1920
taatttggtt cttttaaaga ttctaaaagg tctgagacct gtagcattaa ttatttgagt 1980
gccctccctt ctccctccc ctcccttttc tctctctttt tttcctctcc tctycttctc 2040
ctttattcat tgttttgctt ttggagtrgg tgttgttcaa gtatctgtgg tttggttctg 2100
gcattttgtt cccaccatcc ccttccccca ttaacttccc ccctgcttgc catcctgcag 2160
tagtataaat catgaataaa aaataatttt gctgtttag tatacattgg agaaactggc 2220
aggttttatt tccattattt tatttccact atatctatga taagatgcaa ttataaggag 2280
agaagtgact gttttttatt gataaggcaa gattttcaga aaaatgagta aaataattaa 2340
tgaacatat ttagagcact taatggtctc tgttttcaat ataattcttg atttcatttt 2400
tctctggaat atattggcct tctacagcta ttactgaatt atagaaactg gtttatttct 2460
ggcagaaagc tgcagtgcc cctgagttcc aaattttacc attctttgta aacagttgga 2520
tggattatga taaagaagat gctaccaatg aaatagaaaa ccaacgagat gagaagactg 2580
tgatcctcat gtactcagag gcacttccct cctaagtcaa agaccatcct cactgactat 2640
gtgccaacgc ctctgttcag gcttgtgact caacaaaggg cttttccatt gatagaagca 2700
gtttgggatt tgtagttgog acttcttcga tagttacctg cacgtccatt gctggcaact 2760
gacttgtcat taaaacctgg ctctttggtt aaggagagta cgctgtggtt tattcttaag 2820
ttacgtgat aaactaacct ctaacagaaa tatactttgg ttaattttga aaaaaaaaaa 2880
aaaaaacncg ngggggggcc cg 2902

```

&lt;210&gt; 305

&lt;211&gt; 1553

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 305

```

ggcgacgcgg tatttgaatc ctggaacaar gctacagcgt cgaagatccc cagcgtgcg 60
ggctcggaga gcagtcctaa cggcgctcgc tacgctagtg tctccctttt tcagtcgcg 120
tccctccctg ggccgggctg gctctcttgc ctccccgc cctcatggcg ctgctccgac 180
ggccgacggg gtccagtgat ttggagaata ttgacacagg agttaattct aaagttaaga 240
gtcatgtgac tattaggcga actgttttag aagaaatttg aaatagagtt acaaccagag 300
cagcacaagt agctaagaaa gctcagaaca ccaaagttcc agttcaaccc accaaaacaa 360
caaatgtcaa caaacaactg aaacctactg cttctgtcaa accagtacag atggaaaagt 420
tggctccaaa gggctccttct cccacacctg aggatgtctc catgaaggaa gagaatctct 480
gccaagcttt ttctgatgcc ttgctctgca aaatcgagga cattgataac gaagattggg 540
agaacctca gctctgcagt gactacgtta aggatatcta tcagtatctc aggcagctgg 600
aggttttgca gtccataaac ccacatttct tagatggaag agatataaat ggacgcagtc 660
gtgccatcct agtggattgg ctggtacaag tccactccaa gtttargctt ctgcaggaga 720
ctctgtacat gtgcgttggc attatggatc gatttttaca ggttcagcca gtttcccgga 780
agaagcttca attagttggg attactgctc tgctcttggc ttccaagtat gaggagatgt 840

```

```

tttctccaaa tattgaagac tttgtttaca tcacagacaa tgcttatacc agttcccaaa 900
tccgagaaat ggaaactcta attttgaaag aattgaaatt tgagttgggt cgacccttgc 960
cactacactt ctttaaggcga gcatcaaaaag ccggggaggt tgatgttgaa cagcacactt 1020
tagccaagta tttgatggag ctgactctca tcgactatga tatgttgcac tatcatcctt 1080
ctaaggtagc agcagctgct tcctgcttgt ctcaagaagg tctaggacaa ggaaaatgga 1140
acttaaagca gcagtattac acaggatata cagagaatga agtattggaa gtcacgcagc 1200
acatggccaa gaatgtggtg aaagtaaatg aaaacttaac taaattcatc gccatcaaga 1260
ataagtatgc aagcagcaaa ctctgaaga tcagcatgat ccctcagctg aactcaaaaag 1320
ccgtcaaaaga ccttgcctcc ccactgatag gaaggtccta ggctgccgtg gcccctgggg 1380
atgtgtgctt cattgtgccc tttttcttat tggtttagaa ctcttgattt tgtacatagt 1440
cctctggtct atctcatgaa acctcttctc agaccagttt tctaaacata tattgaggaa 1500
aaataaagcg attggttttt ctttaaggtaa aaaaaaaaaa aaaaaaactc gag 1553

```

&lt;210&gt; 306

&lt;211&gt; 1987

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (731)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 306

```

cagtcaaatg cagtctggct tcttgacat cttcatctat ctactctatc ctcaagtcaa 60
agtagagcct ctgttcctac tgactatagc tacttgctg aaagcagttt tattggagca 120
gctattggct tcttcattac aggaggaaaa aaaggtcctg aatctgtgcc tccttcccctt 180
cttaaaagtag tgatgaaacc catagcaact gttggagaaa gctaccaata tcctcctgtg 240
aactgggctg cacttctctc tccacttatg aggctaaatt ttggtgaaga gatccagcaa 300
ctgtgccttg aaattatggt gacccaggca cagtcacccc agaatgcagc tgcactattg 360
ggcttgtggg tgacaccacc actgatccac agtctgagtc tgaataccaa gagatatctc 420
ctgatattctg cacctctgtg gataaaacac atctctgatg aacagatcct gggttttgtt 480
gaaaatttaa tgggtggcagt ttttaaaagca gcttccccac ttggaagtcc tgagctatgc 540
ccaagtgtct tacacggtct gagccaggcc atgaaactgc ccagccctgc ccaccacctc 600
tggagtctgc tctctgaagc tactgggaaa atttttgacc tcctgccaaa taagattcgg 660
agaaaggatc tagagctgta tatcagcata gcaaaatgcc tcttagaaat gacagatgat 720
gatgccaatc nggatcgccc aggttactaa gagcaacata gaaaaagctg cctttgtcaa 780
actgtactta gtctctcaag gacgattccc cttggtgaac ctgaaccgat atgctgagcg 840
ttgctgtgca gcaccgtgag aaagaggtgt tggcctggat gattctgcac agcttatacc 900
aggcacggat tgtgagccat gccaatacgg gcgttttgaa gagaatggag tggctcttgg 960
aactgatggg ttatattaga aatgttgctt accagtcaac atcctttcac aatacggctc 1020
ttgacgaggc tttggacttc ttcttctgta tttttgcaac cgcagtgggt gcatgggctg 1080
accacactgc cctctcctc ctccggctca gtgccagttg gttgccatgg catcaggaga 1140
atggcccggc tgggccagta ccaagcttcc ttggcaggag tccaatgcac agggtcactc 1200
tgaggagggt tctactctc cttcccaata gcattgctct gctgctgcag aaagagccat 1260
ggaaggaaca gaccagaag ttcattgact ggctattcag catcatggaa agccctaaag 1320
aagccctctc agcacagtcc agggatcttt tgaaagccac cctgctgtcc ttgagagttc 1380
tcccagagtt taagaagaaa gctgtatgga ccagagcata tggttggtga acagttttgc 1440
agtaaccagc agcattctca gctggatgag gaaaaccata taagtggaa aagtttttca 1500
gaattcatgc ctggtattgc tgagacatga tgcagagagt taagggtcat gaaaagatgg 1560
ccacatcact gacagcttga cacatgcctc ctaagagagg agtgcattgc tttagtaccc 1620

```

gggccagttg agactgaaac aggaacttgg attttcttta tttggcttga gttcaatgtg 1680  
gagattttct ttgtgaaagc ttgaagatat tatcttctcc ctgctaaatt ccagtaaaat 1740  
aatgttgtca attttgtgcg tgtgactttt gttttaaggc atgggggaag gtgccagaac 1800  
cacttggtga caatggcatt atgatctatt ttccatgaat ctccatgagg atattcattg 1860  
actcagtgag ttagacaaat ttctttattg ataaaacact ctcttggaac tgctatacac 1920  
atttaaataa taagcataac attgaatatt agctaaatca gattcattaa tgggtgtctat 1980  
catttcc 1987

<210> 307

<211> 785

<212> DNA

<213> Homo sapiens

<400> 307

gcgcgacccc ccccgctccc tccagtctgg cctgggcgcc gcgggaacgc tgtcctggct 60  
gccgcacccc gaacagcctg tcctggtgcc ccggctccct gccccgcgcc cagtcattgac 120  
cctgcgcccc tccctcctcc cgtccatct gctgctgctg ctgctgctca gtgcggcggt 180  
gtgccgggct gaggttgggc tcgaaaccga aagtcgccgc cggaccctcc aagtggagac 240  
cctggtggag cccccagaac catgtgccga gccgcgtgct tttggagaca cgcttcacat 300  
acactacacg ggaagcttgg tagatggacg tattattgac acctccctga ccagagaccc 360  
tctggttata gaacttggcc aaaagcaggt gattccaggt ctggagcaga gtcttctcga 420  
catgtgtgtg ggagagaagc gaagggcaat cattccttct cacttggcct atggaaaacg 480  
gggatttcca ccatctgtcc cagcggatgc agtgggtgcag tatgacgtgg agctgattgc 540  
actaatccga gccaaactact ggctaaagct ggtgaagggc attttgccctc tggtagggat 600  
ggccatggtg ccagccctcc tgggcctcat tgggtatcac ctatacagaa aggccaatag 660  
acccaaagtc tccaaaaaga agctcaagga agagaaacga aacaagagca aaaagaaata 720  
ataaataata aatttttaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 780  
aaaaa 785

<210> 308

<211> 2178

<212> DNA

<213> Homo sapiens

<400> 308

ggcagaggrc gggaagaccg agtggctctt tggcatggat gagggccgga aacagctggc 60  
ggccagtgtc ggcttcagga ggttgattac agtggccctt caccgaggtc agcagtatga 120  
aagcatggac cacatccaag ctgagctgtc rctagagtc atggagctgg cccagctgg 180  
gatgccacc cagcagcagg tcccctttct gtctgtgggt ggggacattg ggtccggac 240  
cgttcagcac caagactgca gccccttgag cggtgactat gtcattgagg atgtgcaagg 300  
ggatgacaag cgatacttcc gtcgactgat cttcctcagc aacaggaatg tgggtgcagtc 360  
cgaagccagg ttgctgaagg atgtgtctca caaagcccag aagaagcgga aaaaggacag 420  
gaagaagcag cggcctgctg atgcggagga cctccctgca gccccggggc agtccattga 480  
taagagttac ctgtgttgtg aacaccacaa agccatgac gctggccttg ccctgctgag 540  
aaaccagag ctactcctag agatccact ggcattgttg gtggtaggcc tgggcggggg 600  
cagcctcccc ctctttgtcc acgatcattt tccaaagtcc tgcattgatg ctgtggagat 660  
cgatccctcc atgttggaag tggccaccca gtggtttggc ttctcccaga gtgaccgaat 720  
gaaggtccac attgcagatg gcctggacta tatcgccagc ttggcaggag gaggagaagc 780  
acggccttgc tacgatgtca taatgtttga tgttgacagt aaggacccaa cactgggaat 840  
gagttgtccg cccccagcat ttgtggagca atcttttcta cagaaggtta aaagcatctt 900  
gactcctgaa ggtgttttta ttctcaacct tgtgtgccga gacttggggc taaaagactc 960

agtgtctggct gggctcaagg cagtgttccc cctcctatat gtccggcgaa ttgaggggtga 1020  
agtgaatgag atcctgttct gtcagctgca ccctgagcaa aaacttgcca caccagagct 1080  
cctagaaaca gccagggctt tggagcggac cctgaggaa cctgggagg gttgggatga 1140  
cacgtatgtc ttgtcagata tgctcaagac ggtgaaaatt gtgtgactgc ttaggccaaag 1200  
cagccctcct gcctagactg accttggaact ccagcctgc cagagaatga agaaatacaa 1260  
cgcacagtac ttttgaagct tcgtattttt cttggtttca cactcagcta catgtgacct 1320  
ccagcttggg gaggttgccct gaagattagg gaaaataaaa atgtccttcc catcttgtcc 1380  
tcttcagtac cacttgggtt ggtttgtctt tgettccctac accacgtcct tgagtggagt 1440  
tccctgctga agcccctagc acacactgca tgccttaaca agtgtgtgca agcccctcag 1500  
aactcaagac atccaaattt tattgcgtct ctacttatac tggtttgctt ttgatttatt 1560  
cctctattag ttctatagga gtgatctcaa gtgagatagc agagcaagat gccaaaagac 1620  
cataaataga gtaagggttc tatagatgtg agacagattt gagagagcat ttactctgtc 1680  
tccctgtgga tgaaactgct gctgaaatgg ttccaatttt taggaatctg cttacccact 1740  
tcattatttg acagctttcc ttggtgaccc aaaccttgta gcctaagcca tttgtctttt 1800  
tctcagtgga gggagtgtat ggacctggcc ccattggctt gcattgttaga gacctggcag 1860  
actaaagtct ctagtgtttg tttgtctaca tttgtgtagt gacagctatg tgccagactg 1920  
cataaagggt ggtggcagaa gtgaaaatgt ttaagaatga ccaaaaacat tagtaatgaa 1980  
agttaatgtg ttccaggcat tcttctaagt ggtttacatg cactgtctca tttaatctga 2040  
gataaaggat acttaagccc aaactatatc taaacccaaa tctcacttgg ctggaaacat 2100  
caatcttaac catttattca gaaccattaa accaatgatt ccaaaaaaaaa aaaaaaaaaa 2160  
aaaaaaaaaa aactcgta 2178

&lt;210&gt; 309

&lt;211&gt; 875

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 309

caagctcctg tggccacctg tgtcccagca gcagtgagtg gagctgctca ggggtgccctc 60  
tcctgctggc cagtctctga atgttcaaag atgagggcct ggcttccgtg ctctggcttt 120  
gtaaacttatc tgggaaggga agcacatgcc ttcacgggca gggatgttcc cttttcttct 180  
cgggggtgttg acttgcatc ctgtgtgaac tgttccctct gccatgttta ccgtgtgatg 240  
ttctgtagtt gaaaatgtta gttgtctgct ggcacagaat ttatctcggt cttttctctc 300  
ccttctctcc tccaaatcag tctcttccct tctccactag ataactgtaa aaccttttcc 360  
tggggtacat acattcgta aytcttgggc agtggtgagc acgagatgac tttctgcagc 420  
gtttatcact gttgggtgga gtcacgtccc ttccctccac cgaagtcac aaccagatag 480  
ggaagggaaa gatgaggccc agaaaacgag ttcaaactct aggtcttgta cacgtatgta 540  
agtaaatgtc aataacccaa gcctttgtca tagcagtcac ttggttgact taggatctgg 600  
gtctgttgaa ttttgtgctt gggaatggag ctggaggag tggggcctgt gtacagcagc 660  
tacctctccc aggtctctc acttgctgc cccgcgtcct ggttgcatgg ccgcacctgt 720  
gtgtgtgcag aggtctgtgt cccatctct gcacctcct tccgggggccc tggggagccc 780  
cacgtgttgc caagatcttg gtgcaataaa atactccggt tttgtgaaaa aaaaaaaaaa 840  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaa 875

&lt;210&gt; 310

&lt;211&gt; 756

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature



<222> (613)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (638)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (684)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (756)  
 <223> n equals a,t,g, or c

<400> 310  
 atttaggtga cackatagaa ggtcgccctgc aggtaccggt ccggaattcc cgggtcgacc 60  
 cacgcgtccg ggcccgtggc gccgacagga tgggcaagtg tcgtggactt cgtactgcta 120  
 ggaagctccg tagtcaccga cgagaccaga agtggcatga taaacagtat aagaaagctc 180  
 atttgggcac agccctaaag gccaacccctt ttggaggtgc ttctcatgca aaaggaatcg 240  
 tgctggaaaa agtaggagtt gaagccaaac agccaaattc tgccattagg aagtgtgtaa 300  
 ggggtccagct gatcaagaat ggcaagaaaa tcacagcctt tgtacccaat gacggttgct 360  
 tgaactttat tgaggaaaaat gatgaagttc tggttgctgg atttggtcgc aaaggtcatg 420  
 ctggttggtga tattcctgga gtccgcttta aggttggtcaa agtagccaat gtttctcttt 480  
 tggccctata caaaggcaag aaggaaagac caagatcata aatattaatg gtgaaaacac 540  
 tgtagtaata aattttcata tgccaaaaaa aaaaaaaaaa aaaaaaaagg gsgggcscyc 600  
 taaaagatcc tcnaagggcc aagcttacgc tgcattgcac tctactctct cctatatgaa 660  
 tctattataa ctagcctggc ctcnttacac tctgatggaa ttctactgga ttttaagact 720  
 atcttggttat atgacactct caaataacca gtattn 756

<210> 311  
 <211> 851  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc feature  
 <222> (834)  
 <223> n equals a,t,g, or c

<400> 311  
 ctattggtgt gaacagtgtg atgtacaatt ctctcaagc agtgaactct acctacattt 60  
 ccaggagcac agctgtgatg aacagtactt gtgtcagttc tgtgaacatg aaactaatga 120  
 tccagaagac ttgcatagcc atgtggtaaa tgagcatgca tgtaaatata tagagttaag 180  
 tgataagtat aacaatgggtg aacatggaca gtatagcctc ttaagcaaaa ttacctttga 240  
 caaatgtaaa aacttctttg tatgtcaagt atgtggtttt cggagtagac ttcacacaaa 300  
 tggttaacagg catgttgcta ttgaacatac aaaaattttt cctcatgttt gtgatgactg 360  
 tgggaaaggc ttttcaagta tgctagaata ttgcaagcat ttaaattcac atttatctga 420

agggatttat ttatgtcaat attgtgaata ttcaacagga caaattgaag atcttaaaat 480  
tcacttagat ttcaagcatt cagctgactt gcctcataaa tgtagtgact gcttgatgag 540  
gtttggaaat gaaagggat taataagtca ccttccagtc catgagacaa cttgattatt 600  
ctctttaact tacagaatgt tagtttaaaa taataaattc atcctttttt tggagatgat 660  
taaattggatg attgtaaaca caacttatga aatctgcctt taacaagtaa ctttttttaa 720  
ttataaaatt ttattggcat tgctccattt tctgtatata aatataatctt taatgtggta 780  
ttttcaaaaa aaaaaaaaaa aaaaaaatcc acgcggccgc gaattcccgc gtcnaacaag 840  
ctcactaatc c 851

<210> 312

<211> 1335

<212> DNA

<213> Homo sapiens

<400> 312

cagaaccgca ccagcagcca accttgccag caggattcct gcagcctctg cggcagccat 60  
gaacctagcc agcaaaggag cggcggagtt cctcctcgtc gtcgtcgtcc tctagctcct 120  
cctcctcttc atcatcgtcg tcgtcgtcct cctcctcctc tggctccagt tctagtgtact 180  
cagagggctc tagccttcct gtgcaacctg aggtggcact gaagagggtc cccagcccca 240  
ccccagcccc aaaggaggct gtctgagagg gacgtcctcc ggagccaacc ccagccaaac 300  
ggaagaggcg ctctagcagt tccagttcca gctcctcctc ttcattctcc tctcctcct 360  
cctcctcctc ttctcctcc tctctctcct cttctctctc ttcctcctca tcttctcct 420  
cctcgtcgtc ttcctcccc tcccttgcta agcctggccc tcaggcttgc ccaaacctgc 480  
aagccccaag aagccacccc ctggcgagcg gaggtcccgc agccccgga agccaataga 540  
ctccctcagg gactctcgtt ccctcagcta ctgcctgtg gagcgtcgcc gtccctcgcc 600  
ccagccctca ccacgggacc agcagagcag cagcagttag cgggggtccc ggagaggcca 660  
gcgtggggac agccgctccc ccagccacaa gcgcaggagg gagacacctc gccctcggcc 720  
catgagacac cgctcctcca ggtctccata aattgtcttt gggggattcc accacacca 780  
atgctctgga gccacaagga gtgtcccttc ttccccagca gagccgtggg agggctcctg 840  
tctgtctccc ttgaaacctt ggcagccctt ggatggaggg ctccctttcc ctcccccttt 900  
tttttctttt gttcctgtga aatgttaatc tccgtgagtt cttcctgggt catgtgttct 960  
gggggggttg ggggtggagg gaatgcagat gggagttggg ggaggggagg atacagttca 1020  
ggatacccca gcctggagtc agggccaggg aggcattggc ccacttgtat ccagaagttc 1080  
ccaggggtga ttgtgatggt ggttgggact ggaggttgta taaggtgttc ttggaaggaa 1140  
ggggcaggag ttggaattag ttggtcccta ctgtccccc tgaggttggt aaccctccc 1200  
cccaactttt catgtttctt aaaggcattt tggtttttta aaatctgtac agcaagagca 1260  
actttttctg tcaataaaaa atgagaaatg caggaaaaaa aaaaaaaaaa aaaaaaaaaa 1320  
aaaaaaaaaa aaaaa 1335

<210> 313

<211> 516

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (505)

<223> n equals a,t,g, or c

<400> 313

tgcacccacg cgtccgaaca tggcggcggg agtgtccgcg gtggtggcgg tgcaagagag 60

ctgagggagg cgcgagggcg cggagttcca ggtcgagcag ttaggccgag agcgactgag 120  
gcgccgagcc gatgagtaac ccgaagcccc tagaggagtg gtcacctgcc tgagggcact 180  
tctgtcccac cagcatcaga ccaggccgca ccgagtcctcc ggcaccatgt ttgggaagag 240  
gaagaagcgg gtggagatct ccgcgcgctc caacttcgag caccgcgtgc acacgggctt 300  
cgaccagcac gagcagaagt tcacggggct gcccgcagag tggcagagcc tgatcgasga 360  
gtcggctcgc cggcccaagc ccctcgtcga cccgcctgc atcacctcca tccagcccgg 420  
ggcccccaag accatcgctgc ggggcagcaa argtgccaaa gatggggccc tcacgctgct 480  
gctggacgag ttgagaaca tgttngtgac acgctt 516

<210> 314

<211> 1833

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (625)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1761)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1766)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1792)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1806)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1827)

<223> n equals a,t,g, or c

<400> 314

tcgaccacag cgtccgcagc cgtcgccccga cgaggcgcca ccgctgcagg cgctgctgga 60  
cggcccgagg ctctgcgtca acgctagtgc cgtcagccgc ctgcgcgcct acctgctgcc 120  
agcgcgcgca gctccaggaa atgctagtga gtcggaggaa gaccgcagcg ccggcagtggt 180  
ggagagcccc tccgtctcca gcacgcaccg ggtgtctgat cccaagtcc accccctcca 240  
ttcaaagata atcatcatca agaaagggca tgctaaagac agccagcgct acaaagttga 300  
ctacgagtct cagagcacag ataccagaa cttctcctcc gagtccaagc gggagacaga 360

```

atatggtccc tgcgtagag aaatggaaga cacactgaat cacctgaagt tcctcaatgt 420
gctgagtcctc aggggtgtac acattcccaa ctgtgacaag aagggtttt ataagaaaaa 480
gcagtgtcgc ccttccaaag gcaggaagcg gggcttctgc tgggtgtgtg ataagtatgg 540
gcagcctctc ccaggctaca ccaccaaggg gaaggaggac gtgactgct acagcatgca 600
gagcaagtag acgcctgccg caagnttaat gtggagctca aatatgcctt attttgaca 660
aaagactgcc aaggacatga ccagcagctg gctacagcct cgatttatat ttctgtttgt 720
ggtgaactga ttttttttaa accaaagttt agaaagaggt ttttgaaatg cctatggttt 780
ctttgaatgg taaacttgag catcttttca ctttccagta gtcagcaaag agcagtttga 840
attttcttgt cgcttcctat caaaatattc agagactcga gcacagcacc cagacttcat 900
gcgcccgtgg aatgctcacc acatgttgtt cgaagcgcc gaccactgac tttgtgactt 960
aggcggtgt gttgcctatg tagagaacac gcttcacccc cactccccgt acagtgcgca 1020
caggctttat cgagaatagg aaaaccttta aaccccggtc atccggacat cccaacgat 1080
gctcctggag ctacagcct tctgtgtgtt catctctgaa acaaggcggt ggatccctca 1140
accaagaaga atgtttatgt cttcaagtga cctgtactgc ttggggacta ttggagaaaa 1200
taagggtggag tcctacttgt ttaaaaaata tgtatctaag aatgttctag ggactctgtg 1260
gaacctataa aggcaggtat ttcgggccct cctcttcagg aatcttcctg aagacatggc 1320
ccagtcgaag gccaggtatg gcttttgctg cgccccgtg gggtaggagg gacagagaga 1380
cagggagagt cagcctccac attcagaggc atcacaagta atggcacaat tcttcggatg 1440
actgcagaaa atagtgtttt gtagttcaac aactcaagac gaagcttatt tctgaggata 1500
agctctttta aggcaaagct ttattttcat ctctcatctt ttgtctctct tagcacaatg 1560
taaaaaagaa tagtaatatc agaacaggaa ggaggaatgg cttgtctggg agcccatcca 1620
ggacactggg agcacataga gattcaccca tgtttgttga acttagagtc attctcatgc 1680
ttttctttat aattcacaca tatatgcaga gaagatatgt tcttggttaac attgtatata 1740
acatagcccc aaatatagta ngrtcntata ctagrtwaty cctgggtgga angtttgga 1800
ggtgcntttt tggataccac tttgggnccct gga 1833

```

&lt;210&gt; 315

&lt;211&gt; 1354

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 315

```

ggtgagagcg cgcgcttgcg gacgcgsgg cattaaacgg ttgcaggcgt agcagagtgg 60
tcgttgtctt tctaggtctc agccggtcgt cgcgacgttc gcccgctcgc tctgaggctc 120
ctgaagccga aaccagctag actttcctcc tccccgctg cctgtagcgg cgttgttgcc 180
actccgccac catgttcgag gcgcgcctgg tccagggtc catcctcaag aagggtgtgg 240
aggcactcaa ggacctcatc aacgaggcct gctgggatat tagctccagc ggtgtaaacc 300
tgcagagcat ggactcgtcc cacgtctctt tggtcagct caccctgcgg tctgagggtc 360
tcgacaccta ccgctgcgac cgcaacctgg ccattggcgt gaacctcacc agtatgtcca 420
aaataactaaa atgcgccggc aatgaagata tcattacact aagggccgaa gataacgcgg 480
ataccttggc gctagtattt gaagaccaa accaggagaa agtttcagac tatgaaatga 540
agttgatgga tttagatgtt gaacaacttg gaattccaga acaggagtac agctgtgtag 600
taaagatgcc ttctgttgaa tttgcacgta tatgccgaga tctcagccat attggagatg 660
ctgttgtaat ttctgtgca aaagacggag tgaaattttc tgcaagtgga gaacttgga 720
atggaaacat taaattgtca cagacaagta atgtcgataa agaggaggaa gctgttacca 780
tagagatgaa tgaaccagtt caactaactt ttgactgag gtacctgaac ttctttacca 840
aagccactcc actctcttca acggtgacac tcagtatgtc tgcagatgta ccccttgtt 900
tagagtataa aattgcggat atgggacact taaaatacta cttggctccc aagatcgagg 960
atgaagaagg atcttaggca ttcttaaaat tcaagaaaat aaaactaagc tctttgagaa 1020
ctgcttctaa gatgccagca tatactgaag tcttttctgt caccaaattt gtacctctaa 1080
gtacatatgt agatattgtt ttctgtaaat aacctatttt tttctctatt ctctgcaatt 1140

```

tgttttaaaga ataaagtcca aagtcagatc tggctctagtt aacctagaag tatttttfgtc 1200  
tcttagaaat acttgtgatt ttataatac aaaagggctc tgactctaaa tgcagtttta 1260  
agaattgttt ttgaatttaa ataaagttac ttgaatttca aaaaaaaaaa aaaaaaaaaa 1320  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaa 1354

<210> 316

<211> 2421

<212> DNA

<213> Homo sapiens

<400> 316

ggcacgagct cttctgggagc tgggagaagg ttctgtctat cagtgtctgc agaaaggaaa 60  
gaaacaagtt tgctctcagc ggatctttaa atggatgaga tggctaccac tcagatttcc 120  
aaagatgagc ttgatgaact caaagaggcc ttgcaaaag ttgatctcaa cagcaacgga 180  
ttcatttgtg actatgaact tcatgagctc ttcaaggaaag ctaatatgcc attaccagga 240  
tataaagtga gagaaattat tcagaaactc atgctggatg gtgacaggaa taaagatggg 300  
aaaataagtt ttgacgaatt tgtttatatt ttcaagagg taaaaagtag tgatattgcc 360  
aagaccttcc gcaaagcaat caacaggaaa gaaggatatt gtgctctggg tggaacttca 420  
gagttgtcca gcgaaggaaac acagcattct tactcagagg aagaaaaata tgctkttgtt 480  
aactggataa acaaagcttt ggaaaatgat cctgattgta gacatgttat accaatgrac 540  
cctaacaccg atgacctgtt caaagctgtt ggtgatggaa ttgtgctttg taaaatgatt 600  
aacctttcag ttcttgatac cattgatgaa agagcaatca acaagaagaa acttacaccc 660  
ttcatcattc aggaaaactt gaacttggca ctgaactctg cttctgccat tgggtgtcat 720  
gttgtgaaca ttggtgcaga agatttgagg gctgggaaac ctcatctggt tttgggactg 780  
ctttggcaga tcattaagat cggtttggtc gctgacattg aattaagcag gaatgaagcc 840  
ttggctgctt tactccgaga tgggtgagact ttggaggaaac ttatgaaatt gtctccagaa 900  
gagcttctgc ttagatgggc aaactttcat ttggaaaact cgggctggca aaaaattaac 960  
aacttttagt ctgacatcaa gcttattgac ttcagtaatt cagtgaagga ttccaaagcc 1020  
tatttccatc ttctcaatca aatcgacca aaaggacaaa aggaagggtga accacggata 1080  
gatattaaca tgtcagggtt caatgaaaca gatgattga agagagctga gagtatgctt 1140  
caacaagcag ataaattagg ttgcagacag ttgtttaccc ctgctgatgt tgtcagtgga 1200  
aaccctaaag tcaacttagc ttctgtggct aacctgttta ataaataccc agcactaact 1260  
aagccagaga accgatat tgactggact ctattagaag gagaaactcg tgaagaaaga 1320  
accttccgta actggatgaa ctctcttggt gtcaatcctc acgtaaacca tctctatgct 1380  
gacctgcaag atgccctggt aatcttacag ttatatgaac gaattaaagt tctgttgac 1440  
tggagtaagg ttaataaacc tccatacccg aaactgggag ccaacatgaa aaagctagaa 1500  
aactgcaact atgctgttga attagggag catcctgcta aattctccct ggttggcatt 1560  
ggagggcaag acctgaatga tgggaaccaa accctgactt tagctttagt ctggcagctg 1620  
atgagaagat ataccctcaa tgtcctggaa gatcttgag atggtcagaa agccaatgac 1680  
gacatcattg tgaactgggt gaacagaacg ttgagtgaag ctggaaaatc aacttccatt 1740  
cagagtttta aggacaagac gatcagctcc agtttggcag ttgtggattt aattgatgcc 1800  
atccagccag gctgtataaa ctatgacctt gtgaagagt gcaatctaac agaagatgac 1860  
aagcacaata atgccaagta tgcagtgtca atggctagaa gaatcggagc cagagtgtat 1920  
gctctccctg aagacctgtt ggaagtaaag cccaagatgg tcatgactgt gtttgcattg 1980  
ttgatgggca ggggaatgaa gagagtgtaa aataaccaat ctgaataaaa cagccatgct 2040  
cccaggtgca tgattcgagc gtcagctatt tccaggtgaa gtgcttatgg cttaaggaaac 2100  
tcttggccat tcaaaggact tttcattttg attaacagga ctagcttatc atgagagccc 2160  
tcaggggaaa gggtttaaga aaaacaactc ctctttccca tagtcagagt tgaatttgc 2220  
aggcacgcct gaaatgtgct catagccaaa acattttact ctctcctcct agaattgctc 2280  
ccttgacatt tcccattgct gtatgttatt tcttgctctg ktawcytttg ccctcttaga 2340  
atgtccctct cttgggactt gcttagatga tgggatatga atattattag acagtaattt 2400

tgctttccat ccagtatgct a

2421

&lt;210&gt; 317

&lt;211&gt; 1092

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 317

```
aattcggcac agattgatat tgtgtactat aatagagact ctttaaggag aatccttaaaa 60
aaaaaaaaaac gtttctcact gtcttaataa gaatttttaa atagtatata ttcagtggca 120
ttttggagaa caaagtgaat ttacttcgac ttcttaaatt tttgtaaaag actataagtt 180
tagacatctt tctcattcaa atttaaagat atctttctoc tcttgatcaa tctatcaata 240
ttgatagaag tcacactagt atataccatt taatacattt acactttctt atttaagaag 300
atattgaatg caaaataatt gacatataga actttacaaa catatgtcca aggactctaa 360
attgagactc ttccacatgt acaatctcat catcctgaag cctataatga agaaaaagat 420
ctagaaactg agttgtggag ctgactctaa tcaaagtga tgattggaat tagaccattt 480
ggcctttgaa ctttcatagg aaaaatgacc caacatttct tagcatgagc tacctcatct 540
ctagaagctg ggatggactt actattcttg tttatatatt agatactgaa aggtgctatg 600
cttctgttat tattccaaga ctggagatag gcagggctaa aaaggtatta ttatttttcc 660
tttaatgatg gtgctaaaat tcttcctata aaattcctta aaaataaaga tgggtttaatc 720
actaccattg tgaaaacata actgttagac ttcccgttct tgaaagaaag agcatcggtc 780
caatgcttgt tcaactgttcc tctgtcatat tgtatctgga atgctttgta atacttgcac 840
gcttcttaga ccagaacatg taggtccctt tgtgtctcaa tacttttttt ttcttaattg 900
catttggttg ctctatttta attttttctt tttaaaataa acagctggga ccatcccaaa 960
agacaagcca tgcatacaac tttggctcatg tatctctgca aagcatcaaa ttaaagtcac 1020
gcttttgtca tgtcaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1080
aaaaaaaaaa ac 1092
```

&lt;210&gt; 318

&lt;211&gt; 1380

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 318

```
gaagtatatg gtggcagctt tgataaggaa tttgatgaat cttcacccaa acaacctaca 60
aatccttatg catcatctaa agcagctgct gaatgttttg tacagtctta ctgggaacaa 120
tataagtttc cagttgtcat cacaagaagc agtaatgttt atggaccaca tcaatatcca 180
gaaaagggtta ttccaaaatt tatatctttg ctacagcaca acaggaaatg ttgcattcat 240
gggtcagggc ttcaaacaag aaacttcctt tatgtactg atgttgtaga agcatttctc 300
actgtcctca aaaaaggga accaggtgaa atttataaca tcggaaccaa ttttgaaatg 360
tcagttgtcc agcttgccaa agaactaata caactgatca aagagaccaa ttcagagtct 420
gaaatggaaa attgggttga ttatgttaat gatagaccca ccaatgacat gagatacca 480
atgaagtcag aaaaaatata tggcttagga tggagaccta aagtgccttg gaaagaagga 540
ataaagaaaa caattgaatg gtacagagag aattttcaca actggaagaa tgtggaaaag 600
gcattagaac cctttccggt ataataacca tttatatagt cgagacagtt gtcaaagaag 660
aaagttatcc tacctcgcca agtggatga aattaagtga ccaaatgaag tgcaactctt 720
tcttttgaa ttagattcat gactttctgt ataaaattca aatgcagaat gcctcaatct 780
ttgggagagt ttcagtactg gcatagaatt taaatgtcaa aattctttct gaaacccttt 840
ctcctagaaa ctaggaaata ataggtgtag aagactctcc ctaagggtag ccaggaagaa 900
gtctcctgat tcggacaacc atgaggggta gtggtgctag ggagaaggca accttactg 960
gttttgaact cagtgccaa gaaagtctct gaaatgttcg tttttaggca atataggatg 1020
```

tcttaggccc taattcacca tttctttttt aagatctgat atgctatcat tgccttaata 1080  
atggaacaaa atagaagcat atctaacact ttttaaattg ataattttgt aaaattgatt 1140  
acgttgaaatg ctttttaaga gaagtgtgta aagtttttat attttcacaa ttaacgtatg 1200  
taaaaccttg tatcagaaat ttatcatgtt tactgtttta aatgattgta tttataaaat 1260  
tgtcaatatc ttaatgtatt taatgtagaa tattgctttt taaaataatg tttttatttt 1320  
gctgtagaaa aataaaaaaa aatttgatta taaaaaaa aaaaaaaaaa aaaaaaaaaa 1380

<210> 319

<211> 2612

<212> DNA

<213> Homo sapiens

<400> 319

cacgcgtccg ccccatctga ggcgtttgtt gcagctacct gcacttctag attcatcttc 60  
ttgtgagccc tgggcttagg agtcaccatg gcaactgaag agttcatcat ccgcatcccc 120  
ccataccact atatccatgt gctggaccag aacagcaacg tgtcccggtg ggaggtcggg 180  
ccaaagacct acatccggca ggacaatgag aggggtactgt ttgccccat gcgcatgggtg 240  
accgtcccc cagtcacta ctgcacagt gccaaccctg tgtctcggga tgcccagggc 300  
ttggtgctgt ttgatgtcac agggcaagtt cggcttcgcc acgctgacct cgagatccgg 360  
ctggcccagg accccttccc cctgtaccca ggggaggtgc tggaaaagga catcacaccc 420  
ctgcaggtgg ttctgccc aa cactgccctc catctaaagg cgctgcttga ttttgaggat 480  
aaagatggag acaaggtggg ggcaggagat gagtggcttt tcgagggacc tggcacgtac 540  
atcccccgga aggaagtggg ggtcgtggag atcattcagg ccaccatcat caggcagaac 600  
caggctctgc ggctcagggc ccgcaaggag tgctgggacc gggacggcaa ggagaggggtg 660  
acaggggaag aatggctggg caccacagta ggggcgtacc tyccagcggg gtttgaggag 720  
gttctggatt tgggtggacg cgtcatcctt acggaaaaga cagccctgca cctccgggct 780  
cggcggaact tccgggactt caggggagtg tcccgcgcga ctggggagga gtggctggta 840  
acagtgcagg acacagaggc ccacgtgccg gatgtccacg aggaggtgct gggggttgtg 900  
cccatacca ccctgggccc ccacaactac tgcgtgattc tcgaccctgt cggaccgat 960  
ggcaagaatc agctggggca gaagcgcgtg gtcaaggag agaagtcttt tttcctccag 1020  
ccaggagagc agctggaaca aggcattccag gatgtgtatg tgctgtcgga gcagcagggg 1080  
ctgctgtcga gggccctgca gccctggag gagggggagg atgaggagaa ggtctcacac 1140  
caggctgggg accagtggct catccgcgga ccctggagt atgtgccat tgccaaagt 1200  
gaggtgggtg aggaagcgca ggccatccct ctagacgaga acgagggcac ctatgtgcag 1260  
gatgtcaaga ccggaaggtt gcgcgtctgt attggaagca cctacatgct gaccacggac 1320  
gaagtcctgt gggagaaaga gctgcctccc ggggtggagg agctgctgaa caaggggcag 1380  
gaccctctgg cagacagggg tgagaaggac acagctaaga gcctccagcc cttggcgccc 1440  
cggaacaaga cccgtgtggg cagctaccgc gtgcccaca acgctgcggg gcaggtgtac 1500  
gactaccgag agaagcgagc ccgcgtggtc ttccggcctg agctgggtgc gctgggtcct 1560  
gaggagcagt tcacagtgtt gtccctctca gctgggcggc ccaagcgtcc ccatgcccgc 1620  
cgtgcgtctt gcctgtgct ggggcctgac ttcttcacag acgtcatcac catcgaaacg 1680  
gcggatcatg ccaggctgca actgcagctg gcctacaact ggcactttga ggtgaatgac 1740  
cggaaggacc cccaagagac ggccaagctc ttttcagtgc cagactttgt aggtgatgcc 1800  
tgcaaagcca tcgcatccc ggtgcggggg gccgtggcct ctgtcacttt cgatgacttc 1860  
cataagaact cagcccgcat cattcgcact gctgtctttt gctttgagac ctcggaagcg 1920  
aagggccccc atggcatggc cctgccaggg ccccgggacc aggtgtctt cccccaaaac 1980  
gggctgggtg tcagcagtgt ggacgtgcag tcagtggagc ctgtggatca gaggaccccg 2040  
gacgccctgc aacgcagcgt ccagctggcc atcgagatca ccaccaactc ccaggaagcg 2100  
gcggccaagc atgaggtcga gagactggag caggaagccc gcggccggct tgagcggcag 2160  
aagatcctgg accagtcaga agccgagaaa gtcgcaagg aacttttgga gctggaggct 2220  
ctgagcatgg ccgtggagag caccgggact gccaaaggcg aggcagagtc ccgtgcggag 2280

```
gcagcccgga ttgagggaga aggggtccgtg ctgcaggcca agctaaaagc acaggccttg 2340
gccattgaaa cggagggtga gctccagagg gtccagaagg tccgagagct ggaactgggtc 2400
tatgcccggg cccagctgga gctggagggtg agcaaggctc agcagctggc tgagggtggag 2460
gtgaagaagt tcaagcagat gacagaggcc ataggcccca gcaccatcar ggaccttget 2520
gtggctgggc ctgagatgca ggtaaaactg ctccagtccc tgggcctgaa atcaaccctc 2580
atcaccgatg gcttcamttc catcaacttc tt 2612
```

<210> 320

<211> 943

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (52)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (54)

<223> n equals a,t,g, or c

<400> 320

```
gcaccacagc gctccagcct ggctcgacaga gtgagactcc atctcaagaa anantaaaaa 60
taaagtgtgt ctctgaagag caaatgtctc attccagtaa tgaccactc agcaggaata 120
tggtggagtt cagtccaatt caggtcagcc atatccaaaa gaccacaagt cattactaag 180
ttgagcaaaa gagtthttat ctattagcag aaagggcctc tctggcagca gagattaaaa 240
actggcccaa cttcatttcc atacttcagg gaacagcaaa ttgaggattt acttatctag 300
gacttgaatt ccttcttttg gaccaagtta ataaaagacc aagaaactcc tgattaaact 360
ggataatgaa ggattctgta gacagggctg cacgtatcgg ctttgtttga cttctctttt 420
ctcagttaac atctcagagc tagaacattc cacattcccc agcagcgtgt gggggctgac 480
taaagtthac aattccaact aaaaatcacc ctgcttctgg cttatctgaa tcccttacc 540
accaccacc accaccctac tcctatttat tcagcaccac actaccagag aaatacacta 600
gcaaattgtg caatggaata aaatccacac tttagattct tgcaactgta tcatatgtaa 660
tagtatcact ttttctacat tttgggtcaaa taaataggag taggggtggtg ggggtgggtg 720
ggtaagggat tcagataagc cagaagcagg gtgattttwa gttggaattg taaactttag 780
tcagccccc cagctgctg gggaatgtgg atgttctagc tctgagatgt taactgrgaa 840
aagagaagtc aaacaaagcc gatacgtgca gccctgtcta cagaatcctt cattatccag 900
tttaataagg agtttcttgg tcttttatta acttgggtcg acc 943
```

<210> 321

<211> 2959

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2948)

<223> n equals a,t,g, or c

<220>



<221> misc feature

<222> (2956)

<223> n equals a,t,g, or c

<400> 321

```
ccattcccgg gtcgaccac gcgcccgctg gaaatttga ttctccagaa ggtgggttcg 60
atgccatcat gcaagttgca gtttgtggat cactgattgg ctggaggaaat gttacacggc 120
tgctgggtgtt ttccacagat gccgggtttc actttgctgg agatgggaaa cttgggtggca 180
ttgttttacc aaatgatgga caatgtcacc tggaaaataa tatgtacaca atgagccatt 240
attatgatta tccttctatt gctcaccttg tccagaaact gagtgaaaat aatattcaga 300
caatttttgc agttactgaa gaatttcagc ctggtttaca ggagctgaaa aacttgatcc 360
ctaagtcagc agtaggaaca ttatctgcma attctagcaa tgtaattcag ttgatcattg 420
atgcatacaa ttccctttcc tcagaagtca ttttggaana cggcaaatg tcagaaggmg 480
taacaataag ttacaaatct tactgcaaga acgggggtgaa tggaaacagg gaaaatggaa 540
gaaaatgttc caatatttcc attggagatg aggttcaatt tgaatttagc ataacttcaa 600
ataagtgtcc aaaaaaggat tctgacagct ttaaaattag gcctctgggc tttacggagg 660
aagtagaggt tattcttcag tacatctgtg aatgtgaatg ccaaagcgaa ggcatccctg 720
aaagtcccaa gtgtcatgaa ggaaatggga catttgagtg tggcgcgtgc aggtgcaatg 780
aagggcgtgt tggtagacat tgtgaatgca gcacagatga agttaacagt gaagacatgg 840
atgcttactg caggaaagaa aacagttcag aaatctgcag taacaatgga gagtgcgtct 900
gcggacagtg tgtttgtagg aagagggata atacaaatga aatttattct ggcaaattct 960
gcgagtgtga taatttcaac tgtgatagat ccaatggctt aatttgtgga ggaaatggtg 1020
tttgcaagtg tcgtgtgtgt gagtgcaccc ccaactacac tggcagtgca tgtgactgtt 1080
ctttggatac tagtacttgt gaagccagca acggacagat ctgcaatggc cggggcatct 1140
gcgagtgtgg tgtctgtaag tgtacagatc cgaagtttca agggcaaacg tgtgagatgt 1200
gtcagacctg ccttgggtgtc tgtgtgagc ataaagaatg tgttcagtgc agagccttca 1260
ataaaggaga aaagaaagac acatgcacac aggaatgttc ctattttaac attaccaagg 1320
tagaaagtcg ggacaaatta cccagccgg tccaacctga tcctgtgtcc cattgtaagg 1380
agaaggatgt tgacgactgt tggttctatt ttacgtattc agtgaatggg aacaacagg 1440
tcattggttca tgttgtggag aatccagagt gtcccactgg tccagacatc attccaattg 1500
tagctgggtgt ggttgcgtga attgttctta ttggccttgc attactgctg atatggaagc 1560
ttttaatgat aattcatgac agaaggagat tgtctaaatt tgaaaaggag aaaatgaaat 1620
ccaaatggga cagggtgtaa aatctattt ataaagatgc cgtaacaact gtggtcaatg 1680
cgaagtatga gggaaaatga gtactgcccg tgcaaatccc acaacactga atgcaaaagta 1740
gcaatttcca tagtcacagt taggtagctt tagggcaata ttgccatggt tttactcatg 1800
tgcagggtttt gaaaatgtac aatatgtata atttttaaaa tgttttatta ttttgaanaa 1860
aatgttgtaa ttcattgccag ggactgacaa aagacttgag acaggatggt tattcttgtc 1920
agctaaggtc acattgtgcc tttttgacct tttcttctg gactattgaa atcaagctta 1980
ttggattaag tgatatttct atagcgattg aaagggcaat agttaaaagta atgagcatga 2040
tgagagtttc tgttaatcat gtattaaaac tgatttttag ctttacaat atgtcagttt 2100
gcagttatgc agaatccaaa gtaaatgtcc tgctagctag ttaaggattg ttttaaatct 2160
gttattttgc tatttgcctg ttagacatga ctgatgacat atctgaaaga caagtatgtt 2220
gagagttgct ggtgtaaaat acgtttgaaa tagttgatct acaaaggcca tgggaaaaat 2280
tcagagagtt aggaaggaaa aaccaatagc tttaaaacct gtgtgccatt ttaagagtta 2340
cttaatgttt ggtaactttt atgccttcac tttacaaatt caagccttag ataaaagaac 2400
cgagcaattt tctgctaaaa agtccttgat ttacatacag gccatacttt 2460
acaaagtatt tgctgaatgg ggaccttttg agttgaattt attttattat ttttattttg 2520
tttaatgtct ggtgctttct atcacctctt ctaatctttt aatgtatttg tttgcaattt 2580
tggggtaaga ctttttttat gactactttt tctttgaagt tttagcggtc aatttgcctt 2640
tttaatgaac atgtgaagtt atactgtggc tatgcaacag ctctcaccta cgcgagtctt 2700
actttgagtt agtgccataa cagaccactg tatgtttact tctcaccatt tgagttgccc 2760
```

atcttgtttc acactagtca cattcttggt ttaagtgcct ttagttttaa cagttcactt 2820  
tttacagtgc tatttactga agttatttat taaatatgcc taaaatactt aaatcggatg 2880  
tcttgactct gatgtatattt awcaggttgt gtgcatgaaa tttttataga taaagragtt 2940  
gaggaaaanaa aaaaaanaa 2959

<210> 322

<211> 802

<212> DNA

<213> Homo sapiens

<400> 322

ggcacagctg gaggcgcggg agggcagcga gaggttcgcg ggtgcagcgc acaggagacc 60  
atgtccgggg gcagcagctg cagccagacc ccaagccggg ccatccccgc cactcgccgg 120  
gtggtgctcg gcgacggcgt gcagctcccg cccggggact acagcacgac ccccgggcgg 180  
acgtctttca gcaccacccc gggaggtacc aggatcatct atgaccggaa attcctgatg 240  
gagtgtcggg actcacctgt gacaaaaaca cccccaaggg atctgcccac cattccgggg 300  
gtcaccagcc ctccagtgga tgagccccc atggaagcca gccagagcca cctgcgcaat 360  
agcccagaag ataagcgggc gggcggtgaa gagtcacagt ttgagatgga catttaaagc 420  
accagccatc gtgtggagca ctaccaaggg gccctcagg gccttcctgg gaggagtccc 480  
accagccagg ccttatgaaa gtgatcatac tgggcaggcg ttggcgtggg gtcggacacc 540  
ccagcccttt ctccctcact cagggcacct gcccctcct ctctgtgaac accagcagat 600  
acctccttgt gcctccactg atgcaggagc tgccacccca aggggagtga cccctgccag 660  
cacaccctcg cwgcyggggg sgcaaccacc ccttccttag gttgatgtgc ttgggaaagc 720  
tccctccccc tccttcccca agagaggaaa taaaagccmc cttcgcccta gggccaaraa 780  
aaaaaaaaa aaaaaaaaaa aa 802

<210> 323

<211> 1724

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1590)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1650)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1701)

<223> n equals a,t,g, or c

<400> 323

gcagcctgcc agccgcgctg ctgctgctcc tcctgctgtg ggaccgctga ccgcgcgggt 60  
gtcccgctct ccccgctcca agcgccgatc tgggcacccg ccaccagcat ggacgctcgc 120  
cgcgcgccgc agaaagatct cagagtaaa aagaacttaa agaaattcag atatgtgaag 180  
ttgatttcca tggaaacctc gtcacctct gatgacagtt gtgacagctt tgcttctgat 240

```

aattttgcaa acacgaggct gcagtcagtt cgggaaggct gtaggacccg cagccagtgc 300
aggcactctg gacctctcag ggtggcgatg aagtttccag cgcggtac caggggagca 360
accaacaaaa aagcagagtc ccgccagccc tcagagaatt ctgtgactga ttccaactcc 420
gattcagaag atgaaagtgg aatgaatttt ttggagaaaa gggctttaaa tataaagcaa 480
aacaaagcaa tgcttgcaaa actcatgtct gaattagaaa gcttccctgg ctcgttccgt 540
ggaagacatc ccctcccagg ctccgactca caatcaagga gaccgcgaag gcgtacattc 600
ccgggtgttg cttccaggag aaaccctgaa cggagagctc gtcctcttac caggtcaagg 660
tcccggatcc tcgggtccct tgacgctcta cccatggagg aggaggagga agaggataag 720
tacatgttgg tgagaaagag gaagaccgtg gatggctaca tgaatgaaga tgacctgccc 780
agaagccgtc gtccagatc atccgtgacc cttccgcata taattcgccc agtgaagaa 840
attacagagg aggagtgtga gaacgtctgc agcaattctc gagagaagat atataaccgt 900
tcactgggct ctacttgtca tcaatgccgt cagaagacta ttgataccaa aacaaactgc 960
agaaacccag actgctgggg cgctcgaggc cagttctgtg gcccctgcct tcgaaaccgt 1020
tatggtgaag aggtcaggga tgctctgtct gatccgaact ggcattgccc gccttgctga 1080
ggaatctgca actgcagttt ctgccggcag cgagatggac ggtgtgcgac tggggtcctt 1140
gtgtatttag ccaaatatca tggctttggg aatgtgcatg cctacttgaa aagcctgaaa 1200
caggaatttg aaatgcaagc ataatatctg gaaaatttgc tgcctgcctt ctacttctca 1260
aatctttctt gtaaaagttt ccaatttttt cactgaaacc tgagttaaaa atcttgatga 1320
tcagcctgtt tcataagaaa ctccaatcaa gttaatctta gcagacatgt gtttctggag 1380
catcacagaa ggtatattgc tagttacact ttgccctcct gcagtttctt ctctgctccc 1440
aaccctcatc tcatagcatc cccctctatt tccaatgctc ctctccaacc gcttagtttc 1500
tgaatttctt ttaaattaca gttttatgaa agcatatttt atttacttgg tgttgaaata 1560
gccctyataa aacctaaagca cttggaaacn caataatagt attaactaac tagatctatt 1620
gaatttcaga gaagagccta aatagcaaan ttacacaaa aacgagtatg atttagcact 1680
catactagtt gaggggttgg ngccgatagc gactgctaag gaac 1724

```

&lt;210&gt; 324

&lt;211&gt; 2261

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1098)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 324

```

cccagatggt aggccaacag gggacgcttt tgtcctcttt gcctgtgagg aatatgcaca 60
gaatgcgttg aggaagcata aagacttggt gggtaaaaga tacattgaac tcttcaggag 120
cacagcagct gaagttcagc aggtgctgaa tcgattctcc tcggccctc tcattccact 180
tccaacccct cccattattc cagtactacc tcagcaattt gtgcccccta caaatgttag 240
agactgtata cgcttcgag gtcttcccta tgcagccaca attgaggaca tcctggattt 300
cctgggggag ttgccacag atattcgtac tcatggggtt cacatgggtt tgaatcacca 360
gggccgcca tcaggagatg cctttatcca gatgaagtct gcggacagag catttatggc 420
tgacagaag tgcataaaa aaaacatgaa ggacagatat gttgaagtct ttcagtgttc 480
agctgaggag atgaactttg tgtaaatggg gggcacttta aatcgaaatg gcttatcccc 540
accgccatgc ctgtctctc cctctacac atttccagct cctgctgcar ttattcctac 600
araarctgcc atttaccagc cctctgtgat tttgaatcca cgagcactgc agccctycac 660
agcgtactac ccagaggca ctgactctt ctgaactac acagcgtact atcccagtgt 720
ttgaaagatg tatggtgatc ttgaaacctc cagacacaag aaaacttcta gcaaattcag 780
gggaagtttg tctacactca ggctgcagta ttttcagcaa acttgatttg acaaacgggc 840

```

```

ctgtgcctta tcttttggtg gagtgaaaaa atttgagcta gtgaagccaa atcgtaactt 900
acagcaagca gcatgcagca tacctggctc tttgctgatt gcaaataggc atttaaaatg 960
tgaatttgga atcagatgtc tccattactt ccagttaaag tggcatcata ggtgtttcct 1020
aagttttaag tcttgataaa aaactccacc agtgtctacc atctccacca tgaactctgt 1080
taaggaagct tcattttngt atattcccgc tcttttctct tcatttcctt gtcttctgca 1140
taatcatgcc ttcttgctaa gtaattcaag cataagatct tggaataata aaatcacaat 1200
cttaggagaa agaataaaat tgttattttc ccagctctct ggccatgatg atatcttatg 1260
attaaaaaca aattaaattt taaaacacct gaagatawat tagaagaaat tgtgcaccct 1320
ccacaaaaca tacaaagttt aaaagtttg atcttttct cagcaggtat cagttgtaaa 1380
taatgaatta ggggccaaaa tgcaaacga aaaatgaagc agctacatgt agttagtaat 1440
ttctagtttg aactgtaatt gaattattgt gcttcataat tattatttta tattgtactt 1500
ttttcattat tgatggtttg gactttaata agagaaattc catagttttt aatatcccag 1560
aagtgaagca atttgaacag tgtattctag aaaacaatac actaactgaa cagaagtga 1620
tgcttatata tattatgata gccttaaacc tttttctct aatgccttaa ctgtcaaata 1680
attataacct tttaaagcat aggactatag tcagcatgct agactgagag gtaaactactg 1740
atgcaattag aacaggtagt gatgctgtca gtgtttaaca ctatgtttag ctgtgtttat 1800
gctataaaag tgcaatatta gacactagct agtactgtg cctcatgtaa ctccaaagaa 1860
aacaggattt cattaagtgc attgaatgtg gmtatttctc taagttaactc atattgtcct 1920
ttgcttgaat gcaatgccgt gcagatttat gwggctgcta tttttatttt ctgtgcatta 1980
ctttaacacc ttaaaggagg aagcaaactc ttccttcttc agctgactgg caatggccct 2040
ttaactgcaa taggaagaaa aaaaaaaagg tttgtgtgaa aattgggtgat aactggcact 2100
taagatcgaa aagaaatttc tgtatacttg atgccttaag atgcccgaag ctgcccgaag 2160
ctctgaaaga ctttaagata ggcagtaatg cttactacaa tactactgag tttttgtaga 2220
gttaacattt gataataaaa cttgcctggt taatctcaaa a 2261

```

&lt;210&gt; 325

&lt;211&gt; 1213

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1213)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 325

```

tggacgcgtg ggtcgaccca cgcgtccggt caaaaytaac cccctaataa aattaattaa 60
ccactcattc atcgacctcc ccaccccatc caacatctcc gcatgatgaa acttcggctc 120
actccttggc gcctgcctga tcctccaaat caccacagga ctattcctag ccatgcacta 180
ctcaccagac gcctcaaccg ccttttcata aatcgccac atcactcgag acgtaaatta 240
tggttgaatc atccgtacc ttcacgcca tgccgcctca atattcttta tctgcctctt 300
cctacacatc gggcgaggcc tatattacgg atcatttctc tactcagaaa cctgaaacat 360
cggcattatc ctctgcttg caactatagc aacagccttc ataggctatg tcctcccggtg 420
aggccaaata tcattctgag gggccacagt aattacaaac ttactatccg ccatcccata 480
cattgggaca gacctagttc aatgaatctg aggaggctac tcagtagaca gtcccaccct 540
cacacgattc ttacctttc acttcatctt gccttcatt attgcagccc tagcagcact 600
ccacctccta ttcttgacg aaacgggac aaacaacccc ctaggaatca cctcccattc 660
cgataaaatc acctccacc cttactacac aatcaaagac gccctcggct tacttctctt 720
ccttctctcc ttaatgacat taacactatt ctaccagac ctctaggcg acccagacaa 780
ttatacccta gccaacccct taaacacccc tccccacatc aagcccgaat gatatttctt 840
attcgcttac acaattctcc gatccgtccc taacaaacta ggaggcgtcc ttgccctatt 900

```

```

actatccatc ctcatcctag caataatccc catcctccat atatccaaac aacaaagcat 960
aatatttcgc cactaagcc aatcacttta ttgactccta gccgcagacc tcctcattct 1020
aacctgaatc ggaggacaac cagtaagcta cccttttacc atcattggac aagtagcatc 1080
cgtactatac ttcacaacaa tcctaatacct aataccaact atctccctaa tkgaaaacaa 1140
aatactcaaa tgggcctaaa aaaaaaaaaa aaaaacycgg gggggggccg ggtwcccaat 1200
ttcccccta ggn 1213

```

<210> 326

<211> 2764

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (372)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2128)

<223> n equals a,t,g, or c

<400> 326

```

gccggagcaa ggctgagctg ctccgcagca tcgccaagag gaaggagcgc ctggccatcc 60
tgacagtcga ggctgggcag atccgggctc aggccgkca rgartcagaa cgcctggccc 120
gggacaagaa tgccctcctta cagctgctgc aaaaggagaa ggagaagctg actgtgctgg 180
aaaggagata ccactcactc acagggggca ggcctttccc gaagaccaca tcgaccctca 240
aagaggttta ccgctccaag atggatggcg aggccaccag ccccttccc cggaccgcga 300
gcggccctc ccctcctcct ctggctcttc ctctcctcc tcccagctca gcgtggctac 360
cctggggcgt ancycckccc caaagagcgc tctactcacc cagaatggca cgggcagcct 420
tcctcgcaac ctggcagcca cactgcagga catcgagacc aagcgccaac tagctctgca 480
gcagaaggga caacaagtga ttgaagagca gcggcggcga ctggctgagc tgaagcagaa 540
agcggcagtg aggcacagtg ccagtgggat gcccttcacg gggcagcacc cttcccagcg 600
ggccctcctg gcttcccccc tctcatgcac cactctatcc tacaccacct gcctgcgggg 660
cgggagcgtg gggaggaggg tgagcacgcc tatgatacgc tgagtctgga gagctctgac 720
agcatggaga ccagcatctc caccgggggc aactcggtg ctccccctgac aacatgtcca 780
gcgcgagtg tctggacatg gggaagatcg aggagatgga gaagatgctg aaagaggctc 840
atgcagagaa gaaccggctc atggagtcga gggagcggga gatggagctg cggcggcagg 900
ccctggagga ggagcggcgg aggcgkaca ggtagaacgg aggctgcaga gtgagagtgc 960
ccggaggcag cagctggctg agaaggaggt caagatgcgg gagaaacaat tttcccaggc 1020
acgaccctg acccgctacc tgccaatccg gaaggaggac tttgacctga agacacatat 1080
tgagtcmtcg ggccatggtg ttgatacctg cctgcacgtg gtgctcagca gcaaggtctg 1140
ccgtggctac ttggtcaaga tgggcggcaa gattaaatca tggaagaarc gctgggttgt 1200
cttcgaccgg ctcaagcgca ccctttccta ttatgtggac aagcatgaga cgaagctgaa 1260
aggagtcatc tatttccarg ccattgaagg aagtgtacta cgaccacctg cgccagtgca 1320
gccaagaaga ggtttttccg cttccactat ggtgactgag aagcccgaac ccagccctca 1380
ccttctgcgt aaagacccat gaccggctgt aytacatggt ggcctcatct gcagaggcca 1440
tgcttatctg gatggatgtc attgtcacag gggctgaggg ctacactcag ttcataaact 1500
aactgccgtg ggcctcctgg cagagcacia ctggggcttt tgtataagaa gactttaata 1560
ttctgtaagg agcttggtcc tgtgagtttc tgggctctgg cctcctgaag aaccagccag 1620
aagaagaaaa gtagagggtg ctttgcctgc tcctgggagc ccagaacttg cagtaaccct 1680

```

```

ttaggtcctg cccagggccc agccagggct gaggagctgt cacagagagg gcctcagctc 1740
tgacctgaca cctgctctcc ccagcctggt ttctcttttc taaaagacaa attatggtac 1800
cataagctgc caaagatccc ctccctgcctc agaccctttt gccagggggt ttgggggctg 1860
agcagagcca catccagagt ggggtaatat ctcaggcggc ccgcttccca tttctcaaac 1920
cccgtctctg cccattgttc tcctttccct tatacttttt attaccttgc tcaagggcca 1980
gagatctcaa gtgtcaacct tgaggtccca gctccatccc ctagttgcag actcatcacc 2040
atggttacca tagtgactgc ttcattgcca tggttacata ctaattgctg cagctctgtg 2100
gcccagccca ctgcttcagc tgtgggcnat ctgagggtac gtgccatcat ctctccagcc 2160
caggccccctg ggcattctcat gctgggggga agggactgaa tacctttttc cttccccctg 2220
cctgtgtctt cagccctgat gcacaggctg ccagccccc agtccagccc tctcccttcc 2280
actggtgcct tgcttagagc cagaagggat gaagccgggg gatctatgga acagaggagg 2340
agcgatgcag ttgggagagg aagctagaag gggtatggtt ggagttctgt acagtgttga 2400
gtttccgaca gggaaagagg attcctccaa tgctcctaga gagaaagcct gagcaggaga 2460
tgatgcagca gaggggaagg gccctgtggt gccgccgccc ttccttcagc ctccgaaggg 2520
tgatggaaat ggagagtgga ggaccaggcc tccagctgtc tggcctcgcc cttcacgcct 2580
taacactaag cccacctccc ctgctctcct tcccagcatt gagcccttgg ttgcttgggc 2640
ccaggctggg gggttttcagt atttgtaagc atttcagcag aacaataaag cctttggact 2700
acgraaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaggag 2760
gggc

```

<210> 327

<211> 1764

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1398)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1758)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1759)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1762)

<223> n equals a,t,g, or c

<400> 327

```

ggacatcaaa gatgaggagc ctggagactt tgggccgacc gaagcctgaa tgtgagggtt 60
acgaccccaa cgccctgtat tgcatttgcc gccagcctca caacaacagg tttatgattt 120
gctgtgaccg ctgtgaagaa tggtttcatt gcgatttgtt gggcatttct gaggctcgag 180
ggaggctttt ggaaaggaat ggggaagact atatctgccc aaactgcacc attctgcaag 240
tgaggatga gactcattca gaaacggcag atcagcagga agctaaatgg agacctggag 300

```

```
atgctgatgg caccgattgt acaagtatag gaacaataga gcagaagtct agcgaagacc 360
aagggataaa gggtagaatt gagaaagctg caaatccaag tggcaagaag aaactcaaga 420
tcttccagcc tgtgatagag gcgcctggtg cctcaaaatg tattggcccc ggggtgctgtc 480
acgtggcgca cccgactcgg tgtactgcag taatgactgt atcctcaaac acgccgcagc 540
gacaatgaag tttctaagct caggtaaaga acagaagcca aagcctaaag aaaagatgaa 600
gatgaagcca gagaagccca gtcttccgaa atgcggtgct caggcaggta ttaaaatctc 660
ttctgtgcac aagagaccag ctccagaaaa aaaagagacc acagtgaaga aggcagtggt 720
ggtcctcgcg cggagtgaag cactcgggaa ggaagcagct tgtgagagca gcacgccgtc 780
gtgggcgagc gatcacaatt acaatgcagt aaagccagaa aagactgctg ctccctcgcc 840
gtcactgttg tataaatgta tgtatcacct aggggttggc ctccctggacc cctcccggtc 900
tttctggata gccatcccct gggcctgtcc aggactggga gttgcagctt tgtgttaagc 960
tgatcacaga caccggctgc accatcagcg ggaagcagag cccatgtcca ggatgcctcc 1020
tgctgccctg tgtccatccc tagtctgtca ggacttcctg tcaactgtttt ccaaagctgt 1080
aaacctcact ggtgaacggt caccttaatg attgattctt taatctctgt tttcactctc 1140
aggctctggt aagtattcgt attctcttca tcccagtctg attgcatagc cacactgccc 1200
ggcacgccac atccaccct gtctgcacat gagttgttct gacaacagcg ctgtatacgc 1260
ttcagttttt ccacattgtc cacggccagc acatgaaagc atcacttctt ttttatgttg 1320
tggaatctt tgcaagttag tgttgcatct gattttcagg tgtacattta tttttgactg 1380
ggcagatagg ggattttntt ttttccatgt ccgattcaca cgctacacac ccacatgaac 1440
acattcgaac ttcgaaggcc acacactcct gcttcatagg cccacaggta agtgagttca 1500
cacctagaac actgtcctga ccgcaggacg cgtgccttgg acttggtatt ctacatgtga 1560
ctggctttct tgccctcgtc tcttgaatgt ttagactctt aagatcatat cctgccccaa 1620
atttcaaatt aatgaaatga agatatttca aacagatctt tgaaacctca gattctgtgg 1680
tgcaatttta atgttttctt gtttctcagt tttctgctat aaaactattt tcaattcagt 1740
ctttaaaaaa aaaaaaannt cnaa 1764
```

<210> 328

<211> 571

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (7)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (535)

<223> n equals a,t,g, or c

<400> 328

```
gccaantac tttccagccc agtaaggggt atttcaggag agcagtcac tkaaggttct 60
ttccctttaa gatatgtgca ggatcaagtt gcggcacctt ttcagctgag taaccacact 120
ggccgcatca aggtggtctt tactccgagc atctgtaaag tgacctgcac caagggcagc 180
tgtcagaaca gctgtgagaa ggggaacacc accactctca ttagtgagaa tggatcatgct 240
gccgacaccc tgacggccac gaacttccga gtggtaattt gccatcttcc atgtatgaat 300
gggtggccagt gcagtccaag ggacaaatgt cagtgccttc caaatttcac agggaaactt 360
tgtcagatcc cagtcctatg tgccagcgtg cstaaacttt atcagcatte ccagcagcca 420
ggcaaggcat tggggacgca tgcatccat tcaacacata ccttgccctc gaccgtgact 480
agccagcagg agtcaaaagt aaatttcctc cttaacatag tcaatatcca tgtgnaacat 540
```

cctcctgaag cttccgtcca gatacatcag g

571

<210> 329

<211> 473

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (37)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (449)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (467)

<223> n equals a,t,g, or c

<400> 329

cacgtagtaa tctttaaata taaatagcca cgtgtgnact actatcatat gggacagaac 60  
agttccagac cacattattg ataagatgtg ttaaaataaa taagatcttt ctgtgaactt 120  
ttgggaacca aatgggtttt ggcatgattt cccagctcat tatatattga cacagaattt 180  
tttcagaatg gcatttacta gtaccccgaga aatttagcaa agtatagtta ggtacttatt 240  
gtaaaaatata ttgcatattt gatttaaggt ttgttatgaa cacactaatc tgatatttta 300  
tatttaaacc attttcaatk ctgtaagact cagtaagagc tatttaatta tactgwaaca 360  
aagaaaatct ataaataaat agcacaataa ggcacatgcg ggtgtataat actgaagtgg 420  
tagtttttaa tttccgaaga gaataagcnt ttcaggccca ttagaancac aga 473

<210> 330

<211> 1335

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (865)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1004)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1156)

<223> n equals a,t,g, or c



<220>  
<221> misc feature  
<222> (1301)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1328)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1333)  
<223> n equals a,t,g, or c

<400> 330  
ggcgctactg aggccgcgga ccggactgcg gttggggcgg gaagagccgg ggccgtggct 60  
gacatggagc agccctgctg ctgaggccgc gccctccccg ccctgaggtg ggggcccacc 120  
aggatgagca agctgcccag ggagctgacc cgagacttgg agcgcagctg cctgccgtgg 180  
cctccctggg ctccctactg tcccacagcc agagcctctc ctgcacctc cttccgccgc 240  
ctgagaagcg aagggccatc tctgatgtcc gccgcacctt ctgtctcttc gtcaccttcg 300  
acctgtcttt catctccctg ctctggatca tcgaactgaa taccaacaca ggcattccgt 360  
agaacttgga gcaggagatc atccagtaca actttaaaac ttccttcttc gacatctttg 420  
tcctggcctt cttccgcttc tctggactgc tcctaggcta tgcgtgctgc rgctccggca 480  
ctggtgggtg attgcggtca cgacgctggt gtccagtga ttcctcattg tcaaggatcat 540  
cctctctgag ctgctcagca aaggggcatt tggtacctg ctccccatcg tctcttttgt 600  
cctcgcttgg ttggagacct ggttccttga cttcaaagtc ctaccccagg aagctgaaga 660  
ggagcgatgg tatcttgccg ccaggttgc tgggtcccgt ggacccctgc tgttctccgg 720  
tgstctgtcc gagggacatt ctattcacc cagaatcct ttgcagggtc tgacaatgaa 780  
tcagatgaag aagttgctgg gaagaaaagt ttctctgctc aggagcggga gtacatccgc 840  
cagggaaggg aggccacggc agtgntggac cagatcttgg ccaggaaga gaactggaag 900  
tttgagaaga ataataaata tggggacacc gtgtacacca ttgaagttcc ctttcacggc 960  
aagacgttta tcctgaagac cttcctgccc tgtcctgccc astncgtgta ccaggaggtg 1020  
atcctgcagc ccgagaggat ggtgctgtgg aacaagacag tgactgcctg ccagatcctg 1080  
cagcgagtgg aagacaacac cctcatctcc tatgacgtgt ctgcaagggg ctgcgggcgg 1140  
cgtkgtcttc cccaanggac ttcgtgaatg tccggcgcgt tgarcggcgc agggaccgat 1200  
acttgttcat cagggatcgc caccttcaca cagtgccaa cccccgacgc acaaatatgt 1260  
tccggggaga gaatggcctg ggggtttcat cgtggttcaa ntcggccatt aacccctgt 1320  
tttgcaentt gtntg 1335

<210> 331  
<211> 1046  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (982)  
<223> n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (997)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 331

```
ggtaaaacag agagcaacat gccccagtc ctctctctgg ccagttcttg tggcagcccc 60
attggccttg agacatggtt ttttgtggtt gcagctgcag ctgtccccc gtcttttaac 120
tcgacatcaa agcctctct cctgccagt ccatagggtt gttagagcta ctgttttgta 180
acagctgctc aggtgtcccc aaactccttg agttttccac cctgagctgt taaaaacctg 240
ccctgcctgt caccatttc tgtgccacca gcccaccccc tgcctccact ctctccctg 300
ccaccttctg tccctgccat aggaatatgg ggacaccgtg tacaccattg aagttccctt 360
tcacggcaag acgtttatcc tgaagacctt cctgccctgt cctgcggagc tcgtgtacca 420
ggaggtgatc ctgcagccc agaggatggt gctgtggaac aagacagtga ctgcctgcca 480
gatcctgcag cgagtggaa acaacaccct catctcctat gacgtgtctg caggggctgc 540
gggcggcgtg gtctcccaa gggacttcgt gaatgtccgg cgcattgagc ggcgcaggga 600
ccgatacttg tcatcaggga tcgccacctc acacagtgcc aagccccga cgcacaaata 660
tgtccgggga gagaatggcc ctgggggctt catcgtgctc aagtcggcca gtaacccccg 720
tgtttgcacc tttgtctgga ttcttaatac agatctcaag ggccgcctgc cccggtacct 780
catccaccag agcctcgcgg ccaccatgtt tgaatttgcc ttccacctgc gacascgcat 840
cagcgagctg ggggcccggg cgtgactgtg cccctcccca ccctgcgggc cagggctcctg 900
tcgccaccac ttccagagcc agaaaggggt ccagttgggc tcgcaactgc cacatgggac 960
ctggccccag gcwgtmamcc tncamcgagc cacgcantcc tgggagttga tgaatgaaca 1020
gstttgggtg gacattggat tcgggg 1046
```

&lt;210&gt; 332

&lt;211&gt; 1311

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1280)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 332

```
ggcggcacca gcggcggcgc tctgtgtgga gaagcagggg cwgtgctgc cgctgctgct 60
gcacgaatcg ccgcagcccc cagccttgcg cgtcgtcgtt acctcctcgg acaggtgaga 120
agcagcccag aaattttatg aataagcatc agaagccagt gctaacaggc cagcggttca 180
aaactcggaa aagggatgaa aaagagaaat tcgaaccac agtcttcagg gatacacttg 240
tccaggggct taatgaggct ggtgatgacc ttgaagctgt agccaaattt ctggactcta 300
caggtcgaag attagattat cgtcgtatg cagacacact cttcgatata ctggtggctg 360
gcagtatgct tgcccctgga ggaacgcgca tagatgatgg tgacaagacc aagatgacca 420
accactgtgt gttttcagca aatgaagatc atgaaaccat ccgaaactat gctcaggtct 480
tcaataaact catcaggaga tataagtatt tggagaaggc atttgaagat gaaatgaaaa 540
agctctcctt ctctcttaaa gccttttccg aaacagagca gacaaagttg gcgatgctgt 600
cggggattct gctgggcaat ggcaccctgc ccgccaccat cctcaccagt ctcttcaccg 660
acagcttagt caaagaaggc attgcggcct catttgctgt caagcttttc aaagcatgga 720
tggcagaaaa agatgccaac tctgttacct cgtctttgag aaaagccaac ttagacaaga 780
ggctgcttga actctttcca gttaacagac agagtgtgga tcattttgct aaatacttca 840
ctgacgcagc tcttaaggag ctttccgact tcctccgagt ccagcagtc cagggcacca 900
```

```
ggaaggaact gcagaaggag ctccaggagc gtctttctca ggaatgcccg atcaaggagg 960
tggtgcttta tgtcaaagaa gaaatgaaga ggaatgatct tccagaaaca gcagtgattg 1020
gtcttctgtg gacatgtata atgaacgctg ttgagtggaa caagaaggaa gaacttggtg 1080
cagagcaggc tctgaagcac ctgaagcaat atgctcccct gctggccgtg ttcagctccc 1140
aaggccagtc agagctgata ctctccaga aggttcagga atactgctac gacaacatcc 1200
atttcatgaa agcctttcag aagattgtgc ttccttatac catttcagta ttgcttcttc 1260
gctcagaaca tcagctttan tcgtgccgat tcggcacgag cggcacgagc c 1311
```

&lt;210&gt; 333

&lt;211&gt; 1444

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 333

```
ggcagagccc ggccctcttg tactgctgac cccagccagg ctacagggat cgattggagc 60
tgtccttggg gctgtaattg gccccagctg agcagggcaa acactgaggt caactacaag 120
ccacaggccc cttccccagc ctcatgtcac agctgccctg ttgcaggag gcggtggccc 180
ttctgttgct agaccgagcc tgtgggatat accaaggcag aggagcccat agccatgagg 240
agcctcgggg ccctgctctt gctgctgagc gcctgccttg cggtgagcgc tggccctgtg 300
ccaacgccgc ccgacaacat ccaagtgcag gaaaacttca atatctctcg gatctatggg 360
aagtgttaca acctggccat cggttccacc tgcccctggc tgaagaagat catggacagg 420
atgacagtga gcacgctggt gctgggagag ggcgctacag aggcggagat cagcatgacc 480
agcactcgtt ggcggaaagg tgtctgtgag gagacgtctg gagcttatga gaaaacagat 540
actgatggga agtttctcta tcacaaatcc aaatggaaca taacctgga gtcctatgtg 600
gtccacacca actatgatga gtatgccatt ttcctgacca agaaattcag ccgccatcat 660
ggaccaccca ttactgccaa gctctacggg cgggcgcgcg agctgaggga aactctcctg 720
caggacttca gagtgttgcc ccagggtgtg ggcacccctg aggactccat cttcaccatg 780
gctgaccgag gtgaatgtgt ccctggggag caggaaccag agcccattctt aatcccagga 840
gtccggaggg ctgtgttacc ccaagaagag gaaggatcag ggggtgggca actggttaact 900
gaagtcacca agaaagaaga ttcttgccag ctgggctact cggccggtcc ctgcatggga 960
atgaccagca ggtatttcta taatgttaca tccatggcct gtgagacttt ccagtacggc 1020
ggctgcatgg gcaacggtaa caacttcgtc acagaaaagg agtgtctgca gacctgccga 1080
actgtggcgg cctgcaatct ccccatagtc cggggcccct gccgagcctt catccagctc 1140
tgggcatttg atgctgtcaa ggggaagtgc gtcctcttcc cctacggggg ctgccagggc 1200
aacgggaaca agttctactc agagaaggag tgcaagagat actgcggtgt ccctggtgat 1260
ggtgatgagg agctgctgcg cttctccaac tgacaactgg ccggtctgca agtcagagga 1320
tggccagtgt ctgtcccggg gtcctgtggc aggcagcgcc aagcaacctg ggtccaaata 1380
aaaactaaat tgtaaaactc tgaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1440
aagg 1444
```

&lt;210&gt; 334

&lt;211&gt; 1030

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (59)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

<221> misc feature  
<222> (989)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1006)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1023)  
<223> n equals a,t,g, or c

<400> 334  
tagaattcgg agaagctgaa gcttagtggt cttaaaccggtg gttgggaagg gggaaggang 60  
acctcatgga cgtgcctggg ggtgtggctt ggcttccctt gattttggcc ggtggatgac 120  
gctgtcctga ccacacccac tccttgctgc agccrtgkag tcttccactt tcgccttggt 180  
gcctgtcttc gccacactga gcacctcca gagcctcgtg ccagctgctg gtgcagcctc 240  
tcctgttgcc atcagtggcc agcacctgtg ctacagccat gtcactcctg gcgaccctgg 300  
ggctggagct ggacagggcc ctgctcccag ctagtgggct gggatggctc gtagactatg 360  
ggaaactccc cccggcccct gccccctgg ctccctatga ggtccttggg ggagccctgg 420  
agggcgggct tccagtgggg ggagagcccc tggcagggtga tggcttctct gactggatga 480  
ctgagcgagt tgatttcaca gctctcctcc ctctggagcc tcccytacc cccggcaccc 540  
tcccccaacc tcccccaacc ccacctgacc tggaaagctat ggcctccctc ctcaagaagg 600  
agctggaaca gatggaagac ttcttcctag atgccccgct cctcccacca ccctccccgc 660  
cgccactacc accaccacca ctaccaccag cccctccct cccctgtcc ctccctcct 720  
ttgacctccc ccagccccct gtcttgata ctctggactt gctggccatc tactgccgca 780  
acgaggccgg gcaggaggaa gtggggatgc cgctctgccc cccgccacag cagccccctc 840  
ctccttctcc acctcaacct tctcgctgg gccccctacc cacatcctgc caccaccgca 900  
ggggaccgca agcaaaagaa gagagaccag aacaagtcgg cgytytgag gtaccgccag 960  
cggaaggggg caggaggggt tgagggcynk gggaagggga agttgncagg gggttgggaa 1020  
gnaagggaa 1030

<210> 335  
<211> 2127  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (72)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (2098)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

&lt;222&gt; (2114)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2117)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 335

```
ggatctgagg aaagggaggg cttttctgat ctctcccaat tagaggatta ggcaattggc 60
agcgcagtgc gntaactctg ggcggggctg ggctccaggg ctggacagca cagtccctct 120
gaactgcaca gagacctcgc agccccgaga actgtcgccc ttccacgatg tggtcccggtg 180
cctttatcct ggccactctc tctgcttccg cggttgggc agggcatccg tcctcgccac 240
ctgtggtgga caccgtgcat ggcaaagtgc tggggaagt cgtcagctta gaaggatttg 300
cacagcctgt ggccattttc ctgggaatcc cttttgcaa gccgcctctt ggaccctga 360
ggtttactcc accgcagcct gcagaacct ggagctttgt gaagaatgcc acctcgtacc 420
ctcctatgtg cacccaagat cccaaggcgg ggcagttact ctcagagcta ttacaaacc 480
gaaaggagaa cattcctctc aagctttctg aagactgtct ttacctcaat atttacactc 540
ctgctgactt gaccaagaaa aacaggctgc cgggtgatgt gtggatccac ggaggggggc 600
tgatggtggg tgcggcatca acctatgat ggctggccct tgctgcccac gaaaacgtgg 660
tggtggtgac cattcaatat cgctgggca tctggggatt cttcagcaca ggggatgaac 720
acagccgggg gaactggggt cactggacc aggtggctgc cctgcgctgg gtccaggaca 780
acattgccag ctttgagggg aaccaggct ctgtgacct ctttgagag tcagcgggag 840
gagaaagtgt ctctgttctt gttttgtctc cattggcaa gaacctctt caccgggcca 900
tttctgagag tggcgtggcc ctcaactctg ttctggtgaa gaaaggtgat gtcaagccct 960
tggctgagca aattgctatc actgctgggt gcaaaaccac cacctctgct gtcatggttc 1020
actgcctgcg acagaagacg gaagaggagc tcttgagag gacattgaaa atgaaattct 1080
tatctctgga cttacaggga gacccagag agagtcaacc ccttctgggc actgtgattg 1140
atgggatgct gctgctgaaa acacctgaag agcttcaagc tgaaaggaat ttccacactg 1200
tcccctacat ggtcggaatt aacaagcagg agtttggtg gttgattcca atgcagttga 1260
tgagctatcc actctccgaa gggcaactgg accagaagac agccatgtca ctctgtgga 1320
agtcctatcc cttgttttgc attgctaagg aactgattcc agaagccact gagaaatact 1380
taggaggaac agacgacact gtcaaaaaga aagacctgtt cctggacttg atagcagatg 1440
tgatgtttgg tgcccactct gtgattgtgg ccggaacca cagagatgct ggagcacca 1500
cctacatgta tgagtttcag taccgtccaa gcttctcatc agacatgaaa cccaagacgg 1560
tgataggaga ccacggggat gagctcttct cgtcttttgg ggccccattt taaaagagg 1620
gtgcctcaga agaggagatc agacttagca agatggtgat gaaattcttg gccaactttg 1680
ctcgcaatgg aaacccaat ggggaagggc tgccccactg gccagagtac aaccagaagg 1740
aagggtatct gcagattggt gccaacaccc aggcggccca gaagctgaag gacaaagaag 1800
tagctttctg gaccaacctc tttgccaaga aggcagtgga gaagccaccc cagacagaac 1860
acatagagct gtgaatgaag atccagccgg ccttgaggag ctggaggagc aaagactggg 1920
gtcttttgcg aaagggttg caggttcaga aggcattcta ccatggctgg ggaattgtct 1980
gggtggtggg ggcaggggac agaggccatg aaggagcaag ttttgtattt gtgacctcag 2040
ctttgggaat aaaggatctt ttgaaggcca aaaaaaaaaa aaaagggcgc ccttttangg 2100
gttcccaatt tacnaanggg tgcttg 2127
```

&lt;210&gt; 336

&lt;211&gt; 847

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

<220>  
<221> misc feature  
<222> (291)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (334)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (829)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (847)  
<223> n equals a,t,g, or c

<400> 336  
ccgccatgcc gttcctggag ctggacacga atttgcgccg caaccgagtg cccgcggggc 60  
tgagaaaacg actctgcgcc gccgctgcct ccattcctggg caaacctgcg gacggaccac 120  
tccccactcc ttctctcagc ccaagctctg actttccgtg ctccacgata ccgcggctcc 180  
ccctccgcac gtctttccct tgctgccttc cccagtcatt acccggggcg gaccttcagg 240  
gaccgcggcc cgtatcggga tccctgcccc gcgaacactg cgcgtttcgg ntctcgcgcg 300  
ctcgggtccc gtccccagag gtagcccgcc cggntccaac ttcggggcaa attttcatgt 360  
ccccctgcgg accgcgtgaa cgtgacggtg cggccggggc tggccatggc gctgagcggg 420  
tccaccgagc cctgcgcgca gctgtccatc tcctccatcg gcgtagtggg caccgccgag 480  
gacaaccgca gccacagcgc ccacttcttt gagtttctca ccaaggagct agccctgggc 540  
caggaccgga tacttatccg ctttttcccc ttggagtcct ggcagattgg caagataggg 600  
acggtcatga cttttttatg attgggcacg gagggatcca gggcatctgt gaactggctg 660  
cttcttccag agagatctct tggcagagtg agggcctgga gataaccagc tttggattat 720  
cccgcattga acattcctgt gatcacataa tcctcttctt catcctcata tgaaataaat 780  
gaagagagct tcctcattca aaaaaaaaaa aaaaaaaccc cgggggggnc cggtaaccca 840  
ttggccn 847

<210> 337  
<211> 702  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (21)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (150)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (669)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (679)

<223> n equals a,t,g, or c

<400> 337

```
ttttccgccc cgctgtatcc natggttccc tgtgccttcc ggctagaact gctcacagtc 60
ccgcctcttc cgctgcgtgc cggaccatgg cgagggggca gcgcaagttt caggcgacaca 120
aaccgcgcaaa gagtaagacg gcagcggcan cctctgaaaa gaatcggggc ccaagaaaag 180
gcggtcgtgt tatcgctccc argaaggcgc gcgtcgtgca gcagcaaaag ctcaagaaga 240
acctagaagt cggaatccgg aagaagatcg aacatgacgt ggtgatgaaa gccagcagca 300
gcctgcccaa gaagctggca ctgctgaagg ccccagccaa gaagaaaggg gcagctgccg 360
ccacctcttc caagacacct tcctgaggac gctggcccca gtgcaggcca acatcccacc 420
ccctacctcc atatgggacc ttgcaagtca tcccacaggc tgcaactgtca ggaagaggac 480
cctgtccccc agcactgggc ttcacctaga acttcagtgg gggccaaggg tgctgagaac 540
ccagcaatga ccaggaagat acagtacta acttcacttg tccccgtgcc ctttcccagg 600
tcctgcctcc acaggtttta cccagaacaa taaacctggc tttgtcaama aaaaaaaaaa 660
agggccggnc gtttttagang atccagctta cgtaccgtgc tt 702
```

<210> 338

<211> 875

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (791)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (813)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (830)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (861)

<223> n equals a,t,g, or c

<400> 338

taagatagca aaccagttcg ttttaagtaa gctaacttgt tcattagtat ctgtggctta 60  
aaatggcaaa aaagaaaata tccttgagtt tgtaatctag ttacagaagt aaggcataca 120  
cacacacaaa gataacagta cctagagaga gagtgtgtgt gagtgtgcgt gtctctgtgt 180  
gtgcacgtgc acgctcatgg ccaaagtgc gcactctaca taaaggaggc aggagttcct 240  
ataggctatt taatgtaaga gaaactattt ttctcctgtt ccagctgtat cagatactcg 300  
ttccgcaaca cagaaatgac tcagaatctc agacaaaatg tattatttgt tcaattttaa 360  
ttttgctact acattcataa ctcttaaatt gttaggctgt ttcatTTaca tcaaagttat 420  
ctcacaaaag agaaggcagg aaacgTTTTg tgagtgccta ttctatgtca aacactgtgt 480  
tggcaccata ttttacaagt ttttttctc ttctcacagt gatcttTga gttagttact 540  
tatattttta ttagaactca ttattctggg taccctccaa tgagaattag agaggTtaa 600  
taccttttcc tagattccca cagcaggaag gtgggcatag ctgtttTgtc tgacaccaga 660  
acccatctca ccacactgct ttacagtctt cctgaaggga cattttgagg tggggggggg 720  
ccttcaaagc tcagaggact gggtttkgaa tgggtttaat ttttgcaagg gatccatgtc 780  
catgccaggg ngtttacaat tctttaactt cctcccaaa ttcgtgtgtn ccattaggga 840  
catttgggtt acatccgggc nggggagggt caggg 875

<210> 339

<211> 1448

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1427)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1432)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1440)

<223> n equals a,t,g, or c

<400> 339

cagcgccact agcctcattg tgcccaggag ttctccaaac ccgcgctgcg gagtgagtga 60  
ccaagttccg gccagttcga cctcgaggat ccagaggtgg agacggtact acctcccagc 120  
tgtgttttcc atccccttca ggtccttctt cgggaggcgg cgaaggcggt ccaccttgcg 180  
cgtgatcctt yatgcccggc cctgccccct ccctccgggt ggaacttccc cctcaccgcc 240  
agacttaagc tgaggatcgt tggatctctg gcggggtgca gaactgagcc caggccacag 300  
taccctattc acgctctgtg cttgtgccaa gggggcaatg gcggcttctt gtgttctact 360  
gcacactggg cagaagatgc ctctgattgg tctgggtacc tggaagagtg agcctggtca 420  
ggtaaaagca gctgttaaagt atgcccttag cgtaggctac cgccacattg attgtgctgc 480  
tatctacggc aatgagcctg agattgggga ggccctgaag gaggacgtgg gaccaggcaa 540  
ggcgggtgcct cgggaggagc tgtttTgtgac atccaagctg tggaacacca agcaccaccc 600  
cgaggatgtg gagcctgccc tccggaagac tctggctgac ctccagctgg agtatctgga 660  
cctgtacctg atgactggc cttatgcctt tgagcgggga gacaaccctt tccccaaagaa 720  
tgctgatggg actatatgct acgactccac ccactacaag gagacttgga aggctctgga 780  
ggcactggtg gctaaggggc tggTgcaggc gctgggcctg tccaacttca acagtccgca 840



```

gattgatgac atactcagtg tggcctccgt gcgtccagct gtcttgacagg tggaaatgcc 900
cccatacttg gctcaaaatg agctaattgc ccactgccaa gcacgtggcc tggaggtaac 960
tgcttatagc cctttgggct cctctgatcg tgcattggct gatcctgatg agcctgtcct 1020
gctggaggaa ccagtagtcc tggcattggc tgaaaagtat ggccgatctc cagctcagat 1080
cttgctcagg tggcagggtcc agcggaaaagt gatctgcac cccaaaagta tcaactcctc 1140
tcgaatcctt cagaacatca aggtgtttga cttcaccttt agcccagaag agatgaagca 1200
gctaaatgcc ctgaacaaaa attggagata tattgtgcct atgcttacgg tggatgggaa 1260
gagagtccca agggatgcag ggcacacctc gtaccccttt aatgaccctg actgagacca 1320
cagcttcttg gcctcccttc cagctctgca gctaattgagg tcctgccaca acggaaagag 1380
ggagttaata aagccattgg agcatccaaa aaaaaaaaaa aaaaaanayc tngsggccgn 1440
caagggaa

```

<210> 340

<211> 843

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (812)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (822)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (829)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (838)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (841)

<223> n equals a,t,g, or c

<400> 340

```

aattcggcac gagctggcct gagaagccaa ctcagactca gccaacagag attgttgatt 60
tgctctttaa gcaagagatt cattgcagct cagcatggct cagaccagct catacttcat 120
gctgatctcc tgctgatgt ttctgtctca gagccaaggc caagaggccc agacagagtt 180
gccccaggcc cggatcagct gcccagaagg caccaatgcc tategtcctc actgctacta 240
ctttaatgaa gaccgtgaga cctgggttga tgcagatctc tattgccaga acatgaattc 300
gggcaacctg gtgtctgtgc tcaccaggc cgagggtgcc tttgtggcct cactgattaa 360
ggagagtggc actgatgact tcaatgtctg gattggcctc catgacccca aaaagaaccg 420
ccgtcggcac tggagcagtg ggtccctggt ctctacaag tcctggggca ttggagcccc 480

```

aagcagtgtt aatcctggct actgtgtgag cctgacctca agcacaggat tccagaaatg 540  
gaaggatgtg ccttgtgaag acaagttctc ctttgtctgc aagttcaaaa actagaggca 600  
gctggaaaat acatgtctag aactgatcca gcaattacaa cggagtcaaa aattaaaccg 660  
gaccatctct ccaactcaac tcaacctgga cactctcttc tctgtgagt ttgccttggt 720  
aatcttcaat agttttacct accccagtct ttggaaccyt aaataataaa aataaacatg 780  
tttccactaa aaaaaaaaaa aaaaaaaamt cncagggggg gnccggtanc caattcgncc 840  
naa 843

<210> 341

<211> 1293

<212> DNA

<213> Homo sapiens

<400> 341

gtgctcataa ctgttaatga aagcagattc aaagcaacac caccaccact gaagtatttt 60  
tagttatata agattggaac taccaagcat gtggctcctg gtcagtgtaa ttctaattctc 120  
acggatatcc tctgttgggg gagaagcaac attttgtgat ttccaaaaa taaaccatgg 180  
aattctatat gatgaagaaa aatataagcc attttccag gttcctacag gggaagtttt 240  
ctattactcc tgtgaatata attttgtgtc tccttcaaaa tcattttgga ctgcataac 300  
atgcacagaa gaaggatggt caccaacacc aaagtgtctc agactgtgtt tctttccttt 360  
tgtggaaaat ggtcattctg aatcttcagg acaaacacat ctggaagggtg atactgtgca 420  
aattatttgc aacacaggat acagacttca aaacaatgag aacaacattt catgtgtaga 480  
acggggctgg tccaccctc ccaaagcag gtccactgac acttctctgt tgaatccgcc 540  
cacagtacaa aatgctyata tastgtcag acagatgagt aaatatccat ctggtgagag 600  
agtacgttat saatgtagga gcccttatga aatgtttggg gatgaagaag tgatgtgttt 660  
aaatggaaac tggacrgaac cacctcaatg caaagattct acrggaaaat gtgggcccc 720  
tccacctatt gacaatgggg acattacttc attcccggtg tcagtatatg ctccagcttc 780  
atcagttgag taccaatgcc agaacttgta tcaacttgag ggtaacaagc gaataacatg 840  
tagaaatgga caatggtcag aaccaccaa atgcttacat ccgtgtgtaa tatcccgaga 900  
aattatggaa aattataaca tagcattaag gtggacagcc aaacagaagc tttattygag 960  
aacaggtgaa tcagytgaat ttgtgtgtaa acggggatat cgtctttcat cacgttctca 1020  
cacattgcga acaacatgtt gggatgggaa actggagtat ccaacttggt caaaaagata 1080  
gaatcaatca taaartgcac acctttattc agaactttag tattaatat gttctyaatt 1140  
tcatttttwa tgtattgttt tactctttt tattcatagc taaaattttg gattaatttg 1200  
tgaaaatgta attataagct gagaccggtg gctctcttct taaaagcacc atattaaatc 1260  
ctggaaaact aaaaaaaaaa aaaaaaaact cgc 1293

<210> 342

<211> 1273

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (6)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (483)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1247)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1262)  
<223> n equals a,t,g, or c

<400> 342  
gcccangcgg ccgcgaggcg ccgccgccgc cgccgcagcc gccggagccg caatgcctaa 60  
aggaggaaga aaggaggcc acaaaggccg ggcgaggcag tatacaagcc ctgaggagat 120  
cgacgcgcag ctgcaggctg agaagcagaa ggccagggaa gaagaggagc aaaaagaagg 180  
tggagatggg gctgcagggtg accccaaaaa ggagaagaaa tctctagact cagatgagag 240  
tgaggatgaa gaagatgact accagcaaaa gcgcaaaggc gttgaagggc tcatcgacat 300  
cgagaacccc aaccgggtgg cacagacaac caaaaaggtc acacaactgg atctggacgg 360  
gccaaaggag ctttcgagga gagaacgaga agagattgag aagcagaagg caaaagagcg 420  
ttacatgaaa atgcacttgg ccgggaagac agagcaagcc aaggctgacc tggcccggct 480  
ggncatcatc cggaacagc gggaggaggc tgcccggaa aaggaagagg aaaggaaagc 540  
aaaagacgat gccacattgt caggaaaacg aatgcagtca ctctccctga ataagtaact 600  
gcgaccctg ggaggagatg ccggggacct gggccgcgct gccaggacct ctgctgtgtc 660  
tcgcccaccc tgtgccctgg cgccgctgca acagcccctc atggccagga gccccccatg 720  
gcctggggcc tcctcttcat cttggcacag aaattgtttg ggggatgggg ggggggactg 780  
ggggaggggg agctgctatc tttgagacag aaagrkyag aagagctttc atttgtctgg 840  
tagatagata gcatgtaagg ggggtggtgt cccaggaggc agctgctgac aggtttgcta 900  
cacacagccc cgactgtgt tgcctgggtg ctcattcaga gaggggctat catctgggag 960  
cctgtgcccc tgggtcctcg aggtcatgg cttgtccctg gtcagtcctg tctgactgac 1020  
ctcagggcct cacctctctg cccttcctg cccggttcct actcacctgg ctagggccag 1080  
tgcccatttt cagccctacc cattgatcat ttcaagaaac ctctgtttac tgtgtggcac 1140  
ccaggcaaaa catgctccac aaattcaact tgtatatattg gcagattaaa cttgacatta 1200  
tcgtaaaaaa aaaaaaaaaa atttgggggg gggcccggta cccattnggg cccttagggg 1260  
ngggtttaa tta 1273

<210> 343  
<211> 1793  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1251)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1267)  
<223> n equals a,t,g, or c

<400> 343

```
gcccacgcgt ccgcccacgc gtccggcatg gacctcagtc ttctctgggt acttctgccc 60
ctagtcacca tggcctgggg ccagtatggc gattatggat acccatacca gcagtatcat 120
gactacagcg atgatgggtg ggtgaatttg aaccggcaag gcttcagcta ccagtgtccc 180
caggggcagg tgatagtggc cgtgaggagc atcttcagca agaaggaagg ttctgacaga 240
caatggaact acgcctgcat gcccacrcca cagagcctcg gggaaccac ggagtgtctg 300
tgggaggaga tcaacagggc tggcatggaa tggtagcaga cgtgctcaa caatgggctg 360
gtggcaggat tccagagccg ctacttcgag tcagtgtctg atcgggagtg gcagttttac 420
tgttgtcgct acagcaagag gtgccatat tctgtctggc taacaacaga atatccaggt 480
cactatggtg aggaaatgga catgatttcc tacaattatg attactatat ccgaggagca 540
acaaccactt tctctgcagt ggaaagggat cgccagtgga agttcataat gtgccggatg 600
actgaatacg actgtgaatt tgcaaatgtt tagatttgcc acataccaaa tctgggtgaa 660
aggaaagggg ccaggggaca ggagggtgtc cacatatgtt aacatcagtt ggatctccta 720
tagaagtttc tgctgtcttc ttctctctc cctgagctgg taactgcaat gccacttcc 780
tgggcctttc tgactagtat cacacttcta ataaaatcca caattaaacc atgtttctca 840
cttttcacat ttttcatagc aactgtttta tatgactgat gatggcttcc ttgcacacca 900
catatacagt gcgcatgctt acagccgggc ttctggagca ccagctgcag cctggctact 960
gctttttact gcagaatgaa ctgcaagttc agcatagtgg aggggagagg cagaactgga 1020
ggagaggtgc agtgaagggt ctctacagct aagcctgttt gaatgatacg taggttcccc 1080
accaaagca ggctttctgc cctgagggac atcttccac tcccctgctc cacatgagcc 1140
atgcatgctt agcaatccaa gtgcagagct ctttgtctca ggagtgagga gactgggagg 1200
tgaaatgggg aaatggaagg gtttgagggc agagctgaaa acaggggttg naagggattt 1260
cctgaantta raagacaaac gtttagcatac ccagtaagga aaatgagtgc aggggccagg 1320
ggaacccgtg aggatcactc tcaaatgaga ttaaaaacaa ggaagcagag aatggtcaga 1380
gaatgggatt cagattggga acttgtgggg atgagagtga ccaggttgaa ctgggaagtg 1440
gaaaaaggag tttgagtcac tggcacctag aagcctgccc acgattccta ggaaggctgg 1500
cagacaccct ggaaccctgg ggagctactg gcaaaactctc ctggattggg cctgattttt 1560
ttggtgggaa aggctgccct ggggatcaac ttctctctctg tgtgtggctc aggagtctt 1620
ctgcagagat ggcgctatct ttctcctcc tgtgatgtcc tgctcccaac catttgtact 1680
cttcattaca aaagaaataa aaatattaac gttcamwawg ctgaaaaaaaa aaaaaaaaaa 1740
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaa 1793
```

<210> 344

<211> 1672

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (95)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1667)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1668)

<223> n equals a,t,g, or c

&lt;400&gt; 344

```

ctgcgacgcg ctccggccca ggtggcggcc ggccgcccag cctccccgcc tgctggcggg 60
agaaaccatc tcctctggcg ggggtagggg cggantggcg tccgaccaca ccggaagagg 120
aagtctaagc gccggaagtg gtgggcattc tgggtaacga gctatttact tcctgcgggt 180
gcacaggctg tggtcgtcta tctccctgtt gttcttccca tcggcgaaga tggccctgga 240
gacggtgccg aaggacctgc ggcactctgc ggcctgtttg ctgtgttcgc tggtaagac 300
tatagaccag tttgaatatg atggttgatg caattgtgat gcatatctac aaatgaaggg 360
taaccgagag atggtatatg actgcactag ctcttccttt gatggaatca ttgcgatgat 420
gagtccagag gacagctggg tctccaagtg gcagcgagtc agtaacttta agccagggtg 480
atatgcggtg tcagtcactg gtcgcctgcc ccaaggaatc gtgcgggagc tgaaaagtcg 540
aggagtggcc tacaaatcca gagacacagc tataaagacc tagcaagatg caaggctgcc 600
agcatctttg ctctccacct cctgcctctg cttatttctt gttctggaac taaatgaaca 660
gaacttcaaa tacttcctac cctccaattc agactcagct gactgttgag agagcagcac 720
atcattttat cattttatct tctttggact acagggtggg tgggagggat ttgggttggt 780
ggattaacag atggaattga ggagagagta ggatgctgat tttcctaccc gtggcccagg 840
tctgtgcctt ccccatgcca aggactctag gtcaaatgtc aataaatatg aacctcgaga 900
aagttctgaa ggccatgaca cctgccttgc ctccctcttc cattctctta ggcacagtaa 960
tagcttattt gccctataag aaccttcca gagcagcaga ggcccttcta ctccctcttg 1020
actgtctcag cctctgggat tgcagccttt gtagtgtgct tccttgcttc ctatcagagg 1080
gtgtgatcc agaggctcag taaccccatc aacttggtgg ccctgggtgc tcacacttgt 1140
atccttctgc cctcgagacc tggcacagca gtatcccttg aagaaatcct gaggctttgt 1200
agagtgtctc ttgacctgt ttaataatc tccctcccc tgcttgctta ttttcttctc 1260
ttcacggctc ttcctatacc ttaggccagt ctcaagcact cactggagac ccttgggcct 1320
tggcgaccca ttgagtcta gtctcccttg tttgtgccc tgtaggagg aggtcctttt 1380
ctctccggcc tagtagggga ccttgggtaa catcccattt ttcggccaag gtgagttgtt 1440
ttaggataaa aaaatttacc acaaattctc atttaaattt ccacagaaat cctgttcgta 1500
tccccatttt gatttcctta agttccttgc tctccctcta aaaagagaat gattgcaccc 1560
tgctgtttaa cctcaggatt gttgtgattg tagaaacgaa gctatgtgaa aattatataa 1620
gtattataaa ggtgaaatac ttttgctctc aaaaaaaaaa aaaaaanntt aa 1672

```

&lt;210&gt; 345

&lt;211&gt; 2109

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 345

```

agcactagct ttgacatcca cggtagagctg cagggaagca tcacacacca gccagcatgt 60
gagcagaggg aggcagttgg ggttgaactt cggaactagg ccgggtctyc tgacagatca 120
caagacaccc cagaggatct tcagcagtc tacttcccat tctctataga gctttgaagc 180
ttggaaccct tccagggtaa acattttctc ttgtgctgct yaggacaty ggggcctagc 240
tcctgggttc ctgtctccaa gaagcaatga ccttaaaactc tgagccatac tctgtcctca 300
ccagcggctc ccatgttttt ctgtgtcagg ttattaagta cctagtcctt gttttctgtc 360
tctstcctaa gctacctctc tgggtccaca gaagacttgg tagtatagtg agaatggcta 420
tacgtgagta caaacrtgga ttttccaagg gcttgggaam tgattcttga gcccagaaga 480
gccamgcctg ctttgaggte ttttgagtg gagatgcagc cctgggaaat ttggggagtc 540
agcaggccag tgtgaagcwa ttggtcctag gagtatatga gcttgctgtt tctttgatgg 600
aaaatacatg cttctcttgc atactcagaa gtgactaagg gcaataactc attaatagcc 660
atctatccaa cttctttact gagtgatgta ttccatgggg ttaccttttt cagattattg 720
agttgctctg taagcactaa aactttttta tcatttttaa gaaacttttt agattgtatt 780
acaaatttgc cttaacagta attagatgtt gaatataatt ttaacatttt attaatagact 840
tgggtcatca gttaatacca gtactaaaac catacgaatt attgggtttat tccagaaaaa 900

```

```

acagtatttg ttctatTTTT aggtagacaa tcatttggga tcagagtaca ttagcatagt 960
aatgctcagt cagacctggt caagtagtag agcttggaga atgccatgaa atacttatat 1020
aattaatttg attgcatgaa ctaagcaatt ttactaatga aaaggttgta tatgtgcaag 1080
tcactttttt aaaaaaccaag aaaaaacttt aatagaggaa atcttattca ttaattttatt 1140
tttctgagta aaaaaacgaa acccaaattct ctttttattt caactgttaa acattttgat 1200
ctgttgaccc ataggatcag gatttgggaa ccactttact aggaaagagc agatcagtac 1260
catttgtata aaaccggcct cattatgtaa gaaagaaaaat gttacgtgtt ttcttcttta 1320
gcttggttgt gggcacttct acagcaagga ccatatcata ttcactcttg catccctggc 1380
acatgcatga gacataagta cttataaat gcagttgaat ggataatgat tagtgttatt 1440
tatggattag aaaaagcatg tttctattta agtaagctgt aaaaagtatt attgaatatt 1500
tactgtaaat atatgttcac ataaaaaaat aacttggagg gtctttgtgt ccctggcata 1560
ttatcatctt catggaaaga atccactgtg gttctgttag agtgattgga aaaatggatt 1620
attttgagga ttgaagaaag tgttctttct gcgttgtcac tttgttcaac agtaaaactt 1680
tattctcagt gttcctactc tgcattgttt acatttttga cagttttttt tratcaccta 1740
caatctgtaa agaattgtata tattcttttc agcatctcag tttgaaaaga catgcagtta 1800
aacttgacct tttgataatc gctcttacag gtcattgtct gttctaacag caaattgtaa 1860
acatgtgctt catagatatt gtggtcttca gtcactactt tgtcctatgg tattttattga 1920
atgttcacat actaatggtg cacagggtgt tttttctata aatcttctga ctgtcctgta 1980
attcattctt aagctttaac ttgaagggtat cgtaattgcc ggcatttgat gtttagcaat 2040
aaaagaataa atgtgtacca gcattttatg tttaaaaaaa aaaaaaaaaa actcgagact 2100
agtctctct 2109

```

<210> 346

<211> 1714

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (21)

<223> n equals a,t,g, or c

<400> 346

```

caggcgagg cgctcgagg nctttggggc accacagaga tgcgggttg cctgcaatga 60
gatttcattc tctacattta aaggacatcc tttctgagct gctgtgaata aatttggaat 120
ggtactgtat attttcatct aatggagaac tagctgtact ttgaataagg attgctgcac 180
tggaagcagat tggcctggac cagatctggg acgacctcag agccggcatc cagcagggtgt 300
acacacggca gagcatggcc aagtccagat atatggagct ctacactcat gtttataact 360
actgtactag tgttcaccag tcaaaccaag cacaggagc tggagttcct ccttctaagt 420
cgaaaaaggg gcagacacct ggaggagctc agtttgttgg cctggaatta tataaacgac 480
ttaaggaatt tttgaagaat tacttgacaa atcttcttaa ggatggagaa gatttgatgg 540
atgagagtgt actgaaattc tacactcaac aatgggaaga ttatcgattt tcaagcaaa 600
tgctgaatgg aatttgtgcc tacctcaata gacattgggt tcgccgtgaa tgtgacgaag 660
gacgaaaagg aatatatgaa atctattcgc ttgcattggt gacttggaga gactgtctgt 720
tcaggccact gaataaacag gtaacaaatg ctgttttaaa gctgattgaa aaggaaagga 780
atggtgaaac catcaataca agattgatta gtggagttgt acagtcttac gtggaattgg 840
ggctgaatga agatgatgca tttgcaaagg gccctacgtt aacagtgtat aaagaatcct 900
ttgaatctca atttttggct gacacagaga gattttatac cagagagagt actgaattct 960
tgacgcagaa cccagttact gaatatatga aaaaggcaga ggctcgtctg cttgagggaac 1020
aacgaagagt tcaggtttac cttcatgaaa gcacacaaga tgaattagca aggaaatgtg 1080

```

```

aacaagtcct cattgaaaa cacttgga aa tttccacac agaatttcag aattttattgg 1140
atgctgacaa aaatgaagat ttgggacgca tgtataatct tgtatctaga atccaggatg 1200
gcctaggaga attgaaaaaa ctggttgaga cacacattca taatcagggg ctgagagcca 1260
ttgaaaagtg tggagaagct gctttaaatg accccaaaat gtatgtacag acagtgccttg 1320
atgttcataa aaaatacaat gccctggtaa tgtctgcatt caacaatgac gctggccttg 1380
tggctgctct tgataaggct tgtggctcgt tcataaaca caacgcgggt accaagatgg 1440
cccaatcatc cagtaaattcc cctgagttgc tggctcgata ctgtgactcc ttgttgaaga 1500
aaagttccaa gaaccagag gaggcagaac tagaagacac actcaatcaa gtgatgggtg 1560
tcttcaagta catagaagac aaagacgtat ttcagaagtt ctatgcgaag atgctcgcca 1620
agaggctcgt ccaccagaac agtgcaagt acgatgccga agccagcatg atctccaagt 1680
taaagcaagc ttgcgggttc gactacacct ctaa 1714

```

<210> 347

<211> 1672

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1667)

<223> n equals a,t,g, or c

<400> 347

```

cgatgtctta ttgtgatgag tctcgactgt caaatcttct tcggaggatc acccggaar 60
acgacmgaga cygaagattg gyyactgtaa agcagttgaa agaatttatt cagcaaccag 120
aaaataagct ggtactagtt aaacaattgg atatcttggc tgctgyacat gatgtgctta 180
atgaaaagtag caaattgctt caggagttga gacaggaggg agcttgctgt ctyggccttc 240
tttgtgcttc tctgagctat gaggtgaga agatcttcaa gtggattttt agcaaattta 300
gctcatctgc aaaagatgaa gttaaactcc tctacttatg tgccacctac aaagcactag 360
agactgtagg agaaaagaaa gccttttcat ctgtaatgca gcttgtaatg accagcctgc 420
agtcaattct tgaaaatgtg gatacaccag aattgctttg caaatgtgtt aagtgcattc 480
ttttggtggc tcgatgttac cctcatattt tcagcrtaa ttttagggat acagttgata 540
tattagttgg atggcataga gatcatactc agaaaccttc gctcacgcag caggatatctg 600
ggtggttgca gagtttgagg ccattttggg tagctgatct tgcatctcct acgactcttc 660
ttggtcagtt tctagaagac atggaagcat atgctgagga cctcagccat gtggcctctg 720
gggaatcagt ggatgaagac gtccctctc catcagtgtc atyaccaaag ctggctgcgc 780
ttctccgggt atttagtact gtggtgagga gcaytgggga amgcytcagc ccaattcggg 840
ycctccaatt actgagcat acgtaacaga tgttctgtac agagtaatga gatgtgtgac 900
ggctgcaaac cagggtgtttt tttctgaggc tgtgttgaca gctgctaag agygtgttgg 960
tgttttgctc ggcagcttgg atcctagcat gactatacat tgtgacatgg tcattacata 1020
tggtatagac caactggaga attgccagac ttgtggtacc gattatatca tctcagctct 1080
gaatttactc acgtgattg ttgaacagat aaatacga aa ctgccatcat catttgtaga 1140
aaaactgttt ataccatcat ctaaactact attcttgcgt tatcataaag aaaaagaggt 1200
tgttgctgta gcccatgctg tttatcaagc aatgctcagc ttgaagaata ttcctgtttt 1260
ggagactgcc tataagttaa tattgggaga aatgacttgt gccctaaaca acctcctgca 1320
cagtctgcaa ctctctgagg cctgttctga aataaaacat gaggttttta agaatcatgt 1380
gttcaatgta gacaatgcaa aatttgtagt taaatttgac ctgagtgccc tgactacaay 1440
tgaaaatgcc aaaaactcga gtcttttaatt gtaatgactt tgttttatcc acagttaagc 1500
cttttctcat tacatattta tgtatttcac tgtcatgtca acatgtctgc agaactcactg 1560
tatgtaacaa acagccatat ttaagacatg cctggataaa taaaattggg aggaatgttt 1620
tcttgccatt ataaaaaaaa aaaaaaaaaa aaaaaaaagg ggggcncccc tt 1672

```

<210> 348  
<211> 1483  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (19)  
<223> n equals a,t,g, or c

<400> 348  
ccgcgggcgc ggcgcgggna ggcgaccatg cgcggcgcgc ggcgcgaccc gcggccggcg 60  
gcgcgtgggt cccgggacct gaaccgcgcg cgggacatct cctcctggct ggcccagtg 120  
ttccctagaa cccagccag gtccgtgggt gccctgaaga ccccatcaa ggtggagctg 180  
gtggcaggga aaacctacag gtggtgtgtg tgtggccgca gcaagaagca gcccttctgt 240  
gacggctccc acttcttcca acgcactggc ctatctccac tcaagttcaa ggcccaagag 300  
acccgcatgg tggcactctg tacctgcaag gccactcaga ggcccccgta ctgcgatggc 360  
acccacagga gtgagcgcgt gcagaaggca gaagtgggct cccactctg agggggctgc 420  
tgctgtccag ccacaggtgg ccttggctcc aggcctctga caggcaccct cttctgtggg 480  
aaaggaaaca ggtgctgagc ccaagagact ctggtaccca ctgctggctc atgaaggaa 540  
aattattcct tataacctaa aagtctccag tctggggcag gcgggagtg ggcctggttc 600  
aatgtttgct gatggggaag atggcaaaaa caagcctgcc caaccagact ggtagtcctg 660  
cagtcactgc tatgaggccc atgtgctgcc tcctgctcca gattttaacc tctctgtggg 720  
ctgggggcac ctgaccagcc acaggagagg gcagttcaga ttcattctgt atggggctcc 780  
caagccaggc taaccacaga gatgagaggc acccttccct tcttccctcc accccaaaga 840  
actacaggct ccagaaagta tgcagcattt attacaaagc caagagatac agatgtccca 900  
gggcaaagga ggttacagtc acaggacctc agacacagga caaggtgcaa acacagacaa 960  
gcccacagc gggctcccaa cccacacac ctacgctatg atggaatctc gagtctcgac 1020  
tcccagactc tctcagatct atgcacactt gaggaaatct cggtgggcag cgacctgcc 1080  
gggtctgtcc ctaaggagggt ggtccgctga cctctcaagg ggtgggggtg ggtcagagc 1140  
ttacagggtt ctgtcttctt gtgcttttag atgcagttgc tctgtcctga ccaggtgacc 1200  
gggcctcagc tgggggtgga ggggcaattg gaaggctgtt tgcctctggc aaagtctggg 1260  
atctgtgctt gtgtgagggt aaccacccc cacttccact ctaggcccca ggtgagactc 1320  
caccaccagt cctgctagtg agggttcccc ggtgagggtg aggttggtgg ggtgagcgc 1380  
cttcacaatg ctaaagcctt agccctctc caagagctga gacctctcag ggcctgaatc 1440  
ttcttttcca caagataaat gatgcaaagg ccacacacac agg 1483

<210> 349  
<211> 1842  
<212> DNA  
<213> Homo sapiens

<400> 349  
aatatwtgta ttttttgatc ctwtgaacct gaaaagggtc agaaggatgc ccagacatca 60  
gcctccttct ttcacccctt accccaaaga gaaagagttt gaaactcgag accataaaga 120  
tattcttttag tggaggctgg atgtgcatta gcctggatcc tcagttctca aatgtgtgtg 180  
gcagccagga tgactagatc ctgggtttcc atccttgaga ttctgaagta tgaagtctga 240  
gggaaaccag agtctgtatt tttctaaact ccctggctgt tctgatcggc cagttttcgg 300  
aaacactgac ttaggtttca ggaagttgcc atgggaaaca aataatttga actttggaac 360  
aggggttgaa ttcaaccacg cagggaagcct actattttaa tccttggtct cagggttagtg 420



```

acatttaatg ccatctagct agcaattgcg accttaattt aactttccag tcttagctga 480
ggctgagaaa gctaaagttt ggttttgaca ggttttccaa aagtaaagat gctacttccc 540
actgtatggg ggagattgaa ctttccccgt ctcccgctctt ctgcctccca ctccataccc 600
cgccaaggaa aggcattgtac aaaaattatg caatttcagt ttccaagtct ctgtgtaacc 660
agctcagtggt tttgggtggaa aaaacatttt aagttttact gataatttga ggtagatgg 720
gaggatgaat tgtcacatct atccacactg tcaaacagggt tgggtgggt tcattggcat 780
tctttgcaat actgcttaat tgetgatacc atatgaatga aacatgggct gtgattactg 840
caatcactgt gctatcggca gatgatgctt tggaagatgc agaagcaata ataaagtact 900
tgactaccta ctggtgtaat ctcaatgcaa gcccactt tcttatccaa ctttttcata 960
gtaagtgcga agactgagcc agattggcca attaaaaacg aaaacctgac taggttctgt 1020
agagccaatt agacttgaaa tacgtttgtg tttctagaat cacagctcaa gcattctgtt 1080
tatcgctcac tctcccttgt acagccttat tttgttggtg ctttgcatth tgatattgct 1140
gtgagccttg catgacatca tgaggccgga tgaaacttct cagtccagca gtttccagtc 1200
ctaacaatg ctcccacctg aatttgtata tgactgcatt tgtgggtgtg tgtgtgtttt 1260
cagcaaattc cagatttgtt tccttttggc ctccctgcaa gtctccagaa gaaaatttgc 1320
caatctttcc tactttctat ttttatgatg acaatcaaag ccggcctgag aaacactatt 1380
tgtgactttt taaacgatta gtgatgtcct taaaatgtgg tctgccaatc tgtacaaaat 1440
ggcctatatt ttgtgaagag ggacataaga taaaatgatg ttatacatca atatgtatat 1500
atgtatttct atatagactt ggagaatact gccaaaacat ttatgacaag ctgtatcact 1560
gccttcgttt atattttttt aactgtgata atccccacag gcacattaac tgttgcaatt 1620
ttgaatgtcc aaaatttata ttttagaat aataaaaaga aagatactta catgttccca 1680
aaacaatggt gtggtgaatg tgtgagaaaa actaacttga taggggtctac caatacaaaa 1740
tgtattacga atgcccctgt tcatgttttt gttttaaaac gtgtaaatga agatctttat 1800
atttcaataa atgatatata attttaaagtt aaaaaaaaaa ga 1842

```

<210> 350

<211> 3008

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (9)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (59)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (65)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1307)

<223> n equals a,t,g, or c

<400> 350

```

acagcatcnt taggaaacct aaggtagaga atccccccag agagcctggc aagggaaatnt 60
cgagncacga agagttttct caacccaagg aggccagaca gagggacgtg gtcactctct 120
gaaaagttca acttgagaga caaaatgcag tggacctccc tcctgctgct ggcagggctc 180
ttctccctct cccaggccca gtatgaagat gacctctatt ggtggttcca ctacctccgc 240
agccagcagt ccacctacta cgatccctat gaccttacc cgtatgagac ctacgagcct 300
taccctatg ggttgatga agggccagcc tacacctacg gctctccatc ccctccagat 360
ccccgcgact gccccagga atgcgactgc ccaccaact tccccacggc catgtactgt 420
gacaatcgca acctcaagta cctgcccttc gttccctccc gcatgaagta tgtgtacttc 480
cagaacaacc agatcacctc catccaggaa ggcgtctttg acaatgccac agggctgctc 540
tggattgctc tccacggcaa ccagatcacc agtgataagg tgggcaggaa ggtcttctcc 600
aagctgaggc acctggagag gctgtacctg gaccacaaca acctgaccgg gatgccgggt 660
ccccgcctc gatccctgag agagctccat ctgaccaca accagatctc acgggtcccc 720
aacaatgctc tggaggggct ggagaacctc acggccttgt acctccaaca caatgagatc 780
caggaaagtgg gcagttccat gaggggcctc cggtcactga tcttgtctga cctgagttat 840
aaccaccttc ggaaggtgcc tgatgggctg ccctcagctc ttgagcagct gtacatggag 900
cacaacaatg tctacaccgt ccccgatagc tacttccggg gggcgcccaa gctgctgtat 960
gtgcggctgt cccacaacag tctaaccaac aatggcctgg cctccaacac cttcaatttc 1020
agcagcctcc ttgagctaga cctctcctac aaccagctgc agaagatccc cccagtcaac 1080
accaacctgg agaacctcta cctccaaggc aataggatca atgagttctc catcagcagc 1140
ttctgcaccg tggtgacgt cgtgaacttc tccaagctgc aggtgctgcg cctggacggg 1200
aacgagatca agcgcagcgc catgcctgcc gacgcgccc tctgcctgcg ccttgccagc 1260
ctcatcgaga tctgagcagc cctggcaccg ggtactgggc ggaaranccc ccgtggcatt 1320
tggcttgatg gtttggtttg gcttttgctg gaaggtccag gatggacct gtgacagaag 1380
tccacgggca ccctctgtag tcttctttcc tgtaggtggg gttagggggg gcgatcaggg 1440
acaggcagcc ttctgctgag gacataggca gaagctcact cttttccagg gacagaagtg 1500
gtggtagatg gaaggatccc tggatgttcc aaccccataa atctcacggc tcttaagttc 1560
ttcccaatga tctgaggtca tggaaactca aaagtggcat gggcaatagt atataacct 1620
acttttctaa caatccctgg ctgtctgtga gcagcacttg acagctctcc ctctgtgctg 1680
ggctggtcgt gcagttactc tgggctccca tttgttgctt ctcaaatat acctcttgcc 1740
cagctgcctc ttctgaaatc cacttcaccc actccacttt cctccacaga tgctcttct 1800
gtgccttaag cagagtcagg agaccccaag gcatgtgagc atctgcccag caacctgtgg 1860
agacaacca cactgtgtct gagggtgaaa ggacaccagg agtcacttct atacctccct 1920
aacctcacc ctggaaagcc accagattgg aggtcaccag catgatgata atattcatga 1980
cctgatgtgg gaggagacag ccaacctcag gcttagatca atgtatagg ctatatattg 2040
gcagctgggt agctctttga aggtggataa gacttcagaa gaggaaaggc cagactttgc 2100
ttaccatcag catctgcaat gggccaaaaca cacctcaaat tggctgagtt gagaaagcag 2160
ccccagtagt tccattcttg cccagcactt tctgcattcc aaacagcatc ctacctgggt 2220
ttttatccac aaaggtagcg gccacatggt ttttaaagta tgagaaacac agtttgtcct 2280
ctccttttat ccaagcagga agattctata tcctgatggg agagacagac tccaggcagc 2340
cctggacttg ctagcccaaa gaaggaggat gtggttaatc tgtttcacct ggtttgtcct 2400
aaggccatag ttaaaaagta ccagctctgg ctgggggtccg tgaagcccag gccaggcagc 2460
caaatcttgc ctgtgctggg catacaaccc tctgctttca catctctgag ctatatcctc 2520
attagtgaag gtggcttttg ctttatagtt tggctgggga gcacttaatt ctcccatctt 2580
caaaaggtaa tgttgcttg ggcttaaccc acctgcctt tgggcaagggt tgggacaaag 2640
ccatctgggc agtcaggggc aaggactgtt ggaggagagt tagcccaagt atagctctgc 2700
ccagatgcc tcatccct gatactgtgt atgctttgaa gcaccttccc tgagaaggga 2760
agaggggatc tttggactas gttcttggtt ccagacctgg aatccacaaa agccaaacca 2820
gctcatttca acaaaggagc tccgatgtga gggcaaggct gccccctgcc ccagggtctt 2880
tcagaaagca tctgcatgtg aacaccatca tgcctttata aaggatcctt attacaggaa 2940
aagcatgagt ggtggctaac ctgaccaata aagttatttt atgattgcaw mwaaaaaaaa 3000
aaaaaaaaa 3008

```

<210> 351  
<211> 2756  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1597)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (2540)  
<223> n equals a,t,g, or c

<400> 351  
gtcggctgtg acggccttca gcgagggcag cgtcatcgcc tactactggt ctgagttcag 60  
catcccgag cacctgggtg aggaggccga gcgcgcatg gccgaggagc gcgtagtcat 120  
gctgcccccg cgggcgcgct ccctgaagtc ctttgtggtc acctcagtgg tggctttccc 180  
cacggactcc aaaacagtac agaggaccca ggacaacagc tgcagctttg gcctgcacgc 240  
ccgcggtgtg gagctgatgc gttcaccac gcccggttc cctgacagcc cctacccgc 300  
tcatgcccgc tgccagtggg ccctgcgggg ggacgccgac tcagtgtga gcctcacctt 360  
ccgcagcttt gaccttgctt cctgcgacga gcgcggcagc gacctggtga cgggtgtacaa 420  
caccctgagc cccatggagc cccacgccct ggtgcagttg tgtggcacct accctccctc 480  
ctacaacctg accttccact cctcccagaa cgtcctgctc atcacactga taaccaacac 540  
tgagcggcgg catcccggtt ttgaggccac cttcttccag ctgcctagga tgagcagctg 600  
tggaggccgc ttacgtaaag ccaggggac attcaacagc ccctactacc caggccacta 660  
cccaccaaac attgagtga catggaacat tgaggtgccc aacaaccagc atgtgaaggt 720  
gcgcttcaaa ttcttctacc tgctggagcc cggcgtgcct gcgggcacct gccccaagga 780  
ctacgtggag atcaaygggg agaaatactg cggagagagg tcccagttcg tcgtcaccag 840  
caacagcaac aagatcacag ttgccttcca ctcatagcag tcctacaccg acaccggctt 900  
cttagctgaa tacctctcct acgactccag tgacccatgc ccggggcagt tcacgtgccg 960  
cacggggcgg tgtatccgga aggagctgag ctgtgatggc tggggccgact gcaccgacca 1020  
cagcgatgag ctcaactgca gttgcgacgc cggccaccag ttcacgtgca agaacaagtt 1080  
ctgcaagccc ctcttctggg tctgcgacag tgtgaacgac tgcrgagaca acagcgacga 1140  
gcaggggtgc agttgtccgg ccagacctt caggtgttcc aatgggaagt gcctctcgaa 1200  
aagccagcag tgcaatggga aggacgactg tggggacggg tccgacgagg cctcctgccc 1260  
caagggtgaac gtcgtcactt gtaccaaaca cacctaccgc tgcttcaatg ggctctgctt 1320  
gagcaagggc aaccctgagt gtgacgggaa ggaggactgt agcgacggct cagatgagaa 1380  
ggactgcgac tgtgggctgc ggtcattcac gagacaggct cgtgttgttg ggggcacgga 1440  
tgccgatgag ggcgagtggc cctggcaggt aagcctgcat gctctgggac agggcacatc 1500  
tkgcggtgct tccctcatct ctcccaactg gctggtctct gccgcacact gctacatcga 1560  
tgacagagga ttcaggtact cagacccac gcagtgnaag gccttcctgg gcttgacga 1620  
ccagagccag cgcagccycc tggggtgcag gagcgcaggc tcaagcgcat catctcccac 1680  
cccttcttca atgacttcac cttcgactat gacatcgcg tgctggagct ggagaaaccg 1740  
gcagagtaca gtcctatggt gcggccatc tgctgcccgc acgcctccca tgtcttccct 1800  
gccggcaagg ccatctgggt cacgggctgg ggacacaccc agtatggagg cactggcgcg 1860  
ctgatcctgc aaaaggggtga gatccgcgtc atcaaccaga ccacctgcga gaacctctg 1920  
ccgcagcaga tcacgccgcg catgatgtgc gtgggcttcc tcagcggcgg cgtggactcc 1980  
tgccagggtg attccggggg acccctgtcc agcgtggagg cggatgggag gatcttccag 2040

```

gccggtgtgg tgagctgggg agacggctgc gctcagagga acaagccagg cgtgtacaca 2100
aggctccctc tgtttcggga ctggatcaaa gagaacactg gggatatagg gccggggcca 2160
cccaaatgtg tacacctgcg gggccacca tcgtccacc cagtgtgcac gcctgcaggc 2220
tgagactgg accgctgact gcaccagcgc cccagaaca tacactgtga actcaatctc 2280
cagggtcca aatctgccta gaaaacctct cgcttcctca gcctccaaag tggagctggg 2340
aggtagaagg ggaggacact ggtggttcta ctgaccaac tgggggcaa ggtttgaaga 2400
cacagcctcc cccgccagcc ccaagctggg ccgaggcgcg tttgtgyata tctgcctccc 2460
ctgtctstaa ggagcagcgg gaacggagct tcggrgcctc ctcaagtgaag gtggtggggc 2520
tgccggatct gggctgtggn gcccttgggc cacgctcttg aggaagcca ggctcggagg 2580
accctggaaa acagacgggt ctgagactga aattgtttta ccagctccca gggaggactt 2640
cagtgtgtgt atttgtgtaa atgagtaaaa cattttattt ctttttaaaa aaaaaaaaaa 2700
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaa 2756

```

<210> 352

<211> 1645

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (97)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1574)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1596)

<223> n equals a,t,g, or c

<400> 352

```

cgcgtccgcc caccgctccg cccacgcgtc cggaaaaata ttctttgaat aaccttgcag 60
tactatattt caattttctt ataaatttaa gtgcatntta actcataatt gtacactata 120
atataagcct aagtttttat tcataagttt tattgaagtt ctgatcggtc cccttcagaa 180
atttttttat attattcttc aagttaactt cttatttata ttgtatgtgc attttatcca 240
ttaatgtttc atactttctg agagtataat acccttttaa aagatatttg gtataccaat 300
acttttcctg gattgaaaac tttttttaa ctttttaaaa tttgggccac tctgtatgca 360
tatgtttggt cttgttaaag aggaagaaag gatgtgtgtt atactgtacc tgtgaatggt 420
gatacagtta caatttatth gacaagggtg taattctaga atatgcttaa taaaatgaaa 480
actggccatg actacagcca gaactgttat gagattaaca tttctattga gaagcttttg 540
agtaaaagta tgatattgtt catgaagatg actgagatgg taacacttcg tgtagcttaa 600
ggaaatgggc agaatttcgt aaatgctgtt gtgcagatgt gttttccctg aatgctttcg 660
tattagtggc gaccagtttc tcacagaatt gtgaagcctg aaggccaaga ggaagtcact 720
gttaaaggac tctgtgccat cttacaacct tggatgaatt atcctgccaa cgtgaaaacc 780
tcatgttcaa agaacacttc ccttttagccg atgtaactgc tggttttgtt tttcatatgt 840
gtttttctta cactcatttg aatgctttca agcatttgta aacttaaaaa atgtataaag 900
ggcaaaaagt ctgaaccctt gttttctgaa atctaatacag ttatgtatgg tttctgaagg 960
gtaattttat tttggaatag gtaaaggaaa cctgttttgt ttgtttttcc tgagggctag 1020

```

atgcattttt tttctcacac tettaatgac ttttaacatt tatactgagc atccatagat 1080  
atattcctag aagtatgaga agaattattc ttattgacca ttaatgtcat gttcatttta 1140  
atgtaataata attgagatga aatgttctct gggtggaaca gatactctct tttttttctt 1200  
gcaatcttta agaatacata gatctaaaat tcattagctt gacctctcaa agtaactttt 1260  
aagtaaagat taaagctttt cttctcagtg aatatactctg ctagaaggaa atagctggga 1320  
agaatttaat gatcaggga attcattatt tctatatgtg gaaacttttt gcttcgaata 1380  
ttgtatcttt ttaaactctaa atgttcata ttttcctgaa gaaaccactg tgtaaaaatc 1440  
aaattttaat tttgaatgga ataatttcaa agaactatga agatgatttg aagctctaata 1500  
ttatatagtc acctataaaa tgttctttat atgtgttcat aagtaaattt tatattgatt 1560  
aagtaaact tttngaattg gatttgagga gcagtnaaaa tgaaagctat atctattctr 1620  
aaaccttrtt taagaccatt tgggg 1645

<210> 353

<211> 1637

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (738)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (771)

<223> n equals a,t,g, or c

<400> 353

gcccgtgag gacgcagcgt cactgacctg gggagtcgag attcgtgccg gccggtcctg 60  
gttctccggt cccgcgcgtc ccgcagcagc catgtcgttc ttcccggagc ttacttttaa 120  
cgtggacaat ggctacttgg agggactggg gcgcggcctg aaggccgggg tgctcagcca 180  
ggccgactac ctcaacctgg tgcagtgcga gacgctagag gaactgaaac tgcatctgca 240  
gagcactgat tatggtaact tcctggccaa cgaggcatca cctctgacgg tgtcagtcac 300  
cgatgaccgg ctcaaggaga agatgggtgt ggagttccgc cacatgagga accatgccta 360  
tgagccactc gccagcttcc tagacttcat tacttacagt tacatgatcg acaacgtgat 420  
cctgctcatc acaggcacgc tgcaccagcg ctccatcgct gagctcgtgc ccaagtgcga 480  
cccactaggc agcttcgagc agatggaggc cgtgaacatt gctcagacac ctgctgagct 540  
ctacaatgcc attctggtgg acacgcctct tgcggctttt ttccaggact gcatttcaga 600  
gcaggacctt gacgagatga acatcgagat catccgcaac accctctaca aggcctacct 660  
ggagtccctc tacaagttct gcaccctact gggcgggact acggctgatg ccatgtgccc 720  
catcctggag tttscangc agaccgtgcc aagctcttcc cacactgtgg ncggctctac 780  
cctgagggcc tggcgcastg gctcgggctg acgactatga acaggtcaag aacgtggccc 840  
attactaccc ggagtacaag ctgctcttcg aggggtcagg tagcaaccct ggagacaaga 900  
cgctggagga ccgattcttt gagcacgagg taaagctgaa caagttggcc ttctgaacc 960  
agttccactt tgggtgtctc tatgccttcg tgaagctcaa ggagcaggag tgtcgcaaca 1020  
tcgtgtggat cgctgaatgt atcgcccagc gccaccgcgc caaaatcgac aactacatcc 1080  
ctatcttcta gcgtcctggc ccaaggtctc caattgcact ctttgtgtgt gtgtgtgtgt 1140  
gtgtgcgcgt gtgtgtgcgt gtgtgtgtat gtgtgtgtgt acaagcctgt ggctcacctg 1200  
cctgtccggg gtgtagtacg ctgtcctagc ggctgccag ttctcctgac cctcttagag 1260  
actgttctta ggcctgaaaa ggggctgggc accccccccc accaaggatg gacgaagacc 1320  
ccctccagag caaggaggcc ccctcagccc tgtggttaca gccgctgatg tatctaagaa 1380

```
gcattgtcact ttcatgttcc tccctaactc cctgacctga gaaccctggg gcctgggggc 1440
agtttgagcc tcctctccct tctgtgggtc gctcccagag ccatggccca tgggaaggac 1500
agagtgtgtg tgtccttggg gcctgggggg atgttgctcc tcagctccct ccctcagccc 1560
tgccccctctg agacaataaa actgccctct ctaaggccaa aaaaaaaaaa aaaaaaaaaa 1620
aaaaaaaaaa aaaaaaa 1637
```

<210> 354

<211> 1119

<212> DNA

<213> Homo sapiens

<400> 354

```
cggcacgagc ccgcgccccg cgaggtccg ggggtctcggg cttccgcctt ctgtctgcc 60
tcgttcttgc crgggccgcg gttagtccct gctggccacc ccactgcgac catgttcgtt 120
ccctgcgggg agtcggcccc cgaccttgcc ggcttcaccc tcctaattgcc agcagtatct 180
gttgaaatg ttggccagct tgcaatgat ctgattattt ctacactgaa tatgtctaag 240
attggttact tctataccga ttgtcttctg ccaatgggtg gaaacaatcc atatgcgacc 300
acagaaggaa attcaacaga acttagcata aatgctgaag tgtattcatt gccttcaaga 360
aagctggtgg ctctacagtt aagatccatt tttattaagt ataaatcaa gccattctgt 420
gaaaaactgc tttcctgggt gaaaagcagt ggctgtgcca gagtcattgt tctttcragc 480
agtcattcat atcagcgtaa tgatctgcag cttcgtagta ctcccttcg gtacctactt 540
acacctcca tgcaaaaaag tgttcaaaat aaaataaaga gccttaactg ggaagaaatg 600
gaaaaaagcc ggtgcattcc tgaaatagat gattccgagt tttgtatccg cattccggga 660
ggaggtatca caaaaacact ctatgatgaa agctgttcta aagaaatcca aatggcagtt 720
ctgctgaaat ttgtttcaga aggggacaac atcccagatg cattaggtct tgttgagtat 780
cttaatgagt ggcttcagat actcaaacca cttagcgatg accccacagt atctgcctca 840
cgggtgaaaa taccaggttc ttggagatta ctctttggca gtggtcttcc ccctgcactt 900
ttctgatcta atttctgttt tataccttat acccaaaaca cttactacca acacagctgt 960
taaacattct atacaaaaaa attgtatgat ctggtattag gaaattactt tcacagtaaa 1020
tatcaaagaa aaaagattaa rggctctctt gccatgcttt tcatcatatg caccaaattg 1080
aaattttgta cctcggccgc gaccacgcta agccgaatt 1119
```

<210> 355

<211> 738

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (654)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (689)

<223> n equals a,t,g, or c

<400> 355

```
ggcacgaggg acttgctgct ggctgccgcc gccgccactg gaaagctgaa atccttcgcc 60
cggaaattca tcaatttgaa tgaattcaca acctatggca gcgargaaag caccaaaccg 120
gcctccgtcc gggccctgct gtttgamatc tccttcctca tgctgtgcca tgtggcccag 180
```

<210> 351  
<211> 2756  
<212> DNA  
<213> Homo sapiens  
  
<220>  
<221> misc feature  
<222> (1597)  
<223> n equals a,t,g, or c  
  
<220>  
<221> misc feature  
<222> (2540)  
<223> n equals a,t,g, or c

<400> 351  
gtcggctgtg acggccttca gcgagggcag cgtcatcgcc tactactggt ctgagttcag 60  
catccccgag cacctgggtg aggaggccga gcgcgtcatg gccgaggagc gcgtagtcat 120  
gctgcccccg cgggcgcgct ccctgaagtc ctttgtggtc acctcagtgg tggttttccc 180  
cacggactcc aaaacagtac agaggacca ggacaacagc tgcagctttg gcctgcacgc 240  
ccgcggtgtg gagctgatgc gcttcaccac gcccggttc cctgacagcc cctaccccg 300  
tcatgcccgc tgccagtggg ccctgcgggg ggacgccgac tcagtgtga gcctcacctt 360  
ccgagctttt gaccttgctg cctgacgacg gcgcggcagc gacctggtga cgggtgtaca 420  
caccctgagc cccatggagc cccacgccct ggtgcagttg tgtggcacct accctccctc 480  
ctacaacctg accttccact cctcccagaa cgtcctgctc atcacactga taaccaacac 540  
tgagcggcgg catcccggtt ttgaggccac cttcttccag ctgcctagga tgagcagctg 600  
tgaggccgcg ttacgtaaag cccaggggac attcaacagc ccctactacc caggccacta 660  
cccaccaaac attgagtga catggaacat tgaggtgccc aacaaccagc atgtgaaggt 720  
gcgcttcaaa ttcttctacc tgctggagcc cggcggtgct gcgggcacct gcccgaagga 780  
ctacgtggag atcaaygggg agaaatactg cggagagagg tcccagttcg tcgtcaccag 840  
caacagcaac aagatcacag ttcgcttcca ctcagatcag tcctacaccg acaccggctt 900  
cttagctgaa tacctctcct acgactccag tgacccatgc ccggggcagt tcacgtgccg 960  
cacggggcgg tgtatccgga aggagctgcg ctgtgatggc tggggcgact gcaccgacca 1020  
cagcgatgag ctcaactgca gttgcgacgc cggccaccag ttcacgtgca agaacaagtt 1080  
ctgcaagccc ctcttctggg tctgcgacag tgtgaacgac tgcrgagaca acagcgacga 1140  
gcaggggtgc agttgtccgg cccagacctt cagggtgttc aatgggaagt gcctctcgaa 1200  
aagccagcag tgcaatggga aggacgactg tggggacggg tccgacgagg cctcctgccc 1260  
caaggtgaac gtcgtcactt gtaccaaaca cacctaccgc tgccatcatg ggctctgctt 1320  
gagcaagggc aacctgagt gtgacgggaa ggaggactgt agcgacggct cagatgagaa 1380  
ggactgcgac tgtgggctgc ggtcattcac gagacaggct cgtgttgttg ggggcacgga 1440  
tgcggtatgag ggcgagtggc cctggcaggt aagcctgcat gctctggggc agggcacatc 1500  
tkgcggtgct tccctcatct ctcccaactg gctggtctct gccgcacact gctacatcga 1560  
tgacagagga ttcaggtact cagacccac gcagtgacg gccttctctg gcttgacga 1620  
ccagagccag cgcagccycc tgggggtgag gagcgaggc tcaagcgcat catctcccac 1680  
cccttcttca atgacttcac cttcgactat gacatcgcg tgctggagct ggagaaaccg 1740  
gcagagtaca gctccatggt gcggcccatc tgcctgccgg acgcctccca tgtcttccct 1800  
gccggcaagg ccatctgggt cacgggctgg ggacacaccc agtatggagg cactggcgcg 1860  
ctgatcctgc aaaagggtga gatccgcgtc atcaaccaga ccacctgcga gaacctcctg 1920  
ccgcagcaga tcacgcgcg catgatgtgc gtagggttcc tcagcggcg cgtggactcc 1980  
tgccagggtg attccggggg acccctgtcc agcgtggagg cggatggcg gatcttccag 2040

gccggtgttg tgagctgggg agacggctgc gctcagagga acaagccagg cgtgtacaca 2100  
aggctccctc tgtttcggga ctggatcaaa gagaacactg gggatatagg gccggggcca 2160  
cccaaatgtg tacacctgcg gggccacca tcgtccacc cagtgtgcac gcctgcaggc 2220  
tgagactgg accgctgact gcaccagcgc cccagaaca tacactgtga actcaatctc 2280  
cagggtcca aatctgccta gaaaacctct cgcttcctca gcctccaaag tggagctggg 2340  
aggtagaagg ggaggacact ggtggttcta ctgaccacac tgggggcaaa ggtttgaaga 2400  
cacagcctcc cccgccagcc ccaagctggg ccgaggcgcg tttgtgyata tctgcctccc 2460  
ctgtctstaa ggagcagcgg gaacggagct tcggrgcctc ctcaagtgaag gtggtggggc 2520  
tgccgatct gggctgtggn gcccttgggc cacgctcttg aggaagccca ggctcggagg 2580  
accctgaaa acagacgggt ctgagactga aattgtttta ccagctccca ggggtggactt 2640  
cagtgtgtgt atttgtgtaa atgagtaaaa cattttattt ctttttaaaa aaaaaaaaaa 2700  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaa 2756

<210> 352

<211> 1645

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (97)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1574)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1596)

<223> n equals a,t,g, or c

<400> 352

cgcgccgccc cagcgcgccc cccacgcgctc cggaaaaata ttctttgaat aaccttgacg 60  
tactatattt caatttcttt ataaatttaa gtgcatntta actcataatt gtacactata 120  
atataagcct aagtttttat tcataagttt tattgaagtt ctgatcgggc cccttcagaa 180  
atttttttat attattcttc aagttacttt cttatttata ttgtatgtgc attttatcca 240  
ttaatgtttc atactttctg agagtataat acccttttaa aagatatttg gtataaccaat 300  
acttttcctg gattgaaaac tttttttaa ctttttaaaa tttgggccac tctgtatgca 360  
tatgtttggt cttgttaaag aggaagaaag gatgtgtgtt atactgtacc tgtgaatggt 420  
gatacagtta caatttattt gacaagggtg taattctaga atatgcttaa taaaatgaaa 480  
actggccatg actacagcca gaactgttat gagattaaca tttctattga gaagcttttg 540  
agtaaagtac tgtatttggt catgaagatg actgagatgg taacacttcg tgtagcttaa 600  
ggaaatgggc agaatttcgt aaatgctgtt gtgcagatgt gttttccctg aatgctttcg 660  
tattagtggc gaccagtttc tcacagaatt gtgaagcctg aaggccaaga ggaagtcact 720  
gttaaaggac tctgtgccat cttacaacct tggatgaatt atcctgccaa cgtgaaaacc 780  
tcatgttcaa agaacacttc ccttttagccg atgtaactgc tggttttggt tttcatatgt 840  
gtttttctta cactcatttg aatgctttca agcatttgta aacttaaaaa atgtataaag 900  
ggcaaaaagt ctgaaccctt gttttctgaa atctaatacag ttatgtatgg tttctgaagg 960  
gtaattttat tttggaatag gtaaaggaaa cctgttttgt ttgtttttcc tgagggctag 1020



```

atgcattttt tttctcacac tcttaatgac ttttaacatt tatactgagc atccatagat 1080
atattcctag aagtatgaga agaattattc ttattgacca ttaatgtcat gttcatttta 1140
atgtaataata attgagatga aatgttctct gggtggaaca gatactctct tttttttctt 1200
gcaatcttta agaatacata gatctaaaat tcattagctt gacccctcaa agtaactttt 1260
aagtaaagat taaagctttt cttctcagtg aatatatctg ctagaaggaa atagctggga 1320
agaatttaat gatcaggga attcattatt tctatatgtg gaaacttttt gcttcgaata 1380
ttgtatcttt ttaaactctaa atgttcatat ttttcctgaa gaaaccactg tgtaaaaatc 1440
aaattttaat tttgaatgga ataatttcaa agaactatga agatgatttg aagctcctaa 1500
ttatatagtc acctataaaa tgttctttat atgtgttcat aagtaaaatt tatattgatt 1560
aagttaaact tttngaattg gatttgagga gcagtnaaaa tgaaagctat atctattctr 1620
aaaccttrtt taagaccatt tggggg 1645

```

&lt;210&gt; 353

&lt;211&gt; 1637

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (738)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (771)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 353

```

gcccgtgag gacgcagcgt cactgacctg gggagtcgcg attcgtgccg gccggtcctg 60
gttctccggt cccgccgctc ccgcagcagc catgtcgttc ttcccgagc tttacttta 120
cgtggacaat ggctacttgg agggactggg gcgcggcctg aaggccgggg tgctcagcca 180
ggccgactac ctcaacctgg tgcagtgcga gacgctagag gacttgaaac tgcatctgca 240
gagcactgat tatggtaact tcctggccaa cgaggcatca cctctgacgg tgtcagtcac 300
cgatgaccgg ctcaaggaga agatgggtgg ggagttccgc cacatgagga accatgccta 360
tgagccactc gccagcttcc tagacttcat tacttacagt tacatgatcg acaacgtgat 420
cctgctcatc acaggcacgc tgcaccagcg ctccatcgct gagctcgtgc ccaagtgcc 480
cccactaggc agcttcgagc agatggaggg cgtgaacatt gctcagacac ctgctgagct 540
ctacaatgcc attctgggtg acacgcctct tgcggctttt ttccaggact gcatttcaga 600
gcaggacctt gacgagatga acatcgagat catccgcaac accctctaca aggcctacct 660
ggagtccttc tacaagttct gcaccctact gggcgggact acggctgatg ccatgtgcc 720
catcctggag tttcaangc agaccgtgcc aagctctttc cacactgtgg ncggtctac 780
cctgagggcc tggcgcastg gctcgggctg acgactatga acaggtcaag aacgtggccg 840
attactaccc ggagtacaag ctgctcttcg aggggtgcagg tagcaaccct ggagacaaga 900
cgctggagga ccgattcttt gagcacgagg taaagctgaa caagttggcc ttcctgaacc 960
agttccactt tgggtgtctc tatgccttcg tgaagctcaa ggagcaggag tgtcgcaaca 1020
tcgtgtggat cgctgaatgt atcgcccagc gccaccgcgc caaaatcgac aactacatcc 1080
ctatcttcta gcgtcctggc ccaaggctct caattgcact ctttgtgtgt gtgtgtgtgt 1140
gtgtgcgcgt gtgtgtgcgt gtgtgtgtat gtggtctgtg acaagcctgt ggctcacctg 1200
cctgtccggg gtgtagtagc ctgtcctagc ggctgcccag ttctcctgac cctcttagag 1260
actgttctta ggccctgaaa ggggctgggc accccccccc accaaggatg gacgaagacc 1320
ccctccagag caaggaggcc ccctcagccc tgtggttaca gccgctgatg tatctaagaa 1380

```

```

gcatgtcact ttcatgttcc tccctaactc cctgacctga gaaccctggg gcctgggggc 1440
agtttgagcc tctctccct tctgtgggtc gctcccagag ccatggccca tgggaaggac 1500
agagtgtgtg tgccttggg gcctgggggg atgttgctcc tcagctccct ccctcagccc 1560
tgccccctctg agacaataaa actgccctct ctaaggccaa aaaaaaaaaa aaaaaaaaaa 1620
aaaaaaaaaa aaaaaaa                                     1637

```

<210> 354

<211> 1119

<212> DNA

<213> Homo sapiens

<400> 354

```

cggcacgagc ccgcgccccg cgaggctccg ggggtctcggg cttccgcctt cttgtgccc 60
tcgttcttgc crgggcgcgc gttagtcctt gctggccacc ccaactgcgac catgttcggt 120
ccctgcgggg agtcggcccc cgaccttgcc ggcttcaccc tcctaagtc agcagtatct 180
gttggaatg ttggccagct tgcaatggat ctgattattt ctacactgaa tatgtctaag 240
attggttact tctataccga ttgtcttgtg ccaatggttg gaaacaatcc atatgcgacc 300
acagaaggaa attcaacaga acttagcata aatgctgaag tgtattcatt gccttcaaga 360
aagctggttg ctctacagtt aagatccatt tttattaagt ataaatcaa gccattctgt 420
gaaaaactgc tttcctgggt gaaaagcagt ggctgtgcca gagtcattgt tctttcragc 480
agtcattcat atcagcgtaa tgatctgcag cttcgtagta ctcccttcgc gtacctactt 540
acaccttcca tgcaaaaaag tttcaaaaat aaaataaaga gccttaactg ggaagaaatg 600
gaaaaagcc ggtgcattcc tgaaatagat gattccgagt tttgtatccg cattccggga 660
ggaggtatca caaaaacact ctatgatgaa agctgttcta aagaaatcca aatggcagtt 720
ctgctgaaat ttgtttcaga aggggacaac atcccagatg cattaggtct tgttgagtat 780
cttaatgagt ggcttcagat actcaaacca cttagcgatg accccacagt atctgcctca 840
cgggtgaaaa taccaagttc ttggagatta ctctttggca gtggtcttcc ccctgcactt 900
ttctgatcta atttctgttt tatacttat acccaaaaca cttactacca acacagctgt 960
taaacattct atacaaaaaa attgtatgat ctggtattag gaaattactt tcacagtaaa 1020
tatcaaagaa aaaagattaa rggctctctt gccatgcttt tcatcatatg caccaaattg 1080
aaattttgta ctcggccgc gaccacgcta agccgaatt                                     1119

```

<210> 355

<211> 738

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (654)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (689)

<223> n equals a,t,g, or c

<400> 355

```

ggcacgaggg acttgctgct ggctgccgcc gccgccactg gaaagctgaa atccttcgcc 60
cggaattcca tcaatttgaa tgaattcaca acctatggca gcgargaaag caccaaaccg 120
gcctccgtcc gggccctgct gtttgamatc tccttctca tgctgtgcca tgtggcccag 180

```

```

acctatgggt caraggtgat tctgtccgag tcgcgcacag gagctgaggt gcccttcttc 240
gagacctgga tgcagacctg catgcctgag gagggcaaga tctgaaccc tgaccacccc 300
tgcttccgcc ccgactccac caaagtggag tccctgggtg ccctgctcaa caactcctcg 360
gagatgaagc tagtgacgat gaagtggcat gaggcctgtc tcagcatctc agccgccatc 420
ttggaaatcc tcaatgcctg ggagaatggg gtcctggcct tcgagtccat ccagaaaatc 480
actgataaca tcaaagggaa ggtatgcagt ctggcggtgt gtgctgtggc ttggcttgtg 540
gccacgtcc ggatgctggg gctggatgag cgtgagaagt cgctgcagat gatccgccag 600
ctggcagggc cactgtttag ygagaacacc ctgcagttct acaatgagag ggtngtgatc 660
atgaactcga tcctgggagc gcatgtgtnc cgacgtgctg cagcagacag ccacgcagga 720
ttcaagtttc cctccaac 738

```

<210> 356

<211> 1966

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (56)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (788)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1753)

<223> n equals a,t,g, or c

<400> 356

```

gaactagtct cgagtttttt ctgtctagct ccgaccggct gaggcggcgc ggcagnggag 60
ggacggcagt ctgcrcggc tactgcagca ctggggtgtc agttgttggg ccgaccaga 120
acgcttcagt tctgtctgct aaggatata aataactgat tgggtgtgcc gttaataaaa 180
agaatatgga aactgaacag ccagaagaaa ccttcctaa cactgaaacc aatggtgaat 240
ttggtaaacy ccctgcagaa gatattggaag aggaacaagc atttaaaaga tctagaaaca 300
ctgatgagat gggtgaatta cgcattctgc ttcagagcaa gaatgctggg gcagtgattg 360
gaaaaggagg caagaatatt aaggctctcc gtacagacta caatgccagt gtttcagtcc 420
cagacagcag tggccccgag cgcattattga gtatcagtgc tgatattgaa acaattggag 480
aaattctgaa gaaaatcatc cctaccttg aagagggcct gcagttgcc acaacctg 540
caaccagcca gctcccgtc gaattctgat ctgtggaatg cttaaattac caactata 600
aaggaagtga ctttgactgc gagttgagc tgttgattca tcagagtcta gcaggaggaa 660
ttattggggc caaaggtgct aaaatcaaag aacttcgaga gaactcaaa accaccatca 720
agcttttcca ggaatgctgt cctcattcca ctgacagagt tgttcttatt ggaggaaaac 780
ccgatagngt tgtagagtgc ataaagatca tccttgatct tatacttgag tctcccatca 840
aaggacgtgc acagccttat gatcccaatt tttacgatga aacctatgat tatggtggtt 900
ttacaatgat gtttgatgac cgtcgcggac gccacgtggg atttcccatg cggggaagag 960
gtggttttga cagaatgcct cctggtcggg gtgggcgtcc catgcctcca tctagaagag 1020
attatgatga tatgagccct cgtcaggag cactccccc tcctcccga cgaggcggc 1080
ggggtggtag cagagctcgg aatcttcctc ttctccacc accaccacct agagggggag 1140

```

```

acctcatggc ctatgacaga agagggagac ctggagaccg ttacgacggc atgggttggt 1200
tcagtgtga tgaaacttgg gactctgcaa tagatacatg gagcccatca gaatggcaga 1260
tggttatga accacagggt ggctccgat atgattattc ctatgcaggg ggctgtggct 1320
catatggtga tcttggtgga cctattatta ctacacaagt aactattccc aaagatttgg 1380
ctggatctat tattggcaaa ggtggtcagc ggattaaaca aatccgtcat gagtcgggag 1440
cttcgatcaa aattgatgag cctttagaag gatccgaaga tcggatcatt accattacag 1500
gaacacagga ccagatacag aatgcacagt atttgctgca gaacagtgtg agcagwtma 1560
gwttagcttt gtgttagctt atacatacta aaacctttaa aaagcttttc ttctcaattg 1620
atTTTTTct tttagaagcc atggtgtctc aaccttttgg ggacctaaact tctaaacatt 1680
ctaatagttt gccttaattt ttcttctgct ttcttactaa aaacgargac attcaatact 1740
aatcttgctt ggnaggaagc cttgaaccaa gcaaacttct gcatttctct ggtgaaaact 1800
gctgccaaaa ccacttggtt aaaattgtac agagcctgta ggaaaatata gaaggttcca 1860
ttgggatgtt ggcctagttc tgtgtgggaa gacttagtgg attttgttt tttttagata 1920
actaaatcgg ccaacaaatc accgttctgg cctatgggac cgggcc 1966

```

<210> 357

<211> 1562

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (16)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (18)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (260)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (262)

<223> n equals a,t,g, or c

<400> 357

```

taccctcgccg cctgcnagnac cggctccggaa ttcccggtc gaccacgcg tccgcatgaa 60
atggaccaat actggggaat tggcagtcgt gccagtggga taaatttggt cacaacagt 120
tttgagggcc cagttcttga tcacaggtat tatgcaggtg gatgctccc gcattacatc 180
ctgaacacga ggtttaggaa gccctacaat gtggaaagct acacgccaca gaccacaggc 240
aaatacgaat tcatattaan anagtatgaa tcatactcag attttgaacg caatgtcaca 300
gagaaaatgg caagcaagtc tggtttcagt tttggtttta aaatacctgg aatatttgaa 360
cttggcatca gtagtcaaag tgatcgaggc aaacactata ttaggagaac caaacgattc 420
tctcactata aaagcgtatt tctgcatgca cgctctgacc ttgaagtagc acattacaag 480
ctgaaacca gaagcctcat gctccattac gagttcctc agagagttaa gcggtgccc 540
ctggagtaca gctacgggga atacagagat ctcttccgtg attttgggac ccactacatc 600

```

```

acagaggctg tgcttggggg catttatgaa tacaccctcg ttatgaacaa agaggccatg 660
gagagaggag attatactct taacaacgtc catgcctgtg ccaaaaatga ttttaaatt 720
gggtggtgcc ttgaagaggt ctacgtcagt ctgggtgtgt ctgtaggcaa atgcagaggt 780
attctgaatg aaataaaaga cagaaacaag agggacacca tgggtggagga cttggtggtc 840
ctggtacgag gaggggcaag tgagcacatc accaccctgg cataccagga gctgccgacg 900
gcggacctga tgcaggagtg gggagacgct gtgcagtaca acccagccat catcaaaagt 960
aaggtggagc ctctgtatga actagtgaac gccacagatt ttgcctattc cagcacagtg 1020
aggcagaaca tgaagcaggc actggaggag ttccagaagg aagttagttc ctgccactgt 1080
gctccctgcc aaggaaatgg agtccctgtc ctgaaaggat cacgctgtga ctgcactctg 1140
cctgttggtg cccaaggcct agcctgtgag gtctcctatc ggaagaatac cccattgat 1200
gggaagtggg attgctggtc aaattggtct tcatgctctg gaagacgtaa gacaagacaa 1260
aggcagtgtg acaatccacc tcctcaaaat gggggtagcc cctgttcagg ccctgcttca 1320
gaaacacttg actgctccta gcagatgata cagcagtggg ctacatacaa tgagagccct 1380
gagccctcaa gaactcaygc cagctcagcc ctacaccagt ttccacctgg agttcatgca 1440
agggcaaaag gcagtgccat gcaagctgtt taaaataaag atgttacctt gtaaaatgca 1500
agttgattta aataaatact gagttaaagg ctttaaaaaa aaaaaaaaaa aaaggggggg 1560
cg                                                    1562

```

&lt;210&gt; 358

&lt;211&gt; 1931

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 358

```

ctcgggagct cggactccta cgcatacccg ggaagggccg ccgccccgcc cgcggctgct 60
ggccccgggt acattccgc ctgctataag agcagcggcc ctcggtgcct ccttcctgac 120
ctcgcaccca gtcgagagcc cggagcgtgc ctcggcggcc tgcggtttt caccatggag 180
cagctgagct cagcaaacac ccgcttcgcc ttggacctgt tcctggcggt gagtgagaac 240
aatccggctg gaaacatctt catctctccc ttcagcattt catctgctat ggccatgggt 300
tttctgggga ccagaggtaa cacggcagca cagctgtcca agactttcca tttcaacacg 360
gttgaagagg ttcatccaag attccagagt ctgaatgctg atatcaacaa acgtggagcg 420
tcttatattc tgaaacttgc taatagatta tatggagaga aaacttacaa tttccttcct 480
gagttcttgg tttcgactca gaaaacatat ggtgctgacc tggccagtgt ggattttcag 540
catgcctctg aagatgcaag gaagaccata aaccagtggg tcaaaggaca gacagaagga 600
aaaattccgg aactgttggc ttcgggcatg gttgataaca tgaccaaaact tgtgctagta 660
aatgccatct atttcaaggg aaactggaag gataaattca tgaaagaagc cacgacgaat 720
gcaccattca gattgaataa gaaagacaga aaaactgtga aaatgatgta tcagaagaaa 780
aaatttgcat atggctacat cgaggacctt aagtgccgtg tgcaggaaact gccttaccaa 840
ggcgaggagc tcagcatggt catcctgctg ccggatgaca ttgaggacga gtccacgggc 900
ctgaagaaga ttgaggaaca gttgactttg gaaaagttgc atgagtggac taaacctgag 960
aatctcgatt tcattgaagt taatgtcagc ttgccagggt tcaaactgga agagagttac 1020
actctcaact ccgacctgc ccgcctaggt gtgcaggatc tctttaacag tagcaaggct 1080
gatctgtctg gcatgtcagg agccagagat atttttatat caaaaattgt ccacaagtca 1140
tttgtggaag tgaatgaaga gggaacagag gcggcagctg ccacagcagg catcgcaact 1200
ttctgcatgt tgatgcccg aaaaaatttc actgccgacc atccattcct tttctttatt 1260
cggcataatt cctcaggtag catcctattc ttggggagat tttcttcccc ttagaagaaa 1320
gagactgtag caatacaaaa atcaagctta gtgctttatt acctgagttt ttaatagagc 1380
caatatgtct tatatcttta ccaataaaac cactgtccag aaacaagtct ttcattttct 1440
ttgtaagttt ggctctgttg gctgtttaca ccatgaatt ttggcatggg tatctatatt 1500
ycttttttac attgaaaaaa atccagtggg tgcttttgaa tgcataaagt aaagaagaag 1560
aaaagaatac atccgatgcg tagattcttg accatgtagt aatctataaa attgctatat 1620

```

cctcctgata gccatgggaa aacatgataa gatggtcatt tattttgcag ttagaatttt 1680  
ggaagccaca aaatagacag acaccctgac tgttgaaggg aggtttaaaa acagatattc 1740  
aattgaaatg taagagagca cccaattga gagcccaggg tacgaagaca agcttgcctc 1800  
gcctgacttt tctgtccctt gttctgcagg attagtattc tgttacagac ctctagtttt 1860  
tagactcttc aattaaaggg ccaatgggta taacctgcaa aaaaaaaaaa aaaaaaaaaa 1920  
aaaaaaaaaa a 1931

<210> 359

<211> 869

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (869)

<223> n equals a,t,g, or c

<400> 359

gctctggcgg gcataccagc gggccctggc cgctcaccgg tggaaagtac aggtyctgac 60  
agctggggccc tgtggttagga ggctggtaca aggttttggg tcggttcac cctggcacca 120  
ccaaagtggg tgcactgaag aagatgttgt tggatcaggg gggctttgcc ccgtgttttc 180  
taggtgctt tctcccactg gtaggggcac ttaatggact gtcagcccag gacaactggc 240  
caaactacag cgggattatc ctgatgccct tatcaccaac tactatctat ggctgtgtgt 300  
gcakttagcc aacttctacc tgggtcccct tcattacagg ttggccgttg tccaatgtgt 360  
tgctgttatc tggaaactcct acctgtcctg gaaggcacat cggctctaag cctgcctcac 420  
tccatcgttt ccaccttgca gtgatgcagc ttgacctgg aacggtcaga caacctcctc 480  
aaagtgggca taccagtttc cacgggggtg ggttgccggg cagagcttaa gaggactagc 540  
accttgcaat gccctcttc actctaaaat gtacactgac tgctttagag cccttgataa 600  
tagtcttatt ccaccacat actaggcact ccataaatat ctgttgaacc ttcattgacct 660  
tatcaacttt acaccatata ccagcaaat gccactcacc cccactcttc atagacacat 720  
ttgttactct aacccctgct aggttctctg tagctccagc tctttagaga ctcccgaac 780  
cctttatatg gtgcctcagt aaatatgtta ttaaatatgt aatccggaaa aaaaaaaaaa 840  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 869

<210> 360

<211> 561

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (521)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (525)

<223> n equals a,t,g, or c

<220>

<221> misc feature

&lt;222&gt; (560)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 360

```
ggcacgagag actccagccg ccaggggagc gcgtgccgtt cttgcctctc tggcctgcgc 60
ctcctgagcc gagtagatat cccggagtgc cgcgcggcgc cagcccttcc gccacggccg 120
tctctggaga gcagcagcca tggccctacg ctaccctatg gccgtgggcc tcaacaaggg 180
ccacaaaagt accaagaacg tgagcaagcc caggcacagc cgacgccgcg ggcgtctgac 240
caaacacacc aagttcgtgc gggacatgat tcgggaggtg tgtggctttg ccccgtagca 300
gcggcgcgcc atggagttac tgaaggtctc caaggacaaa cgggccctca aatttatcaa 360
gaaaaggggt gggacgcaca tccgcgccaa gaggaagcgg gaggagctga gcaacgtact 420
ggccgccatg aggaaagctg ctgccaagaa agactgagcc cctccccctg cctctccctg 480
aaataaagaa cagcttgaca gaaaaaaaaa aaaaaaaaaa ntcgnggggg ggcccgttac 540
ccattcgccc tawagggggn g 561
```

&lt;210&gt; 361

&lt;211&gt; 1680

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (33)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 361

```
gagtttacac tgaccatggt ggaatgttaa ggngaacccc accccttctt acagatgggtg 60
accagagcc tgctcttggg aacagccaga gtaagattgg aaccagact tgcaagccag 120
cgctgtttgc attaaaaggg tgggtgagtc aggacccctg gctcargagc cgyctctcct 180
aaaagagggt ttcaaggcca aatgggtttg tcaacggtgc tgtctccctt tcttgagat 240
gctcattagc ttatcaaaga ctgagaagtc ccgctgttac agaaataatt tagtttgctg 300
tattaactgc tcctgggcct ggagcagtat tcccaccta agattcccag catccctgtg 360
ctgtcccggc tctcattcat gccgaaggcc caaccattg gctgtgtctt gtttgaagat 420
ttggggggcg cttctctttt cttccccagg gaattctcta gcagaggag gggaccacc 480
ccagtgaaga agtagattgc tgcctctagc cagagacctg aactggggaa tttgaacatt 540
cctttacatt gttggagaaa tgaagccaaa gttattcaga tggttttccc aggctaaagg 600
aaagtcacct gcaagagatc ccggcactga tctggagcag ctgacagggt gggctctcct 660
taccaaagag aagaaccact ctctggcgct ggggtgacct gctggctggg cctgtaagggt 720
ttccatgttg ctgaggccat ggagattccc agagctggtc acaccgaccg ctctcagggc 780
ccgctgccct gggctggcaa caccattctg gccttggcct gcagaagctt tcagagtctt 840
cactggcagt agggggagat ggggagagga atgatctctg cccagccctt tcctttccaa 900
accatgcaat ggaagagccc agatgggtga agattgattt tgccttaact caagagaatt 960
cctgttctcc ttgtgctatg atttgacac aagattctgg atacctggaa cttagctgtg 1020
tactctgta ccctaaacag tggatttgag ttccagcgtt tattcttttt tccttttttc 1080
agatcaccat ctaagttaca tctttagctc aggtccatcc ttctcaagat ctcttcttta 1140
gccccccagc ccctggtgct gtctgtggtc aggtgacctt actcaggagc agatatctcc 1200
ttggccgcca tggagcctca tccatccaca cgtgcctgta gcattccaga gctcactgcc 1260
cttctagatg tgcttcccg cttggcttcc agcggcttgt gctcactctg tctgccagggt 1320
atgagaagaa cacgtaagac cgccaccaca ctaccctcc ctcaaggccc tgtgcatag 1380
gggtggccac ccgacctgcc cccagaactt ttggatactg gaggcagttg cataggtctc 1440
cctctctggg caccaggact cagtccagcc caagactact ctgggcagct cccatcccg 1500
```

tctggggcca tttgcagact caggaaagga tttctacagt gttctataaa agccaaaaga 1560  
gagagtgggt ttgggaagag tgaggggtgg tggggagagg ggaccgatgt gcctcattgt 1620  
ttagtgtga ttacaaatat gcttttctgg ataaagtttg gttgtttgct cttggaaaaa 1680

<210> 362

<211> 740

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (591)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (709)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (718)

<223> n equals a,t,g, or c

<400> 362

cagaaacaaa caaaaaggca gctgggttgt cactgatggg cagcatttga gcctgccaca 60  
ctggcctgga agtttccctt ccagtctgga ttttgtctgc tccttccttc cccctcacc 120  
cgttacctct tcacctccca tctcatttca ctgtgtagct cagtctctcc cagcacata 180  
attggggaca gtgggggctc tcttaccagc ctctcagca acgcacgtcc atcaggcctg 240  
gcctcagtgg ccagccacat tgatgtcaca ctggaattgt taccacagag agggcgaaga 300  
gataggctat ctccccacct cccaccctac tccccactat attcccgttt tgaccacctc 360  
agccctcag ctgccccctc tcactttggc caatcccagg caccaatcag acttctctct 420  
ccacctggag cccttagcat ttccttgtcc cctcttcccc aaaacctctg taaagggtac 480  
gagagggacc ccctgccgag ccgcccgcga ctcagggcag tccgatctaa gaagcagaag 540  
ctggttgagg gctggctggg cctctgtcca gtccccagat gggataaact ngccttttct 600  
camatcccct cttgggtgcc tkgatctttc tytgcccccg gggccaggac ccactgtgct 660  
gttttcttgt tcagttttgt ggggaaagga accaaggttt ttgccaagna accagtttct 720  
tgaaaggggt tagggaaggg 740

<210> 363

<211> 1324

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (385)

<223> n equals a,t,g, or c

<400> 363

cgctgcctgg tgccgtggcc gcctcctcgg gcagcccccc gggctcggcg ctggcggcag 60



```

tggcgagcgg cggagacctc ttcccggggc agccgggtgtc cgaactgata gcgcagctgc 120
tgcgcgctga gccctaccct gcggcgggcg gacgcttcgg gcgagggggc ggcgcggcgg 180
gcgcgggtgct gggcatcgac aacgtgtgcg agctggcggc gcggtgtctc ttcagcaccg 240
tggagtgggc gcgccacgcg ccttctctcc ccgagctgcc ggtggccgac caggtggcgc 300
tgctgcgcct gagctggagc gagctcttcg tgctgaacgc ggcgcaggcg gcgctgcccc 360
tgacacggc gccgctactg gccgncgcg gccctccacgc cgcgcctatg gccgccgagc 420
gcgcggtggc tttcatggac caggtgcgcg cctccagga gcaggtggac aaagtgggc 480
gcctgcaggt cgactcggcc gagtatggct gcctcaaggc catcgcgctc ttcacgccc 540
acgcctgtgg cctctcagac ccggcccacg ttgagagcct gcaggagaag gcgcaggtgg 600
ccctcaccga gtatgtgcgg gcgcagtacc cgtcccagcc ccagcgcttc gggcgccctgc 660
tgctgcggct ccccgccctg cgcgcggtcc ctgcctccct catctcccag ctgttcttca 720
tgcgccctggt ggggaagacg cccattgaga cactgatcag agacatgctg ctgtcgggga 780
gtacccttcaa ctggccctac ggctcgggcc agtgaccatg acggggccac gtgtgctgtg 840
gccaggcctg cagacagacc tcaagggaca ggaatgctg aggcctcgag gggcctcccg 900
gggccagga ctctggcttc tctcctcaga cttctatctt ttaaagactg tgaaatgttt 960
gtcttttctg ttttttaa at gatcatgaaa caaaaaagag actgatcctc caggcctcag 1020
cctcatctc cccaggaccc ctgtccagga tggagggtcc aatcctagga cagccttgtt 1080
cctcagcacc cctagcatga acttggtgga tgggtgggtt ggcttccctg gcctgatgga 1140
caaaggcctg gcgtcgcca gaggggctgc tccagtgggc aggggtagct agcgtgtgcc 1200
aggcagatcc tctggacacg taacctatgt cagacactac atgatgactc aaggccaata 1260
ataaagacat ttcctacctg caaaaaaaaa aaaaaagggt ggccgctcgc gatctagaac 1320
tagt 1324

```

&lt;210&gt; 364

&lt;211&gt; 2853

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 364

```

cacctcgtct atggtgtatt tttgaaagac aattttttaa aggtagattt gggaaaaaaa 60
tagaattgaa gatgggaaat tttgttttat taaaaagggt ctagaagatg tttcaaagac 120
aatattctta ttttaatacg ctgtagaagg taggtgtgga acctccatgc taccatgtgc 180
acaaacctaa ttatgctttg ggtcacttgt cagttcagta aatctgcctt cctcttctcc 240
caaatcatgt catcttttagg ttgttcacct gcagctgctt taaatgaatt agtatctttc 300
agatagataa ccttacaagg agaattgttg ttttgagcag ctgacccaaa atatatcaaa 360
caggattatg gccaaaaagt cactcaaatt tctagagatt cctttaaaag atgtatgttg 420
atgaaattgc ccctttataa gaaaaacaac agcaagtctt ttagtagaaa tttgaaagaa 480
gtgtttgcta ccattttgac ccattattcc cttacctatc agatgaattt gccattcact 540
ggatagaaac cattcttgga tttggtgaaga ggtgagcaag acaaatcttg taccatactc 600
ttatgtacca gcacttctga tggagaagca gtgaagttca gaacgktctt cacatagtcc 660
agatactgkt tagagtcagg caaatcagca aagcctttgg tatggagatg mcccagatg 720
gctgcagttg taagtgggca tacatgttct atcattttga aggagaaaga aaaccgttct 780
cacatgtcgc aaatatgtga atcatactat attcccctaa agtaaaacca gtgacttagt 840
ggtttttgrt ttatttagaa gttggtttag acccttatga aacattattt acgagtgggc 900
cttatcctta agggaaaagt tctaaatttt taaatttatt tttaattccc tagtctgagg 960
gaaatgtctt tattgtccat tacataaaaa tgttgactcc agtaatttat ttttctctat 1020
tttttccctc atgtatttac tccatttttc tctatttttt ccttccctga tggatttgca 1080
gaaatgttaa ccaattagct caacttttct ctacctttgt tgagtcttaa tcttttagaa 1140
gataggctta ccgtatatat atgaagcata atatattaaa agaaaacaaa tctaggatgc 1200
ttgcatgaca taaagtattt gcctgcagtt ttcattaaaa actgcaagaa tatcatgctt 1260
gtctgcttct tagtaaatgt taagtctgra atggaagtga ggatgtaact ctactgaata 1320

```

```
atcaaagatc atcttagatt tggcttgatc tgtgtttatt gcttctatta atgtaaatca 1380
actctgtgcc aaatcctcct ccacaaacca tttattgtct tagttctagt ggtatcaatg 1440
aagatagtta cagtatatga attctaagtc ctgaggaaga aattttatgg ggtttgttaa 1500
gtttcacatt cgtgaaagag gaaattagta gagtattcag actttgatat ttggctgtta 1560
atgggatgca tatcaaattt ttaaaagaag gcttggccta aggagtttat tggtagaggt 1620
gcagatgatt ttaaggcatt aaaggattat agagttaggt catttagact gtttctaata 1680
actgagacca tctaacattt ttcttttga gtctcatttt tatttgtgca atattttcag 1740
gcatataggc tactgttcatt tgtatttata tatatattag aatttactaa gtactttaac 1800
aagtaaaaat ctgaatatga aagaaaatat cagatttgca ctttaaatga gcttaattgc 1860
ttgaagttgt gcctgaaata tcgaattgcc tcctattggg tgtggctttg ttgaaataaa 1920
tttgaattg ttgctgtttg aagatatcag tacagctgtt cacagaaata tattcccagc 1980
atgtcacttt tccattaaag cactaagttt tctttgaatg ttccattggt ccgataagta 2040
ttttactttt ttctcagtag atcagagaga gcgtgatccc cctacagctg tcaacttcaa 2100
atgttcctgt agcataaatg gtgttacaga cactgaggtg cactcttggg ttctgagcag 2160
agttgtcata ctggtttcct ggtctctagg gcaactggga tgtactttga aatcaccgaa 2220
caggttgca attaatgata ataaggctgc agcaccattt caatttactt tccatcttac 2280
ccagtagttt ttgtgttttt aaattcgttt ggttggttat gtttgcagtc ttaagcacac 2340
atttgaaaat taattatagc tgtactaccg gatgttttct cttggggatg atggccttgt 2400
tcctttttta attctgatgc ttgaattcta ttttctagtg atttttcaca tctcccttta 2460
agtttttgct gcagcaattt gagagagtac ttttgattaa atgattctga tggtagggcac 2520
caatctacaa ctatgtcatt aactgaagat acatgtttta atcttggttg gaataagctt 2580
accactttt tccttggtta agcgtttact taacaaaata ataccgaga atgtaagggtc 2640
tctaagtcatt tactaacaaa gagcaaaaat aatatctgca gtattgtttt tcccattgat 2700
tttaagtcag ttttagagtac aaactgtata ttagaatttg cctgtaaaat gaattctaaa 2760
aagcagatgt aaagtctctc ctgaaaatgt tggcatagta aataaaaata aagttcataa 2820
ttataaaaaa aaaaaaaaaa aaaaaaatta ctg 2853
```

<210> 365

<211> 1837

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (136)

<223> n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (749)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1816)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1829)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1832)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 365

```
nnnttttttt tttttcacgt gtgtggtcaa gatgctrigag ctcggttat atttcggacc 60
acatgaaggt gcacagccag ggtcctcacc atgtctgtga gctctgcaac aaaggtacat 120
gccgagggct gccggnaggg ccaggggcag aggggtggcg cctggccaga cgccttgcca 180
cggatacggg ttaaggggtgc tgtagccaag agctcgtggc gtctagattc ctacaagagg 240
tcaagggagc agcgggggga cacctgaatg aacatcatta gactctaaga agtcctggtt 300
ggaagagatg atctgccaga gaggttgaa ctcctggtta tgtgtgggga aagcgggagt 360
ggaacttggc tgctctgggg aaggagtagt caagaaagcc agtccagggt gtcacaaggc 420
aaggtttccg ctgcgcagcc acaaggtctt gtctccagct cctggggcag gtggagtaca 480
cgggccgggc tttaccagca cgcacctgc gcatccacgc ggtgaaggac cacgggctcc 540
aggccccgcg gctgaccgca tcctgtgcaa gctgtgcagc gtgcaactga agaccctgc 600
ccagctggcc ggccacatgc agaccatct ggggggggccc gccccctgt cccgggagac 660
gccccccagc cacagcccac ctgctgaggg ggacccccgc acccaccagg tactggtgag 720
gtttgtccaa tggcggcggc agcggcagng gcggcagcgg cagcagcggc agcagtagca 780
gccccctcca cagctgtggg ctccctctcg ggggcggagg ggggtgcctgt gagctctcag 840
ccacttcctt cccaacctg gtgagctcca agttggttgc gggggagagg ggagaatgga 900
gtagagtccc ttggtacaag ctctctccc ccctctttt ccaccaactc ctatttcctt 960
accaaccaag gagcctccag aaggaaagga ggaagaaatg tttcttagg ggaattcgct 1020
aggttttaac gatttgttt tcctgctcct cttctatcag acctgacccc acacaaacct 1080
gtccccctcg ttgtgttgaa gtccccctga cagtgggcag ggggtggcaga ggacacgagc 1140
agccactgcc cgtacccctt ctctctcttg taagcccatg cctgtcttcc ccagggaactt 1200
gtgagcctct tcctcgcagc gtcctcttct ctctctccag tcctctcccc ctgctgtctg 1260
cagccccctc ccggggagtt ggtgctttct tttcctttt ttttttttcc agggggagggt 1320
aggagaggaa ggagggggat cagagctgtc ccaaagagggt aaagcgggtga ggtttgagga 1380
ggggcagaag cagggccggc aaagggtgta ccttcataag gtggtatggg ggggtggggt 1440
caggccctga acatcgtcct acttgagaat ctgtcagggg aaaaagtcaa ggggagcagg 1500
aggaaagagc aggggggcca gaggcagaga agagatggag tcttaggggc cagggtgagc 1560
gaggggtcca gggcctagag gtgcttcctg ggggcggggg aatgcagcca gtgtccccct 1620
cccccttctt accccagctc cagccctggt cttgtctttt catccctctt cccacagaca 1680
gaagaagttg tgccctggc catgtcatcg tgttcctgtg tccccgcat gtacccacc 1740
```

ctccacccct tccttttgcg cggaccccat tacaataaat tttaaataaa atcctgaaaa 1800  
aaaaaaaaaa aaaacncgag ggggggccng gnaccca 1837

<210> 366

<211> 1823

<212> DNA

<213> Homo sapiens

<400> 366

ggcacgaggc aggrcggggy ccaysgaagy cggaatccgc tgtgtcact gatccgcctc 60  
cagggccacc gccatgtcga gccgcggtgg gaagaagaag tccaccaaga cgtccaggtc 120  
tgccaaagca ggagtcattt ttcccgtagg gcggtacatg cgggtacatg agaaaggcca 180  
ccccaaagta aggattggag tgggggcacc cgtgtacatg gccgcccgtc tggaatacct 240  
gacagcggag attctggagc tggctggcaa tgcagcgaga gacaacaaga agggacgggt 300  
cacaccccg caccatcctgc tggctgtggc caatgatgaa gagctgaatc agctgctaaa 360  
aggagtcacc atagccagtg ggggtgtgtt acccaacatc caccocgagt tgctagcgaa 420  
gaagcgggga tccaaaggaa agttggaagc catcatcaca ccaccccag ccaaaaaggc 480  
caagtctcca tcccagaaga agcctgtatc taaaaaagca ggaggcaaga aaggggcccg 540  
gaaatccaag aagcaggggtg aagtcagtaa ggcagccagc gccgacagca caaccgaggg 600  
cacacctgcc gacggcttca cagtcctctc caccaagagc ctcttccttg gccagaagct 660  
gaaccttatt cacagtgaat tcagtaattt agccggcttt gaggtggagg ccataatcaa 720  
tcctaccaat gctgacattg acctaaaga tgacctagga aacacgctgg agaagaaagg 780  
tggaaggag tttgtggaag ctgtcctgga actccggaag aagaacgggc ccttggaagt 840  
agctggagct gctgtcagcg caggccatgg cctgcctgcc aagtttgtga tccactgtaa 900  
tagtccagtt tggggtgcag acaagtgtga agaacttctg gaaaagacag tgaaaaactg 960  
cttggccctg gctgatgata agaagctgaa atccattgca tttccatcca tcggcagcgg 1020  
caggaacggt tttccaaagc agacagcagc tcagctgatt ctgaaggcca tctccagtta 1080  
cttcgtgtct acaatgtcct cttccatcaa aacgggtgtac ttcgtgcttt ttgacagcga 1140  
gagtataggc atctatgtgc aggaataggc caagctggac gccaaactagg ctgagcaatg 1200  
acagaaccag ctgcaccatg taccacacct tcagttttaa agaaaaaaa aatccccttc 1260  
actcctactg ggaggtggga cccctttcat tttcagtttt gctcatctag ggaaaataag 1320  
gctttggttt ccagtttaat tgtttttgac cttctaaaat gtttttatgt tagcactgat 1380  
agttggcatt actgttgta agcactgtgt tccagaccgt gtctgactta gtgtaacctt 1440  
ggagatttta tagttttatt ttaatgaaac cctgattgac gcacagcagt ggggagaaca 1500  
gcgtctttta cctgtcaccg aagccaggaa gccccgtttg taagcgtgtg ttgtggtgct 1560  
ttattgtaca tctccagtg gcgttctttt tactctaagt ttcttttggt tccccccctc 1620  
agaagaatca tgaatttgca acagacctaa tttttgggta ctttttgtct tattgatgga 1680  
tttgaaaatg aaagattttaa taaggcaaaag cagaatctgt tgtccttaat tatatttgca 1740  
atgtggaatt tgtgtgagtt gatttagtaa aatgttaaac cgttaaaaaa aaaaaaaaaa 1800  
aaaaactcga gactagttct ctc 1823

<210> 367

<211> 898

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (17)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (25)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (30)  
<223> n equals a,t,g, or c

<400> 367  
aagggggggg aaaattngag acacnttttn aaggtacgcc cgcaggtacc ggtccggaat 60  
tcccgggtcg acccacgcgt scgctcctgg ggccatgagg ctgtcactgc cactgctgct 120  
gctgctgctg ggagcctggg ccatcccagg gggcctcggg gacagggcgc cactcacagc 180  
cacagcccca caactggatg atgaggagat gtactcagcc cacatgcccg ctacactgcy 240  
ctgtgatgcc tgcagagctg tggcttacca gatgtggcaa aatctggcaa aggcagagac 300  
caaaacttcat acctcaaact ctggggggcg gcgggagctg agcgagttgg tctacacgga 360  
tgtcctggac cggagctgct ccggaactg gcaggactac ggagttcgag aagtggacca 420  
agtgaacgt ctacaggcc caggacttag cgaggggcca gagccaagca tcagcgtgat 480  
ggtcacaggg ggccctggc ctaccaggct ctccaggaca tgtttgact acttggggga 540  
gtttggagaa gaccagatct atgaagccca ccaacaaggc cgaggggctc tggaggcatt 600  
gctatgtggg ggacccagg gggcctgctc agagaagggtg tcagccacaa gagaagagct 660  
ctagtcctgg actctaccct cctctgaaag aagctggggc ttgctctgac ggtctccact 720  
cccgtctgca ggcagccagg agggcaggaa gcccttgctc tgtgctgcca tctgcctcc 780  
ctctccagc ctacgggcac tcgggcctgg gtgggagtca acgccttccc ctctggactc 840  
aaataaaacc cagtgcactc aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaactcga 898

<210> 368  
<211> 1117  
<212> DNA  
<213> Homo sapiens

<400> 368  
gccctgagcc ccgccatggt ggtgccggag gaccagctga cccgctggca cccgcgcttc 60  
aacgtggatg aagtacccga catcgagccg gccgcgctgc cccagccacc cgccacggag 120  
aagctcacca ctgctcagga ggtgctggcc cgggcccgcg acctgatttc acccaggatg 180  
gagaaggcct tgagtcaatt ggccctgcgy tctgctgcgc ccagcagccc cgggtctccc 240  
aggccagcac tgccggctac cccaccagcc accccgcctg cagcctctcc cagtgctctg 300  
aagggggtgt cccaggatct gctggagcgg atccgagcca aggaggcaca gaagcagctg 360  
gcacagatga cgcggtgccc ggagcaggag cagcggtgc agcgcttaga acggctgcct 420  
gagytggccc gcgtgctgcg gagcgtcttt gtgtccgaac gcaagcctgc gctcagcatg 480  
gaggtggcct gtgccaggat ggtgggcagc tgttgacta tcatgagccc tggggaaatg 540  
gagaagcacc tgctgctcct ctccgagctg ctgccggact ggctcagcct ccaccgcac 600  
cgcaccgaca cctacgtcaa gctggacaag gcccgggacc tsgcccatc cactgcacgc 660  
ctggcccacc agacacgtgc tgaggagggg ctgtgagcct gggggccact gtggacagac 720  
gtgggcttca gaagctcgct ggcctgggoc caccagcatt ttcttttatg aacatgatac 780  
actttggyct tcctttcccc agcgcccctg agggccagag gcagatgtgg gctgcaggct 840  
gcacagcccg aggggtctctg gctgcgggcy gtggggccct tcatggggct cacctggtgg 900  
attcacatta aaccgggttc tgtgggcacc tctgtccttg ctgctggtgg ggaagggaag 960  
ccagatccag cccccctgg ggggccatcg ggagtggtgg tggrrgtgaa gggggctctg 1020  
tggaatatg ggggtgggta gtgtgggtgg caaggccatc ccctctaatac ttggaacctc 1080

tgaatatggg accttccaca gcaaaggggtg actttttg

1117

<210> 369

<211> 2226

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (24)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (35)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (36)

<223> n equals a,t,g, or c

<400> 369

tataggagaa agctggtacg cccnccaggt accgnntccg gaattcccg gtcgaccac 60  
gcgtccgggg gattattaac cacttagaat ataaaattgt acaacaattt cacttgttta 120  
tttgcatttt gttttttata actcttactc ccttttcccc tcaaaggaga actgtgttta 180  
tgaaactgta gttttgcctt tggatgaaag ggcatttgag aagactttaa caccaatcat 240  
acaggaatat tttgagcatg gagatactaa tgaagttgag gaaatgttaa gagatttaaa 300  
tcttggtgaa atgaaaagtg gagtaccagt gttggcagta tccttagcat tggaggggaa 360  
ggctagtcac agagagatga catctaagct tctttctgac ctttgtggga cagtaatgag 420  
cacaactgat gtggaaaaat catttgataa attgttgaaa gatctacctg aattagcact 480  
ggatactcct agagcaccac agttggtggg ccagtttatt gctagagctg ttggagatgg 540  
aattttatgt aatacctata ttgatagtta caaaggaact gtagattgtg tgcaggctag 600  
agctgctctg gataaggcta ccgtgcttct gagtatgtct aaaggtggaa agcgtaaaga 660  
tagtgtgtgg ggctctggag gtgggcagca atctgtcaat caccttgta aagagattga 720  
tatgctgctg aaagaatatt tactctctgg agacatatct gaagctgaac attgccttaa 780  
ggaactggaa gtacctcatt ttcacatga gcttgatat gaagctatta taatgggttt 840  
agagtcaact ggagaaagta catttaagat gattttggat ttattaaagt ccctttggaa 900  
gtcttctacc attactgtag accaaatgaa aagaggttat gagagaattt acaatgaaat 960  
tccggacatt aatctggatg tcccacattc atactctgtg ctggagcggt ttgtagaaga 1020  
atgttttcag gctggaataa tttccaaaca actcagagat ctttgtcctt caaggggcag 1080  
aaagcgtttt gtaagcgaag gagatggagg tcgtcttaaa ccagagagct actgaatata 1140  
agaactcttg cagtcttaga tgttataaaa atatatact gaattgtaag agttgttagc 1200  
acaagttttt tttttttttt ttttaagcac ttgttttggg tacaaggcat ttctgacatt 1260  
ttataaacct acatttaagg ggaattttta aaggaaatgt tttttctttt ttttttgttt 1320  
ttcagagggg caaggaggga cagaaaagta acctcttctt aagtgggaata ttctaataag 1380  
ctaccttttg taagtgccat gtttattatc taatcattcc aagttttgca ttgatgtctg 1440  
actgccactc ctttctttca aggacagtgt tttttgtagt aaaatcactg gtttatacaa 1500  
agctttattht agggggtaaa gttaagctgc taaaaccca tgttggctgc tgctgttgag 1560  
atactgtgct ttgggagtaa aaaaagaaag ttatttcttt gtcttaaaga atttttaaaa 1620  
aattagtcac gagacttatt catctttcca gggaacatac tgattggtct taaaagacta 1680

```

gacagttaag taaaagggtg ctggaacatc tatttttcta caaaactgga aaaatgaacc 1740
tggttctaga agaattgtaca ccaaaataaa acatgtgaag cagtattgat tctttattgg 1800
gagtacattt ttttaggtct cttaaacttt aatttcacac agtaaatttt gaatctcata 1860
aggaagcata tttgaaccta gtcaatttaa tcttagtggt cccttgaaaa ctttttttcc 1920
ctacaaaatt ttaagtgaag aatacaatag taaattaaga ttacactggg gaaaaaatg 1980
caggtatcac ttactccat tgttatctga cctagagctt aattaagttt tagaaatatg 2040
taataccttc catcattcca tcactcttaa attctgttac caaataatgg ctaatgttac 2100
aaaaagttat actccagaga ccaaagctt gacatttacc taatgtatga gaaaatatta 2160
ccaattaaca ataaagaatg atcatatttt taaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2220
aaaaaa 2226

```

<210> 370

<211> 3636

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1937)

<223> n equals a,t,g, or c

<400> 370

```

caccaaggag cgcgtcaaac ttgaagggtc aaagtgcaaa gggcagcttt tgatttttgg 60
ggcaaccaac tgggacttga ttggtcgaaa agaagtgcct aaacagcaag ctgcttaccg 120
caatctcggt cagaatttgt gggggcccca cagatatggg tgcctggcgg gggtcgggt 180
gcgacagtgt gtctcgggct cgtgtgctgc acacagcctc ctcacacca cggaaggga 240
gctgtggagc tggggtcgaa awgagaaggg gcagctggga catggtgaca ccaagagagt 300
agaagccct agactcatcg agggcttag ccacgaagka ttgtgtctgc agcatgtggg 360
cggaaccaca ccttggcctt gacggaaacg ggctccgtgt ttgcgtttgg ggaaaacaag 420
atggggcagc tgggccttgg caaccagaca gacgctgttc ccagccccgc gcagataatg 480
tacaacggcc agccaattac caaatggcc tgtgggstg aattcagtat gataatggac 540
tgcaaggaa acctctattc ctttgggtgc cctgaatatg gtcagctggg acacaactca 600
gatgggaagt tcacgcgccg ggcacagcgg atagagtacg actgtgaact agttccccgg 660
cgagtggcca tcttcattga gaagacgaaa gatggacaga ttctgcctgt accaaacgtg 720
gttgtacgag acgtggcctg tggcgctaac cacacgctgg tcctggactc ccagaagcga 780
gtcttctcct ggggctttgg tggctatggc cggctgggca cgcagagcag aaggatgaga 840
tggcccccg cctggtgaag ctgtttgact tccctgggcg tggggcttcc cagatctatg 900
ctggttacac ctgctccttt gctgtcagtg aagtgggtgg tctgttttcc tggggggcca 960
ccaacacctc cgtgaatct accatgtacc caaaagcagt gcaggacctc tgcggctgga 1020
gaatccggar cctggcttgt gggaagagca gcatcattgt ggccgccgat gagagcacca 1080
tcagctgggg tccgtcacccg accttgggg aactgggcta cggggaccac aagcccaagt 1140
cttccactgc agccaggag gtaaagactc tggatggcat tttctcagag caggctcgcca 1200
tgggctactc aactccttg gtgatagcaa gagatgaaag tgagactgag aaagagaaga 1260
tcaagaaact gccagaatac aacccccgaa ccctctgatg ctcccggaaga ctccctccgac 1320
tccacacctc tcgcggcagc tgtcatttcc atgtgcactg ggacgggaag tcaaacgagg 1380
aatttaaaaa agcaaaagtt gaccgaagtg catttttgtt tagactccct gaggttccgt 1440
tttacacatg atccaacgtt aactaccttt ttttctgtat gctttccaaa gtcctttttt 1500
tcccttaatg ttgaattaaa atacttgctc atagttgatt taccattcct acaaaagagg 1560
cagaaacttt gagcaatcta ggtttttttt ttttttaagt ttttctttc ttctytcct 1620
gaatacactc cccaaaacac ccctttccag ttacaattag catcgtgatc caagcagatg 1680
ccacatggaa gaggaatcgc catttactca gaaaaaatgt cccttacagg aaccggcagc 1740

```

```

agctaggcag tcaccggccc gcctccatcc aaaatcacgc tcgcgtgctt cggaagcatc 1800
cggtgactc cttctccgct ttttcttgca gatgggccta ggccggtgtc ggttctgttt 1860
ctcccccttg ctgcctgtac gcccacagcc ttctggctgc gacattatag aatcgccgt 1920
gtcccccttg gtgggnatt ggggatctgt gtttagccat ttatatctac ttagctgtt 1980
aaagagggtcc aaatgaaaat cagggtgattg tggaaacctg gggacttggg ggtggggcag 2040
aggtgggaac atttgtatca gttgagtcag cttggtggct ccctgtggag cagggtgag 2100
ccttgtcacg cgcactcgcc aattaagaga tggaccagcc agcagtcaag tgcattctcc 2160
agtccttgca agaaggatca gccctttctg tgccagcctc gatcgcttg tgctttggtc 2220
tctttttctc cccccgcct ggatcctgcc tcgcgcgggc cgtcctgttg ctgagactcg 2280
gggtaccgtt ctgctgacct agtcccttt agtcacgttt gcttggtctt ggtaccaa 2340
agttgggatt accgaagagt ccccttctt gcgtgtcagc acggatgctg tgactgccac 2400
ctgcgtcctc gtcaagtgcc cgagctcgcc gccgtgtgtg ctgcgtgag tgagttatga 2460
ggtgccttcc cggaaccct cctctcgctt ggaccaaga gaggcgacag ctgtggctgg 2520
ggctcttggt ttccagaggg tctggactgg tttgggtgct taaaataga tatttagttc 2580
agtgtgctt atgggggaga tgggactaga acttaagtgt gagacttggg tggatgggaa 2640
agttaaatat tggctcttcc aagtttttt tttcttttgc tttgttacca cttgtcactg 2700
tctccatgtt aaaatgccaa aaatgatga gttgtgttg cttttttccc tattttccac 2760
cccagtcgct ccttaccgtg actcctgccc ttggagggca tgtagcagtg tctgtcctgc 2820
cagtcaccaag gccctgtggg aggagactgg cctgcctc tctaagactt agtctgacgc 2880
cacgcgcac cttgttctg tgttcaatca gtagtcagg ggagaagctt ctgctacttc 2940
agagctttgc taaactaacc taattgtcc aaatcacccc aaaaccacca tctctgacgt 3000
aagcttccat gcgacagcct gatccgttcc cctggacagg tctcttccct ggaatgcagc 3060
ccaggcacct gtgctcctgg cacccttgag gtctctcctt tgagccgtgg tcaccgagag 3120
ggttgaggac gcagcacccg aggtcccagc ctttgaggga gcctccctgg gcttagctgg 3180
acttagatct tcggtggcct catgtaaacg tggcagccag cctcttctag aaccctagcc 3240
cagggactgg agcaggaaag ggaccttcaa agtgaagact gccttgtccc gcagctcctt 3300
ctggcttaga ttgaaamatg ggcttcttaa tgggttaaat cctttaaaac aaggagtgtg 3360
gggggaaggg tgcgtgcac tcctagagaa aggtacacag ttgcccggtt gggaatgtgc 3420
ttggcgctga ctgcgggcat ctgactggtc ttccagctca ggaaaaagaa tttgaaagag 3480
gcttagcgtg aaggggaatc aaagaggagg ttgtgatttg gtcgaagggt cctggttag 3540
tgctgtaatt gtcttattat ttttttata tatatatttc ttggagtaaa cattttaaat 3600
aaacaacatt gtctactgtc aaaaaaaaa aaaaaa 3636

```

<210> 371

<211> 4039

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1085)

<223> n equals a,t,g, or c

<400> 371

```

aattcggaac gaggggtgaag cacaaggatt aagttgaaa agctgtaaat tgcattgtga 60
tatttgtcta ttttttctat aagttttatt gcaagaggta aagaagaaaa ctatatatat 120
atatcttatt tagataatct cagtaccttt tctggcattt ttgccctgta taggttgact 180
tggaattcgc gccttttttag aggcattaac tactcctcgt aagtgttgca tttacatggc 240
tgtttagaaa actgctgccc aaattttatt tatatttttg tacagattct gcagtttatg 300
atattgtttt ctaaaaacaa atgctgttta tacatatgag atagctattt tgataggatt 360
tgctcacata gttcctgcaa acttcagatg tacaagttgc acttgactt ttatagagtt 420

```



gtaatgtttt atatgtgtat ggtgcaagag aaaattggat caaatcaayc tgcagttgat 480  
gtcccccacac gcaaacacag gcacacacat gcacacaccc ataacacac acacagtgc 540  
tttaaraaag ggccaggtga tatcacaccc aaatttcaca agcactgacc ccctggcacc 600  
aacacccgcc agtactgtga cttccaaagc cagagccaca tgtgtctatc aaacttgcac 660  
taagcagttg gcgggagatg gctgtggagc tgggggttta agtgatgggt ctcttttget 720  
ccctcttytg agggtaaagc tactgtcttt cttaaagagt tatttatgcc aagtttgcgc 780  
ttttaattgt ttttattttg twttttaatg aaaaccaga tctttccttt ttggcataat 840  
ttttatgatg acctgaaatt ttacatccga acaaaatttt acatccgaaa agcaaccaac 900  
ttcttcatgg aactcagccc tgttgcaatg cttaggggccc ttaaagaaga aaatctcccc 960  
agaaggcatc catcatgttg ctttaattgtc ttctgcagct tcctttccct agagctttcc 1020  
ctgtgttgct aagagctgra aatggcatct tcgtgatcac cacagtgagc ttggctcgcc 1080  
tcgngcggcc cggggatgca ctcttacaac atgtgtgact cttgaacctg gagttcatca 1140  
cattacgtca cagcttccca tctggttget ttctgagtc agctacttca cacttgcac 1200  
ggctgtttta ccccaaaact cagacaggac ttctatgca tgttttccct cctccccca 1260  
attcccccc catcacctta tctcccagga cacacttgag aagtagcttt ttattcctag 1320  
tgggtgtacat ttaattttaa aaaggttgca atgtatcatg cttgttgccg aaactgttta 1380  
tggccttctt gtttcagttt tttcttttct tccaatggta ctttagctgt tgagtgcagg 1440  
ttacaacctt tattgttatg cagatggctt ctttaggaat aacttttata tttattttaa 1500  
aattttttaa ttatgggatg tttgtgtgtt gttgtgtct ttgtgttggt tcatttgtca 1560  
atattcagtc accaattctg ctacttctt gccatggata aaattgggtc tttctggcta 1620  
attaaaaaag acaactttat aaaaaggcac tttaagcaag ccatagttag tttattttt 1680  
gtaatgcaca tggcaaaagc aagacgtttg tgatgaagga actgtctatc taagcaaaag 1740  
atgtgagtat gatagtataa aggttttcta cattctaatt tactttttcc cccacttga 1800  
atgtgtttta aaggctaatt atcagctcag tagagcagtg agaaactgat caaattgcac 1860  
ttgttctcct acaagcaacc tccacgcaga cacctcgtac tgctacaggt gtgtcatttc 1920  
ctttaatagg accagggacc atgtaactga ggtgagggtt gtagtaratg cttccagtgt 1980  
cagtatgcct gttaatttta agagcttccc tttcttgagc agaacaagtc tgcccagatt 2040  
ccatgcttcc tataactgga ggacctggca aacctgccgc atgctgcaca catctacct 2100  
cgtacacata tacaatagta ttgatgattc tgaacaataa cagggtaaaa cagttggttt 2160  
gccattgtta aaaactgatt tacagtaact tacaacaact gtacttttgt tggattagca 2220  
aatcatgtgt ttaaacaaat cccatatgtt gggcaacagt tcaataaagc acggagaagt 2280  
gttgcccaaa cttggttctc tgactcttat gtatttgtta ggctgggctt caaaatcaaa 2340  
acaaaaaccc caaaaacagc aggcaaatgc tttttaactc tgacaccgtt gccataaatc 2400  
cctgatactc aaagtctaac aagaaagaca tggaaaatta gcagcccatt ttcagaaaga 2460  
tcaaaatgat ctagggttct aattgctttt gcactctatt cttacaaagt gatgtcccaa 2520  
cagggaacag taggagctgg agtgggatct ccaagtccta gtttgagtgt gggatgtgct 2580  
tccagcagtg ctttcccttt atgaaagaca tcacatggca tccagggccca ggcaggcagc 2640  
ttgaggtgcc tttacgagaa aaccgagctg gggctgggag aggacagtta ttgacactga 2700  
tgtgcaatga agtgacaaga tgagagcaga atcgtaagag ctttgaattt gaagtgaatt 2760  
ttttccccc ataatgttatt tattcctttt ttctgtgtaa atataattt tttactgttg 2820  
agcgtaaca tctggatcgt aacatgtgca gaatgtatgg taggaatgta ttctcttgta 2880  
ggaatgtaaa tctgtattaa aaggggttcc aagccaggcc cccaggtctt ctcatgtgat 2940  
gcacagtcag cattcatttt tactcttctc taatatgggt ctatttgaaa tatgcaaaag 3000  
gtatgaggaa tgttttataa cctccaaatt tttaagaaaa gcatcaaagg gttgatattt 3060  
tttaaagttt ttttagtagc actttctctg gatgacagaa ggggcaacca catgggcacc 3120  
cttgttcata ccaaagggtg agcagtggcc agagctcct ctgcacctct cgagtgtctt 3180  
taccaattga gctttttatc gccatagccc cttggagtgc cccagctgcc ctgaggtcaa 3240  
tcaaggaaaa tttcttaatg aaataagctc caaagagcca aagtatcaac ttacagatcg 3300  
tttttaaagc ttaaatattt gaaccacctt tgtggtaaac aatgaattat gaataccgca 3360  
gggcagcctt cttaaatgac aatgttaaaa aaaaaaaaaa aaaaactcta ctctgtgcag 3420  
caattgctac tctatacgaa ttgtcttaat ttgaaaacct tgctgttaca aattggacct 3480

```

ttatacat tctgaaaaca atgaaaagag tatatttaac cttttctggc tgtaaatggt 3540
taccttcctg taactgcccc gcacctggag gcatggagtt gtgtgcatcc tgcttatgta 3600
caattgtttt cagtgtttct aagaatgagt ctgaatgggt cttgaaaatt agccaggatc 3660
aaatgctatt gcagacaaag ccaataaaaa gttggacttc ttttggggat aacaagtttt 3720
ggaagagaaa tgcaggccat atgtgcgcat gaccgagatt ttgaaaaaag atgtacatag 3780
tgacatgttt ggtgcatggt ttttgaggag ggcttttgtc aaaaaggagg tataaccttt 3840
ccccacaga cctgagagct gtgccttttc tatgcaatat tacagacgtt acatcggaac 3900
ccagatggct gtattcacat gtaggttttg gctgtaatct aaacaattgg acagattaaa 3960
tgtacatgga aatgagcagt cttacttttg tagttttata ttatacaata aacagttaaa 4020
agatgaaaaa aaaaaaaaaa 4039

```

&lt;210&gt; 372

&lt;211&gt; 1599

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 372

```

ccatccagct ggggatgcag agcacctgat gcacctggaa cagggtgctct gcacccccag 60
ctggatggca aaattctttt cttggacact tgaacccatc ttctcttctt cagaacccac 120
cagcgaacag aattgggatg ggagccacgc tggacatcca gagacagcag agaatggagc 180
tgctggaccg gcagctgatg ttctctcagt ttgcacaagg gaggcgacag agacagcagc 240
agggagggaat gatcaattgg aatcgtcttt ttctctcttt acgtcagcga caaacgtaa 300
actatcaggg cggtcggcag tctgagccag cagcgcccc tctagaagtt tctgaggaac 360
aggtcgcccc gctcatggag atgggatttt ccagagggtg tgcttttgaa gccctgagag 420
cttcaaaca tgacctcaat gtcgccacca acttctctgt gcagcactga tagtcccagg 480
ccaacactgg gaccggaccg gcagccgagt gacagtgcgt ggtccccacc atcagatcag 540
cccggggacc gagcatctct ggtgctgatg ttcttgtggg aagagggagg ttccaccgca 600
cccctgccct caaccgcaag actgttgccg ttttagtggt gagataagtt tgccattaca 660
ttagcatgta ttttctatct atatttttta ttgggcattt tccctagggt ggagagtcag 720
cactcgtttt gaatgtgttt aaaatgcatt aaaatggaag atttctgcag gcagtgaat 780
ggcactccag atggggaatt gctgtaacct tcttactgta acatgtcatc tcctgcgtcg 840
tgatggggag agggtaaatgt tacttcacaa aggacatgtc agatccttct tcatggactt 900
ttttagttag tgttttttct ctcaaacttg ttttcgaatc tcctgggagt gagggagaaa 960
cagggagctg aatcctcccc caagctgttc caggccagag gactctgcag taccttctcc 1020
tacatctagt acaaaagaat ggtgataacc atgcactggt tcaaggttct ggagtctcc 1080
atgaaacttg ggttaatttt gctcagagta tccagagtta gccactagge tgcggtgaa 1140
atgggatgga gaagaacaac agcaggcttc ctggagccac atgggctgac tagggcactc 1200
tgtggctggc ctggcatggg ctgagcccag gaagaggaga aacgatccct tgccctgccc 1260
tccctgtggc agggctaact gcctggccct cctggctcgc agccagccag cccctggca 1320
gcaggttctc ctgagggtt gggtcttcaa cctgtggcga caggaggcag ggcagactgt 1380
ggaggacagg atgcaggtca gggagagggg aggcaggggt ggaccgccat gagcatgaaa 1440
agaccggaag caagtgtgact cttgcaatgt gcaactgtta tgttctgcaa aatgagcaac 1500
gatgtatcaa attgatgcaa atttagatgt gtatacttac aataaagttt ttaatgtgtt 1560
ttaaaaaaaaa aaaaaaaaaa aaaaaaaaaa agggcgccc 1599

```

&lt;210&gt; 373

&lt;211&gt; 464

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 373

```

ctcaaaaatc accagaaaac tcatactagt gaaaaatcct ataatgtaa tgaatgtaga 60
aaggccttta gttactgctc tggctcttatt caatgtcagg tcattcatac tatagaaaaa 120
ccttatgaat acggtaaatg tggcaaagcc tttaggcaga ggacagacct taaaaaacat 180
cagaaaaatgc ataccgarga gaaaccctat gaatgtaatg aatgtgggaa agcctttagc 240
cagagcacat atcttacaaa acaccaaaaa attcatagtg aagagaaatc aaatatacat 300
actgagtgtg gggaaaccwt twgrcaaaac tcttcttttt tacaacaata aaaacctcac 360
actggagaga ttctctgaat gccttaagaa tttggttaat atggagaccc ttcccagggg 420
aaccagaagg aggatcgtga aaacctgttg actacttaga tgat 464

```

&lt;210&gt; 374

&lt;211&gt; 890

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (886)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 374

```

ggctgctgga ggcgagggct tcggaagtct tcatgctagt ctcgtggggg tccgcgggtg 60
cgctcgctggc tgtgcgcgtc atttcogggc gtcacgtaac ggagtggcca acggcctgca 120
gagcaacatg cccaagtttt attgtgacta ctgcgataca tacctcacc c atgactctcc 180
atctgtgaga aagacacact gcagtggaa gaaacacaaa gagaatgtga aagactatta 240
tcagaaatgg atggaagagc aggctcagag cctgattgac aaaacaacgg ctgcatttca 300
acaaggaaag atacctccta ctccattctc tgctcctcct cctgcagggg cgatgatacc 360
acctcccccc agccttccgg gtcctcctcg ccctggtagt atgccagcac cccatatggg 420
gggccctccc atgatgccaa tgatgggccc tcctcctcct gggatgatgc cagtgggacc 480
tgctcctgga atgaggccgc ccatgggagg ccatatgcca atgatgcctg ggcccccaat 540
gatgagacct cctgcccgtc ccatgatggt gccactcgg cccggaatga ctcgaccaga 600
cagataagga tagaggggag gccttattgt atcggtttta tattacctgt tctgcttcac 660
caggagatca tgctgctgtg atactgagtt ttctaacacag cataaggaag acttgctccc 720
ctgtcctatg aaagagaata gttttggagg ggagaagtgg gacaaaaaag atgcagtttt 780
cctttgtatt gggaaatgtg aaaataaaat tgtcaactct ttcagttaaa aaaaaaaaaa 840
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaanaaaa 890

```

&lt;210&gt; 375

&lt;211&gt; 1874

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 375

```

gttcaggaac ttaggctaga aaggaacaca gtaaactgaa ttgatccgtt tagaagttaa 60
caatgaagtt tcttctaata ctgctcctgc aggcactgc ttctggagct cttcccctga 120
acagctctac aagcctggaa aaaaataatg tgctatttgg tgaaagatac ttagaaaaat 180
tttatggcct tgagataaac aaacttccag tgacaaaaat gaaatatagt ggaaacttaa 240
tgaaggaaaa aatccaagaa atgcagcact tcttgggtct gaaagtgacc gggcaactgg 300
acacatctac cctggagatg atgcacgcac ctcgatgtgg agtccccgat gtccatcatt 360
tcagggaat gccagggggg ccogtatgga ggaaacatta tatcacctac agaatacaata 420
attacacacc tgacatgaac cgtgaggatg ttgactacgc aatccggaaa gctttccaag 480
tatggagtaa tgttaccctc ttgaaattca gcaagattaa cacaggcatg gctgacattt 540

```

```

tgggtggtttt tgcccggtgga gctcatggag acttccatgc ttttgatggc aaaggtggaa 600
tcctagccca tgcttttggga cctggatctg gcattggagg ggatgcacat ttcgatgagg 660
acgaattctg gactacacat tcaggaggca caaacttggt cctcactgct gttcacgaga 720
ttggccattc cttagggtctt ggccattcta gtgatccaaa ggccgtaatg ttccccacct 780
acaaatatgt tgacatcaac acatttcgcc tctctgctga tgacatacgt ggcattcagt 840
ccctgtatgg agacccaaaa gagaaccaac gcttgccaaa tcctgacaat tcagaaccag 900
ctctctgtga ccccaatttg agttttgatg ctgtcactac cgtgggaaat aagatctttt 960
tcttcaaaga caggttcttc tggctgaagg tttctgagag accaaagacc agtggttaatt 1020
taatttcttc cttatggcca accttgccat ctggcattga agctgcttat gaaattgaag 1080
ccagaaatca agtttttctt tttaaagatg acaaatactg gttaattagc aatttaagac 1140
cagagccaaa ttatcccaag agcatacatt cttttggttt tcctaacttt gtgaaaaaaaa 1200
ttgatgcagc tgtttttaac ccacgttttt ataggacctt cttctttgta gataaccagt 1260
attggaggta tgatgaaagg agacagatga tggaccctgg ttatcccaaa ctgattacca 1320
agaacttcca aggaatcggg cctaaaattg atgcagtctt ctactctaaa aacaaatact 1380
actatttctt ccaaggatct aaccaatttg aatatgactt cctactccaa cgtatcacca 1440
aaacactgaa aagcaatagc tggtttggtt gttagaaatg gtgtaattaa tggtttttgt 1500
tagttcactt cagcttaata agtatttatt gcatatttgc tatgtcctca gtgtaccact 1560
acttagagat atgtatcata aaaataaaat ctgtaaacca taggtaatga ttatataaaa 1620
tacataatat ttttcaattt tgaaaactct aattgtccat tcttgcttga ctctactatt 1680
aagtttgaaa atagttacct tcaaaggcca agagaattct atttgaagca tgctctgtaa 1740
gttgcttcct aacatccttg gactgagaaa ttatacttac ttctggcata actaaaatta 1800
agtatatata ttttggtctc aataaaaattg aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1860
aaaaaaaaaa aagc 1874

```

<210> 376

<211> 2018

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1997)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2012)

<223> n equals a,t,g, or c

<400> 376

```

gccacatccc ggcagccctc ctacckgcgc acgtgggtgcc gccgctgctg cctcccgcctc 60
gccctgaacc cagtgcctgc agccatggct ccgggccagc tcgccttatt tagtgtctct 120
gacaaaaccg gccttggtgga atttgcaaga aacctgaccg ctcttggttt gaatctggtc 180
gcttccggag ggactgc aaa agctctcagg gatgctggtc tggcagtcag agatgtctct 240
gagttgacgg gatttctcga aatgttgggg ggacgtgtga aaactttgca tcctgcagtc 300
catgctggaa tcctagctcg taatattcca gaagataatg ctgacatggc cagacttgat 360
ttcaatctta taagagttgt tgcttgc aatctatccct ttgtaaagac agtggcttct 420
ccaggtgtaa stgttgagga ggctgtggag caaattgaca ttgggtggagt aaccttactg 480
agagctgcag ccaaaaacca cgctcgagt acagtgggtg gtgaaccaga ggactatgtg 540
gtgggtgcca cggagatgca gagctccgag agtaaggaca cctccttggg gactagacgc 600
cagttagcct tgaaggcatt cactcatcgc gcacaatatg atgaagcaat ttcagattat 660

```

```

ttcaggaac agtacagcaa aggcgtatct cagatgccct tgagatatgg aatgaaccca 720
catcagaccc ctgcccagct gtacacactg cagcccaagc ttcccatcac agttctaaat 780
ggagcccttg gatttataaa cttgtgcgat gctttgaacg cctggcagct ggtgaaggaa 840
ctcaaggagg ctttaggtat tccagccgct gcctctttca aacatgtcag cccagcaggt 900
gctgctgttg gaattccact cagtgaagat gaggccaaag tctgcatggt ttatgatctc 960
tataaaaccc tcacacccat ctcagcggca tatgcaagag caagaggggc tgataggatg 1020
tcttcatttg gtgattttgt tgcattgtcc gatgtttgtg atgtaccaac tgcaaaaatt 1080
atttcagag agtatctga tggataaatt gcccaggat atgaagaaga agccttgaca 1140
atactttcca aaaagaaaaa tggaaactat tgtgtccttc agatggacca atcttacaaa 1200
ccagatgaaa atgaagtctg aactctcttt ggtcttcatt taagccagaa gagaaataat 1260
ggtgtcgtcg acaagtcatt atttagcaat gttgttacca aaaataaaga ttgcccagag 1320
tctgccctcc gagacctcat cgtagccacc attgctgtca agtacctca gtctaactct 1380
gtgtgctacg ccaagaacgg gcaggttatc ggcattggag caggacagca gtctcgtata 1440
cactgcactc gccttgcaag agataaggca aactattggt ggcttagaca ccatccacaa 1500
gtgctttcga tgaagtttaa aacaggagtg aagagagcag aaatctccaa tgccatcgat 1560
caatatgtga ctggaacat tggcgaggat gaagatttga taaagtggaa ggcactgttt 1620
gaggaagtcc ctgagttact cactgaggca gagaagaagg aatgggttga gaaactgact 1680
gaagtttcta tcagctctga tgccttcttc cctttccgag ataacgtaga cagagctaaa 1740
aggagtgggt tggcgctacat tgcggctcct ccggttctgc tgctgacaaa gttgtgattg 1800
aggcctgcga cgaactggga atcatcctcg ctcatacgaa cttcggctct tccaccactg 1860
atttaccac cactgtttt ttggcttgct tatgtgtagg tgaacagtca cgctgaaac 1920
tttgaggata acttttttaa aaaataaaac agtatctctt aatcactgga aaaaaaaaaa 1980
aaaaaaaaa aaaaccncgg ggggggcccc gnacccca 2018

```

&lt;210&gt; 377

&lt;211&gt; 818

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (818)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 377

```

atcgaccac gcgtccggag cggttgcgca gtgaaggcta gacccgggtt actggaattg 60
ctctggcgat cgaggggtcc tagtacaccg caatcatgtc tattatgtcc tataacggag 120
gggccgtcat ggccatgaag gggagaact gtgtggccat cgctgcagac aggcgcttcg 180
ggatccaggc ccagatggtg accacggact tccagaagat ctttcccatg ggtgaccggc 240
tgtacatcgg tctggccggg ctgcgactg acgtccagac agttgccag cgcctcaagt 300
tccggctgaa cctgtatgag ttgaaggaa gtcggcagat caaaccttat accctcatga 360
gcatggtggc caacctcttg tatgagaaac ggtttggccc ttactacact gagccagtca 420
ttgccgggtt ggaccgaag acctttaagc ccttcatttg ctctctagac ctcatcggct 480
gcccctatgt gactgatgac tttgtgttca gtggcacctg cgccgaacaa atgtacggaa 540
tgtgtgagtc cctctgggag cccaacatgg atccggatca cctgtttgaa accatctccc 600
aagccatgct gaatgctgtg gaccgggatg cagtgtcagg catgggagtc attgtccaca 660
tcatcgagaa ggacaaaatc accaccagga cactgaaggc ccgaatggac taacctgttt 720
cccagagccc actttttttt ctttttttga aataaaatag cctgtctttc aaaaaaaaaa 780
aaaaaaaaa accccggggg gggcccgga ccaaattn 818

```

&lt;210&gt; 378

<211> 2565  
<212> DNA  
<213> Homo sapiens  
  
<220>  
<221> misc feature  
<222> (1508)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (2565)  
<223> n equals a,t,g, or c

<400> 378  
ggcacgagct cgtgccgggg ccatagctgt tactgaagga agtagcctac gtccacgcct 60  
acaactgaag tctcttgaca aacacctcac ccctgcctcc gggatgaaag ggggtaacct 120  
agacctgaat gggcttgacc atctcacaac tgctcgcgtg acgaccgcat tcgtggcagg 180  
taagaagatt gctgtatcaa ctcaagaaag cagtaacttc actgtctttg tattttgaat 240  
tgcaacaaca actttgatat caacaatgaa gcaatgatat ctaagaacma aagartattt 300  
gccaacagtc atcataatat caagtgattg tataagcaga aacaagctgt cacagacctg 360  
tgcgtcagct aatatatgga gaatgcttct tctgatacta ttacttaga ggcagtttta 420  
atataaatca tttcaattat atctacatca aataaaataa aaatgagtga agccccaga 480  
ttcttcgctg gaccagaaga tacagaaata aatcctggaa attatcgaca tttctttcac 540  
catgcagatg aagacgatga ggaggaagat gattctycac cagaaaggca gattgtggtt 600  
ggaatatgtt ccatggmaaa gaaatccaaa tccaaaccaa tgaaggaaat tcttgracgg 660  
atctccttat ttaaatatat cacagtagta gtatttgaag aggaggttat tttgaatgaa 720  
ccagtggaaa actggccttt atgtgattgt cttatttctt tccattctaa aggatttcca 780  
ctggacaaa cgggttgcccta tgcaaaactc aggaatccat ttgtaatcaa tgacttgaat 840  
atgcagtagc tcttgaaagc agctttgagt tagaagtatg tgtgttacac cctcacatta 900  
gtgtgctgtg tggggcagtt caacacaaat gtaacaatgt atttttgtga atgagagttg 960  
gcatgtcaaa tgcacacctc agaaaaataa ttagtggtat agtcttaaga tttgttttct 1020  
aaagttgata ctgtgggtta tttttgtgaa cagcctgatg tttgggacct tttttcctca 1080  
aaataaacia gtccttatta aaccaggaat ttggagaaaa aaaaaaccct ggttttttat 1140  
ttttgtattt tattattgtt tacttcaaac tttgttttac agcgtcctcc acaaaacctc 1200  
tagaatgcac tagatatatt tttcttgag tcataatcat gatgcatacc aacacaacac 1260  
tactcaaatt atatttcatt gagatgcatg ttgcattgag gagtcaactt gacatagagt 1320  
ggagactttt tcaaaatggc ttttacatcc taatgaaagt ttgggaagta tatcctctct 1380  
gccttttcat cagtgccttg tggccagct ggcacccttt ctgaggttg tgtttgtgc 1440  
taaatggttt tgtccttaaa taggagaggc tcaaaaacat caagatttca ggaaatggc 1500  
gacastgnca taatggaacc cccctgcttc tattttgttc ttttaattac tatttatagc 1560  
cccagttacc ttctgaattc tgaagtgtat atacctccat gttcctgaaa acaagaaaac 1620  
tcttacttcc tgatawtcca tagactgcct tcccaggtga ttgagaacat agagaatgtt 1680  
acacatttat tttactctaa atgatctttt acccctgtta gctaactctt gtgttttctt 1740  
caactttatt aattacagtg attgcatttt tagcatccag ttgtaagatg aatatattaa 1800  
acagctacca gtgttggtga tacctcatcc ttgaaaggct tagttcattt gtgttttata 1860  
cttcagtttt tccagcatag cagaaaatgc cgcttataat ttttgtgcac acaaaccttg 1920  
gattcccctg taaagttgct attgtttcat agcatcgggc actggccttt tttcatccta 1980  
ctcattacag gcaaaactca tgtcttattt atgaggattt tatagatcat tttctgtaac 2040  
aggtgacaaa agcagaaaag aatgaagagg ctgaagtatg aactaccctt ggagcccata 2100  
tacatgatat aggcaatttc ttttgtatgt taattcrgtc aaaaatacta cccacttgat 2160

```
gttttctaatt ctgatgtgag ctcatgttac acagactttt agtaagtaac ccgtgactag 2220
aaaataaaact ggatgcttag gagagagtgt cagatgtata agatgctaataaaaacctgtt 2280
taatatattatt gttagctgta agtttttggg aaatactgaa caaattagtc cacaatcaag 2340
tgtctactttt tcccttcact gtagggcctc tccctgcaca gagcagtcctg tttagctgtg 2400
aacaccacaa tctgcagatg ttcaagtcct ttacataaaa tggcatagta tttatatgta 2460
acctatgcat attctcctgt atatttttaa tcatctctac attaaaatac ctgataaaat 2520
gtaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaagg ggggn 2565
```

&lt;210&gt; 379

&lt;211&gt; 1680

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 379

```
ccaaagtgtc ggaattccag gcatgagcca ctgcgcccag tctacacact aattcttgtt 60
agcccaaacg ctgttctgtt ctatctaccc ctcatttcac gctcaaggag tcatacctag 120
aatagttaca cacaagaggg aaactggaag ccaaacactg tacagtattg tgtagaaagt 180
cacctcccta ctctttttat tttacatgag tgctgatgtg ttttggcaga tgagctttca 240
gctgaggcct gatggaaatt gagataacct gcaaagacat aacagtattt atgagttata 300
tcttagttct tgaattgtg gaatgcatga ttgacaatat atttttaatt tttatttttt 360
caagtaatac cagtactgtt taactatagc cagaactggc taaaattttt atattttcag 420
agttgaagtt ggtgaagaca ttcatgattt aaacaccaga tcctgaaagg ggtaaattct 480
actttgaaat gaatctgcaa tcagtatttc aaagcttttc tggtaatttt agtgatctta 540
tttgattaga ctttttcaga agtactaaat aaggaatttt aacaggtttt tattaatgca 600
cagataaata gaagtacagt gaggtctata gccattttat taaaatagct taaaagtttg 660
taaaaaaatg aatctttgta attacttaat atgttagtta agaaccgctc aagcttatat 720
ttgctagact tacaatttat tttaaatgca tttatctttt ttgacactat tcagtggaat 780
gtgtaagcta gctaattctt gttttctgat ttaaagcact tttaaatctt atcctgcccc 840
ctaaaaacaa aaggttttga tcacaagggg aaatttaaga ttgttaaccc tgtttttcag 900
aagggtactt gtaattgca cataaacatg aaatgtgttt tcccctgtgt actaacacat 960
tctaggcaaa attcaaactt atagtggtaa agaaacagggt tgttcaactg ctgagggtgca 1020
aaaattctta agacttctgt ttgaaattgc tcaatgacta ggaaaagatg tagtagttta 1080
ctaaaattgt ttttctacca tatcaaatta aacaattcat gcctttatag ggtcaggcct 1140
acaatgaata ggtatggtgg tttcacagaa ttttaaaata gagttaaagg gaagtgatgt 1200
acatttcggg ggcattaggg tagggagatg aatcaaaaaa tacccttagt aatgctttat 1260
attttaatac tgcaaaagct ttacaaatgg aaaccatgca attacctgcc ttagttcttt 1320
tgtcataaaa acaatcactt ggttggttgt attgtagcta ttacttatac agcaacattt 1380
cttcaattag cagtctagac attttataaa cagaaatctt ggaccaattg ataattttc 1440
tgactgtatt aatatttttag tgctataaaa tactatgtga atctcttaa aatctgacat 1500
tttacagtct gtattagaca tactgttttt ataagtgttt acttctgcct taagatttag 1560
gtttttttaa tgattttttg ccctgaatta agtggttaatt tgatggaaac tctgctttta 1620
aaatcatcat ttactgggtt ctaataaatt aaaaattaaa cttgaaaaaa aaaaaaacga 1680
```

&lt;210&gt; 380

&lt;211&gt; 1267

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (4)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (214)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1165)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1255)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1262)

<223> n equals a,t,g, or c

<400> 380

```

aagnaagaaa accacaacta aaactggaaa tgtatatattt gtatatattga gaaaacaggg 60
aatacattgt attaataacca aagtgttttg tcattttaag aatctggaat gcttgctgta 120
atgtatatgg ctttactcaa gcaratctca tctcatgaca ggcagccacg tctcaacatg 180
ggtaaggggt gggggtggag gggaatgtgt gcancgtttt tacctaggca ccatcattta 240
atgtgacagt gttcartaaa caaatcagtt ggcaggcacc agaagaagaa tggattgtat 300
gtcaagattt tacttggcat tgagtagttt ttttcaatag taggtaattc cttagagata 360
cagtatacct ggcaattcac aaatagccat tgaacaaatg tgtgggtttt taaaaattat 420
atacatatat gaggttgccta tatttgctat tcaaaatttt gtaaatatgc aaatcagctt 480
tataggttta ttacaagttt tttaggattc ttttggggaa gagtcataat tcttttgaaa 540
ataaccatga atacacttac agttaggatt tgtggttaagg tacctctcaa cattaccaa 600
atcatttctt tagaggggaag gaataatcat tcaaatgaac tttaaaaaag caaatttcat 660
gcactgatta aaataggatt attttaarta caaaaggcat tttatatgaa ttataaactg 720
aagagcttaa agatagttac aaaatacaaa agttcaacct cttacaataa gctaaacgca 780
atgtcatttt taaaagaag gacttagggt gtcgttttca catatgacaa tgttgcattt 840
atgatgcagt ttcaagtacc aaaacgttga attgatgatg cagttttcat atatcgagat 900
gttcgctcgt gcagtactgt tggttaaatg acaatttatg tggattttgc atgtaataca 960
cagttagaca cagtaatttt atctaaatta cagtgcagtt tagttaatct attaatactg 1020
actcagtgtc tgccttttaa tataaatgak atgttgaaaa cttaagggaag caaatgctac 1080
atatatgcaa tataaaatag taatgtgatg ctgatgctgt taaccrragg gcagaataaa 1140
taagcaaaat gccaaaagg gtctnaattg aartgaaaat gtaattttgt ttttaaaata 1200
ttgtttatct tttatttagg gggggtgggt aattattagt taagtttttt ttaanaaaaa 1260
anaaatt 1267

```

<210> 381

<211> 1031

<212> DNA

<213> Homo sapiens



&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1015)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 381

```
ggtccaggat tctagcagtc ctggggcact gacctttgcc agctacctgg gggagggcctt 60
gccactggaa aacctttcag gccgccccca tcagtgggct ccaaagtaaa tggctgaaaa 120
caaaaatggt tcacttccta acagttttcc tttttccact gtgtgactga aagctcctat 180
atcattttat atttctgaat ctataaaaca aaacaaacaa gcctgamagt gtctggarga 240
rccaaaagggt gcctccctgt ccccaaatat attggctata tgagagtaat tttaccctc 300
tacgtacctt aaggcaccca gtctactagt ctgtggggtc ctggagcctg tctcttcttt 360
ctggagggtt aaactgaata gcaataatta cgttacccaa agcatgtgga ggaaaagtga 420
aaccagccac ggagacgctg gccacgggc tcggcctgcg gtgtggcctg ctttgctcac 480
cagcgtcagc cgctcatttc cttctcatga agtcccatct ggtcatgggg acgagggccg 540
ggagggcacc gggtagcctt ttcacacttg gggattaggg gagtgagaaa agatttgggc 600
catgcatgca aagtcaaagt ttaaaatttt atccttttca aatagatgat ataataacc 660
tatacatgat ataataattg tatatatgaa atctctctat atttgtttaw tttgagccat 720
tcaatctaaa ccaatgtaca ggtgtacaat gaaaaattta aatgcttagt tatttttccc 780
aacacagtgt aaagtacccc tcctctgaga gtgggatgtg cagagttttg atgttgacgc 840
tttgctcact tcctggcaag ggcaggcat gcctcaattt gtaatgggag tctggggtaa 900
gggtgggggt tgaagttgt tatctttaa tacatgtaca aatcgttgtc aaaagtaacg 960
ttattaaaat agatttatta tccctgaaaa aaaaaaaaaa aaaaaaaaaa aaancccg 1020
gggggggccc c 1031
```

&lt;210&gt; 382

&lt;211&gt; 1597

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1577)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1579)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1597)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 382

```
atcacgtgga cgctactcgc tatccccggc ctggttgctt cttccgcgct ggagtatcca 60
gataggcgac acgccgrcgg gcggctgagg cgggaatggc tgctgtactg cagcgcgtcg 120
agcggctgtc caatcgagtc gtgcgtgtgt tgggctgtaa cccgggtccc atgacctcc 180
aaggcaccaa cacctaccta gtggggaccg gccccaggag aatcctcatt gacactggag 240
aaccagcaat tccagaatac atcagctgtt taaagcaggc tctaactgaa ttaacacag 300
```

```
caatccagga aattgtagtg actcaactggc accgagatca ttctggaggc ataggagata 360
tttgtaaaag catcaataat gacactacct attgcattaa aaaactccca cggaatcctc 420
agagagaaga aattatagga aatggagagc aacaatatgt ttatctgaaa gatggagatg 480
tgattaagac tgagggagcc actctaagag ttctatatac ccctggccac actgatgac 540
acatggctct actccttagaa gaggaaaatg ctatcttttc tggagattgc atcctagggg 600
aaggaacaac ggtatttgaa gacctctatg attatatgaa ctctttaaaa gagttattga 660
aaatcaaagc tgatattata tatccaggac atggcccagt aattcataat gctgaagcta 720
aaattcaaca atacatttct cacagaaata ttcgagagca gcaaattctt acattatttc 780
gtgagaactt tgagaaatca ttacagtaa tggagcttgt aaaaattatt tacaagaata 840
ctcctgagaa ttacatgaa atggctaaac ataactctctt acttcatttg aaaaaactar 900
aaaaagaagg aaaaatattt agcaacacag atcctgacaa gaaatggaaa gctcatcttt 960
agtttcagat taaagaaagc ttgtttttat ttgtcttsa gagaatggta tgttttctta 1020
actatagggt attttataga gaataaaaa gtataaaaaa ttaaaaaata ccctagatat 1080
actttaaaat aatgttatat ttatgctaaa atatgtaaat tacactatac aaccatatga 1140
taggttattt ctctaacctt gtcttctaac gttttacca aaattcataa tctaataggt 1200
tatcagtttt caatagatta aataaaatga ttactttaaa aataataaaa ttatctaat 1260
ttaaagttga tattattttt ggcggttagt tatctattac tagtgatcag ttatactgtt 1320
ttctatagct actttattta acagcacaga ttctatgca ctttactctt ttctcaacc 1380
cttgtctcta tctgtacata attgctttgt cttgatgttt ctatcaacta tatcakgact 1440
atctattggg tccataactc tgtatcatgt gtattttctt attctgggtat accacaaatg 1500
attcatgcaa atgaattttt ggtgattgaa aaatattaaa ttcccaattt aaagtaaaaa 1560
aaaaaaaaa aaaaaangnc cccggggggg ggccggn 1597
```

<210> 383

<211> 175

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (95)

<223> n equals a,t,g, or c

<400> 383

```
gtgagtgggtg actatgggca tcctgtgtat atcgtgcagg atgggcccc ccagagccct 60
ccaaacatct actacaaggt atgagggtc ctctnacgtg gctatcctga atccagccct 120
tcttgggggtg ctcctccagt ttaaattcct ggtttraggg acamctstaa catct 175
```

<210> 384

<211> 2171

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2166)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2170)

<223> n equals a,t,g, or c

<400> 384

```
agaacaagag ctggacacat taaaaagaaa gagtccatca gatttgtgga aagaagactt 60
ggctacattt attgaagaat tggaggctgt tgaagccaag gaaaaacaag atgaacaagt 120
cggacttcct gggaaagtgg ggaaggccaa ggggaaaaaa acacaaatgg ctgaagtttt 180
gccttctccg cgtggtcaaa gagtcattcc acgaataacc atagaaatga aagcagaggc 240
agaaaaagaa aataaaaaga aaattaagaa tgaaaatact gaagggaagcc ctcaagaaga 300
tggtgtggaa ctagaaggcc taaaacaaag attagaaaag aaacagaaaa gagaaccagg 360
tacaaaagaca aagaacaaaa ctacattggc atttaagcca atcaaaaaag gaaagaagag 420
aaatccctgg tctgattcag aatcagatag gagcagtgc gaaagtaatt ttgatgtccc 480
tccacgagaa acagagccac ggagagcagc aacaaaaaca aaattcaca tggatttgga 540
ttcagatgaa gatttctcag attttgatga aaaaactgat gatgaagatt ttgtcccatc 600
agatgctagt ccacctaaga ccaaaacttc cccaaaactt agtaacaaag aactgaaacc 660
acagaaaagt gtcgtgtcag accttgaagc tgatgatgtt aagggcagtg taccactgtc 720
ttcaagccct cctgctacac atttcccaga tgaaactgaa attacaaacc cagttcctaa 780
aaagaatgtg acagtgaaga agacagcagc aaaaagtcag tcttccacct ccactaccgg 840
tgccaaaaaa agggctgccc caaaaggaaac taaaagggat ccagctttga attctggtgt 900
ctctcaaaag cctgatcctg ccaaaaccaa gaatcgccgc aaaaggaagc catccacttc 960
tgatgattct gactctaatt ttgagaaaat tgtttcgaaa gcagtcacaa gcaagaaatc 1020
caagggggag agtgatgact tccatatgga ctttgactca gctgtggctc ctggggcaaa 1080
atctgtacgg gcaaagaaac ctataaagta cctggaagag tcagatgaag atgatctgtt 1140
ttaaaatgtg aggcgattat tttaagtaat tatcttacca agcccaagac tggtttttaa 1200
gttacctgaa gctcttaact tcctcccctc tgaatttagt ttggggaagg tgtttttagt 1260
acaagacatc aaagtgaagt aaagcccaag tggtcttttag ctttttataa tactgtctaa 1320
atagtacca tctcatgggc attgttttct tctctgcttt gtctgtgttt tgagtctgct 1380
ttcttttgtc tttaaaacct gattttwaag ttcttctgaa ctgtagaaat agctatctga 1440
tcacttcagc gtaaagcagt gtgtttatta accatccact aagctaaaac tagagcagtt 1500
tgatttaaaa gtgtcactct tcctcctttt ctactttcag tagatatgag atagagcata 1560
attatctgtt ttatcttagt tttatacata atttaccatc agatagaact ttatggttct 1620
agtacagata ctctactaca ctacgcctct tatgtgccaa gtttttcttt aagcaatgag 1680
aaattgctca tgttcttcat cttctcaaat catcagaggc cgaagaaaaa cactttggct 1740
gtgtctataa cttgacacag tcaatagaat gaagaaaatt agagttagta tgtgattatt 1800
tcagctcttg acctgtcccc tctggctgcc tctgagtctg aatctcccaa agagagaaac 1860
caatttctaa gaggactgga ttgcagaaga ctcggggaca acatttgatc caagatctta 1920
aatgttatat tgataacat gctcagcaat gagctattag attcattttg ggaaatctcc 1980
ataatttcaa tttgtaaact ttgttaagac ctgtctacat tgttatatgt gtgtgacttg 2040
agtaatgtta tcaacgtttt tgtaaatatt tactatgttt ttctattagc taaattccaa 2100
caattttgta ctttaataaa atgttctaaa cattgcacaa aaaaaaaaaa aaaccccggg 2160
gggggncccn g 2171
```

<210> 385

<211> 2364

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (19)

<223> n equals a,t,g, or c

&lt;400&gt; 385

```

ggtttcaccc ctgttgccna aggctggtct ccgaactcck tgacctcarg tgattcaccc 60
accgttggcc tcataaacct gttttgcaga actcatttat tcagcaaata tttattgagt 120
gcctaccaga tgccagtcac cgcacaaggc actgggtata tggatatccc aaacaagaga 180
cataatcccg gtccttaggt agtgctagtg tggctctgaa tatcttacta aggcctttgg 240
tatacgaccc agagataaca cgatgcgtat tttagttttg caaagaaggg gtttggtctc 300
tgtgccagct ctataattgt tttgctacga ttccactgaa actcttcgat caagctactt 360
tatgtaaatc acttcattgt tttaaaggaa taaacttgat tataattggtt ttttatttgg 420
cataactgtg attcttttgg gacaattact gtacacatta aggtgtatgt cagatattca 480
tattgaccca aatgtgtaat attccagttt tctctgcata agtaattaaa atatacttaa 540
aaattaatag ttttatctgg gtacaaataa acagggtgct gaactagtcc acagacaagg 600
aaacttctat gtaaaaatca ctatgatttc tgaattgcta tgtgaaacta cagatctttg 660
gaacactggt taggtagggt gttaagactt acacagtacc tcgtttctac acagagaaag 720
aaatggccat acttcaggaa ctgcagtgtc tatgagggga tatttaggcc tcttgaattt 780
ttgatgtaga tgggcatttt ttttaaggtag tggtaattac ctttatgtga actttgaatg 840
gtttaacaaa agatttggtt ttgtagagat tttaaagggg gagaattcta gaaataaatg 900
ttacctaat attacagcct taaagataaa aatccttggt gaagtttttt aaaaaaagc 960
taaattacat agacttaggc attaacatgt ttgtggaaga atatagcaga cgtatattgt 1020
atcatttgag tgaatgttcc caagtaggca ttctaggctc tatttaactg agtcacactg 1080
cataggaatt tagaacctaa cttttatagg ttatcaaaac tgtgtgcacc attgcacaa 1140
tttgtcctaa tatatacata gaaactttgt ggggcatggt aagttacagt ttgcacaagt 1200
tcatctcatt tgtattccat tgattttttt tttcttctaa acattttttc ttcaaacagt 1260
atataacttt ttttagggga ttttttttta gacagcaaaa actatctgam gatttccatt 1320
tgtcaaaaag taatgrtttc ttgataattg tgtagtaatg ttttttagaa cccagcagtt 1380
accttaagc tgaatttata tttagtaact tctgtgttaa tactggatag catgaattct 1440
gcattgagaa cctgaatagc tgtcataaaa tgaaactttc tttctaaaga aagataactca 1500
catgagttct tgaagaatag tcataactag attaagatct gtgttttagt ttaatagttt 1560
gaagtgcctg tttgggataa tgataggtaa tttagatgaa tttaggggaa aaaagttatc 1620
tgcagawatg ttgagggcc atctctcccc ccacaccccc acagagctaa ctgggttaca 1680
gtgttttatc cgaagtttc caattccact gtcttggtgt ttcatgttga aaatactttt 1740
gcatttttcc tttgagtgcc aatttcttac tagtactatt tcttaatgta acatgtttac 1800
ctggaatgta ttttaactat ttttgatatg tgtaaaactga aacatgcaca ttttgtagat 1860
tgtgctttct tttgtgggac atatgcagtg tgatccagtt gttttccatc atttggttgc 1920
gctgacctag gaatgttgg catatcaaac attaaaaatg accactcttt taattgaaat 1980
taacttttaa atgtttatag gagtatgtgc tgtgaagtga tctaaaattt gtaatatttt 2040
tgtcatgaac tgtactactc ctaattattg taatgtaata aaaatagtta cagtgactat 2100
gagtgtgtat ttattccatg aaatttgaaac tgtttgcccc gaaatggata tggaaactt 2160
tataagccat agacactata gtataccagt gaatctttta tgcagcttgt tagaagtatc 2220
ctttatttct aaaaggtgct gtggatatta tgtaaaggcg tgtttgctta aacttaaaac 2280
catattttaga agtagatgca aaacaaatct gcctttatga caaaaaata ggataacatt 2340
atattttat ttccttttat caaa 2364

```

&lt;210&gt; 386

&lt;211&gt; 2864

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 386

```

gctaatagaga aagtggctct gcagaaagct ctgttatatt atgaaagcat tcatggacgg 60
ccgtaacaa agaacgaacg gcagggtgat aagccactat acgacaggta ccggctggtc 120
aaacagatcc tctcccagc taacaccata cccatcattg gttccccctc cagcaagcgg 180

```

```

agaagccctt tgctgcagcc aattatcgag ggcgaaactg cttccttctt caaggagata 240
aaggaagaag aggaggggtc agaagacgat agcaatgtga agccagactt catgggtcact 300
ctgaaaaccg atttcagtgc acgatgcttt ctggaycaat tcgaagatga cgctgatgga 360
tttatttccc caatggatga taaaatacca tcaaatgca gccaggacac agggctttca 420
aatmtccatg ctgcctcaat acctgaactc ctggaacacc tccaggaaat gagagaagaa 480
aagaaaagga ttcgaaagaa acttcgggat tttgaagaca actttttcag acagaatgga 540
agaaatgtcc agaaggaaga ccgcactcct atggctgaag aatacagtga atataagcac 600
ataaaggcga aactgaggct cctggagggtg ctcatcagca agagagacac tgattccaag 660
tccatgtgag gggcatggcc aagcacaggg ggcyggcagc tgcggtgaga gtttactgtc 720
cccagagaaa gtgcagctct ggaaggcagc cttggggctg gccctgcaaa gcatgcagcc 780
cttctgcctc tagaccattt ggcatcggct cctgtttcca ttgcctgcct tagaaaactgg 840
ctggaagaag acaatgtgac ctgacttagg cattttgtaa ttggaagtc aagactgcag 900
tatgtgcaca tgcgcacgcg catgcacgca cacacacaca cagtagtgga gctttcctaa 960
cactagcaga gattaatcac tacattagac aacactcatc tacagagaat atacactggt 1020
cttccctgga taactgagaa acaagagacc attctctgtc taactgtgat aaaaacaagc 1080
tcaggacttt attctataga gcaaaacttg cgtggagggc catgctctcc ttggaccag 1140
ttaactgcaa acgtgcattg gagccctatt tgctgcctg gccattctag tgacctttcc 1200
acagagctgc gccttcctca cgtgtgtgaa aggttttccc cttcagccct caggtagatg 1260
gaagctgcat ctgcccacga tggcagtgca gtcacatct tcaggatggt tcttcaggac 1320
ttcctcagct gacaaggaat tttggctcct gcctaggacc gggcatctg cagaggacag 1380
agagatggta agcagctgta tgaatgctga ttttaaaacc aggtcatggg agaagagcct 1440
ggagattctt tcctgaacac tgactgcact taccagtctg attttatcgt caaacaccaa 1500
gccaggctag catgctcatg gcaatctgtt tggggctgtt ttgttgtggc actagccaaa 1560
cataaagggg cttaagtcag cctgcataca gaggatcggg gagagaaggg gcctgtgttc 1620
tcagcctcct gagtacttac cagagtttaa tttttttaa aaaaatctgc actaaaatcc 1680
ccaaactgac aggtaaatgt agccctcaga gctcagcca aggcagaatc taaatcacac 1740
tattttcgag atcatgtata aaaagaaaaa aaagaagtca tgctgtgtgg ccaattataa 1800
tttttttcaa agactttgtc acaaaactgt ctatattaga cattttggag ggaccaggaa 1860
atgtaagaca ccaaactcct catctcttca gtgtgcctga tgtcacctca tgatttgctg 1920
ttactttttt aactcctgcg ccaaggacag tgggttctgt gtccaccttt gtgctttgcg 1980
aggccgagcc caggcatctg ctgcctgcc acggctgacc agagaagggtg cttcaggagc 2040
tctgccttag acgacgtgtt acagtatgaa cacacagcag aggcaccctc gtatgttttg 2100
aaagttgcct tctgaaaggg cacagtttta aggaaaagaa aaagaatgta aaactatact 2160
gacccgttt cagtttttaa gggctgtgag aaactggctg gtccaatggg atttacagca 2220
acattttcca ttgctgaagt gaggtagcag ctctctctctg tcagctgaat gttaaggatg 2280
gggaaaaaga atgcctttaa gtttgctctt aatcgtatgg aagcttgagc tatgtgttgg 2340
aagtgcctg gttttaatcc atacacaaag acggtacata atcctacagg tttaaatgta 2400
cataaaaaata tagtttgga ttctttgctc tactgtttac attgcagatt gctataat 2460
caaggagtga gattataaat aaaatgatgc actttaggat gtttcctatt tttgaaatct 2520
gaacatgaat cattcacatg accaaaaatt gtgttttttt aaaaatacat gtctagtctg 2580
tcctttaata gctctcttaa ataagctatg atattaatca gatcattacc agttagcttt 2640
taaagcacat ttgtttaaga ctatgttttt ggaaaaatac gctacagaat ttttttttaa 2700
gctacaaata aatgagatgc tactaattgt tttggaatct gttgtttctg ccaaaggtaa 2760
attaactaaa gatttattca ggaatcccca tttgaatttg tatgattcaa taaaagaaaa 2820
caccaagtaa gttatataaa ataaaaaaaa aaaaaaaaaa tcga 2864

```

&lt;210&gt; 387

&lt;211&gt; 2683

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (40)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2649)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 387

```
acgccttccc cgaggtgtac gacaagatct gcaaggccgn cagactgags ctggagcccc 60
cctggagaga cagacacgtg tgagtgggtca ggcattcttc cttcactcaa gcttgggtgc 120
tttccctagat ccacactttc aaagagaaaac ccctccagaa ctcccaccct gacagcccaa 180
caccaccttc ctctgggtt ccagggggca gcccagtgga atggaaagaa tgtgggattt 240
ggagtcagac aagcctgagt ccagttcccc gtttagaact cattagctgt gtgactctgg 300
gtgagtcctt taacccctct gagcccggt ctcttcatta gttgaaagg atagtaatac 360
ctacttgacg gtygttggtc tctgagttga gactggtca cattgaagg gctgggtaag 420
tggtagctct tgttgcttcc cgttcagcgt cacatctgca gtggagcctg aaaaggctcc 480
acattaggtc acctgtgcac agccatggct ggaatgatga aggggatacg ctggagttgc 540
cctgccatcg cctccatcag ccagacgagg tcttcacagg agaaggacag ctcttcccc 600
ccctgggacg tcaggagggc agccacggag ggggaggccc cagatgcgt gtgccaagc 660
caggtccgag gccaaagttc tccctgccat ccttggtgcc gtccgtcccc tctctcttc 720
atgcctgggc ctgcaggcac ccagccacc actgagtcca ctcgagtgct cctgtgttcc 780
tgagaaaggc attccagggt tgaatcttgt ccagccctca gcctgggaca cctaggtgga 840
gagagtggtc tccgctctga attggatcca ggggacctgg gctcattctt cttggctcac 900
caacctgca gccctcatct tcccaaaaac ccactttgtc ttggtgggag tgggtccgcg 960
ctgctctgca gcaggcggct ggggagtggc cagcatcagg tgggaaagt gagtccacc 1020
tcatgtttct gtaggattct caccgtggg ctggaagaaa agagcatcga cttgatttct 1080
ccaaccactc atccctcttt ttctttcttc caccactccc caccagct gtagttaatt 1140
tcagtgcctt acaaactcta agctcagaga aagttccatt tccgttccag aggggaaggga 1200
acctccctag gtccttccct ggcttgttat aacgcaaagc ttggttgttt atgcaactct 1260
atcttaagaa ctgccagcc tcagctgaaa acccgaaatc gagaaggaat tgcgtcatgt 1320
aagggaagct ggaattaagg gagctgagcc agtcatgggt gtggcgtgtg agtcaggaga 1380
cctaggtttc agccctctc tactgtcagc gagctgtgca acgtgggcaa gtcattgtcc 1440
tctgagctgc agtttctca tctgtcacat cgctacagac aagacctccc tggaacctt 1500
ctgattgtct tagacactgt ggttgcaaaa ccacggaaa gcctcatttg tgtgaaagt 1560
cagaggaaaa atgatccagt ggacacttg ggattatctg tcattcaaga tcttctctc 1620
aaccceaagg ycagctccca tctcatttcc agaaaggctc atacctggct tgcagggaag 1680
catctgtctt gtcattccag gtgccagaat cctctcagag tcattgaagg gtgttcacc 1740
atcccacca aggttgga cactgccagt gtcttagcag ggtcttgtga gggctgggg 1800
catccaggca ctcaagaagg aaaggaacca cctaccat ttggcctctg gagggggcag 1860
aagaaagaaa gaaacctcat cctatatatt acaaagcatg tgaattctgg cattagctct 1920
cataggagac ccatgtgctt cctgtctcag tgcaaaactg atgattctac ttgctgtaga 1980
tgaatgggta acacgagcta gttaaacagt gccattgttt tgccagtga gcctccaacc 2040
ctaagccact gggacgggtg ccagagatgc cagcagcctc tgcgccctt agtcatataa 2100
ccaaaatcca gaccttatcc acaaccggg gcttgaaaag gaaggtattt tggaatcaca 2160
ccctccggtt atgttgctcc agtaaaatct tgctggaaa gaggcagtct tcttagcatg 2220
gtgagctgag ttcattggct tttttgtag ccagtcctgt ccctggccat ccatgtgatg 2280
gttttgatg gagttaaact tgatgccagt gggcagtgca tgtgaaagt atcagagtaa 2340
gsctctcccc tccagagccc tgagtttctt ggctgcatga aggttttctt tagaatcaga 2400
```

```
attgtagcca gtttcttttg ccagaaggat gaatacttgg atattactga aagggagggg 2460
tgagatggg tgtggcagtg tatggtgtgt gatttttatt ttcttctttg gtcattgggg 2520
ccaaggagaa aggcattgaat cttccctgtc aggcctcttac ascacaggca ctgtgtctac 2580
tgtctggaag acatgtcccc gtggtgtgtg ggccgctgct tctgttttaa taaaagtggc 2640
ctggaarmna aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaa 2683
```

<210> 388

<211> 1446

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (35)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (37)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (57)

<223> n equals a,t,g, or c

<400> 388

```
aagaactaaa acgactcact atagggaaaa actananacg cctgacagga aaccgggccg 60
gaattcccg gtcgacccac gcgtccgaar argagggtga ggargaggg gatgttgata 120
gtgatgaaga agaggaggaa gatgaggaga gctcctcgga gggcttgagg gctgaggact 180
gggcccagg agtagtgagg gccggtggca gcttcggggc ttatggtgcc caggaggaag 240
cccagtgcc tactctgcat ttctggaag gtggggagga ctctgattca gacagtgagg 300
aagaggacga tgaggaagag gatgatgaag atgaagacga cgatgatgat gaggaggatg 360
gtgatgaggt gcctgtaccc agctttgggg aggccatggc ttactttgcc atggtcaaga 420
ggtacctgac ctcttcccc attgatgacc gcgtgcagag ccacatcctc cacttggaac 480
acgatctggt tcatgtgacc aggaagaacc acgccaggca ggcgggagtt cgaggtcttg 540
gacatcaaag ctgagtcact ggacctagct gtgccccaa cctagattgg cagcaccacc 600
ccagggcaga ggactctctg ggcacccgct gtgcatggag ccagagtga gagccccaga 660
tcctttagta atgcttcccc tggctctgca acaggcccg tcacctcggc cgggcccggg 720
gctgaggtca gcctcactgc ctgcttattg cctctttctc agaatcctct ttctcccca 780
tttgccctg ggctcagggg accagggtgg gcgggtgggg agctgtccgg tgctaccaca 840
ccgtgccctc agtggactaa ccacagcagc agccagggat gggccctgga ggttcccgcc 900
cggagagtgc ctctccctc tgccatccac gtcagggtct tgggtggggg accccaaagc 960
cattctggga agggctccag aagaagggtc agcctaggcc ccctgcaagg ctggcagccc 1020
ccacccccac cccccaggcc gccttgagaa gcacagtta actcactgcg ggctcctgag 1080
cctgcttctg cctgctttcc acctccccag tccctttctc tggccctgtc catgtgactt 1140
tggcccttg tttctttcc agattggagg tttccaagag gccccccacc gtggaagtaa 1200
ccaaggcgc ttccttgtgg gcagctgcag gccccatgcc tctcctcct ctctggcagg 1260
gccccatcct gggcagaggg gcctggggct gggccagag tccagccgtc cagctgctcc 1320
tttccagtt tgatttcaat aaatctgtcc actcccctt tgtgggggtg aacgttttaa 1380
cagccaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1440
```

aaaaaa

1446

&lt;210&gt; 389

&lt;211&gt; 723

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (705)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 389

```
gggcaagacc tcatgcctaa aaaataaaga gaaagcagag taaaactgga ctctgagata 60
ygactaaagt tctgtgtgat acgtgtgcct tathtagctc aagacattcc tggagcacct 120
ataaaaaactg acttgtaatc caggctatgt ctctttttag ctctgtaatc tttggcaagg 180
ccattggatt cttcagctgt acaattagga gactcgatca ggtgattgcc tttctcagct 240
gtcagttctc taatttcagg cttggtagct tgtaggaact gaaattgcaa ttaaacctt 300
tataaactca aactaaatca tgaattacag aaaaagtcca ttcttccaaa acttgatgtt 360
accacactta caagttttaa atatgaagtc gactgtttaa aggattctgc atatattcta 420
gtgtgcacat tcagaaacat tttcttggga aaaagtaccc aacatttttt ataactgcac 480
atattaatth attgccagaa taaattgcat tgcatgctaa ataaagtcag ataattcaaa 540
tccatttgct tttatgtagt ttttcttcta aatgtcaaca ttttgggaatt aaaatgttta 600
tggttttata tgagggtagg aaatcttaac tgctttgggg ggtattgttt ataggctttt 660
tgttatgggg ccggtagttt tttaataggg ggattgccc tttcnaccgt ttggggggccc 720
ggg 723
```

&lt;210&gt; 390

&lt;211&gt; 1046

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 390

```
cgggtcgacc cagcggtccg gtccaccaca ggcaccgcag ctcatctacc aggaatatgt 60
gaaccagcca gatgttcggc cccagccccc ttgcgccga gagggccctc tgcctgctgc 120
ccgacctgct ggtgccactc tggaaagggc caagactctc tccccaggga agaatggggt 180
cgtcaaagac gtttttgctt ttgggggtgc cgtggagaac cccgagtact tgacacccca 240
gggaggagct gccctcagc cccaccctcc tctgccttc agcccagcct tcgacaacct 300
ctattactgg gaccaggacc caccagagcg gggggctcca cccagcacct tcaaagggac 360
acctacggca gagaacccag agtacctggg tctggacgtg ccagtgtgaa ccagaaggcc 420
aagtccgcag aagccctgat gtgtcctcag ggagcaggga aggcctgact tctgctggca 480
tcaagagggt ggagggccct ccgaccactt ccaggggaaac ctgccatgcc aggaacctgt 540
cctaaggaac cttccttctt gcttgagttc ccagatggct ggaaggggtc cagcctcggt 600
ggaagaggaa cagcactggg gagtctttgt ggattctgag gccctgcccc atgagactct 660
aggggtccagt ggatgccaca gccagcttg gccctttcct tccagatcct ggggtactgaa 720
agccttaggg aagctggcct gagaggggaa gcgggccctaa gggagtgtct aagaacaaaa 780
gcgaccatt cagagactgt ccctgaaacc tagtactgcc ccccatgagg aaggaacagc 840
aatggtgtca gtatccaggc tttgtacaga gtgcttttct gtttagtttt tacttttttt 900
gttttgtttt tttaaagatg aaataaagac ccagggggag aatgggtgtt gtatggggag 960
gcaagtgtgg ggggtccttc tccacaccca ctttgtccat ttgcaaatat attttggaat 1020
acaaaaaaaa aaaaaaaaaa aaaaaa 1046
```



<210> 391  
 <211> 699  
 <212> DNA  
 <213> Homo sapiens

<400> 391  
 cggatggggc gtaggtgggc ggtgygccca cagctacctg ggtaaggccc aagatggctg 60  
 tcttcgcctt agtactcgtg tgaagttggc ggggacgggt cctgtcatct tcttgggctt 120  
 atttggtgtg ctgttgaagg ggggagacta gagaaatggc agggaaacctc ttatccgggg 180  
 caggtaggcg cctgtgggac tgggtgcctc tggcgtgcag aagcttctct cttgggtgtg 240  
 ctagattgat cgggtataagg ctcactctcc cgcccccaa agtggttgat cgttggaacg 300  
 agaaaagggc catgttcgga gtgtatgaca acatcgggat cctgggaaac ttgaaaagc 360  
 accccaaaga actgatcagg gggcccatat ggcttcgagg ttggaaaggg aatgaattgc 420  
 aacgttgat ccgaaagagg aaaatggttg gaagtagaat gttcgtgat gacctgcaca 480  
 accttaataa acgcatccgc tatctctaca aacactttaa ccgacatggg aagtttcgat 540  
 agaagagaaa gctgagaact tcggaagg ctcactgtgc accctggaga agggaaactg 600  
 tacttttccc tgtgaggaaa cggctttgta tttctctgt aataaaatgg ggcttctttg 660  
 gaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aagtcgacc 699

<210> 392  
 <211> 1545  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc feature  
 <222> (24)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (25)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (54)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (58)  
 <223> n equals a,t,g, or c

<400> 392  
 taccggtccg gaattcccgg gtcnnccac gcgtccgcgc actgccgccg ccgnttcngc 60  
 ccggactcgg acgcgtggtg gccccaggat gggtaggttc aacgagaaga agacaacatg 120  
 tggcaccgtt tgccctcaagt acctgctgtt tacctacaat tgctgcttct ggctggctgg 180  
 cctggctgtc atggcagtg gcatctggac gctggccctc aagagtgact acatcagcct 240  
 gctggcctca ggcacctacc tggccacagc ctacatcctg gtgggtggcg gcaactgtcgt 300

```
catggtgact ggggtcttgg gctgctgcgc caccttcaag gagcgtcgga acctgctgcg 360
cctgtacttc atcctgctcc tcacatctt tctgctggag atcatcgctg gtatcctcgc 420
ctacgcctac taccagcagc tgaacacgga gctcaaggag aacctgaagg acaccatgac 480
caagcgctac caccagccgg gccatgaggc tgtgaccagc gctgtggacc agctgcagca 540
ggagtccac tgctgtggca gcaacaactc acaggactgg cgagacagtg agtggatccg 600
ctcacaggag gccggtggcc gtgtggtccc agacagctgc tgcaagacgg tgggtggctct 660
ttgtggacag cgagaccatg cctccaacat ctacaagggtg gagggcggct gcatcaccaa 720
gttggagacc ttcattccagg agcacctgag ggtcattggg gctgtgggga tcggcattgc 780
ctgtgtgcag gtctttggca tgatcttcac gtgctgcctg tacaggagtc tcaagctgga 840
gcactactga ccctgccttg ggccttgctg ctgctgcacc caactactga gctgagacca 900
ctgagtacca ggggctgggc tccctgatga caccaccct gtgccatcac cataacctct 960
ggggaccca acctcagagg cagcttcaag tgccttttg tgcgcaccaa tgcccagcag 1020
gggaggtgag ggggctggc ggggcgaagt ttggggggtg ttttgtggg ctccccggac 1080
atactctctg cctggtggtc agatgcaggt tggaaggggc cttgctgagt ggcgcaaggc 1140
cgagcgttcc cagcaggggg agaaacctt cacacccag gcccttcagg aactggggct 1200
ttgccttgca gccacatggc cccatcccag ttggggaagc caggtgagct ctgaccttg 1260
ggcctgggccc tctgcccctc ccaaccagc cgtcgtctcc ctgcacagcg cccctgctgt 1320
cttccccacc gcagtcacca ccaccgaaa tgccacgtgg tcaactgtga ctgccctgtt 1380
catgtgcctc tgcggggcag ggccttctct gttttgtaca ctgctgtacc cagatgccta 1440
caaccatccc tgccacatac aggtgctcaa taaacacttg tagagcagaa aaaaaaaaaa 1500
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaa 1545
```

<210> 393

<211> 749

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (490)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (748)

<223> n equals a,t,g, or c

<400> 393

```
gcttgagccc aggagttctg ggctgttagt gcgctatgcc gatcggtgt ccgcactaag 60
ttyggcatca atatggtgac ctccccggag cggrggacca ccaggttgcc taaggagggg 120
tgaaccggyc caggtcggaa acggagcagt tttccttgag cggagattca ggtttttcag 180
gtgggtcttg tgagctgggg tctttacaac ccctgccttg gctctgctga caaaaactcc 240
cgcaaaaggg cccctcgtag caaggtcccg ccgccacgag actttcacat caatctcttc 300
cgcatgcagc cctggctgag gcagcacctg ggggatgtcc tgaatttttt acccctctag 360
ccatggccac tgagccctct gctgccctgc cagaatctgc cgccctcca tcttctacct 420
ctgaatggcc acccttagac cctgtgatcc atcctctctc ctgctgagt aaatccgggt 480
ctctaggatn ccagaggcag cgcacacaag ctgggaaatc ctacgggctc ctaccagcag 540
gactgcctcg ctgccccacc tcccgtcct tggcctgtcc ccagattcct tccctggttg 600
acttgactca tgcttgtttc actttcacat ggaatttccc agttatgaaa ttaataaaaa 660
tcaatggttt ccacaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 720
aaaaaaaaaa aaaaaaaaaa aaaaaana 749
```

<210> 394  
<211> 611  
<212> DNA  
<213> Homo sapiens

<400> 394  
g c g c g g c g g c g g c g g g t g g c t g g g c c g g c g g c g g c g g c g t a c g a g g c g c g c g c t c g g g 60  
g t c c c g g t c g c g a g g a g g a g g a t g t g g c g c g c g g a g g g g a a a t g g c t g c c g a a a a c a 120  
a g c c g g a a g a g c g t t t c c c a a a g t g t a t t c t g c g g a a c t a g c a c c t a c t g t g t t c t c a a c 180  
a c c g t g c c a c c t a t a g a a g a t g a t c a t g g g a a c a g c a a t a g t a g t c a t g t a a a a t c t t t 240  
t t a c c g a a a a g c t g c t t g a a t g t c t g c c g a a t g t t c a a g t t a c c a a a a g a g a g g c a c 300  
c g c t g g a a c a c t a a t g a g a g a t c a t g a t g c a g c c g t c c t t t g g a t t t c t t t t a a t a a t 360  
g t g t g a c c c t t c a c c t t t g a t c c c t g a c c t g c a t t a c c t t g g t a a c c a t t t c a t t t t t t 420  
a a t t t a a t t t c a t t t t t t a a t t t t g g t g t a c a g c t g t a a c a t t t c a t c t t t c a a a g t g t 480  
a a c a c g c t g a t t t c c t c a a a t a g a g a t a c c c t t t g a g t g a t a a a t t t g c a a a t g c t g t 540  
c t t c a t t t t c t g t a t t a a a a t t c a t t t c a g t t t t a a a a a a g t g t a a t c t g t g t t t t c a 600  
t c c t t t t a a a a 611

<210> 395  
<211> 1856  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1851)  
<223> n equals a,t,g, or c

<400> 395  
g t t g g c g c g c g g t g c g t a g t c t g g a g c t a t g g t g g t g g t g g c a g c c g c g c c g a 60  
a c c c g g c c g a c g g g a c c c c t a a a g t t c t g c t t c t g t c g g g g c a g c c c g c c t c c g c c g c c g 120  
g a g c c c c g g c c g g c a g g c c t g c c g c t c a t g g t g c c a g c c a g a g a g g g c c a g c c c g g 180  
a g g c a g c g a g c g g g g g g c t g c c c a g g c g c g a a g c g a c a g c g c c t c a c g c a c c t g a g c c 240  
c c g a g g a g a a g g c g c t g a g g a g g a a c t g a a a a c a g a g t a g c a g c t c a g a c t g c c a g a g 300  
a t c g a a a g a a g g c t c g a a t g a g t g a g c t g g a a c a g c a a g t g g t a g a t t t a g a a g a g a g a 360  
a c c a a a a a c t t t t g c t a g a a a t c a g c t t t t a c g a g a g a a a a c t c a t g g c c t t g t a g t t g 420  
a g a a c c a g g a g t t a a g a c a g c g c t t g g g g a t g g a t g c c c t g g t t g c t g a a g a g g a g g c g g 480  
a a g c a a g g g g a a t g a a g t g a g g c c a g t g g c c g g t c t g c t g a g t c c g c a g c a c t c a g a c t 540  
a c g t g c a c c t c t g c a g c a g g t g c a g g c c c a g t t g t c a c c c c t c c a g a a c a t c t c c c c a t g 600  
g a t t c t g g c g g t a t t g a c t c t t c a g a t t c a g a g t c t g a t a t c c t g t t g g g c a t t c t g g a c 660  
a a c t t g g a c c a g t c a t g t t c t t c a a a t g c c c t c c c a g a g c c t g c c a g c c t g g a g g a g 720  
c t c c c a g a g g t c t a c c c a g a g g a c c c a g t c c t t a c c a g c c t c c c t t t c t c t g t c a g t g 780  
g g g a g c t c a t c a g c c a a g c t g g a a g c a t t a a t g a a c t a a t t c g t t t t g a c c a c a t a t a t 840  
a c c a a g c c c c t a g t c t t a g a g a t a c c c t c t g a g a c a g a g a g c c a a g c t a a t g t g g t a g t g 900  
a a a a t c g a g g a a g c a c c t c t c a g c c c c t c a g a a t g a t c a c c c t g a a t t c a t t g t c t c a 960  
g t g a a g g a a g a a c c t g t a g a g a t g a c c t c g t t c c g g a g c t g g g t a t c t c a a a t c t g c t t 1020  
t c a t c c a g c c a c t g c c c a a a g c c a t c t t c c t g c c t a c t g g a t g c t t a c a g t g a c t g t g g a 1080  
t a c g g g g g t c c c t t t c c c c a t t c a g t g a c a t g t c c t c t c t g c t t g g t g t a a a c c a t t c t 1140  
t g g g a g g a c a c t t t t g c c a a t g a a c t c t t t c c c c a g c t g a t t a g t g t c t a a g g a a t g a t c 1200  
c a a t a c t g t t g c c c t t t t c c t t g a c t a t t a c a t g c c t g g a g g a t a g c a g a g a a g c c t g t 1260

ctgtacttca ttcaaaaagc caaaaatagag agtatacagt cctagagaat tcctctatatt 1320  
gttcagatct catagatgac cccaggtat tgtcttttga catccagcag tccaaggtat 1380  
tgagacatat tactggaagt aagaaatatt actataattg agaactacag cttttaagat 1440  
tgtactttta tcttaaaagg gtggtagttt tccctaaaat acttattatg taagggtcat 1500  
tagacaaatg tcttgaagta gacatggaat ttatgaatgg ttctttatca tttctcttcc 1560  
cccttttttg catcctggct tgcctccagt tttaggtcct ttagtttgct tctgtaagca 1620  
acgggaacac ctgctgaggg ggctctttcc ctcagtata cttcaagtaa gatcaagaat 1680  
cttttgtagaa attatagaaa ttactatgt aaatgcttga tggaaatttt tcctgctagt 1740  
gtagcttctg aaaggtgctt tctccattta tttaaaacta cccatgcaat taaaaggtag 1800  
aatgcaaaaa aaaaaaaaaa aaaaaaaccc ggggggsgcc ccggaaccaa nttccc 1856

<210> 396

<211> 2651

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (45)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (47)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2642)

<223> n equals a,t,g, or c

<400> 396

gtcacgagcg agggggtgcg tgtgaggtca tcgcgcgggc gggcntncgg ggtctggcgg 60  
tttgaaacgag acgaagacgg aaccggagcc ggttgccggc agtggacgcg gttctgccga 120  
gagccgaaga tggcagtgaa cgtatactca acgtcagtgga ccagtataaa cctaagtcga 180  
catgacatgc tggcctggat caatgagttt ctgcagttga atctgacaaa gatcgaacag 240  
ttgtgctcag gggctgcgta ttgtcagttt atggacatgc tgttccctgg ctccattgcc 300  
ttgaagaaag tgaaattcca agctaagcta gaacacgagt acatccagaa cttcaaaata 360  
ctacaagcag gttttaagag aatgggtggt gacaaaataa ttcctgtgga caaattagta 420  
aaaggaaagt ttcaggacaa ttttgaattc gttcagtggt tcaagaagtt tttcgatgca 480  
aactatgatg gaaaagacta tgaccctgtg gctgccagac aaggtcaaga aactgcagtg 540  
gtccttccc ttgttgctcc agctctgaat aaaccgaaga aacctctcac ttctagcagt 600  
gcagctcccc agaggcccat ctcaacacag agaaccgctg cggctcctaa ggctggccct 660  
ggtgtggtgc gaaagaaccc tgggtgtggc aacggagacg acgaggcagc tgagttgatg 720  
cagcaggtca acgtattgaa acttactgtt gaagacttgg agaaagagag ggatttctac 780  
ttcggaaaagc tacggaacat tgaattgatt tgccaggaga acgaggggga aaacgacct 840  
gtattgcaga ggattgtaga cattctgtat gccacagatg aaggctttgt gatacctgat 900  
gaagggggcc cacaggagga gcaagaagag tattaacagc ctggaccagc agagcaacat 960  
cggaattctt cactccaaat catgtgctta actgtaaaat actccctttt gttatcctta 1020  
gaggactcac tggtttcttt tcataagcaa aaagtacctc ttcttaaagt gcactttgca 1080  
gacgtttcac tccttttcca ataagtttga gttaggagct ttaccttgt agcagagcag 1140

```

tattaacayc tagttggttc acctggaaaa cagagaggct gaccgtgggg ctcaccatgc 1200
ggatgcgggt cacactgaat gctggagaga tgttatgtaa tatgctgagg tggcgacctc 1260
agtggagaaa tgtaaagact gaattgaatt ttaagctaat gtgaaatcag agaattgttg 1320
aataagtaaa tgccttaaga gtatttaaaa tatgcttcca catttcaaaa tataaaatgt 1380
aacatgacaa gagattttgc gtttgacatt gtgtctggga aggaagggcc agaccttgga 1440
acctttggaa cctgctgtca acaggctcta cagggtgct tgaacctca taggcctagg 1500
ctttggtcta aaaggaacat ttaaaaagt gccctgtaaa gttatttggg gtcattgacc 1560
aattgcatcc cagctaaaaa gcaagaggca tcgttgctg gataatagag gatgtgtttc 1620
agccctgaga tgttacagtt gaagagcttg gttttcattg agcatttctc tatttttcca 1680
gttatccccg aaatttctat gtattatatt ttttggggaa gtgagggtgtg cccagttttt 1740
taatctaaca actacttttg gggacttgcc cacatctctg ggatttgaat ggggattgta 1800
tcccatttta ctgtctttta ggtttacatt taccacgttt ctcttctctg ctccccttgc 1860
ccactgggga ctctcttttg gctccttgaa gtttgctgct tagagttgga agtgcagcag 1920
gcaggtgatc atgctgcaag ttctttcttg acctctggca aaggagtgagg tcagtgaagg 1980
ccatcgttac cttgggatct gccaggctgg ggtgttttgg gtatctgctg ttcacagctc 2040
tccactgtaa tccgaatact ttgccagtgc actaatctct ttggagataa aattcattag 2100
tgtgttacta aatgttaatt ttcttttgcg gaaaatacag taccgtgtct gaattaatta 2160
ttaatattta aaataactta ttctttaact ctccctcatt tgctttgccc acagcctatt 2220
cagttccttt gtttggcagg attctgcaaa atgtgtctca cccactactg agattgttca 2280
gcccctgatg tatttgtatt gatttgtttc tgggtgtagc ttgtcctgaa atgtgtgtag 2340
aaagcaagta ttttatgata aaaatgttgt gtagtgcag ctctgtgtgg aattcagagg 2400
aaaaccaga ttcagtgatt aacaatgcca aaaaatgcaa gtaactagcc attgttcaaa 2460
tgacagtggg gctatttctc ttttgtggcc ttttagactt ttgttgccct aaaattccat 2520
tttattggga acccattttc cacctggtct ttcttgacag ggttttttc tactttaaac 2580
agtttctaaa taaaattctg tatttcaaga gtaaaaaaaa aaaaaaaggg gggccsccca 2640
angggacca a 2651

```

<210> 397

<211> 2507

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2489)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2496)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2504)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2505)

<223> n equals a,t,g, or c

&lt;400&gt; 397

```

ggctgcccga ctggetgtgg aaatgaaaac tgatctcttg attgttcttt cagatgtaga 60
aggccttttt gacagccccc caggttcaga tgatgcaaag cttattgata tatttttatcc 120
cggagatcag cagtctgtga catttggaac caagtctaga gtkggaatgg gtggcatgga 180
agccaagggtg aaagcagccc tctgggcttt gcaagggtggc acttctgtwg twattgcaa 240
tggaaccac ccaaagggtgt ctgggcacgt catcacagac attgtggagg ggaagaaagt 300
tggtaccttc ttttcagaag taaagcctgc aggcctact gttgagcagc agggagaaat 360
ggcgcatct ggaggaagga tgttgccac cttggaacct gagcagagag cagaaattat 420
ccatcatctg gctgatctgt tgacggacca gcgtgatgag atcctgttag ccaacaaaaa 480
agacttgag gaggcagagg ggagacttgc agctcctctg ctgaaacgtt taagcctctc 540
cacatccaaa ttgaacagcc tggccatcgg tctgcgacag atcgagcct cctcccagga 600
cagcgtggga cgtgttttgc gccgcacccg aatcgccaaa aacttggaac tggaacaagt 660
gactgtccca attggagttc tgctggtgat ctttgaatct cgtcctgact gtctacccca 720
ggtggcagct ttggctatcg caagtggcaa tggcttgta ctcaaaggag ggaaggaggc 780
tgcacacagc aaccggattc tccacctcct gaccaggag gctctctcaa tccatggagt 840
caaggaggcc gtgcaactgg tgaataccag agaagaagt gaagatcttt gccgcctaga 900
caaaatgata gatctgatca ttccacgtgg ctcttccag ctggtcagag acatccagaa 960
agctgctaag gggattccag tgatggggca cagcgaaggg atctgtgcac atgtatgtgg 1020
attccgaggc cagtgttgat aaggtcacca ggctagttag agactctaaa tgtgaatatc 1080
cagctgcctg taatgctttg gagactttgt taatccaccg ggatctgctc aggacaccat 1140
tatttgacca gatcattgat atgctgagag tggaaacaggt aaaaattcat gcaggcccca 1200
aatttgctc ctatctgacc ttcagcccct ccgaagtga gtcactccga actgagtatg 1260
gggacctgga attatgcatt gaagtagtgg acaacgttca ggatgccatt gaccacatcc 1320
acaagtatgg cagctccccc acggatgtca tcgtcacaga ggacgaaaac acagcggagt 1380
tcttctgca gcacgtagac agtgctgtg tgttctggaa tgccagcact cgcttttctg 1440
atggttaccg ctttgactg ggagctgaag tgggaatcag tacatcgaga atccacgccc 1500
ggggaccagt aggacttgag ggactgctta ctactaagt gctgtgcga gggaaggacc 1560
acgtggtctc agatttctca gagcatggaa gtttaaaata tcttcatgag aacctcccta 1620
ttcctcagag aaacaccaac tgaaaagagc caggaaaacc cgggaatttt caaaagggtc 1680
ttcacgttaa acttgtctta tctcaggaga gagcccgtc ttgtctccca gttcctggta 1740
gggtctgcct gttgaaaagt gtacctggat gcttctgggc tccgtttggc aatagcartc 1800
ttggctgatg tgcacagtct ggctcccagc tcaccctttt tttttaaagt aagaaaatag 1860
ttgctaccga tagggacttt gccaaagtcca attatcttct aggattgaaa ggtgcatttt 1920
ccccataaaa aaggcgagga aaacccatgg ctgctttgtg tcacctcagt gacttacagt 1980
cccccttggc atttagttgg tactagagcc agtcacctt aacaaatctt ttcacatttt 2040
atttctttca catgtagtca tcttcaaaaa ggaaagattt ggaatttttag aaaaggggca 2100
actcttcttt ttagcattct catcagaaag tcacaaaaat cgatggaatc atttccactg 2160
ggaagattga cttttgtat ttatttgtgg ggtaaattaa taagcattcc agatgcttgc 2220
agcttctgct atccaggaga tgctgtgttc ccctgtatgc agctggaacc caagctgcag 2280
caggagatgc aagtttcagg atgttcccca ctgagctgga ggaatatcta cagcagtgat 2340
gcttgaaatt tttgtatgaa ttattttgtc gtctaccct tttctccaa aacaaaaatt 2400
agaggattat ttttaactt tggattcttc cccctttttt gagaaataaa gttttttatg 2460
aaaagccaaa aaaaaaaaaa aaaaagggng ggcggnctag aggnncc 2507

```

&lt;210&gt; 398

&lt;211&gt; 1273

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

<221> misc feature  
<222> (1227)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1229)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1252)  
<223> n equals a,t,g, or c

<400> 398  
ggcacgagtg gagtagctgg gattacagat ttccagaagc tgttctgtca ataacaaagt 60  
ctcaragaaa accacaaaac caccaacact aagatcattc ttgagtccaa ttgaaaaaac 120  
taggggtcaag ttctgcagag gcattgaaag gacaagaaac caccctgata cccatcgtgt 180  
gagggaaaaat gctctattca ccattcctca gcttctgctt ctggtttcag agttctctct 240  
atattggagg gtgttttaaa gctagagtgg tctttatcca cttttattaa cacatctgaa 300  
tgtgaaggtc aagagaggaa agtgatatgt cctaagtcag agtagagtca acaagaaaat 360  
aagacaaaac gcgactgagc ccctgggtgta tactgggcat tggccagcta ctggggatat 420  
ggagatgaag aaaacataac ccttcttcaa ggagcccaac ctaccaaggt agacagacat 480  
atagacaaat agatacttgc atagaaaaaa agaggaaaag gggatcagtg tgacctgtgt 540  
aactaagtac cctataaacc ctctgcaac agatcatatt gccctttata gtggggatgg 600  
taatcccatc tgaattccac aggtactttg cagtcatacc acacccatgt gtctgtcggg 660  
cctgactgta ccatttataa acagcttcac tttcagcagt tctcagccct cttaagctag 720  
ggtcattgtc agtagggata ctgcttcata agcaccagca gaacaccaa ggagaccata 780  
tgggtgaaag caaccagcac tgccctggcg cttcataggt tcttagagtt tttatctttt 840  
actttcagtc taacacagca ctgcctgctt tttgtttttg ttgcttggtt tgtttttttc 900  
ttaccgtgtt caccaaactt gtgtccaaat agctttgggc tgatgcaaaa atatctatgt 960  
ggaagagaag agttgttctc atggagggcc ttcagatgag tgctatagac tctctaggca 1020  
actccaagag gcttctcaag caggggtggc agtgagagct gctatggaat caatggacaa 1080  
actgacaggg actgctttga aagacagtac tcagttgagt atatatattc tctcttaagg 1140  
gctaaaagtt tataatcatc ccttaaacac tctgtgatgg gatcttcagg atcatctttt 1200  
gaagtaaaact atattttaca atgtganana aaaaaaaaaa aaaaaaaat tncctcggtc 1260  
cgcaagggaa ttc 1273

<210> 399  
<211> 3774  
<212> DNA  
<213> Homo sapiens

<400> 399  
gacgcaaaga gtcgcggcgc catttgctgc cgccgagcgt ggacgcaggc ggatctctga 60  
agagctgggt cgccagcctc tcccgcgcac gttgcctggc ctccagcacc tacttggtcc 120  
cgcgcgctcc ctctgtctgc ccctcggagc agcagccgcc gcggtcgccg ctacccggaa 180  
agaagtcaga gacgccgca ggtgcgccgc accgccatgc ccaagaataa aggtaaagga 240  
ggtaaaaaca gacgcagggg taagaatgag aatgaatctg aaaaaagaga actgggtattc 300  
aaagaggatg gtcaggagta tgctcaggta atcaaaatgt tgggaaatgg acggctagaa 360  
gcaatgtgtt tcgatgggtg aaagaggtta tgtcacatca gagggaaaatt gagaaaaag 420

```

gtttggataa atacctcgga cattatcttg gttggtctcc gagactacca ggataacaaa 480
gctgatgtaa ttttaaaata caatgcagac gaagctagaa gtctgaaggc atacggcgag 540
cttcagagac atgctaaaat caatgaaact gatacatttg gtccctggaga tgatgatgaa 600
attcagtttg atgacattgg agatgatgat gaagatattg atgacatcta aattgaactc 660
aacattttac attccatctt ttctgaagat tgcctacaa tttggatttt gatcatgaca 720
aagaagatta aaatttcatt agcatgaatg caatttggtt aagcagactg atttgtttct 780
aagatatttt tgggtttttt aaaactgata ataatgctga attatcttaa gtgagatggt 840
aagcccactt tgttctttta atgtaatgga gcttatgggt agaagaccat gtctactaat 900
tacaaaaaaa aaaaaaaacc atgcattgct gcttttccta ccacttcag taagaaaatg 960
ggtgttttga agaaatcatt tgccttgtcc tcacggaatc tgattaagcc ctggcctctt 1020
gattgtatag agtcattgtg tatattccag ttacctagat attcccttga gattttgata 1080
caatttgagg gaggcagaag tctgcakttg aagaaaaaaa ataagtctgt ttgtcatatt 1140
taagtagcct gtggctattt ttatactgat ttgatataca tgttcttttc atagtcgtat 1200
tttgccaccg taaacataaa aaaaaaaaaa aagatttcca aaatgccgtt ttcagaacct 1260
gggttttaat agcagtattg aatttgtaag cttagtagtt gcagaaattg aacactaggt 1320
ggcactcagt tatcttaaca ggggaagtac tgatacaatt gttgactttt cttttactat 1380
gtgtaagaaa taccctaaac atgaaaagat tgttttgatc atatgcatgt atgtagaata 1440
tttttgcala gcagaaagat tatgttagaa gtgtgatttt tattttcaga agtcataatac 1500
atgtaagcta caattttgag tgctttataa acacttaaga tatatatata aatttttaatt 1560
tcatagcaac ttgtaaaaaa taaaataactt gttgaaaagc ctttttcaac atatccctaa 1620
gctaagggaa gaggaaggaa taacaactca gtgaaaagat ggtctccagt ttctgaatga 1680
aaaagctaca gctgagaaat aaaataaaat gtcattgctgc agaataatgt atacccttat 1740
tttggtttaa ggatataattt tattatgtga atgggtttgt ttttggtttt tgtttttgtt 1800
ttttgcttgt attgggaatt agctttactg gtaacttcct tatttagttt ttagtggtca 1860
actctaataa aatgaaacta gggctgagct agttagccct cactagccaa actgaaactc 1920
tatgcaacat taaaagaaga gatccatcat gtactgtgtg acacttttat tttattagtc 1980
accggggaac ttttcagtga tgaataataca cagggttaata aaccttcaca tggcttcaaa 2040
aggaaaacaa gcaaatcttc tctaactctac tcttactata atttcctaag tgtacaccaa 2100
actctggatt taaaaatctg aagtactata gaacattaag ttgaagaatg gaaattaaga 2160
gtacgtattc atggtttata tttcttattc tatggagttc gtgaacacat ctaggtggaa 2220
tgcatctgag actaagggtt ggtttttaat cctcataaga aaccagcctt gaagaattaa 2280
caattctctt cattggtatt ctaaaccctc taagatattt aggccttctgt acataaaagt 2340
gtttttgcta aatttacagt atatatagat cttttcatat tattttacta agaattgtttg 2400
aactttgcat atttgatata gttcctggta ggaatagcac agctcaaaac ttagtttttc 2460
tacttacctc ctctaacacg tgggttgtct ggagagtttc taaaaattca gctataacct 2520
cagttcatgt atttactggt gattgttctt gctgaggtag taacagccca atcttgggct 2580
gttaaatcct aggaaatctc gaatcatagt gattaaaata gttggggtaa agttgtagct 2640
tatatgcaat actacttgga ggaattcttc tactaatttg tatttaattg ggaaattgta 2700
tagtttcatt gatttaataca taaataatgg aaatggtctc caagaagttt tatttttcat 2760
ttttttgctt atacactctg attcctataa tacagtgtca taagctatgc acagaaaata 2820
aaatgtttga aatccaagaa taatggttct tactgctaag agggagtaat agttattact 2880
aatgattttg attgggttgc atttttgttg caatgtttat tccacttgca gttagaatat 2940
gaatatgttt tatcactagt gtggctaaat aaccaaacat ttgtgtaaaa aaaaaaaaaa 3000
gccaagattt cattgtttgt tgaatatttc ttaagcatct ggcccctaaa gagaccgctt 3060
cttaccagc ctgtaaaacta tgcatgatgg aaattcttgt attttattta ggaatggctg 3120
ttggtttact caccacatct gtggaatcat ggtataaat gtttgcttac aaactctttg 3180
tgacttgtaa ttttaacttaa tctcatctaa tgtaaatatt agattatgat gttcagtaac 3240
atcttccata ggtataaact gctgtcatta ttgatttcag agtaactctg agtaatcaaa 3300
taggtaaaag catgttttga gtaaaatagc tagattttata ctttacttgt atacagactt 3360
aacaacaacc ggtattgact ggattgacag ctaaagtatc agaataagaa caaggttttt 3420
ttgatgttac ctgactgtca taaagatgaa ratgatttgt atkggtatga matgcttatc 3480

```



```

tttatctack tcgtaagggt arggtaatta acgctgtgac tccacgaact tgccactgca 3540
tgggtgtttgg ttccctacat caccctttac ttogctttct ctatctgaaa gcgaaggaaac 3600
gcagcctccg taatgcagca attggaggat ggggtcgcct taccagctc cagggggtgg 3660
gacattggcg agatgtgggt cccgttgccg ccggcaggac tgttctgcac tagggacacc 3720
catgggattt aatggccaca gaaagctcct tggagaacgg accgggcccg tttt 3774

```

<210> 400

<211> 1522

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (479)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1471)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1481)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1487)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1501)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1508)

<223> n equals a,t,g, or c

<400> 400

```

gcgccgctgt cttttcagtc sgcgctgagt ggtttttcgg atcatgtctg gtggctccgc 60
ggattataac agagaacatg gcggcccgaga gggaatggac cccgatggtg tcatcgagag 120
caactggaat gagattgttg ataactttga tgatatgaat ttaaaggagt ctctccttcg 180
tggcatctat gcttacggtt ttgagaagcc ttccgctatt cagcagagag ctattattcc 240
ctgtattaaa gatccaaaag gtaattctgg cacttgagaga ctatatggga gccacttgtc 300
atgcctgcat tgggtgaaca aatgttcgaa atgaaatgca aaaactgcag gctgaagcac 360
cacatattgt tgttggtaca cccgggagag tgtttgatat gttaaacaga agataccttt 420
ctccaaaatg gatcaaaatg tttgttttgg atgaagcaga tgaaatgttg agccgtggnt 480
tttaaggatc maatctatga gattttccaa aaactaaaca caagtattca ggttgtgttg 540

```

```

ctttctgcc caatgccaac tgatgtgttg gaagtgacca aaaaattcat gagagatcca 600
attcgaattc tggtgaaaaa ggaagaattg accottgaag gaatcaaaca gttttatatt 660
aatgttgaga gagaggaatg gaagttggat acactttgtg acttgtagca gacactgacc 720
attacacagg ctgttatatt tctcaatacg aggcgcaagg tggactggct gactgagaag 780
atgcatgcc gagacttcac agtttctgct ctgcatgggtg acatggacca gaaggagaga 840
gatgttatca tgaggggaatt ccggtcaggg tcaagtcgtg ttctgatcac tactgacttg 900
ttggctcgcg ggattgatgt gcaacaagtg tctttgggta taaattatga tctacctacc 960
aatcgtgaaa actatatcca cagaattggc agaggggggc gatttgggag gaaagggtgtg 1020
gctataaaact ttgttactga agaagacaag aggattcttc gtgacattga gactttctac 1080
aatactacag tggaggagat gcccatgaat gtggctgacc ttatttaatt cctgggatga 1140
gagttttgga tgcagtgtct gctgttgctg aataggcgat cacaacgtgc attgtgcttc 1200
tttctttggg aatatttgaa tcttgtctca atgctcataa cggatcagaa atacagattt 1260
tgatagcaaa gcgacgttag tcgtgagctc ttgtgaggaa agtcattggc tttatcctct 1320
ttagagttag actgttgggg tgggtataaa agatgggggc tgtaaaaatc ttytttctta 1380
gaaatttatt tcctagttct gtagaaatgg ttgtattaga tgttctctat catttaataa 1440
tatactgtg gactaaaaga tataagtgtc ntataaaatc nggcccnaat atgtttaaat 1500
ntcagatnac ccttaatcaa at 1522

```

<210> 401

<211> 1370

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1223)

<223> n equals a,t,g, or c

<400> 401

```

agcccttctt gcccagctg cagaccactt tcaccaagc cctgcaggac tccaaccggg 60
gggtgcgcct gaaggcgag atgctctggg gaagctcatt tccatccaca ttaagggtga 120
ccccctcttc acagagctgc tcaatggcat ccgcgccatg gaggaccag gtgtcaggga 180
cacattgctg caggccctga ggtttgtgat tcaggagca ggggccaaag tggatgccgt 240
catccgga aaacatcgtct cactcctgct gagcatgctg ggacacgatg aggacaacac 300
tcgcatctcc tcagccgggt gcctagggga actgtgtgcc tttttgactg aagaggagct 360
tagtgccgtt ctacagcagt gcttgctggc ggacgtgtcc ggcattgact ggatggttcg 420
gcacgggcgg agctggcact ttccgtggct gtgaatgtgg ctccctggcag actttgtgcc 480
ggcagatata gcagtgatgt tcaggaaatg atcctgagca gtgccacggc ggacaggatc 540
cccattgcgg tgagcggggc ccggggcatg ggctttctca tgagacacca catcgagaca 600
ggcggagggc agttgccggc caaactttcc agcctgttcg ttaagtgtct gcagaaccca 660
tccagcgaca tcaggctggg ggctgagaag atgatctggg gggcaataa ggaccactg 720
cctcccctgg acccccaggc catcaagccc atcctgaagg ctcttcttga caacaccaag 780
gataagaaca ccgtggtcag ggcctacagc gaccaggcaa ttgtcaacct cctcaagatg 840
cggcagggtg aagagggtgt tcagtcctc tccaagatcc tggatgtggc cagtttggag 900
gtgtgtaacg aggttaaccg aagtcctga agaagctggc cagccaggcc gactccacgg 960
agcagggtga cgacaccatc ctgacatgag aggcctgggc cagcagcagc attgccgctc 1020
cacatctttg ctcaatgttt tcatttttga aaatacatit gttccaatgg ggagcttggg 1080
agatggcggt cccagaaagt attttaatat caatagacca cagccaaagc cttaaataa 1140
accacacac aactgaaaat tgcctcctcc atctctcacc ttttctgtg gagaagagaa 1200
ggaaaagcac acgcatgcgc ctncagcaaa tggcagccca ggagctgttt gtccakttta 1260
ggcatggcta ggtctgggaa ctattaatag gcagggtcag aytktggggt tcctcttctc 1320

```

ctgtgcttga gctctggtt gagagctggc gctaccaacc ttttcctat 1370

<210> 402

<211> 1412

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (51)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1406)

<223> n equals a,t,g, or c

<400> 402

ttatataaag atctatcaag gtgaagaatt accacatccc aaatccatgt nacaggccac 60  
agcagaagct aacaatttag cagccgtggc aactgccaaag gacacataca acaaaaaaat 120  
ggaagagatt tgtggtggtg acaaaccatt tctggcccca aatgacttgc agaccaaaca 180  
cctgcaactt aaggaagaat ctgtgaagct attccraggg gtgaagaaga tgggtgggga 240  
agaatttagc cggcgttacc tgcagcagtt ggagagtga atagatgaac ttacatcca 300  
atatatcaag cacaatgata gcaaaaatat cttccatgca gctcgtacc cagccacact 360  
gtttgtagtc atctttatca catatgtgat tgctggtgtg actggattca ttggtttgga 420  
catcatagct agcctatgca atatgataat gggactgacc cttatcacc tgtgcacttg 480  
ggcataatc cggactctg gagaataccg agagctggga gctgtaatag accagggtggc 540  
tgcagctctg tgggaccagg ctttgtacaa gctttacagt gcagcagcaa cccacagaca 600  
tctgtatcat caagctttcc ctacaccaa gtcggaatct actgaacaat cagaaaagaa 660  
aaaaatgtaa tgcaaatatt aagaaataca ggtgcatgac caattgtcaa ttaaatattc 720  
agttttatgt ctccatgcaa acattcaaag tgcttccatc agaacggagt aaaatactaa 780  
acacctctga agactgcaaa ctggattagt tcttttactt cagtgtttaa taagcagatg 840  
tatgtatgca tggttatact attttgtaa catgtacaat ttcctgattt ttcttcaaaa 900  
atgctgttat aaagtatttg tctatttatg ataacagtac acgtgttctg cttgaattta 960  
ctaaattcta ctactgggtt ataattaaat catgtgatat tccacgtttg gatatgctca 1020  
tttaatttct acagaaaaaa ttttaaatta tttcacatta gccatttggt aaaacacagc 1080  
atcataactc agcaggcttg atttaatctg tatcatctta tatatatcac aatcttattt 1140  
ttaagcacat tttagagttc cttagttgct ttatcaaaaa ccagatattg cttttacatg 1200  
gtttaataga atataaacct cttgataaaa aatgcacaaa aaatcacttt gtatatgtga 1260  
gtttcactgc attgtatatt ttttcatttg gtacacaaa aatgtattct tcataggttt 1320  
attcttttaa tatgtgaact attattaaag tttactctgg ttcctaagat taaaaamaaa 1380  
aaaaaaaaaa aaaaaaaaaa aaaaanaaaa aa 1412

<210> 403

<211> 1750

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (40)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (44)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (70)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (107)

<223> n equals a,t,g, or c

<400> 403

```

tngtgctcca ccgcggtgga ggaccgctcc tagcaactan tggntccccc gggcctgtca 60
ggaattcggg cagtgggcat ggcgactttt tctggcccgg ctgggcnaat cctgtcgctt 120
aatccgcaga agatgtcgag tttcaaaagg aggtggcgca ggttcgcaag cgcataaccc 180
agcgaaaaaa acaagaacaa cttactcctg gagtagtcta tgtgcgccac ctacctaacc 240
tacttgacga aaccagatc ttttcatatt tctcccagtt tggcactgtg acacggttca 300
ggctgtccag aagtaaaagg actggaaata gcaaaggcta tgcatttgtg gagtttgagt 360
ctgaggatgt tgccaaaata gttgctgaaa caatgaacaa ctacctgttt ggtgaaagac 420
tcttgaggatg tcattttatg ccacctgaaa aagtacataa agaactcttt aaagactgga 480
atattccatt taagcagcca tcatatccat cagtgaacg gtataatcgg aatcggacac 540
taacacaaaa gctacggatg gaggagcgat ttaaaaagaa agaaagatta ctcaggagaa 600
aattagctaa aaaaggaatt gactatgatt ttccctcttt gattttacag aaaacggaaa 660
gtatttcaaa aactaatcgt cagacgtcta caaaaggcca ggttttacgt aagaagaaga 720
aaaaagtttc aggtactctt gacactcctg agaagactgt ggatagccag ggccccacac 780
cagtttgtac accaacattt ttggagaggc gaaaatctca agtggctgaa ctgaatgatg 840
atgataaaga tgatgaaata gttttcaaac agcccatatc ctgtgtaaaa gaagaaatac 900
aagagactca aacacctaca cattcacgga aaaaaagacg aagaagcagc aatcagtgat 960
tttcaatgta ttatatttct ttgaaaaat ataataattt tatgagagt gactttgtat 1020
ttcactaggt acaatggaat acaacctttg acaagatttt cagaggaaaa atacactgtt 1080
tgggtcaagtt aaggaaagca gtgtgtaatt ttggattgcc tgcccttggc tgaaatacag 1140
gggtgcatat cagcttgcatg ttgcttggtt gacattgcct ctttgtcctg gcctctagtt 1200
ttcttttgat atttcatagc tctccttagt ttactctgcc tggatagaaa gttgaccact 1260
aactgcaggt ttaagtacta aaytgcagcc ttttctgtcg ccagcaatta aagaccacca 1320
atcttgtttg tccatctaca tggtttgtcg gggacattta actcatggag gtgctttaga 1380
tttcaacatc agatggttga agctggaagt ttaattatat gtagagttag aaggcagttc 1440
cagtttttagc acagatttgt ttatgtgttc agattttaat agagattcaa aaatgactca 1500
tttttaccaa taatgttaaa ttagttttgg ttgtgctagc atgaattaat aaccaccatt 1560
ttataccagt atcatcagt aagaattgta ttcaagatt caaacaataa ccagcaatta 1620
aacttttttc tacaatgtat ttgtttgcga gtaggacttg ggagtcattg ggaaaaaaa 1680

```

ataataaaatt ttcccccttca ttaacgaatt cagactcatt aaaaacattg ccatcagaaa 1740  
 aaaaataaaaa 1750

<210> 404

<211> 1339

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (150)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1330)

<223> n equals a,t,g, or c

<400> 404

atctcaggga aatgaagatg gaatttgaag gtcactttta aaattaagtc attgatgctg 60  
 ctgttacaga gtgtgacaga ggatccatgt ctgtgacaca ggacggtggg aagcctgaga 120  
 gagagtgaat ttatgtgata cactgaaatn acttttggtt ttcttctaac tcatacaaaa 180  
 ctggtttgga aagtctttgc tttggaagcg tcagacatta gaacaggcca aactggactg 240  
 tctgttcata gcgtgcctga ataagaagcg ctcttaggga gccagaggga gcagagtggg 300  
 cgtgtcctgc gtgtcttca cctctgaggc cgcccctgct gcggtggca ggtgcagaca 360  
 gcctttgctg gtccccagca cgtccagggt ggggtgctcc ttgcccagca gaaccatccc 420  
 cactgtgagg ctgtgagaga tttgtggcag gaactgttta tgaggctcta gttgttgctg 480  
 ttgtggcggg aaagttaaga aacatagccc ttaaggaaac cacccttatg tattttctta 540  
 aagcacgcct taaataaagc aaaaacttta aaaggcagga aagagaattc ttaggcaaat 600  
 tcagagaaat aagtgtagt taatactaat cacctcctcc tctgtctctc atcctccttt 660  
 ctcccatcaa agcaaaatat ggccctacca ccagcccaa atcagtgtc agaccctctc 720  
 tgtgtctgtg tgccctcctg ggagtcagtc agcgctcagg ccaggactgt gcagggccag 780  
 ccagcccatg cgctagttag gagcacaggc aagggtgtgt tgtggcagt gcccggcacc 840  
 tgagccccag ctggtgttta aacgtgctga cggcaagggg caatggagt agtttcccaa 900  
 ctaagaaacc actattatat attttctccc ttcatgcaca tagacttcag acaactctcc 960  
 tattttttat ggatttttca gctcatttca gatgaaggaa ctaagtcatt gtgaactgtc 1020  
 tcttgagatc taaaaacaag atgacttttc ctggcacata ttccaaagca aagactttgt 1080  
 tgctgtctgc ttattgtcta atttacaggg atatttaatt ttgtcaggtc tatgtatatt 1140  
 tatccagcta tacttacttg cacagtggat tggagagaaa ggattctcca gtgtgcacac 1200  
 tcatcggtac tctttctgca tttccctcgt gctgtgtccc gctcgggttc caatggacag 1260  
 tatcagggct tgtttgactt aggtctttca gttttccttt cggttccctt ttaaaaatgt 1320  
 gattgttaan ctgcctctt 1339

<210> 405

<211> 482

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (440)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (469)

<223> n equals a,t,g, or c

<400> 405

```
cttgggtatc ggctattgcc tgagtgtgct agagtcctcg aagagtaact gctgacotta 60
ttcactggct gtgggcctta tggcacagtc agtcaccagg ttagagacat gcttcacatt 120
cacctacca caaactagtg gatgataaat tttggctatt cagaagacgt ttattatagg 180
agtatgtaga ttttccatag agtgctgtta tgtgacttga attttagtct cggccctgcc 240
tctgacattg tccgttggtt atcctgggtc caggaaataa gactagcctt ttcctcatga 300
tagtctttgg tggtttttaa aacagttggt taagtcaaca gatgtatcat atgcctgaca 360
ctgctctaca ccagtgaata atttacctc taataggggg tggttaactat aaagatgata 420
aacatagcat cttaattggn gtgtgtatga aggtggttgt tacctcttnc tagccacca 480
gg 482
```

<210> 406

<211> 1413

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (9)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (24)

<223> n equals a,t,g, or c

<400> 406

```
ctggtgctnc accgcggtgt cggncgcgtc tagcaactag tggatcccc gggcctgcag 60
ggaattcggc acgaggtttg gtgggggttac acgcgggttc aacatgcgta tcgaaaagt 120
ttatttctgt tcggggccca tctatcctgg acacggcatg atgttcgtcc gcaacgattg 180
caaggtgttc agattttgca aatctaaatg tcataaaaac tttaaaaaga agcgcaatcc 240
tcgcaaagtt aggtggacca aagcattccg gaaagcagct ggtaaagagc ttacagtgga 300
taattcattt gaatttgaaa aacgtagaaa tgaacctatc aaataccagc gagagctatg 360
gaataaaaact attgatgcga tgaagagagt tgaagaaatc aaacagaagc gccaaagctaa 420
atttataatg aacagattga agaaaaataa agagctacag aaagttcagg atatcaaaaga 480
agtcaagcaa aacatccatc ttatccgagc ccctcttgca ggcaaaggga aacagttgga 540
agagaaaatg gtacagcagt tacaagagga tgtggacatg gaagatgctc cttaaaaatc 600
tctgtaacca tttcttttat gtacatttga aaatgccctt tggatacttg gaactgctaa 660
attattttat tttttacata aggtcactta aatgaaaagc gattaaaaga catctttcct 720
gcattgccat ctacataata tcagatatta cggatgttag attgcatctc agtggttaaat 780
ctttactgat agatgtactt aagtaaatca tgaaaattct acttgtaact atagaagtga 840
attgtggacg taaaatggtt gtgctatttg gataatggca ctaggcagca tttgtatagt 900
aactaatggc aaaaattcat ggctagtgat gtataaaata aaatattctt tgcagtaaaa 960
tattcccttt gttaatgtta tagaaggggg gatacaaaaa ggaactaaca atttgtatgg 1020
```

```

cagtgtcaga tatttttatt ttagtatttc ctgttttggg ttatttgcat cttagaagag 1080
cataatgaca ttgtttgatg aagcctaatt atgctggact gttttgacct ggtttaaccc 1140
ttctgatagg tagtttgga tgctggggat gagaactgaa taatctttgc ctggagtgc 1200
actacactct agaatttcca ctttgagaa tactcagttc caacttgga ttcctgatag 1260
aacagacttt acttttctag ccagcattg atctagaagc agaggaatcc cagcgccttt 1320
taaaagtgtg tatgtggttt tcttttaaaa agctcctgtt tttgaaagt agaatttatg 1380
ggtacctcgg ccgcgaccac gctaagccga att 1413

```

<210> 407

<211> 1693

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1548)

<223> n equals a,t,g, or c

<400> 407

```

tggtgtgtcc ggccactcc cctgggagcg cgaagcgktg gaccagggcg gccatgtccc 60
gccctgcgat gcgcctggtg gtcaccgcgg acgactttgg ttactgcccg cgacgcgatg 120
agggatcgt ggaggccttt ctggccgggg ctgtgaccag cgtgtccctg ctggtcaacg 180
gtgcggccac ggagagcgcg gcggagctgg cccgcaggca cagcatcccc acgggcctcc 240
acgccaacct gtccgagggc cgcctcgtgg gtccggcccc cgtggcgcc tcatcgctgc 300
tcggcccgga argcttcttc cttggcaaga tgggattccg ggaggcggtg gcggccggag 360
acgtggattt gcctcaggtg cggagccgca gctacaggag gatgctcgcg aggaccccc 420
gagctccgcc cggaggtagt gtgaggcgt tagagctggc ggtggatgac ttcgcattc 480
aaacactgga gccatcacac ggaagcacga ggagggtatc ctccgcagct actcccggtc 540
gctcaaggtg tctctcgtc gccctctagg tgcgggagga gctcgaggcc caactaagct 600
gcttccggga gctgctgggc aggcycacac gcacgcggac gggcaccagc actgcacgtr 660
ckcycaggtg cgtggttagt gatcccagtt tggaggcggt tactcccagg cggggctggg 720
ggagtakggg aagttcgatg cccccaggtg aaaggacgtg ctctccctg acccgctccg 780
cccgcaggcg tgtgccaggt gtccgccgag gcgctgcagg cctatggggg gcgctttacg 840
cgactgccgc tggagcgcg tgtgggtggc tgcacttggc tggaggcccc cgcgctgcc 900
ttcgctgcg cgtggagcg cgacgcccg gccgcctgg gcccttctc ccgccacggc 960
ctcggtgga cagacgcctt cgtgggcctg agcacttgcg gccggcacat gtccgctcac 1020
cgcgtgtccg gggccctggc gcgggtcctg gaagtaccct agcgggccac accctgacag 1080
ccgagctgat ggcgcacccc ggctacccca gtgtgcctcc caccggcggc tgcggtgaag 1140
gccccgacgc tttctcttgc tcttgggagc ggctgcatga gctgcgcgtc ctcaccgcgc 1200
ccacgctgcg ggcccagctt gccaggatg gcgtgcagct ttgcgcccgc gacgacctgg 1260
actccaagag gccaggggag gaggtcccct gtgagcccac tctggaaccc ttcctggaac 1320
cctccctact ctgacccct acagacaacc aagcactaat ccccttagta ccaagaaaag 1380
ggagccagga tttagtctc gccagccca gagctgggac ctggagcacg atctgttgac 1440
ttccctgggt aggacactgc cacctctggg ctgaggtcct catgcctcca aatggcatct 1500
agagtttgag cagccttctt ggctgcaggc aggcctagcc tgtggcancg ggctagggcc 1560
cgagagcat ttggtgcccc tccatgttgc aatgcaaaca ccttcaccac tggggcagtg 1620
gggagagatg gctatattaa taaaataacg tgtgtctttc aaaaaaaaaa aaaaaaaaaa 1680
tcgagacagt tct 1693

```

<210> 408

<211> 1342

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (107)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1332)

<223> n equals a,t,g, or c

<400> 408

```

caggaaaaat ctggagattt acgaggetgt gacgtccccc cagggccccc ccatgacctg 60
gagcatgttt gctgtgggct ggatggagct gaaggacgca tgcgggnccc ggggcctcct 120
ggacaggagc tttgccaaca tggctgaacc cttcaagggtg tggacggaga atgcagacgg 180
gtcaggcgct gtgaacttcc tgacaggcat ggggggcttc ctgcaggcgg tggctctcgg 240
gtgcacgggg ttcagrgtsa gcgtctccgg catcttctac caggggmacr agctcaactt 300
ctstttttcc gaggactocg tgaccgtgga ggtcacagct cgagcagggc cctgggctcc 360
tcacctggag gctgagctgt ggccatccca gtcccggctc tccctgttgc caggacacaa 420
ggtctccttt ccccgcctcg ctggccggat acaaattgtca ccccgaagc tgcctggaag 480
ttccagctcc gagttccctg ggaggacttt ttcagatgtt agggaccgcg tccagagccc 540
cctctgggtc accctggggt cctccagccc caccgagtca ctactgtgg accctgcctc 600
tgaataatca ggaacgggtg cttcagagac gtctcttggg ccttcctctc ggccacgtct 660
gcacccaccc ctctctggca ccctcctagc ctgccatccc tcacctgcag ccaggctctc 720
aggggaagtc catgtctgtt ggcctgagtt caaggctttc tgcctgtagc ctggactccc 780
gtggaccccc gtgggcagggt ggcttccccg tggcatctcc acaccgcctc tgcctgcccc 840
tgtggactga tgctatcgcg caccgtccca cgacccacc cagagctcct gaagccgggg 900
tctgagcctg catcacctct ggcctctcat ccccaactct cctgagagca gtggtcacag 960
cggccggccg ctctgctgag aaggcagaga ggcaggctca ggcctcagcg tggacagcag 1020
ggataagggg cacgaaggac ggggactcgg ccccttcaga attcctcagg actctcaggt 1080
gcagctttgc caaaaaggaa cttttcatgt catgcagttg aggggactta gtctcaatcc 1140
caggctcctc ttgactctgg gcagcyttrt cttgggcagc tcwgccccag ggttcgggtc 1200
tcagcagttt cccaagaaca agatgtgatg gcactctgct ctgaaacctt gatgaggacc 1260
aggccccctg caccgctgtc agcctgagga attaaagctt tgggtgctggg aaaaaaaaaa 1320
aaaaaaaaaa anaaaaaac ca                                     1342

```

<210> 409

<211> 2417

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (107)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (680)



<223> n equals a,t,g, or c

<400> 409

```
aaaaaaaaa aaaaaaacca aacacaaaga gagcaatttt gggccaacag ttaccattca 60
agcctggccc tttaggccag cccagtccac gggctctgag tgtggangct gcgtagcacc 120
aggaagcggc tctgctgagg ttcaaggggc cccagcacag tgtggcatcc gttcagcttt 180
tggttggtcc aggatggtgg ggagccaggc ctgggggcct cggagcaacc acccgagcag 240
acggagtaca cggagcagcg gccccggccc cgccaacgct gccgccggga tgctccagac 300
cttgatgat tacttctggt gggaaacgtct gtggctgcct gtgaacttga cctggggccga 360
tctagaagac cgagatggac gtgtctacgc caaagcctca gatctctata tcacgctgcc 420
cctggccctg ctcttcctca tcgttcgata cttctttgag ctgtacgtgg ctacaccact 480
ggctgccctc ttgaacataa aggagaaaac tcggctgcgg gcacctccca acgccacctt 540
gggaacattt ctacctgacc agtggcaagc agcccaagca ggtggaagta garcttttgt 600
ccggcgagar cgggcttytc tggccggcag taragcgttg gttccgtcgc cgccgcaacc 660
aggaccggcc cagtctcctn caagaagttc cgagaagcca gctggagatt cacattttac 720
ctgattgctt tcattgccgg catggccgctc attgtggata aaccctggtt ctatgacatg 780
aagaaaagttt gggagggata tcccatacag agcactatcc cttcccagta ttggtactac 840
atgattgaac tttccttcta ctggtccctg ctcttcagca ttgcctctga tgtcaagcga 900
aaggatttca aggaacagat catccaccat gtggccacca tcattctcat cagcttttcc 960
tggtttgcca attacatccg agctgggact ctaatcatgg ctctgcatga ctcttcgat 1020
tacctgctgg agtcagccaa gatgtttaac tacgcgggat ggaagaacac ctgcaacaac 1080
atcttcacgt tcttcgccat tgtttttatc atcacccgac tggtcacctc gcccttctgg 1140
atctgcatt gcacctggt gtacctactg gagctctatc ctgccttctt tggtattac 1200
ttcttcaatt ccatgatggg agttctacag ctgctgcata tcttctgggc ctacctatt 1260
ttgcgcatgg cccacaagtt cataactgga aagctggtag aagatgaacg cagtgaccgg 1320
gaagaacacg agagctcaga gggggaggag gctgcagctg ggggaggagc aaagagccgg 1380
cccctagcca atggccaccc catcctcaat aacaaccatc gtaagaatga ctgaaccatt 1440
attccagctg cctcccagat taatgcataa agccaaggaa ctaccygcct ccctgcgcta 1500
tagggtcact ttaagctctg gggaaaaagg agaaagttag aggagagttc tctgcatcct 1560
ccctccttgc ttgtcaccca gttgccttta aaccaaattc taaccagcct atccccaggt 1620
agggggacgt tggttatatt ctggttagagg gggacggctg tattttcctc cctaccgcc 1680
aagtcatcct ttctactgct tttgaggccc tcctcagct ctctgtgggt aggggttaca 1740
attcacattc cttattctga gaatttgccc ccagctgttt gcctttgact ccctgacctc 1800
cagagccagg gttgtgcctt attgtcccat ctgtgggcct cattctgcca aagctggacc 1860
aaggctaacc tttctaagct ccctaacttg ggcagaaac caaagctgag cttttaactt 1920
tctccctcta tgacacaaat gaattgaggg taggaggagg gtgcacataa cccttaccct 1980
acctctgcca aaaagtgggg gctgtactgg ggaactgctg gatgatcttt cttagtgcta 2040
cttctttcag ctgtccctgt agcgacaggt ctaagatctg actgcctcct ctttctctg 2100
gcctcttccc cttccctct tctcttcagc taggctagct ggtttgaggt agaattggcaa 2160
ctaattctaa tttttattta ttaaattttt ggggttttgg ttttaaagcc agaattacgg 2220
ctagcaccta gcatttcagc agagggacca ttttagacca aaatgtactg ttaatgggtt 2280
tttttttaaa attaaaagat taaataaaaa atattaaata aaacatggca ataagtgtca 2340
gactattagg aattgagaag ggggatcaac taaataaacg aagagagtct ttcttaaaaa 2400
aaaaaaaaa aaaaaaa 2417
```

<210> 410

<211> 1401

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1394)

<223> n equals a,t,g, or c

<400> 410

```
ttgtgtatat tgttgacatc tgataatttg tgcaatttta tttttaactt aaaagatggg 60
aaccaacaaa tgtgccagcc aggcaggtat gacagcttac gggactagga ggcattctta 120
tgatcccaaa atgcaaactg acaaaccttt tgaccagacc acaattagtc tgcagatggg 180
cactaataaa ggagccagcc aggcagggat gttagcacca ggtaccagaa gagacatcta 240
tgatcagaag ctaacattac agccgggtgga caactcgaca atttccctac agatgggtac 300
caacaaagtt gcttcccaga aaggaatgag tgtgtatggg cttgggcggc aagtatatga 360
tcccaaatac tgtgctgctc ctacagaacc tgtcattcac aacggaagcc aaggaacagg 420
aacaatgggt tcggaatca gtgatatgta ttatcaggca gaataccctg atgagtatca 480
tggcgagtag caggatgact accccagaga ttaccaatat agcgaccaag gcattgatta 540
ttagatccac acagaaggag ctgagtattt agtcctttgt ttttatcag tgagaaccaa 600
gctagccttg agtaattttt atcttgtctt cctaaaacac tattaagctt attgtacttt 660
taagaaaaat tgccttacgt acattccttt ttcctttttc tgcctcttcc ctcaatagtt 720
gccttttagt gctgtaatag ttaaactcta cagcataatc aataactcgc atatgaagta 780
aaaaggaata ctgtgaaagg ggagtactct tgtacagcca gttcttttat gcaaaaatct 840
atgcattttt acaatcttat attaaactgg tattttcaaa caataggaaa cttttttttt 900
ttttttttta cagtttagtg tatctgggtt ctacatggaa gactaaactc atgcttattg 960
ctaaatgtgg tctttgccaa ctaaatttaa gatgcagcat tttagaaatt tacatatcaa 1020
tgtttctaca gtattgtttg ctaattttta aataaagtca tgatcagtgt gcatttgtga 1080
ttatatgtgt actcattctc ttacctagcg aacaagatct tttcagagtg gtgtttctaa 1140
aagagcatgt acaaaagtgg cctgtggaca tttaggcctg ggtgatgcat ttgctcttcc 1200
tgtttgtgcc aatgtatcaa tgtagagttg ctctgttttc ttcaactgta ttattgctg 1260
catttctcag cataaactta tcccattgta tttttataaa ataaatattt tttttgaact 1320
ttmaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1380
aaaaaaaaaa gggnggccgt t 1401
```

<210> 411

<211> 3016

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (399)

<223> n equals a,t,g, or c

<400> 411

```
cggaccgctt cccccgagcc agcagcgctt gacgtcatcg tgcgtgtggt gccctgctg 60
ccggggctgg tgattggagg aaaccccgctg tctgcggacg gctgtagcct gtgagcagcg 120
agatccaggg acagagtctc agcctcgccg ctgctgccgc cgccgcccgc cagagactgc 180
tgagcccgtc cgtccgccgc caccaccac tccggacaca gaacatccag tcatggataa 240
aaatgagctg gttcagaagg ccaaactggc cgagcaggct gagcgatatg atgacatggc 300
agcctgcatg aagtctgtaa ctgagcaagg agctgaatta tccaatgagg agaggaatct 360
tctctcagtt gcttataaaa atgtttagg agcccgtag tcatcttgga gggctgctc 420
aagtattgaa caaaagacgg aaggtgctga gaaaaaacag cagatggctc gagaatacac 480
agagaaaatt gagacggagc taagagatat ctgcaatgat gtactgtctc ttttgaaaa 540
gttcttgatc cccaatgctt cacaagcaga gagcaaagtc ttctatttga aaatgaaagg 600
```

```

agattactac cgttacttgg ctgaggttgc cgctggtgat gacaagaaag ggattgtcga 660
tcagtcacaa caagcatacc aagaagcttt tgaaatcagc aaaaaggaaa tgcaaccaac 720
acatccctatc agactgggtc tgccccttaa cttctctgtg ttctattatg agattctgaa 780
ctccccagag aaagcctgct ctcttgcaaa gacagctttt gatgaagcca ttgctgaact 840
tgatacatta agtgaagagt catacaaaga cagcacgcta ataatgcaat tactgagaga 900
caacttgaca ttgtggacat cggataccca aggagacgaa gctgaagcag gagaaggagg 960
ggaaaattaa cgggccttcc aacttttgtc tgcctcattc taaaatttac acagtagacc 1020
at ttgtcatc catgctgtcc cacaatagt tttttgttta cgatttatga cagggttatg 1080
ttacttctat ttgaatttct atatttccca tgtggttttt atgtttaata ttaggggagt 1140
agagccagtt aacatttagg gagttatctg ttttcatctt gaggtggcca atatggggat 1200
gtggaatttt tatacaagtt ataagtgttt ggcatagtag ttttggtaca ttgtggcttc 1260
aaaagggccca gtgtaaaact gcttccatgt ctaagcaaaag aaaactgcct acatactggt 1320
ttgtcctggc ggggaataaaa agggatcatt ggttccagtc acaggtgtag taattgtggg 1380
tactttaagg tttggagcac ttacaaggct gtggtagaat catacccat ggataccaca 1440
tattaaacca tgtatatctg tggaatactc aatgtgtaca cctttgacta cagctgcaga 1500
agtgttcctt tagacaaagt tgtgaccat tttactctgg ataaggcgag aaacggttca 1560
cattccatta tttgtaaagt tacctgctgt tagctttcat tatttttgct acactcattt 1620
tatttgtatt taaatgtttt aggcaaccta agaacaaatg taaaagtaaa gatgcaggaa 1680
aaatgaattg cttggtattc attacttcat gtatatcaag cacagcagta aaacaaaaac 1740
ccatgtattt aacttttttt taggattttt gcttttgtga tttttttttt ttttttgata 1800
cttgccctaac atgcatgtgc tgtaaaaata gttaacaggg aaataacttg agatgatggc 1860
tagctttgtt taatgtctta tgaaattttc atgaacaatc caagcataat tgtaagaac 1920
acgtgtatta aattcatgta agtgaataa aagttttatg aatggacttt tcaactactt 1980
tctctacagc ttttcatgta aattagtctt ggttctgaaa cttctctaaa ggaaattgta 2040
cattttttga aatttattcc ttattccctc ttggcagcta atgggctctt accaagttta 2100
aacacaaaat ttatcataac aaaaatacta ctaataatac tactgtttcc atgtcccatg 2160
atccctctc ttcctcccca cctgaaaaa aatgagttcc tattttttct gggggggggg 2220
gggggggggg gggggggggg gggggggggg gggggggggg gggggggggg gggggggggg 2280
ggggaaaaat atttatttat aaaaaataca atgggataag tttatgctga gaaatgcagc 2340
aataaataca gttgaagaaa acagagcaac tctacattga tacattggca caaacaggaa 2400
gagcaaatgc atcaccagc cctaaatgtc cacaggccac ttttgtacat gctcttttag 2460
aaacaccact ctgaaaagat cttgttcgct aggttaagaga atgagtacac atataatcac 2520
aatgcacac tgatcatgac tttattttaa aattagcaaa caatactgta gaaacattga 2580
tatgtaaatt tctaaaatgc tgcattctaa atttagttgg caaagaccac atttagcaat 2640
aagcatgagt ttagtcttcc atgtagaaac cagatacact aaactgtaaa aaaaaaaaaa 2700
aaaaaagttt cctattgttt gaaaatacca gtttaataata agattgtaaa atgcataga 2760
tttttgcata aaagaactgg ctgtacaaga gtactccctc ttcacagtat tcctttttac 2820
ttcatatgcg agttattgat tatgctgtag gatttaacta ttacagcact aaaaggcaac 2880
tattgagggg agaggcagaa aaaggaaaaa ggaatgtacg taaggcaatt tttcttaaaa 2940
gtacaataag cttaatagt ttttaggaag acaagataaa aaaaactcga gactagttct 3000
ctctcgtgcc gaattc 3016

```

&lt;210&gt; 412

&lt;211&gt; 958

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (930)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (934)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 412

```
cttgcgtccc cgcgtgtgtg cgcctaattct caggtgggtcc acccgagacc ccttgagcac 60
caaccctagt ccccgcgcg gccccttatt cgctccgaca agatgaaaga aacaatcatg 120
aaccaggaaa aactcgccaa actgcaggca caagtgcgca ttggtgggaa aggaactgct 180
cgcagaaaaga agaaggtggt tcatagaaca gccacagcag atgacaaaaa acttcagtgc 240
tccttaaaaga agttaggggt aaacaatatc tctggtattg aagaggtgaa tatggtttaca 300
aaccaaggaa cagtgatcca ctttaacaac cctaaagtgc aggcattctc ggcagcgaac 360
actttcacca ttacaggcca tgctgagaca aagcagctga cagaaatgct acccagcadc 420
ttaaaccagc ttggtgcgga tagtctgact agtttaagga gactggccga agctctgccc 480
aaacaatctg tggatggaaa agcaccactt gctactggag aggatgatga tgatgaagtt 540
ccagatcttg tggagaattt tgatgaggct tccaagaatg aggcacactg aattgagtca 600
acttctgaag ataaaacctg aagaagttac tgggagctgc tattttatat tatgactgct 660
ttttaagaaa tttttgttta tggatctgat aaaatctaga tctctaatat ttttaagccc 720
aagccccttg gacactgcag ctcttttcag tttttgctta tacacaattc attctttgca 780
gctaattaag ccgaagaagc ctgggaatca agtttgaaac aaagattaat aaagttcttt 840
gcctagtata aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 900
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa gggnggccgt tttaaaggaa ccagggttt 958
```

&lt;210&gt; 413

&lt;211&gt; 500

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 413

```
cgattgaaca ggagaagcaa gcaggcgaat cgtaatgagg cgtgcgcgcg caatatgcac 60
tgtacattcc acaagcattg ccttcttatt ttacttcttt tagctgttta actttgtaag 120
atgcaaagag gttggatcaa gtttaaatga ctgtgctgcc cctttcacat caaagaacta 180
ctgacaacga aggccgcgcc tgcctttccc atctgtctat ctatctggct ggcagggaag 240
gaaagaactt gcatgttggt gaaggaagaa gtgggggtgga agaagtgggg tgggacgaca 300
gtgaaatcta gagtaaaacc aagctggccc aaggtgtcct gcaggctgta atgcagttta 360
atcagagtgc catttttttt tttgttcaaa tgattttaat tattggaatg cacaattttt 420
ttaatatgca aataaaaagt ttaaaaactt aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 480
gcggccgctc gaattaagcc 500
```

&lt;210&gt; 414

&lt;211&gt; 3397

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

<221> misc feature  
<222> (15)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (24)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (3081)  
<223> n equals a,t,g, or c

<400> 414  
nggattcgcg gccgntccga ctgnccgcgg ggctagcact gacgtgtctc tcggcgggagc 60  
tgctgtgcag tggaacgcgc tgggcccgcg gcagcgctgc ctcacgcgga gcagagctga 120  
gctgaagcgg gacccggagc ccgagcagcc gccgccatgg caatcaaatt tctggaagtc 180  
atcaagccct tctgtgtcat cctgccggaa attcagaagc cagagaggaa gattcagttt 240  
aaggagaaag tgctgtggac cgctatcacc ctctttatct tcttagtggt ctgccagatt 300  
ccccgtttg ggatcatgtc ttcagattca gctgaccctt tctattggat gagagtgatt 360  
ctagcctcta acagaggcac attgatggag ctagggatct ctcctattgt cacgtctggc 420  
cttataatgc aactcttggc tggcgccaag ataattgaag ttggtgacac cccaaaagac 480  
cgagctctct tcaacggagc ccaaaagtta tttggcatga tcattactat cggccagtct 540  
atcgtgtatg tgatgaccgg gatgtatggg gacccttctg aaatgggtgc tggaatttgc 600  
ctgctaatac ccattcagct ctttgttggc ggcttaattg tcctactttt ggatgaactc 660  
ctgcaaaaag gatattggcct tggctctggg atttctctct tcattgcaac taacatctgt 720  
gaaaccatcg tatggaaggc attcagcccc actactgtca aactggccg aggaatggaa 780  
tttgaagggt ctatcatcgc acttttccat ctgctggcca cacgcacaga caaggtccga 840  
gcccttcggg aggcgttcta ccgccagaat cttcccaacc tcatgaatct catgccacc 900  
atctttgtct ttgcagtggg catctatttc cagggcttcc gagtggacct gccaatcaag 960  
tcggcccgcct accgtggcca gtacaacacc tatcccatca agctcttcta tacgtccaac 1020  
atcccatca tcctgcagtc tgccctggtg tccaaccttt atgtcatctc ccaaagtctc 1080  
tcagctcgct tcagtggcaa cttgctggtc agcctgctgg gcacctggtc ggacacgtct 1140  
tctgggggccc cagcacgtgc ttatccagtk ggtggccttt gctattacct gtccccctca 1200  
tggcccatga actcaaccgg tacatcccca cagccgcggc ctttgggtgg ctgtgcatcg 1260  
gggccctctc ggtcctggct gacttcctag gcgccattgg gtctggaacc gggatcctgc 1320  
tcgcagtcac aatcatctac cagtactttg agatcttctg taaggagcaa agcgaggttg 1380  
gcagcatggg ggccctgctc ttctgagccc gtctcccgga caggttgagg aagctgctcc 1440  
agaagcgccct cggaagggga gctctcatca tggcgcggtg tgctgcggca tatggacttt 1500  
taataatggt tttgaatttc gtattctttc attccactgt gtaaagtgtc agacattttc 1560  
caatttaaaa ttttgctttt taccctggca ctggcaaaaa gaactgtgaa agtgaaattt 1620  
tattcagccg actgccagag aagtgggaat ggtataggat tgtccccaag tgtccatgta 1680  
acttttgttt taacctttgc acctctcag tgctgtatgc ggctgcagcc gtctcacctg 1740  
tttccccaca aagggaattt ctcaactctg ttggaagcac aaactactgaa atgtctacgt 1800  
ttcattttgg cagtaggggt tgaagctggg agcagatcat gtatttcccg gagacgtggg 1860  
accttgctgg catgtctcct tcacaatcag gcgtgggaat atctggctta ggactgtttc 1920  
tctctaagac accattgttt tcccttattt taaaagtgat ttttttaagg acagaacttc 1980  
ttccaaaaga gagggatggc tttcccagaa gacactcctg gccatctgtg gatttgtctg 2040  
tgcacctatt ggctcttcta gctgactctt ctggttgggc ttagagtctg cctgtttctg 2100  
ctagctccgt gtttagtcca cttgggtcat cagctctgcc aagctgagcc tggccaagct 2160

```

aggtggacag acccttgacg tgatgtccgt ttgtccagat tctgccagtc atcactggac 2220
acgtctcttc gcagctgccc tagcaagggg agacattgtg gtagctatca gacatggaca 2280
gaaactgact tagtgctcac aagcccctac accttctggg ctgaagatca cccagctgtg 2340
ttcagaattt tcttactgtg cttaggactg cacgcaagtg agcagacacc accgacttcc 2400
tttctgcgtc accagtgtcg tcagcagaga gaggacagca caggctcaag gttggtagt 2460
aagtcagggt cggggtgcat gggctgtggt ggtgktgatc agttgctcca gtgtttgaaa 2520
taagaagact catgtttatg tctggaataa gttctgtttg tgctgacagg tggcctaggt 2580
cctggagatg agcaccctct ctctggcctt tagggagtcc cctcttagga caggcactgc 2640
ccagcagcaa gggcagcaga gttgggtgct aagatcctga ggagctcgag gtttcgagct 2700
ggctttagac attggtggga ccaaggatgt tttgcaggat gccctgatcc taagaagggg 2760
gcctgggggt gcgtgcagcc tgcggggag accycactgc tgcagtgc agccaggaaa 2820
cagagtgacc aagggacaag aagggaactg cctaaagcca cccagcaact cagcagcaga 2880
accaagatgg gcccagggt cctccatatg gcccagggt taccacccta tcacacgtgg 2940
ccttgtctag acccagtcct gagcagggga gaggctcttg agacctgatg ccctcctacc 3000
cacatggttc tcccactgcc ctgtctgtc tgctgtaca gaggggcagg gcctccccc 3060
gcccacgctt aggaatgctt ngcctctggc aggcagcgag ctgtacccaa gctggtgggc 3120
agggggctgg aaggcaccag gcctcaggag gagccccata gtcccgcctg cagcctgtaa 3180
ccatcggtcg gccctgcaag gcccacactc acgcccgtgt ggtgatggtc acgggtgggtg 3240
ggtgggggct gaccccagct tccaggggac tgtcactgtg gacgcaaaa tggcataact 3300
gagataaggt gaataagtga caaataaagc cagtttttta caaggtaaaa aaaaaaaaaa 3360
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaa 3397

```

&lt;210&gt; 415

&lt;211&gt; 2880

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (5)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 415

```

tggnaccct tcaagetctc gtgtcattc ccccatgac gccgtaggaa gtgatgacag 60
tagccccaac gcaatggcca aggttcagat ttttgaatat aatgaaaaca ccaggaaata 120
tgcaaaagct gaaactctta tgacagtac tgatcctgtt catgatattg cattcgctcc 180
aaatttgga agatctttcc atattctagc aatagcgacc aaagatgtga gaatttttac 240
attaaagcct gtgaggaaa aactgacttc ctctggtggg ccaacaaagt ttgaaatcca 300
tatagtggct cagttcgata atcataattc tcagggtctgg cgagtgaatt ggaatataac 360
aggaacggtg ctagcatctt caggagatga tgggtgtgta agattgtgga aagctaatta 420
tatggacaat tggaagtgtg ctggtatttt gaaaggtaat gggagcccag tcaatgggag 480
ttctcagcag ggaacctcaa atccttccct aggttcaaat attccaagtc ttcagaattc 540
attaaatgga tcttctgctg gcagaaaagca cagctgagta caagctaact ggagtaactt 600
tgctgttttg ctgcttggtg catgcacaca ggaatggaaa gcgagctcct tttccccttc 660
cccagcgccg tttgacctct cccaagatac accagcagcc tgcttactac taaacgcaat 720
ccaaaaggcc tttaaaaata cagtgtatat tttttgtact agtcagttta ttgacactat 780
ttgaaacttt tgaaatataa acggagaggg tttctgttga gacattgtca ccaaaacaat 840
tttttgaaat gttcctgaaa ctaatttggg tttaaagatt aaaagggttg ttaccattct 900
tatctgagta gttgggagga ggggaatacc actttagttc atttgaaaa tatagacata 960
tttcttttgc tttcttaaaa cagcttaaaa tgatgaactt ttataatttt aatttgaaga 1020
ttgaataaat attttttata aagattgttt tgagtgtgta tttgtttact tttttagat 1080

```

```

ttgctttatc catgatattc agtacaactc tgtcatttct ttgtaatatt taaaaaatat 1140
tagtaaagga gtgaattaat aaagtagtaa tagtaaaatg aaaggaactt gactgtacag 1200
tttgtagcca ggtaagcat ttgggtattgt ttcattttaca atttgggact aagatggaaa 1260
cacttttttt ataagttttt aattcatagt cactaaagag ataaatgttt cttatataca 1320
tttgtrtatt tttatgggtg tattttattcc atggcttagc ttcccttcaa tcaaaatttg 1380
gacacacact attaagagaa gccattaaaa ttttactaaa attgtgcatg taaattaatt 1440
gtcagcattc catgtctcaa gattttctta atttagttcg ctgtttaaat taattcatgt 1500
cctgtaaagt tctgacctg ataacaaagc tataaatatt taagtttgct aatatgcgta 1560
agtattatcg gtaagttaca agatggaaga agaataacag tagggcacag tcattctgtg 1620
aatcctttta cttatcaaaa tttggtagct attctaaggc ttttgcaaaa aaataagtgt 1680
tcaatgtttg tagttcttca aaagcatgtt gcagtagcca gccatactat gtgtattccc 1740
agtatcatgt acgcactaaa aaaaatgtgt gcttgctgct gctgtgagtg aaccattgct 1800
taagataaaa aacttaacta gatctgtaaa tgtacagaat agcatcagat gtttctgaga 1860
gattagaaaa tgttttgaat ttataaaatt aatgtttttc tttgtaacat ttatatatat 1920
ttypaaacat ttaagttaa acagattgta ttcccttcaa gtttctatac ttgcttaagc 1980
aatcttgatt tgagtaaggg tcttgatttg tgctattatg ttctgttagt tttggcatga 2040
ataactaaa gctttttttt tttttycwag catgtgttgy ctccctcttg gttctctttg 2100
tatttactac ttttctcttt ttcttggtgt ttttttttcc tgtttttggt ttggttggtg 2160
ttttgttctt gtcttcattg tttcaggtat ttctttaccc ctctggattc cccacgggct 2220
ggatcgagat ggtccagtta tgcccagctc ctccctctc ctccctctc tctggtagag 2280
cactcttgcg atgctgacac tgccaacctc cagtatctc accctcgag acgatattctc 2340
tctcgccctc ttaatccctt acctgagaat gaagggattt aaaacactga tttaacattg 2400
aaaaggcctt tcaagtgtg tgtaaatgct ttcatttctg gctgcttttt gtttttcatt 2460
ttctttcaga agatttttct aacttagggg ctgtcttgca tgtattacaa ccagaatata 2520
gtgtttggaa cctaaatctg tttgtgcgtc tgcacaaaag gaacatttgc ttcactgggt 2580
gataaccttt gatgaaatga gatatgtcca agtaacgtta actgtgaagt tacacacagt 2640
agctgacttc aaagtgcctg ttctgtaaaat tttattttaa actgttacca tagtcttaag 2700
ttgtttatgc tttatcagac tggctaagt gaaagcataa tattatgaag tttattctgc 2760
cttatgagac cttaaaaaat ggatttcatt ttacaggcta atgttgtaac tgactagtat 2820
gtaaaataaa tcattcctgt gtataaagca gcaaaccta aaaaaaaaaa aaaaaaaat 2880

```

<210> 416

<211> 1616

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (12)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1610)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1611)

<223> n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1616)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 416

```
cggacgctgg tngattccat gccaaagctt tgcaaggctc gcagtgacca ggcgccccgac 60
atgggagtg atccgccccca acccttttcc ccctcgtctc ctgtgagaat tccccgctcg 120
atacgagcag cgtggccggt ggctgcctcg cacaggactt ccttcccgcac tccatcactt 180
tctcctggaa atacaagaac aactctgaca tcagcagcac ccggggcttc ccatcagtc 240
tgagaggggg caagtacgca gccacctcac aggtgctgct gccttccaag gacgtcatgc 300
agggcacaga cgaacacgtg gtgtgcaaag tccagcacc caacggcaac aaagaaaaga 360
acgtgcctct tccagtgatt gcygagctgc ctcccaaagt gagcgtcttc gtcccacccc 420
gcgacggctt ctccggcaac ccccgcaagt ccaagctcat ctgccaggcc acgggtttca 480
gtccccggca gattcagggt tcctggctgc gcgaggggaa gcaggtgggg tctggcgta 540
ccacggacca ggtgcaggct gaggccaaa agtctgggccc cagcacctac aaggtgacca 600
gcacactgac catcaaagag agcgactggc tcagccagag catgttcacc tgccgcgtgg 660
atcacagggg cctgaccttc cagcagaatg cgtcctccat gtgtgtcccc gatcaagaca 720
cagccatccg ggtcttcgcc atccccccat cctttgccag catcttctc accaagtcca 780
ccaagttgac ctgcctggtc acagacctga ccacctatga cagcgtgacc atctcctgga 840
cccgcagaa tggcgaagct gtgaaaaccc acaccaacat ctccgagagc caccccaatg 900
ccactttcag cgccgtgggt gaggccagca tctgcgagga tgactggaat tccggggaga 960
ggttcacgtg caccgtgacc cacacagacc tgccctcgcc actgaagcag accatctccc 1020
ggcccaaggg ggtggccctg cacaggcccg atgtctactt gctgccacca gcccgggagc 1080
agctgaacct gcgggagtcg gccaccatca cgtgcctggt gacgggcttc tctccgcgg 1140
acgtcttcgt gcagtggatg cagagggggc agcccttgct cccggagaag tatgtgacca 1200
gcgccccaat gcctgagccc caggccccag gccggtaact cgcccacagc atcctgaccg 1260
tgtccgaaga ggaatggaac acgggggaga cctacacctg cgtggtggcc catgaggccc 1320
tgcccaacag ggtcaccgag aggaccgtgg acaagtccac cggtaaacc accctgtaca 1380
acgtgtccct ggtcatgtcc gacacagctg gcacctgcta ctgacctgc tggcctgccc 1440
acaggtcgg ggcggtggc cgtctgtgt gtgcattgcaa actaaccgtg tcaacggggt 1500
gagatgttgc atcttataaa attagaaata aaaagatcca ttcaaaaara aaaaaaaaaa 1560
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaggggggn nccccn 1616
```

&lt;210&gt; 417

&lt;211&gt; 1815

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (270)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1184)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 417

```
cagggtcagg agatttctcc acgagcaagc actctggccc gaggttgacg atgggtgcctt 60
```



```

taccacata gtcacagtct gccaccatc ggtgcttcag tgggcatgca tgccgcactg 120
ggggcagttc tcaggggagg ctgaggctgg gccacgtgag gaagggcctt ccctggcagc 180
caggatgccc ctctgctactc cccttaggag cccagggccc agggcactca ggtgtcagat 240
gtgccagcca cctcccgagg gcctgaacan gtcacgtggg cagctcagga acaggagctc 300
gagtcccttc gggagcagct ggaaggagtg aaccgcagca ttgaggaggt tgaggccgac 360
atgaagaccc tgggcgtcac ttgtgacagg cagagtctga gtgccggcac agcaagctca 420
gtacagcaga gcgtgagcag gccctgcgcc tgaagagccg cgcggtggag ctgctgcccc 480
atgggactgc caaccttgcc aagctgcags tgtggtggag aatagtgtcc agcgggtcat 540
ccacttgagg ggtcagtggg agaagcaccg ggtccctact ctcgctgagt accgccacct 600
ccgaaagctg caggattgca gagagctgga atcttctcga cggctggcag agatccaaga 660
actgcaccag agtgtccggg cggtctgctga agaggcccgc aggaaggagg aggtctataa 720
gcagctgatg tcagagctgg agactctgcc cagagatgtg tcccggctgg cctacaccca 780
gcgcacccct gagatcgtgg gcaacatccg gaagcagaag gaagagatca ccaagatctt 840
gtctgatacg aaggagcttc agaaggaaat caactcccta tctgggaagc tggaccggac 900
gtttgcggtg actgatgagc ttgtgttcaa ggatgccaa aaggacgatg ctgttcggaa 960
ggcctataag tatctagctg ctctgcacga gaactgcagc cagctcatcc agaccatcga 1020
ggacacaggc accatcatgc gggaggttcg agacctcgag gagcagatcg agacagagct 1080
gggcaagaag accctcagca acctggagaa gatccgggag gactaccgag ccctccgcca 1140
ggagaacgct ggctccctag gccgggtccg ggaggcctga gganccgccg gcagaggtct 1200
ctcccagccg tcaggcaggg atttggggtg ctggaggcag tggccaagca catgccctag 1260
ctacttcttc cgctgtccag ttctctctgc tgcggccttg gaccagacc cctgccact 1320
gaccgcaacc cttatatggg gtgatagtcc agcatgtggg gagctcggct gcagtttatt 1380
ggggacggta ctgtgggttg ggggccttg atcccaaata aatgagtagt tcctctgcag 1440
tctaagctga ggcattggatc agggctcagg gaatgggagt gaggtgagtg gcaggggaga 1500
cacgggggat ttttggaag gcagtgtgtg tggctgtgtg tgtctgcacg ggactcaaga 1560
gaccactggg ggggctgtgc gtgtgcatac gcgtgagata cacagggtga ttctaacagg 1620
ccgtgtgtgt gacgcagcac gtgtggggac ctcagatcct gagggtagtg acgctgcttc 1680
tgtgtaggcc tctgggcaca cccctgtgtt gacagtgtcc ctgtggggcc tgaggctggc 1740
tgtgggtgag tgccttgggg tgtgtgggtt gtcagggtct tgcttgtgtg tgattgtgtg 1800
atgatgcagc ttgga 1815

```

<210> 418

<211> 1966

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (15)

<223> n equals a,t,g, or c

<400> 418

```

agaaaaccag ttanggtga cacgtagaga acgcacgccg tgcaggtagc ggtccggaat 60
tcccagggtc gaccacgcg tccggcttga gtaggccaaa tgttgaagtt aagttttcca 120
ataatgtgac ttcttaaaag ttttattaaa ggggaggggc aaatattggc aattagttgg 180
cagtggcctg ttacggttg gattgggtgg gtgggtttag gtaattgttt agtttatgat 240
tgagataaaa ctcatgccag agaacttaaa gtcttagaat ggaataagta aagaaatatt 300
aacttccaag ttggcaagta actcccaatg atttagtttt tttcccccca gtttgaattg 360
ggaagctggg ggaagttaaa tatgagccac tgggtgtacc agtgatttaa tttgggcaag 420
gaaagtgtca taatttgata ctgtatctgt tttcttcaa agtatagagc ttttggggaa 480
ggaaagtatt gaactggggg ttggtctggc ctactgggct gacattaact acaattatgg 540

```

```

gaaatgcaaa agttgttttg atatggtagt gtgtggttct cttttggaat ttttttcagg 600
tgattttaata ataatttaaa actactatag aaactgcaga gcaaaggaag tggcttaatg 660
atcctgaagg gatctcttct gatggtagct tttgtattat caagtaagat tctattttca 720
gttggtgtgta agcaagtttt tttttagtgt aggagaaata cttttccatt gtttaactgc 780
aaaacaagat gttaaggat gcttcaaaaa ttttgtaaat tgtttatttt aaacttatct 840
gtttgtaaat tgtaactgat taagaattgt gatagttcag cttgaatgtc tcttagaggg 900
tgggcttttg ttgatgaggg aggggaaact ttttttttt ctatagactt ttttcagata 960
acatcttctg agtcataacc agcctggcag tatgatggcc tagatgcaga gaaaacagct 1020
ccttggtgaa ttgataagta aaggcagaaa agattatatg tcatacctcc attggggaat 1080
aagcataacc ctgagattct tactactgat gagaacatta tctgcatatg ccaaaaaatt 1140
ttaagcaaat gaaagctacc aatttaaaagt tacggaatct accattttta agttaattgc 1200
ttgtcaagct ataaccacaa aaataatgaa ttgatgagaa atacaatgaa gaggcaatgt 1260
ccatctcaaa atactgcttt taaaaagca gaataaaagc gaaaagaaat gaaaatgtta 1320
cactacatta atcctggaat aaaagaagcc gaaataaatg agagatgagt tgggatcaag 1380
tggattgagg aggctgtgct gtgtgccaat gtttcgtttg cctcagacag gtatctcttc 1440
gttatcagaa gagttgcttc atttcatctg ggagcagaaa acagcaggca gctgttaaca 1500
gataagttta acttgcattc gcagtattgc atgttaggga taagtgtta tttttaagag 1560
ctgtggagtt cttaaatatc aaccatggca ctttctcctg accccttccc taggggattt 1620
caggattgag aaatttttcc atcgagcctt tttaaaattg taggacttgt tcctgtgggc 1680
ttcagtgatg ggatagtaca cttcactcag aggcatttgc atctttaaat aatttcttaa 1740
aagcctctaa agtgatcagt gccttgatgc caactaagga aatttgttta gcattgaatc 1800
tctgaaggct ctatgaaagg aatagcatga tgtgctgtta gaatcagatg ttactgctaa 1860
aatttacctg ttgtgatgta aattgtgtag aaaaccatta aatcattcaa aataataaac 1920
tatttttatt agagaatgta waaaaaaaaa aaaaaaaaaa ctcgta 1966

```

<210> 419

<211> 2852

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2838)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2843)

<223> n equals a,t,g, or c

<400> 419

```

tcaagagcgg cctgggaatt tctacgtttc ctcagagagc atcaggaaa ggcgcgccgt 60
cagaccatgg agggacaggc cccagtcaag tatatatgac ccttttgcg gaatgaaaac 120
gccaggccag cggcagctta tcaccctcca ggagcaggtg aagctgggca ttgtcaacgt 180
ggatgaggct gtgctccact tcaaagagtg gcagctcaac cagaagarac gatcggagtc 240
ctttcgtttc cagcaggaaa atcttaaacg gctaaagagc agcatcacc gaagacagag 300
agagaagcaa aaatcaggaa agcagacaga cttggagatc acggtcccaa ttcggcactc 360
acagcacctg cctgcaaaaag tggagtgttg agtctatgag agtggcccca ggaaaagtgt 420
cattccccct aggacggagc tgagacgagg agactggaaa acagacagca cctccagcac 480
agcaagtagc acaagtaacc gctccagcac ccggagcctc ctcagtgtga gcagcgggat 540
ggaaggggac aacgaggata atgaagtccc tgaggttacc agaagtcgca gtccaggccc 600

```

```

cccacaagtg gatgggacac ccaccatgty cctcgagaga ccccccaggg tgcctccgag 660
agctgcctca cagaggmctc cgaccaggga gaccttccat cctcctccac ctgttccacc 720
cagaggacgc tgattccacc tcctaaaacc tgcctacttc aggacttta gactcacagt 780
cttcagcctg ttaatgatgt cttcatgttg agttttatag catgactgtt gaccttaaga 840
tccattctca ttgctgataa tgcctgagcc ctgctggttt gggcttgcct cgaagatttt 900
attaaggcac gaagaagtga aaaactaagg gcttcattca ccatcaccaa gtatatcgaa 960
ccatatactt gtttgccaaa aggatgaaga cttaatcgaa atacttacct ctaatttgcc 1020
atatcagaag cctaaaaaga atgatcataa atgtacttca ccagtgattt tactgaaatg 1080
cacttatatt agtctttatg tatttgctag ttcagcctga tttctagaag aggttatagt 1140
gtgagacttg tagtattcaa gtaagataag tgacctaat taaaataat tcttctactt 1200
ttctgtatat tcagcagggt atttaagtgc tagggctggt cacacacaac caactgaaaa 1260
agactagagg gattagtaca aactcctctt atacagaagg caaatctgag gttccacaga 1320
agtctggaac caagactatt cagttggtta aataaaggag ttagtctaga ctgggcctgc 1380
tcattctagg tcaccacatt ttccatctcc aaatagccag gccctctctc cctcaagaaa 1440
tgcccgatg tagaaattca tcagtgccta ttggtcttcc agaattttcc atcttccgta 1500
tctcccaggc atgagactac caagtttggt tgtttctttt ccaatttggg aatttatact 1560
tcagtatggt ttcaacgcag ttatgtttcc agagaacatc tagaagtggc tggaaaccag 1620
aagctgggga ttccagggac cccacttagt gctctatttc ctttataggt tttatttctg 1680
gtcatagaga gagraggacc tttgactttt tcttcgttga ggcttctgag gaggaaaaac 1740
aaacctaaaa tagaaatata gtcagccttt caaatccatg ggttctgtgt ccgtggattc 1800
aaccaacctt ggatcaaaaa tatttgaaaa aaaatctaca aagtttcaa aagcaaaact 1860
tgaatttgct gcatgccaag aagtatgttg aattcatgta aatgaagtga tgtgtaggca 1920
ttgtattaga tattataaga aatctagaaa tgatttaaag catacaggag gatgtgcata 1980
ggttatatgc aaatactatg ctattttata tatgggactt gagcatttgt ggattttgat 2040
actgggggat cctggaacca atccccatg gataccaaa gtagactgta gttatctatt 2100
ttttacatac ttattattac caccatgctc agtaagtcca tttttgcatg gaatatggag 2160
ccttaaaaca tgcatgaat ttggagtccc tggcacataa atctaccttc aaatcagagg 2220
tccttaatga tgctaaaca tacagtaaaa ttagaatcag aamtacttct taaaaaata 2280
ttcaaaatgt gtttgtttcc catgggatta ttctctatcc cacacgaatg taaaaaaatc 2340
cacattaatg atccatttaa gtatagtttt attgggtcct tttctaata ttaaagggtc 2400
tttctcaatt tcattcctca gtcctgcaag taaggactca tactgaagag tactgaaaca 2460
aggacttctt gtcagaaaca gcttctggaa tcttgggttt tgtttttggt ttttgacaaa 2520
atacactatt ggccatgtcc atcacgagag tgtttgtagt aattaattac cttgtacagg 2580
acctggcact tagtagcatt cttcaaatgt tccctcagt atccttttac tctccttgtc 2640
acttatttg gagaaatagg ggcacrtgag ataagaagaa gaataatttt gatgttggt 2700
tgcttgcct gttacttata gacagtcttt gtcataggca aacttgaatt tgatttaaaa 2760
tagggctggg aaaaatattc aataactgta agccccctt taaatcaat tcaagtttgc 2820
ccggcacgag gcctcgtnaa aanttcttg cc 2852

```

&lt;210&gt; 420

&lt;211&gt; 2705

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 420

```

tgagactgca ttcgtatctg agcaggtttt ctatgcctac tgatgtcagt atgtttatac 60
taaccttcat gcttttttcc cagaatccct catctgccag aaaacttgaa aggtttattg 120
ctttagaggt tgactgctt tgatttttga agttggggtg gtagttagaa ctagatttaa 180
ctagtctata atgaacatga aggcttttat atatgaagtt gtataccttt ttgtgtttag 240
agaattatgg gaaacctggg aagcaaaact ttctcccgag ataattgctt ccaaattcga 300
agagttagtc accaagagag ccatatgtat gaaagcgtat ctgtgaaagg taggaaactt 360

```

```

accccccccta agtghtaatgt tgcttttaggc aactcttgta aatagtgaga cttgtttggt 420
ctctttacatg tagagattttg agtgcagttg gtacagtact ttggtgtctc caccactgtc 480
ccttctcccc gcttcaaaat aagtghtaatc cacggtagca gccacacttc ctttagaagg 540
aactgttata atttatttaa aagttgaaaa accacccaag atgactacca actttcactt 600
ttttctctcg ccattccacc tcatttttcc ttttagcaaga tttttatata taactttcct 660
tcctccatt gagtacgtgc ttgagaaaa ctttcttaa aacagtgtgt gccacctaa 720
gctggatggg aaagtgcagt cttgttggtc atataaaaac acacttctta ttagtttacc 780
acttgccctt ttctattgtt aatgttctga atttcctttt cttggcttgt ttctacttca 840
ttttaccctg ggtcacttgc tgccagcagt ttgtgaatgg tgcctttcaa ataacttagt 900
tcttatggct tcacttaaag actgtctcaa aaatactttg ctctcttctt cttttttggt 960
catgggacat ggtacctaaag caaataggag ttgggtttgg tttttctcct aaaataatgc 1020
tcaatactta cctaataaaa tggcatccat ttgaataaaa tgacaataac taaagctagt 1080
taatgtcagt gacattaaac taactccagg attcaggagt tttaatgtta gaatttagat 1140
ttaacagata gagtgtggct tcatttgtcc atggtagccc atctctccta agaccttttc 1200
tagtctgtct tctgtccttc gaacttgatg acagtaaaac cctgtttagt attctcttgt 1260
gcatttggtt tgttggttag ccgactgtct tgaaactatt cattttgctt ctagttttat 1320
tttacagagg tagcattggg ggggtttttt ttttctctg tctctgtgtt tgaagtttca 1380
gtttctgttt tctaggttaag gcttattttt gattagcagt caatggcaaa gaaaaagtaa 1440
atcaaaagat acttcttttc aaaatgtatt gtttagcact taactcagat gaatttata 1500
attattaatc ttgatactaa ggatttgtta cttttttgca tattaggtta atttttacct 1560
tacatgtgag agtcttacca ctaagccatt ctgtctctgt actgttggga agttttgga 1620
acccctgccg gtgatctggt gatgatctga tgatttattt aaagagccgt tgatgcctcc 1680
aggaacttta agtattttat taatatatat ataggaattt ttttttattt tgctttgtct 1740
ttctctccct tcttttatcc tcatgttcat tcttcaaacc agtgttttgg aagtatgcat 1800
gcaggccctat aaatgaaaaa cacaattctt tatgtgtata gcatgtgtat taatgtctaa 1860
ctacatacgc aaaaacttcc ttacagagg ttccgactaa catttcacat gcacatttca 1920
aaacaagatg tgcatgaaa acagccctt tacctgccaa gacaagcagg gctatatattc 1980
agtgcagct gatatttgtt ttgaaagtga atctcataat atatatatgt attacacatt 2040
attatgacta gaagtatgta agaatgatc agaacaaaag aaaatttcta ttttcatgca 2100
aatatttttc atcagtcac actctcaa ataaattaaa atataaact cctgaatgcc 2160
tgaggcacga tctggatttt aaatgtgtgg tattcattga aaagaagctc tccaccact 2220
tggtatttca agaaaattta aaacgatccc aaggaaagat gatttgtatg ttaaagtgc 2280
tgcacaagta aaagtccaat gttgtgtgca tgaaaaggat tccttggtta tgtgcaggga 2340
atcatctcac atgctgtttt tcctatttgg tttgagaaac aggtgcacac tattctctt 2400
gattagaaaa taaactcata aaactcataa tgttgatata atcaagatgt aaccactata 2460
aatatgtaga agaggaagtt ttaaaagacc ttaagctggc attgtgaagg aacaccatgg 2520
tagactctt ttgtaaatgt attttgtatt taatgaaatg cagtataaag gttggtgaag 2580
tgtaataataa ttgtgtaaac aaatcctgtt aatagagaga tgtacagaat cgttttgtac 2640
tgtatcttga aacttgtgaa ataaagattc cacctctggt taaaaaaaaa aaaaaaaaaa 2700
aaaaa

```

&lt;210&gt; 421

&lt;211&gt; 1901

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1828)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 421

```
accggactgg cctggggcgg gacgtgggcg cgggggcgcg gcgtgcggca gctgcaggg 60
ctgaagcggc ggcgcggtg gggactgcac gtagcccggc gctcggcatg gctctcctg 120
tgctcgtctt ggtgagctgt accttctttc tggcagtga tggctctgtat tcctctagt 180
atgatgtgat cgaattaact ccatacraatt tcaaccgaga agttattcag agtgatagtt 240
tgtggcttgt agaattctat gctccatggt gtggtcactg tcaaagatta acaccagaat 300
ggaagaaagc agcaactgca ttaaaagatg ttgtcaaagt tgggtcagtt gatgcagata 360
agcatcattc cctaggaggt cagtatggtg ttcagggatt tcctaccatt aagatttttg 420
gatccaacaa aaacagacca gaagattacc aagggtggcag aactggtgaa gccattgtag 480
atgctgcgct gagtgtctctg cgccagctcg tgaaggatcg cctcggggga cgaagcggag 540
gatacagttc tggaaaacaa ggcagaagtg atagttcaag taagaaggat gtgattgagc 600
tgacagacga cagctttgat aagaatgttc tggacagtga agatgttttg atggttgagt 660
tctatgtctc ttggtgtgga cactgcaaaa acctagagcc agagtgggct gccgcagctt 720
cagaagtaaa agagcagacg aaaggaarag tgaaactggc agctgtggat gctacagtca 780
atcaggttct ggctcccga tacgggatta gaggatttcc tacaatcaag atatttcaga 840
aaggcgagtc tcctgtggat tatgacggtg ggcggacaag atccgacatc gtgtcccg 900
cccttgattt gttttctgat aacgcccac ctctctgagct gcttgagatt atcaacgagg 960
acattgccaa gaggacgtgt gaggagcacc agctctgtgt tgtggtctgt ctgccccata 1020
tccttgatac tggagctgca ggcagaaatt cttatctgga agttcttctg aagtggcag 1080
acaaatacaa aaagaaaatg tgggggtggc tgtggacaga agctggagcc cagtctgaac 1140
ttgagaccgc gttggggatt ggaggggttg ggtacccgc catggccgc atcaatgcac 1200
gcaagatgaa atttgcctg ctaaaaggct cttcagtga gcaaggcatc aacgagtttc 1260
tcagggaact ctcttttggg cgtggctcca cggcacctgt aggagggcg gctttcccta 1320
ccatcgttga gagagagcct tgggacggca gggatggcga gcttcccgtg gaggatgaca 1380
ttgacctcag tgatgtggag cttgatgact tagggaaaga tgagtgtga gagccacaac 1440
agaggcttca gaccattttc ttttcttggg agccagtga ttttccagc agtgaaggga 1500
cattctctac actcagatga ctctaccagt ggccttttaa ccaagaagta gtacttgatt 1560
ggtcatttga aaacactgca acagtgaact tttgcatctc aagaaaacat tgaaaaattc 1620
tatgaattgt ttagaccggt gaattgagtc gtattctgtc acataatatt ttgaagaaaa 1680
cttggtctgc gaaacatttt tctctctgac tgctgcttga atgttcttg aggctgtttc 1740
ttatgtatgg gtttttttta atgtgatccc ttcatttgaa tattaatggc tttttccatt 1800
aaagaataaa atatttttga caatgccnaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1860
cysagggggg ggcccggtcc caattcgccc tatagtgaat c 1901
```

&lt;210&gt; 422

&lt;211&gt; 2477

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 422

```
cacactttga gcgcacttct agtaaacggg tctccaggag tctagatgga gctccgattg 60
gtgtcatgga ccaaagtctt atgarggatt ttcctggcgc tgctggggag atttcagcct 120
atggacctgg acttgctcagc attgccgtgg tacaagatgg ggacggcagg agggagtgta 180
gaagcccaac taaagcccca catttgacg tcattgaagg aaagagttca catgagactc 240
tgaatatagt ggaggagaag aagcgggcag aggttgggaa agacgaaaga gtaatcacag 300
aagaaatgaa tggtaaagag atatcacctg ggagtgggcc tggggagatt cgtaagggtg 360
agcctgtgac acaaaaagac tccacctccc tgtcttctga gagcagcagc agcagcagtg 420
agagtgagga ggaagacgtg ggagagtacc gtccccacca ccgagtgaac gagggacca 480
tcaggagga acaggagtat gaagaagagg tggaggaaga accccgccc gcagccaagg 540
tagtagagag ggaggaagca gtgccgaag ccagcccagt cacacaagca ggtgccagt 600
taatcacagt agaaacagt atccaggaaa atgtaggtgc ccaaagata cccggagaga 660
```

```

agagtgtaca cgaaggcgct ctttaagcaag acatgggaga agaagcagag gaagagccac 720
agaaagttaa cggagagggtg tcccatgttg acattgatgt tttgccacaa attatttgtt 780
gttcagagcc accagtggta aaaacagaga tggtaacaat ttctgatgcc tcacaaagga 840
cagaaatctc caccaaggaa gtccccattg tccaaactga gacccaaaacc atcacatatg 900
agtctccaca gattgatggc ggggctgggtg gtgattcggg cacgttactg accgcacaaa 960
ccatcacatc tgagtcctgtg tcaacaacga caaccacaca catcaccaag actgtaaaag 1020
gtggaatttc tgaacaaga attgagaaac gcattgtgat cacaggagat ggagatattg 1080
atcatgacca ggcactggct caggcgatca ggaagccag agagcagcac cctgacatgt 1140
cggtcacaag agtgggtgta cacaaagaaa cagagttggc tgaggaaggg gaagattaag 1200
taagaaagtc atttttttaa caacactcaa ctttgtgaac ccctgaagat tttttgaccg 1260
ttccaagtct taatgccaca ccactattcc agcgaattta tgctacaact ggtaacaatg 1320
accagaagcc tgaagaatta aaatgccaac accaaacctt tccttaccag ctctggtcta 1380
tattgctccc atgcatttaa tatattatgt tgttttataa ccacttctaa atattctcag 1440
ttctttcttt ttgttgttgt taattaaggg gttttgttgt tgttttctgt ttacttttgt 1500
tgcaactacc tgcttttaat gactcacttt gatcaaatga cagtgaacaa agccagccca 1560
agctgktaag gtgctgttca cttgaacagg tgctgttgcg cagaaaggaa actctgtgac 1620
taatttagat agtggtcttc cttcttcttg attcttttca ttgaattctc acagtaaata 1680
tttacggagt tttcaaattg cagcaaatat actgtatgag aaaatattaa tacagattaa 1740
aagcctttct tacatcttga aaattttcta atatttgaga atttcacagg gatgtttttt 1800
atattggacc cttttgactt tccagtctctg tgactttcta cttttagtag agagtcagaa 1860
ttcttgact ggagaataat gaagaagttc actgactgtg cactgtgctt agagaccctg 1920
ccgcaccaca gtgccaatgc ttgtcagaca catgcccttc ggcagcatte cagaacagga 1980
gggaagagaa agagaaaact ttcttccctt ctactaaaag attcaggcag cttaaaacct 2040
tagtgcttct tttcttaaca tacccttaatt tcaattcttt ccattatttg aacacttggg 2100
tagaactctt gctttgtatt aaacctcttt gtctacacat gtaaaaactta cttttgtta 2160
ttgagcaggc ctatctcttt cagatagttt tatgattcac acaggtttga ggatgctggg 2220
gagaggggga ggggctgtg gtgggtgtct gttggttaca agaaagtat accattttaa 2280
gctggcacca gagaccgat agggacttat taactatatt gaacattttt tcctttgcct 2340
ttgacctat gtatagttac gatgccagat tagatttata gcagcctcaa gttgtattaa 2400
atgatatttt gcttctgtga atactattat aaaataaagt ttgtttattc tctaaaaaaa 2460
aaaaaaaaa actcgag 2477

```

&lt;210&gt; 423

&lt;211&gt; 777

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (759)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (764)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 423

```

ttcctcgcgg aagtggggag gaggcgggtg cggttagtgg accgggaccg gtaggggtgc 60
tggtgccatc atggctgacc ccgacccccg gtaccctcgc tcctcgatcg aggacgactt 120
caactatggc agcagcgtgg cctccgccac cgtgcacatc cgaatggcct ttctgagaaa 180

```

agtctacagc attctttctc tgcaggttct cttactaca gtgacttcaa cagttttttt 240  
atactttgag tctgtacgga catttgtaca tgagagtcct gccttaattt tgctgtttgc 300  
cctcggtatct ctgggtttga tttttgcgtt gaytttaaac agacataagt atccccctaa 360  
cctgtaccta ctttttgat ttacgctgtt ggaagctctg actgtggcag ttgttggtac 420  
tttctatgat gtatatatta ttctgcaagc tttcatactg actactacag tatttttttg 480  
tttgactgtg tatactctac aatctaagaa ggatttcagc aaatttgag cagggctgtt 540  
tgctcttttg tggatattgt gcctgtcagg attcttgaag tttttttttt atagtगत 600  
aatggagtgt gtcttagccg ctgcaggagc ccttcttttc tgggggattc atcatctatg 660  
acacacacta ctgatgcata aactgtcacc tgaagagtac gtattagctg gcatcaagcc 720  
tctacttgga tatcatcaat ctattcctgg acctgtacng gttnttgga acaagtt 777

<210> 424

<211> 1649

<212> DNA

<213> Homo sapiens

<400> 424

ggccctttgc gcctgcgcc agctcgccct gcctagccag gagcgccccg cccctgcct 60  
gcccggccac cttcgggagc cgcttccaat aggcgttcgc cattggctct ggcgacctcc 120  
gcgcgttggg aggtgtagcg cggctctgaa cgcgctgagg gccgttgagt gtcgcaggcg 180  
gcgagggcgc gaggtaggag cagaccagc catcgcgcg cgagaaggcc gggcgctccc 240  
acactgaagg tccgaaaagg cgacttccgg gggctttggc acctggcgga cctcccggga 300  
gcgtcgccac ctgaacgcga ggcgctccat tgcgcgtgcg cgttgagggg cttcccgcac 360  
ctgatcgca gacccaacg gctggtggcg tcgcctgcgc gtctcggtg agctggccat 420  
ggcgagctg tgcgggctga ggcggagccg ggcgtttctc gccctgctgg gatcgctgct 480  
cctctctggg gtctggcg cgcaccgaga acgcagcatc cacgacttct gcctggtgtc 540  
gaaggtggtg ggcagatgcc gggcctccat gcctaggtgg tggtaaatg tcaactgacg 600  
atcctgccag ctgtttgtgt atgggggctg tgacggaac agcaataatt acctgaccaa 660  
ggaggagtgc ctcaagaaat gtgccactgt cacagagaat gccacgggtg acctggccac 720  
cagcaggaat gcagcggtt cctctgtccc aagtgtccc agaaggcagg attctgaaga 780  
ccactccagc gatatgttca actatgaaga atactgcacc gccaacgcag tcaactggcc 840  
ttgccgtgca tcctccccc gctggtactt tgacgtggag aggaactcct gcaataactt 900  
catctatgga ggctgccggg gcaataagaa cagctaccgc tctgaggagg cctgcatgct 960  
ccgctgcttc cgcagcagg agaatectcc cctgcccctt ggctcaaagg tgggtggtct 1020  
ggcggggctg ttcgtgatgg tgttgatcct cttcctggga gcctccatgg tctacctgat 1080  
ccgggtggca cggaggaacc aggagcgtgc cctgcgcacc gtctggagct ccggagatga 1140  
caaggagcag ctggtgaaga acacatatgt cctgtgccgc cctgtcgcca agaggactgg 1200  
ggaaggagg ggagacatgt gtgacttttt ttaaataagag ggattgactc ggatttgagt 1260  
gatcattagg gctgaggtct gtttctctgg gaggtaggac ggctgcttcc tggctctgga 1320  
gggatgggtt tgcttttgaa atcctctagg aggcctctcc tcgcatggcc tgcagtctgg 1380  
cagcagcccc gagttgtttc ctgcgtgatc gatttctttc cccaggtaga gttttctttg 1440  
cttatgttga atccattgcc tcttttctca tcacagaagt gatgttgaa tcgtttcttt 1500  
tgtttctctg atttatggtt tttttaagta taaacaaaag ttttttatta gcattctgaa 1560  
agaaggaaa taaatgtaca agtttaataa aaggggcctt cccctttakt aaaaaaaaaa 1620  
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1649

<210> 425

<211> 1608

<212> DNA

<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1598)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1600)  
<223> n equals a,t,g, or c

<400> 425  
gcgcgggagg cggrcgrggg cgtecgctgcg cggetggccg gtgaggcgcg gcatggggcg 60  
agtgcagctc ttcgagatca gcctgagcca cggecgcgctc gtctacagcc ccggggagcc 120  
gttggtctggg accgtgcgcg tgcgcctggg ggcaccgctg ccgttccgag ccatccgggt 180  
gacctgcata ggttcctgcg ggggtctcaa caaggctaag gacacagcgt gggtagtgga 240  
ggagggttac ttcaacagtt ccctgtcgct ggcagacaag gggagcctgc ccgctggaga 300  
gcacagcttc cccttccagt tctgtcttcc tgccactgca cccacgtcct ttgagggtcc 360  
tttcgggaag atcgtgcacc aggtgagggc cgccatccac acgccacggt tttccaagga 420  
tcacaagtgc agcctcgctgt tctatatctt gagcccttg aacctgaaca gcatcccaga 480  
cattgagcaa cccaacgtgg cctctgccac caagaagttc tcctacaagc tggggaagac 540  
gggagcgtg gtcctcacag ccagcactga tctccgaggc tatgtggtgg ggcaggcact 600  
gcagctgcat gccgacgttg agaaccagtc aggcaaggac accagccctg tgggtggccag 660  
tctgctgcag aaagtgtcct ataaggccaa gcgctggatc cagcagctac ggaccattgc 720  
ggagggtggg ggtgcggggc tcaaggcctg gcggcgggcg cagtggcacg agcagatcct 780  
ggtgcctgcc ttgccccagt cggccctgcc ggctgcagcc tcatccacat cgactactac 840  
ttacaggtct ctctgaaggc gccggaagct actgtracc tcccgggtctt cattggcaat 900  
attgctgtga accatgcccc agtgagcccc cgccagggcc tggggctgcc tctggggcc 960  
ccaccctgg tgtgccttcc gcaccacccc aggaggaggc tgaggctgag gctgcggctg 1020  
gcggccccc cttcttgagc ccgctcttcc tctccacca gagccattcg cagcggcagc 1080  
ccctgctggc caccttgagt tctgtgcctg gtgcgcggga gccctgccct caggatggca 1140  
gccctgcctc acaccgcgtg caccctccct tgtgcatttc aacagggtgc actgtcccc 1200  
actttgcaga gggtccggg gggccagtgc ccactaccag caccttgatt ctctctccag 1260  
agtacagttc ttggggctac ccctatgagg ccccaccgct ttatgagcag agctgcggcg 1320  
gcgtggaacc cagcctgacc cctgagagct gaccccgctg tgccttctcc aggcaggcct 1380  
ggcctctgcc ctgggactgg ggcgcccagg gcctcgtgcc ttctctcttg gcctagcctg 1440  
gccactcag gacctgcca gcctctgcca gctcctctgc atccgcccct ttctccctgg 1500  
ggctgggggt ggggtggcag ggagctggga cctggagaga caactcctgt aaataaaaca 1560  
ctttatttgt agaaaaaaaa aaaaaaaaaa aaaaaaantn gggggggg 1608

<210> 426  
<211> 1794  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1789)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature



&lt;222&gt; (1790)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1793)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 426

```
gtctctctct ctctctctct ctctcccttg tgcccgcctt ctgccatccg cgctgtctcg 60
tgtctccctt ttccattaa atgcctcttt tcttgccggg ctcatstcgg gaatagtga 120
ctacggggac atacctatcc ccaactatcc taggcccag aaccagccct tgccttcgcg 180
taacaggcgg agactcgctg aggcgagttg cacttcta atggcggtgag gtcttgtaa 240
tccccaggtt ctccaatca gaagtcgggt ccatccagcc ttccgctccc cattggcctg 300
tgtggaggaa gaggggtggg taagccgaag tcgctgcgct cagtgcgag gcgcgaagaa 360
gctggcaggg gcacgagccg gggcggggtt tgaagacgcg tcgttgggtt ttggaggccg 420
tgaaacagcc gtttgagttt ggctgcgggt ggagaacgtt tgcaggggc ccggccaaga 480
aggaggcccg cctgttacga tgggtgtccat gagtttcaag cggaaccgca gtgaccggtt 540
ctacagcacc cgggtgtgcg gctgttgcca tgtccgcacc gggacgatca tcctggggac 600
ctggtacatg gtagtaaac tattgatggc aattttgctg actgtggaag tgactcatcc 660
aaactccatg ccagctgtca acattcagta tgaagtcac ggtaattact attcgtctga 720
gagaatggct gataatgcct gtgttctttt tgccgtctct gttcttatgt ttataatcag 780
ttcaatgctg gtttatggag caatttctta tcaagtgggt tggctgattc cattcttctg 840
ttaccgactt ttgacttcg tcctcagttg cctggttgct attagtctc tcacctattt 900
gccaaagaatc aaagaatatc tggatcaact acctgatttt ccctacaaag atgacctcct 960
ggccttgga cccagctgcc tcctgttcat tgttcttggt ttctttgcct tattcatcat 1020
ttttaaggct tatctaatta actgtgtttg gaactgctat aaatacatca acaaccgaaa 1080
cgtgccggag attgctgtgt accctgcctt tgaagcacct cctcagtagc ttttgccaac 1140
ctatgaaatg gccgtgaaaa tgccgtgaaaa agaaccacca cctccttact tacctgcctg 1200
aagaaattct gcctttgaca ataaatccta taccagcttt ttgtttggtt atgttacaga 1260
atgctgcaat tcagggtctt tcaaacttgt ttgatataaa atatgttggtc ttttgtttaa 1320
gcatttatct tcaaacacta aggagctttt tgacatctgt taaacgtctt ttgtttttt 1380
tgtaagtctt ttacattttt aatagttttt gaagacaatc taggttaagc aagagcaag 1440
tgccattgtt tgcctttaat tgggggggtg gaagggaag aggggtactg ccacatagtt 1500
tcctttttta ctgcactttc ttatataaat cgtttgcat ttgttacttg ctaccctgag 1560
tactttcagg aagactgact taaatattcg ggggtgagtaa gtagttgggt ataagatctg 1620
aacttttcat ctgcagaggc aagaaaaata tttgacattg tgacttgact gtggaagatg 1680
atggttgcat gtttctagtt tgtatatgtt tccatctttg tgataagatg atttaataaa 1740
tctctttaa tactaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaann aana 1794
```

&lt;210&gt; 427

&lt;211&gt; 770

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (14)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

<221> misc feature  
<222> (40)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (97)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (618)  
<223> n equals a,t,g, or c

<400> 427  
ccaggcccta taancccggc accttgggga ggctgaggn ggaagcacca cggagcccca 60  
ggagttgggg acccggtgg gccaccatag ccaggggnccc tgtctatttt tttaaaaaag 120  
taaaaaatag aaattatctc actacttaaa tcccattttt ttcacttcat atgaaagaac 180  
atattgatag tatattctat attatttcat agatctgtct gaaagagatt gggaacaaaa 240  
atatctaatt gagatattct ttaatttttt acatagcagc tttatttttt ttattctgta 300  
gtatcagcga aatcagtcac gtttatacct tgaatataaa taccaggaat catgcaatta 360  
tttctactat gtatttagta gtatcttata tttgtataac attattacat tttgcaaatt 420  
agtatcacia ctgctaagta gatgtttctg agtattagaa aaatcagtggt tattacctgc 480  
aggatattaa aaaacatttg aaaaagagaa aaagaaaaat cagtgttttag aaatgttgat 540  
agttattgaa tctttgaatt gaatttttaa aatccattct agtaatcaga gtatactttt 600  
ttttagaac aaggtgggca ggtgggggag cctttaccct tctggtgaag ttaaaccata 660  
ggaggtttac aatttgcctt tcacaaacat tagcagtcgg ggcatgggt gctgragcct 720  
gtgratycce agcatgttg ggaggccga gttggggagg gttgcctgag 770

<210> 428  
<211> 512  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (18)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (30)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (38)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (484)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (491)

<223> n equals a,t,g, or c

<400> 428

```
tgatcccc gggactgnca gaattccggn cactgagga gagacttgct ttgacaagta 60
cactgggaac acttaccgag tgggtgacac ttatgagcgt cctaaagact ccatgatctg 120
ggactgtacc tgcacgggg ctgggcgagg gagaataagc tgtaccatcg caaaccgctg 180
ccatgaaggg ggtcagtcct acaagattgg tgacacctgg aggagaccac atgagactgg 240
tggttacatg ttagagtgtg tgtgtcctgg taatggaaaa ggagaatgga cctgcaagcc 300
catagctgag aagtgttttg atcatgctgc tgggacttcc tatgtggtcg gagaaacgtg 360
ggagaagccc taccaaggct ggatgatggt agattgtact tgcctgggag aargcagcgg 420
acgcatcact tgcatttcta gaaatagatg caacgwtcag gacacaagga catctataga 480
attngagaca ncttgagcaa gaaggataat cg 512
```

<210> 429

<211> 1470

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1346)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1347)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1357)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1387)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1415)

<223> n equals a,t,g, or c

<220>

<221> misc feature

&lt;222&gt; (1454)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1462)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 429

```
gtggacacgg aagtggtcgt cgtcgcggca cccgtgggag ctaggcgcga ggctcggagt 60
gcggccagcg ggccgaggcg gtctcgcatc ggccggcgacg gagggtcag gcgtcgtcgt 120
ttgggtgggg ggccgctgaa ctgacaagcg acatttcagc tcctttcacc cggccgaacc 180
ccggagccgg ggcccgtca gccggcggtta ccatgaccaa ggccggtagc aaggcgggga 240
acctccgcga caagctggac ggcaacgaac tggacctgag cctcagcgac ctgaatgagg 300
tcccgtgtaa ggagctggct gcccttccaa aggccaccat cctggatctg tcttgtaata 360
aactgactac tctaccgtcg gatttctgtg gcctcacaca cctgggtgaag ctagacctga 420
gtaagaacaa gctgcagcag ctgccagcag actttggccg tctggtaaac ctccagcacc 480
tggatctcct caacaacaag ctggtcacct tgcctgtcag ctttgctcag ctcaagaacc 540
tgaagtgggt ggacctgaag gataaccccc tggatcctgt cctggccaag gtggcagggt 600
actgcttgga tgagaagcag tgtaagcagt gtgcaaacaa ggtgttacag cacatgaagg 660
ccgtgcaggg agatcaggag cgggagaggc agcggcggct ggaagtagaa cgtgaggcag 720
agaagaagcg tgaggctaag cagcgagcta aggaagctca ggagcgggaa ctgcggaagc 780
gggagaaggg ggaagagaag gagcgccgga gaaaggagta tgatgccctc aaagcagcca 840
agcgggagca ggagaagaaa cctaagaagg aagcaaatca ggccccgaaa tctaagtctg 900
gctcccgtcc ccgcaagcca ccaccccgga agcacactcg ttcctgggct gtgctgaagc 960
tgctgctgct gctgctgcta tttggtgtgg cgggagggct ggttgcttgt cgggtgacag 1020
agctgcagca gcagcccctc tgcaccagcg tgaacaccat ctatgacaat gcggtccagg 1080
gtctacgccg ccatgagatc ctccagtggg tcctccagac cgactctcag cagtgaagctt 1140
gtccccagca cctgctgcct ccagccttg gagtttggat tcctatggaa ttgggttctg 1200
ctggacacaa cctcttttta gcatcagacc tacctgccat catcaaatgg ctgcagattg 1260
gtacatgaga cttctctttt gtaggacttc ttcattcctt agtcagggtt ccctgaagga 1320
atgaggagaa atgggagggt gccggnnngg ccgtgngggc aagttacctg catgcctaaa 1380
ggagtangct tgggggtggg agagagaaaa catanctttt tagtgtatat aagttgggaa 1440
aggcaagggt ggtntactaa anggcagttg 1470
```

&lt;210&gt; 430

&lt;211&gt; 434

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 430

```
ggccttggtta tggctcctat tgcttggttg ctgccagcct tctcctcggc cccagaggcc 60
atgcacccgt gggagctctt tgtaaagtac taccatgcta agaacggccg tgcttatgtg 120
gaatccccag cccggaagct ctcccagtc ttcgcccttc ctgttacggg aggcactggt 180
gtcaccccca aacagagcct actgacagcc atccacatgg tgctgacaga gcatgacctt 240
tttaagcgca gtgcagactc agaattgaag gccttggtgt gcatggcact gaatgagcca 300
gcgtctggtg tcctgggtga acctcatctg caaktccggg tcaactsatcg agcctcacta 360
ccagccctgg rrctacatgg cacacacagg cttttgaaaa ttgcctcaac ctgctcagtc 420
gcctcaacaa cctc 434
```

&lt;210&gt; 431

<211> 1823  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1804)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1805)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1815)  
<223> n equals a,t,g, or c

<400> 431  
ggcacgagcc cggccccgcc cggcgccgcgc cggccgctgt cagctccctc agcgtccggc 60  
cgaggcgcg tgtatgctga gccgctgccg cagcsggctg ctccacgtcc tgggccttag 120  
cttcctgctg cagaccgccg ggcgattctt cctctgctct ccacgtctca tgaagccgct 180  
ggtcgtgttc gtcctcggcg gccccggcgc cggcaagggg acccagtgcg cccgcatcgt 240  
cgagaaatat ggctacacac acctttctgc aggagagctg cttcgtgatg aaaggaagaa 300  
cccagattca cagtatggtg aacttattga aaagtacatt aaagaaggaa agattgtacc 360  
agttgagata accatcagtt tattaagag ggaaatggat cagacaatgg ctgccaatgc 420  
tcagaagaat aaattcttga ttgatgggtt tccaagaaat caagacaacc ttcaaggatg 480  
gaacaagacc atggatggga aggcagatgt atctttcgtt ctcttttttg actgtaataa 540  
tgagatttgt attgaacgat gtcttgagag gggaaagagt agtggttaga gtgatgacaa 600  
cagagagagc ttggaaaaga gaattcagac ctaccttcag tcaacaaagc caattattga 660  
cttatatgaa gaaatgggga aagtcaagaa aatagatgct tctaaatctg ttgatgaagt 720  
ttttgatgaa gttgtgcaga tttttgacaa ggaaggctaa ttctaaacct gaaagcatcc 780  
ttgaaatcat gcttgaatat tgctttgata gctgctatca tgacctctt ttaaggcaat 840  
tctaattctt cataactaca tctcaattag tggttgaaa gtacatggta aaacaaagta 900  
aattttttta tgttcttttt tttggtcaca ggagtagaca gtgaattcag gtttaacttc 960  
accttagtta tgggtctcac caaacgaagg gtatcagcta ttttttttta aattcaaaaa 1020  
gaatatccct tttatagttt gtgccttctg tgagcaaaac ttttttagtac gcgtatatat 1080  
ccctctagta atcacaacat tttaggattt agggataccc gcttcctctt tttcttgcaa 1140  
gttttaaatt tccaacctta agtgaatttg tggaccaa atcaaggaa ctttttgtgt 1200  
agtcagttct tgcacaatgt gtttggtaaa caaactcaaa atggattctt aggagcattt 1260  
tagtgtttat taaataactg accatttgct gtgaaaagat gagaaaactt aagctttggt 1320  
ttactacaac ttgtacaaag ttgtatgaca gggcatattc tttgcttcca agatttggtt 1380  
tgggggcaact aggggttcag agcctggcag aattgtcagc tttagtctga cataatctaa 1440  
gggtatgggg caaggatcac atctaagtct tgtgttcctt atactctatt atatagtgtt 1500  
attcatgatt cagctgatct taacaaaatt cgtagcagtg gaaccttgaa atgcatgttg 1560  
ctagatttat gctaaaatga ttctcagtta gcattttagt aacacttcaa aggttttttt 1620  
ttggttggtt tctagactta ataaaagctt aggattaatt agaagaagca atctagttaa 1680  
atttccatt tgtattttat tttcttgaat acttttttca tagttatttg tttaaaaaga 1740  
tttaaaaatc attgactttt ggtcagaaaa ataataaata tatcttataa gggggggccc 1800  
ggannccaat tcggnctgga gga 1823

<210> 432  
<211> 3391  
<212> DNA  
<213> Homo sapiens  
  
<220>  
<221> misc feature  
<222> (1)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (33)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (68)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (99)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (114)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (3293)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (3391)  
<223> n equals a,t,g, or c

<400> 432  
nccccctttg ccctcaaata caaaaatggg aanaattgtg gaacccattg ccacttgcat 60  
tgcccttnga ccaggattga aattgatcca ttccctcna ttcttggtt gggnaaccgg 120  
ggaaacccta attgaaagac ttgtaaagcc cacgccatt atttaagtgg gaaatcgggt 180  
gcctccaccc aacacagctg gctgccttag gaatgtaagc ctgagagagg agtgaagctc 240  
gccggaaact tcgggaatgt gatggttag ttgatgccct cattttcatt gttcaggctg 300  
agattgggca gaaggattca racagcaagc ttgtagagaa ctgtgtttgc cttcttcgga 360  
acttatcata tcaagttcac cgggagatcc cacaggcaga gcgttaccaa gaggcagctc 420  
ccaatgttgc caacaatact gggccacatg ctgccagttg ctttggggcc aagaagggca 480  
aagggaataa acctatagag gatccagcaa acgatacagt ggatttcctt aaaagaacga 540

```

gtccagctcg aggctatgag ctcttatttc agccagaggt gggtcggata tacatctcac 600
ttcttaagga gagcaagact cctgccatcc tagaagcctc agctggagct atccagaact 660
tgtgtgctgg gcgctggacg tatggctgat acatccgctc tgctctgcgt caagagaagg 720
ctctttctgc catagctgac ctctgacta atgaacatga acgggtgggtg aaagctgcat 780
ctggagcact gagaaacctg gctgtggatg ctgcacaaca agaattaatt ggtaaacatg 840
ctattcctaa cttggtaaaag aatctgccag gaggacagca gaactcctct tggaatttct 900
ctgaggacac tgtcatctct attttgaaca ctatcaacga ggttatcgct gagaacttgg 960
aggctgccaa aaagcttcga gagacacagg gtattgagaa gctgggtgtg atcaacaaat 1020
caggaaccg ctcagaaaaa gaagttcgag cagcagcact tgtattacag acaatctggg 1080
gatataagga actgcggaag ccactggaaa aagaaggatg gaagaaatca gactttcagg 1140
tgaatctaaa caatgcttcc cgaagccaga gcagtcattc atatgatgat agtactctcc 1200
ctctcattga ccggaaccaa aaatcagata agaaacctga tcgggaagaa attcagatga 1260
gcaatatggg atcaaacaca aaatcactag ataacaacta ttccacacca aatgagagag 1320
gagaccacaa tagaactctg gatcgatcgg gggatctagg cgacatggag ccattgaagg 1380
gaacaacacc cttgatgcag gacgaggggc aggaatctct ggaggaagag ttggatgtgt 1440
tggttttggg tgatgagggg ggccaagtgt cttaccctc catgcagaag atttagcacc 1500
actatctccg ttccatctgg gcttatatgt acttttattt ttggtgggtg aaattgactg 1560
atgattttcc tttttcttcg ctggactatt gtgccaaact ccaggctgcc tcctgccctt 1620
acagccctaa gtggctgcct tctttccatc aactcccaac ttcttctgtg gaagttaaat 1680
tgtctcaacg cctccccctc cccattcccc tccatttttc tcccaagaaa cctgactcaa 1740
ttatttgcat attttgagaa actgctgcag attagtcttt ttgcccagtt ttccctggaa 1800
ctcctggcct tttgtggagg ggagggatgg agagaatagg aatcttcact agaagccgtg 1860
ggaagaattg gaagttacat gctgtatatg caatgtccag cagtctgata aactgacgat 1920
tcttaatcaa gatttttttc ctgatgggga agggactttt attttctttt agagagggga 1980
aagtgtgagc tcttccctta ttcctaattg ctatttttga agcaaagaag gccagcaaca 2040
ttggcacatg ccacctggca aaggacctt gagtaagtga aggtctccta aaactgggat 2100
taagaaacct tgctctctc atctccaagg cagggaccat caagaacct aagactccat 2160
ctcttctgca agcctcatgc caacctggg ctattgctgc tgccccttaa acacaggctg 2220
tccttaaccc acctctctg ccctgtgata tgtctgctga gttggcctgg ccatttccaa 2280
gaggctgtag aaaggggaga atgtcaagga agacttttgg tagagaagga gcagaaagat 2340
gtgtttttgg gaagaagaag acctctagga ggagctagta ggaatgtaca tgaagcaatt 2400
agtctgaaac tggcttcccc actccccctg ttctcctttt cctatcctta taggcctgtc 2460
ccttgccctt gccctggatt ggttgccaaa cttaaaggact tgatgtacat aactcctgtc 2520
ccttttccct tacaagggtg ggattgcccc tggttttgcc tcttctttgt gcctttggcc 2580
tggggtgcat ctctcccgc ccttccatgt gcctttcttt gcctctgcag tctcatttct 2640
cataattttg caaattatat tttgttgctt tcttacctac tattggccct aaatagcaga 2700
aagaagagaa gtgaccgaga gaacctcaga ttcttcattg aggattggta tagccatgat 2760
ttcagtcata gcaagctttt gctcaacagc atatgggtgg gattttgcaa aaatcctatt 2820
ctgatgaate tcaaagtaag gctggttaaga gaagtgaagt gtgtgactct tactccttag 2880
gtgccagaa tttaccatca tctctgaagg agttacaggg aagtggctct cccaattctc 2940
ccctccctcc agtattgccc cctctcactt tagcatatat taattagcag gttgggctag 3000
agaaatcagc tgctatgcgg gttgattatt attattttt ctaatccttt tccttatttg 3060
ccttctactc cccttaatct aatctaaaag ctctgttcca tgcaactgga gttccttatt 3120
cctctcttcc ccttccctta tatattgagg ctatggggtg ggagaaaagt gcacaaccca 3180
ccacccctt tactcgtgca ttaaaatttc ttatttacct ttttccccct tcccatttct 3240
tcccacttcc atctacctt tctgggcaaa aaggarcctt ttgstctctg tgnaccctaa 3300
gagcacactg cacagggaaa attggcccat ccagacctgg gctccactct tgatctctct 3360
tggtcctctt ctggctcttt tcctgggtgg n 3391

```

&lt;210&gt; 433

&lt;211&gt; 2553

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2510)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2516)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 433

```
ggcagcaggc atccctgacg ctctggatgt gagagtgccc caatgcctga cctctgcac 60
ccccaccctt ctcttccctt cctcttctcc agccaaagat ggtgctccct gcatcttcgg 120
tggtacggtg taccgcagcg gagagtcctt ccagagcagc tgcaagtacc agtgcacgtg 180
cctggacggg gcggtgggct gcatgcccc gtgcagcatg gacgttcgtc tgcccagccc 240
tgactgcccc ttcccagagga ggggtcaagct gcccgggaaa tgctgcgagg agtgggtgtg 300
tgacgagccc aaggaccaa ccggtggttg gcctgcccct gcgggtgagt cgagtcttcc 360
tctaagtcag ggtcgtgatt ctctcccagg gagggagtcc taactgtgcc gaccgaacgg 420
gggaaatacc ttatccaggc gttttacatg gtgtttgtgt gctctgcyct cgcrgcttac 480
cgactggaag acacgttttg cccagaccca actatgatta gagccaactg cctgggtccag 540
accacagagt ggagcgcctg ttccaagacc tgtgggatgg gcatctccac ccgggttacc 600
aatgacaacg cctcctgcag gctagagaag cagagccgcc tgtgcatggt caggccttgc 660
gaagctgacc tggaagagaa cattaaggta catgttctgc tctattaac tatttttcac 720
agggaaaaca gtggatagga cccaacttag ggctcttgcc acgcttgta gtataagccc 780
gttatctcca aaactatcta accattgagc tgttttgctg gaatgagagc ttgtgtaata 840
gcaaccacca gttttccact acgaaatctt ccacagggtt agttaattca agacattcca 900
agagaggctc tggtattttt kgggacatag caaatgagac tcaaacttcc tcccctcaa 960
atatwaacag aagtcagaca acagaagact aaaacamagr gggttgaaga aagscactcc 1020
tcttgtagag tcgstgattt ttttttctt ctctcttttc ccttgkcttc cttagaagg 1080
gcaaaaagtg catccgtact cccaaaatct ccaagcctat caagtttgag ctttctggct 1140
gcaccagcat gaagacatac cgagctaaat tctgtggagt atgtaccgac ggccgatgct 1200
gcacccccca cagaaccacc accctgccgg tggagttcaa gtgccctgac ggcgaggcca 1260
tgaagaagaa catgatgttc atcaagacct gtgcctgcca ttacaactgt cccggagaca 1320
atgacatctt tgaatcgctg tactacagga agatgtacgg agacatggca tgaagccaga 1380
gagtgaagaa cattaactca ttagactgga acttgaactg attcaccatc catttttccg 1440
taaaaatgat ttcagtagca caagttattt aaatctgttt ttctaactgg gggaaaagat 1500
tcccacccaa ttcaaaacat tgtgccatgt caaacaata gtctatcaac cccagacact 1560
ggtttgaaga atgtaagac ttgacagtgg aactacatta gtacacagca ccagaatgta 1620
tattaaggtg tggcttttag agcagtggga gggtagcagc agaaagggtta gtatcatcag 1680
atagcatctt atacgagtaa tatgcctgct atttgaagtg taattgagaa ggaaaatttt 1740
agcgtgctca ctgacctgcc tgtagcccca gtgacagcta ggatgtgcat tctccagcca 1800
tcaagagact gagtcaagtt gttccttaag tcagaacagc agactcagct ctgacattct 1860
gattcgaatg acactgttca ggaatcgga tctgttcgat tagactggac agcttgtggc 1920
aagtgaattt gcctgtaaca agccagattt tttaaaattt atattgtaaa tattgtgtgt 1980
gtgtgtgtgt gtgtatatat atatatatgt acagttatct aagttaattt aaagttgttt 2040
gtgccttttt atttttgttt ttaatgcttt gatatttcaa tgtagcctc aatttctgaa 2100
caccataggt agaattgtaa gcttgtctga tcgttcaaag catgaaatgg atacttata 2160
ggaaattctg ctcagataga atgacagtcc gtcaaacag attgtttgca aaggggaggc 2220
```



atcagtgtcc ttggcaggct gatttctagg taggaaatgt ggtagcctca cttttaatga 2280  
acaaatggcc ttattataaa actgagtgac tctatatagc tgatcagttt tttcacctgg 2340  
aagcatttgt ttctactttg atatgactgt ttttcggaca gtttatttgt tgagagtgtg 2400  
acaaaaagtt acatgtttgc acctttctag ttgaaaataa agtgtatatt ttttctataa 2460  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaac ccgggaattn ccgganccgg 2520  
tacctgccag gcgtacttgt catcagtgtt cac 2553

<210> 434

<211> 2532

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2470)

<223> n equals a,t,g, or c

<400> 434

ggcgatttca tcatgctccg agccggggcg cgcgcgccgc ttccgtcgcc accctctctg 60  
gacagcccag ggccgcagct catgccctct ccgcgtccag tgctgcttag aggtgctcgc 120  
gccgctctgc tgctgctgct gccgcccccg ctcttagccc gaccctcgct cctgctccgc 180  
cggtccttca gcgcggcctc ctgcgccccg atctccttgc ccgccgcgc ctcccgagc 240  
agcatggacg gcgcgggggc tgaggaggtg ctggcacctc tgaggctagc agtgcgccag 300  
cagggagatc ttgtgcgaaa actcaaagaa gataaagcac cccaagtaga cgtagacaaa 360  
gcagtggctg agctcaaagc ccgcaagagg gttctggaag caaaggagct ggcgttacag 420  
cccaaagatg atattgtaga ccgagcaaaa atggaagata ccctgaagag gaggttttct 480  
tatgatcaag cttttgctat ttatggaggt gttagtggtc tgtatgactt tgggccagtt 540  
ggctgtgctt tgaagaacaa tattattcag acctggaggc agcactttat ccaagaggaa 600  
cagatcctgg agatcgattg caccatgctc acccctgagc cagttttaaa gacctctggc 660  
catgtagaca aatttgctga ctcatggtg aaagacgtaa aaaatggaga atgttttcgt 720  
gctgaccatc tattaaagc tcatttacag aaattgatgt ctgataagaa gtgttctgtc 780  
gaaaagaaat cagaaatgga aagtgttttg gccagcttg ataactatgg acagcaagaa 840  
cttgccgcatc tttttgtgaa ctataatgta aaatctccca ttactggaaa tgatctatcc 900  
cctccagtgt cttttaactt aatgttcaag actttcattg ggcttgagg aaacatgcct 960  
gggtacttga gaccagaaac tgcacagggg attttcttga atttcaaagc acttttgagg 1020  
ttcaaccaag gaaagttgcc ttttgctgct gccagattg gaaattcttt tagaaatgag 1080  
atctcccctc gatctggact gatcagagtc agagaattca caatggcaga aattgagcac 1140  
ttttagatc ccagtgaaga agaccacccc aagttccaga atgtggcaga cttcacctt 1200  
tatttgatt cagcaaaagc ccaggtcagc ggacagtcgc ctcgaaaat gcgcctggga 1260  
gatgctgttg aacaggggtg gattaataac acagtattag gctatttcat tggccgcac 1320  
tacctctacc tcacgaaggt tggaaatatc ccagataaac tccgcttccg gcagcacatg 1380  
gagaatgaga tggcccatta tgccctgtac tgttgggatg cagaatccaa aacatcctac 1440  
ggttggttg agattgttg atgtgctgat cgttcctgtt atgacctctc ctgtcatgca 1500  
cgagccacca aagtccact tgtagctgag aaacctctga aagaacccaa aacagtcaat 1560  
gttggtcagt ttgaaccacg taaggagaga attggttaagg catataagaa ggatgcaaaa 1620  
ctggtgatgg agtatcttgc catttgatgat gagtgttaca ttacagaaat ggagatgctg 1680  
ctgaatgaga aagggaatt cacaattgaa actgaaggga aaacatttca gttaacaaaa 1740  
gacatgatca atgtgaagag attccagaaa acactatatg tggagaagat tgttccgaat 1800  
gtaattgaac cttccttcgg cctgggtagg atcatgtata cggtatttga acatacatte 1860  
catgtacgag aaggagatga acagagaaca ttcttcagtt tccctgctgt agttgctcca 1920  
ttcaaatgtt ccgtcctccc actgagccaa aaccaggagt tcatgccatt tgtcaaggaa 1980

```

ttatcggaag ccctgaccag gcatggagta tctcacaaag tagacgattc ctctgggtca 2040
atcggaaggc gctatgccag gactgatgag attggcgtgg cttttggtgt caccattgac 2100
tttgacacag tgaacaagac cccccacact gcaactctga gggaccgtga ctcaatgcgg 2160
cagataagag cagagatctc tgagctgccc agcatagtcc aagacctagc caatggcaac 2220
atcacatggg ctgatgtgga ggccaggtat cctctgtttg aagggaaga gactggtaaa 2280
aaagagacaa tcgaggaatg aggacaattt tgacaacttt tgaccacttg cgctaataaa 2340
aaaaaaaaaa actactctta tgtccacttt acaaaagaaa acagcattgt gattactccc 2400
agggaccgta ttttatcttc agtggctgcc tgattttacc cccacaatta aagttgaagg 2460
aatcctgaan aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2520
aaaaaaaaaa aa 2532

```

&lt;210&gt; 435

&lt;211&gt; 1822

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 435

```

ggctggcggc gggctccggt ccgctgcctg gcgctgcggg cggcgggcca tgggtggttg 60
gattgagccg ggcccggccg gggcgccgag tcggaggggg tggcagttag cggcggcaga 120
ggctacgggg ctcggttttg ctgactgggg agtcggcagg cggcaggaac catgacgagg 180
cagcggagcc tgcgtctggg ccgggcccgc ctctgcctcc gcctccttct gctgctgggt 240
tacaggcgcc gctgtccacc tctactccgg ggtctagtac agcgtggcg ctacggcaag 300
gtctgcctgc gctccctgct ctacaactcc tttgggggca gtgacaccgc tgttgatgct 360
gcctttragg ctgtctactg gctggtagac aacgtgatcc gctggtttg agtgggtgtc 420
gtggctctgg tgatcgtgct gacaggctcc attgtagcta tcgcctacct gtgtgtcctg 480
cctctcatcc tccgaacctc ctcagtgccg cgactctgct ggcatttctt ctatagccac 540
tggaatctga tcttgattgt cttccactac taccaggcca tcaccactcc gcctgggtac 600
ccacccaggc gcaggaatga tatgccacc gtctccatct gtaagaagtg catttaccac 660
aagccagccc gaaacacacca ctgcagcatc tgcaacagg gtgtgctgaa gatggatcac 720
cactgcccct ggctaaacaa ttgtgtgggc cactataacc atcggtaact cttctctttc 780
tgctttttca tgactctggg ctgtgtctac tgcagctatg gaagttggga ccttttccgg 840
gaggcttatg ctgccattga gaaaatgaaa cagctcgaca agaacaaact acaggcggtt 900
gccaaaccaga ctatcacca gacccaccca cccaccttct cctttcgaga aaggatgact 960
cacaagagtc ttgtctacct ctggttcctg tgcagttctg tggcacttgc cctgggtgcc 1020
ctaactgtat ggcatgctgt tctcatcagt cgaggtgaga ctagcatcga aaggcacatc 1080
aacaagaagg agagacgtcg gctacaggcc aagggcagag tatttaggaa tccttacaac 1140
tacggctgct tggacaactg gaaggatttc ctgggtgtgg atacaggaag gcactggctt 1200
actcgggtgc tcttaccttc tagtcaettg ccccatggga atggaatgag ctgggagccc 1260
cctccctggg tgactgtcga ctcagcctct gtgatggcag tgtgagctgg actgtgtcag 1320
ccacgactcg agcactcatt ctgctcccta tgttatttca agggcctcca agggcagctt 1380
ttctcagaat ccttgatcaa aaagagccag tgggcctgcc ttaggggtacc atgcaggaca 1440
attcaaggac cagccttttt accactgcag aagaaaagaca caatgtggag aaatcttagg 1500
actgacatcc ctttactcag gcaaacagaa gttccaaccc cagactaggg gtcaggcagc 1560
tagctaccta ccttgcccag tgctgaccgg gacctcctcc aggatacagc actggagtgt 1620
gccaccacct cttctacttg ctgtctgaaa aaacacctga ctagtacagc tgagatcttg 1680
gcttctcaac agggcaaaag taccaggcct gctgctgagg tcactgccac ttctcacatg 1740
ctgcttaagg gagcacaat aaaggatttc gattttttaa gawaaaaaaaa aaaaaaaaaa 1800
tttggggggg ggggccccgt ta 1822

```

&lt;210&gt; 436

&lt;211&gt; 1030

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 436

```
gttaaggctt ctgctgaaac tccccggccc caaccagtag acaaactgga gaagatcctg 60
gagaagctgc tgacccgggt cccacagtgc aataaggccc agatgaccaa cattcttcag 120
cagatcaaga cagcacgtac caccatggca ggcctgacca tggaggaact tatccagttg 180
gttgctgcac gactggcaga acatgagcgg gtggcagcaa gtactcagcc acttggtcgc 240
atccgggect tgttccctgc tccactggcc caaatcagta cccaatggt cttgccttct 300
gcccaagttt catatcctgg aaggcttca catgctccag ccacctgtaa gctatgtcta 360
atgtgccaga aactcgtcca gcccagtga ctgcatccaa tggcgtgtac ccatgtattg 420
cacaaggagt gtatcaaatt ctgggcccag accaacacaa atgacacttg tcccttttgt 480
ccaactctta aatgacggac ctgactgggg aggaagaaga agagaaactg atgtgaacag 540
gaagcgcggg ttcaagattt ctaaaactct atatttatac agtgacatat actcatgcc 600
tgtacatttt tattatatag gtaatgtgtg tatagaaagt ctgtattcca atgttcgtaa 660
atgaaactat gtatattatg cagaaacagt ctgttcccc tcactcttga attcctttgg 720
gggatgcaga ttgtagggaa gatgatgttt agtttggcct tgaaattatg atatccctgc 780
ccagggtgtt ttcaaatac aatataaaaa ccacctagga acctgctgtt gctctaaggc 840
cattctgctt tggtttggct cagcctctag tccatttctt taaggctcat gtatgcagat 900
ttaagcctg gtgtcacc cactgtccaac cagatgcctt gcttaccgaa agcctccaga 960
agcctcagta ttgttttagc cactctactc caaatggata aaatgagact ctgattgagg 1020
aaaaaaaaagt                                     1030
```

&lt;210&gt; 437

&lt;211&gt; 1632

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (14)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1602)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1616)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1617)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1628)

<223> n equals a,t,g, or c

<400> 437

```
ggcctgtggc tgtnggccgc gtgcggtga cgcgcgagg ccgaracatg gttctgcaga 60
cgaccaaggg gctgcggtt ctctttgatg gcgatgcca cctcctcatg tccatccca 120
gccccttcg tggacggctc tgtggcctct gtgggaactt caatggcaac tggagtgcg 180
actttgtcct gcccaatggc tcagcagcgt ccagtgtgga gaccttcggg gctgcatggc 240
gggygcccg ctcctccaag ggctgtggcg agggctgcgg gcccgaaggc tgcccagtg 300
gcttggcaga ggagactgca ccctatgaga gcaacgaggc ctgcgggcag ctccggaacc 360
cccaggggcc cttcgcgacc tgccaggcgg tgcgtagtcc ctctgagtac ttccgccaat 420
gcgtatacga cctgtgcgcg caaaagggtg acaaagcctt cctgtgccgc agcctggcag 480
cctacacggc ggctgtcag gcagctggcg tggccgtgaa gccctggagg acagacagct 540
tctgcccgct ccattgcccc gccacagcc actactccat ctgcactcgc acctgccagg 600
gatcctgtgc ggctctctcc ggctcacgg gctgcaccac ccgctgtttt gagggctgtg 660
agtgcgacga ccgyttcctg ctttcccagg gtgtctgcat ccctgtccaa gattgtggct 720
gcaccataa tggccgatac ttgccggtaa actcctccct gctgacctca gactgcagcg 780
agcgtgttc ctgttctca agctctggcc tgacatgcca ggcagctggc tgcccaccag 840
gccgtgtatg tgaggtcaag gctgaagccc ggaactgctg gcccaccgt ggtctctgtg 900
tcctgtctgt gggtgccaac ctcaccacct ttgatggggc ccgtggtgcc accacctctc 960
ctggtgtcta tgagctctct tcccgtgcc caggactaca gaataccatc ccctgggtacc 1020
gtgtagtgc cgaagtccag atctgccatg gcaaaacgga ggctgtgggc cagggtccaca 1080
tcttctcca ggatgggatg gtgacgttga ctccaaaca ggggtgtgtg gtgaatggc 1140
tccgagtga tctcccagct gagaagttag catctgtgtc cgtgagtcgt acacctgatg 1200
gctcccgtct agtccgccag aaggcagggg tccaggtgtg gcttggagcc aatgggaagg 1260
tggctgtgat tgcagcaat gaccatgctg ggaaactgtg tggggcctgt ggaaactttg 1320
acggggacca gaccaatgat tggcatgact ccagggagaa gccagcgatg gagaaatgga 1380
gagcgcagga cttctcccca tgttatggct gatcagtcac ccaccaggaa cgaagatttc 1440
ctgaagaaga cctggctcct ctggaggtg crgtggctga aggatgcac atgtgtcct 1500
acctgtctct accgcttttc tgggtcacag aggccaaatg tgagagcatt gaataaatat 1560
cttaagctaa aaaaaaaaaa raaaaagggc cgataagggc anagggccct tggcannag 1620
attcccgnnt cc 1632
```

<210> 438

<211> 1016

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (27)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (993)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (994)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (995)

<223> n equals a,t,g, or c

<400> 438

```
actcgtgccg aattcggcac gagcggncac gagcaagccc catctcatcc tggcacgccc 60
tactccactg ccctggcagc agcaggtgtg gccaatggag gggggtgctg gccccagga 120
ttccccagc caaactgtct ttgtcaccac gtggggctca cttttcatcc ttccccaact 180
tcctagtcc ccgtactagg ttggacagcc cccttcggct acaggaaggc aggaggggtg 240
agtccctac tccctcttca ctgtggccac agcccccttg ccctccgcct gggatctgag 300
tacatattgt ggtgatggag atgcagtcac ttattgtcca ggtgaggccc aagagccctg 360
tggccgccac ctgaggtggg ctggggctgc tcccctaacc ctactttgct tccgccactc 420
agccatttcc ccctcctcag atggggcacc aataacaagg agctcaccct gcccgctccc 480
aaccgccctc ctgctcctcc ctgcccccca aggttctggt tccatttttc ctctgttcac 540
aaactacctc tggacagttg tgtgtttttt tgttcaatgt tccattcttc gacatccgtc 600
attgctgctg ctaccagcgc caaatgttca tcctcattgc ctctgttct gccacgac 660
ccctccccca agatactctt tgtggggaag aggggctggg gcatggcagg ctgggtgacc 720
gactacccca gtcccaggga aggtggggcc ctgcccctag gatgctgcag cagagtgagc 780
aaggggggcc gaatcgacca taaaggggtg agggggcacc tcctccccct gttctgttgg 840
ggaggggtag ccatgatttg tcccagcctg gggtccctc tctggtttcc tatttgcagt 900
tacttgaata aaaaaaatat ctttttctg aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 960
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aannnggggg gggccccccc ccccca 1016
```

<210> 439

<211> 594

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (476)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (519)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (530)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (531)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (539)

<223> n equals a,t,g, or c

<400> 439

```
ttgaaaaacg ggtcgactgg cmcgwccsgc cgggagccag cggttctcca agcaccacgc 60
atcctgctag acgcgccgcg caccgacgga ggggacatgg gcagagcaat ggtggccagg 120
ctcgggctgg ggctgctgct gctggcactg ctctaccca cgcagattta ttccagtga 180
acaacaactg gaacttcaag taactcctcc cagagtactt ccaactctgg gttggcccca 240
aatccaacta atgccaccac caaggyggct ggtggtgccc tgcagtcaac agccagtctc 300
ttcgtggtct cactctctct tctgcatctc tactcttaag agactcaggc caagaaacgt 360
cttctaaatt tccccatctt ctaaacccaa tccaaatggc gtctggaagt ccaatgtggc 420
aaggaaaaac aggtcttcat cgaatctact aattccacac cttttaaaaa ttttnggga 480
acccaacca aagggtaaaa aaaaaaaaaa atttgggnt tttttgggn naaagggna 540
aaaaaaattt tcccccccc ccccaaaaaa aaaaaaaaat ttttttttt tttt 594
```

<210> 440

<211> 1580

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (873)

<223> n equals a,t,g, or c

<400> 440

```
gcccacgcgt tcgcaaggct gcccctctg gcgctgatta tcctgctgct gccgccaccg 60
ctgctgctgc tctgcaaaat tcagctgctg cctctgtctt gaggacccca gcgcctttcc 120
cccggggcca tgctgcctgc agccacagcc tccctcctgg ggccctcct cactgcctgc 180
gccctgctgc cttttgcca gggccagacc cccaactaca ccagaccctg gttcctgtgc 240
ggaggggatg tgaaggggga atcaggttac gtggcaagtg aggggttccc caacctctac 300
ccccctaata aggagtgcac ctggaccata acggtccccg agggccagac tgtgtccctc 360
tcattccgag tcttcgacct ggagctgcac cccgcctgcc gctacgatgc tctggaggtc 420
ttcgtgggt ctgggacttc cggccagcgg ctcgacgct tttgtgggac cttccggcct 480
gcgcccctag tcgcccccg caaccagggt accctgagga tgacgacgga tgagggcaca 540
ggaggacgag gcttcctgct ctggtacagc gggcgggcca cctcgggcac tgagcaccaa 600
ttttggggg ggcggctgga gaaggcccag ggaaccctga ccacgcccga ctggcccag 660
tccgattacc ccccgggcat cagctgttcc tggcacatca tcgcgcccc ggaccaggtc 720
atcgcgctga cttcgagaa gtttgacctg gagccggaca cctactgccg ctatgactcg 780
gtcagcgtgt tcaacggagc cgtgagcgac gactcccga ggctggggaa gttctgcggc 840
gacgcaktcc cgggtccat ctctccgaa ggnaatgaac tcctcgtcca gttcgtctca 900
gatctcagtg tcaccgctga tggcttctca gcctcctaca agaccctgcc gcggggcact 960
gccaaagaag ggcaagggcc cggcccaaaa cggggaactg agcctaaagt caagctgcc 1020
cccaagtccc aacctccgga gaaaacagag gaatctcctt cagccctga tgcaccacc 1080
tgccaaagc agtgccgccg gacaggcacc ttgcagagca acttctgtgc cagcagcctt 1140
gtggtgactg cgacagtga gtccatggtt cgggagccag gggagggcct tgccgtgact 1200
gtcagtctta ttggtgctta taaaactgga ggactggacc tgccttctcc acccactggt 1260
gcctccctga agttttacgt gccttgcaag cagtgcctcc ccatgaagaa aggagtca 1320
tatctgctga tgggcccaggt agaagagaac agaggcccc tccttccctc agagagcttt 1380
gtggttctcc accggcccga ccaggaccag atcctcacca acctaagcaa gaggaagtgc 1440
```

```

ccctctcaac ctgtgcgggc tgctgcgtcc caggactgag acgcaggcca gccccggccc 1500
ctagccctca ggccttcttt cttatccaaa taaatgtttc ttaatgagga atgggtcaga 1560
tctccatgct tatggtaaaa 1580

```

```

<210> 441
<211> 1082
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc feature
<222> (136)
<223> n equals a,t,g, or c

```

```

<220>
<221> misc feature
<222> (462)
<223> n equals a,t,g, or c

```

```

<220>
<221> misc feature
<222> (465)
<223> n equals a,t,g, or c

```

```

<220>
<221> misc feature
<222> (1074)
<223> n equals a,t,g, or c

```

```

<400> 441
ctgccgagcg cctcttgagg ctgggctttc ccccgcggtg cggcgccagg agccgccttt 60
tccgctgggt gtactcggg ggtggggaag atggccatt caaaagcgcc gcgagggggc 120
ccggccagtg cccttnagtg agcgctcgca agaggacggc agaggcccg cagctcggag 180
ctccgggacc ttgtggcgca tcaggacgag gctgtccctc tgccgggacc cagagccgcc 240
gccgcccgtc tgccctctgc gtgttagcct cctctgcgag ctccgggcag gcggccgtgg 300
gagccgctgg ggcgaggacg gcgagaggct gctgctgctg cccccggccc gcgaggctgg 360
aaacggagag gccgagccaa gcggcgggcc ctcttatgct gggaggatgc tggagagtag 420
cggctgcaaa gcgctgaagg agggcggtgt ggagaagcgc anacngggtt gttgcagctc 480
tggaagaaaa agtgttgcct cctcaccgag gaagggtgc tgcttatccc gccaagcag 540
ctgcaacacc agcagcagca gcaacagcag cagcagcagc agcaacaaca gcccgggcag 600
gggcccggcg agccgtccca acccagtggc cccgctgtcg ccagcctcga gccgcccgtc 660
aagctcaagg aactgcactt ctccaacatg aagaccgtgg actgtgtgga gcgcaagggc 720
aagtacatgt acttcaactgt ggtgatggca gagggcaagg agatcgactt tcgggtcccc 780
caagaccagg gctggaacgc cgagatcacg ctgcagatgg tgcagtacaa gaatcgctag 840
gccatcctgg cgggtcaaatc cacgcggcag aagcagcagc acctggtcca gcagcagccc 900
ccctcgcagc cgcagccgca gccgcagctc cagccccaac cccagcctca gcctcagccc 960
caaccccagc cccaatcaca accccagcct cagccccaac ccaagcctca gcccagcag 1020
ctccamccgt atycgcatyc amattcamat ycamaatctt atccttmatt tggnaaccaa 1080
aa 1082

```

```

<210> 442

```

&lt;211&gt; 1241

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 442

```
agacgagcgt ggcggccgcg gctgctcggg gccgcgctgg ttgccattg acagcggcgt 60
ctgcagctcg cttcaagatg gccgcttgct cgcattcatt ttctgctgaa cgacttttaa 120
ctttcattgt cttttccgcc cgcttcgatc gcctcsggcc ggctgctctt tccgggattt 180
tttatcaagc agaaatgcat cgaacaacga gaatcaagat cactgagcta aatccccacc 240
tgatgtgtgt gctttgtgga ggttacttca ttgatgccac aaccataata gaatgtctac 300
attccttctg taaaacgtgt attgttcgtt acctggagac cagcaagtat tgcctatatt 360
gtgatgtcca agttcacaag accagaccac tactgaatat aaggtcagat aaaactctcc 420
aagatattgt atacaaatta gttccagggc ttttcaaaaa tgaaatgaag agaagaagg 480
atthttatgc agctcatcct tctgctgatg ctgccaatgg ctctaataa gatagaggag 540
aggttgcaga tgaagataag agaattataa ctgatgatga gataataagc ttatccattg 600
aattccttga ccagaacaga ttggatcgga aagtaaacaa agacaaagag aaatctaagg 660
aggaggtgaa tgataaaaga tacttacgat gccagcagc aatgactgtg atgcacttaa 720
gaaagtctct cagaagtaaa atggacatac ctaatacttt ccagattgat gtcattgatg 780
aggaggaacc tttaaaggat tattatacac taatggatat tgcctacatt tatacctgga 840
gaaggaatgg tccacttcca ttgaaataca gagttcgacc tacttgtaaa agaatgaaga 900
tcagtcacca gagagatgga ctgacaaatg ctggagaact ggaaagtga tctgggagt 960
acaaggccaa cagcccagca ggaggtattc cctccacctc ttcttgtttg cctagcccca 1020
gtactccagt gcagtctcct catccacagt ttctcacat ttccagtact atgaatggaa 1080
ccagcaacag cccagcgggt aaccaccaat cttcttttgc caatagacct cgaaaatcat 1140
cagtaaatgg gtcacagca acttcttctg gttgatacct gagactgtta aggaaaaaaa 1200
aaaaaaaaa accccggccg ctcccacttc agattggtaa c 1241
```

&lt;210&gt; 443

&lt;211&gt; 968

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 443

```
cccacgcgtc cgcaggaagc caactatttg aaatgcacga gaaactaagt tgtatggcaa 60
actctgtaat aaaaaatcta cagtcacgtt ggagatcacc atcccatgaa aattctattt 120
agtattttca gagaaaattg aagggttttt taaacatcac tggatttctt gattgaggaa 180
acaagtcttg aaataatagc acaatttcaa agaagagact ctttgcaaag ttgataacat 240
ttcaaaccct gaaggacagt gacttattat gtwagttcaa tkttgtaagt ycattatgtw 300
agatcctttt tttttttcat aatatgtatt cttggctgct atgcgtgggt tttcaggaaa 360
tttaattatc ttactgagat gtgaaagcaa aactagtaac agaacttaca ttttatttca 420
tgctttctta aaccctgca tattctggtg aaacatgtaa aatactttta gtaaaattga 480
acatttttat ttgaattttt gctgaactga taaaggtgtt tatatttttg tttgttkgtt 540
tgtttaattc atgtttgttg ggactgaggt ttaggaagt ttgtactggt taaaaacctc 600
aaatgaaatg cgaagaattt tgaatttttc ctgcataat caactttgga cagctttcaa 660
gaaaaatgag aaaagtttca acttctggcg gttaaaaat taatgcagaa ttactaaga 720
ttttattcat ttgcattagc aaatattcat gcagcagcag ttgactgaaa atttattctt 780
atgagacgta tagtattcat ttttaaagc atgattgtac attatgtata gacgacaagt 840
tttttaattt ataaatttca tctttgttga attgcatggg tttttctgca gcttattgtg 900
aataccttgg ttctgttcaa tagaaacatt ttgtatatat traatactga aatatcaaaa 960
aaaaaaaaa 968
```



<210> 444  
<211> 1360  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (114)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (302)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (330)  
<223> n equals a,t,g, or c

<400> 444  
cgccggagcg tcatctgcga ctccaatgcc actgcactgg agcttcccgg ccttcctctt 60  
tccttgcccc agcccagcat ccccgcggtc gtcccgagca gtgctccacc gganccccac 120  
cggaagaga ccgtgaccgc caccgccact tcccaggtag cccagcagcc tccagccgct 180  
gccgcccttg gggaacaggc cgtcgcgggc cctgcccctc gactgtcccc agcagtacca 240  
gcaaagaccg cccagtgtcc cagcctagcc ttgtggggag caaagaggag ccgccgccgg 300  
angaaagtgg cagcggcggc gcaagcgcmn aaggagccac aggaggaaac gagccagcag 360  
caggatgata tcgaagagct ggagaccaag gccgtgggaa tgtctaacga tggccgcttt 420  
ctcaagtttg acatcgaaat cggcagaggc tcctttaaga cggctctaaa aggtctggac 480  
actgaaacca ccgtggaagt cgctgggtgt gaactgcagg atcgaaaatt aacaaagtct 540  
gagaggcaga gatttaaaga agaagctgaa atgttaaaag gtcttcagca tcccaatatt 600  
gttagatttt atgattcctg ggaatccaca gtaaaaggaa agaagtgcac tgttttggtg 660  
actgaactta tgacgtcttg aacacttaaa acgtatctga aaaggtttaa agtgatgaag 720  
atcaaagttc taagaagctg gtgccgtcag atccttaaag gtcttcagtt tcttcatact 780  
cgaactccac ctatcattca ccgcgatctt aaatgtgaca acatctttat caccggccct 840  
actggctcag tcaagrttgg agacctcgtt ctggcaacct tgaagcgggc ttcttttgcc 900  
aagagtgtga taggtacccc agagtccatg gcccctgaga tgtatgagga gaaatatgat 960  
gaatccgttg acgtttatgc ttttgggatg tgcattgctg agatggctac atctgaatat 1020  
ccttactcgg agtgccaaaa tgctgcgcag atctaccgtc gcgtgaccag tggggtgaag 1080  
ccagccagtt ttgacaaagt agcaattcct gaagtgaagg aaattattga aggatgcata 1140  
cgacaaaaca aagatgaaag atattccatc aaagaccttt tgaacctatg cttcttccaa 1200  
gaggaaacag gagtacgggt agaattagca gaagaagatg atggagaaaa aatagccata 1260  
aaattatggc tacgtattga agatattaag aaattaaagg gaaaatacaa agataaaaaa 1320  
aaaaaaaaaa aaaaaaaaaa aaaaaacacc caccgtgccg 1360

<210> 445  
<211> 1835  
<212> DNA  
<213> Homo sapiens

<220>

<221> misc feature  
<222> (326)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1229)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1738)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1747)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1758)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1801)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1806)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1831)  
<223> n equals a,t,g, or c

<400> 445  
tcgacccacg cgtccgggat gaggcccggc ctctcatttc tcctagccct tctgttcttc 60  
cttggccaag ctgcagggga tttgggggat gtgggacctc caattcccag ccccggttc 120  
agctctttcc caggtgttga ctccagctcc agcttcagct ccagctccag gtcgggctcc 180  
agctccagcc gcagcttagg cagcggaggt tctgtgtccc agttgttttc caatttcacc 240  
ggctccgtgg atgaccgtgg gacctgccag tgctctgttt ccctgccaga caccamcttt 300  
cccgtggaca gagtggaaacg yttgnaatt cacagctcat gttctttctc agaagtttga 360  
gaaagaactt tccaaagtga gggaatatgt ccaattaatt agtgtgtatg aaaagaaact 420  
gttaaaccta actgtccgaa ttgacatcat ggagaaggat accatttctt acactgaact 480  
ggacttcgag ctgatcaagg tagaagtga ggagatggaa aaactgggtca tacagctgaa 540  
ggagmstttt ggtggaagct cagaaattgt tgaccagctg gaggtggaga taagaaatat 600  
gactctcttg gtagagaagc ttgagacact agacaaaaac aatgtccttg ccattcgccg 660

```

agaaatcgtg gctctgaaga ccaagctgaa agagtgtgag gcctctaaag atcaaaacac 720
ccctgtcgtc caccctcctc ccactccagg gagctgtggt catggtggtg tgggtwacat 780
cagcaaacccg tctgtggttc agctcaactg gagagggttt tcttatctat atggtgcttg 840
gggtagggat tactctcccc agcatccaaa caaaggactg tattgggtgg cgccattgaa 900
tacagatggg agactgttg agtattatag actgtacaac aactggatg atttgctatt 960
gtatataaat gctcgagagt tgcggatcac ctatggccaa ggtagtggtg cagcagttta 1020
caacaacaac atgtacgtca acatgtacaa caccgggaat attgccagag ttaacctgac 1080
caccaacacg attgctgtga ctcaaactct ccctaagtct gcctataata accgcttttm 1140
atatgcta atgtgtgtggc aagatattga ctttsctgtg gatgagaatg gattgtgggt 1200
tattttatca actgaagcca gcactggtna catggtgatt agtaaaactca atgacaccac 1260
acttcaggtg ctaaacactt ggtataccaa gcagtataaa ccatctgctt ctaacgcctt 1320
catggtatgt ggggttctgt atgccacccg tactatgaac accagaacag aagagatttt 1380
ttactattat gacacaaaca cagggaaga gggcaaaacta gacattgtaa tgcataagat 1440
gcaggaaaaa gtgcagagca ttaactataa cccttttgac cagaaacttt atgtctataa 1500
cgatggttac cttctgaatt atgatctttc tgtcttgacg aagccccagt aagctgttta 1560
ggagttaggg tgaagagaa aatgtttgtt gaaaaaatag tcttctccac ttacttagat 1620
atctgcaggg gtgtctaaaa gtgtgttcat tttgcagcaa tgtttargtg catagtctta 1680
ccacactaga gatctaggac atttgtcttg atttgggtgag tctcttgggg atcatctngc 1740
ytttcangcg cmttttgnca taaagtcygt cyagggtggg attgtcagag gtctaggggc 1800
ncttgnnggc ctaatggaac ccttctgtga ngaag 1835

```

&lt;210&gt; 446

&lt;211&gt; 1355

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (55)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 446

```

ggcacgagcg cgtcgacgga gaagtcgaag cggagatccc ggggtcgcgc gaganccgca 60
agcggagttg gtgggcgcta tgctatcacc cgaggcagag cgagtgtgc ggtacctgt 120
agaagtggag gagctcgccg aggaggtgct ggccgacaag cggcagattg tggacctgga 180
cactaaaagg aatcagaatc gagagggcct gagggccctg cagaaggatc tcagcctctc 240
tgaagatgtg atggtttgct tcgggaacat gtttatcaag atgcctcacc ctgagacaaa 300
ggaaatgatt gaaaaagatc aagatcatct ggataaagaa atagaaaaac tgcggaagca 360
acttaaagtg aaggtcaacc gcctttttga ggcccaaggc aaaccggagc tgaagggttt 420
taacttgaac cccctcaacc aggatgagct taaagctctc aaggtcatct tgaaggatg 480
agactcaaga accaagatgg gggaccagca acccccagg gtcattggagg acccaggacc 540
ctccaacctt gacacctgta aggacaggat ctgccctgta agggccagcc gtcagggaatc 600
tggccatgaa aacctctttg tagtgcttg ctactctgtg atggcaggag ggaaccttca 660
gcctgtctgg ctgctggacc tggacaccag ggctcgggtg acacaagatc tattgacggg 720
ccttggtagc caccagtggg tgtgtggggc agtggctgtg ggggtgtaag aatgactgca 780
acaggcactt cccaacaatg gcctgctgtt cacatggacc ctgagcaagg aaggagggag 840
ggaggggcag agtggagtg cattccagca ttctctcag aaggagagga ggttttcagg 900
ctggtgccat gcgattggaa taaagcagga ggctcatggg tggttgctga atgaagaaca 960
gaatcttggg gctttgtggc tcaccacagc catctgtggg gcaggcacac acacctccc 1020
ccagctccaa ttttgactt tttccctgct tgattccaag agtaggtgct gcctagcagc 1080
ccttcgtggc cactctttac tcaggagggc cttgcagagt cctgaccag gcctgggtga 1140

```

378

gtggatgcgc ctcttaccat atgacacgtg tcaagatgcc cttccgcccc ctctgaaagt 1200  
ggggcccgcc cagcactgct cggtactgtc tgccttcagt ggtctgaggt cccagtatga 1260  
actgccgtga agtcaaaaact cttatgtgtt cattaagggc tcaataaatg ttagctgaat 1320  
gaawaaaaaa aaaaaaaaaa amawaaaaaa aaaaa 1355

&lt;210&gt; 447

&lt;211&gt; 375

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (153)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (313)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 447

tgcctctgtg tgtgtgcaag acagagagat aggetatttg tcaagtcagc tagttgccta 60  
ggatatcttg tctcacatct ggctgtttcc tcctagagaa ccatccagtt ggctttccag 120  
gtctggaggt gagctaattg atgagtgaat atnagcagtg ggtgttcctc atctctttga 180  
ggatttgcct cagagttcac taccaagga tttctggaac tagggwccat tctttacatc 240  
agttcttgag ggttctttga tatcaggggc aaaatgatcc cttctctttt ctttcttata 300  
tcctgtgctt tgnctcctgg gtgatttctc ttcaagtcag ttgtgggagg tgcctaggaa 360  
caacgctaac acggg 375

&lt;210&gt; 448

&lt;211&gt; 1393

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1360)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1383)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 448

tcttttacat gtttaaattt aaaccattct tcgtgacccc ttttcttggg agattcatgg 60  
caagaacgag aagaatgatg gtgcttgta ggggatgtcc tgtctctctg aactttgggg 120  
tcctatgcat taaataattt tcctgacgag ctcaagtgtc ccctctggtc tacaatccct 180  
ggcggtggc cttcatccct tgggcaagca ttgcatacag ctcatggccc tccctctacc 240  
ataccctcca ccccggttcg cctaagctcc cttctccggg aatttcatca tttcctagaa 300  
cagccagaac atttgtggtc tatttctctg ttagtggtta accaaccatc tgttctaaaa 360

```

gaagggctga actgatggaa ggaatgctgt tagcctgaga ctcaggaaga caacttctgc 420
agggtcactc cctggcttct ggaggaaaaga gaaggagggc agtgctccag tggtagagaa 480
gtgagacata atggaatcag gcttcacctc caaggacacc tatctaagcc attttaaccc 540
tcgggattac ctagaaaaat attacaagtt tggttctagg cactctgcag aaagccagat 600
tcttaagcac cttctgaaaa atcttttcaa gatattctgc ctagacgggtg tgaagggaga 660
cctgctgatt gacatcggct ctggcccccac tatctatcag ctctctctctg cttgtgaatc 720
ctttaaggag atcgtcgtca ctgactactc agaccagaac ctgcaggagc tggagaagtg 780
gctgaagaaa gagccagagg cctttgactg gtccccagtg gtgacctatg tgtgtgatct 840
tgaagggaaac agagtcaagg gtccagagaa ggaggagaag ttgagacagg cggtaagca 900
ggtgctgaag tgtgatgtga ctcagagcca gccactgggg gccgtcccct tccccccggc 960
tgactgcgtg ctcagcacac tgtgtctgga tgccgcctgc ccagacctcc ccacctactg 1020
cagggcgtc aggaacctcg gcagcctact gaagccaggg ggcttcctgg tgatcatgga 1080
tgcgctcaag agcagctact acatgattgg tgagcagaag ttctccagcc tccccctggg 1140
ccgggaggca gtagaggctg ctgtgaaaga ggctggctac acaatcgaat ggtttgaggt 1200
gatctcgcaa agttattctt ccaccatggc caacaacgaa ggacttttct ccctgggtgc 1260
gaggaagctg agcagacccc tgtgatgcct gtgacctcaa ttaaagcaat tcctttgacc 1320
tgtcaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1380
aanaaaaaaa aaa                                     1393

```

<210> 449

<211> 1663

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (57)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (180)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (621)

<223> n equals a,t,g, or c

<400> 449

```

aaagaacggg ggtgatgtgg ttccacaata ttacaaggac cccaaaaagc tctgcgnaga 60
ggacttggag aagttggtga ccagggtaaa agtaggcagc gagccagcaa aagactgttt 120
gccagcaaaag ccctcagagg ccacctcaga ccggtcagag ggcagcagcc gggacgcagn 180
ggtagcgacg agaacgagga gtcgagcggt gtggattacg tggaggtgac ggtcggggag 240
gaggatgcga tctcagatag atcagatagc tggagtcagg ctgcggcaga aggtgtgtcg 300
gaactggctg aatcagactc cgactgcgtc cctgcagagg ctggccaggc ctagacaggg 360
aagtctgtta gaactgctgt gctgatcaac gggacgctcc gtctttgaag aaagaagaga 420
tggctctctc ccagccatgg gccacccttg ccagtractc caagtggaac tacttagctc 480
gcgtgtgcct ggarggtgcg ggaagtccag cgactctcag acgcacctcc cagaggaccg 540
gtgggaattg ttcatagtgc caaagtccta mtactgcgtt ttcaatgggt ccttgtagat 600
agtttgctcc tctgscctag ncctcacctc ttgctatact ggraccgatt tgtacaatgt 660

```

```

gggaattttg ttaccytttt aatcaagggc aacttccttt tccagcacta ccattgtaag 720
gttkttttca ggaggaggagg staaccacct tgcttttctc ttttctcttt ttcttttttt 780
tatttttggt ttattaattt ggggaaaggg gtgtagcat tagtgccatg atatctactg 840
gattttaagt agggagactt tatttttaaa ggtaggttga aatttgggag atttctcggc 900
aggaagggtc gaaatccagg cccctgtctc aacttggaga gaggtgacag acggcagatc 960
ttccaaatca aattcctttc cagttcttcc cctggctgcc tttttggggg tccctgcctt 1020
agccccacac aaggctttct gaactgccaa gaggggatct ggcttctcaa ctgctcggcc 1080
tcttgggcag gctgtgccc aacagccctg ggagaactgg gtagcaggtg gctgacttct 1140
ttaagcacct ttctaaatac cagcagaaga ggctcccgcc tctgttagca tgatcagtac 1200
tattgtgaca ttaaaacaac aacaataaga tcttcctatc tggagggtag agaggtgaat 1260
ggctttgggt ttcatctctc ttcttctactg ccttttctcg gtgtggtatt tgacaagatt 1320
ttagctcaaa gcctcaccat gaattgattt tttttgtttg tgtgtgtgtt tgttttggga 1380
caattttaga tacctgagtg cactttttca gttagtccca acttttaaaa gaagggaaac 1440
caagagacat atctggtgta cgtgttgca tatgaactct ggttgcaatc cctccccctc 1500
ccacactgcc ccccatattg gtacrcgcga caagtcaaac gctaggaagt ttgaataaaa 1560
ccaatttttc taacttggtg ctcatattgt gtaactcaat aaagcaaaga ctaaactttt 1620
ttataaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaa 1663

```

&lt;210&gt; 450

&lt;211&gt; 1380

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 450

```

gggtcgaccc acgctgccc caccatgcgc gcagcagcca tctccactcc aaagttagac 60
aaaatgccag gaattgttct ctctgctaac ccaaaggaa tgaaaggaa cactcattca 120
cttctagacg acaaaatgca aaaaaggagg ccaaagactt ttggaatgga tatgaaagca 180
tacctgagat ctatgatccc acatctggaa tctggaatga aatcttccaa gtccaaggat 240
gtactttctg ctgctgaagt aatgcaatgg tctcaatctc tggaaaaact tcttgccaac 300
caaactggtc aaaatgtctt tggaagtctc ctaaagtctg aattcagtga ggagaatatt 360
gagttctggc tggcttgtga agactataag aaaacagagt ctgatctttt gccctgtaaa 420
gcagaagaga tatataaagc atttgtgcat tcagatgctg ctaaacaaat caatattgac 480
ttccgcactc gagaatctac agccaagaag attaaagcac caacccccac gtgttttgat 540
gaagcacaaa aagtcataata tactcttatg gaaaaggact cttatcccag gttcctcaaa 600
tcagatattt acttaaatct tctaaatgac ctgcaggcta atagcctaaa gtgactggtc 660
cctggctgaa gggaattaac agatagtatc aagcgcagaa ggaatgtgcc agtatggctc 720
cctgggtgaa cagcttgccc ttttttgggt gtcttgacag gccagaaga acaaatgact 780
cagaatgat taacatgaaa gttatccagg cgcagagttg aagaagcata agcaagacaa 840
aaacagagag accgcagaag gaggaagata ctgtggtact gtcataaaaa acagtggagc 900
tctgtattag aaagcccctc agaactggga aggcaggta actctagtta cacagaaact 960
gtgactaaag tctatgaaac tgattacaac agactgtaag aatcaaagtc aactgacatc 1020
tatgtacat attattatat agtttgact gagctattga agtccatta acttaaagta 1080
tatgttttca aattgccatt gctactattg cttgtcgggt ttattttatt ttattgtttt 1140
tgactttgga agagatgaac tgtgtattta acttaagcta ttgctcttaa aaccaggag 1200
tcagaatata tttgtaagtt aaatcattgg tgctaataat aaatgtggat tttgtattaa 1260
aatatataga agcaatttct gtttacatgt ccttgctact tttaaaaact tgcatttatt 1320
cctcagattt taaaaataaa taaataattc atttaaaaa aaaaaaaaaa aaaactcgag 1380

```

&lt;210&gt; 451

&lt;211&gt; 926

&lt;212&gt; DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (687)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (865)

<223> n equals a,t,g, or c

<400> 451

```
gttgcatctt cttgctgtcc tagaaaaaat gatttcacag ggtaacaata acaaaaatgg 60
aaagaatgag actggtaata acaacaacaa agatggatct aatcataaag ctgaaagtgg 120
agctctaata gaagctgcaa aatcaaagat acatcagtag aaagtacgag cttatatcca 180
aatgaagtct ctgaaagcat gtaaaaggga aatcaagtca gtcataata cagctggaaa 240
ttccgcaccc tctctcttct ttaaaagcaa ttttgagtac ttaagaggta attatcgaaa 300
agccgtgaag ctattaaata gttcaaacat tgctgagcat ccaggattca tgaaaacagg 360
tgaatgcttg agatgcatgt tctggaataa ccttggttgc atccattttg ccatgagcaa 420
gcacaatttg ggaatattct actttaaaaa ggctctgcaa gagaatgaca atgtctgtgc 480
acagctcagt gcaggtagca ctgatccagg taaaaaattt tcaggaagac ccatgtgtac 540
gttactaacc aataagagat atgagttgct gtataactgt ggaattcagc ttcttcacat 600
tggaaggcct cttgctgcct tcgaatgtct gattgaagct gttcaggttt atcatgcaa 660
tcctcgcttc tggctacggc tggctgnaat gctgcattgc tgccaataag gggacttctg 720
aacaagaaac taaaggcctt cccagcaaaa aaggaattgt acagtctatt gttggkcaag 780
gctatcatcg taaaatagtt ttggcatcac agtctataca gaatactgtt tatraatgg 840
ggggcagctc tcggccattc ctgtnagcca gtatgggagt tttgcagccc atatgttctc 900
agaaatgcct ggtttgctgg ttacct 926
```

<210> 452

<211> 1642

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (147)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (150)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1608)

<223> n equals a,t,g, or c

<400> 452

```

ggcacgagggc gcgagaggac gtgctctgcc agccagtggg aaggcagggc gcgcgcgcgg 60
gagcgcgggra ggatcggcgg ctcgcgggtca ctggtccctg gtcgcggttcc ccgcaccccg 120
gggctcacac ttaccgcgcg ggaggancan cggccgggtg tccaccccca tcctgcgccc 180
agtctcctcg attcccctcg ctctgagccg ggagagccga acagctgaag agagttcact 240
gactccccag ccccggttg gccttggtgca catcatgacc agttttgaag atgctgacac 300
agaagagaca gtaacttgtc tccagatgac ggtttaccat cctggccagt tgcagtgtgg 360
aatatttcag tcaataagtt ttaacagaga gaaactccct tccagcgaag tgggtgaaatt 420
tggccgaaat tccaacatct gtcattatac ttttcaggac aaacagggtt cccgagttca 480
gtttctctg cagctgttta aaaaattcaa cagctcagtt ctctcctttg aaataaaaaa 540
tatgagtaaa aagaccaatc tgatcgtgga cagcagagag ctgggctacc taaataaaat 600
ggacctgcca tacagggtgca tggtcagatt cggagagtat cagtttctga tggagaagga 660
agatggcgag tcattggaat tttttgagac tcaatttatt ttatctccaa gatcactctt 720
gcaagaaaac aactggccac cacacaggcc cataccggag tatggcactt actcgctctg 780
ctctcccaa agcagttctc cgacagaaat ggatgaaaat gagtcatgaa cacagaaagt 840
ctaagaggag aaatatgatg gatgaagagc tctgtagatg ctgtatagac actaaataag 900
agttgattag ggtagtatat tatagtcac tgttatgctg tgaaatttgg aattcartat 960
tatcattttg aagtctgtaa attgtgttag tcattaactt agtcacctgt tgtattctgg 1020
atctacacaa aattatttta actgctctta ttaactctgt aggattaata taaaaaagt 1080
atccttttag atgaagtcgt gttctcaaaa taaggttata ttattttctt tttctgcttg 1140
attttcatct tgtgttttgc tttgttttgc taaggaaacca tctcttggtt tggtcacatc 1200
agttcacaac agtcatttgc tttcaaggtc aaggctccag gcagggtgtt actggtgttt 1260
gcagcctgtc agtacttgca gtactggaat aggttctagg ctagtgtctg cgcgtcactg 1320
tggttttagc atgggaggac ttatttgaga aatactacct tacttttcta tgatttcttt 1380
ttacagagtt atagtgtgtt tactcctaag atgacagttc tctttgtcta tattcagcat 1440
ctaagacaaa tatttaaaca ttttaagaa ccactgtgtt aagtttagga ttatttactt 1500
accaaattag aagtttgact tttatgtgtt atacacaatc ttaaaatttc acgaattcac 1560
ctttttaata gtatccatgt acataataaa atcaaagttt aattagcnaa aaaaaaaaaa 1620
aaaaaaaaaa aaaaaaaaaa aa 1642

```

&lt;210&gt; 453

&lt;211&gt; 2254

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 453

```

gggagcagct ctgtcgtcac acacgcctct tctacatggt tcgggcacag gctggagcag 60
gacatgcaga ggaccgcaga gcctcctgca cctragttct agactcaacg gtgctctgcg 120
ccaggagcag aattttsctg accgcttcct cctgaatga cgaggctgcc caagctctgg 180
gcaagacctg ctgggaaggc cctggtcagc cccgtggtgc agaacatcac ctcccctgat 240
gaggatggca ttagccccct gggttggctg ctggaccagt acctggagtg tcaggaaagt 300
gtcttcaacc cccagagccg cggcccagct ttcttctcgc gggtgcccg tctcactcac 360
ctgctggtgc atgtcgagcc ctgtgaggca cccctcctg tggtgccac tcctcgcccc 420
aaaggcagaa acagaagcca cgactggagc tccttggtta cccggggcct tccaagcagc 480
atcatgagaa acctgacgcg ctgttgccgg gccgtggtgg agaagcaggt gaacaatttt 540
ytgacctcat cctggcggga tgatgacttt gtgccacgct actgtragca ctttaatttt 600
ctgcagaact caagctctga actgtttggg cctcggyag cettcttgct ggcgctgcaa 660
aatggctgtg cgggagcctt gctgaagctc cttttctca aagctgcccc cgtgagttag 720
cagttcgccc ggcacattga ccagcagatc cagggcagcc ggatcgggtg agcccaggaa 780
atggagagggc tggcacagct gcagcaatgc ctgcaagctg tcctgatttt ctccggcttg 840
gagatagcca ccacttttga gcattattac cagcactaca tggcggaccg tctcctgggc 900
gtggtctcga gctggctgga gggggccgtg ctggagcaga tcggtccctg cttccccaac 960

```



```

cgctccccc agcagatggt gcagagcctg agcacctcta aggagctgca gcgccagttc 1020
cacgtctacc agctccagca gctggatcag gaactcctga agctggagga tacagagaag 1080
aaaatacagg tgggccttgg ggccagtggc aaggagcaca agagcgagaa ggaagaggaa 1140
gctggggcag cagcagtggg ggatgtggcg gaggagagag aggaagagga ggagaatgag 1200
gacctctact atgaaggggc aatgccagaa gtgtctgtgc ttgtcctgtc ccgacactcc 1260
tggcctgttg cctcaatctg ccacacactg aaccccagaa cctgcctgcc ctccctacctg 1320
aggggcactt tgaacagata ctccaacttc tacaacaaga gtcagagcca ccctgccctt 1380
gagcgaggct cacagaggcg actgcagtgg acgtggctgg gctgggctga gctgcagttt 1440
gggaaccaga ccctgcatgt gtccaccctg cagatgtggc tactgctgta tctcaacgac 1500
ctgaaggcgg tctctgtgga gagtctgtg gcgttctcag ggctctccgc agacatgtct 1560
aatcaggcga ttggggccct cacctcttca agaggccccc tggaccttca cgagcaaaaag 1620
gatataccag gaggggtcct caagattcga gatggcagca aggaaccag gtcgagatgg 1680
gacattgtgc ggctcatccc acctcagacg tacctgcaag ctgagggtga agacggccag 1740
aacttgga gaagacggaa tcttctgaac tgctcatcg tccgaatcct caaggcccat 1800
ggagatgagg ggctgcacat tgaccagctt gtctgtctgg tgctggaggc ttggcagaag 1860
ggcccggtgc ctcccagggg tttggtcagc agccttggtg aggggtctgc atgcagcagc 1920
actgacgtcc tctcctgcat cctacacctc ctgggcaagg gcacgctgag acgccatgac 1980
gaccggcccc aggtgctgtc ctatgcagtc cctgtgactg tcatggagcc tcacactgag 2040
tccctgaacc caggtctctc agggcccaac ccaccctca ccttccatac cctacagatt 2100
cgctcccggg gtgtgcccta tgccctctgc actgccaccc agagcttctc tacttccggt 2160
agccctagac ttggggtcag gggaaggtag agctggagct tttacagaaa taaaacccaa 2220
gagtttgatt ataaaaaaaa aaaaaaaaaa aaaa 2254

```

&lt;210&gt; 454

&lt;211&gt; 1931

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 454

```

ggcacgaggg aaggagcaag agtgggaggg gcgcgcggag gccgcgacgg acgcaagatg 60
gcgacggcga ccatagctct ccaggtcaat ggccagcaag gaggggggtc cgagccggcg 120
gcgcgcggcg cagtgtgtgg agcgggagac aaatggaaac ctccacaggg cacagactcc 180
atcaagatgg agaacgggca gagcacagcc gccaaagctgg ggctgcctcc cctgacgccc 240
gagcagcagg aggcccttca gaaggccaag aagtacgcca tggagcagag catcaagagt 300
gtgtcgtgta agcagaccat cgcgcaccag cagcagcagc tcaccaacct gcagatggca 360
gcagtgacaa tgggctttgg agatcctctc tcacctttgc aatcgatggc ggctcagcgg 420
cagcggggcg tggccatcat gtgccgcgtc tacgtgggct ctatctacta tgagctgggg 480
gaggacacca tccgccaggc ctttgccccc tttggcccca tcaagagcat cgacatgtcc 540
tgggactccg tcaccatgaa gcacaagggc tttgccttcg tggagtatga ggtccccgaa 600
gctgcacagc tggccttggg gcagatgaac tcggtgatgc tggggggcag gaacatcaag 660
gtgggcagac ccagcaacat agggcaggcc cagcccatca tagaccagtt ggctgaggag 720
gcacgggcct tcaaccgat ctacgtggcc tctgtgcacc aggacctctc agacgatgac 780
atcaagagcg tgtttgaggc ctttggaag atcaagtcct gcacactggc ccgggacccc 840
acaactggca agcacaaggc ctacggcttc attgagtacg agaaggccca gtcgtcccaa 900
gatgctgtgt ctccatgaa cctctttgac ctgggtggcc agtacttgcg ggtgggcaag 960
gctgtcacac cgcccatgcc cctactcaca ccagccacgc ctggaggcct cccacctgcc 1020
gctgctgtgg cagctgtgtc agccactgcc aagatcacag ctccaggaagc agtggccgga 1080
gcagcgggtg tgggtaccct gggcacacct ggactggtgt ccccgagcact gaccctggcc 1140
cagcccttgg gcactttgcc ccaggctgtc atggctgccc aggcacctgg agtcatcaca 1200
ggtgtgaccc cagcccgtcc tcctatcccg gtcaccatcc cctcgggtgg agtgggtgaac 1260
cccatcctgg ccagccctcc aacgctgggt ctccctggagc ccaagaagga gaaggaagaa 1320

```

```

gaggagctgt ttcccagagtc agagcggcca gagatgctga gcgagcagga gcacatgagc 1380
atctcgggca gtagcgcccg acacatggtg atgcagaagc tgctccgcaa gcaggagtct 1440
acagtgatgg ttctgcgcaa catggtggac cccaaggaca tcgatgatga cctggaaggg 1500
gaggtgacag aggagtgtgg caagttcggg gccgtgaacc gcgtcatcat ctaccaagag 1560
aaacaaggcg aggaggagga tgcagaaatc attgtcaaga tctttgtgga gttttccata 1620
gcctctgaga ctcataaggc catccaggcc ctcaatggcc gctggtttgc tggccgcaag 1680
gtggtggctg aagtgtacga ccaggagcgt ttgataaca gtgacctctc tgcgtgacag 1740
tggtccctct ccccgactt gcacttgctc cttgtttcct ctgggtttta tagtgataca 1800
gtggtgtccc cggggccagg cgcgctctgc ccagcccagc ctacagtgcg gataaagggtg 1860
cggatgctgc tggccctgaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1920
aaaaaaaaaa a 1931

```

&lt;210&gt; 455

&lt;211&gt; 771

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 455

```

ggccacgagg tacgtcccgg cgctccgctt ggcccaagat ggccggcctcc gtgtgcagcg 60
ggttgctggg gccacgggtg ctgtcctgga gccgagagct gccttgcgct tggcgcgccc 120
tgcacacctc cccggctctgc gccagaacc gggcgggccc agtacgcgta agcaaggggg 180
acaagccggt gacctacgag gaggcacacg cgcgcgacta catcgccac cgtaaaggct 240
ggctgtcgct gcacacaggt aacctggatg gagaggacca tgccgcagag cgaacggtgg 300
aggatgtttt ccttcgcaag ttcatgtggg gtaccttccc aggctgcctg gctgaccagc 360
tggtttttaa ggcgcggggg aaccagtgg agatctgtgc cgtggtcctg aggcagttgt 420
ctccacacaa gtactacttc ctctgagggt acagtgaac ttgctgtcc tacttttaca 480
aatgtcctgt gcgactccac ctccaaactg tgccctcaaa gggtgtgtat aagtacctct 540
agaacaatcc ccttttttcc atcaagctgt agcctgcaga gaatggaaac gtgggaaagg 600
aatggtatgt gggggaaatg catcccctca gaggactgag gcatagtctc tcatctgcta 660
ttgaataaag accttctatc ttgaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 720
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaagggggg g 771

```

&lt;210&gt; 456

&lt;211&gt; 1169

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1164)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1167)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1169)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 456

```

aattcggcac gagctctctc tctctctctc tctctctctc tctctctctc ggggttttcag 60
gaaatttggg agctgccgca gtagttggag tctaaggact cgtgacaatc ttcgggtgcc 120
cttcgagaga aaaggggagg atgccactgg agtcatcctc ttcaatgcc aatcctctcc 180
catctctctt accctcagta ccacacaata ctaacccttc ccctcctctg atgtcttaca 240
tcacctccca ggagatgaag tgtattcttc actggtttgc caattgggtc ggtccccagc 300
gtgaacgttt cctagaggac ctggttagcta aggcagtgcc agaaaaatta caaccactgc 360
tggatagtct ggagcagctt agtgtgtctg gggcagaccg accaccttct atctttgagt 420
gccagctaca tctttgggat cagtggtttc gaggtctggc tgagcaggag cgcaatgaat 480
ttgtcagaca gctggagttc agtgagccag acttcgtggc aaagttttac caagcagtgg 540
ctgctacagc tggtaaggac tgataggcat tcagaccaa gaagataacc atagctgatg 600
gagccatgac tctctacaat gataactcaa ttcaaatgtg tcgcctaaag ctctggaact 660
ggtattccaa ccagctgacc gaactcactg accagtacag gcatggttat ttcaacatta 720
atagcatgtc aactggactc ctatttgtaa atgttatcaa tctaagcaat ccagctcctc 780
agtctactag ttgtcttctt tccgagagat gtcaagtcct caagaatttg atggcttctt 840
ctgcagctat aaccacaagg aacctacaca ttgtaactca agtccactgc tggctcatga 900
aatgtgtaaa gtagaacctt ccttcccag agtaagaca ggacaataaa aggtggcgtt 960
tttgtacttt acctggattc cattggctgg ttttaccact cctatcagat ttagtgtaa 1020
ttgtgtgata cgcaaacat tagtttwccc agtgatgatt taataaaatt atgaaaaatc 1080
aggagaggga gataattagt tgcttctctc ttcacactgt ttgaatcgaa aaaaaaaaaa 1140
aaaaaaaaaa aaaaaaaaaa aaanaanan 1169

```

&lt;210&gt; 457

&lt;211&gt; 3249

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (3234)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 457

```

gcgcggccgg gccggggcag ccgggaagcg ggtgggggtg tgtgttacc agtagctcct 60
gggacatcgc tcgggtacgc tccacgccgt cgcagccact gctgtggtcg ccggtcggcc 120
gagggggcgc gatactggtt gccgcggtg taagcagaat tcgacgtgta tcgctgccgt 180
caagatggag gggcctttgt ccgtgttcgg tgaccgcagc actggggaaa cgatccgctc 240
ccaaaacggt atggctgcag cttcgattgc caatattgta aaaagttctc ttggtccagt 300
tggcttggtt aaaatgttgg tggatgatat tggatgata accattacta acgatgggtc 360
aaccatcctg aagttactgg aggtagaaca tcctgcagct aaagttcttt gtgagctggc 420
tgatctgcaa gacaaagaag ttggagatgg aactacttca gtggttatta ttgcagcaga 480
actcctaaaa aatgcagatg aattagtcaa acagaaaatt catcccatc cagttattag 540
tggctatcga cttgcttgca aggcaagcag tgcgttatat caatgaaaac ctaattgtta 600
acacagatga actgggaaga gattgcctga ttaatgctgc taagacatcc atgtcttcca 660
aaatcattgg aataaatggt gatttctttg ctaacatggt agtagatgct gtacttgcta 720
ttaaatacac agacataaga ggccagccac gctatccagt caactctgtt aatattttga 780
aagcccatgg gagaagtcaa atggagagta tgctcatcag tggctatgca ctcaactgtg 840
tgggtgggatc ccagggcatg cccaagagaa tcgtaaatgc aaaaattgct tgccttgact 900
tcagcctgca aaaaacaaaa atgaagcttg gtgtacaggt ggtcattaca gaccctgaaa 960
aactggacca aattagacag agagaatcag atatcaccaa ggagagaatt cagaagatcc 1020

```

tgccaactgg tgccaatggt attctaacca ctggtggaat tgatgatatg tgtctgaagt 1080  
atthttgtgga ggctgggtgt atggcagtta gaagagtttt aaaaaggagac cttaaacgca 1140  
ttgcaaaagc ttctggagca actattctgt caaccctggc caatttggaa ggtgaagaaa 1200  
cttttgaagc tgcaatgttg ggacaggcag aagaagtggg acaggagaga atthttgtatg 1260  
atgagctgat cttaatacaa aatactaagg ctctacgtc tgcacgatt atcttacgtg 1320  
gggcaaatga ttcatgtgt gatgagatgg agcgctcttt acatgatgca ctttgtgtag 1380  
tgaagagagt ttggagtgca aaatctgtgg tccccgggtg ggggtgctga gaagcagccc 1440  
ttccatata cttgaaaac tatgcaacca gcatggggtc tcgggaacag cttgcgattg 1500  
cagagtttgc aagatcactt cttgttattc ccaatacact agcagttaat gctgcccagg 1560  
actccacaga tctggttgca aaattaagag cttttcataa tgaggcccag gtttaaccag 1620  
aacgtaaaaa tctaaatgg attggtcttg atttgagcaa tggtaaacct cgagacaaca 1680  
aacaagcagg ggtgtttgaa ccaaccatag ttaaagttaa gagtttgaaa tttgcaacag 1740  
aagctgcaat caccattctt cgaattgatg atcttattaa attacatcca gaaagtaag 1800  
atgataaaca tggaagttat gaagatgctg ttcactctgg agcccttaat gattgatctg 1860  
atgttccttt tatttataac aatgttaaag gcaattgtct tgtacctga gttgagtatt 1920  
acacattaaa gtaaagtaca agctgtaaac ttgggttttt gtgatgtagg aaatggtttc 1980  
catctgtact ttggtcctct gatttcacat attgcaacct agtactttat tagtttaaaa 2040  
agaaattgag gttgttcaaa gtttaagcaa ttcattctct ctgaacacac attgctattc 2100  
ccatccacc cccaatgcac agggctgcaa caccagact tctgcccatt ctctccagt 2160  
tgtgtaacag ggtcacaga attcgacagc cagatgtctc aagagggtgg cccaaggcta 2220  
tagccctcc ttcaatattg accttctctg ggtttaatcc aagttcttta actattgca 2280  
cagagacagc tgcaagggt tcatgtattt caaatatgtc aacatcttcc agtgaccaac 2340  
ctgcttttgt aacagcttgc tttatggctg gaattggtcc tattcccata atggaaggct 2400  
ccacacccac ttgggaccag gaaactatcc gtgctaaagg tgtaagccca cgtttatcag 2460  
cttctgactt cttcataaga acgacagctg cagcaccatc atttattcct gaagcattgg 2520  
ctgggggtgac tgttcccggt ccatcagtaa gaaagtaagg ctttagcttg gacatggctt 2580  
ctatgttgct ccatggcga ggaaactcat ctgttttaac ttcaataaga cctcttctag 2640  
ttgacaccaa aactggtaca atctctttgt caaaatggcc agctttctgt gcattctctg 2700  
tcctgttctg ggacagaact gcaaccttgt cctgatcttc tctactcact tgccattttt 2760  
tggctacatt ttcagctgta ataccatata gacagttgtg aaatgcactt gtaagaccat 2820  
cacagagtat actgtcagtc agtggcatct cacctatctt tactcctgtt ctcaagtaag 2880  
ccaagtgagg agccttgctc atattttcca tgcctcctgc aaccacaatg ctggagtctc 2940  
ctatccctat tgactggact gcaaggcaca cagcttttag gcctgaccca cagatcatct 3000  
ggcagctcca tgctggaaca gagtagggaa ttcctgcacc cacactggct tgtctaacag 3060  
gattctgccc acagcctgct gccaagacat gtccaaagat gacctcagac acatcttccg 3120  
gagccacagt ggccctcttc aagacttctt tgatgacagt ggagcccagg tcctggacag 3180  
gaacagcagc taaggcacca ttgaaggaa cgtctggtct gagcaaaggc caanggtggg 3240  
tccacaact 3249

<210> 458

<211> 1916

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1895)

<223> n equals a,t,g, or c

<220>

<221> misc feature

&lt;222&gt; (1902)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 458

```
gccacggcac gcagccagca agttgttttt aaatgttaat atagaaaaca gtgaaggatt 60
agctgaaaat atatgagcag gtgacattga ggtttactga aatagccaat ttgactggtg 120
cttagactat tgtgcagtaa acctaaaagg tagtggagaa ttgcttcctg ctgacaggaa 180
gccttcacat tcttgagtac ccaaaccagg cttcaggtgt cctttgagga tagccagggt 240
tgaaatTTTT agtttctcag gaagagctct tctatgtggc aggggctgat agggcaaaat 300
aaaatgacaa tttctttatt gctacagagt atcctctata agttattaaa cgagtgtaat 360
ggtataatgc ccttccatca cacaacagga caccaccca gttttgtttt ctgggtttct 420
tccccctttg taggaatcag ataccttttg tagaaaaaaa tggcttatgc cacgtaaagg 480
tgaattttta gaaaccacct tctaggcggt tttggaaccc ttactgaaat ccctcccctt 540
gttacagatg gcgtagaagt cacaagtctg ttaattggac tgttgcttct ttgcctgttc 600
ctgctttctc tttctgtctg gatagtcagg aaaagattta atgtttaata tttaaacaaa 660
atatttaatg tctatacagt aaaattattc aaacttcaa ccagtattga aagcagttgg 720
aaaccagcta atagtttctt aatctcagat ttcgagatga atgtaaactg tattcttttg 780
aaatgtgcaa gtgtttgatt catgccattt gataaacttc tgcctttag tcattgtttg 840
atgggaccaa cttgtaaagt atgagcctta aataaatctc catgctgaaa aatgtgttct 900
aatgcaacac aaaaacatga agtgactgcc cagaggtaga gttagtgttt aggtggaaag 960
ggagatgaca gctttccaaa gaaggacctt aaacacacca agattgtctt ctacaggaat 1020
tgctgggcag gtctccgact aaaggcttta tgatgaaaag gaagaaacaa gcccccaaca 1080
caaggctctg atactactgg taaatgtagg agagaattaa gaatctgtta attaaaatcc 1140
aaacagagct tatttcagta gtcaagttac ctgacatgat aattatttct gcaggataat 1200
tgatgtttta tgttcttttt tggactttat cttcttgcaa aaattttctac aaaaattggt 1260
ttcttcaccc ttgtggtgct tattcatctg agccgtctcc acagtcccaa tgcctctgct 1320
ttttgtttta cttttgtagc ataaggtttt tgcttttgct ttgccttaag agttccctag 1380
ggagttacca gggcttttcg ttttgtgtag cttttgcagc atggatcaaa cattggctta 1440
ctgtgcta at gtgtgaagag aaaaaattct ctaaagcagg tgagctttta tgaacaaatg 1500
tgtattttat ctgagtttga gtagggtgcg ttgtggattt tgtttttttg gttttttttt 1560
tttttttgta attatatgaa gaaagtccag ttctcataaa tattgatcac taaaaaaact 1620
tactctttct tgaaaaggta cacatgtaaa atttaggaaa ataactaaag taggggctgg 1680
aaccataaga agaattgtta tcagcacgtt catttattat tttggatttg gaacttggtt 1740
ttgtttttca atagtgacaa gaatggttca gttctaggaa tgttctggaa gatgctgtta 1800
attttacttt aaaatgagaa tctggtgtta ctgtatttta tcgttttcaa taaaacttct 1860
taagtgtttt ggaaaaaaaa aaaaaaaaaa aattnctgcg gnccgcaagg gaattc 1916
```

&lt;210&gt; 459

&lt;211&gt; 2773

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 459

```
ggcagaggac caatcgcccc cctagactga gacgttggcg tttgaaatca gccaatggca 60
ggtctacact ggagcttcct ctccgcctcc ttgcctagc ctgcgagtg tctgagggaa 120
gcaaggaggc ggcggcggcc agcagtggtc gagtagtgga aacgttgctt ctgaggggag 180
cccaagatga ccggttctaa cgagttcaag ctgaaccagc caccagagga tggcatctcc 240
tccgtgaagt tcagccccaa cacctcccag ttctgtctg tctcctcctg ggacacgtcc 300
gtgcgtctct acgatgtgcc ggccaactcc atgcggtcca agtaccagca caccggcgcc 360
gtcctggact gcgccttcta cgatccaacg catgcctgga gtggaggact agatcatcaa 420
ttgaaaatgc atgatttgaa cactgatcaa gaaaatcttg ttgggacca tgatgccctt 480
```

```

atcagatgtg ttgaatactg tccagaagtg aatgtgatgg tcaactggaag ttgggatcag 540
acagttaaac tgtgggatcc cagaactcct tgtaatgctg ggaccttctc tcagcctgaa 600
aaggtatata ccctctcagt gtctggagac cggctgattg tgggaacagc aggccgcaga 660
gtgttggtgt gggacttacg gaacatgggt tacgtgcagc agcgcagggg gtccagcctg 720
aaataccaga ctgctgcat acgagcggtt ccaaacaagc agggttatgt attaagctct 780
attgaaggcc gagtggcagt tgagtatttg gacccaagcc ctgaggtaca gaagaagaag 840
tatgccttca aatgtcacag actaaaagaa aataatattg agcagattta cccagtcaat 900
gccatttctt ttcacaatat ccacaatata tttgccacag gtggttctga tggctttgta 960
aatatttggg atccatttaa caaaaagcga ctgtgccaat tccatcggtg ccccacgagc 1020
atcgcatcac ttgccttcag taatgatggg actacgcttg caatagcgtc atcatatatg 1080
tatgaaatgg atgacacaga acatcctgaa gatggtatct tcattcgcca agtgacagat 1140
gcagaaacaa aaccaagtc accatgtact tgacaagatt tcatttactt aagtgccatg 1200
ttgatgataa taaaacaatt cgtactcccc aatggtggat ttattactat taaagaaacc 1260
agggaaaata ttaattttta tattataaca acctgaaaat aatggaaaag aggtttttga 1320
atTTTTTTTT ttaaataaac accttcttaa gtgcatagaga tggtttgatg gtttgctgca 1380
ttaaaggat ttgggcaaac aaaattggag ggcaagtgc tgcagttttg agaatcagtt 1440
ttgacctga tgattttttg tttccactgt ggaaataaat gttgtaaat aagtgaata 1500
aaaatccctt tgcattcttt ctggacctta aatggtagag gaaaaggctc gtgagccatt 1560
tgTTTTTTTT gctggttata gttgctaatt ctaaagctgc ttcagactgc ttcagagga 1620
ggttaatcta caattaaaca atatttctc tggccgtcc attattttct gaagcagatg 1680
gttcatcatt tcctgggctg ttaaacaag cgaggttaag gttagactct tgggaatcag 1740
ctagttttca atcttattag ggtgcagaag gaaaactaat aagaaaacct cctaatatca 1800
ttttgtgact gtaacaatt atttattagc aaacaattga tcccagaagg gcaaattgtt 1860
tgagtcagta atgagctgag aaaagacaga gcatactctg gtatttggaa aaataattgt 1920
aacgtaattg cagtgcattt agacaggcat ctatttggac ctgtttctat ctctaaatga 1980
atTTTTtgaa acattaatga ggtttacata tttctctgac atttatatag ttcttatgtc 2040
catttcagtt gaccagccgc tggtgattaa agttaaaaag aaaaaaatta tagtgagaat 2100
gagattcatt tcaatgtaat gcactaaagc agaacacgaa cttagcttgg cctattctag 2160
gtagttccaa atagtatttt tgttgtcaaa ctttaaaatt tatattaatt tgcaaatgta 2220
tgtctctgaa gtaggacttg gacctttcct gagatttatt ttatccgtga tgtatttttt 2280
ttaattcttt tgatacagag aagggtcttt ttttttttaa gtatttcagt gaaaacttgg 2340
tgtaagtctg aacccatctt ttgaaatgta ttttcttcat tgcaggtcca cctaatactc 2400
ctgtgaaagt ggtttctcta tggaaagctt tgtttgcttc ctacaaatac atgcttattc 2460
cttaagggat gtgtagagt tactgtggat ttctctgttt tctgtcttac aagaaacttg 2520
tctatgtacc ttaatacttt gtttaggatg aggagctttt gtgtccctgt acagtagtct 2580
gacgtatttc cccttctgtc ccctagtaag cccagttgct gtatctgaac agtttgagct 2640
ctttttgtaa tatactctaa acctgttatt tctgtgctaa taaacgagat gcagaaccct 2700
tgaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa gsgggccgct 2760
cgcgatctag aac 2773

```

&lt;210&gt; 460

&lt;211&gt; 2031

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 460

```

ccccgcgctc cgcccacgcg tccgcccacg cgtccggcgc cagcggcctc gccgcccgtc 60
aagctgtcca catccctggc ctacgcccgc cacatcaccg tgacctgctt acgcccagat 120
tttcttcaat cacatctgaa taaatcactt gaagaaagct tatagcttca ttgcaccatg 180
tgtggcattt gggcgctggt tggcagtgat gattgccttt ctgttcagtg tctgagtgtc 240
atgaagattg cacacagagg tccagatgca ttccgttttg agaatgtcaa tggatacacc 300

```

```

aactgctgct ttggatttca cgggttgccg gtagttgacc cgctgtttgg aatgcagcca 360
attcgagtga agaaatatcc gtatttgggg ctctgttaca atgggtgaaat ctacaacccat 420
aagaagatgc aacagcattt tgaatttgaa taccagacca aagtggatgg tgagataatc 480
cttcatcttt atgacaaagg aggaattgag caaacaattt gtatgttga tggtgtgttt 540
gcatttgttt tactggatac tgccaataag aaagtgttcc tgggtagaga tacatatgga 600
gtcagacctt tgtttaaagc aatgacagaa gatggatttt tggctgtatg ttcagaagct 660
aaaggtcttg ttacattgaa gcactccgcg actccctttt taaaagtggg gccttttctt 720
cctggacact atgaagtttt ggattttaaag ccaaattggca aagttgcacg cgtggaaaatg 780
gttaaatatc atcactgtcg ggatgaaccc ctgcacgccc tctatgacaa tgtggagaaa 840
ctctttccag gttttgagat agaaactgtg aagaacaacc tcaggatcct ttttaataat 900
gctgtaaaga aacgtttgat gacagacaga aggattggct gccttttatc agggggcttg 960
gactccagct tgggtgctgc cactctgttg aagcagctga aagaagccca agtacagtat 1020
cctctccaga catttgcaat tggcatggaa gacagccccg atttactggc tgctagaaaag 1080
gtggcagatc atattggaag tgaacattat gaagtccctt ttaactctga ggaaggcatt 1140
caggctctgg atgaagtcac attttccctg gaaacttatg acattacaac agttcgtgct 1200
tcagtaggta tgtatttaac ttccaagtat attcgggaaga acacagatag cgtgggtgac 1260
ttctctggag aaggatcaga tgaacttacg cagggttaca tatattttca caaggctcct 1320
tctcctgaaa aagccgagga ggagagtga aggcttctga gggaactcta tttgtttgat 1380
gttctccgcg cagatcgaac tactgctgcc catggtcttg aactgagagt cccatttcta 1440
gatcatcgat tttcttccta ttacttgtct ctgccaccag aaatgagaat tccaaagaat 1500
gggatagaaa aacatctcct gagagagacg tttgaggatt ccaatctgat acccaaagag 1560
attctctggc gaccaaaga agccttcagt gatggaataa cttcagttaa gaattcctgg 1620
tttaagattt tacaggaata cgttgaacat caggttgatg atgcaatgat ggcaaatgca 1680
gccagaaaat ttcccttcaa tactcctaaa accaaagaag gatattacta ccgtcaagtc 1740
tttgaacgcc attaccagc cggggtgac tggctgagcc attactggat gcccaagtgg 1800
atcaatgcc ctagaccctt tgcgcgcacg ctgaccact acaagtcagc tgtcaaagct 1860
taggtggtct ttatgctgta atgtgaaagc aaatatttct tcgtgttga tggggactgt 1920
gggtagatag gggacaatg agagtcaact caggctaact tgggtgtgaa aaaaataaaa 1980
gtcctaaatc taaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa a 2031

```

<210> 461

<211> 1839

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1496)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1832)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1839)

<223> n equals a,t,g, or c

<400> 461

```

gcgcgcgcgt cgtgcgtgcc gctcggcgga ggggacgggc ctgcgttctc tcctccttcc 60
tccccgcctc cagctgccgg caggaccttt ctctcgctgc cgctgggacc ccgtgtcatc 120
gcccaggccg agcacgatgc cccctaaaaa gggagggtgat ggaattaaac ccccccaat 180
cattggaaga tttggaacct cactgaaaat tggattgtgt ggattgcaa atgttgggaa 240
atctactttc ttcaatgtgt taaccaatag tcaggcttca gcagaaaact tcccgttctg 300
cactattgat cctaattgaga gcagagtacc tgtgccagat gaaagggttg actttctttg 360
tcaataccac aaaccagcaa gcaaaattcc tgcctttcta aatgtgggtg atattgctgg 420
ccttgtgaaa ggagctcaca atgggcaggg cctggggaat gcttttttat ctcatattag 480
tgctgtgat ggcacttttc atctaacacg tgcttttgaa gatgatgata tcacgcacgt 540
tgaaggaggt gtagatccta ttcgagatat agaaataata catgaagagc ttcagcttaa 600
agatgaggaa atgattgggc ccattataga taaactagaa aagggtggctg tgagaggagg 660
agataaaaaa ctaaacctg aatatgatat aatgtgcaaa gtaaaatcct gggttataga 720
tcaaaagaaa cctgttcgct tctatcatga ttggaatgac aaagagattg aagtgttgaa 780
taaacactta tttttgactt caaaaccaat ggtctacttg gttaatcttt ctgaaaaaga 840
ctacattaga aagaaaaaca aatggttgat aaaaattaaa gagtgggttg acaagtatga 900
cccaggtgct ttggtcattc ctttttagtg ggccttgga ctcaagttgc aagaattgag 960
tgctgaggag agacagaagt atctggaagc gaacatgaca caaagtgctt tgccaaagat 1020
cattaaggct gggtttgacg cactccaact agaatacttt ttcactgcag gccagatga 1080
agtgcgtgca tggaccatca ggaaaggagc taaggctcct caggctgcag gaaagattca 1140
cacagatttt gaaaagggat tcattatggc tgaagtaatg aaatacgaag attttaaaga 1200
ggaaaggttct gaaatgcag tcaaggctgc tggaaagtac agacaacaag gcagaaatta 1260
tattgttgaa gatggagata ttatcttctt caaatttaac acacctcaac aaccgaagaa 1320
gaaataaaat ttagttattg ctcatataaa catacaactt ccaaaaggca tctgattttt 1380
aaaaaattaa aatttctgaa aaccaatgcg acaaaataag ttggggagat gggaatcttt 1440
gacaaacaaa ttatttttat ttgttttaaa attaaaatac tgtgtacccc cccccncyc 1500
atgaaatgca ggttcactaa atgtgaacag ctttgctttt cacgtgatta agaccctact 1560
ccaaattgta gaagcttttc aggaaccata ttacttctcat gatacttcat taatctccat 1620
catgtatgcc aagcctgaca catttgacag tgaggacaat gtggcttgct cctttttgaa 1680
tctacagata atgcatgttt tacagtactc cagatgtcta cactcaataa aacatttgac 1740
aaaaccaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1800
aaaaaaaaaa aaaaaaaacc ccgggggggg gncccaan 1839

```

<210> 462

<211> 779

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (26)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (731)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (737)

<223> n equals a,t,g, or c



<220>

<221> misc feature

<222> (759)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (762)

<223> n equals a,t,g, or c

<400> 462

```
aggcctgatg ggctggagcc agactntggt ctgaggagga gacacagcct tataagctga 60
gggagtggag agggccgggg ccaggaaaagc agagacagac aaagcgtagg gagaagaaga 120
gaggcagggg agacaagcca ggcacgatgg ccaccttccc accagcaacc agcgccccc 180
agcagccccc agggccggag gacgaggact ccagcctgga tgaatctgac ctctatagcc 240
tggccatttc ctacctgga ggtggaggcc ggaaaggtag caccaagaga gaagctgctg 300
ccaacaccaa ccgccccagc cctggcgggc acgagaggaa actggtgacc aagctgcaga 360
attcagagag gaagaagcga ggggcacggc gctgagacag agctggagat gaggccagac 420
catggacact acaccagca atagagacgg gactgcggag gaaggaggac ccaggacagg 480
atccaggccg gcttgccaca cccccaccc ctaggactta ttcccgtga ctgagtctct 540
gaggggctac caggaaagcg cctccaaccc tagcaaaagt gcaagatggg gagtgaagg 600
ctgggaatgg agggcagagc caggaagatc ccccagaaaa gaaagctaca gaagaaactg 660
gggctcctcc aggggtggcag caacaataaa tagacacgca cggarccam aaaaaaaaaa 720
aaaagggsgg nccggancca attggcctaa agggggggnt tncaattaat gggccgggt 779
```

<210> 463

<211> 1717

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (5)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (27)

<223> n equals a,t,g, or c

<400> 463

```
ctagnaactg gtgggtcccc cgggccnggc attatttcgg gcagagtggc aattactccg 60
tgatctttga tgactattac wcataacagc actctagcac cttwtcttac tggcatggac 120
ttcctcatgg actgctactt catggatgat agcttcattg ctttgggtag ggatttaagg 180
tagtcaaggg gaaaatacgc attttattac aggtcttaac atcaggcaac tttcaacttt 240
aaaacccttt gtgaaaaatg tggttatagc actatagctc tgattttagg atggttaaat 300
gttatattca ttgttggtt accttatcaa actgtgccat taatcctttc acagacatag 360
gtaagggaaga gaacaaccag tggattcagg ggacaattat ctatctccaa ataataggct 420
tttattttctt gcagctaact ttttcagtga ttctagcaga tgccatctag tacatccttg 480
atcttgttts tttcgtgaga gatctcgcca tggcagcatc ttgttaagta agtgaattg 540
```

cacatgcaca aaagacttaa ctagctttac atttagcagt cagttgggta gattaggttt 600  
catagtaa at gaataggaat agaaagaata ggaagtgtt ttattttcca gtagtaattc 660  
cgtggattcc atttgacca gtttactatc agttcagttc aggtagattt ggttcaactt 720  
ttgggtgttt ttggtcttag gatattcttg actttaatat cctagaactt actgagtctt 780  
cccttcaata aatacacttc tcacatacct ctaatcctat gcttccttga aacaataatg 840  
ctagctgagt tgtttactaa ggattattat aagggcctga aggtgtggga gtggagatta 900  
attaaaacct ttatgttctc caatataagg gaaaagcagg ttggtactac ttctgattag 960  
gcagaaaaca ccaggattcc ttaagtgtc cttgaaatgg ttattgtttt ctgccttgct 1020  
acatttgcca ctgtgccctt taaaacgatg tggaaacctc aggtttgtgg acagcacagg 1080  
tggaatgaca tcttggtgctt cctgaggctc ccctctacca ggcacattag cttagtgtct 1140  
cagatgtcag cccaagtcct tgttacctcc ttttcctgct gcccagggaa gagtgtgtgt 1200  
gctggagctg gagcgcttgc actcttcagg tgactattct cacctccatt tccctccacat 1260  
gcattagggtg aaactgaggt ctaagcctcc tgcaaggtct acattttaag gactcacaca 1320  
tcaggtctc agaaatgtac acaggtatta gttctgtttg ttctaaagga atgtgggta 1380  
tctctcaggc caggacttag tgactagttt tcgctagaca gcaggttaat acctagatct 1440  
catttaaaaa aaaaaaaaaa aaaacaggat taaagggaac tgatcagggt tgttgagttt 1500  
tttagcctaa ttccaaagca tggaagagtg ctctaggtag gaaagaaagc tttttcttac 1560  
gatttgtagc tacctactgt gcctgacttg gtgcctgtgt gaggattaag cccttagtct 1620  
gctcttgcaa ttattcaaat gacaaattaa atttgctttt gtaataacaa taaaagttgt 1680  
catcttcctt tttgaaaaaa aaaaaaaaaa aaaaaag 1717

<210> 464

<211> 828

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (787)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (819)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (827)

<223> n equals a,t,g, or c

<400> 464

ggcacgagag atggcggcgc aacagcggga ctgcgggggt gctgcgcagc tggcggggcc 60  
ggcggcggag gctgaccccc taggacgctt cacgtgtccc gtgtgcttag aggtgtacga 120  
gaagccggta cagggtgccct gcggacacgt cttttgtctt gcatgcctgc aggaatgtct 180  
gaagccgaag aagcctgtct gtgggggtgtg tcgcagcgct ctggcacctg gcgtccgagc 240  
cgtggagctc gagcggcaga tcgagagcac agagacttct tgccatggct gccgtaagaa 300  
tttcttcttg tccaagatcc ggtcccacgt ggctacttgt tccaaatacc agaattacat 360  
catggaaggt gtgaaggcca ccattaagga tgcatctctt cagccaagga atgttccaaa 420  
ccgttacacc tttccttgct cttactgtcc tgagaagaac tttgatcagg aaggacttgt 480  
ggaacactgc aaattattcc atagcacgga taccaaactc gtggtttgtc cgatatgtgc 540

```

ctcgatgccc tggggagacc ccaactaccg cagcgccaac ttcagagagc acatccagcg 600
ccggcaccgg ttttcttatg acacttttgt ggattatgat gttgatgaag aggacatgat 660
gaatcagggtg ttgcagcgtt ccatcatcga ccagtgaaga gaggccgtgc ttgctatctg 720
tctcatgtta cagagcttcc attacatatt aaacgtgaaa tctatgaaaa aaaaaaaggg 780
ggggggnccc gggtacccca atttcggccc tattaggtna agtcgtna 828

```

<210> 465

<211> 1173

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (137)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1166)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1168)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1171)

<223> n equals a,t,g, or c

<400> 465

```

cctgtcctgc tgtctctgct gctgcttctg ggtcctgctg tccccagga gaaccaagat 60
ggtcgttact ctctgacctt tatctacact gggctgtcca agcatgttga agacgtcccc 120
gcgttttcagg cccttgntca ctcaatgacc tccagttcct tagatacaac agtaaagaca 180
ggaagtctca gcccatggga ctctggagac aggtggaagg aatggaggat tggaagcagg 240
acagccaact tcagaaggcc agggaggaca tctttatgga gacctgaaa gacatygtgg 300
agtattacaa cgacagtaac gggctctcacg tattgcaggg aagggttggt tgtgagatcg 360
agaataacag aagcagcggg cattctggaa atattactat gatggaaagg actacattga 420
attcaacaaa gaaatcccag cctgggtccc ctctgaccca gcagcccaga taaccaagca 480
gaagtgggag gcagaaccag tctacgtgca gcgggccaag gcttacctgg aggaggagtg 540
ccctgcgact ctgcggaaat acctgaaata cagcaaaaat atcctggacc ggcaagatcc 600
tccctctgtg gtggtcacca gccaccaggc cccaggagaa aagaagaaac tgaagtgcct 660
ggcctacgac ttctacccag ggaaaattga tgtgcactgg actcgggccg gcgaggtgca 720
ggagcctgag ttacggggag atgttcttca caatggaaat ggcacttacc agtcctgggt 780
ggtggtggca gtgccccgcg aggcacacagc cccctactcc tgccacgtgc agcacagcag 840
cctggccccag cccctctgtg tgccctggga ggccagctag gaagcaaggg ttggaggcaa 900
tgtgggatct cagacccagt agctgccctt cctgcctgat gtgggagctg aaccacagaa 960
atcacagtca atggatccac aaggcctgag gagcagtggt gggggacaga caggagggtg 1020
atttgagagc cgaagactgg gatgcctgtc ttgagtagac ttggacccaa aaaaatcatc 1080
caccttgagc ccacccccac cccattgtct aatctgtaga agctaataaa taatcatccc 1140

```

tccttgcccta gcaaaaaaaaa aaaaangngg ngg

1173

<210> 466

<211> 521

<212> DNA

<213> Homo sapiens

<400> 466

taccaggggc cggaatccca gggtcgaccc acgcgtccgc cggcaagatg gcagaagtag 60  
agcagaagaa gaagcggacc ttccgcaagt tcacctaccg cggcgtggac ctcgaccagc 120  
tgctggacat gtcctacgag cagctgatgc agctgtacag tgcgcgccag gcggcggctg 180  
aaccggggcc tgcggcggaa gcagcactcc ctgctgaagc gcctgcgcaa ggccaagaag 240  
gaggcgccgc ccatggagaa gccggaagtg gtgaagacgc acctgcggga catgatcatc 300  
ctacccgaga tggtagggcag catggtagggc gtytacaacg gcaagacctt caaccagggtg 360  
gagatcaagc ccgagatgat cggccactac ctgggcgagt tctccatcac ctacaagccc 420  
gtaaagcatk gccggcccg cctcggggcc acccactset cccgmmtcat ccctctcaag 480  
taatggctca gyaataaaag gcgsacatga ctccaaaaa a 521

<210> 467

<211> 1428

<212> DNA

<213> Homo sapiens

<400> 467

gcccgtctcc ccgcaggagc ggcccccgcc ttacctggca gtcccaggac atggcgagga 60  
gtaccgggtg gctggggcac acagcagccc cccaaaggcc cgcttcctgc gggttcccag 120  
tgagcaccct tacctgaccc catccccga atccctgag cactgggcca gcccctcacc 180  
tccctccctc tcagactggc ccgaatccac gcctagccca gccactgcca ctggggccat 240  
ggccaccacc actggggcac tgcctgccc gccacttccc ttgtctgttc ccagctccct 300  
tgctcaggcc cagaccagc tggggcccca gccggaagt acccccaaga ggcaagtgtt 360  
ggcctgagac gctcgtcagt tcttagatct tgggggccta aagagacccc cgctcctgcct 420  
cctttctttc tctgtctctt ccttcctttt agtctttttc atcctcttct ctttccacca 480  
accctcctgc atccttgcc tgcagcgtga ccgagatagg tcatcagccc agggcttcag 540  
tcttccttta tttataatgg gtgggggcta ccaccacccc tgcctcagct tgtgaagagt 600  
ctgggacctc cttcttcccc acttctctct tccctcattc ctttctctct ccttctggcc 660  
tctcatttcc ttacactctg acatgaatga attattatta tttttctttt tctttttttt 720  
tttacatttt gtatagaaac aaattcattt aaacaaactt attattatta ttttttacia 780  
aatatatata tggagatgct cctcccccct gtgaaccccc cagtgcctcc gtgggctgag 840  
tctgtgggcc cattcgcca agctggattc tgtgtacct gtacacaggc atgactggga 900  
tcccggtgtac cgagtacacg acccaggat gtaccaagta ggcacccttg ggcgcaccca 960  
ctggggccag gggtcggggg agtgttgga gccctcctcc caccacacct cctcacttc 1020  
actgcattcc agattggaca tgttccatag ccttgctggg gaaggccca ctgccaactc 1080  
cctctgcccc agcccccccc ttggccatct ccttttgga actagggggc tgctggtggg 1140  
aaatgggagc cagggcagat gtatgcatc ctttatgtcc ctgtaaatgt gggactacaa 1200  
gaagaggagc tgcctgagtg gtactttctc ttcttggtta tctctggcc cagccttatg 1260  
gcagaataga ggtattttta ggctattttt gtaatatggc ttctggtcaa aatccctgtg 1320  
tagctgaatt cccaagccct gcattgtaca gccccccact cccctcacca cctaataaag 1380  
gaatagttaa cactcaaaaa aaaaaaaaaa aaaaaacttg aggggggg 1428

<210> 468

<211> 3463

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1187)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 468

```
cagtgtcccg gccgagccgg tgcgccgcag actagggcgc ctccggccag ggagcgcgga 60
ggagccatgg ccaccgctaa cggggccgtg gaaaacgggc agccggacag gaagccgcgg 120
gccctgccgc gccccatccg caacctggag gtcaagttca ccaagatatt tatcaacaat 180
gaatggcacg aatccaagag tgggaaaaag ttgtctacat gtaacccttc aactcgggag 240
caaatatgtg aagtggaaga aggagataag cccgacgtgg acaaggctgt ggargctgca 300
caggttgccct tccagagggg ctccgccatgg cgccggctgg atgccctgag tcgtgggcgg 360
ctgctgcacc agctggctga cctggtkgar agggaccgcg ccaccttggc cgccctggag 420
acgatggata cagggaaaggc atttcttcat gcttttttca tcgacctgga gggctgtatt 480
agaacctca gatactttgc aggtgggca gacaaaatcc agggcaagac catccccaca 540
gatgacaacg tgtgtgcttc accaggcatg agccattgg tgtctgtggg gccatcactc 600
catggaactt cccctgctg atgctggtgt ggaagctggc accgcctc tgctgtggga 660
acaccatggt cctgaagcct gcggagacac ctctcaccgc ctttatctc ggctctctga 720
tcaaagaggc cgggttccct ccaggagtgg tgaacattgt gccaggattc gggccacag 780
tgggagcagc aatttcttct caccctcaga tcaacaagat cgccttcacc ggctccacag 840
aggttggaag actggttaaa gaagctgctt cccggagcaa tctgaagcgg gtgacgtgg 900
agctgggggg gaagaacccc tgcactgctt gtgcggacgc tgacttgga tggcagtg 960
agtgtgccc tccagggagt ttcttcaacc aaggccagt ttgcacggca gcctccagg 1020
tgcttctgga ggagcaggtc tactctgagt ttgtcaggcg gacgtggagt atgccaaga 1080
acggccctgt ggagaccct tcgatgtcaa aacagaacag gggcctcaga ttgatcaaaa 1140
gcagttcgac aaaatcttag agctgatcga gagtgggaag aagggaanggg ccaagctgga 1200
atgccccggc tyagccatgg aagacaagg gctcttcac aaaccactg tcttctcaga 1260
agtcacagac aacatgaggg ttgccaaaga ggagattttc gggccagtgc accaatactg 1320
aagttcaaaa gtatcgaaga agtgataaaa agagcgaata gcaccgacta tggactcaca 1380
gcagccgtgt tcacaaaaaa tctcgacaaa gccctgaagt tggcttctgc cttagagtct 1440
ggaacggtct ggatcaactg ctacaacgcc ctctatgcac aggtctcatt tgggtgcttt 1500
aaaatgtcag gaaatggcag agaactaggt gaatacgctt tggccgaata cacagaagt 1560
aaaactgtca ccatcaaact tggcgacaag aaccctgaa ggaaaggcgg ggctccttc 1620
tcaaacatcg gacggcgga tgtggcagat gaaatgtgct ggaggaaaaa aatgacattt 1680
ctgaccttcc cgggacacat tcttctggag gctttacac tactggagt gaatgattgc 1740
tgttttctc tcactctct gtttattcac cagactggg atgcctatag gttgtctgtg 1800
aaatcgcagt cctgcctgg gagggagctg ttggccatt ctgtgttcc ctttaacca 1860
gatcctggag acagtgagat actcagggcg ttgttaacag ggagtggat ttgaagtgtc 1920
cagcagttgc ttgaaatgct ttgccgaatc tgactccagt aagaatgtgg gaaaaccccc 1980
tgtgtgttct gcaagcagg ctcttgacc agcgtctcc tcagggtgga cctgcttaca 2040
gagcaagcca cgcctctttc cgagggtga gtgggacct tccttgggaa aggattcaca 2100
gtaaggtttt ttggtttttg tttttgttt tctgttttt aaaaaaggga tttcacagt 2160
agaaagtttt ggtagtgca taccgtggaa gggcgccagg gtctttgtgg attgcatgtt 2220
gacattgacc gtgagattcg gcttcaaacc aatactgcct ttggaatat acagaatcaa 2280
tagccagag agcttagtca aagacgat caggtctac cttaccaag gcactttctt 2340
aagcagaaaa tattgttgag gttaccttt ctgctaaaga tccaatctc taacgccaca 2400
acagcatagc aaatcctagg ataattcacc tctcatttg acaaatcaga gctgtaattc 2460
rctttaacaa attacgcatt tctatcacgt tcactaacag cttatgataa gtctgtgtag 2520
```

tcttcctttt ctccagttct gttacccaat ttagattagt aaagcgtaca caactggaaa 2580  
gactgctgta ataacacagc cttgttattt ttaagtccta ttttgatatt aatttctgat 2640  
tagttagtaa ataacacctg gattctatgg aggacctcgg tcttcatcca agtggcctga 2700  
gtatttcact ggcaggttgt gaatttttct tttcctcttt ggggatccaa atgatgatgt 2760  
gcaatttcat gttttaactt gggaaactga aagtgttccc atatagcttc aaaaacaaaa 2820  
acaaatgtgt tatccgacgg atacttttat gggtactaac tagtactttc ctaattggga 2880  
aagtagtgct taagtttgca aattaagtg gggagggcaa taataaaatg agggcccgtg 2940  
acagaaccag tgtgtgtata acgaaaacca tgtataaaat gggcctatca cccttgctag 3000  
agatataaat taccacattt gccttccctt catcagctaa cacttatcac ttatactacc 3060  
aataacttgt taaatcagga tttggcttca tacactgaat tttcagtatt ttatctcaag 3120  
tagatataga cactaacctt gatagtata cgttagaggg ttcctattct tccattgtac 3180  
gataatgtct ttaatatgaa atgctacatt atttataatt ggtagagtta ttgtatcttt 3240  
ttatagttgt aagtacacag aggtggtata tttaaacttc tgtaataatac tgtatttaga 3300  
aatggaaata tatatagtg taggtttcac ttcctttaag gtttaccctt gtggtgtggt 3360  
ttaaaaatct ataggcctgg gaattccgat cctagctgca gatcgcatcc cacaatgcga 3420  
gaatgataaa ataaaattgg atatttgaga aaaaaaaaaa aaa 3463

<210> 469

<211> 621

<212> DNA

<213> Homo sapiens

<400> 469

atggagaagg tccaggacac gtgggtgggg gaagctgagc gctgagacca agggctaaag 60  
ctgggagact gaaaaaatgc agaccgccgg ggcattattc atttctccag ctctgatccg 120  
ctgttgtacc aggggtctaa tcaggcctgt gtctgcctcc ttcttgaata gccagtgaa 180  
ttcatctaaa cagccttcct acagcaactt cccactccag gtggccagac gggagttcca 240  
gaccagtgtt gtctcccggg acattgacac agcagccaag tttattggtg ctggggcagc 300  
cacagtgtgt gtggctggtt caggggctgg cattggaacc gtgtttggca gcttgatcat 360  
tggtatgcc aggaaccgt ctctcaagca gcagctcttc tcctatgcca ttcttggtt 420  
tgccctgtct gaggccatgg ggcctttctg tttgatggtc gccttcctca tcctcttcgc 480  
catgtgaggc tccatggggg gtcaccggcc tgttgctact gcaactccac accattcttg 540  
gtgctggggg gtgttaagct ttaccattaa acacaacgtt tctctaaaaa aaaaaaaaaa 600  
aaaaaaaaa aaaaaaaaaa a 621

<210> 470

<211> 1833

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (126)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (386)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
 <222> (524)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (1798)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (1812)  
 <223> n equals a,t,g, or c

<400> 470  
 tacgaccgac gagccgggtgt cgtgggtcgcg gtacctgttc caacacgggt cgcggggcccg 60  
 tgccgggtccc ggtccccggc gcggctgtcc gagcccctgc ggcggggcga cgatgggtgtg 120  
 gcgggancacg cagacgcggg cggcmgcggc ggcggggcatg aaggaggatg gaagggcagg 180  
 acgaggtgtc ggcgcgggag cagcacttcc acagccaagt gcgggagtc acgatatgtt 240  
 tccttctttt tgccattctc tacgttggtt cctacttcat catcacaaga tacaagagaa 300  
 aatcagatga acaagaagat gaagatgcca tcgtcaacag gatttcgttg tttttgagca 360  
 cgttcaactc cgcagtgtca gctggngctg ttttgctttt acccttctca atcatcagca 420  
 atgaaatcct gctttctttt cctcagaact actatattca gtggctaaat ggctccctga 480  
 ttcatgggtt gtggaatctt gcttcccttt tttccaacct ttgnttattt gtattgatgc 540  
 cctttgcctt tttctttctg gaatcagaag gctttgctgg cctgaaaaag ggaatccgag 600  
 cccgcatttt agagactttg gtcattgttc ttcttcttgc gttactcatt cttgggtag 660  
 tgtgggtagc ttcagcactc attgacaacg atgccgcaag catggaatct ttatatgatc 720  
 tctgggagtt ctatctaccc tatttatatt cctgtatatc attgatggga tgtttgttac 780  
 ttctcttggt tacaccagtt ggcctttctc gtatgttcac agtgatgggt cagttgctag 840  
 tgaagccaac aattcttgaa gacctggatg aacaaattta tatcattacc ttagaggaag 900  
 aagcactcca gagacgacta aatgggctgt cttcatcggt ggaatacaac ataatggagt 960  
 tggaaacaaga acttgaaaat gtaaagactc ttaagacaaa attagatcct tggagttctt 1020  
 tttctgtgct tcagtctcct gtctggcact ttgctgcaca gactccagct gacatagtct 1080  
 ccccagattc ccatttcatg ctctcaactc aagggatgag ctgggctcag cttgtgttcc 1140  
 tccttcctgc atcacggcct ggaaactctc aagacaagag gcgaaaaaag gcttcagcat 1200  
 gggaaagaaa tttggtgtat cccgctgtta tgggtctcct tcttattgag acatccatct 1260  
 cggctcctctt ggtggcttgt aatattcttt gcctattggt tgatgaaaca gcaatgccaa 1320  
 aaggaacaag ggggscgtga ataggaaatg cctctcttcc tacgtttggt tttgtgggag 1380  
 ctgcgcttga aatcattttg attttctatc ttatgggtgc ctctgttgc ggcttctata 1440  
 gccttcgatt ttttggaac tttactcca agaaagatga cacaactatg acaaagatca 1500  
 ttggaattg tgtgtccatc ttggttttga gctctgctck gcctgtgatg tcgagaacac 1560  
 tggggcttca taaacttcac ttaccaaata cttcaaggga ttcagaaaca gccaaagcctt 1620  
 ctgtaaatgg gcatcagaaa gcaactgtgag acgcacagac ggcgtcttct gccaccaaga 1680  
 gaccgagaac tccagattca cgacattcct gtcccatgta gaagcatttc cattcatccg 1740  
 tgggccctct tcagaacctc gamctatcag tggcatTTTT ttttcataat ctacgaanaa 1800  
 cttggctatg gntgatcttt tttaaattta act 1833

<210> 471  
 <211> 3202  
 <212> DNA  
 <213> Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (4)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (3160)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (3180)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 471

cggnacgcgt gggactgcaa cggagagact caagatgatt ccctttttac ccatgttttc 60  
tctactattg ctgcttattg ttaaccctat aaacgccaac aatcattatg acaagatcct 120  
ggctcatagt cgtatcaggg gtogggacca aggcccaaat gtctgtgccc ttcaacagat 180  
tttgggcacc aaaaagaaat acttcagcac ttgtaagaac tggataaaaa agtccatctg 240  
tggacagaaa acgactgtgt tatatgaatg ttgccctggt tatatgagaa tggaaggaat 300  
gaaaggctgc ccagcagttt tgcccattga ccatgtttat ggcaactctg gcatcgtggg 360  
agccaccaca acgcagcgct attctgacgc ctcaaaactg agggaggaga tcgagggaaa 420  
gggatccctc acttactttg caccgagtaa tgaggcttgg gacaacttgg attctgatat 480  
ccgtagaggt ttggagagca acgtgaatgt tgaattactg aatgctttac atagtcacat 540  
gattaataag agaattgtga ccaaggactt aaaaaatggc atgattattc cttcaatgta 600  
taacaatttg gggcttttca ttaaccatta tcctaattggg gttgtcactg ttaattgtgc 660  
tcgaatcatc catgggaacc agattgcaac aaatggtgtt gtccatgtca ttgaccgtgt 720  
gcttacacaa attggtacct caattcaaga cttcattgaa gcagaagatg acctttcatc 780  
ttttagagca gctgccatca catcggacat attggaggcc cttggaagag acggtcactt 840  
cacactcttt gctcccacca atgaggcttt tgagaaactt ccacgagggtg tcctagaaag 900  
gatcatggga gacaaagtgg cttccgaagc tcttatgaag taccacatct taaatactct 960  
ccagtgttct gagtctatta tgggaggagc agtctttgag acgctggaag gaaatacaat 1020  
tgagatagga tgtgacgggt acagtataac agtaaatgga atcaaaatgg tgaacaaaaa 1080  
ggatattgtg acaaataatg gtgtgatcca tttgattgat caggtcctaa ttcctgattc 1140  
tgccaaacaa gttattgagc tggctggaaa acagcaaacc accttcacgg atcttgtggc 1200  
ccaattaggc ttggcatctg ctctgaggcc agatggagaa tacactttgc tggcacctgt 1260  
gaataatgca ttttctgatg atactctcag catggatcag cgcctcctta aattaattct 1320  
gcagaatcac atattgaaag taaaagtgtg ccttaatgag ctttacaacg ggcaaatact 1380  
ggaaaccatc ggaggcaaac agctcagagt cttcgtatat cgtacagctg tctgcattga 1440  
aaattcatgc atggagaaaag ggagtaagca agggagaaac ggtgcgattc acatattccg 1500  
cgagatcatc aagccagcag agaaatccct ccatgaaaag ttaaaacaag ataagcgctt 1560  
tagcaccttc ctcagcctac ttgaagctgc agacttgaaa gagctcctga cacaacctgg 1620  
agactggaca ttatttgtgc caaccaatga tgcttttaag ggaatgacta gtgaagaaaa 1680  
agaaattctg atacgggaca aaaatgctct tcaaaacatc attctttatc acctgacacc 1740  
aggagttttc attgaaaag gatttgaacc tgggtgttact aacattttta agaccacaca 1800  
aggaagcaaa atctttctga aagaagtaaa tgatacactt ctggtgaatg aattgaaatc 1860  
aaaagaatct gacatcatga caacaaatgg tgtaattcat gttgtagata aactcctcta 1920  
tccagcagac acacctgttg gaaatgatca actgctggaa atacttaata aattaatcaa 1980  
atacatccaa attaagtttg ttcgtggtag caccttcaaa gaaatccccg tgactgtcta 2040



```

taagccaatt attaaaaaat acacccaaaat cattgatgga gtgcctgtgg aaataactga 2100
aaaagagaca cgagaagaac gaatcattac aggtcctgaa ataaaatata ctaggatttc 2160
tactggaggt ggagaaacag aagaaactct gaagaaattg ttacaagaag aggtcaccaa 2220
ggtcacccaaa ttcattgaag gtggtgatgg tcatttattt gaagatgaag aaattaaaag 2280
actgcttcag ggagacacac ccgtgaggaa gttgcaagcc aacaaaaaag ttcaaggatc 2340
tagaagacga ttaaggggaag gtcgttctca gtgaaaatcc aaaaaccaga aaaaaatggt 2400
tatacaaccc taagtcaata acctgacctt agaaaattgt gagagccaag ttgacttcag 2460
gaactgaaac atcagcacaa agaagcaatc atcaataat tctgaacaca aatttaatat 2520
ttttttttct gaatgagaaa catgaggga attgtggagt tagcctcctg tggtaaagga 2580
attgaagaaa atataacacc ttacaccctt tttcatcttg acattaaaag ttctggctaa 2640
ctttggaatc cattagagaa aaatccttgt caccagattc attacaattc aaatcgaaga 2700
gttgtgaact gttatcccat tgaagagacc gagccttgta tgtatgttat ggatacataa 2760
aatgcacgca agccattatc tctccatggg aagctaagtt ataaaaatag gtgcttggtg 2820
tacaaaactt tttatatcaa aaggctttgc acatttctat atgagtgggt ttactggtaa 2880
attatgttat tttttacaac taattttgta ctctcagaat gtttgtcata tgcttcttgc 2940
aatgcatatt ttttaatctc aaacgtttca ataaaacat ttttcagata taaagagaat 3000
tacttcaaat tgagtaattc agaaaaactc aagatttaag ttaaaaagtg gtttggaact 3060
gggaacagga cttttatacct cttttactgt aacaagtact cattaaagga aattgaatga 3120
aaaaaaaaaa aaaaaagggg cgggcccgtc taagagggtn ccctcgaggg gggcccaagn 3180
tttacgcggg gcatgccgac gt 3202

```

&lt;210&gt; 472

&lt;211&gt; 941

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (927)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 472

```

gttccaagtg ccccttactg acccgagaga cgtcattgcc gcagagggac ctatgggagc 60
atatagggtg taatgaaact gtagtctcag ttggaagcct agacatgaaa tgggtcagtg 120
agcaaggctc tattcctagt ctccagccat gcctgtggca acctgagccc gctctcagca 180
cattggaccg aggcagatgy aaaaaattca cagaactatg atttggaactc aagggtttgt 240
agatttcctc cttcattcta atttcagtgt ctaaaattct tgcattccrtg aacgagctgg 300
gcatttgatg agacagggcy gaatactgca gttttcctcc tagaaatcmt ctggggcatt 360
ttctttgaac tgatgggaac aataaggcat aactgtttgc acaaacttgg gataartgat 420
tttgggataa cgatctacca gaatggggat atttcaccct tggttctgag atgcaaacca 480
aagaatatca tgaccagctt tcaggcctcc tgaagtatat ctctcacatt gtcctgttct 540
catgctgagg agcctgagat ccctgtgtgg ggattagaca gtggactgtt atgggtgtag 600
gtgaattggc ttattttgtc tgtccctgtc tgaatgtatt gcaggaatta aaaaggacca 660
agaagaggaa gaagaccaag gccaccatg ccccgagctc agcagggagc tgctggaggt 720
agtagagcct gaagtcttgc aggactcact ggatagatgt tattcaactc cttccagttg 780
tcttgwaaca gcctgactcc tgccwgcctc ayrgaagttc cttttatgca ttggaggaaa 840
aacatgttgg cttttctctt ggacgtggga gaaattgaaa agaaggggaa ggggaagaaa 900
agaaggggaa gaagatcaaa gaagganaga agaaggggac g 941

```

&lt;210&gt; 473

&lt;211&gt; 1279

400

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1144)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1273)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 473

```
tcccgggtcg acccacgcgt ccgcggaacgc gtgggatcaa caaactcatc cgaattggca 60
ggaatgagtg tgtggttgtc attaggggtgg acaaagaaaa aggatatatt gatttgtcaa 120
aaagaagagt ttctccagag gaagcaatcaaatgtgaaga caaattcaca aaatccaaaa 180
ctgtttatag cattcttcgt catgttgctg aggtgttaga atacaccaag gatgagcagc 240
tggaagacct attccagagg actgcctggg tctttgatga caagtacaag agacctggat 300
atgggtgccta tgatgcattt aagcatgcag tctcagacct atctattttg gatagttag 360
atttgaatga agatgaacgg gaagtactca ttaataatat taataggcgc ttgacccac 420
aggctgtcaa aattcgagca gatattgaag tggcttgta tggttatgaa ggcattgatg 480
ctgtaaaaga agccctaaga gcaggtttga attgttctac agaaaacatg cccattaaga 540
ttaatctaata agctcctcct cggatatgtaa tgactacgac aaccctggag agaacagaag 600
gcctttctgt cctcagtcga gctatggctg ttatcaaaga gaagattgag gaaaagaggg 660
gtgtgttcaa tgttcaaatg gagcccaaag tggtcacaga tacagatgag actgaacttg 720
cgaggcagat ggagaggctt gaaagagaaa atgccgaagt ggatggagat gatgatgcag 780
aagaaatgga agccaaagct gaagattaac tttgtgggaa acagagtcca atttaaggaa 840
cacagagcag cgcttcctgg ctgtaaatcc tagacttgaa agttttccag tattgaaaac 900
ttcaaagctg aatatttttt atttctaagt atttaaatgt tctaacagat cagaacatga 960
aatgccctcc taaatgtcag ctgttggtcac acagtagctc caacactttg agcattttta 1020
agggagtggc ctcatctcac tagagacaaa tctttaagaa tagttctaaa attgggcttg 1080
tgatttccat ttctgatgtc tccagattgg caccctttc tagttcaatg cctcacgaga 1140
tttncagggg gcatccaagg caaacaatcc caatctttct atataaaatg tattcaagca 1200
aacatcaaat aaatttcttg gatattttaa aaaaaaaaaa aaaaaggggg gggccttaaa 1260
gaaccaagtt tantttggg 1279
```

&lt;210&gt; 474

&lt;211&gt; 3209

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (427)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 474

```
caactcccgg gacacatcct tcgagcagca tgtgctgtgg caacgggagg gaagggcggt 60
gacctggtct tgaactcctt ggcggaagag aagctgcarg ccagcgtgag gtgcttggt 120
acgcacgggtc gcttcctgga aattggcaaa ttcgaccttt ctcagaacca mccgctcggc 180
```

atggctatct tctgaagaa cgtgacatcc acgggggtcct actggatgcg ttcttcaaac 240  
gagagcagtg ctgactggcg ggaggtgtgg gcgcttgtgc aggccggcat ccgggatggg 300  
gtggtacggc ccctcaagt cactgtgttc catggggccc aggtggagga cgccttccgc 360  
tacatggccc aagggaagca cattggcaaa gtcgtcgtgc aggtgcttgc ggaggagccg 420  
gasagtngct gaagggggcc aaacccaagc tgatgtcggc catctccaag accttctgcc 480  
cggccacaaa gagctacatc atcgtctggtg gtctgggtgg ctctggcctg gagttggcg 540  
agtggctgat acagcgtggg gtgcagaagc tcgtgttgac ttctcgtcc gggatccgga 600  
caggctacca ggccaagcag gtccgcccgt ggaggcgcca gggcgtacag gtgcaggtgt 660  
ccaccagcaa catcagctca ctggaggggg cccggggsct cattgccgag gcggcgcact 720  
tgggcccgtg ggcgcgctct tcaacctggc cgtggtcttg agagatggct tgctggagaa 780  
ccagacccca gaggttctcc aggacgtctg caagcccaag tacagcgga ccctgaacct 840  
ggacagggtg acccgagagg cgtgccctga gctggactac tttgtggtct tctcctctgt 900  
gagctgcggg cgtggcaatg cgggacagag caactacggc tttgccaat ccgccatgga 960  
gcgtatctgt gagaacgcc ggacgaagg cctcccaggc ctggccgtgc agtggggcg 1020  
catcggcgac gtgggcattt tggaggagac gatgagcacc aacgacacga tcgtcagtgg 1080  
cacgtgccc cagcgcagtg cgtcctgcct ggaggtgctg gacctcttc tgaaccagcc 1140  
ccacatggct ctgagcagct ttgtgctggc tgagaaggct gcggcctata gggacagggga 1200  
cagccagcgg gacctgtgg aggcgtggc acacatyctg ggcattccgcg acctggctgc 1260  
tgtcaacctg gacagctcac tggcggacct ggccctggac tcgctcatga gcgtggaggt 1320  
gcgccagacg ctggagcgtg agctcaacct ggtgctgtcc gtgcgcgagg tgcggcaact 1380  
cacgtcccgg aaactgcagg agctgtcctc aaaggcggat gaggccagcg agctggcatg 1440  
ccccacgccc aaggaggatg gtctggccca gcagcagact cagctgaacc tgcgtccct 1500  
gctggtgaac ccggaggccc caccctgatg cggtcaact ccgtgcagag ctccggagcg 1560  
cccctgttcc tgggtgaccc aatcgagggc tccaccaccg tgttccacag cctggcctcc 1620  
cggctcagca tccccaccta tggcctgcag tgcaccagc ctgcgcccct tgacagcatc 1680  
cacagcctgg ctgcctacta catcgactgc atcaggcagg tgcagccga gggccctac 1740  
cgcgtggcgg gctactccta cggggcctgc gtggccttg aaatgtgctc ccagctgcag 1800  
gccagcaga gccagcccc caccacaac agcctcttc tgttcgacgg ctgcgccacc 1860  
tacgtactgg cctacacca gagctaccgg gcaaagctga cccagggctg tgaggctgag 1920  
gctgagacgg aggccatatg ctcttctgtg cagcagttca cggacatgga gcacaacagg 1980  
gtgctggagg cgtgctgcc gctgaagggc ctagaggagc gtgtggcagc cgcctggac 2040  
ctgatcatca agagccacca gggcctggac cgccaggagc tgagctttgc ggcccgttc 2100  
ttctactaca agctgcgtgc cgtgagcag tacacacca aggccaagta ccatggcaac 2160  
gtgatgtac tgcgcgcaa gacgggtggc gcctacggcg aggacctgg cgcggactac 2220  
aacctctccc aggtatgca cgggaaagta tccgtccacg tcatcgagg tgaccaccgc 2280  
acgtgctgg agggcagcg cctggagtcc atcatcagca tcattccag ctccctggct 2340  
gagccacgag tgagcgtgc ggagggtag gcccggtgcc ccgcctgcca ccggaggtca 2400  
ctccaccatc cccacccac cccacccac ccccgccatg caacgggatt gaagggtcct 2460  
gccggtggga ccctgtccg cccagtgcc ctgcccccg aggtgctag acgtaggtgt 2520  
taggcatgtc ccaccaccc gccgcctccc acggcacctc ggggacacca gagctgccga 2580  
cttgagagact cctggtctgt gaagagccgg tgggtgccgt gccgcagga actgggctgg 2640  
gcctcgtgcg cccgtgggt ctgcgttg tcttctgtg cttggatttg catatttatt 2700  
gcattgctgg tagagaccc caggcctgtc caccctgcca agactcctca ggcagcgtgt 2760  
gggtcccgca ctctgcccc atttccccga tgtcccctgc gggcgcgggc agccacccaa 2820  
gcctgctggc tgcggcccc tctcgccag gcattggctc agcccgtga gtggggggtc 2880  
gtgggagcag ccccgaggag ctgggcccct gcacaggcac acaggggccg gccacacca 2940  
gcggccccc gcacagccac ccgtgggtg ctgcccttat gcccgcgcc gggcaccaac 3000  
tccatgtttg gtgtttgtct gtgtttgttt tcaagaaat gattcaaatt gctgcttga 3060  
ttttgaaatt tactgtaact gtcagtgtac acgtctggac cccgtttcat tttacacca 3120  
atttggtaaa aatgctgctc tcagcctccc acaattaaac cgcatgtgat ctccaaaaa 3180  
aaaaaaaaa aaaaaaama mgcgtccgc 3209

<210> 475  
<211> 833  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (9)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (15)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (29)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (58)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (73)  
<223> n equals a,t,g, or c

<400> 475  
accaccgang tggangaccg actactgana actagtggat cccccgggac tgacaggnaa 60  
ttcggacacg agncagagat ggctcccaat gcttcctgcc tctgtgtgca tgtccggtcc 120  
gaggaatggg atttaatgac ctttgatgcc aaccatgatg acagcgtgaa aaaaatcaaa 180  
gaacatgtcc ggtetaagac caaggttcct gtgcaggacc aggttctttt gctgggctcc 240  
aagatcttaa agccacggag aagcctctca tcttatggca ttgacaaaga gaagaccatc 300  
caccttacct tgaaagtggg gaagcccagt gatgaggagc tgcccttggt tcttgtggag 360  
tcaggtgatg aggcaaagag gcacctcctc caggtgcgaa ggtccagctc agtggcacia 420  
gtgaaagcaa tgatcgagac taagacgggt ataatccctg agaccagat tgtgacttgc 480  
aatggaaaga gactggaaga tgggaagatg atggcagatt acggcatcag aaagggcaac 540  
ttactcttcc tggcatstta ttgtattgga ggggtgaccac cctgggcatg ggggtgttggc 600  
aggggtcaaa aagcttattt cttttaatct cttactcaac gaacacatct tctgatgatt 660  
tcccaaaatt aatgagaatg agatgagtag agtaagattt ggggtgggatg ggtaggatga 720  
agtatatgtc ccaactctat gtttctttga ttctaacaca attaatgaag tgacatgatt 780  
tttactaatg tattactgag actagtaaata aaatttttaa ggcaaaatag agc 833

<210> 476  
<211> 1141  
<212> DNA  
<213> Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (11)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 476

```

aaagtgtggg nggtggctttt ccctaacttg acycttcttt cagtgggagr gaactattga 60
gaggaacaaa gagcttataa atacattagg acctggaatt cagttgtcga gccaggacgg 120
tgacagcggt taacaaagct tagagaaacc tccaggagac tgctatcatg gcagagaagc 180
ccaagctcca ctacttcaat gcacggggca gaatggagtc caccocggtg ctccctggctg 240
cagctggagt agagtttgaa gagaaattta taaaatctgc agaagatttg gacaagttaa 300
gaaatgatgg atatttgatg ttccagcaag tgccaatggt tgagattgat gggatgaagc 360
tggtgcagac cagagccatt ctcaactaca ttgccagcaa atacaacctc tatgggaaa 420
acataaagga gagagccctg attgatatgt atatagaagg tatagcagat ttgggtgaaa 480
tgatccctct tctgcccgtg tgtccacctg aggaaaaaga tgccaagctt gccttgatca 540
aagagaaaat aaaaaatcgc tacttccctg cctttgaaaa agtctttaaag agccatggac 600
aagactacct tggtggcaac aagctgagcc gggctgacat tcatctgggt gaacttctct 660
actacgtcga ggagcttgac tccagtctta tctccagctt ccctctgctg aaggccctga 720
aaaccagaat cagcaacctg cccacagtga agaagtttct acagcctggc agcccaagga 780
agcctcccat ggatgagaaa tctttagaag aagcaaggaa gattttcagg ttttaataac 840
gcagtcattg aggccaagaa cttgcaatac caatgttcta aagttttgca acaataaagt 900
actttacctt agtggtgatt gtgcctgttg tgaagctaag gaactctttc aaattatatg 960
ctaattaaat aatacaactc ctattcgttg acttagttaa aattgatttg ttttcattag 1020
gatctgatgt gaattcagat ttccaatctt ctccatagcca accattttcc tggaattaaa 1080
aattcagtaa aaaaggaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1140
g                                                                 1141

```

&lt;210&gt; 477

&lt;211&gt; 1102

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 477

```

tttgacagta cgggtccggaa tcccgggtcg acccacgcgt ccgggaattc atgtggaggt 60
cagagtggaa gcaggtgtga gaggggtccag cagaaggaaa catggctgcc aaagtgtttg 120
agtccattgg caagtttggc ctggccttag ctggtgcagg aggcgtggtg aactctgcct 180
tatataatgt ggatgctggg cacagagctg tcatctttga ccgattccgt ggagtgcagg 240
acattgtggt aggggaaggg actcattttc tcatcccggt ggtacagaaa ccaattatct 300
ttgactgccg ttctcgacca cgtaatgtgc cagtcacac tggtagcaaa gatttacaga 360
atgtcaacat cacactgcgc atcctcttcc ggcctgtcgc cagccagctt cctcgcatct 420
tcaccagcat cggagaggac tatgatgagc gtgtgctgcc gtccatcaca actgagatcc 480
tcaagtcagt ggtggctcgc tttgatgctg gagaactaat caccagaga gagctggtct 540
ccaggcaggt gagcgacgac cttacagagc gagccgccac ctttgggctc atcctggatg 600
acgtgtcctt gacacatctg accttcggga aggagtccac agaagcgggt gaagccaaac 660
aggtggctca gcaggaagca gagagggcca gatttgtggt ggaaaaggct gagcaacaga 720
aaaaggcggc catcatctct gctgagggcg actccaaggc agctgagctg attgccaact 780
cactggccac tgcaggggat ggcctgatcg agctgcgcaa gctggaagct gcagaggaca 840
tcgctacca gctctcacgc tctcggaaca tcacctacct gccagcgggg cagtccgtgc 900
tctccagct gccccagtga gggcccaccc tgcctgcacc tccgcgggct gactggccac 960
agccccgatg attcttaaca cagccttctt tctgctocca cccagaaat cactgtgaaa 1020

```

tttcatgatt ggcttaaagt gaaggaaata aaggtaaaat cacttcagaa aaaaaaaaaa 1080  
aaaaaaaaacc ccgggggggg gc 1102

<210> 478

<211> 4201

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (4077)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (4161)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (4186)

<223> n equals a,t,g, or c

<400> 478

gcggacgcgt gggcggacgc gtgggtscgg acgcgtgggc tcgcggcgcc gcctcctgct 60  
cctcccgcgt ctgctgccgc tgccgccctg agtcaactgcc tgcgcagctc cggccgcctg 120  
gtccccata ctagtcccg atatttgag ttcttacaac atggcagaca ttgacaacaa 180  
agaacagtct gaacttgatc aagatttga tgatgttgaa gaagtagaag aagaggaaac 240  
tggtgaagaa acaaaactca aagcacgtca gctaactgtt cagatgatgc aaaatcctca 300  
gattccttga gcccttcaag aaagacttga tggctctgga gaaacaccaa caggatacat 360  
tgaaagcctg cctagggtag ttaaaagacg agtgaatgct ctcaaaaacc tgcaagttaa 420  
atgtgcacag atagaagcca aattctatga ggaagttcay gatcttgaaa ggaagtatgc 480  
tgttctctat cagcctctat ttgataagcg atttgaaatt attaatgcaa tttatgaacc 540  
tacggaagaa gaatgtgaat ggaaaccaga tgaagaagat gagatttcgg aggaattgaa 600  
agaaaaggcc aagattgaag atgagaaaaa ggatgaagaa aaagaagacc ccaaaggaat 660  
tcctgaattt tggttaactg tttttaagaa tgttgacttg ctcagtata tggttcagga 720  
acacgatgaa cctattctga agcacttgaa agatattaaa gtgaagttct cagatgctgg 780  
ccagcctatg agttttgtct tagaatttca ctttgaaccc aatgaatatt ttacaaatga 840  
agtgtgaca aagacataca ggatgaggtc agaaccagat gattctgac ccttttcttt 900  
tgatggacca gaaattatgg gttgtacagg gtgccagata gattggaaaa aaggaaagaa 960  
tgtcactttg aaaactatta agaagaagca gaaacacaag ggacgtggga cagttcgtac 1020  
tgtgactaaa acagtttcca atgactcttt ctttaacttt tttgcccctc ctgaagttcc 1080  
tgagagtgga gatctggatg atgatgctga agctatcctt gctgcagact tcgaaattgg 1140  
tcacttttta cgtgagcgta taatcccaag atcagtgtta tattttactg gagaagctat 1200  
tgaagatgat gatgatgatt atgatgaaga aggtgaagaa gcggatgagg gttatcagct 1260  
ctttgaagaa gtcaaaagct gcagtaaaact tttccaacgt tggctgcagt aactattttc 1320  
aataaaagct gtctggatgt ctcaagttgt gttgggaaat ttttcatatt agaagctttc 1380  
aaattaaatt gtattatcat caaagctgt aatcatgaaa atctgttgat ccgtagagta 1440  
acttgattta aattttccct acattatgag ccagtttacc tactatgtac atacttcatg 1500  
gatgcatttt gaactttaat ataggaaagg gaagaagaag gagatgagga aaatgatcca 1560  
gactatgacc caaagaagga tcaaaaccca gcagagtga agcagcagtg aagcaggatg 1620

```

tatgtggcct tgaggataac ctgcactggt ctaccttctg cttccctgga aaggatgaat 1680
ttacatcatt tgacaagcct attttcaagt tatttggtgt ttgtttgctt gtttttgttt 1740
ttgcagctaa aataaaaatt tcaaatacaa ttttagttct tacaagataa tgtcttaatt 1800
ttgtaccaat tcaggtagaa gtagaggcct accttgaatt aaggggtata ctcagttttt 1860
aacacattgt tgaagaaaag gtaccagctt tggaacgaga tgctatacta ataagcaagt 1920
gtaaaaaaaa aaaaaaaga ggaagaaaat cttaagtgat tgatgctgtt ttctttttaa 1980
aaaaaaaaaa taaaattcat tttctttggg ttagagctag agagaaggcc ccaagcttct 2040
atggtttctt ctaattctta ttgcttaaag tatgagtatg tcacttacct gtgcttctgt 2100
ttactgtgta attaaaatgg gtagtactgt ttacctaaact acctcatgga tgtgttaagg 2160
catattgagt taaatctcat ataatgtttc tcaatcttgt taaaagctca aaattttggg 2220
cctatttgta atgccagtgt gacactaagc attttggtca caccacgctt tgataactaa 2280
actggaaaac aaagggtgta agtacctctg ttctggatct gggcagtcag cactcttttt 2340
agatctttgt gtggctccta tttttataga agtggaggga tgcactatct cacaaggctc 2400
aagatttggt ttcagatatt tttgatgact gtattgtaaa tactacaggg atagcactat 2460
agtattgtag tcatgagact taaagtggaa ataagactat ttttgacaaa agatgccatt 2520
aaatttcaga ctgtagagcc acatttaca tacctcagcc taattactgt taattttggg 2580
gttgaacttt tttttgacag tgagggtgga ttattggatt gtcattagag gaaggctag 2640
atttcctgct cttaataaaa ttacattgaa ttgattttta gaggtaatga aaacttcctt 2700
tctgagaagt tagtgtttaag gtcttggaat gtgaacacat tgtttgtagt gctatccatt 2760
cctctcctga gattttaact tactactgga aatccttaac caattataat agcttttttt 2820
ctttattttc aaaaatgatt cctttgcttt gattagacac tatgtgcttt ttttttttaa 2880
ccatagttca tcgaaatgca gctttttctg aacttcaaag atagaatccc atttttaatg 2940
aactgaagta gcaaaatcat ctttttcatt ctttaggaaa tagctattgc caaagtgaag 3000
gtgtagataa tacctagtct tgttacataa aggggatgtg gtttgagaa gaattttctt 3060
tataaaattg aagttttaag ggacgtcagt gtttatgcca tttttccagt tccaaaatga 3120
ttccattcca ttctagaaat ttgaagtatg taacctgaaa tccttaataa aatttggtt 3180
taattttata aaatgtactg gtgatatttt ggggtgtttt ttttaaatga atgtatatac 3240
tttttttttg aagagtggag agtagtgatg tctagaggga gctattttgt gctgaggcca 3300
ctatgttctg taaatatata attttaagag caacctcaca atccctgcta agtggagttt 3360
attatttgaa gactaaaatg gaattccata gttcctgata ggttatattc tgrgttatta 3420
ttctgagtta tctacaaaca tttttgagat ttgtctttac actctgattg tagtttccag 3480
cagcccatgc aactgccaa gtaagtctca ttttttcctg ttagaaatgg tgaaatatca 3540
tataatcact tataaagaaa actgatatga aaaaatttta gagttgtttg ctttatggtc 3600
actcaagtag ggtaagtgtt ccacaaattc cacaagttga tagtttaaca tggatgtctg 3660
aaagccacat atataatttc ttaggattct taaattagta aatctagctt actgaagcag 3720
tattagcatc actatttttag attgcaaaa taccttaatt gtgtggaact ggcttgtaga 3780
gtggtactta agaaaaatgg gattctacct ctatttctgt tttagcacac ttaatcagga 3840
aaggatatat taactttcat aaaaatattt ttgttggtgt aatagggtta tgatatggtta 3900
aggcccctaa aataactgaa ttaattgttt attgtaattg taggccattc ccattattaa 3960
aaataaagac aaaacttgaa gtaactgaaa atcttatcgt gctatgtaga aatattgaac 4020
taatattcaa atatttgaat gctttgggtt cagggtattg tttaaaattg gagtccnttt 4080
tttatggggt tagtcttaca aaaatttaag cctttatatt tttgacttta aatcaaaacc 4140
aaatgttatt ttaaattgtac nggaatwga ttgggtagggt gcmggnagga rtgtwagggt 4200
c

```

&lt;210&gt; 479

&lt;211&gt; 787

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

<221> misc feature

<222> (780)

<223> n equals a,t,g, or c

<400> 479

```
gcagagcgca tgctctctct tgcccagat gccgaggatt ttgacaagga ctccgctcgtc 60
ccggatgata gtgctcaggt taatgccagt gggagggcgg cgcccaatag taacttcctt 120
tgagggttgt agtaccgccc ccagagccaa ttttccactt ccgcktccgg cgctgcggca 180
gtccagatca aaaatggcgg tagttggtgt gtccctcggtt tctcggctgc tgggtcggtc 240
ccgcccacag ctggggcggc ctatgtcgag tggcgcccat ggcgaagagg gctcagctcg 300
catgtggaag actctcacct tcttcgtcgc gctccccggg gtggcagtc gcatgctgaa 360
tgtgtacctg aagtcgcacc acggagagca cgagagacc gagttcatcg cctaccccc 420
tctccgcatc aggaccaagc cgtttccctg gggagatggt aaccatactc tattccataa 480
ccctcatgtg aatccacttc caactggcta cgaagatgaa taaagagaat ctggaccact 540
acccgggcac cagggaccac agcactgggt tggaccgtta ctctgcacat ggaccagaaa 600
aagtatatgg gaccttaagc tcaccttctt tacttgtatc aaatgatgac tggatatactg 660
gtctcccatc cttttgcttg tggcaggaga tggcttaaat aaataactta aayttaaaaa 720
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaactn 780
ggggccg 787
```

<210> 480

<211> 731

<212> DNA

<213> Homo sapiens

<400> 480

```
gaaaaccag gcagccagcg tggaggtgt taagatgctg gatgagatcc tcctgcagct 60
gagcgctca gtgccgttg acgtgatgcc aggcgagttt gatcccacca attacacgct 120
ccccagcag cccctccacc cctgcatgtt cccgctggcc actgcctact ccacgctcca 180
gctggtcacc aaccctacc aggccaccat tgatggagtc agatttttgg ggacatcagg 240
acagaacgtg agtgacattt tccgatacag cagcatggag gatcacttgg agatcctgga 300
gtggacccty cgggtccgtc acatcagccc cacagcccct gacactctag gttgttacc 360
cttctacaaa actgaccogt tcatcttccc agagtgcccg catgtctact tttgtggcaa 420
cacccccagc tttggctcca aaatcatccg aggtcctgag gaccagacag tgctgttggt 480
gactgtccct gacttcagtg ccacgcagac cgcctgcctt gtgaacctgc gcagcctggc 540
ctgccagccc atcagcttct cgggcttcgg ggcagaggac gatgacctgg gaggccttgg 600
ctgggcccct gactcaaaaa agtggtttt accagagagg cccagatgga ggctgttcat 660
tccctgcagt gtcggcattg taaataaagc ctgagcactt gctgatgcga aaaaaaaaaa 720
aaaaaaaaa a 731
```

<210> 481

<211> 1119

<212> DNA

<213> Homo sapiens

<400> 481

```
aataacgtgg caaccacca cgagcccggc tcgggtgccc ccccgccagg ggacctacta 60
tccggcgccg agccggaggg gggaaacgrc gcccgccgcc cgcccgagc ccgcgagcaa 120
ccccagtccc cccacccgc gcgtggcggc gccggctccc tagccaccgs ggccccaccc 180
tcttcgggcc tcagctgtcc gggtgcttt cgcctccgcc tgtggatgct gcgcctctcc 240
gaacgcaaca tgaagggtgt ccttgccgcc gccctcatcg cgggggtccgt cttcttctgt 300
```



```

ctgctgccgg gaccttctgc ggccgatgag aagaagaagg ggcccaaagt caccgtcaag 360
gtgtattttg acctacgaat tggagatgaa gatgtaggcc ggtgatctt tggctctctc 420
ggaaaagactg ttccaaaaac agtgataat tttgtggcct tagctacagg agagaaagga 480
tttggctaca aaaacagcaa attccatcgt gtaatcaagg acttcatgat ccagggcgga 540
gacttcacca ggggagatgg cacaggagga aagagcatct acggtgagcg cttccccgat 600
gagaacttca aactgaagca ctacgggcct ggctgggtga gcatggccaa cgcaggcaaa 660
gacaccaacg gctcccagtt cttcatcacg acagtcaaga cagcctggct agatggcaag 720
catgtgggtg ttggcaaaagt tctagagggc atggaggtgg tgcggaagggt ggagagcacc 780
aagacagaca gccgggataa acccctgaag gatgtgatca tcgcagactg cggcaagatc 840
gaggtggaga agccctttgc catcgccaag gagtagggca caggacatc tttctttgag 900
tgaccgtctg tgcaggccct gtagtccgcc acagggtctt gagctgcact ggccccggtg 960
ctggcatctg gtggagcgga cccactcccc tcacattcca caggcccatg gactcacttt 1020
tgtaacaaac tcctaccaac actgaccaat aaaaaaaaaa gtgggttttt ttttttttta 1080
ataaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaagg 1119

```

<210> 482

<211> 2056

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (137)

<223> n equals a,t,g, or c

<400> 482

```

ccagccgagc gtcgcgaggc cgcggggggc cctgccggcc gcctcgccga gcctcctggg 60
gcgcccgggc ccgcgacccc cgcacccagc tccgcagacc ggcggggcgc cgcgggctct 120
ggaggccacg ggcgatnatg cttcgggtcc tgggtggggc tgcctccct gccatgctac 180
tggctgcccc accacccatc aacaagctgg cactgttccc agataagagt gcctggtgag 240
aagcaagaac atcacccaga tcgtggggcca cagcggtgtg gaggccaagt ccatccagaa 300
cagggcggtg ctaggacagt gcttcagcta cagcgtcccc aacaccttcc cacagtccac 360
agagtccctg gttcactgtg actcctgcat gccagcccag tccatgtggg agattgtgac 420
gctggagtg cggggccacg aggaggtgcc cagggtggac aagctggtgg agaagatcct 480
gcactgtagc tgccaggcct gcggcaagga gcctagtcac gaggggctga gcgtctatgt 540
gcagggcgag gacggggcgg gatcccagcc cggcaccac cctcaccccc atccccaccc 600
ccatcctggc gggcagaccc ctgagcccga ggacccccct gggggccccc acacagagga 660
agaggggggt gaggactgag gcccccccaa ctcttctcc cctctcatcc ccctgtggaa 720
tgttgggtct cactctctgg ggaagtcagg ggagaagctg aagccccct ttggcactgg 780
atggacttgg cttcagactc ggacttgaat gctgcccggt tgccatggag atctgaaggg 840
gcgggggttag agccaagctg cacaatttaa tatattcaag agtgggggga ggaagcagag 900
gtcttcaggg ctcttttttt gggggggggg tggctcttct ctgtctggct tctagagatg 960
tgctgtggg agggggagga agttggctga gccattgagt gctgggggag gccatccaag 1020
atggcatgaa tcgggctaag gtccctgggg gtgcagatgg tactgtgag gtcccgggct 1080
tagtgtgagc atcttgccag cctcaggctt gaggagggc tgggctagaa agaccactgg 1140
cagaacagg aggtccggc cccacagggt tccccaggc ctctcaccac acttcccatc 1200
tccagggaag cgtcgcccca gtggcactga agtggccct cctcagcgga ggggtttggg 1260
agtcaggcct gggcaggacc ctgctgactc gtggcgcggg agctgggagc caggctctcc 1320
gggcctttct ctggcttcct tggcttgcc gtggggggaa ggggagggag ggaagaagga 1380
aagggaagag tcttccaagg ccagaaggag ggggacaacc cccaagacc atccctgaag 1440
acgagcatcc ccctcctctc cctgttagaa atgttagtgc cccgcactgt gccccaagtt 1500

```

```

ctaggccccc cagaaagctg tcagagccgg ccgccttctc ccctctccca gggatgctct 1560
ttgtaaatat cggatgggtg tgggagttag gggttacctc cctcgcccca aggttccaga 1620
ggccctaggc gggatgggtg cgcgtgaacct cgaggaaactc caggacgagg aggacatggg 1680
acttgcggtg acagtcaggg ttacttggg ctctctctag ctccccaatt ctgcctgcct 1740
cctccctccc agctgcactt taaccctaga aggtggggac ctggggggag ggacagggca 1800
ggcgggcccc tgaagaaagc ccctcggtgc ccagcactgt ctgcgtctgc tcttctgtgc 1860
ccagggtggc tgccagccca ctgcctctg cctggggtgg cctggccctc ctggctgttg 1920
cgacgggggc ttctggagct tgtcaccatt ggacagtctc cctgatggac cctcagtctt 1980
ctcatgaata aattccttca acgccaacaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2040
aaamaggggg gggccc                                     2056

```

&lt;210&gt; 483

&lt;211&gt; 887

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 483

```

tgctacaaat aggaaggaat tgtaataatg atatttgcc tctactttgt cttagctgtt 60
aaactgtttt tagtattttt gttaaataat tgcaaaggga agcattttct acagaggata 120
attaatttca agaaaaatat cttgagtttt aagaaataaa catctccaga aaaggagaaa 180
gtcgatttta taaaatgtcg caactctcca acatttgggg tagtgactcc ttttttgta 240
ggacatttga aactagcaag cagccattgt ttctaaagaa ttctggcttc acattgactc 300
atgtttcttt cactccattt tgaaatagct aaaaatcatt aaaactgtaa atattttgtt 360
gcttgggtaa gcatcttctg ggaactttgt atctatggta tataatcata gaattttata 420
ttttcatata aagctaattt ttttctagtt tcaactccgt catagtkttt tttccttttt 480
gtggtggata tgtgaattca actttctgtg tattgaagta gcaaaaacca tctttacatt 540
ccaaaagaat ccaacatgtg ttatttcttt gaggcagtga ttgtgaaagt tgggttttct 600
ttttaattcc attgaccatt tgtgcaatag gaattagaca taattagtca ctgaaaacat 660
tcgtcacatt gaccattttg gaaaaagtgt gctttttttt tttttttaa tttgttcagg 720
gggaggggtt ttgtaacctg aaatttttcc cttttctctc tgtttaaact atatcaaatc 780
attctattat agtgttattt aatatgtaa ttgtattgct atacataaaa taagtagtgg 840
ttttgatgtg aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aataaaa                                     887

```

&lt;210&gt; 484

&lt;211&gt; 1878

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1446)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 484

```

tctcctcgtg gctagttcag gcggaaggag cagtcctctg aagcttgagg agcctctaga 60
actatgagcc cgaggccttc ccctctccca gagcgagagg gctttgaagg ctacctctgg 120
gaagcgcgtc accgtcggaa gctgcgggag ctgaaactgc gccatcgta ctgtcggcgg 180
ccatgacacc gctcgtytcc cgcctgaktc gtctgtgggc catcatgagg aagccacgag 240
cagccgtggg aagtgggtcac aggaagcagg cagccagcca ggaagggagg cagaagcatg 300
ctaagaacaa cagtcaggcc aagccttctg cctgtgatgg cctggccagg cagccggaag 360
aggtggtatt gcaggcctct gtctcctcat accatctatt cagagacgta gctgaagtca 420

```

```

cagccttccg agggagcctg ctaagctggt acgaccaaga gaaacgggac ctaccatgga 480
gaagacgggc agaagatgag atggacctgg acaggcgggc atatgctgtg tgggtctcag 540
aggatcatgct gcagcagacc cagggtgccca ctgtgatcaa ctactatacc ggatggatgc 600
agaagtggcc tacactgcag gacctggcca gtgcttccct ggaggagggtg aatcaactct 660
gggctggcct gggctactat tctcgtggcc ggcggctgca ggaggaggct cggaagggtg 720
tagaggagct agggggccac atgccacgta cagcagagac cctgcagcag ctccctgcctg 780
gcgtggggcg ctacacagct gggggcattg cctctatcgc ctttggccag gcaaccgggtg 840
tggtggatgg caacgtagca cgggtgctgt gccgtgtccg agccattgggt gctgatccca 900
gcagcaccct tgtttcccag cagctctggg gtctagccca gcagctgggtg gacccagccc 960
ggccaggaga tttcaaccaa gcagccatgg agctaggggc cacagtgtgt accccacagc 1020
gcccactgtg cagccagtgc cctgtggaga gcctgtgccg ggcacgccag agagtggagc 1080
aggaacagct cttagcctca gggagcctgt cgggcagtcc tgacgtggag gagtgtgctc 1140
ccaacactgg acagtgccac ctgtgcctgc ctccctcgga gccctgggac cagaccctgg 1200
gagtgggtcaa cttccccaga aaggccagcc gcaagcccc cagggaggag agctctgccca 1260
cctgtgttct ggaacagcct gggggcccttg gggcccaaat tctgctgggtg cagaggccca 1320
actcaggtct gctggcagga ctgtgggagt tcccgctcgt gacctgggag ccctcagagc 1380
agcttcagcg caaggccctg ctgcaggaac tacagcgttk ggctggsgcc ctcccagcca 1440
cgcacntccg gcaccttggg gaggttgtcc acaccttctc tcacatcaag ctgacatc 1500
aagtatatgg gctggccttg gaaggcaga cccagtgac caccgtacca ccaggtgctc 1560
gctgctgacg caggaggaat ttcacaccgc agctgtttcc accgccatga aaaaggtttt 1620
ccgtgtgtat cagggccaac agccagggac ctgtatgggt tccaaaagggt cccaggtgctc 1680
ctctccgtgc agtcggaaaa agccccgcct gggccagcaa gtccctggata atttctttcg 1740
gtctcacatc tccactgatg cacacagcct caacagtga gcccagtgac acctctgaaa 1800
gccccattc cctgagaatc ctgtgttag taaagtgtt atttttgtag ttaaaaaaaa 1860
aaaaaaaaa aaaaaaaa 1878

```

&lt;210&gt; 485

&lt;211&gt; 1566

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 485

```

ctttcatact accctttagt cataaggaga aaaaaacact caaatagtag aagcagcaag 60
tagcaaacct caggagagct actttctatc caaataatct aaaaaacact ttccacctac 120
tcctttcatg gttataacac attggcagac tttttgctgg ctctgggagc catgatttta 180
atcacattct gcaagggtgac aaatgtcata cattccacat tgtgtggtag ccatctcttt 240
agactcatgt gttttgggga aaggagaag ttcttggtg agtactatct tgaactttcc 300
agaaccctct cacaccagag acagtcttc tctgttcagt ttccaatccc cgataatttg 360
ctaaaataac attgtacatc caagagaggg aagaagagta tgtcagtata ttatgcagaa 420
gatagataca gccttttcag aagatctcca ctagttttg ttccaaaaat tcaagtttat 480
gggagaaatc tcaattagcc accttttcac agttgtgtgg atataacatt tgggggatct 540
ttctggactc ctacctatct gtgcatttta ccggcacctc aggaaaggag ggtgaccagg 600
ttgtcttagc ttgtactgct tggatgctc tgaggacctt ctaattcagt tgtacccag 660
tggtccatgt atagaaaaac ttcattagaa caaactttac ttgatatgaa actcctatta 720
acagttcttt tttgaaataa aaagtagctt gagctttctt ttaaaatcat gtatcttgat 780
tgttgattta atgaaggatt tccttttaat gctgcttttg agcttcaagg taataggaca 840
gcaggaaacct aaaatatctg ccatcatctg ccataggaaa gatacccaga gacccatcat 900
gttctctttt tgttgttaca ctgttggtg ggtataacaa ttggaaaatg aacaaactga 960
ttgattgtgc aaactacttt ttatgacaag cctaaacct cataatgcgg cagcttaaa 1020
tgtatacata tgcactaact ttgatcaatt atattctcat atctgttagc tacacagtct 1080
cctattatct caattgctta tgtgcatatg gaatatgtta cttaaacgt gtgcattctt 1140

```

```

actgaaaatg ttttcaaagg aaggtatcag ctgtgggcta attgccacca atttcagcct 1200
gccacgattc ttggaaatat gtcttccaag tgccatccat catcagtagg acaagtgtcg 1260
ggagtttggt tatttttttc cagtagcaac gatgggttac atggagccat gaaacctcct 1320
tctggcctcc cttgtgatta atggcatgtg tttgtaaaat ggatagctgg ggttggcaga 1380
tggctagaga agaatgcgct ttggtttaaa atgtatgtgg tcccctaata attgtgacct 1440
cattctgtaa tcaactgagc tagttccaat aaagttaagc aggtttaaat ccactttgtg 1500
cctatctttt cactgacaat aaagttagct attttaaaat gcaaaaaaaaa aaaaaaaaaa 1560
aaaatt                                           1566

```

&lt;210&gt; 486

&lt;211&gt; 3046

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 486

```

gtcgacccac gcgtccggac accgccgcag ttgccggtac atcggggatt tctggctcct 60
tcctcttcgc cttaaattcg ggtgtctttt atgaataatc aaaagcagca aaagccaacg 120
ctatcaggcc agcgttttaa aactagaaaa agagatgaaa aagagagggt tgaccctact 180
cagtttcaag actgtattat tcaaggctta actgaaaccg gtactgattt ggaagcagta 240
gctaagtttc ttgatgcttc tggagcaaaa cttgattacc gtcgatatgc agaaacactc 300
tttgacattc tgggtggctgg tggaatgctg gcccaggtg gtacactggc agatgacatg 360
atgcgtacag atgtctgcgt gtttgcagcc caagaagatc tagagacatc gcaagcattt 420
gctcagggtt ttaacaagtt aatcaggcgc tacaataacc tggagaaagg ttttgaagat 480
gaagtaaaaa agctgctgct gttcttgaag ggtttttcag agtcggagag gaacaagcta 540
gctatgttga ctggtgttct tctggctaata ggaacactta atgcatccat tcttaatagc 600
ctttataatg aaaatttggg taaagaagga gtttcagcag cttttgctgt gaagctcttt 660
aaatcatgga taaatgaaaa agatatcaat gcagtagctg caagtcttcg gaaagtcagc 720
atggataaca gactgatgga actctttcct gccataaagc aaagtgttga acacttcaca 780
aaatatttta ctgaggcagg cttgaaagag ctttcagaat atgttcggaa tcagcaaacc 840
atcgagctc gtaaggagct ccagaaagaa cttcaagaac agatgtcccg tggatgacca 900
tttaaggata taattttata tgtcaaggag gagatgaaaa aaaacaacat cccagagcca 960
gttgtcatcg gaatagtctg gtcaagtgtg atgagcactg tggaatggaa caaaaaagag 1020
gagctttag cagagcaagc catcaagcac ttgaagcaat acagccctct acttgctgcc 1080
tttactactc aaggtcagtc tgagctgact ctgttactga agattcagga gtattgctat 1140
gacaacattc atttcatgaa agccttccag aaaatagtgg tgctttttta taaagctgaa 1200
gtcctgagcg aggagcccat tttgaagtgg tataaagatg cacatgttgc aaaggggaag 1260
agtgttttcc ttgagcaaat gaaaaagttt gtagaatggc tcaaaaatgc tgaagaagaa 1320
tctgaatctg aagctgaaga aggtgactga attttgaac tacaccctca gtaaagcaaa 1380
caggagtgt agataaaatg tcatgtctca tgtgtcctgg ttcttacatc ttccctacctc 1440
cctgtatcaa gcatgatata agggctttca tggcaaat ttttttaact gtttctatgg 1500
ttgctggaaa tgttgggttt agtttctaaa accatgtttt aagtagctac aggagctata 1560
gatttgaatc taatgttgca ttagtctttt cagttatctt ctacctctg tattttctac 1620
tgtaataatg taatttaagg ccttccacaa tgaacagttc actttattcc ctgggttttc 1680
tataaacagt ttaagcata tgatttggtt aaaaaataat ttgttataaa aattctgttt 1740
gcaaatataa ctggaaaagt atccagagtc tcaaaaggca atgatttgtg agataatatg 1800
gcatgcccgg agcctgctc atcaatgaaa aaccatag taataatcga attcatttaa 1860
catgaatctt gactacgtgg accattgctt gcatgttaac tttttgtttt gttttgtttt 1920
gttttgtttt gcatttttta ctccagatat cctaaagctc aattgtttgg tctctggttt 1980
tcaccttag agaagccatg gagaacagac ttgaaaagt taggaaatca taatgtggca 2040
gaggtggtgg gaagaagaaa gttgagcttt tccccttga gaaacttctg catttagttt 2100
ctatctttcc aggcacaaaca aatgggtatt ctttccatc aaccattttc aatgaacct 2160

```

```

tagaaaagtc ttaacattta aggtatttta tgcacagaat acacttagat tgataggaaa 2220
gaactcgtaa tggagtttga gtaaagaaaa tgactgatgt actaaaccca gtaaaaattg 2280
ttgaaaatgt taaaggtcag catgttctaa ttgggaatct agatatagct tagatttcct 2340
attggcttag agtatttgct ataacaaatg aagtgcaatg acaattatat attcctactc 2400
ggtcatactg gactggcttc gttctcttaa tatactcagt aatgactcaa gcctctggct 2460
attaacatac cctagttgcc gttttttaat tgccatgagc caaatacttc ttggtataca 2520
attgatccat ttattttaat ggctgccttt tcattttcat cttttcttgc tgctacccat 2580
ctatgtatgt agtcattggg gggaaaatgt agccacattt tttatgggaa gactttgtgt 2640
taaaagtga cttttgaag gtttttaact ggtgaaacta gcctggaata atgccaccag 2700
agactgagtg gaaatcgccc cttttgaagg tgccattctt atgagccaaa agtttgtcat 2760
ttaaaagtgc attttgaggg aataacatgt aatataattt gaaataaagg tataagtaacc 2820
ttaaaaagaa cattataact gattgtttgt aatggggtga atttgttaaa atgagtaact 2880
ttgataaagt ttttcatgca caggcaaaat gtattcacta gatttctacg tagtgatctg 2940
cttttacttt gtaatttgta gttctcaaaa gacttttttt taaaaaata aagtcctaac 3000
ttacacttaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaa 3046

```

&lt;210&gt; 487

&lt;211&gt; 1904

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 487

```

ctgggtactgc agcgtaggcc tcgcctcaac ggcaggagag caggcggtcg cggttgcgtgc 60
agccttcagt ctccaccggg actacgccat gttgggggtt gtgggtcggg tggccgctgc 120
tccggcctcc ggggccttgc ggagactcac cccttcagcg tcgctgcccc cagctcagct 180
cttactgcgg gccgctccga cggcgggtcca tcctgtcagg gactatgcgg cgcaaacatc 240
tccttcgccaa aaagcaggcg ccgccaccgg gcgcctcgtg gcggtcattg gcgcagtggg 300
ggacgtccag tttgatgagg gactaccacc aattctaaat gccctggaag tgcaaggcag 360
ggagaccaga ctggttttgg aggtggccca gcatttgggt gagagcacag taaggactat 420
tgctatggat ggtacagaag gcttggttag aggccagaaa gtactggatt ctggtgcacc 480
aatcaaaatt cctgttggtc ctgagacttt gggcagaatc atgaatgtca ttggagaacc 540
tattgatgaa agaggtccca tcaaaaccaa acaatttgct cccattcatg ctgaggtccc 600
agagttcatg gaaatgagtg ttgagcagga aattctggtg actggtatca aggttgcga 660
tctgctagct ccctatgcc aagggtggcaa aattgggctt tttggtggtg ctggagttgg 720
caagactgta ctgatcatgg agttaatcaa caatgtcgcc aaagcccatg gtggttactc 780
tgtgtttgct ggtgttgggt agaggaccgg tgaaggcaat gatttatacc atgaaatgat 840
tgaatctggt gttatcaact taaaagatgc cacctctaag gtagcgctgg tatatggtca 900
aatgaatgaa ccacctggtg ctctgccccg ggtagctctg actgggctga ctgtggctga 960
atacttcaga gaccaagaag gtcaagatgt actgctattt attgataaca tcttctgctt 1020
caccaggct ggttcagagg tgtctgcatt attgggccga atcccttctg ctgtgggcta 1080
tcagcctacc ctggccactg acatgggtac tatgcaggaa agaattacca ctaccaagaa 1140
gggatctatc acctctgtac aggttatcta tgtgcctgct gatgacttga ctgacctgc 1200
ccctgctact acgtttgccc atttgatgac taccactgta ctgtcgcgtg ccattgctga 1260
gctgggcata tatccagctg tggatcctct agactccacc tctcgtatca tggatcccaa 1320
cattgttggc agtgagcatt acgatgttgc ccgtggggtg caaaagatcc tgcaggacta 1380
caaatccctc caggatatca ttgccatcct gggatgggat gaactttctg aggaagacaa 1440
gttgaccgtg tcccgtgcac ggaaaataca gcgtttcttg tctcagccat tccaggttgc 1500
tgaggtcttc acaggtcata tggggaagct ggtacccttg aaggagacca tcaaaggatt 1560
ccagcagatt ttggcaggtg aatatgacca tctcccagaa caggccttct atatggtggg 1620
accattgaa gaagctgtgg caaaagctga taagctggct gaagagcatt catcgtgagg 1680
ggtctttgtc ctctgtactg tctctctcct tgcccctaac ccaaaaagct tcatttttct 1740

```

```

gtgtaggctg cacaagagcc ttgattgaag atatattctt tctgaacagt atttaagggt 1800
tccaataaaa tgtacacccc tcaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1860
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaa 1904

```

<210> 488

<211> 827

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (5)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (826)

<223> n equals a,t,g, or c

<400> 488

```

gtacngattc ccggtcgacc caccggtccg acatggagct gttcctcgcg ggccgcgggg 60
tgctggtcac cggggcaggc aaaggtatag ggcgcgccac ggtccaggcg ctgcacgcga 120
cgggcgcgcg ggtggtggct gtgagccgga ctgagcgga tcttgacagc cttgtccgcg 180
agtgcccggg gatagaaccc gtgtgctgtg acctgggtga ctgggaggcc accgagcggg 240
cgctgggcag cgtgggcccc gtggacctgc tgggtaacaa cgccgctgtc gcagattgtg 300
gccaggggct taatagcccc gggagctcca ggggccatcg tgaatgtctc cagccagtgc 360
tcccagcggg cagtaactaa ccatagctgc tactgctcca ccaagggtgc cctggacatg 420
ctgaccaagg tgatggccct agagctcggg cccacaaga tccgagtga tgcagtaaac 480
cccacagtgg tgatgacgtc catgggccag gccacctgga gtgaccccca caaggccaag 540
actatgctga accgaatccc acttggaag tttgctgagg tagagcacgt ggtgaacgcc 600
atcctctttc tgctgagtga ccgaagtggc atgaccacgg gttccacttt gccggtggaa 660
gggggcttct gggcctgctg agctccctcc acacacctca agcccatgc cgtgctcctc 720
ctaccccaa tcctccaat aaacctgatt ctgctgcccc aaaaaaaaaa aaaaaaaaaa 780
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaana 827

```

<210> 489

<211> 1926

<212> DNA

<213> Homo sapiens

<400> 489

```

aattcggcac gagccatccc ggtgccggtc ccggacggca gcagtctgct caccaccgcc 60
ctgccctcca tggcgggcgc cgcggggccc ctggacggca aagtcggcgc cctggccgcc 120
agcccgccct cgggtggcag ggactcgggc tctgaactca acagccgctc ctccacgctc 180
tcctccagct ccatgtcctt gtgcgccaaa ctctgcgcgg agaaagaggc ggccaccagc 240
gaactgcaga gcatccagcg gttggttagc ggcttggaag ccaagccgga caggtccgcg 300
agcgcgtccc cgtagacccg tcccagacac gtcttttcat tccagtccag ttcaggctgc 360
cgtgcacttt gtcgcatata aaataaacca cgggcccgcc atgsggttas ccttcctttt 420
gcagttgcgt ctgggaaggg gccccggact ccctcgagag aatgtgctag agacagcccc 480
tgtcttcttg gcgtggttta tatgtccggg atctggatca gattctgggg gctcagaaac 540
gtcggttgca ttgagctact gggggttaga gttccaacat ttatgtccag agcaacttcc 600

```

```

agcaaggctg gtctgggtct ctgcccacca ggcggggagg tgttcaaaga catctccctc 660
agtgcggatt tatatatata tttttccttc actgtgtcaa gtggaaacaa aaacaaaatc 720
tttcaaaaaa aaaatcsgga caagtgaaca cattaacatg attctgtttg tgcagattaa 780
aaactttata gggacttgca ttatcgggtc tcaataaatt actgagcagc tttgtttggg 840
gaggggaagtc cctaccatcc ttgttttagtc tatattaaga aaatctgtgt ctttttaata 900
ttcttgtgat gttttcagag ccgctgtagg tctctcttg catgtccaca gtaatgtatt 960
tgtgggtttt attttgaacg cttgctttta gagagaaaac aatatagccc cctacccttt 1020
tcccaatcct ttgccctcaa atcagtgacc cargggaggg ggggatttaa agggaaggag 1080
tgggcaaaac acataaaatg aatttattat atctaagctc tgtagcagga ttcattgtct 1140
tctttgacag ttctttctct ttcctgtata tgcaataaca aggttttaaa aaaataataa 1200
agaagtgaga ctattagaca aagtatttat gtaattattt gataactctt gtaaataggt 1260
ggaatatgaa tgcttggaac attaaacttt aatttattga cattgtacat agctctgtgt 1320
aaatagaatt gcaactgtca ggttttgtgt tcttgttttc ctttagtttg gtttatttcc 1380
aggtcacaga attgctgtta acactagaaa acacacttcc tgcaccaaca ccaataccct 1440
ttcaaaaagag ttgtctgcaa ctttttgggt ttctttttta atgtccaaaa gtgggggaaa 1500
gtgctatttc ctattttcac caaaattggg gaaggagtgc cactttccag ctccacttca 1560
aatccttaa aatataactg agattgctgt ggggagggrg gagggcagag gctgcggttt 1620
gactttttaa tttttctttt gttatttgta tttgctagtc tctgatttcc tcaaaacgaa 1680
gtggaattta ctactgttgt cagtatcggg gttttgaatt ggtgcctgcc tatagagata 1740
tattcacagt tcaaaagtca ggtgctgaga gatgggttaa agacaaattc atgaaggat 1800
attttgtgtt atagttgttg atgrgttctt tggttttctg ttttttccc cctctcttta 1860
aaacatcact gaaatttcaa taaattttta ttgaaatgtc aaaaaaaaaa aaaaaagggc 1920
ggccgc 1926

```

<210> 490

<211> 1461

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1432)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1452)

<223> n equals a,t,g, or c

<400> 490

```

ggacgacaga agggsagacg cagaggcgga caagatggcg gcggcagctg tacagggcgg 60
gagaagcggg ggtagcggag gctgtagtgg ggctgggtgt gcttccaact gcgggacagg 120
aagtggccgt agcggcttgt tggataagtg gaagatagat gataagcctg taaaaattga 180
caagtgggat ggatcagctg tgaaaaactc tttggatgat tctgccaaaa aggtacttct 240
ggaaaaatac aaatatgttg agaattttgg tctaattgat ggtgcgctca ccatctgtac 300
aatctcctgt ttctttgcca tagtggcttt gatttgggat tatatgcacc cttttccaga 360
gtccaaaccc gttttggctt tgtgtgtcat atcctatttt gtgatgatgg ggattctgac 420
catttatacc tcatataagg agaagagcat ctttctcgtg gccacagga aagatcctac 480
aggaatggat cctgatgata tttggcagct gtcctccagt cttaaaagggt ttgatgacaa 540
atcacacctt aagctgacct tcatcagtgg gagaacaaag cagcagcggg aagccgagtt 600
cacaaagtcc attgctaagt tttttgacca cagtgggaca ctggtcatgg atgcatatga 660

```

```

gcctgaaata tccaggctcc atgacagtct tgccatagaa agaaaaataa agtagccaat 720
tctaaaagta gccctcttct tcctggatct tgc tgaatta gtggcttggg ggggtggggga 780
gataaaaaga acttaaaatg ggtaaagtaa gaaatgttaa aaagtccttg ttttgcctg 840
aaattttagt ctattctggg taaataggat tttctgacac agatatgaga agttgtagct 900
ctgatgtcta gctgtagtct ccttgatctg ctgattgcat tattttaatt tgcttttctg 960
ggaaagcagt tttgctaaaa gctgtacaga ctttttcttt tgtacctagc agtactttat 1020
atagtatagc tttgggccat gtagcatttt aagactcaat tttaaaaaat tattaatctg 1080
ttgctgactc ttaattccta tttcaatatg tgtttcttg agaattcag gatacaactt 1140
cttgtgtatg acagctttcc ttcacacact atttttgtgg gtgtgtatat atctgatttg 1200
ggaagaattt aaaaaacaca tagcttttta atttgtttga aacagacttt ctgcctgtta 1260
catttttgct ttaaccaat taaagaagcc aatggcattt tagttttata ttgtgttttc 1320
cactagtata tccctgttga tttgtttgtg ctttttatta actgccattt tctaaaaattt 1380
ttttcaataa aaggaaggaa gatgtgaaaa aaaaaaaaaa aaaaaaatgg gnggccgaac 1440
ttatccctag gngggtattt a 1461

```

&lt;210&gt; 491

&lt;211&gt; 805

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (20)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 491

```

tccaaagtgc tgggattacn gctgagccac gtgctcagcc gcaaaattct ttatgaattt 60
tacacttggc aaatgttaat gacggaagcc atagtctgct cctaatacat gtccaaagca 120
ttgactgttg tgtcattagc tgcctgggta cattagctcc ctggcttctt gtttagacca 180
ctgctaattc cttaaaaaca agaggtctgg cactagtagc acaacctaa gtggcattac 240
agatctttga gcgagccaca gcaacttttc tgccaagtca gcttagttta gacttcagtg 300
aatcaggcta ttgctatcct aatgtatgtc tctatgagtg tatttagcca cacatctgcc 360
cttggttgac tttctgactc attgcttgct tgcttgtttc cttgctttgg aaaactattg 420
aagattgcta aaaaaatcca ctgcaaagtg atggaaaagg gtggagaaca ggggagtagc 480
caggctggat ggctcaaata taaatgaatg aggaattctt tatgaagtat cagtcagatt 540
ttatgattaa gtgatgtaat ataggaatta tgtaaaaggg aagaatgtct gatactgac 600
tattagagag gtacttttaga ggcttcttga ttggcataaa gttcctaagg ttatagattt 660
tccccctttt tggctgtata gcaaagtgtt ttaatccacg gttgtgcctt attgttccat 720
taaaattgta tcttcgatcc atcaataaat acttgtggtt gaaacaaaaa aaaaaaaaaa 780
aaaaaaaaa aaaaaaaaaa aaaaaa 805

```

&lt;210&gt; 492

&lt;211&gt; 2269

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 492

```

agaagaatag tctcaccctg cgtgtgccaa ggtggagtat gcctacagcg acaacagcct 60
ggaccccgat gatgaggaca gtgattacca ccaggaggcc tacaaggagt cctacaaaga 120
ccggcgccgg cgcgcacaca ctgaggctga gcagaagagg agggacgcca tcaagagagg 180
ctatgatgac cttcagacca tctgccccac ttgccagcag caggacttct ccattggctc 240

```



ccaaaagctc agcaaagcca tcgttctaca aaagaccatt gactacattc agtttttgca 300  
caaggagaag aaaaagcagg aggaggaggt gtccacgtta cgcaaggatg tcaccgccct 360  
aaagatcatg aaagtgaact atgagcagat tgtgaaggca caccaggaca acccccatga 420  
aggggaggac caggtctctg accagggtcaa gttcaacgtg tttcaaggca tcatggattc 480  
cctgttccag tccttcaatg cctccatctc agtggccagc ttccaggagc tgtcagcgtg 540  
tgtcttcagc tggatcgagg agcactgtaa gcctcagacc ctgcgggaga ttgtgattgg 600  
cgtcctgcac caattgaaaa accagcttta ctgaccggtt cttggaaaacc tggagaacag 660  
ccaacaagag gcccttgaat ctctacgtgg ccactgaact gctgggcccg ggagactgga 720  
ctacaacacc tcacactggg cagctgggtt ctacttggtg tttgggtttt cccagcccca 780  
ttttatcttc agcggagccg cggtgtttgt tttgtgaaag cttctgatta atttattata 840  
ttgacgataa aactcaaaccc taccagcct tccccccact ccatggaagt ccttgggatg 900  
ggcgtctgct ctggacaccc caaagagctc ctgcctctc agccctttat tcaagcctca 960  
gatttctgct catgatctac atagatttgg aaactgtttt cctctgtttt ggtctcttgg 1020  
gcaacatttt tggcccaagt ttgggcaaca tttggcccaa gtttgggcat tttggcagta 1080  
gtctgatggg agaaaaagag taagaggaaa tattcccaca gccatgaagg gtgaaagggc 1140  
accttgtgcc tagactaggg ctgcctggtc agtcccagggt gaggccaagg gctttctggc 1200  
catctcaggg aggggccacc aggttcctcc cctcaccoca tattccatca ccttcctcct 1260  
ctgctctggg tggtaaggga agccctcccg gttcccacag gctatgatgc tgcattggcag 1320  
aggcaggtat aacacagcac tacatattgg aaatttttta ttttctaaa taccaatgca 1380  
gttttcttac ggttacaatt ttgaaatatt aactgagcct caaaatcacc ctttctgtca 1440  
agcatatctt ggctctctcc atgtctcagt gttgcctgca tttctcccag gacttggggg 1500  
tggttgtaaa agcgtacaaa agatacttaa aagggtcctt ggggtacaca agcccagcag 1560  
gtcctgagtg aagccgtggg ccctccaaat gctcgtttta tagcaacctc tctctacctt 1620  
agttctccaa attcacttct gccttcctca gggttgatat ctggcagggt tgactatcca 1680  
gaggaaatta aatattttta tataaaatta aattataata aatattgcca aatgctttcc 1740  
tttagcattg ttccaagtct aaatgttaac ctcaagctac tgcaatttag acaatgaaat 1800  
kgtctgggtc tacccccagc caccagccct catcctctct acccagtgtt ctggttttatg 1860  
cttgtctcct gactgtctct cttaaagggt aaagtagcag gaacaacaac aaaagccaac 1920  
caaaaaaag gtagccagt gacagacatc cactctctct acatcctgca gtccccacca 1980  
gtcctgaccg tgggcccctca ggggtctggg agtgtgacgt tgtaatcttc atccgtctct 2040  
atcccaactt cctcctgtga gacagggaga caagtgaatg agatgtcacc aggataagac 2100  
cacagggaag caaagaagga agagagctcc acttacaaa aactgcttct tgccttggg 2160  
gtatccttca agtattgcat cagacagctc tgtagcctga caagaataa aaccaccctg 2220  
tttcagatgg gcagcacctg gcactgcctg tcagtttatg atattgtgt 2269

&lt;210&gt; 493

&lt;211&gt; 4108

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 493

cacgagtact acaatatgtt gtcccagaag tgaaagacct ttacaattgg cttgaagtag 60  
aatttaaccc attaaaactc tgtgagcgag tcacaaagggt tctaaattgg gttaggggaac 120  
aacctgaaaa ggaaccggaa ttgcagcagt atgtgccaca actgcaaac aacaccatcc 180  
tccgccttct gcagcaggtg tcacagattt atcagagcat tgagttttct cgtttgactt 240  
ctttggttcc ttttgttgat gctttccaac tggaaacggg catagtagat gcagccaggc 300  
attgcgactt gcaggttcgt attgatcaca cttctcggac cctgagtttt ggatctgatt 360  
tgaattatgc tactcgagaa gatgctccga ttggtcctca tttgcaaagc atgccttcag 420  
agcagataag aaaccagctg acagccatgt cctcagtact tgcaaaagca cttgaagtca 480  
ttaaaccagc tcatatactg caagagaaaag aagaacagca tcagttgggt gtcactgcat 540  
accttaaaaa ttcacgaaaa gagcaccagc ggatcctggc tcgccgccag acaattgagg 600

agagaaaaga ggcgccttgag agtctgaata ttcagcgtga gaaagaagaa ttggaacaga 660  
 ggggaagctga actccagaaa gtgcggaagg ctgaggaaga gaggctgcgc caggaagcaa 720  
 aggagagaga gaaggagcgt atcttacagg aacatgaaca aatcaaaaag aaaactgtcc 780  
 gagagcgttt ggagcagatc aagaaaacag aactgggtgc caaagcattc aaagatattg 840  
 atattgaaga ccttgaggaa ttggatccag attttatcat ggctaaacag gttgaacaac 900  
 tggagaaaaga aaagaaagaa cttcaagaac gcctaaagaa tcaagaaaag aagattgact 960  
 attttgaag agccaaacgt ttggaagaaa ttcctttgat aaagagcgt tacgaggaac 1020  
 agagaattaa agacatggat ctgtgggagc aacaagagga agaaagaatt actacaatgc 1080  
 agctagaacg tgaagggt cttgaacata agaatcgaat gtcacgaatg cttgaagaca 1140  
 gagatttatt cgtaatgcga ctcaaagctg cacggcagtc tgtttatgag gaaaaactta 1200  
 aacagtttga agagcgatta gcagaagaaa ggcataatcg attggaagaa cggaaaaggc 1260  
 agcgtaaaaga agaacgcagg ataacatact atagagaaaa agaagaggag gagcagagaa 1320  
 gggcagaaga acaaatgcta aaagagcggg aagagagaga gcgcgccgaa cgagcaaaac 1380  
 gcgaggaaga gctacgagag tatcaggagc ggggtgaagaa attagaagaa gtggaaagga 1440  
 aaaaacgcca aagggagttg gaaattgaag aacgagaacg gcgtagagag gaagagagaa 1500  
 gacttggcga tagttccctt tctagaaagg actctcgttg gggagataga gattcagaag 1560  
 gcacctggag aaaaggacct gaagcagatt ctgagtggag aagaggcccc ccagagaagg 1620  
 agtggagacg tggagaaggg cgagatgagg acaggtctca tagaagagat gaagagcggc 1680  
 cccggcgtct gggggatgat gaagatagag agccctctct tagaccagac gatgatcggg 1740  
 tccccggcgt tggcatggat gatgacagag gccctagacg tggctcctgag gaagataggt 1800  
 tctctcgtcg tggggcagac gatgaccggc ctctcctggc taacacagat gatgacaggc 1860  
 ctcccagacg aattgccgat gaagacaggg gaaactggcg tcatgcggat gatgacagac 1920  
 cacctagacg aggactggat gaggacagag gaagctggcg aacagctgat gaggacagag 1980  
 gaccaagacg tgggatggat gatgaccggg gggcgaggcg aggaggcgt gatgatgagc 2040  
 gatcatcctg gcgtaatgct gatgatgacc ggggtcccag gcgagggttg gatgatgac 2100  
 ggggtcccag gcgaggcatg gatgatgacc ggggtcccag gcgaggcatg gatgatgacc 2160  
 ggggtcccag gcgaggcatg gatgatgacc ggggtcccag gcgagggttg gatgatgac 2220  
 gaggaccttg gaggaacgcc gatgatgaca gaattcccag gcgtggtgca gaggatgaca 2280  
 gggggccttg gagaaacatg gatgatgac gcctttcaag acgtgctgat gatgatcgg 2340  
 ttcccagacg ggggtgatgac tcaagacctg gtccttgag accattagtc aagccagggt 2400  
 gatggagaga gaaagaaaaa gccagagagg agagctgggg tccacctcga gaatcaaggc 2460  
 catcagaaga acgtgaatgg gacagagaaa aagaaagggg cagagataat caagatcggg 2520  
 aggagaatga caaggaccct gagagagaaa gggacagaga gagagatgtg gatcgagagg 2580  
 atcgcttcag aagacctagg gatgaagggt gctggagaag aggaccagct gaggaatcct 2640  
 caagctggag agactcaagt cgccgggacg ataggatag ggatgaccgt cgccgtgaga 2700  
 gggatgaccg gcgtgatcta agagaaagac gagatctaag agacgacagg gaccgaagag 2760  
 gacctccact cagatcagaa cgtgaagaag taagttcttg gagacgtgct gatgacagga 2820  
 aagatgaccg ggtggaagag cgggaccctc ctctcagat tcctccccca gctctttcaa 2880  
 gagaccgaga aagagaccga gaccgagaaa gagaagggtg aaaagagaag gcctcatgga 2940  
 gagctgagaa agataggaa tctctccgtc gtactaaaaa tgagactgat gaagatggat 3000  
 ggaccacagt acgacgttaa gtctcaagat aatggattta aactggtgtc ttaaataagg 3060  
 ttgatcacat tcaaggatta ttatacttgt gcttcaacca atctaaattg gattctttaa 3120  
 tgttgtttca ccataacaca aaaagcatga acttgtatta atcctatata atagattgat 3180  
 catgcacat atccacagga ggttggaata accatgccat tttctggaat ttaagggtgt 3240  
 tgcattatct catcaatcat ttgttgacaa aaaagaaaaa ctaaaaata aatttaaaat 3300  
 gtgaaccttc aggtattgag taacaccttt atcttggtat agaactgata cttttttttg 3360  
 attttgaaat atctgataat aatttggaat gaagtaagg tctgttaaaa tatatttgaa 3420  
 gaccttttaa agcagtgaat ctgaaacaat tttcacacc ttaagtgggt gatacgtacc 3480  
 tattttaggt attttaggt atttaccata aactaaattt agaaattttt tagattcact 3540  
 tgaagtaaac attacaaaca ttggatacgg tggggttttc tttagatttt acttgagaga 3600  
 aggtgagtac aaagcaattt gcagttgttg taatgacaag attactgcgc aagtgtgaat 3660

```

ccaaacagta tagcttttaa attttaaacg atttggtaaa ttatcgctga gtttttttct 3720
gttgccaata gcaaactgct tttccattaa tggagaattc atgcctttca agcatttttaa 3780
atatgacaat atttataaat gtatggtttg gaggaatcgt tttaaattctc tttcctaatt 3840
ttctttcttt tgaagataga ttctttcaac aagtaatttg tagtaatgac tgtgttgact 3900
tcaatttttg agcgagtag ctatgttaaa gatgaactat ttgggtctcat tgaagccaac 3960
acagaacttg ctgctgtgtt tttcttcag tgataaataa aatacttaca gaatttgttt 4020
tagtgttgat ttgtggttat agtatttggt taataatggt aagtttgcca tattcagttg 4080
gaggtttttt tttacttgaa tttttaat 4108

```

<210> 494

<211> 2209

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (352)

<223> n equals a,t,g, or c

<400> 494

```

gcgggcatcc accccatgaa cagcatcagc agcctggaca ggactcgcat gatgaccccc 60
ttcatgggca tcagccccct ccggggcgga gagcgcttcc cgtacccttc tttccactgg 120
gaccccatcc gggaccctt gagggatcct taccragaac ttgacattca ccggagagac 180
ccgctgggca rggacttcc gctaaggaac gaccggytcc accggctctc gactycccg 240
ctgkacsaa cgcaccgctc cttcagggac cgggagcctc acgactacag ccaccaccac 300
caccaccacc accaccgct gtctgtggac cctcggcggg agcacgagcg gngaggccac 360
ctggacgagc gggagcgctt gcacatgctc agagaagact acgagcacac gcggctccac 420
tccgtgcacc ccgcctccct cgacggacac ctccccacc ccagcctcat caccgccgga 480
ctccccagca tgcactatcc ccgcatcagc cccaccgagg gcaaccagaa cggactcctc 540
aacaagaccc ctccgacagc agcgtgagc gcacctcccc cgctcatctc cacgtgggg 600
ggccgcccgg tctctcccag aaggacgact cctctgtccg cagagataag ggagaggccc 660
ccttcccaca cgctgaagga tatcgaggcc cgataagccg agaacaggag caagaacgag 720
gaagaagaaa ccctaggcag acaccaggcc aggcttgaga gacagaactc ctgcatggct 780
cacacagact gggggggaaa gccccacccc tcccccttgt aaaaaatgta tagactcagt 840
gcacattttg aaatgttttg tatattatat gttgagattt ttcagatctt ttagcccagt 900
catatgttct cagctctcct actttttgtt tctcgtataa aactttttga tttgaaccaa 960
aacagtgaag atgacaacac acaccaattg gatgataatt gtagcggggg cggtgggggg 1020
gagaagtcca cgccatccat catgcaaaat tctttcagat gaggtgggaa ggcggtgtac 1080
atagttatgt aaaaagagat tgcttcatga gctaattggt catatatgca aaagggttaag 1140
atgaaagctt tactttgtac aaatgtaaat agataaagta acataatata ttaatacttc 1200
ttaaaatgtg ctatttgcaa acttacttaa tatcagtga cagagtcggc taaagctgtg 1260
ttcccatata ttgttataga cagctaaacc cttcaactat gcaatgaatg ttcgggcttt 1320
tcacaaaagc ccgcctaact caaaggagcc ttttcaaatc catttacagc atacttaagg 1380
tcatattttc cctgaacaag cgcttacgtg atatgactct gttttccttg cttgtttttt 1440
ttcaaacgga gaaacatcct gttttgcaaa ttggacccca ggctggaact tagcatctga 1500
agttgccgct tgtgggctct gggggaaagt gtagcccgcg agaggtaact gaggacatga 1560
gcaaccagtg ccaggggagg tgggatttgc cagatgccaa aatcagggga cgggtgggtg 1620
tgtctgtcag acacacacag gtcgccagtg acttcacaca cacctcatgt gagaaccatg 1680
ccttttttag tgtgtcctat ttcatacctg tacacacttc ctcgttttgt aatgagattt 1740
acttacaccc aaacagatcc tgaaagaaag cttcaagttt tctcagatga tggatatgtt 1800
ttcactgtat tcaataactg acggatgtaa ggtgcacgtt tcctgatgtg acgactgta 1860

```

```

ttccagctgg tgatcaagtc tgggaacagc cgtaacaggt caaccttgtg gagccatcgc 1920
gagtttagagg gtgaaagatg gcagaaaaaa aagtcttgtg tgtgagtgtg ttttttgagt 1980
ttgcatcaat cttaatgtct cttcataata cttttataat acattaagcc tcttgtctac 2040
atatttgagg agaatatgac tttagtagca gagaaatata atatatcttg tctactggac 2100
tgtaaaatat atgtatgaaa taaaattagt tccatttggg cttctagtat attaaagtgc 2160
tatctgacgt tgttatcctg tttttgcaaa aaaaaaaaaa aaaaaaatt 2209

```

&lt;210&gt; 495

&lt;211&gt; 1677

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 495

```

gggggtggagg gactaaagga tgcccaaagt cgggatctcc tgtccccgcc cacagacaac 60
aggccagggtc agatggacaa tcggagcaag ctccggaaca tcgtggagct gcgcctggca 120
ggcctggaca tcacagatgc ctccctgcgg ctcacatccc gccacatgcc cctgctctcc 180
aagctccacc tcagttactg taaccacgtc accgaccagt ctatcaacct gctcactgct 240
gttggcacca ccacccgaga ctcccttaacc gagatcaacc tgtctgactg caataaggte 300
actgatcagt gcctgtcctt cttcaaacgc tgtggaaaca tctgtcatat tgacctgagg 360
tactgcaagc aagtcaccaa ggaaggctgt gaggagttca tagccgagat gtctgtgagt 420
gtccagtttg ggcaagtaga agaaaaactc ctgcaaaaac tgagttagtc caaggataag 480
tatgtaaata cggggcgggc tctgggaggg gagagacttt acaaaaatga gggcttttat 540
tttccatttg gaacgtggga caacagacca caacgcaatt ccattttgca agtctttcca 600
agggagaagc tgttcaacca ccggtttggg ggatgagtga gccgacactt tcctttggte 660
tttctgaatc gtaactgcac tgctttctgg accatttcta aggcggcctt tacaagaaga 720
cattcctgtc ggagaggagg gtggacttcg gagaaattct catactgaag catgagctta 780
ggagtttctg ttagtggtag tgggtgtttg gacacttcat tccttgcaac accgaggttt 840
tgggtgttga cataaagtgg accacacacc acatctgctg ccgtcttgac actttttttt 900
gtttggttgg ttttgttaca tcttacatta tgcagaacta tttttgtaca aattgtttta 960
aagtatttta tgcaaggttt gaatgcatac cagtgttttt attgttttga gattgccaat 1020
tttcttgatt tccttaaggt aggagagaat ttaacgtgta cttcatcgac acaaccatc 1080
tacaagtgtg cccagatcta acaaagtagg ctaagacctt ccacttaaaa gcatgtttta 1140
ctggaagttg agagtctgct ttgtacctca agagttacat gagcatgttg tggataaatg 1200
taaattatag tcaaagtaag atactctgcc aagtttcctc tgtagagaat tcacttttct 1260
caaattttaa aatttcgact tcagcctttg cactcaggag gttctgctcc agcatgagct 1320
cttgactta catagatcta atttatacag tgagtcaaga cgtagaataa atgctccac 1380
atagccttct ttttgctttt gcttctctcc tctgaagtgt gaggtaggtt ctcatttagg 1440
tttgaacat ggctatttcc tagttgtaaa gttctgcatt tataagtgcc attgttgtaa 1500
ggtggtgttt cctagacctt ccctgatgag attttacctt tgttgaattt gtataaaca 1560
ttgtacaaaa aaaaccactc ttgaactttg agggtttctg ttctaggagt ggactagaag 1620
tttaagccca gagtcaagta acactgtttt gaagtccaaa aaaaaaaaaa aaaaaaa 1677

```

&lt;210&gt; 496

&lt;211&gt; 1702

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1691)

&lt;223&gt; n equals a,t,g, or c

<220>

<221> misc feature

<222> (1701)

<223> n equals a,t,g, or c

<400> 496

```
cgagattccg ggattggaat caaaatgcta attttaaagg tcaagtgaag ctgctcctca 60
cgttttggcg tgcttgcgct ctctgcaggc agaagcgaac aaagacccag caagagaagg 120
cagaggctaa gaccatcccc gtatctgctc tcctgaaata attctggagt catgcctgaa 180
atgccagagg acatggagca ggaggaagtt aacatcccta ataggagggt tctggttact 240
gggtgccactg ggcttcttg cagagctgta cacaaagaat ttcagcagaa taattggcat 300
gcagttggct gtggtttcag aagagcaaga ccaaaatttg aacagggtta tctggttgat 360
tctaatagcag ttcatcacat cattcatgat tttcagcccc atgttatagt acattgtgca 420
gcagagagaa gaccagatgt tgtagaaaat cagccagatg ctgcctctca acttaatgtg 480
gatgcttctg ggaatttagc aaaggaagca gctgctgttg gagcatttct catctacatt 540
agctcagatt atgtatttga tggaacaaat ccacctaca gagaggaaga cataccagct 600
cccctaaatt tgtatggcaa aacaaaatta gatggagaaa aggctgtcct ggagaacaa 660
ctaggagctg ctgttttgag gattcctatt ctgtatgggg aagttgaaaa gctcgaagaa 720
agtgtgtgta ctgttatgtt tgataaagtg cagttcagca acaagtcagc aaacatggat 780
cactggcagc agaggttccc cacacatgtc aaagatgttg ccactgtgtg ccggcagcta 840
gcagagaaga gaatgctgga tccatcaatt aagggaacct ttcactggtc tggcaatgaa 900
cagatgacta agtatgaaat ggcatgtgca attgcagatg ccttcaacct cccagcagc 960
cacttaagac ctattactga cagccctgtc ctaggagcac aacgtccgag aaatgctcag 1020
cttgactgct ccaaattgga gaccttgagg attggccaac gaacaccatt tcgaattgga 1080
atcaaagaat cactttggcc ttctctcatt gacaagagat ggagacaaac ggtctttcat 1140
tagtttattt gtgttggtt cttttttttt tttaaatgaa aagtatagta tgtggcactt 1200
tttaaagaac aaaggaaata gttttgtatg agtactttaa ttgtgactct taggatcttt 1260
caggtaaatg atgctcttgc actagtgaag ttgtctaaag aaactaaagg gcagtcatgc 1320
ctgtttgcag taatttttct ttttatcatt ttgtttgtcc tggctaaact tggagtttga 1380
gtatagtaaa ttatgatcct taaatatttg agagtcagga tgaagcagat ctgctgtaga 1440
cttttcagat gaaattgttc attctcgtaa cctccatatt ttcaggattt ttgaagctgt 1500
tgaccttttc atgttgatta ttttaaattg tgtgaaatag tataaaaaatc attggtgttc 1560
attatttgct ttgcctgagc tcagatcaaa atgtttgaag aaaggaactt tatttttgca 1620
agttacgtac agtttttatg cttgagatat ttcaacatgt tatgtatatt ggaaaaataa 1680
agttcccttc ntcaaacatt nt 1702
```

<210> 497

<211> 2376

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (6)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2354)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (2375)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (2376)  
<223> n equals a,t,g, or c

<400> 497  
ggctcnaaca tccttttgct gtgacgagct acgggaagaa tctgtatttc acagactgga 60  
agatgaattc cgtggttgct ctcgatcttg caattttccaa ggagacggat gctttccaa 120  
cccacaagca gacccggctg tatggcatca ccacggccct gtctcagtg ccgcaagcca 180  
taactactgc tcagtgaaca atggcgctg caccaccta tgcttgcca cccagggag 240  
caggacctgc cgttgccctg acaacacctt gggagttgac tgtatcgaa agaatgaag 300  
acaagagtgc cttatttcct ttccaagtat ttcacagcaa caywytactt gaagcaactt 360  
ggtcagatt gaaaagtgtc ctctggctga gtggccacta ggcccagacc cagcccagcc 420  
tgagcccaa caacttttcc ctactgttc cccaaaacat gcacctgga cttctcta 480  
agaaaagtct ccaccttac acaaggacag aacctccac ccctacccc aacctcaga 540  
cagacttata caccttgag tgaggattac atgcccac cagtgtccta ggacctttc 600  
ccaatactag ccccccagtg gtgaacagaa cctcccaaat ttgagttgca cccttccctg 660  
tgcccttatg agctcagcct cgctttgagg taccacccgt cctgtcagct ccttgacct 720  
tgagccgggg cctgactagg aaaagttggg agttaaggag gaaattagca ttccttaag 780  
ttttgttttg gtgtctgaa tttcttctt attatagtcc tatagtttta ctctcagtt 840  
cctcaccatc atcatcttgt ctaagacccc cattataata ttcatgcgct gctttttcat 900  
caaaacctac cctgtcctag agatctatgg gcatttggtg gatgataatg agcagcccct 960  
cccagataga atgtcaatat ttgagcagta ggatattggc atttgtagt taaaggcta 1020  
aatcaaaaaga atgtccaatg gtaggaattt caaggtgtag gtcagatatt tgagaatagg 1080  
ggattttttt gatgtgcctt aaattatacc aaagattact aattattcct ctttgccaa 1140  
aatacttgca tccaaggttc tagtctctgt tgctgtgctg gtctttagcc cactgctkg 1200  
cactgatgtc cctccttttc acggagacct atctgaggta caggatggg ctggcaccag 1260  
atgatgtccc accacagtcc ctacacctc gcctccacat gacagaacca atttacctc 1320  
aaccatgacc tcacctctc ttggtttctc cctcgatctg tggccctttt tggatgtatt 1380  
cttatctaac aacacaatcc ggaaagactg aattgaatat ttatactaatt ggttcata 1440  
ctttattgct caatgatcta attaaaggga tcattgccac atttcatgtt tatatttcta 1500  
caatttgttt agaaaacatc tcctgacct atcagtagct cgtgttatct ttttatcaac 1560  
tgcttcccag agtctaata caatagaaat ttggattga aaagttcagc ataaggagt 1620  
tgagtcagta aaggatggga taaaggagtc gagatgattc aatgaaaagt atcacaaaa 1680  
agagattgat caacaagaga aataaaaaag cccaagagga agtggtagg gaaggattt 1740  
aagaacagca ataagtaaaa ctcttaagta actccaaaaa gaaaatggta cattttgcca 1800  
aagaccactt atacttgaga acatggaaga atttgctga tactctctt ggggaaaaga 1860  
gtctctctc ttttctcaa accccagtac actcagctc tctgccccac cttctcctga 1920  
ctttgtctc acttgcttct gcagtacatt ggaacctgaa ttgaaagaaa gtcttcttg 1980  
aataattgga gtttgctctg agaggcaaat atagcccaa gaatcacaag attcgaggac 2040  
catgtaggtc ttttacgtag cccaaatcca taaattagtc tcacttttg tatttatcgt 2100  
ttcatattaa accctctata tcaaatgttc atcatgattt tgatgattt ttataactat 2160  
tttattcatt ttattagatt tatttctaaa ttttttaag gtaaatctt aaactgtgga 2220  
aaccactgaa ggtgcttatt aactgttctc ccagatttgt acaagtattg gatgattcct 2280  
tgagtttaca gctgtacaaa tagtgtgga aataaacttt ttttaaaaaa gaaaaaaaaa 2340

aaaaaaaaaa aaanaaaaaaa aaaaaaaaaa aaaann

2376

&lt;210&gt; 498

&lt;211&gt; 840

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (840)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 498

acgccgggat ggggcgggtcg garktcmcg gtcgaccac gcgtctcgca ggccgtagag 60  
gaagatggcg gtggagtcgc gcgttaccca ggaggaaatt aagaaggagc cagagaaacc 120  
gatcgaccgc gagaagacat gccactgtt gctacgggtc ttcaccacca ataacggccg 180  
ccaccaccga atggacgagt tctcccgggg aaatgtaccg tccagcgagt tgcagatcta 240  
cacttggatg gatgcaacyt tgaaagaact gacaagctta gtaaaagaag tctaccaga 300  
agctagaaag aagggcactc acttcaattt tgcaatcggt ttacagatg ttaaaagacc 360  
tggctatcga gttaaggaga ttggcagcac catgtctggc agaaagggga ctgatgattc 420  
catgaccctg cagtcgcaga agttccagat aggagattac ttggacatag caattacccc 480  
tccaaatcgg gcaccacctc cttcagggcg catgagacca tattaattc tatttactat 540  
ttgttgaatt tatttttccg tcagttatgt aaaataaaca tactcttctt cctcccctga 600  
ttattgccat taagccttta aattctaaac aaattataat gcatcatcta tttaggagtt 660  
agatttggat gtgctattgt atgattacga atagtctgta tgtttcaagc ccttctgtaa 720  
aatatgaaga aaagtgtctt tagcattctg tgtaaaactg tactgttaaa tatatgtgtg 780  
taatcaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 840

&lt;210&gt; 499

&lt;211&gt; 461

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (452)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (455)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 499

ggcacagctt cctctctctt cctttctccg ccacgtgggt gtgttcttga ctccgtctgt 60  
cgccatgtct tctcacaaga ctttcaggat taagcgattc ctggccaaga aacaaaagca 120  
aaatcgctcc attccccagt ggattcggat gaaaactgga aataaaatca ggtacaactc 180  
caaaaggaga cattggagaa gaaccaagct gggctataa ggaattgcac atgagatggc 240  
acacatattt atgctgtctg aaggtcacga tcatgttacc atatcaagct gaaaatgtca 300  
ccactatctg gagatttcga cgtgtttcc tctctgaatc tggtatgaac acgttggttg 360  
gctggattca gtaataaata tgtaaggcct ttcyttttta aaaaaaaaaa aaaaacyrr 420

422

ggggggggccc gggtcccaat cccccctatt tnaanccct t

461

&lt;210&gt; 500

&lt;211&gt; 2782

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2620)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2641)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2643)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2712)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2742)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2759)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2779)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 500

ctcaagggttg cccaaactga tgggtgtcaat gtggacatgc acttgaagca gattgagata 60  
aagaagttca agtacggtat tgaagagcat ggtaagggtga aaatgcgagg ggggttgctg 120  
cgaacctaca tcatcagtat cctcttcaag tctatctttg aggtggcctt cttgctgac 180  
cagtggttaca tctatggatt cagcttgagt gctgtttaca cttgcaaaag agatccctgc 240  
ccacatcagg tggactgttt cctctctcgc cccacggaga aaaccatctt catcatcttc 300  
atgctgggttg tgccttggt gtccctggcc ttgaatatca ttgaactctt ctatgttttc 360  
ttcaagggcg ttaaggatcg ggttaaggga aagagcgacc cttacatgc gaccagtggg 420  
gcgctgagcc ctgccaaga ctgtgggtct caaaaatatg cttatttcaa tggctgctcc 480



```

tcaccaaccg ctccccctct gcctatgtct cctcctgggt acaagctggt tactggcgac 540
agaaacaatt cttcttgccg caattacaac aagcaagcaa gtgagcaaaa ctgggctaata 600
tacagtgcag aacaaaatcg aatggggcag gcggaagca ccatctctaa ctcccatgca 660
cagccttttg atttccccga tgataaccag aattctaaaa aactagctgc tggacatgaa 720
ttacagccac tagccattgt ggaccagcga ccttcaagca gagccagcag tcgtgccagc 780
agcagacctc ggctgatga cctggagatc tagatacagg cttgaaagca tcaagattcc 840
actcaattgt ggagaagaaa aaagggtgctg tagaaagtgc accagggtgtt aattttgatc 900
cgggtggagg gtactcaac agccttattc atgaggctta gaaaacacaa agacattaga 960
atacctaggt tactggggg tgtatggggg agatgggtgg agaggaggag gataagagag 1020
gtgcatgttg gtatttaaag tagtggattc aaagaactta gattataaat aagagttcca 1080
ttaggtgata catagataag ggctttttct ccccgcaaac acccctaaga atggttctgt 1140
gtatgtgaat gagcgggttg taattgtggc taaatatttt tgttttacca agaaactgaa 1200
ataattcttg ccaggaataa atacttcttg aacatcttag gtcttttcaa caagaaaaag 1260
acagaggatt gtccttaagt ccctgctaaa acattccatt gttaaaaatt gcactttgaa 1320
ggtaagcttt ctaggcctga ccctccaggt gtcaatggac ttgtgctact atattttttt 1380
attcttggtg tcagtttaaa attcagacaa ggcccacaga ataagatttt ccatgcattt 1440
gcaaatacgt atattctttt tccatccact tgcacaatat cattaccatc actttttcat 1500
cattcctcag ctactactca cattcattta atggtttctg taaacatttt taagacagtt 1560
gggatgtcac ttaacatttt tttttgatgc taaagtcagg gaatcaagcc atgcttaata 1620
tttaacaatc acttatatgt gtgtcgaaga gtttgttttg tttgtcatgt attggtacaa 1680
gcagatacag tataaactca caaacacaga tttgaaaata atgcacatat ggtgttcaaa 1740
tttgaacctt tctcatggat ttttgtgttg tgggccaata tgggttttac attatataat 1800
tcctgtgttg gcaagtaaag cacacttttt ttttctccta aaatgttttt ccctgtgtat 1860
cctattatgg atactggttt tgtaattat gattctttat tttctctcct ttttttagga 1920
tatagcagta atgctattac tgaaatgaat ttcctttttc tgaaatgtaa tcattgatgc 1980
ttgaatgata gaattttagt actgtaaaca ggcttttagtc attaatgtga gagacttaga 2040
aaaaatgctt agagtggact attaaatgtg cctaaatgaa tttgcagta actggtattc 2100
ttgggttttc ctacttaata cacagtaatt cagaacttgt attctattat gagtttagca 2160
gtcttttgga gtgaccagca actttgatgt ttgcactaag attttatttg gaatgcaaga 2220
gaggttgaaa gaggattcag tagtacacat acaactaatt tatttgaact atatgttgaa 2280
gacatctacc agtttctcca aatgcctttt ttaaaactca tcacagaaga ttggtgaaaa 2340
tgctgagtat gacacttttc ttcttgcatg catgtcagct acataaacag ttttgtacaa 2400
tgaaaattac taatttggtt gacattccat gttaaactac ggtcatgttc agcttcattg 2460
catgtaatgt agacctagtc catcagatca tgtgttcttg agagtgttct ttattcaata 2520
aagttttaat ttagtataaaa catagcttct atattccgct tcaaaaaaaaa aaaaaaaaaa 2580
acgtgcttag ttcagttcaa gttgctcctt tataatttgn ttttgatga aaaaagattg 2640
ngncatttgt ttaaagtcag aggattatct aaaagccagt ttcccagtc aatttgatat 2700
aattggtagt gngaatactt cttcaaggac tattacttgg gnggttgag aatttatnt 2760
ggaagaaggc aaatgcttng gg
2782

```

&lt;210&gt; 501

&lt;211&gt; 1249

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (36)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 501

gcaaggagtc cccaatgcaa agacacagcg ctgcnnttgg cacctccttc ctcactccct 60  
caaaattggt aagaaatggt agtgggtgggt ctgatctgac tgcagccatc ggtaaataaa 120  
agtttttgat cctgttgaac ccgcctgaga cgggtgctgtg aggggaaagc cttccgcacc 180  
cacacaggaa ttctgctgag gtccccctc cttccggcca atggcagaag tgggggaaaa 240  
tttttagaag aaaagcaaac atgtgagacc aatcattatc aaatactttt attttttggt 300  
tgagtattta tctttttatt ttttattttt ttttttgaaa gaatgtcttg gaatgcgcaa 360  
gtctcccttt agagccgtct tttgcaggga gcggggaagt acaagagctc agatctccct 420  
ccgatctctc ctccccacct ccgaagtctc ctccgtggac cacagggtga tctttgtgcg 480  
aacaacttgc atttcggaag ccactgtccg tctttaaaca gaaagtcgaa ggagccacga 540  
agcaagcggc cgcccgggcg tccgyctgcc gtcccccttc atgttccctc tcttccttcg 600  
cttcagcctc ttctgttatg ttttgtcttg aattttattt agacttttcc agtgggtatt 660  
ttctgtctt ccaacctcta ctgtaaactt tctggtccga gaacgagccg aacacagcgc 720  
gacgcagggg ctaggacggc ccggtgaccg cgcggattca ggattgcggg gacgcagaaa 780  
ggttaaggca cttttaaaaa ctatagcaag gctcctgttt atttattcta ctttctttcc 840  
ctaataatca aaacaccgcg taggctcctc cgtttatcag tattaatggt gtaactttgt 900  
tgccaatatt tgccgtgtag aatttttttt agatatccat tgtaaatttg aaacaaagac 960  
cgatctgtgt aaaaacaaat ttccatattt tttatataaa tatatatata atatgaagga 1020  
ctaccctcct tttttttttt gtattttggc tgctagagtg cagcatttgt gacacgtatt 1080  
tgaaatttga aatttccttc tgcactgtat aaaaggacca tttgaggatg ttttgccttt 1140  
tgtgtatttt ttcctaaaaa aagaacaaaa ataaaaatgt ataacatttg tacatggcct 1200  
ttaaaattgt atcaactaga aataaaattg catgagtatt ttaaaaaaa 1249

<210> 502

<211> 1358

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1334)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1347)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1349)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1351)

<223> n equals a,t,g, or c

<400> 502

cccgcaccct agccaggccc cagggagcct ccgctgggcc cagacagcag cgtytggttt 60  
tatccacttt tctyggataa tcaggagggt cccagtsgt cacagtgtgg cattccgagt 120  
tggggcggggt ggtcgggtca agatagcagc agcagggtgc agggctcaag acaccacccc 180

```

ctccagcttc tggggcccag gagcctctcc ctgtacaggg ggggtgggggt cctgctcagc 240
agggtaggtg gtggtttttag gtcttgtcac cctcactcag tggaactgcc tctgggagct 300
ttggcgtctg tractaaagg gacgctggat tgctcagggtc agctgctcgg ggctcccagg 360
ctgggtgtgc cttagccaca ggcagggtg tcaataaccc ccttcctcac tggccaccac 420
ctgacatcag caccagtgc aggctgggtca gagggcgggg ctggtgaggg tttgtcctaa 480
gaggaccacc gccatctctg ggtctccagg gggagagcct ggccctgtcc tttgttacc 540
agggctgccc ccaggcccat gaagccaata ggagagcgtg tggcactggc ccacaaactg 600
tccctgtcct gtcttcctcc cgagccatgg cctctgctag ctccaccttg aaggagcccc 660
ccacatcctc ccctacatcc cagagatgcc accacttgtg tctccacaat gtgctcctgc 720
ccaccgggtg tccgactgt cgcaccctg cacaccactc atgtcaccac ggcgtgcac 780
atgttcatcc ccatctatct atttaagcct ttctttgctt gtagggcatt ttgtatgtag 840
agcagttgaa aacagaacct cagaacttaa catctgtcct gatgttaaag tgcttttcat 900
gaccaccctg ttatctatgt atatgtaaa ttaaggatga gatcttaagt ttacaattaa 960
aaactcagta ctcaatattt aatattctac tcgagcttta tggaagccaa atcatgtgca 1020
tgtgtgtgtg tgcgtgtgtg caagctttga acctccttcc acagccgcat cttctcatga 1080
cacaaagctt ttgataagta ctttcctgtg ggtcgtcag ggccctcatg catctcatc 1140
aattacaaga atagaggcca gacacggtg cgcgtgcctg gtagtcccag ctaaactggg 1200
gaggctggag ggcaggagg gatcactttg gagcccagg agattggagg gctggcagtg 1260
gagccatgga tccggcgac actggcactt ccagcctggg ggtggacggg tggagacttt 1320
tgttctccaa aaanaaaaaa aaaaaancnt nggagggc 1358

```

<210> 503

<211> 501

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (457)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (492)

<223> n equals a,t,g, or c

<400> 503

```

gcccacgcgt ccgacggctg cgagaagacg acagaagggg ctttctttct ttccgcgccg 60
atagcgtcga cgcaagcatg gttaacgtcc ctaaaacccg ccgactttc tgtaagaagt 120
gtggcaagca ccaaccccat aaagtgcac agtacaagaa gggcaaggat tctctgtacg 180
cccagggaaa gcggcgttat gacaggaagc agagtggcta tgggtgggcaa actaagccga 240
ttttccggaa aaaggctaaa actacaaaga agattgtgct aaggcttgag tgcgttgagc 300
ccaactgcag atctaagaga atgctggcta ttaaaagat caagcatttt gaactgggag 360
gagataagaa gagaaagggc caagtgatcc agttctaagt gtcattcttt attatgaaga 420
caataaaatc ttgagtttat gttcaaaaaa aaaaaanggg gggggcccgg taccawtcg 480
cctatagggg gncgttttaa a 501

```

<210> 504

<211> 2011

<212> DNA

<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1941)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1961)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1974)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1976)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (2002)  
<223> n equals a,t,g, or c

<400> 504  
gatctgcctt cccagttaga ctgagagaac aggggatata cctaaataat aataataata 60  
ataataataa taataataat aaataataat ggagagctcc ttgaagatag ggagcctgta 120  
agaatcattg agggcttatt ttgtatacca actgctaaac tagatgcttc atacattggt 180  
gtcaatactc atgacagcct tgtaaagtag aaawtaattc ttccagttaa cackaaggct 240  
gacatatgaa taccttgga aatctggaaa gctgggaaga cagtaattga actcaagact 300  
tcttgtcacc aagggcacgc acttggtactc tgccatgtgg scctttttta cctcctgtgg 360  
attctcccta cctggtactt ggccttaggt gtacacacac ctggcacttt gcttgacaca 420  
taataggtgg accacaaata tctactaaat gaatatattgc atatatgaat attttaaggt 480  
actaaaagca gctcaaagta aatattaata tattaattcc attgctatct ggataaccac 540  
tcaactttcc tgctgaaaat gccatttta ttaaagaagg ttggatagag ctctctatat 600  
gcattttgga caggcagggg tttcaggtca taaacattct gatgagttaa tataaaataa 660  
gagaaaactgt aaatttccac tactaaaaat cacaaaaata acagaaacaa aagaagagat 720  
aagaatttgg ggaattgtgc tgaacaattt agtggttaaa aaaaacaact gtgcatgttt 780  
agacttaaat aagcccccat ccaagtgtga ggggtccagt aatttttcaa aacatatgaa 840  
agtgttaata catttygaca aaggaccatt aaaaaagtc tgaattctga cttgaggag 900  
gaaagtaatg actaatatcat tctctagaga cttgcagact ttgggaattc ataaaggat 960  
ggatgataat tattaactgt tgctggctga ttgccagac agttctcaac agccctgtac 1020  
aagtctctgg gtttggtatg gatcaattct gagactggaa aatggccaaa tctttgcaaa 1080  
tgagaaatat ttttcttata agttcttatt gtaggcaaat aattacatag attattcatc 1140  
agagaatttt taaatgctca taatctcaac tctttcattt acaacttgta tttccaatag 1200  
tttatgggtc atctctgcat agatgtcaga agtcacctca agtttagygt gtccaaaatc 1260  
taactcacag gtctgtttct gacctcccaa cttgctttcc ttgtgttttt cctatgctaa 1320  
tgatccacca taatcaaaat aattaacatt tatccagtgc ctactatgta ctattccctg 1380  
tcctgtttta catttactca tttaaagtcc ataagaaaca ttaaattctca tctgccttct 1440

```

gaagaagata caaccatgct ctcttttaca aagtaggaaa ctgggtcaca gaaagggtgaa 1500
gtctttaagg ctgaatcaca gtagctcatc ctagtaaata gaaaagccag gattcaactc 1560
caggggctgg gtgcagaact gctattcttc actgcttcac caatcagcag ctacccaagg 1620
cagaaaactt tttcatcctt ggctccttca ttctccctgt caccacagat cccctctaca 1680
tctagtcaga gaatagggtcc tgtcaattcc aacttctcta tatggctcct ctcaggcatg 1740
tgcccttaat tggcctaatt ctctaataca ccttccctct acatgctcac tccctcagat 1800
cattgcttta tcacgkrtta cctgggttgc tattacataa agagcaatct ttctaaaatg 1860
agggatctta tcacttcact tccacactaa aatgtttttc ctgggggaac cacacttcct 1920
tagcaatctg acccatcaga nctttccagg ctgtctcctg nctgggtccc taangntccc 1980
agccaacacc ggaattatca tngggcccaa a 2011

```

&lt;210&gt; 505

&lt;211&gt; 1989

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1917)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 505

```

gggtgaggggt cgcccggtgca cagcctgtcc cagccgtcct gtccctggctg ctcgctctgc 60
ttcgtctgcg cgccactatg ctctccctcc gtgtcccgtc cgcgcccatc acggaccgcg 120
agcagctgca gctctcgccg ctgaaggggc tcagcttggt cgacaaggag aacacgccgc 180
cggccctgag cgggaccgcg gtccctggcca gcaagaccgc gaggaggatc ttccaggagc 240
ccacggagcc gaaaactaaa gcagctgccc cgggcgtgga ggatgagccg ctgctgagag 300
aaaacccccg ccgctttgtc atcttcccca tcgagtacca tgatatctgg cagatgtata 360
agaaggcaga ggcttccttt tggaccgcg agggagtgga cctctccaag gacattcagc 420
actgggaatc cctgaaaccc gaggagagat attttatatc ccatgttctg gctttctttg 480
cagcaagcga tggcatagta aatgaaaact tgggtggagcg atttagccaa gaagttcaga 540
ttacagaagc ccgtgtttc tatggcttcc aaattgccat ggaaaacata cattctgaaa 600
tgtatagtct tcttattgac acttacataa aagatcccaa agaaaggaa tttctcttca 660
atgccattga aacgatgcct tgtgtcaaga agaaggcaga ctgggccttg cgttggtattg 720
gggacaaaga ggctacctat ggtgaacgtg ttgtagcctt tgctgcagtg gaaggcattt 780
tcttttccgg tctttttgcg tcgatattct ggctcaagaa acgaggactg atgcctggcc 840
tcacattttc taatgaactt attagcagag atgagggttt aactgtgat ttgcttgcc 900
tgatgttcaa acacctggtc cacaacccat cggaggagag agtaagagaa ataattatca 960
atgctgttcg gatagaacag gaggctcctc ctgaggcctt gcctgtgaag ctcatggga 1020
tgaattgcac tctaataaag caatacattg agtttggtgc agacagactt atgctggaac 1080
tgggttttag caaggttttc agagtagaga acccatgtga ctttatggag aatatttcac 1140
tggaagggaa gactaacttc tttgagaaga gagtaggcga gtatcagagg atgggagtga 1200
tgtcaagtcc aacagagaat tcttttacct tggatgctga cttctaaatg aactgaagat 1260
gtgcccttac ttggctgatt ttttttttcc atctcataag aaaaatcagc tgaagtgtta 1320
ccaactagcc acaccatgaa ttgtccgtaa tgttcattaa cagcatcttt aaaactgtgt 1380
agctacctca caaccagtcc tgtctgttta tagtgctggt agtatcacct tttgccagaa 1440
ggcctggctg gctgtgactt accatagcag tgacaatggc agtcttggt ttaaagttag 1500
gggtgacctt ttagtgagct tagcacagcg ggattaaaca gtcctttaac cagcacagcc 1560
agttaaaaga tgcagcctca ctgcttcaac gcagatttta atgtttactt aaatataaac 1620
ctggcacttt acaaacaaat aaacattgtt tgtactcaca aggcgataat agcttgattt 1680
atthggtttc tacaccaaat acattctcct gaccactaat gggagccaat tcacaattca 1740

```

```
ctaagtgact aaagtaagtt aaacttggtg agactaagca tgtaattttt aagttttatt 1800
ttaatgaatt aaaatatattg ttaaccaact ttaaagtcag tcctgtgtat acctagatat 1860
tagtcagttg gtgccagata gaagacaggt tgtgttttta tcctgtggct tgtgtantgt 1920
cctgggattc tctgcccccy ctgagtarag tgttgtgggr taaaggaatc tytcaggggc 1980
agggggcctt 1989
```

<210> 506

<211> 1085

<212> DNA

<213> Homo sapiens

<400> 506

```
gggcgtggcg gcgctgtgcg cgtgcacaaa agagagctga ggggcggggg cgctgcggca 60
cagctggttt gagcaactga actggaaaca agatgcagga cccaacgca gacactgaat 120
ggaatgacat cttacgcaaa aagggtatct taccgcccaa ggaaagtctg aaagaattgg 180
aagaggaggc agaagaggag cagcgcatcc tccagcagtc agtggtgaaa acatatgaag 240
atatgacttt ggaagagctg gaggatcatg aagacgagtt taatgaggag gatgaacgtg 300
ctattgaaat gtacagacgg cggagactgg ctgagtggaa agcaactaaa ctgaagaata 360
aattyygaga agttttggag atctcaggga aggattatgt tcaagaagtt accaaagctg 420
gcgagggcctt gtgggtcatc ttgcaccttt acaaacaagg aattcccctc tgtgccctga 480
taaactcagca cctcagtgga cttgccagga agtttcctga tgtcaaattt atcaaagcca 540
tttcaacaac ctgcataccc aattatcctg ataggaatct gccacgata tttgtttacc 600
tggaaggaga tatcaaggct cagtttattg gtcctctggt gtttggcggc atgaacctga 660
caagagatga gttggaatgg aaactgtctg aatctggagc aattatgaca gacctggagg 720
aaaaccctaa gaagccgatt gaagacgtgt tgctgtcctc agtgccggcg tctgtcctca 780
tgaaggaggga cagcgattcc gagggtgact gaggctacag cttctatcac atgccgaact 840
ttcttgtgac aaattgtctg gattttttaa aaaaggaaaa agcaagaatg aatccttgtg 900
gttttttagtt ttgtataaat tatgtttcaa atctttacat ttgggaaata atcattgctg 960
gagattctgt taaatatattt ggaactcttt tttttttaa ttatagtatt tcctctaaaa 1020
aaaattaaaa ccagccattt gtatggcaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1080
aaaaa 1085
```

<210> 507

<211> 1485

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (570)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1475)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1476)

<223> n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1485)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 507

```
cgccgcccgt gcctttcctc ttctctctyc tctctcttgg catccgcctc ttcttctctc 60
tgcgtcctcc cccgctgcct ccgctgctcc cgacgcggag cccggagccc gcgccgagcc 120
cctggcctcg cggtgccatg ctgccccggc ggcggcgctg aaggatggcg acgccgctgc 180
ctccgcccct cccgcggcac ctgcggtgct tgcggctgct gctctccggc ctcgctcctg 240
gcgccgccct gcgtggagcc gccgcgggcc acccggatgt agccgcctgt cccgggagcc 300
tggaactgtg cctgaagagg cgggcaaggt gtcctctgtg tgacatgcc tgtgggccct 360
gccttcagcc cttccaggag gaccagcaag ggctctgtgt gcccaggatg gcgccgcctc 420
caggcggggg ccggcccccag cccagactgg aagatgagat tgacttcttg gcccaggagc 480
ttgcccgaa ggagtctgga cactcaactc cggccctacc caaggaccga cagcggctcc 540
cggagcctgc caccctgggc ttctcgcan gggggcaggg gctggakctg ggcctccct 600
ccactccagg aacccccacg cccacgcccc acactccct gggctccct gtgtcatccg 660
accgggtgca catgtcgccc ctggagcccc ggggagggca agcgacggc ctcgcccttg 720
tgctgacctt ggcgttctgt gtggcgggtg cagccgcctc ctccgtagcc tccctctgct 780
ggtgcaggct gcagcgtgag atccgcctga ctcaagaagg cgactacgcc actgcgaagg 840
ccccggctc acctgcagct ccccgatct cgcctgggga ccagcggtg gcacagagcg 900
cggagatgta cactaccag caccaacggc aacagatgct gtgcctggag cggcataaag 960
agccacccaa ggagctggac aggcctcct cggatgagga gaatgaggac ggagacttca 1020
cgggttacga gtgccgggc ctggccccga cgggggaaat ggaggtgcgc aaccctctgt 1080
tcgaccacgc cgcactgtcc gcgccctgc cggccccag ctcaccgcct gcactgcat 1140
gacctggagg cagacagacg cccacctgct ccccgacctc gagggcccg gggaggggca 1200
gggcctggag cttcccacta aaaacatgtt ttgatgctgt gtgcttttg ctgggcctyg 1260
ggctccaggc cctgggacct cttgccaggg agacccccga acctttgtgc caggacacct 1320
cctggtcccc tgcacctctc ctgtyggt tagaccccc aactggaggg ggcattggaga 1380
accgtagagc gcaggaacgg gtgggtaatt ctagagacaa aagccaatta aagtccattt 1440
cagacctgcg gaaaaaaaaa aaaaaaaaaa aaacnnnggg ggggn 1485
```

&lt;210&gt; 508

&lt;211&gt; 1930

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (30)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 508

```
attttagtaa acttttagac aaaatttgtn aaaatgctga catcatttat aatccttcat 60
ttatttgtaa aaagatgagg acacacatta artgawgtca gcattttagt aaacttttag 120
acaaaatttg ttagggcat tcatgaaaac ttaatacta aaagcacttt ccattatata 180
cttttaaaag gtctagataa ttttgaacca atttattatt gtgtactgag gagaaataat 240
gtatagtaga ggacagcctt ggtttgtaa gctcagttcc actagttcat ggttttgtgc 300
aacttctgag cctcagtttt ctcttttgca aattaataat tacatacctt tatagatttt 360
gaaattaatt taaatattag tatttggtac atgaaggctt aatgttaagt ttcctttaat 420
```

```

gatccacaat aatccctttg atcacgttaa tctaaatcta gatgtctttg tctaattttt 480
tttgaatagc agttataaat gtaaaggact caaagtttta gtaaaaagtg atactccacc 540
ttgtgtttca aagaatttag ttccacctct tcataccagt ttaacactta atatatttca 600
ttggatttta gacagggcaa aaggaagaac aggggcctct ggaggccctt ggttatttta 660
atcttggatt atttgtgata gtaatcacaa atttttggct aatttttaac ctgagggttt 720
gttttttttt taaaggaaat gcagcctagt cttgagaaca taattttata taatcaatta 780
ctaaatgtta aactattacc acacagcca taaaacagca tttgcgttta ttgagagaga 840
ggatgtgcca tcatgattaa tgaaaactat cttttgagtt tgaaaagaaa ttaatttgca 900
gtgtttggat tgtatatatg gtgctaaaaa taaattaatt tactttataa accttatctg 960
tacattatac gatgtgatga aatttgcttt ttatccaaat attttgtatc ttgtaaatat 1020
ggctaattat aggaatgcct ataatacatc ttagattcct tatatctaata aagagttcaa 1080
agagttatga gttgaagtct tgaatgcagg aaactatctg atagtgttct aaaatttggg 1140
tacttgggtt tggataccct tagtgggatg atgtaaatag aggctagcta cctaggcttg 1200
tctatagcaa ccataatgtt gatgtaagta atgcggttac tgaatcataa gaaaatgcca 1260
tctcttttta gttgaaggaa aactctggaa gtaggtgcca ttggtcattc tgcagtgcac 1320
tgcaaccatt gtttccccta gtgccctctt ttccctaggg cattgctctc ctattccac 1380
gccttaacac agctctatac ctagaagcag ccagcccagg catgcagtca catttaatca 1440
catccccctt ctagagtgtc tcaaaatgat gtagtcctc aacttggcta aagaatctca 1500
atctcttgaa atttattttt ttaatgtcat attcatctgg taaatatcta ctgtttgcca 1560
ggcatttaag aatatggcaa agaacataaa agatggtgtc accagatttt ggtcaccaat 1620
gagtaccoga cccgttgcca tgattaagag agaatgcttt ctattggagt ttcaggaaat 1680
ataatttgag aatactttaa agggaagtgg aagtataagt gaatgatatt tttcttttac 1740
atgtaaacia tgaagttatt tcaaagttaa gttttaaaca aaatacatga agtagtgtct 1800
gccatacatg ttaatatctt acattcttgc ttccttaaat taatatgttt gtgtgtatat 1860
atgtgcctca cacctgaatt gaaaattaaa gactggttta aaagtgaaaa aaaaaaaaaa 1920
aaaaaaaaat                                     1930

```

<210> 509

<211> 1134

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (895)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1041)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1064)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1090)

<223> n equals a,t,g, or c



&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1106)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 509

```

gagccacgcc cgggctgtgg gaataagatg gcggggaaga agaattgtct gtcgtctctc 60
gcagtttacg cggaagattc agagcccag tctgatggcg aggctggaat cgaggcgggtg 120
ggcagcgcgg ctgaggagaa aggcggattg gtatctgatg cctatgggga ggatgacttt 180
tctcgtctag ggggtgatga agatggttat gaagaagaag aagatgagaa cagtagacag 240
tcggaagatg acgattcaga gactgaaaaa cctgaggctg atgacccaaa ggataatata 300
gaagcagaaa agcagagacc ccaggaactc gtggcctcct tttctgaaag agttcggaa 360
atgtcgcctg atgaaatcaa gatcccgcca gaacccctg gcagatgttc aaatcacttg 420
caagacaaga tccagaagct ttatgaacga aagataaagg agggaatgga tatgaactac 480
attatccaaa ggaagaaaga atttcggaa cctagcatct acgagaagct gatccagttc 540
tgtgccattg acgagcttgg caccaactac ccaaaggata tgtttgatcc ccatggctgg 600
tctgaggact cctactatga ggcatagacc aaggcccaga aaattgagat ggacaaattg 660
gaaaaggcca aaaaggagcg aacaaaaatt gagtttgtga cgggcaccaa aaaaggcacc 720
acgaccaacg ccacgtccac caccactacc actgccagca cagctgttgc agatgctcag 780
aagagaaaga gcaagtggga ttcggctatc ccagtgacaa cgattagccc agcccaccat 840
cctcaccacc acagccaccc tgccagctgt tgtcacggtc accaccagcg ccagncktc 900
aaggaccacc gtcatctctg ctgtggggca ccatttgtga gaaggccaag cagtgcctg 960
agggggcacc ttagggaytt gaaaaggac cgttgcagcc ccarttgacc actggccagt 1020
gggaggcgcg ccatttttgt nttattttt agggatttgg ggancattatt tccccaggtt 1080
gcccaacttn aggaaggaggt ttttntttt tgggcttttc caggttggaagg agg 1134

```

&lt;210&gt; 510

&lt;211&gt; 1382

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 510

```

ggcgaatggg gaaggatttg aagtcacctt tgggtgtttg gagtgatcag agctgtctgc 60
cctcttgggg agtgacagtg cccactctg ttaagtccca tgcctgcccc caactcagct 120
tcagccacaa tgatgtagcc tcttttcctt tccatccaca gggcacctgg cctgggtgga 180
gccactcctc cagcaccacac ctcaacttct gcagtattct gcagacccca gccctgtgcc 240
tgtgctcctg gacagctgga gataaggagt gggccctgga agatgctcat tcaggccctg 300
ctcaagattc cagtctgatg tgctggactc gctgaagara gactacgcag gaaagcccca 360
gccacccatc aaatcagaga gaaggaatcc accttcttac gctatggcag gtaagaaagt 420
actcattgtc tatgcacacc aggaacccaa gtctttcaac ggatccttga agaattgtgc 480
tgtagatgaa ctgagcaggc agggctgcac cgtcacagtg tctgatttgt atgccatgaa 540
ctttgagccg agggccacag acaaagatat cactggtact ctttctaata ctgaggtttt 600
caattatgga gtggaaaccc acgaagccta caagcaaagg tctctggcta gcgacatcac 660
tgatgagcag aaaaagggtc gggaggctga cctagtata tttcagttcc cgctgtactg 720
gttcagcgtg ccggccatcc tgaagggtg gatggatagg gtgctgtgcc agggctttgc 780
ctttgacatc ccaggattct acgattccgg tttgctccag ggtaaactag cgctcctttc 840
cgtaaccacg ggaggcacgg ccgagatgta cacgaagaca ggagtcaatg gagattctcg 900
atacttctct tggccactcc agcatggcac attacacttc tgtggattta aagtccttgc 960
ccctcagatc agctttgtct ctgaaattgc atccgaagaa gaaagaaagg ggatgggtgc 1020
tgctgtgtcc cagaggctgc agaccatctg gaaggaagag cccatcccct gcacagccca 1080

```

```

ctggcacttc gggcaataac tctgtggcac gtgggcatca cgtaagcagc aactaggag 1140
gcccagcgcg aggcaaagag aagatgggtgc tgtcatgaaa taaaattaca acatagctac 1200
ctggggatac ttttttcttt ctgttttttg tttgttttta atttttagctt taaggagcac 1260
atggccagta ctgtttcagg ggaatattgg gtggcgctgg ggtttgggct tctattgatc 1320
ccatcaccca aacagtgagc atagttccca atagatagtt tttcaacact tcctttcctc 1380
cc 1382

```

<210> 511

<211> 1741

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1696)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1710)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1715)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1717)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1720)

<223> n equals a,t,g, or c

<400> 511

```

aactatccaa gccacctatt ttatttggtc tttcatctgt gactgcttgc tgactttatc 60
ataattttct tcaaacaaaa aaatgtatag aaaaatcatg tctgtgastt catttttaaa 120
tgtacttgct cagctcaact gcatttcagt tgtattatag tccagttcct atcaacatta 180
aaacctatag caatcatttc aaatctatct tgcaaatgtg ataagaataa agttagaatt 240
aacaatttta ttttgtacaa cagtgggaatt ttctgtcatg gataatgtgc ttgagtccct 300
ataatctata gacatgtgat agcaaaaagaa acaaacaaaa gccaggaaaa cactcatttt 360
cgccctgaat atgtaaatgg gattaatttt gtcctgtgcc ttatgtggaa aggaacttct 420
ttggttttcc ttttttggtc tgggtggaagc atgtgcagga gacatatcat ccaaacataa 480
accattaaaa tgtttgtggt ttgcttggtc gtaattttca aagtagttaa ttgaggacaa 540
agggtaatgc agaagtgata gctttgggtt gctgagtcct gttttaagtg gccttgatat 600
ttaaaactat tcctgccacc atttcttctc cttggccact tcttccttgc gtctccctgc 660
atgctgcttt atttgcttct ccctcccaa ccacctcatg gtatatttaa gagtgaaaagg 720
gacaaactag taggtttgtc aagtttaata taaagcactg atgtaacttg ctaggtaaac 780

```

```

ggaaagataa gttctaactg cctactatcc matgtccagt taattgggtg cttccccct 840
catttgctct cttccctaaa atgtgtccca gatgccttca tttgctgtt tacttctatg 900
ttctgctttt cctcctctct tkgttccctt cckgtctatc cattgagttt atgaaatgga 960
agagttaact gcatgcacta gtgtttgrag ggtgttgtgg tttgtctttc taattaggtg 1020
tatagcctat tcacttccta gaataaatct cttamcctaa atttgagtag tctgcatttt 1080
ggcaactcct ctacgcagctt ggtagcctag tacaggttgt ttttttaaaa aaggaaaagc 1140
aggaaggagg agtgaatttt attaacatgt ttgccaaatg tattgagatt tggcctctga 1200
agaacacttt ttcagtgtta agtttcttta ccttaagatt cagaaatact ttagaatatt 1260
attaatttta agtcctgtct ttacatcctt ttggaaaact tgtattacca tgagtttggg 1320
aaaaggacaa cgaaaggctt ttcagtgtta gataagatct ttagctatct ctaaccctgt 1380
ccttttttca ctgcattttt tctagttttg cttcattgct tatcattagg atagggtaag 1440
tgaagtttgc tatgctgcta gcatcctaag atgatacctt tgttgaaaga attgtgaata 1500
gcatgattca tttctagcag aggctgagtt taggacagca gcttccattg agaagtcttt 1560
ctgtgtcgtg aatagcattt taatgacctc ttggctcaca taagcaaaca acatagggac 1620
gtatctgcta tgaaaatcca caaatttttc agatagtgcc ctaaaaacaa ttttatatgc 1680
ctcactggtt gttagnctt aggttattan cacananggn gttattccgt ttaccgcccc 1740
c

```

<210> 512

<211> 1530

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1342)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1444)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1488)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1508)

<223> n equals a,t,g, or c

<400> 512

```

gaagcggcgt cggcggctgg agcagaggca gcagccggac gagcagcgga ggcggtcggg 60
agcgatggtg aagatggcgg cggcggcgcg cggagggcgg ggtggccgct actacggcgg 120
cggcagtgag ggcgcccggg cccctaagcg gctcaagact gacaacgccg gcgaccagca 180
cggaggcggc ggcggtggcg gtggaggagc cggggcggcg ggcggcgggc gcggtgggga 240
gaactacgat gacccgcaca aaacccctgc ctcccagtt gtccacatca ggggcctgat 300
tgacggtgtg gtggaagcag accttgtgga ggccttgca ggtttggac ccatcagcta 360
tgtggtggtg atgcctaaaa agagacaagc actggtggag tttgaagatg tgttgggggc 420

```

ttgcaacgca gtgaactacg cagccgacaa ccaaataac attgctgggc acccagcttt 480  
tgtcaactac tctaccagcc agaagatctc ccgccctggg gactcggatg actcccgag 540  
cgtgaacagt gtgtttctct ttaccatcct gaacccatt tattcgatca ccacggatgt 600  
tcttttacct atctgtaatc cttgtggccc tgtccagaga attgtcattt tcaggaagaa 660  
tggagttagc gcgatgggtg aatttgactc agttcaaagt gccagcggg ccaaggcctc 720  
tctcaatggg gctgatatct attctggctg ttgcactctg aagatcgaat acgcaaagcc 780  
tacacgcttg aatgtgttca agaataatca ggatacttgg gactacacaa accccaatct 840  
cagtggacaa ggtaatcttg acgaccactt tgttctaaac ataccgcct tgcttttact 900  
cgactagtgc acttaatatg cctgggctca ggggttatgta atgccattgg gcccccatg 960  
gacatgggag gcccttgggg tcagcacttg gacaccctag tgggatggg gagtgagagg 1020  
cctccatggg tcttctactg tgcctggggc cctccgatgc tgctcaggat acagaggcaa 1080  
ggcagaagcc tgagatgggc ggggagcagg gcctcactga ggatgaggcg tgggggcggc 1140  
cttagaaacc agcagtggct cctttgagag tctggtgagg gtcactcact ccattcttgc 1200  
tggaccagga attgtcctct tgttctgcgc tgttgagagg gtctgatttg ggggagtgc 1260  
agtgttggg ggcgatgagg ctccctgggct cttgcagtga gcctttgtga gcaagctgac 1320  
cctgttggag gtgagaacac tntggaatgg accaaggcgg acatgcttta aaataatttg 1380  
tagaggggaa cgcaacatct tttgcaaggt gggcccaaat gggacaactt cctttcctaa 1440  
gggncctggc agaaatgggt tttggccttt tgggtaagca aggggaanaa gggtgggaag 1500  
gaattggncc taatgaagaa aacaagcggg 1530

<210> 513

<211> 2999

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (243)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2606)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2996)

<223> n equals a,t,g, or c

<400> 513

ttttttttta ttttttgggt tagcatttaa taggcacata atcaacattt actgttcaat 60  
tgaaacaaaa ttaaaattgg gcgctgtctc tatctttatt tgtgatcggc cctaactgca 120  
ctggcaatct tttccgtttt tttgtttctt gttttccatt cgcattgccc ttagcgtacc 180  
tggggctccg gctcctttac aaatgaaacc caaagtgtc cgaagcacag ccagcgaaag 240  
ganaaactct gaaacggaca agatggctgc cactctctcg cgcctcttag tcccaccac 300  
tcaggcgga ggtctgcgtc atgtgacctt ccccttcttg gctccgctcc taccgcagt 360  
cttgacggga ggcggacggg gaacgaggcc gtcggcattt tgtgtctgct tcctgtggga 420  
cgtggtggtg gccgttgggt tgggaaagtg agggattttt ggcctcgttt ctctgcttc 480  
ttttctctc ccttttactt tgccggtaga acacagttat gggtcgcaag aagaagaagc 540  
agctgaagcc gtggtgctgg tattgtaata gagattttga tgatgagaag atccttattc 600

```

agcaccaaaa agcaaagcat tttaaatgcc atatatgtca caagaaattg tatacaggac 660
ctggcttagc tattcattgc atgcaggtac ataaagaaac aatagatgcc gtaccaaatg 720
caatacctgg aagaacagac atagagttgg aaatatatgg tatggaaggt attccagaaa 780
aagacatgga tgaaagacga cgacttcttg aacagaaaac acaagaaagt caaaaaaaga 840
agcaacaaga tgattctgat gaatatgatg atgacgactc tgcagcctca acttcatttc 900
agccacagcc tgttcaacct cagcaagggt atattcctcc aatggcacag ccaggactgc 960
caccagtacc aggagcacca ggaatgcctc caggcatacc tccattaatg ccagggtgtc 1020
ctcctctgat gccaggaatg ccaccagtta tgccaggcat gccacctgga ttgcatcatc 1080
agagaaaata caccagtca ttttgcggtg aaaacataat gatgccaatg ggtggaatga 1140
tgccacctgg accaggaata ccacctctga tgcctggaat gccaccagggt atgccccac 1200
ctgttccacg tcctggaatt cctccaatga ctcaagcaca ggctgtttca gcgccaggta 1260
ttcttaatag accacctgca ccaacagcaa ctgtacctgc cccacagcct ccagttacta 1320
agcctctttt cccagtgct ggacaggctc aggcagctgt ccaaggacct gttggtacag 1380
atttcaaac cttaaatagt acccctgcaa caactacaga acccccaaag cctacattcc 1440
ctgcttatac acagtctaca gtttcaacaa ctagtacaac aaatagtact gcagctaaac 1500
cagcggcttc aataacaagt aagcctgcta cacttacaac aactagtga accagtaagt 1560
tgatccatcc agatgaggat atatccctgg aagagagaag ggcacagtta cctaagtatc 1620
aacgtaatct tcctcggcca ggacaggccc ccctcggtaa tccaccagtt ggaccaattg 1680
gaggtatgat gccaccacag ccaggcatcc cacagcaaca aggaatgaga cccccatgc 1740
cacctcatgg tcagtatggt ggtcatcatc aaggcatgcc aggatacctt cctggtgcta 1800
tgcccccgta tgggcaggga ccgccaatgg tgccccctta ccagggtggg cctcctcgac 1860
ctccgatggg aatgagacct cctgtaatgt cgcaagggtg ccgttactga tcttacttca 1920
tccagtctaa taggtttgga gattaaacct tttctcaact tgtgctgttt atatagccaa 1980
gcttccgtca ataaggcttc attgtgactt taacaaacat tatcttccca cataccagga 2040
actattggac atttatttta catgggaaaa attatttggga ataataaagc aggaactttt 2100
cctgaagttg caattttatac tgtatggctt ctttttcatg tttcatctag gtttttagaa 2160
gtgaagtata gtaaatttgg ttctgttaaat tgtgaaggcg ctggaattac atgaacatac 2220
caccctagta aaggcaagtt ctgtaagctt acattgctat ttgtaaagtt tgccctcaca 2280
gcatttcaga tgctgttggga cttcatgtcc ccaacctagc ttggtgaggg ctgtaactgt 2340
ttccaagtac ttgtacattg gaagtctgaa tgtgtaacaa tatttaatgt atttagagtt 2400
cctcatgttg cagggtttta gaaatctgac ccaccaagggt catgtgactt ttctgtactg 2460
ttaaacttca ttgtaataaa atgagagaaa aatttatgcc tttttattca taaccagct 2520
gtggaccact gcctgaaagg tttgtacaga tgcattgccac agtagatgtc cacataataa 2580
aattcatagt taccaatgca gtttanatat atcattggat tctgtctttg agttgtaggt 2640
tatttcttag ctgcatgttt taaactgaat ttgcatagag ttgtatgtta atgtttcagt 2700
taagagaaaa acttaagata catgagtcac tacataatgg gtatgaaatc tttataatca 2760
ccctccacc ctctatggtg tcagtacaca tcacgtgtca tagatactta aaatgtaaat 2820
gttaacactt ttccttctctg ctgagatgtt tagagcctag tgccagaccc attcatttcc 2880
ttttgattat ttttgagact cagtactagc ttcttgtgct gttaatgggt tattatatat 2940
tattctaagt gtaatgctga gaatctaaat gtgtctctgt tgggatggtt aacagntga 2999

```

&lt;210&gt; 514

&lt;211&gt; 2048

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 514

```

tttgtcagat gatcagtcct tactgattat cttgtctgctt aaaggcctgc tcaccaatct 60
ttctttcaca ccgtgtgggt cgtgttactg gtataccag tatgttctca ctgaagacat 120
ggactttata tgttcaagt caggaattgg aaagtggac ttgttttcta tgatccaaaa 180
cagccctata agaagggttg aaaaggagga actatatagc agcctttgct attttctgct 240

```

```

accatttctt ttcctctgaa gcggccatga cattcccttt ggcaactaac gtagaaactc 300
aacagaacat tttcctttcc tagagtcacc ttttagatga taatggacaa ctatagactt 360
gctcattgtt cagactgatt gccctcacc tgaatccact ctctgtattc atgctcttgg 420
caatttcttt gactttcttt taagggcaga agcatttttag ttaattgtag ataaagaata 480
gttttcttcc tcttctcctt ggccagttta ataattggtc catggctaca ctgcaacttc 540
cgtccagtgc tgtgatgccc atgacacctg caaaataagt tctgcctggg cattttgtag 600
atattaacag gtgaattccc gactcttttg gtttgaatga cagttctcat tccttctatg 660
gctgcaagta tgcatcagtg cttcccactt acctgatttg tctgtcgggtg gcccataatg 720
gaaaccctgc gtgtctgttg gcataatagt ttacaaatgg ttttttcagt cctatccaaa 780
tttattgaac caacaaaaat aattacttct gccctgagat aagcagatta agtttgttca 840
ttctctgctt tattctctcc atgtggcaac attctgtcag cctctttcat agtgtgcaaa 900
cattttatca ttctaaatgg tgactctctg cccttggaac catttattat tcacagatgg 960
ggagaacctt tctgcatgga cctctgtgga ccacagcgta cctgcccctt tctgcccctc 1020
tgctccagcc ccacttctga aagtatcagc tactgatcca gccactggat attttatata 1080
ctcccttttc cttaagcaca atgtcagacc aaattgcttg tttctttttc ttggactact 1140
ttaatttgga tcctttgggt ttggagaaaag ggaatgtgaa agctgtcatt acagacaaca 1200
ggtttcagtg atgaggagga caacactgcc tttcaaactt tttactgac tccttagattt 1260
taagaactct tgaattgtgt ggtatctaata aaaagggag gtaagatgga taatcacttt 1320
ctcatttggg ttctgaattg gagactcagt ttttatgaga cacatctttt atgccatgta 1380
tagatcctcc cctgctattt ttggtttatt tttattgta taaatgcttt ctttctttga 1440
ctcctcttct gcctgccttt ggggataggt ttttttgtt gtttatttgc ttctctgtt 1500
ttgttttaag catcattttc ttatgtgagg tggggaagg aaaggatga gggaaagaga 1560
gtctgagaat taaaatattt tagtataagc aattggctgt gatgctcaa tccattgcat 1620
cctcttattg aatttgccaa tttgtaattt ttgcataata aagaaccaa ggtgtaatgt 1680
tttggtgaga ggtggttttag ggattttggc cctaaccaat acattgaatg tatgatgact 1740
atttggagg acacatttat gtaccagag gcccccacta ataagtggta ctatggttac 1800
ttccttgtgt acatttctct taaaagtgat attatatctg tttgtatgag aaaccagta 1860
accaataaaa tgaccgcata ttctgacta aacgtagtaa ggaaaatgca cactttgttt 1920
ttacttttcc gtttcattct aaaggtagtt aagatgaaat ttatatgaaa gcatttttat 1980
cacaaaataa aaaagggttg ccaagctcaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2040
aaaaaaaaa 2048

```

<210> 515

<211> 3300

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (126)

<223> n equals a,t,g, or c

&lt;400&gt; 515

```

nngacccacg cgtccgcgga cgggtgggtcg agacccacgc gtccgcttta cagggaccca 60
gtctgccttc aagaaaagac agaagtagaa aggggtgggtg ctgactgtct gacaaattgt 120
tatcangtat gcaggaagta tatccttctc caaaatatca tacttgcatc accaggtaga 180
cacatttcct tctacacaga attatcttca gagcttctta aagcaaataa agcctgcttc 240
aaggactgag tccctagtcg aattcccgga aggagtggag cctgtcatat tgggtgaggt 300
ttgccttgaa tgtcatocca gtatttcaat attgattaat tagtcttccc tcatgggtccc 360
aactgcatag tttttatttt gttagtggtt ctgacacatg gtaagggaca tgaagtatc 420
ctttgagata atctttccat tcatcagtggt ttatctagca tctgtcgaag agtgtgctgc 480
agtggaggga aatcagatga cctcccagtc tgggtgtgtt acatacaatc atgtgtaaga 540
agtgccattc aagccgtgtc actggagggtg actgacagtg agtgagtgtg gatagagagg 600
acctcctggg gtgggcaatg tgagccctca gactctgtag gtattgcatt ttgcagtga 660
cactggtaga catgttttgt ggctcaagcc agcatgtgtg tgatgggtta ggattcaktg 720
acttttgatg atctggctgt ggacttcacc ccagaagaat ggactttact ggacccaact 780
cagagaaacc tctacagaga tgtgatgtcg gagaactaca agaatttggc cacagtagga 840
tatcagctct tcaaaccag tctgatctct tggctggaac aagaagagtc taggacagt 900
cagagaggtg atttccaagc ttcagaatgg aaagtgaac ttaaaaccaa agagttagcc 960
cttcagcagg atgttttggg ggagccaacc tccagtggga ttcaaatgat aggaagccac 1020
aacgagggg aggtcagtg tgtaaagcaa tgtggagatg tctccagtga acactcatgc 1080
cttaagacac atgtgagaac tcaaaatagt gagaacacat ttgagtgtta tctgtatgga 1140
gtagacttcc ttactctgca caagaaaacc tctactggag agcaacgttc tgtatttagt 1200
cagtgtggaa aagccttcag cctgaaccca gatgtgtgtt gccagagaac gtgcacagga 1260
gagaaagctt ttgattgcag tgactctggg aaatccttca ttaatcattc acaccttcag 1320
ggacatttaa gaactcaciaa tggagaaagt ctccatgaat ggaaggaatg tgggagaggc 1380
tttattcact ccacagacct tgctgtgcgt atacaaactc acaggtcaga aaaaccctac 1440
aaatgtaagg aatgtggaaa aggatttaga tattctgcat accttaatat tcacatggga 1500
accacactg gagacaatcc ctatgagtgt aaggagtgtg ggaagcctt caccaggtct 1560
tgtcaactta ctgacacag aaaaactcac actggagaga aaccttataa atgtaaggat 1620
tgtgggagag ccttcaactgt ttctcttgc ttaagtcaac atatgaaaat ccatgtgggt 1680
gagaagcctt atgaatgcaa ggaatgtggg atagccttca ctgatcttc tcaacttact 1740
gaacatttaa aaactcacac tgcaaaggat ccctttgaat gtaagatatg tggaaaatcc 1800
tttagaaatt cctcatgcct cagtgatcac ttctgaattc acactggaat aaaaccctat 1860
aaatgtaagg attgtgggaa agccttcact cagaactcag accttactaa gcatgcacga 1920
actcacagtg gagagaggcc ctatgaatgt aaggaaatgt gaaaggcctt tgccagatcc 1980
tctcgctta gtgaacatac aagaactcac actggagaga agccttttga atgtgtcaaa 2040
tgtgggaaag cctttgctat ttcttcaaat cttagtggac atttgagaat tcacactgga 2100
gagaagcctt ttgagtgcct ggaatgtggg aaagcattta cgcattcttc cagtcttaat 2160
aatcacatgc ggacccacag cgccaaaaaa ccattcacgt gtatggaatg tggcaaagcc 2220
ttaagtttc ccacgtgtgt taaccttcac atgcggatcc acactggaga aaaaccctac 2280
aaatgtwaac agtgtgggaa atccttcagt tactccaatt cgtttcagtt acatgaacga 2340
actcacactg gagagaaacc ctatgaatgt aaggagtgcg ggaagcctt cagttcttcc 2400
agttcctttc gaaatcatga aagaaggcat gcggatgaga gactgtcagc ataaggatg 2460
tgggaaaacc taaaggtgtc cctgttctct ctgaagacat gaaaactcac tggggagaaa 2520
ccctatgaat gtaaaaatgt ggaagcaact ttgtatctca ggtcttaatg aacacatatg 2580
aattcacagt ggagaagacc ctgcatcagg gaatgtggaa atgactttgc tgaattctca 2640
agccttacca aacacatcag aaatctcact ggagagaaac ygtatgaatg tagagaatct 2700
gggaatacct ttctgaatcc caciaaacctt aatgtgtgta tgtgaactca cattggagag 2760
aaaccctgca atttaaatgg tatggctctg atgatcccc actccatatt tgtaagcctt 2820
aagtcctagt tccttacact ataactgtat ttggacatag ggttttcaaa caggtgagta 2880
acttcaaatg aggttgttgg gttcgtatccc taatctgaca tcaactggtg ccctataagg 2940

```

```

gaaactgaag gaaggatata catggagaag actgtgtgga tccaccagaa gatggccatc 3000
tacaagccaa ggacagagac ctggaacaga tgctttcatt atggcctcca gaggaaacca 3060
accctgtctc caccttgata ttgcacttcc aggctccaga actgtgaggc aataaatttc 3120
tcttggttaa atcattcagt ctgttatatt gtacagcaac cctaggaaac taatactgtg 3180
aggaacttg gaaaagcttt agatcaagct tgtccaaccc gcaggccagg atggctttga 3240
atgcagacca acacaaattt ttaagctttc ttcaaacata ataaawtttt tttgtgatta 3300

```

<210> 516

<211> 3425

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (402)

<223> n equals a,t,g, or c

<400> 516

```

gggaagtccc cgaggcgac agagcaagcc cacgcgaggg cacctctgga ggggagcgcc 60
tgcaggacct tgtaaagtca aaaatgtcag aaacttccag gaccgccttt ggaggcagaa 120
gagcagttcc acccaataac tctaattgag cggaagatga cctgcccaca gtggagcttc 180
agggcgtggt gccccggggc gtcaacctgc aagatgatgc tgtgtatctg gacaatgaga 240
aagaaagaga agagtatgtc ctgaatgaca tcggggtaat tttttatgga gaggtcaatg 300
acatcaagac cagaagctgg agctatggtc agtttgaaga tggcatcctg gacacttgcc 360
tgtatgtgat ggacagagca caaatggacc tctctggaag anggaatccc atcaaagtca 420
gccgtgtggg gtctgcaatg gtgaatgcca aagatgacga aggtgtcctc gttggatcct 480
gggacaatat ctatgcctat ggcgtccccc catcgccctg gactggaagc gttgacattc 540
tattggaata ccggagctct gagaatccag tccggtatgg ccaatgctgg gtttttctg 600
gtgtctttta cacattttta cgatgccttg gaataaccagc aagaattggt accaattatt 660
tctctgcccc tgataatgat gccaatttgc aaatggacat cttcctggaa gaagatggga 720
acgtgaattc caaactcacc aaggattcag tgtggaacta ccaactgctg aatgaagcat 780
ggatgacaag gcctgacctt cctgttgat ttggaggctg gcaagctgtg gacagcacc 840
cccaggaaaa tagcgatggc atgtatcggg gtggccccgc ctcggttcaa gccatcaagc 900
acggccatgt ctgcttccaa ttgatgcac cttttgtttt tgcaagggtc aacagcgacc 960
tcattttacat tacagctaag aaagatggca ctcatgtggt ggaaaatgtg gatgccacc 1020
acattgggaa attaatgtg accaaacaaa ttggaggaga tggcatgatg gatattactg 1080
atacttacia attccaagaa ggtcaagaag aagagagatt ggccttagaa actgccctga 1140
tgtacggagc taaaagccc ctcaacacag aaggtgtcat gaaatcaagg tccaacgttg 1200
acatggactt tgaagtggaa aatgctgtgc tgggaaaaga cttcaagctc tccatcacct 1260
tccggaacaa cagccacaac cgttacacca tcacagctta tctctcagcc aacatcacct 1320
tctacaccgg ggtccygaag gcagaattca agaaggagac gttcgacgtg acgctggagc 1380
ccttgctcct caagaaagag gcggtgctga tccaagccgg cgagtacatg ggtcagctgc 1440
tggacaagc gtccctgcac ttctttgtca cagctcgcat caatgagacc agggatgttc 1500
tggccaagca aaagtccacc gtgctaacca tccctgagat catcatcaag gtccgtggca 1560
ctcaggtagt tggttctgac atgactgtga cagttgagtt taccaatcct taaaagaaa 1620
ccctgcgaaa tgctcgggta cacctggatg gtcctggagt aacaagacca atgaagaaga 1680
tgttccgtga aatccggccc aactccaccg tgcagtggga agaagtgtgc cggccctggg 1740
tctctgggca tcggaagctg atagccagca tgagcagtga ctccctgaga catgtgtatg 1800
gcgagctgga cgtgcagatt caaagacgac cttccatgtg aatgcacagg aagctgagat 1860
gaacctggc atttggcctc ttgtagtctt ggctaaggaa attctaacgc aaaaatagct 1920
cttgctttga cttaggtgtg aagaccaga caggactgca gagggcycca gagtggagat 1980

```



```

ccccatatatt tcaaaaacat gcttttccaa acccaggcta ttcggcaagg aagttagttt 2040
ttaatctctc caccttccaa agagtgtctaa gcatttagctt taattaagct ctcatagctc 2100
ataagagtaa cagtcacatcat ttatcatcac aaatggctac atctccaaat atcagtgggc 2160
tctcttacca gggagatttg ctcaatacct ggcctcattt aaaacaagac ttcagattcc 2220
ccactcagcc ttttggaat aatagcacat gatttgggct ctagaattcc agtccccctt 2280
ctcggggtca ggttctaccc tccatgtgag aatatttttc ccaggactag agcacaacat 2340
aatttttatt tttggcaaag ccagaaaaag atctttcatt ttgcacctgc agccaagcaa 2400
atgcctgcc aatttttagat ttaccttggt agaagaggtg gccccatatt aacaaattgc 2460
atttgtggga aacttaacca cctacaagga gataagaaag caggtgcaac actcaagtct 2520
attgaataat gtagttttgt gatgcatttt atagaatgtg tcacactgtg gcctgatcag 2580
caggagccaa tatcccttac tttaaccctt tctgggatgc aatactagga agtaaagtga 2640
agaatttatc tcttttagtta gtgattatat ttcacccatc tctcaggaat catctccttt 2700
gcagaatgat gcaggttcag gtcccccttc agagatataa taagcccaac aagttgaaga 2760
agctggcgga tctagtacc agatatatag aaggactgca gccactgatt ctctcttctc 2820
cttcacatca cccatgttga gacctcagct tggcactcag gtgctgaagg gtaatatgga 2880
ctcagccttg caaatagcca gtgctagttc tgaccaaac acagaggatg ctgacatcat 2940
ttgtattatg ttccaaggct actacagaga aggctgcctg ctatgtattt gcaaggctga 3000
tttatggtca gaatttccct ctgatatgtc tagggtgtga tttaggtcag tagactgtga 3060
ttcttagcaa aaaatgaaca gtgataagta tactgggggc aaaatcagaa tggaatgctc 3120
tggtctatat aaccacattt ctaagccttt gagactgttc ctgagccttc agcactaacc 3180
tatgaggggtg agctgggtccc ctctatatat acatcatact taactttact aagtaatctc 3240
acagcatttg ccaagtctcc caatatccaa ttttaaaatg aaatgcattt tgctagacag 3300
ttaaactggc ttaacttagt atattattat taattacaat gtaatagaag cttaaaataa 3360
agttaaactg atttatattg aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaagggggg 3420
ggggc 3425

```

<210> 517

<211> 1358

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1346)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1356)

<223> n equals a,t,g, or c

<400> 517

```

tcgaccacg cgtccggacc cacgcgtccg agtcaacatc aggctactga agttgaggct 60
ttagggtaac tttcctatat tgagcccatg ggttacaagg atttgcaata tattgttcca 120
tttacagcca atacaggttt aatcgatggt caatattggt ttaggaaatt taaggccttc 180
taaatcataa tagctctttc atgtctaaaa ccattttatg atattgccaa aatgtgatag 240
gaaacctact cattaaattg ttaaactttt taatgactat gtgaagatat gaattgtttc 300
ctgaagataa tactcttaat tgagttgtat tgtacttctt aggcaaagca gtgtaaaaact 360
gtatcaatta aggcttgtga gtagtgattt ccaactggggc atcagagtct tggctgggct 420
gaatctgctg cttgttggtt cagtgtttct tatgaacaag agccacagta cagagcttca 480
agttatttaa aatactaagt catcttacgt ttccatttta ttaacgggat gttgcaatcg 540

```

440

```

tttgtaaact aataaactta taaagtgatt ggcacaaaga ctccttgagc aaaagctgtg 600
cagttaagta caaaaagata ctttaatttg agactcttac agtaattttt gccatgtcaa 660
aacaatggct ttacattga aagattaata gaaactctac atatgttaat ttttttatag 720
aacctgactc aaatcaaggt actctccatt ttattgcctt acctgaatca gtcctttttg 780
gttggttaata gattttttta tacaccacag tttgatttaa aagtaaattc tagttcttaa 840
gcacttttaa caagaaatcc agaagcacat ttttctgcac aaacaagtta caaagttcaa 900
aagtgtttct tgtgcattag ctttgagatt cagtttttaa ctttgtaaac cacatctgag 960
agacttgtca tttctacatt gtgtgtgttt aatttctttt gattccattt tggtaagag 1020
agcagtaa atagattttctg gtattcttgt tcaacttgatt acatttgtat aaagttctga 1080
ttgccagttg ctcagataac aagtgacaag gcagaattct ttaaatacagt aaagttcctt 1140
aagcctaagg ctaaactctg aatacattgt tgaattcttt aatacctga tggcaagcag 1200
actgatagct gcacatttgg catgctttgt ttaatggatt ttatttttaa ttgcagattt 1260
atttggcaat gtacagtaaa ttttgtaaac ttgcatcaag tttatgaata aagaaccatt 1320
taaaaaaaaa aaaaaaaaaa aaaagnagga aagaanag 1358

```

&lt;210&gt; 518

&lt;211&gt; 1368

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1225)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1311)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1333)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1335)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1347)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 518

```

gcggattgca acacatgcag ctgcctggag agaggagacc ggtgtcttac gtcagagccg 60
ccgccgccgc ggagccgccg ccggggagga gcagccgctg ccgccagga ctgggccctt 120
agggaggagg aggcgagaag atggcgagac accccagtcg tgccgacagg aacgtggaga 180
tctggaagat caagaagctc attaagagct tggaggcgcc ccgcggcaat ggcaccagca 240
tgatatcatt gatcattcct cccaaagacc agatttcacg agtggcaaaa atgttagcgg 300

```

```

atgagtttgg aactgcatct aacattaagt cacgagtaaa cgcctttca gtcctgggag 360
ccattacatc tgtacaacaa agactcaaac ttataacaa agtacctcca aatgggtctgg 420
ttgtatactg tggaacaatt gtaacagaag aaggaaagga aaagaaagtc aacattgact 480
ttgaaccttt caaaccaatt aatacgtcac tgtatttgtg tgacaacaaa ttccatacag 540
aggctcttac agcactactt tcagatgata gcaagtttgg attcattgta atagatggta 600
gtggtgcact ttttggcaca ctccaaggaa acacaagaga agtcctgcac aaattcactg 660
tggatctccc aaagaaacac ggtagaggag gtcagtcagc cttgcgtttt gcccgtttaa 720
gaatggaaaa gcgacataac tatgttcgga aagtagcaga gactgctgtg cagctgttta 780
tttctgggga caaagtgaat gtggtggtc tagttttagc tggatccgct gactttaaaa 840
ctgaactaag tcaatctgat atgtttgatc agaggttaca atcaaaagtt ttaaaattag 900
ttgatataat ctatggtggt gaaaatggat tcaaccaagc tattgagtta tctactgaag 960
tcctctccaa cgtgaaattc attcaagaga agaaattaat aggacgatac tttgatgaaa 1020
tcagccagga cacgggcaag tactgttttg gcgttgaaga tacactaaag gctttggaaa 1080
tgaggagctg agaaattcta atagtctatg aaaatctgga tataatgaga tatgttcttc 1140
attgccaaag cacagaagag gagaaaattc tctatctaac tccagagcaa gaaaaggata 1200
aatctcattt cacagacaaa gaganccgga caggaaccat gascttatcg agagcatgsc 1260
cctktttgga awgkttgst aacaactwta aaaaattggg acttccttgg naaattggcc 1320
caattaattc ccnanaaagg ggtcaanttt ggaaaagaat tgggggaa 1368

```

&lt;210&gt; 519

&lt;211&gt; 933

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 519

```

ccacgcgtcc gcgacgcgt gggcgacgc gtgggtggca ggatcagatt ttattaagac 60
ctctactgga aaagaaacag taaatgccac cttcccgtgta gctatagtaa tgctgcgggc 120
cattagagat ttctctgga aaactggaaa caagataggg tttaaaccag caggaggcat 180
ccgcagtgca aaggattccc ttgcttggtc ctctcttgta aaggaggagc ttggagatga 240
gtggctgaag ccagaactct ttcgaatagg tgccagtact ctgctctcgg acattgagag 300
gcagatttac catcatgtga ctggaagata tgcagcttat catgatcttc caatgtctta 360
aatcagtcac cagtccaga aaagtctctt acgacaatgt ttaaaaaatta tttttctacg 420
taattgctaa aattatttaa ttaaaaaatt gggcagtagg taactggcat tcctctcttt 480
aaaatttcta ccgaacttaa tggaatggaa aaagcaaact catccacatg tggactcat 540
ttcaggcaca tctgaaatga tcttaattac tagaagatct gcactattaa ctttgtgaag 600
agtttctcct aaaaacttta agtaaaatgt taatggtagc tttgataaca tcaaattcta 660
agggagaaaa aaacaatatt aaaccgcca agcagtgtgc ctagcagag gaaaatgcaa 720
catctcgcaa gcgtgctgt aacgacttca ggagtcactg attcagcact aatttcctgc 780
tgtgaaaact catctttcat ttttgccgtg gataggcgtc tttattaatt gttgtcctaa 840
tgaaatttct gacattgtca tatacacga tgaatatcat taaaattttt aaaataaaaa 900
aaaaaaaaa aaaaaactcg agggggggcc cgg 933

```

&lt;210&gt; 520

&lt;211&gt; 1430

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (104)

&lt;223&gt; n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (105)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1428)  
<223> n equals a,t,g, or c

<400> 520  
gcggacgcgt gggcggacgc gtgggcggac gcgtggggtt cacagccaaa gtgtgggatg 60  
ctgtctcagg agatgaattg atgacctgg ctcataaaca catnntcaag actgtggatt 120  
tcacgcagga tagtaattat ttgttaaccg ggggacagga taaactgtta cgcataatag 180  
acttgaacaa acctgaagca gaacctaaagg aaatttagtg tcatacttct ggtataaaaa 240  
aagctctgtg gtgcagttag gataaacaga ttctttctgc tgatgacaaa actgttcgac 300  
tttgggatca tgctactatg acagaagtga aatctctaaa ttttaatatg tctgttagta 360  
gtatggaata tattcctgag ggagagattt tggttataac ttatggacga tctattgctt 420  
ttcatagtgc agtaagtttg gaccaatta aatcctttga agctcctgca accatcaatt 480  
ctgcactctc tcacctgag aaagaatttc ttgttcagg cggggaagat tttaaacttt 540  
ataagtatga ttataatagt ggagaagaat tagaatccta caaggacac tttggtccta 600  
ttcactgtgt gagatttagt cctgatggag aactctatgc cagtgggtca gaagatggaa 660  
cattgagact atggcaaaact gtggtaggaa aaacgtatgg cctttggaaa tgtgtgcttc 720  
ctgaagaaga tagtggtgag ctggcaaagc caaagattgg ttttcagag acaacagaag 780  
aggagctaga agaaattgct tcagagaatt cagattgcat ctttccttca gctcctgatg 840  
ttaaggcctg agcgtcaatc atatgttgca gttagtatac aactgactaa aacaagcaag 900  
cagagaaaag catcagcctt ccagagttac tgtctgctta aggcagaaac agcagtaaat 960  
aatgaggaaa atgaattagc tccagtgtgt gaacaactaa ctaacttggt gttacctgta 1020  
agtgaaaact caagtgtcag atgaaggagg gtggagttat cctcttatag tacagtggcc 1080  
tgttatcttt ttaatgaata tatacaagcc aacatccaat ttctattatt acaattaggg 1140  
ttctttagtc tgtttatgtt aatatggaga agaaaactat attggctgat tttttctgat 1200  
cttaaagcag aatgcctttt ctttttttgc ttcagttgta aagaagaggg aatacatgat 1260  
aaagtaactg gtttgatttc tcgttcattg tacactgcct ctgaacatct aattgttttt 1320  
agttgtctaa ataaaatgcc tctaaaacaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1380  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaanaa 1430

<210> 521  
<211> 1169  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1159)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (1166)  
<223> n equals a,t,g, or c

&lt;400&gt; 521

```
gccacgcgt ccgccacgm gyccgcgtgg agttgtgaac gccgcggact ccggagccgc 60
acaaaccagg gctcgccatg aagccaggat tcagtccccg tgggggtggc tttggcggcc 120
gagggggcctt tggtgaccgt ggtggtcgtg gaggccgagg gggctttggc gggggccgag 180
gtcgaggcgg aggcctttaga ggtcgtggac gaggaggagg tggaggcggc ggcggcggtg 240
gaggaggagg aagaggtggt ggaggcttcc attctggtgg caaccggggg cgtggtcggg 300
gaggaaaaag aggaaaccag tcggggaaga atgtgatggt ggagccgcat cggcatgagg 360
gtgtcttcat ttgtcgagga aaggaaagat cactggtcac caagaacctg gtccctgggg 420
aatcagttta tggagagaag agagtctcga ttctggaagg agatgacaaa attgagtacc 480
gagcctggaa ccccttccgc tccaagctag cagcagcaat cctgggtggt gtggaccaga 540
tccacatcaa accgggggct aaggttctct acctcggggc tgcctcgggc accacggtct 600
cccattgtct tgacatcggt ggtccggatg gtctagtcta tgcagtcgag ttctcccacc 660
gctctggccg tgacctcatt aacttggcca agaagaggac caacatcatt cctgtgatcg 720
aggatgctcg acaccacac aaataccgca tgctcatcgc aatggtggat gtgatctttg 780
ctgatgtggc ccagccagac cagaccgga ttgtggccct gaatgccac accttcctgc 840
gtaatggagg acactttgtg atttccatta aggccaactg cattgactcc acagcctcag 900
ccgaggccgt gtttgcctcc gaagtgaaaa agatgcaaca ggagaacatg aagccgcagg 960
agcagttgac ccttgagcca tatgaaagag accatgccgt ggtcgtggga gtgtacaggc 1020
cacccccacaa ggtgaagaac tgaagttcag cgctgtcagg attgcgagag atgtgtgttg 1080
atactgttgc acgtgtgttt ttctattaaa agactcatcc gtcaaaaaaa aaaaaaaaaa 1140
arggggggccc gctaggggnt ccaagntta                                     1169
```

&lt;210&gt; 522

&lt;211&gt; 2162

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (169)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2133)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2136)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2139)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 522

```
gccgggcgcg gagaagtcgg ggcggggcggc agagaggccg ggacgcggac cgggcccggg 60
cgcccacagc cgcccagcgg cgcccagaga gcgcgcgccc cgcagccccg cgcctagccc 120
```

```

gccgggcatg gggcgcgcg gaggcgctga agccccggcc tggccccgnc gcacccggcc 180
ggagggcgag ggcagagcgc gcgcccagtt gcccgggcac caaatcgag cgcggcgtgc 240
gggaggggccc agagcaggac tggaaatgtc ctggcgcgcg cgctcctgc tcagatacct 300
gttccccggcc ctctgtcttc acgggctggg agagggttct gccctccttc atccagacag 360
caggtctcat cctaggtcct tagagaaaag tgcttgagg gcttttaagg agtcacagtgc 420
ccatcacatg ctcaaaccatc tccacaatgg tgcaaggatc acagtgcaga tgccacctac 480
aatcgagggc cactgggtct ccacaggctg tgaagtaagg tcaggccccag agttcatcac 540
aaggctctac agattctacc acaataaacac cttcaaggcc taccaatttt attatggcag 600
caaccgggtgc acaaatccca cttatactct catcatccgg ggcaagatcc gcctccgcca 660
ggcctcctgg atcatccgag ggggcacgga agccgactac cagctgcaca acgtccaggt 720
gatctgccac acagaggcgg tggccgagaa gctcggccag caggtgaacc gcacatgcc 780
gggtctcctc gcagacgggg gtccctgggt gcaggacgtg gcctatgacc tctggcgaga 840
ggagaacggc tgtgagtgc ccaaggccgt gaactttgcc atgcatgaac ttcagctcat 900
ccgggtggag aagcagtacc ttcaccacaa cctcgaccac ctggtcgagg agctcttct 960
tggtgacatt cacactgatg ccaccagag gatgttctac cggccctcca gttaccagcc 1020
ccctctgcag aatgccaaaga accacgacca tgctgcac gcctgtsaga tcatctatcg 1080
gtcagacgag caccaccctc ccctcctgcc cccaaaggca gacctgacca tcggcctgca 1140
cggggagtgg gtgagccagc gctgtgaggt gcgccccgaa gtctcttctc tcaccgcca 1200
cttcatcttc catgacaaca acaacacctg ggaggggccac tactaccact actcagaccc 1260
ggtgtgcaag caccacacct tctccatcta cgcccggggc cgctacagcc gcggcgtcct 1320
ctcgtccagg gtcagggag gcaccgagtt cgtgttcaa gtgaatcaca tgaaggtcac 1380
ccccatggat cgggccacag cctcactgct caacgtcttc aacgggaatg agtgcggggc 1440
cgagggtcc tggcaggtgg gcatccagca ggatgtgacc cacaccaatg gctgcgtggc 1500
cctgggcac aaactacctc acacggagta cgagatcttc aaaatggaac aggatgccc 1560
ggggcgctat ctgctgttca acggtcagag gccagcgac ggggtccagcc cagacaggcc 1620
agagaagaga gccacgtcct accagatgcc cttggtccag tgtgctcct cttcgccgag 1680
ggcagaggac ctygcagaag acagtggaag cagcctgtat ggccggggcc ctgggaggca 1740
cacctggctc ctgctgctgg ctgcacttgc ctgycttgc cctctgctgc attggaacat 1800
ccgcagatag aagttttaga aagttctatt ttccaaacc aggattcctt actattgaca 1860
gatttkcttt accaaaagaa aagacattta ttcttttgat gcacttgaat gccagagaac 1920
tgtccttctt tttctcctct ccctccctcc cagccctga gtcataaca gcaaggagtgc 1980
tttgaagttt ctgcttgaa ctccgtccag cctgatccct ggcctgagca acttcacaac 2040
agtaattgca ctttaagaca gcctagagtt ctggacgagc gtgtttggta gcagggatga 2100
aagctaccww attttttct cttrattatt tgnacnaant tgagtagaag ttatttcctt 2160
tt
2162

```

&lt;210&gt; 523

&lt;211&gt; 799

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (443)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (758)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 523

```

tctctctccc tctcttccct cccctgccc caaaactaaa gtaaaataac gtaactgcc 60
cgtttttctg taaccagcag accttatcta tactcccaat tccaattcct tgtaaacata 120
ctttgtaaag tcctgtaaga tcctgtctcc ttggccatga cgctgcaagg tcataaagta 180
gataaaacct aagttgcaat tccggttttc ctcaagatct aagacatgtt acaaatgggt 240
aattgccttt gtttctcgtt ttggtaacat cttcccgccct caggatatttc ccgccttgaa 300
gagtttaaaa ggcaatccta taatctaact ctggctaccc attctggacc ccctccatgc 360
tttggaaagt ttgtactttc actctgctca ataaagcctr cagctttttc tcactctcag 420
tccatgtctc tttcactcac tgnngtcagc ttccacacca tttctttggt gtggcttggc 480
aagaacctca ggtgttacat cttggcgagc cagacaggag actccagaaa aggatcaaa 540
ccatcaagct acaaatratc ttacaaatgg aacctcaaat gagctcagct cacggcttct 600
accgaggacc cctggwtcaa cccgctggtc cctcaattac cctagaaaat tccctctg 660
aggacaccaa actgcagggc cccttyttca cccctaacca gcaggaaagta gccagaacgg 720
actgccacam ggttcccaac agcarttkgg ggtgtccngt tttagaggca ggatttagag 780
gaggtgccca attgggttt 799

```

&lt;210&gt; 524

&lt;211&gt; 1722

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (13)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (36)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (40)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 524

```

ttccacgcgt ttnagagaag ggaactccca cagcanaggn cataaaacca tccagggcag 60
tctggggcgg ctcagttctg cgggtgccagg gagtggagca gagctcagcc ccgtcccaa 120
yacagatggg accatgaact cggacacag cttcagccag acccctcgg cctccttcca 180
tggcgcggga ggtggctggg gccggcccag gagcttcccc agggctccca ccgtccatgg 240
cgggtgcggg ggagcccga tctccctgtc cttcaccacg cggagctgcc caccctctgg 300
agggtcttgg ggttctggaa gaagcagccc cctactaggc ggaaatggga aggccacat 360
gcagaatctc aacgaccgcc tggcctccta cctggagaag gttcgcgccc tggaggaggc 420
caacatgaag ctggaagacc gcatcctgaa atggcaccag cagagagatc ctggcagtaa 480
gaaagattat tcccagtatg aggaaaacat cacacacctg caggagcaga tagtgatgg 540
taagatgacc aatgctcaga ttattcttct cattgacaat gccaggatgg cagtggatga 600
yttcaacctc aagtwtgaaa atgaacactc ctttaaaaaa gacttggaat ttgaagtcsa 660
gggcctccga aggaccttag acaacctgac cattgtcaca acagacctag aacaggaggt 720
ggaaggaatg aggaaagagc tcattctcat gaagaagcac catgagcagg aaatggagaa 780
gcatcatgtg ccaagtgact tcaatgtcaa tgtgaagggt gatacaggtc ccagggaaga 840

```

```

tctgattaag gtcctggagg atatgagaca agaatatgag cttataataa agaagaagca 900
tcgagacttg gacacttggt ataaagaaca gtctgcagcc atgtcccagg aggcagccag 960
tccagccact gtgcagagca gacaaggtga catccacgaa ctgaagcgca cattccaggc 1020
cctggagatt gacctgcagr cacagtacag cacgaaatct gctttggaaa acatgttattc 1080
cgagaccag tctcgktact cctgcaagct ccaggacatg caagagatca tctcccacta 1140
tgaggaggaa ctgacgcagc tacgccayga actggagcgg cagaacaatg aataccaagt 1200
gctgctgggc atcaaaaccc acctggagaa ggaaatcacc acgtaccgac ggctcctgga 1260
gggagagagt gaaggacac gggaagaatc aaagtcgagc atgaaagtgt ctgcaactcc 1320
aaagatcaag gccataaccc aggagaccat caacggaaga ttagttcttt gtcaagtga 1380
tgaaatccaa aagcacgcat gagaccaatg aaagtttccg cctgttgtaa aatctatattt 1440
cccccaagga aagtcccttg acagacacca gtgagtgaat tctaaaagat acccttgga 1500
ttatcagact cagaaacttt tatttttttt ttctgtaaca gtctcaccag acttctcata 1560
atgctcttaa tatattgcac ttttctaata aaagtgcgag tttatgaggg taaagctcta 1620
ctttcctact gcagccttca gattctcatc attttgcac tattttgtag ccaataaaac 1680
tccgcactag caaaaaaaaa aaaaaaaaaa aaaaagtctg ac 1722

```

&lt;210&gt; 525

&lt;211&gt; 562

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (515)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (526)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (557)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 525

```

tcccgggccc gagggcatca gacggcggct gattagctcc ggtttgcac acccggaccg 60
ggggattagc tccggtttgc atcaccggga ccgggggatt agctccggtt tgcatcacc 120
ggaccggggg ccgggcgcgc acgagactcg cagcgggaagt ggaggcggct ccgcgcgcgt 180
ccgctgctag gaccgggca gggctggagc tgggctggga tcccagctc gccagcagc 240
cagcggggccg gccacctgc tgggtgccctg gargctctga gcccggcgcg cggccgggccc 300
cacgcggaac gacggggcga gatgcgagcc acccctctgg ctgctcctgc gggttccctg 360
tccaggaaga agcggttgga gttggatgac aacttagata ccgagcgtcc cgtccagaaa 420
cgagctcgaa gtgggccccca gccagactg ccccctgcc tgttgcccct gagccacct 480
actgctccag atcgtgcaac tgctgtggsc actgnetccc gtyttnggsc ctatgtctcty 540
ctkgaagccc gaagaanggc gg 562

```

&lt;210&gt; 526

&lt;211&gt; 2023

&lt;212&gt; DNA



<213> Homo sapiens

<220>

<221> misc feature

<222> (12)

<223> n equals a,t,g, or c

<400> 526

```
aaagtgataa cncaactaat ggttgtggac ttgaatctyc aggaaatact gttacacctg 60
taaatgttaa tgaagttaaa cccataaaca aaggtgaaga acaaatgggt tttgagctag 120
tggagaaatt atttcaaggt cagctggtat taaggacgcg ttgcttgga tgtgaaagtt 180
taacagaaag aagagaagat tttcaagaca tcagtgtgcc agtacaagaa gatgagcttt 240
ccaaagtaga ggagagttct gaaatttctc cagagccaaa aacagaaatg aagaccctga 300
gatgggcaat ttcacaattt gcttcagtag aaaggattgt aggagaagat aaatatttct 360
gtgaaaactg ccatcattat actgaagctg aacgaagtct tttgtttgac aaaatgcctg 420
aagtataac tattcatttg aagtgccttg ctgctagtgg tttggagttt gattgttatg 480
gtggtggact ttccaagatc aacactcctt tattgacacc tcttaaattg tctactagaag 540
aatggagcac aaagccaact aacgacagct atggattatt tgcggttggt atgcatagtg 600
gcattacaat tagtagtggg cattacactg cttctgttaa agtcactgac cttaacagtt 660
tagaactaga taaaggaaat tttgtggttg accaaatgtg tgaaataggt aagccagaac 720
cattgaatga ggaggaagca aggggtgtgg ttgagaatta taatgatgaa gaagtgtcaa 780
ttagagttgg tggaaataca cagccaagta aagttttgaa caaaaaaat gtagaagcta 840
ttggacttct tggaggacaa aagagcaaag cagattatga gctatacaac aaagcctcta 900
atctgataa ggttgctagt acagcgtttg ctgaaaatag aaattctgag actagtgata 960
ctactgggac ccatgaatct gatagaaaca aggaatccag tgaccaaaaca ggcattaata 1020
ttagtggatt tgagaacaaa atttcatacg tagtgcaaa cttaaaggag tatgagggga 1080
agtgttgct ttttgatgat tctgaagtca aagttactga agagaaggac tttctgaatt 1140
ctctttccc ttctacatct cctacttcta ctccttactt gctattttat aagaaattat 1200
agagtgagtg tattttcctt gtgtatatat taaacacacc catacaaaca ttggtaaaagt 1260
tgattacatc aaagaatctt tagcttatct tttgaagcta ctggatatta ttggtctctc 1320
taggttttta tataaatagt gaaatytgaa ttactgaaaa ccatgttaat ttttagaact 1380
cattttcctc agtagagact agtgatgcat tagcttctgg gaacaaactt gtatcggttc 1440
ttaattaaat tatccaaaac ggaggcattt aaacacttgg atttacacca gtcttttgtg 1500
tttgcttttt aaaataaagt gctcgtattt gtattctcca tattttggag taattatcta 1560
catgatgttt atagttcctg tggtttttca cccaagaagc agaatctcat tcagtacatt 1620
tagttttata agagtcatga agctaaatcc ttgggctatg tcagaggcac aaagtctaga 1680
atgtgtgtat tcacaatggg gtatgtacat tttgtgcctt gattcactta gaagtgtctc 1740
agaaaacctg gacagttcgc ttctacacaa gaattttata tgtatttatg aagatgattc 1800
tgtaccctag tataatcttt tgggcatgga ctaatttgta tctgtttaac tcatattctg 1860
cacgactctgt atatagtaca tcaaacttag aggtgtgacc ttaaatttaa ctttttttaa 1920
aaactgggag gtcaataaaa tttaaactgc ttaactatgt atatgaatat ttgaattttt 1980
tacttgata tttttataaa tacagctgag ttttcttaaa gcg 2023
```

<210> 527

<211> 2847

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (286)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (290)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2842)

<223> n equals a,t,g, or c

<400> 527

```

ggcacagggt attctgtgtc ttcatagta gaaaccttaa tgcgcgtct gttgtagtga 60
actctttaa aaggcgctat agaaaaccaa tttctgagta aaccagcaga cagcatgact 120
tgtaaatggg cttttaatta attaaaaaga aattagtcag ctacaagcat gaacatgtgg 180
aacgcttacc tttgtactag gcgtttttgt ttttgtttta atggcttttg gaattattata 240
gtattaacat ctggaaaact aggtaaattt atcttagaat taagtnttn gctccttttt 300
tgcagaaaaa gaacagcaag aagcgattga acacattgat gaagtacaaa atgaaataga 360
cagacttaat gaacaagcca gtgaggagat tttgaaagta gaacagaaat ataacaaact 420
ccgccaacca ttttttcaga agaggtcaga attgatcgcc aaaatcccaa atttttgggt 480
aacaacattt gtcaaccatc cacaagtgtc tgcactgctt ggggaggaag atgaagaggc 540
actgcattat ttgaccagag ttgaagtgtc agaatttgaa gatattaaat caggttacag 600
aatagatttt ttttttgatg aaaatcctta ctttgaaaat aaagtctctt ccaaagaatt 660
tcatctgaat gagagtgggt atccatcttc gaagtccacc gaaatcaaat ggaaatctgg 720
aaaggatttg acgaaacgtt cgagtcaaac gcagaataaa gccagcagga agaggcagca 780
tgaggaacca gagagcttct ttacctggtt tactgacct tctgatgcag gtgctgatga 840
gttaggagag gtcatacaag atgatatttg gccaaaccca ttacagtact acttggttcc 900
cgatatggat gatgaagaag gagaaggaga agaagatgat gatgatgatg aagaggagga 960
aggattagaa gatattgacg aagaagggga tgaggatgaa ggtgaagaag atgaagatga 1020
tgatgaaggg gaggaaggag agggaggatga aggagaagat gactaaatag aacactgatg 1080
gattccaacc ttcctttttt taaattttct ccagtccttg ggagcaagtt gcagtctttt 1140
ttttttttt ttttttttcc ctcttgtgct cagtcgccct gttcttgagg tctcttttct 1200
ctactccatg gttctcaatt ttttggggg gaaatacctt gacagaata caatgggaaa 1260
agagtctcta cccctttctg ttcgaagttc atttttatcc ctctctgtct gaacaaaaac 1320
tgtatggaat caacaccacc gagctctgtg ggaaaaaaga aaaacctgct cccttcgctc 1380
tgctggaagc tggaggggtg taggcccttg tgtagtagtg catagaattc tagctttttt 1440
cctcctttct ctgtatattg ggctcagaga gtacactgtg tctctatgtg aatatggaca 1500
gttagcattt accaacatgt atctgtctac tttctcttgt ttaaaaaaag aaaaaaaac 1560
ttaaaaaaat ggggttatag aaggtcagca aagggtgggt ttgagatgtt tgggtgggtt 1620
aagtgggcat tttgacaaca tggcttctcc tttggcatgt ttaattgtga tatttgacag 1680
acatccttgc agtttaagat gacacttta aaataaattc tctcctaag atgacttgag 1740
ccctgccact caatgggaga atcagcagaa cctgtaggat cttatttgga attgacattc 1800
tctattgtaa ttttgttcct gtttattttt aaattttctt tttgtttcac tggaaaggaa 1860
agatgatgct cagtttttaa cgttaaaagt gtacaagttg ctttgttaca ataaaactaa 1920
atgtgtacac aaaggatttg atgcttttct ctcagcatag gtatgcttac tatgaccttc 1980
caagtttgac ttgtataaca tcaactgtcaa actttgtcac cctaacttcg tattttttga 2040
tacgcacttt gcaggatgac ctcagggcta tgtggattga gtaatgggat ttgaatcaat 2100
gtattaatat ctccatagct gggaaacgtg ggttcaattt gccattgggt tctgaaagta 2160
ttcacatcat ttgggatacc agatagctca atactctctg agtacattgt gcccttgatt 2220
tttatctcca agtggcagtt tttaaaattg gccttttacc tggatataaa ttaattgtgc 2280

```

```
ctgccaccac catccaacag acctggtgct ctaatgccaa gttatacacg ggacagttgc 2340
tggcatgtct tcattggcta tataaaatgt ggccaagaag ataggctctc agtaagaagt 2400
ctgatggtga gcagtaactg tccctgcttt ctggtataaa gctctcaaat gtgaccatgt 2460
gaatctgggt gggataatgg actcagctct gtctgctcaa tgccattgtg cagagaagca 2520
ccctaatagca taagcttttt aatgctgtaa aatatagtcg ctgaaattaa atgccacttt 2580
ttcagagggtg aattaatgga cagtctggtg aacttcaaaa gctttttgat gtataaaact 2640
tgataaatgg aactattcca tcaataggca aaagtgtaac aacctatcta gatggatagt 2700
atgtaatttc tgcacaggtc tctgtttagt aaatacatca ctgtataccg atcaggaatc 2760
ttgctccaat aaaggaacat aaagatttaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2820
aaaaaaaaaa aaaaaaaaaa anaaaaaa 2847
```

<210> 528

<211> 816

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (22)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (94)

<223> n equals a,t,g, or c

<400> 528

```
aaaacgantg tgtaattaac anaggctgtg cgcataaacg ttgccgttat ggttcgcgaa 60
ttttccccgg cgcccaatgc gagggagacg aaantatgta aatgagtgga ttctggctga 120
gctatcctat tggctatcgg gacaaaattt gcttgagcca atccaaagtg ctccgtggac 180
aatcgccggt ctgtctataa aaaggtgaag cagcggcggt ttccggcgact ttcccgatcg 240
ccaggcagga gtttctctcg gtgactacta tcgctgtcat gtctggctcg ggcaagcaag 300
gaggcaaggc ccgcgccaag gccaaagtcg gctcgtcccg cgctggcctt cagttccccg 360
taggcgagtg catcgctctg cgcaaaggca actacgcgga gcgagtgggg gccggcgcg 420
ccgtctacat ggctgcggtc ctcgagtatc tgaccgccga gatcctggag ctggcgggca 480
acgcggtctg ggacaacaag aagacgcgca tcatccctcg tcacctccag ctggccatcc 540
gcaacgacga ggaactgaac aagctgctgg gcaaagtcac catcgcccag ggcggcgtct 600
tgctaatac ccaggccgta ctgctcccta agaagacgga gagtcaccac aaggcaaagg 660
gcaagtgagg ctgacgtccg cccaagtggc ccagcccgcc cgcggtctcg aaggggcacc 720
tgtgaactca aaaggtcttt ttgagagcca cccacgtttt caaataaaag agttgttaat 780
gctggcaaaa aaaaaaaaaa aaaaaaaaaa aaaaaa 816
```

<210> 529

<211> 885

<212> DNA

<213> Homo sapiens

&lt;400&gt; 529

```
ggcagttacc ggtgccgtaa ttcccgggtc ggacccacgc gctctgtcgt ggcgcgggctt 60
cccgcggtct tctctgcaaa tgggctccgt ggccatagcgc ccccgctccc gccaccggtg 120
atcgtgcgcc gagggccgcg aggggtcgcc gccagatcc caccagccag caagctaaag 180
catggcggcc atcccccca gcggctcgct cgtggccacc cagactact accggcgccg 240
cctgggttcc acttcagca acagctcttg cagcagtacc gagtgccccg gggaaagccat 300
tccccacccc ccaggtctcc ccaaggctga cccgggtcat tggtagggcca gcttcttttt 360
cggaagtc accctcccgt tcatggccac ggtgttgag tccgcagagc actcgaacc 420
tccccaggcc tccagcagca tgaccgctg tggcctggct cgggacgccc cgaggaagca 480
gcccgcggt cagtcagca cagccagcgc tgggcccccg tcctgacctg agcgggtacc 540
accagccca ggctgcgga ggcgctagtc caccagagcc cctycccgcc cctctcccca 600
ctccgcatcc ctgcccccc tccccacctc ccacccccca ccctgtaaac taggcggctg 660
cagcaagcag accttcgcat caacacagca gacacaaaa accagtgaga gcccgcctct 720
ctaccgccc gcccagcac tcgctagctt tcctgacacc tggaactgtg cacctggcac 780
caagcgaaaa ataaactcca agcagccagt agccccgatg gtgtgtgcct gagctgtgtg 840
gcccgaggtt ccaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaa 885
```

&lt;210&gt; 530

&lt;211&gt; 742

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (693)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (695)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (715)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (730)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (741)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 530

```
ggtacctgac agtaccggtc ggaattcccc ggtagacca cgcgtccgct gctgctctta 60
aaggtacagg cctcagggtc cctgctgtag acggggcggg ggagagtacg atgggtgggg 120
```

```

cgtgggtgggt cgtagggcgc tcgagatgga gccccagct tccttgatgg atcgcggggc 180
gcgagtgcgc tagacaagcc ggagctggga cgggcaatcg ggcgttgatc cttgtcacct 240
gtcgcagacc ctcateccctc ccgtgggagc cccctttgga cactctatga ccctggaccc 300
tcgggggacc tgaäcttgat gcgatgggag gctgtgcagg ctcgcgggcg cgcttttcgg 360
attccgaggg ggaggagacc gtcccggagc cccggctccc tctgttgac catcagggcg 420
cgcattggaa gaacgcgggtg ggcttctggc tgctgggctt ttgcaacaac ttctcttatg 480
tggtgatgct gagtgccgcc cagcacatcc ttagccacaa gaggacatcg ggaaaccaga 540
gccatgtgga cccaggccca acgccgatcc cccacaacag ctcacacga tttgactgca 600
actctgtctc tacggctgct gtgctcctgg cggacatcct cccacactc gtcacaaat 660
tgttggstyc tyttggsetc cacctgctgc ccnaccgt tgaggatgct gtgantctct 720
tgctttatn ggggacagct ng 742

```

&lt;210&gt; 531

&lt;211&gt; 525

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (502)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (510)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (523)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 531

```

gtcggcattc ccgggtcgac ccacgcgtcc gggcccgttt ccggcgggcgt cgcgcgtttg 60
cgarccctcg gtggtcctca gggagggtct ctcggccaga acacgtggat gccacccac 120
cactgagcct catggagggtg gtaacatttg gcgatgtggc tgtgcacttc tctcgggagg 180
agtggcagtg tctggaccct ggccagaggg ccctctacag ggaagtgatg ctggagaacc 240
acagcagtggt ggctggacta gcaggattcc tggttttcaa gcctgagctg atctctcggc 300
tggagcaggg agaagagcca tgggtcctcg acctgcargg agcagagggg acagaggcac 360
caargacctc caagacaggt gaggtctaga tcccatcgca gagaagccct ggggtgarga 420
gaaactkcar gaggggtcga caactgtrgg tagctgtagg tgartcgcg gggctacact 480
kqgatgcctg ggaatgctac tnggggaaan cagcatccaa canct 525

```

&lt;210&gt; 532

&lt;211&gt; 1925

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 532

```

gtggtctgag gccggtacag ctgcgcgtct gcgggaatag gtgcagcggg cccttgccgg 60
gggactctga gggaggagct ggggacggcg accctaggag agttctttgg ggtgactttc 120

```

```
aagatggact ctactctaac agcaagtga atccggcagc gatttataga tttcttcaag 180
aggaacgagc atactgtatgt tcaactcgtct gccaccatcc cattggatga cccacttttg 240
ctcttttgcca atgcaggcat gaaccagttt aaaccatttt tcctgaacac aattgaccca 300
tctcacccca tggcaaaagct gagcagagct gccaatatccc agaagtgcac ccgggctggg 360
ggcaaacata atgacctgga cgatgtgggc aaggatgtct atcatcacac cttcttcgag 420
atgctgggct cttggtcttt tggagattac tttaaggaa tggcatgtaa gatggctctg 480
gaactcctca cccaagagtt tggcattccc attgaaagac tttatgktac ttactttggc 540
gggatgaag cagctggctt agaagcagat ctggaatgca aacagatctg caaaatttgg 600
gaaatgattc tggggaccat tctgaccaca tgcattacta tcagggtaaa aaatatttcc 660
gagataggag gggaggtggc agaaattcag actggtcttc agatacaa atcgacaaggac 720
aacagtcac atctgactgc tacatatatg attctgctac tggctactat tatgaccctt 780
tggcaggaac ttattatgac cccaatatccc agcaagaagt ctatgtgccc caggatcctg 840
gattacctga ggaagaagag atcaaggaaa aaaaaccac cagtcaagga aagtcaagta 900
gcaagaagga aatgtctaaa agagatggca aggagaaaa agacagagga gtgacgaggt 960
ttcaggaaaa tgccagtga ggaaggccc ctgcagaaga cgtctttaag aagcccctgc 1020
ctcctactgt gaagaaggaa gagagtcccc ctccacctaa agtggtaaac ccactgatcg 1080
gcctcttggg tgaatatgga ggagacagt actatgagga ggaagaagag gaggaacaga 1140
cccctcccc acagccccgc acagcacagc ccgagaagcg agaggagcaa accaagaagg 1200
agaaatgaaga agacaaactc actgactgga ataaactggc ttgtctgctt tgcagaaggc 1260
agtctcccaa taaagaagt ctgatcaaac accagcagct gtcagacctg cacaagcaa 1320
acctggaaat ccaccggaag ataaaacagt ctgagcagga gctagcctat ctggaaagga 1380
gagaacgaga gggaaagt tt aaaggaagag gaaatgatcg cagggaagaa ctccagtctt 1440
ttgactctcc agaaaggaaa cggattaagt actccaggga aactgacagt gatcgtaaac 1500
ttgttgataa agaagatc gacactagca gcaaggagg ctgtgtccaa caggctactg 1560
gctggaggaa agggacaggc ctgggatatg gccatcctgg attggcttca tcagaggagg 1620
ctgaaggccg gatgaggggc ccagtggtg gagcctcagg aagaaccagc aaaagacagt 1680
ccaacgagac ttaycgagat gctgttcgaa gagtcatgtt tgctcgatat aaagaactcg 1740
attaagaaag gagacaagtt ccatgggata caacctccct cttgttttgt ttgtctctcc 1800
ttttcttttg ttactgttct tgctgctaga acttttttaa ataaactttt tttcaatgtg 1860
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaagggg 1920
ggggg 1925
```

<210> 533

<211> 502

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (469)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (482)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (487)

<223> n equals a,t,g, or c

&lt;400&gt; 533

```
catagaggca aacggtacac tgacagtacc gtccggaatt cccgggtcga cccacgcgtc 60
cgggtccgcaa agcctgagtc ctgtcctttc tctctccccg gacagcatga gcttcaccac 120
tcgctccacc ttctccacca actaccggtc cctgggtctt gtccaggcgc ccagctacgg 180
cgccccggcg gtcagcagcg cggccagcgt ctatgcaggc gctgggggct ctggttcccc 240
gatctccgtg tccccctcca ccagcttcag gggcggcatg ggggtccggg gcctggccac 300
cgggatatgcc gggggtctgg caggaatggg agcatccaga acgagaagga gaccatgcaa 360
aagctgaacg accgcctggc ctcttacctg gacaaaatga aggagcctgg agaccgagaa 420
accggaggct ggaaagcaaa aaccggggag cactttggag aagaagganc ccaggtcaga 480
gnctggnagc cattaattca ag 502
```

&lt;210&gt; 534

&lt;211&gt; 1800

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 534

```
tcgaccacag cgtccggccg cgcgcgccac tgccaggcgg ggatcgggag ggcgcgagctg 60
aggtggtgag ggactagctc ccggatgtgg agaagctggg gagaaggcgt gggaggaaga 120
tggaactcggg ggagaagggg gccgccacct ccgtctccaa cccgcggggg cgaccgtccc 180
ggggccggcc gccgaagctg cagcgcaact ctgcggcgcg ccagggccga ggtgtggaga 240
agcccccgca cctggcagcc ctaattctgg ccgggggagg cagcaaaggc atccccctga 300
agaacattaa gcacctggcg ggggtcccgc tcattggctg ggtcctgcgt gcggccctgg 360
attcaggggc cttccagagt gtatgggttt cgacagacca tgatgaaatt gagaatgtgg 420
ccaaacaatt tgggtgcaca gtatcatcga gaagtcttga agtttcaaaa gacagctcta 480
cctcactaga tgccatcata gaatttctta attatcataa tgaggttgac attgtaggaa 540
atattcaagc tacttctcca tgtttacatc ctactgatct tcaaaaagtt gcagaaatga 600
ttcgagaaga aggatatgat tctgttttct ctgttgtgag acgccatcag ttctgatgga 660
gtgaaattca gaaaggagtt cgtgaagtga ccgaacctct gaatttaaat ccagctaaac 720
ggcctcgtcg acaagactgg gatggagaat tatatgaaaa tggctcattt tattttgcta 780
aaagacattt gatagagatg ggttacttgc aggggtgaaa aatggcatac tacgaaatgc 840
gagctgaaca tagtgtggat atagatgtgg atattgattg gcctattgca gagcaaagag 900
tattaagata tggctatttt ggcaaagaga agcttaagga aataaaactt ttggtttgca 960
atattgatgg atgtctcacc aatggccaca tttatgtatc aggagaccaa aaagaaataa 1020
tatcttatga tgtaaaagat gctattggga taagtttatt aaagaaaagt ggtattgagg 1080
tgaggctaatt ctcaaaaagg gcctgttcaa agcagacgct gtcttcttta aaactggatt 1140
gcaaaatgga agtcagtgtg tcagacaagc tagcagttgt agatgaatgg agaaaagaaa 1200
tgggcctgtg ctggaaagaa gtggcatatc ttggaaatga agtgtctgat gaagagtgtc 1260
tgaagagagt gggcctaagt ggcgctcctg ctgatgcctg ttctactgcc cagaaggctg 1320
ttggatacat ttgcaaatgt aatgggtggc gtgggtgccat ccgagaattt gcagagcaca 1380
tttgctactt aatggaaaaa gttaataatt catgcaaaaa atagaaatta gcgtaaatatt 1440
gagaaaaaaa tgatacagcc ttcttcagcc agtttgcttt tatttttgat taagtaaaatt 1500
ccattgtgta atgttacaga gagtgtgatt tggtttgatg tatatatata ttgtgctcta 1560
cttttctctt tacgcaagat aattatttag agactgatta cagtctttct cagattttta 1620
gtaaatgcaa gtaagaacat catcaaagtt cactttgtat tgtacctgtt aaaactgtgt 1680
gtttgtgtgc tttaaaagat gttgggattt tatttatctg gggacagtgt gtatggtaag 1740
acatgccctt ctattaataa aactacattt ctcaaacttg aaaaaaactc gtgccgaatt 1800
```

&lt;210&gt; 535

&lt;211&gt; 2497

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2467)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2487)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2493)

<223> n equals a,t,g, or c

<400> 535

```
ggcggggccag ccaagatggc ggcctcatgc ttggtcctgc tggcgctgtg tctgctgctg 60
ccgctgctgc tgctgggagg atggaagcgc tggcgccggg ggcggggcggc ccggcatgta 120
gtagcgggtg tgctgggcca cgtgggccgc agcccccgtg tgcagtacca cgcgctgtcg 180
ttggccatgc acggcttctc ggtgaccctc ctggggttct gcaactccaa accccatgat 240
gagctcttgc agaacaacag aattcagatt gtggggttga cagaacttca gagtcttgca 300
gttgggcccc gagttttcca gtacggagtc aaagtgttac ttcaggctat gtacttgctg 360
tggaagtga tgtaggggga gccagggtgc tatactcttc tccagaacct ccaggtctg 420
cctagcattg ctgtctgctg gttcgtgggc tgcccttctg gaagcaagct cgtcattgac 480
tggcacaact atggctactc catcatgggt ctggtgcatg gcccacaacca tcccctcggt 540
ctgctggcca agtggtaga gaagtctctt gggcgctgtg cccacctgaa cctgtgtgtt 600
accaatgcta tgcgagaaga cctggcgcat aactggcaca tcagggtgtg gaccgtctac 660
gacaagcccc catctttctt taaagagaca cctctggacc tgcagcaccg gctcttcatg 720
aagctgggca gcatgcactc tccgttcagg gcccgctcag aacctgagga ccagtcacg 780
gagcgggtcg ccttcacgga gcgggatgct gggagcgggc tggtagcgcg tctccgtgag 840
cggccagccc tgctggtcag cagcacgagc tggacagagg acgaagactt ctccatcctg 900
ctggcagctt tagaaaagt tgaacaactg actcttgatg gacacaacct tcttctctc 960
gtctgtgtga taacaggcaa agggcctctg agggagtatt atagccgcct catccaccag 1020
aagcacttcc agcacatcca ggtctgcacc ccctggctgg aggccgagga ctacccctg 1080
cttctagggt cggcgacact ggggtgtctgt ctgcacacgt cctccagtgg cctggacctg 1140
cccatgaagg tggtagacat gtttgggtgc tgtttgctg tgtgtgctgt gaacttcaag 1200
tgtttacatg agctggtgaa acatgaagaa aatggcctgg tctttgagga ctgagaggaa 1260
ctggcagctc agctgcagat gcttttctca aactttcctg atcctgcggg caagctaaac 1320
cagttccgga agaacctgcg ggagtcgcag cagctccgat gggatgagag ctgggtgcag 1380
actgtgctcc ctttgggtat ggacacataa ctctgggcc agaggctaaa accccrggac 1440
ccctgctgtc cttcccgag cttcttctyg gagtctcagg gcaaaccctt tcgagcagcr 1500
cctccagtg gccagaagct gaaatgacag cagtgtgact gcctggtaaa agaattgggt 1560
ctgtgacctg ggaagctttg gttggccttg atttctctc tggaggcttg gaaacgcttc 1620
ctctcttctt ctgttcttca cgcctcatgc ccctgctagc gtattactgt tctgtgactt 1680
ccctgtgacc tctgcagaac tcctcatcct gcgtttggtc tccaggtgtc cccttctgc 1740
cgtgttctta acattttgat tcctgtcttg aaaaaagcac ctgctgcacc gtaagcccag 1800
ggatgtggca gctgcagtg gcttggcttt gtgaggaact gagtgtgtcc acgttggggg 1860
aacatcatac ttgatacaca cgtttttatt tgcacaaaga aaatgctrtt tttggagcca 1920
```



```

gaattttcat gtctgattta tgggtgatttt cttaagaacc agaactgctg gcagaaaggg 1980
ggcaccacaca cgcttagata gccgatgtct tattagaggg cagtttgtgg ttcctgattt 2040
ggaawttaac attctccaaa cattccagtc caatgaaagt tttatccgct ttcccatata 2100
aaaattcttc ccatgagagt gacttgattc tcacaatccc gttggagtcg tgtgtgagtc 2160
ctacagtgtg aggttcagca ttgccatctc caagtgtctt ycrtagggaa acagtttctg 2220
gtcatgatga gcttccgctt cccatctgat cccagcccrq cctagctcgg tgggaacas 2280
ctggcacgtc tctgggttgc ggacrgtaaa ggccaygtag acctcaggag cccgctggtg 2340
ctcccagcag gcagccagcc tccgcaggac sccgaccags gacaygatgg cttctgggca 2400
atacagcacg tctacggtga aagcttcagg ttactgctgt aatgacaaca tctggctgga 2460
aggccanaac tgatggaccg cactacntcc cantcca 2497

```

<210> 536

<211> 4090

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (42)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (528)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (535)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2475)

<223> n equals a,t,g, or c

<400> 536

```

ccggccacga gaagaaatca ggggtgctcag ctatctgcag gngtggaccc agggcccaag 60
cctgtggcct ccagtcagtc cagcccgcac ctctcccatg ggagggcctg aragcgcggg 120
aacatcctgg gcccttggga tctcagaggc tggaccttcc tgggagactc attgagtaag 180
atgcagagga ctcccttctt ggtggtggga gtccctggtc tgctctgggg cccctggcct 240
ttcccatga gaaaaagcag ctggagctgg gaagtccac ctggccatcg tgcagaaggt 300
aaacaacgag ggtgaggggtg accccttcta cgaggtcctg ggcctgggtc ccctggagga 360
cgtgatcgag gagatcatca agtcggagat cctggacgag tccgacatgt aactgacaa 420
ccgaagccgg aagcgggtgt ctgagaagaa caagcgtgac ttctctgcct tcaaggatgc 480
ggacaatgag ctcaaagtga aaatctcccc gcagctcctc ctggccgntc atcgnttcct 540
agccacagag gtctctcagt ttagccctc ctgatataca gagaagatcc tgctgcggct 600
actcaagtac ccagatgtca ttcagggaact caagtttgac gagcacaata agtactacgc 660
ccgccattac ctgtacaccc gaaataagcc ggccgactac ttcacacctc tcctgcaggg 720
gaaggtggag gtggaggcag ggaaggagaa catgaagttt gagacgggcg ccttctccta 780
ctatgggact atggccctga cctcggctcc ctccgaccgt tcccagcac accccacccc 840

```

actcagccgc tcagcctccc tcagttaccc agaccgcaca gacgtctcaa ctgcagcaac 900  
cttggcaggc agcagcaacc agtttggcag ctctgtcctg ggccagtaca tctctgactt 960  
cagcgtccgg gcaactcgtg acttgcagta catcaagatc actcggcagc agtaccagaa 1020  
cgggctgctg gcttctcgca tggagaacag ccctcagttt cccatagacg ggtgcaccac 1080  
ccacatggag aacttggccg agaagtctga gctgcctgtg gtggacgaga ccacaactct 1140  
tctcaacgag cgtaactcct tgctgcacaa agcctcccac gagaatgcca tctgacagga 1200  
gggcccgggg cccctgcca cctgcgggg gcctycccag tgggccaca tgaagagagg 1260  
gaacctgtta gtccagaaag gatacggata gatagcctgt ctgactgaac agccagatgg 1320  
ccccagcct atgggggac tggcctctgc caggacctc tgagtagctc tgaggtagga 1380  
ctgtccagcc ctggatagg ggggcagtgg gccagctacc gtaagcaaag gctgtttttt 1440  
actgagagaa ttctaaagt aggtcatca ctttttttta aatatcattt tgggaaggga 1500  
agacagggtt aaggaaactt atttaaaaaa aaaatatatt tttcctaaaa actataaaag 1560  
aggaagggtt tctgtcccg ggaagcaacg gacataatct gttcccagcc atggccttcc 1620  
agcttgtgtc cctgattcag ggaagctctc cttcctcctc ctcctcctcc tccggagggtg 1680  
ggatcccaga gcctgccagt ggaggcttat ctgttgggag gaagacagct cttcacagaa 1740  
gcaaagaaca aaatggcatg gagatcagct gcctgagcac ctgctgtgta gcttatctga 1800  
caacgtgag gccacgagct cctgggtagc tgtgatcagg gacatgataa tctgagctat 1860  
gcagaggagc acatctgttg tcaactgctg taccagaaa tctagaactc tgccgacagc 1920  
ctctcctggt gagtcgggac tcagctgagg acacatcccc accctgcctc ccatctggcc 1980  
ctttggacaa ctggcccttt gtgacagggc tgactcaagt gttaggcagg gtctcaggcc 2040  
tttgattgct cacccttgc cccaggccc tgccctcact ttaccaaag gttctccctc 2100  
ggcgggagg catctgtgtt ggagggtgatt tgtctgggtt cttccttttg gttccagaag 2160  
gaactgtcag tcatcagcat ctgcgttgtt agcagtcagt accacccccg cccacaagt 2220  
acagtcaagg ctgacttgtt gactgaagcc ttttcccag accccttatt tcgaatcccc 2280  
aagcttcagt cctccttggg ggtggagaca agaggacatg tgggaagcca cggaagcagg 2340  
ttctttatgt cctcctcctc gtggctggca aggtcacct ggcttatcc acccacttat 2400  
ggaacctcag gagaggagg ctcctcctaa aggcagcag cttgcagccc ctctttctca 2460  
cacgtgtgat cctancgtga gaggtcatcc tgcccttgc gaagttagta ctactgtact 2520  
aagagctctg ccctcatgtg aattcctgcc ctggcgctc ttccctgggg ctgaatcagg 2580  
ccctgctgca aaactccagg cttcccaggg ttggggaggc tgtgggacca argtccatgt 2640  
tggtccttcc actgggtgca gcaggagctg ggtcccgara gcctggcagg tgaaactctg 2700  
caggccttcc gcctgattat tatttattca ctccttctc caccacaagt gccctgctct 2760  
ccaggctcct agagtatcct aactcttagg accagggtt gtcttgacc aagtatgcct 2820  
acccttgccc agtctgaggt ctctagcca tagaactgac tcctggaagc ctggagagaa 2880  
ggtggtgaca cccatgggtt ctcaactgta aggaaaaaag acaccagact tttgttccct 2940  
agtgggggaa agcccttagt cttgtacagg agcagcttgc tcccaagtcc ttttgggaagc 3000  
tggcagagct atattcctga cagccctgac tgccaggtag agcaaaagac attggtgggg 3060  
gtatgtgaag caaaaggggc aggtgcacac acctccacag tgacctctgt gcacacggtt 3120  
accaccaact ggtggccct cctcctctc cctggcccat tgatcatccc ttctcacaga 3180  
gggtcatcat tatttccaaa tattgtttgt ctgatgactt cctcttccca gtgcaatttt 3240  
tcccttccca tttcaacctc tggttcctg gatgagccat accctggaac tggcccaccc 3300  
actgtgtctt ccacgtaagg gagaccttg caaaggcat ccaaagggg aggcagggtga 3360  
cagccgctgt atttattttg cataatatt taatttgtat atttttgtga tttatttttg 3420  
cgatatgagt ttgactctcg gggagttttg ttgttatgac tcttgtgtct tttgtcaca 3480  
aacaatgata tttgctaaac gatatagga atttattttt gattggtaat aaaaaatcaa 3540  
atatgtataa atcctgggtga atctacaact tgctgtttr ttctgtcagt attcagtag 3600  
ttgttgagat aaaagtggct gtggctggct gtctctgtg atgggacaag ggcaataaag 3660  
gattctagga ccattcagca gtgaaatgca atcagaaatg gaatttctaa atatagtcaa 3720  
ggctgtctc acaggagtga gagggacgtg gctgtggca gacatacagg acagatgtgc 3780  
tcagctgcca taagcatgag tcctgtgaaa cagatcccat agsgcccttg gcttgtgagt 3840  
actggaaggg cagtgggctt cagcaaattg cccctcctc ctacccatgg gactgaaaga 3900

```

agcttgatcc aaaagtatga gtaatatgtggt tttataacat gcagctgcct tttcgtccac 3960
acctacaggc tagtggtttc aaagttggag tggtcatccc ttgaagaacc tgagttacgt 4020
cactataccc actctcaaaag ttgcagctct gcaggggact cccatggtgc tgtacaggtg 4080
ctactctgcc                                     4090

```

<210> 537

<211> 586

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (56)

<223> n equals a,t,g, or c

<400> 537

```

cgcgggcgcg gggccgctac gtgcgcgggg agcgcgggga gcgcggggag cgcgngggct 60
gcgctcgtgt gcgctcctgg gcgctcgcgc ccgcgcgtgc cgccgcgcgc ctttgagtca 120
gcaaaactccg cgccccgcaa gcccggctcg gcccggccct gctctgttct gcccggagga 180
gccgcccatt gatcgtgtcc tgtgtgaag atgtttccgg aacaacagaa agaggaattt 240
gtaagtgtct gggttcgaga tcctaggatt cagaaggagg acttctggca ttcttacatt 300
gactatgaga tatgtattca tactaatagc atgtgtttta caatgaaaac atcctgtgta 360
cgaagaagat atagagaatt cgtgtggctg aggcagagac tccaaagtaa tgcgttgctg 420
gtacaactgc cagaacttcc atctaaaaac ctgtttttca acatgaacaa tcgccagcac 480
gtggatcagc gtcgccaggg tctgggaaat ttcttcagaa aagtcctaca gatgcacttt 540
tgctttcaga tagcagcctt cacctcttcc ttacagagcc atctga 586

```

<210> 538

<211> 1250

<212> DNA

<213> Homo sapiens

<400> 538

```

aattcggcac gagctctccc ttcggcttct ctctttcggc cggcgcgcgc agttcctggg 60
gcacaccagc aggtcccctt ctgcgcgcgc cctgcaactg cgagggtagc ccggggccgc 120
ttggagtcgc ccggacctga gaggtgtgtg cactgggcct cagccagccc tccggatgct 180
ggtgtgtgca tccccctgcc ctacgcctct ggcattttcc tccgttgaga ccatggaggg 240
ccctccccgt cggacttgcc gctccccaga acctggacct tcctcctcca tcggtatctc 300
ccaggcttca tctcctccaa ggccaacca ctacctgctt attgacactc aggggtgtcc 360
ctacacagtg ctggtggacg aggagtcaca gaggagacca ggggccagtg gggctccagg 420
ccagaaaaag tgctacagct gccccgtgtg ctcaagggtc ttcgagtaca tgcctacct 480
tcagcgacac agcatcacc cactcggagg aaagcccttc gagtgtgaca tctgtgggaa 540
ggcattcaag cgccagagcc acttggcacg gcaccattcc attcacctgg cgggtggtgg 600
gcggcccccac ggtgccccgc tctgccccgc ccgcttcggg gatgcgggtg agctggcccc 660
gcacagccgg gtgactctg gggaacgccc gtttcagtgt ccacactgcc ctgcgcgctt 720
tatggagcag aacacactgc agaaacacac gcggtggaag catccatgag ccgggtgccc 780
gggtgccccca ggtaccacag gactttgcag ggagcctgga ctctgtcca gacacctggg 840
gagagcctga ggctggtgtt cagggccctg gacacagaca cagagcagcc gcatctcaaa 900
rgcagagccc tgcctgaagg aggaatccgt gagtaatctt caggctcctc gtgttctgga 960
gctgagatgg gaatgagccc ctacacagaa tggagtctc tagcctaaag atatcagctg 1020
ttccatggca gacgcttgac tggatggagg tggggagtgt ggtgtgtaaa gtctctggcc 1080

```

```

tcataaaagg tggctgtggg tcgtcaggaa tctgcgccat cttcctgggg cttctgcgct 1140
gttgttgggg aagggacccc agtcctgcct tccaccccc aaccaggcct gagactgatc 1200
aaacaataaa cacgtttccc actctgaaaa aaaaaaaaaa aaaaaaaaaa 1250

```

```

<210> 539
<211> 1350
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc feature
<222> (1305)
<223> n equals a,t,g, or c

```

```

<220>
<221> misc feature
<222> (1344)
<223> n equals a,t,g, or c

```

```

<220>
<221> misc feature
<222> (1349)
<223> n equals a,t,g, or c

```

```

<400> 539
ggcagagcac atgcgcaccg cagcgggtcg cgcgccctaa ggagtggcac tttttaaag 60
tgcagccgga gaccagccta cagccgcctg catctgtatc cagcgccagg tcccgccagt 120
cccagctgcg cgcgcccccc agtcccgcac ccgttcggcc caggctaagt tagccctcac 180
catgccggtc aaaggaggca ccaagtgcac caataacctg ctgttcggat ttaacttcat 240
cttctggctt gccgggattg ctgtccttgc cattggacta tggctccgat tcgactctca 300
gaccaagagc atcttcgagc aagaaactaa taataataat tccagcttct acacaggagt 360
ctatattctg atcggagccg gcgccctcat gatgctgggt ggcttccttg gctgctgcgg 420
ggctgtgcag gagtcccagt gcatgctggg actgttcttc ggcttcctct tggatgatatt 480
cgccattgaa atagctgcgg ccatctgggg atattcccac aaggatgagg tgattaagga 540
agtccaggag ttttacaagg acacctacaa caagctgaaa accaaggatg agccccagcg 600
ggaaacgctg aaagccatcc actatgcgtt gaactgctgt ggtttggctg ggggcgtgga 660
acagtttatc tcagacatct gccccaagaa ggacgtactc gaaaccttca ccgtgaagtc 720
ctgtcctgat gccatcaaag aggtcttcga caataaatc cacatcatcg gcgcagtggg 780
catcggcatt gccgtggtea tgatatttgg catgatcttc agtatgatct tgtgctgtgc 840
tatccgcagg aaccgcgaga tggcttagag tcagcttaca tccctgagca ggaaagttaa 900
cccataaaga ttggtgggat tttttgtttg tttgttttgt tttgttttgt gtttgttgtt 960
tgtttttttg ccactaattt tagtattcat tctgcattgc tagataaag ctgaagttac 1020
tttatgtttg tcttttaatg cttcattcaa tattgacatt tgtagttag cggggggttt 1080
ggtttgcttt ggtttatatt ttttcagttg tttgttttgt cttgttatat taagcagaaa 1140
tcctgcaatg aaaggtacta tatttgctag actctagaca agatattgta cataaaagaa 1200
ttttttgtgc tttaaataga taaaaatgtc tatcaacttt aatcaagttg taacttatat 1260
tgaagacaat ttgatacata ataaaaaatt atgacaatgt cctgnaaaaa aaaaaaaaaa 1320
aaaagggcgg ccgccccaga ggancccccng 1350

```

```

<210> 540
<211> 2509

```

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (38)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (367)

<223> n equals a,t,g, or c

<400> 540

```
ccntgctggg aactagtggg tcccccgggc tggcaggnaa ttcgggcasa gccggccaca 60
gtccaccgcg cggagattct cagcttcccc aggagcaaga cctctgagcc cgccaagcgc 120
ggccgcacgg cctcggcagc gatggcactg aaggactacg cgctagagaa ggaaaagggt 180
aagaagttct tacaagagtt ctaccaggat gatgaactcg ggaagaagca gttcaagtat 240
gggaaccagt tggttcggct ggctcatcgg gaacagggtg ctctgtatgt ggacctggac 300
gacgtagccg aggatgaccc cgagttggtg gactcaattt gtgagaatgc caggcgctac 360
gcgaagntct ttgctgatgc cgtacaagag ctgctgcctc agtacaagga gaggggaagt 420
gtaataaag atgtcctgga cgtttacatt gagcatcggc taatgatgga gcagcggagt 480
cgggaccctg ggatggtccg aagccccag aaccagtacc ctgctgaact catgcgcaga 540
tttgagctgt attttcaagg ccctagcagc aacaagcctc gtgtgatccg ggaagtgcgg 600
gctgactctg tggggaagtt ggtaactgtg cgtggaatcg tcaactcgtg ctctgaagtc 660
aaacccaaga tgggtggtggc cacttacact tgtgaccagt gtggggcaga gacctaccag 720
ccgatccagt ctcccacttt catgcctctg atcatgtgcc caagccagga gtgccaaacc 780
aaccgctcag gagggcggct gtatctgcag acacggggct ccagattcat caaattccag 840
gagatgaaga tgcaagaaca tagtgatcag gtgcctgtgg gaaatatccc tcgtagtatc 900
acggtgctgg tagaaggaga gaacacaagg attgcccagc ctggagacca cgtcagcgtc 960
actggtatct tcttgccaat cctgcgcact gggttccgac aggtggtaca gggtttactc 1020
tcagaaacct acctggaagc ccatcggatt gtgaagatga acaagagtga ggatgatgag 1080
tctggggctg gagagctcac cagggaggag ctgaggcaaa ttgcagagga ggatttctac 1140
gaaaagctgg cagcttcaat cgccccagaa atatacggc atgaagatgt gaagaaggca 1200
ctgctgctcc tgctagtggg ggggtgtggc cagtctcctc gaggcataaa aatccggggc 1260
aacatcaaca tctgtctgat gggggatcct ggtgtggcca agtctcagct cctgtcatac 1320
attgatcgac tggcgccctc cagccagtac acaacaggcc ggggctcctc aggagtgggg 1380
cttacggcag ctgtgctgag agactccgtg agtgagaaac tgaccttaga ggggtggggc 1440
ctgggtgctg ctgaccaggg tgtgtgctgc attgatgagt tcgacaagat ggctgaggcc 1500
gaccgcacag ccatccacga ggtcatggag cagcagacca tctccattgc caaggccggc 1560
attctcacca cactcaatgc ccgctgctcc atcctggctg ccgccaaccc tgcctacggg 1620
cgctacaacc ctgcgccag cctggagcag aacatacagc tacctgctgc actgctctcc 1680
cggtttgacc tcctctggct gattcaggac cggcccagc gagacaatga cctacggttg 1740
gccagcaca tcacctatgt gcaccagcac agccggcagc cccctcccca gtttgaacct 1800
ctggacatga agctcatgag gcgttacata gccatgtgcc gcgagaagca gcccatggtg 1860
ccagagtctc tggctgacta catcacagca gcatacgtg agatgaggcg agaggcttgg 1920
```

gctagtaagg atgccaccta tactttctgcc cggaccctgc tggctatcct gcgcctttcc 1980  
actgctctgg cacgtctgag aatggtggat gtggtggaga aagaagatgt gaatgaagcc 2040  
atcaggctaa tggagatgtc aaaggactct cttctaggag acaaggggca gacagctagg 2100  
actcagagac cagcagatgt gatatttgcc accgtccgtg aactggtctc agggggccga 2160  
agtgtccggg tctctgaggc agagcagcgc tgtgtatctc gtggcttcac acccgcccag 2220  
ttccaggcgg ctctggatga atatgaggag ctcaatgtct ggaggtcaa tgcttcccgg 2280  
acacggatca cttttgtctg attccagcct gcttgcaacc ctggggctct cttgttccct 2340  
gctggcctgc cccttgggaa ggggcagtga tgcctttgag gggaaggagg agcccctctt 2400  
tctcccatgc tgcacttact ccttttgcta ataaaagtgt ttgtagattg tcaaaaaaaaa 2460  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaggag 2509

&lt;210&gt; 541

&lt;211&gt; 1743

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 541

ggcagagggt gggccccgcc cttgtaggct gtccacctca aacggggccgg acaggatata 60  
taagagagaa tgcaccgtgc actacacacg cgactcccac aaggttgagc ccggagccgc 120  
ccagctcacc gagagcctag ttccggccag ggtcgccccg gcaaccacga gccagccaa 180  
tcagcgcccc ggactgcacc agagccatgg tcggcagaag agcactgatc gtactggctc 240  
actcagagag gacgtccttc aactatgcca tgaaggaggc tgctgcagcg gctttgaaga 300  
agaaaggatg ggaggtggtg gagtcggacc tctatgccat gaacttcaat cccatcattt 360  
ccagaaagga catcacagg aaactgaagg accctgcgaa ctttcagtat cctgccgagt 420  
ctgttctggc ttataaagaa ggccatctga gccagatat tgtggctgaa caaaagaagc 480  
tggaagccgc agaccttggt atattccagt tcccctgca gtggtttgga gtccctgcca 540  
ttctgaaagg ctggtttgag cgagtgttca taggagagtt tgcttacact tacgctgcca 600  
tgtatgacaa aggacccttc cggagtaaga aggcagtgtt ttccatcacc actggtggca 660  
gtggctccat gtactctctg caagggatcc acggggacat gaatgtcatt ctctggccaa 720  
ttcagagtgg cattctgcat ttctgtggct tccaagtctt agaacctcaa ctgacatata 780  
gcattgggca cactccagca gacgcccga ttcaaatcct ggaaggatgg aagaaacgcc 840  
tgagaatat ttgggatgag acaccactgt attttgctcc aagcagcctc tttgacctaa 900  
acttccaggc aggattctta atgaaaaag aggtacagga tgaggagaaa aacaagaaat 960  
ttggcctttc tgtgggccat cacttgggca agtccatccc aactgacaac cagatcaaag 1020  
ctagaaaatg agattcctta gcctggattt cttctaaca tgttatcaaa tctgggtatc 1080  
tttccaggct tccctgactt gctttagttt ttaagatttg tgttttctt tttccacaag 1140  
gaataaatga gagggaatcg actgtattcg tgcatttttg gatcattttt aactgattct 1200  
tatgattact atcatggcat ataaccaaaa tccgactggg ctcaagaggc cacttaggga 1260  
aagatgtaga aagatgctag aaaaatgttc tttaaaggca tctacacaat ttaattcctc 1320  
tttttagggc taaagtttta gggtaggtt tggetaggta tcattcaact ctccaatgtt 1380  
ctattaatca cctctctgta gtttatggca gaagggaatt gctcagagaa ggaaaagact 1440  
gaatctacct gccctaaggg acttaacttg tttggtagt agccatctaa tgcttgttta 1500  
tgatatttct tgctttcaat taaaaagcag ttactaatat gcctagcaca agtaccactc 1560  
ttggtcagct tttgttgttt atatacagta cacagatacc ttgaaaggaa gagctaataa 1620  
atctcttctt tgctgcagtc atctactttt ttttaatta aaaaaaattt ttttttgaa 1680  
agcttgctct gtaccargc tggatgcart gggtagctcg gctcactgca acctctgcct 1740  
ccc 1743

&lt;210&gt; 542

&lt;211&gt; 2210

&lt;212&gt; DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (40)

<223> n equals a,t,g, or c

<400> 542

```
cgcgcctgca gggtcgacag tagtggatcc aaagaattcn gcacgaggct ggggtgcagca 60
accggagcgg cggcgcgctct ggaggaggct gcagcagcgg aagaccccag tccagatcca 120
ggactgagat ccagaaacca tgaacctggc catcagcatc gctctcctgc taacagtctt 180
gcagggtctcc cgagggcaga aggtgaccag cctaaccggcc tgcctagtgg accagagcct 240
tcgtctggac tgccgccatg agaataccag cagttcaccc atccagtacg agttcagcct 300
gacccgtgag acaaagaagc acgtgctctt tggcactgtg ggggtgcctg agcacacata 360
ccgctcccca accaacttca ccagcaaata caacatgaag gtcctctact tatccgcctt 420
cactagcaag gacgagggca cctacacgtg tgcactccac cactctggcc attccccacc 480
catctcctcc cagaacgtca cagtgtctag agacaaactg gtcaagtgtg agggcatcag 540
cctgtctggc cagaacacct cgtggctgct gctgtcctg ctctccctct cctcctcca 600
ggccacggat ttcatgtccc tgtgactggt gggggccatg gaggagacag gaagcctcaa 660
gttccagtgc agagatccta cttctctgag tcagctgacc cctccccsc aatccctcaa 720
accttgagga gaagtgggga cccacccct catcaggagt tccagtgtg catgcgatta 780
tctaccacag tccacgcggc cacctcaccc tctccgcaca cctctggctg tctttttgta 840
ctttttgttc cagagctgct tctgtctggt ttatttaggt tttatccttc cttttctttg 900
agagttcgtg aagaggggaa ccaggattgg ggacctgatg gagagtgaga gcatgtgagg 960
ggtagtgagg tgggtgggta ccagccactg gaggggtcat ccttgcccat cgggaccaga 1020
aacctgggag agacttggtg gaggagtggt tgggctgtgc ctgggcctag cacggacatg 1080
gtctgtcctg acagcactcc tcggcaggca tggctggtgc ctgaagaccc cagatgtgag 1140
ggcaccacca agaatttggt gcctaccttg tgagggagag aactgagcat ctccagcatt 1200
ctcagccaca accaaaaaaa aataaaaagg gcagccctcc ttaccactgt ggaagtccct 1260
cagaggcctt ggggcatgac ccagtgaaga tgcaggtttg accaggaaaag cagcgctagt 1320
ggaggggttg agaaggaggt aaaggatgag ggttcatcat ccctccctgc ctaaggaaagc 1380
taaaagcatg gccctgctgc ccctccctgc ctccaccac agtgagagag gctacaaagg 1440
aggacaagac cctctcaggc tgtcccaagc tcccaagagc ttccagagct ctgaccacaa 1500
gcctccaagt caggtggggt ggagtcccag agctgcacag ggtttgccc aagtttctaa 1560
gggaggcact tcctccctc gccatcagt gccagccct gctggctggt gcctgagccc 1620
ctcagacagc cccctgcccc gcaggcctgc cttctcaggg acttctgcgg ggcctgaggg 1680
aagccatgga gtgagacca ggagccggac acttctcagg aaatggcttt tcccaacccc 1740
cagccccac ccggtggttc ttcctgttct gtgactgtgt atagtgccac cacagcttat 1800
ggcatctcat tgaggacaaa gaaaactgca caataaaacc aagcctctgg aatctgtcct 1860
cgtgtccacc tggccttcgc tcctccagca gtgcctgcct gccmcgcttc gctggggtct 1920
ccacgggtga ggctggggaa cgccacctct tcctcttccc tgacttctcc ccaaccactt 1980
agtagcaacg ctaccccagg ggctaattgac tgcacactgg gcttcttttc agaattgacc 2040
taacgagaca catttgccta aataaacgaa catcccatgt ctgctgactc acctggctgg 2100
aacaacatgc ttactgcaa catgtgggac gaaccacatg gccctggctt tggaatgcac 2160
aagtggcttt gcgtgaattt gcgctaagct atgcagtttg aaaaaaaaaa 2210
```

<210> 543

<211> 1715

<212> DNA

<213> Homo sapiens

&lt;400&gt; 543

```

ggcacgagcg cactcccagc cggccgcagc ctgacacgcc gcgcggcccc ccagtctccc 60
gcggctgctc cccagggcat ggcacagggc ctgcctcac tatggcagca gcacggcaca 120
gcacgctcga cttcatgctc ggcgccaaag ctgatgggtga gaccattcta aaaggcctcc 180
agtccatttt ccaggagcag gggatggcgg agtcggtgca cacctggcag gaccatggct 240
atttagcaac ctacacaaac aagaacggca gctttgccaa tttgagaatt taccacatg 300
gattggtggt gctggacctt cagagttatg atggtgatgc gcaaggcaaa gaagagatcg 360
acagtatttt gaacaaagta gaggaagaa tgaaagaatt gagtcaggac agtactgggc 420
gggtgaaacg attaccaccc atagtgcgag gaggagccat cgacagatac tggcccaccg 480
ccgacggggc cctggttgaa tatgacatag atgaagtggg atatgacgaa gattcacctt 540
atcaaatat aaaaattcta cactcgaagc agtttgaaa tattctcatc cttagtgggg 600
atgttaattt ggcagagagt gatttggcat ataccgggc catcatgggc agtggcaaa 660
aagattacac tggcaaatg gtactcattc tgggaggtgg agacggaggc atattgtgtg 720
aaatagtcaa actaaaacca aagatggtca ctatggtaga gattgaccac atggtgattg 780
atgggtgtaa gaaatatact cgaaaaacgt gtggcgatgt cttagacaat cttaaaggag 840
actgctatca ggttctaata gaagactgta tcccggtagt gaagaggtag gccaaagaag 900
ggagagaatt tgattatgtg attaatgatt tgacagctgt tccaatctcc acgtctccag 960
aagaagattc cacatgggag tttctcagac tgattcttga cctctcaatg aaagtgttga 1020
aacaggatgg gaaatatttt acacagggga actgtgtcaa tctgacagaa gcaactgtcg 1080
tctatgaaga acagctgggg cgcctgtatt gtcctgtgga attttcaaag gagatcgtct 1140
gtgtcccttc atacttgaa ttgtgggtat tttacactgt ttggaagaaa gctaaaccct 1200
gaagatcagt agcccctaata cacatgtgct gcaaatagcc ttcctgacct ccatatgctg 1260
tacatgacat caaatgagt caggcaattg attgtgaatt ccttaaagtt ttcctttttt 1320
taataattat ttttaattta aaaaagcaaa tggaaaatgt atattttgat gagcttaggg 1380
tgtttttttt ttgaaagtca gctgaaggat ggttagacag cacagcgaag actgctaaat 1440
gcactgaccc ccccatag aatgtgattt ttgttccttt ttatttctct gtgggctttt 1500
gtttttgttt ttgttttggg agatcttcaa tttggatatt tggaggagtg aacatcgttg 1560
ttttgctgga gggaagatct tgatggtgtt tctttcccca aaaattgact tagatattaa 1620
aatttgggtc ttataagaga gagttaaaaa aaaataggat tgcttcaatt aaaattacaa 1680
aagagamaaa aaaaaaaaaa aaagaaagtc gacgc 1715

```

&lt;210&gt; 544

&lt;211&gt; 3109

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1011)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 544

```

ggtttgactg cagagatgtg gcattcactg tgggcgaagg agaagaccac gacattccaa 60
ttggaattga caaagctctg gagaaaatgc agcgggaaga acaatgtatt ttatatcttg 120
gaccaagata tggtttttga gaggcaggga agcctaaatt tggcattgaa cctaagtctg 180
agcttatata tgaagttaca cttaaagact tcgaaaaggc caaagaatcc tgggagatgg 240
ataccaaaga aaaattggag caggctgcc a ttgtcaaaga gaagggaacc gtatacttca 300
agggaggcaa atacatgcag gcggtgattc agtatgggaa gatagtgtcc tggtagaga 360
tggaatatgg tttatcagaa aaggaatcga aagcttctga atcatttctc cttgctgcct 420
ttctgaacct ggccatgtgc tacctgaagc ttagagaata caccaaagct gttgaatgct 480
gtgacaaggc cttggactg gacagtgcc atgagaaagg cttgtatagg aggggtgaag 540

```



```

cccagctgct catgaacgag tttgagtcag ccaaggggtga ctttgagaaa gtgctggaag 600
taaacccccca gaataaggct gcaagactgc agatctccat gtgccagaaa aaggccaagg 660
agcacaacga gcgggaccgc agatatacgc caacatgttc aagaagtttg cagagcagga 720
tgccaaggaa gagggccaata aagcaatggg caagaagact tcagaagggg tcactaatga 780
aaaaggaaca gacagtcaag caatggaaga agagaaacct gagggccacg tatgacgcca 840
cgccaaggag ggaagagtcc cagtgaactc ggccctcctt caatgggctt tcccccaact 900
caggacagaa cagtgtttta tgtaaagttt gttatagtct atgtgattct ggaagcaaat 960
ggcaaaacca gtagcttccc aaaaacagcc cccctgctgc tgcccgagg nttcactgag 1020
gggtggcacg ggaccactcc aggtggaaca aacagaaatg actgtggtgt ggagggagtg 1080
agccagcagc ttaagtccag ctcatctcag tttctatcaa ccttcaagta tccaattcag 1140
ggcccttgga gatcatccta acaatgtggg gctgttaggt tttaccttg aactttcata 1200
gactgcaga aacctttaaa aaaaaaatgc ttcataaatt tctcctttcc tacagtggg 1260
tagggtaggg gaaggaggat aagcttttgt tttttaaatg actgaagtgc tataaatgta 1320
gtctgttgca tttttaacca acagaaccca cagtagaggg gtctcatgtc tccccagttc 1380
cacagcagtg tcacagacgt gaaagccaga acctcagagg ccacttgctt gctgacttag 1440
cctcctccca aagtccccct cctcagccag cctccttgtg agagtggctt tctaccacac 1500
acagcctgtc cctgggggag taattctgtc attcctaaaa cacccttcag caatgataat 1560
gagcagatga gagtttcttg attagctttt cctattttcg atgaagtctt gagatactga 1620
aatgtgaaaa gagcaatcag aattgtgctt tttctcccct cctctattcc ttttagggaa 1680
taatattcaa tacacagtac ttctcccag cattgctact gctcagctt tcttttcatt 1740
ctaactcttg ctattaagaa ttaagactt gtgcttacia tatttttgac ctggagtggg 1800
tctatttaca tagtcattta ggatccatgc agcttttttt gtctttttta gattattggc 1860
tcataagcat atgtatactg gtttatggaa ctttatttac actcctctat catgcaaaaa 1920
aattttgact ttttagtact aagcttaatt tttaaaaaca aaatctgtag kgttgacaaa 1980
taaatagttg ctcttctaca ctagggtttt cacctgcagg tttgacacgc agttgctcgc 2040
ttttcctgcc ctgtcaagct tctctgttct ggctgagtt gtgaaagagt tgaagacagc 2100
ttcccatgcc ggtacacagc cagtagccta aatctccagt acttgagctg accattgaac 2160
tagggcaagt cttaaatgtg tacatgtagt tgaatttcag tccttacggg taaacagatt 2220
gagcatggct ctctattccc tcagcctaag aaacactcat gggaatgcat ttggcaaccc 2280
aaggaacat ttgcttaaac ctggaacatc tcaccttttt aaatcctaaa aaacactggc 2340
agtatatatt taaattagtt tttattttta tgatggtttt atcaaaaagac ttttattatt 2400
agattgggac ccccttcaaa cctaaaaatc aagttatttt cttttataat acttttcttc 2460
cccatggaac aaatgggatc aatttgtgag ttttttcctt taatgataac taaaaatccct 2520
ctaatttctc atttatgctt ttgtcttttt tatgaaatat ttctttttaa agccccagtc 2580
tcacctacga aatatgaaga gcaaaagctg attttgctta cttgctaaac tgttgggaaa 2640
gctctgtaga gcatggttcc agtgaggcca agattgaaat ttgatactaa aaaggccacc 2700
tagctttttg cagataacaa acaagaaagc tattccaaga ctcatgatgat gccagctgtc 2760
tcccacgtgt gtattatggt tcaccagggg gaactggcaa aagtgtgtgt ggggagggga 2820
aggggtgtgt agtggttctg agcaataaac tacaggggtgc ccattaccac tcaagaagac 2880
acttcacgta ttcttgatc aaattcaata atcttaacaa atttggttag aagtcacag 2940
acatctttca accacctttt aggtgcata tggattgcca agtcagcata tgaggaaata 3000
aagacattgt tttttaaaaa aaaaaatcat ttagatgcac ttttttgtgt gttctttaaa 3060
taaattccaaa aaaaatgtga aaaaaaaaaa aaaaaaaagt cgacgcggc 3109

```

&lt;210&gt; 545

&lt;211&gt; 1176

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 545

```

cgccctcccta taagacaaag cgcggccgac gggctccgag cgcggcccct gggttcgaac 60

```

```
acggcaccgc cactgcgcgt catggtgcag gcctgggtata tggacgacgc cccgggacgc 120
ccgcggcaac cccaccgccc cgaccgccc cgcccagtg gcctggagca gctgcggcgg 180
ctcggggtgc tctactggaa gctggatgct gacaaatag agaagatcc agaattagaa 240
aagatccgaa gagagaggaa ctactcctgg atggacatca taaccatag caaagataaa 300
ctaccaaatt atgaagaaaa gattaagatg ttctacgagg agcatttgca cttggacgat 360
gagatccgct acatcctgga tggcagtggt tacttcgag tgagggacaa ggaggaccag 420
tggatccgga tcttcctgga gaaggagac atggtgacgc tccccgagg gatctatcac 480
cgcttcacgc tggacgagaa gaactacacg aaggccatgc ggctggttgt gggagaaccg 540
gtgtggacag cgtacaaccg gcccgctgac cattttgaag cccgcgggca gtacgtgaaa 600
tttctggcac agaccgccta gcagtgtgc ctgggaacta acacgtgcct cgtaaaggctc 660
cccaatgtaa tgactgagca gaaaatcaat cactttctct ttgcttttag aggatagcct 720
tgaggctaga ttatctttcc tttgtaagat tatttgatca gaatattttg taatgaaagg 780
atctagaaag caacttgga gtgtaaagag tcaccttcat tttctgtaac tcaatcaaga 840
ctggtgggtc catggccctg tgtagttca tgcattcagt tgagtccaa atgaaagttt 900
catctcccga aatgcagttc cttagatgcc catctggacg tgatgccgc cctgcctgtt 960
aagaaggctc aatcctagat aacacagcta gccagataga agacactttt ttctccaaa 1020
tgatgccttg gggtagggag tggtagggg aagagctccc accctaaggg gcacacactg 1080
agttagcttat gccacttcct tgttcaaaat aaagtaactg ccttaatctt aaaaaaaaaa 1140
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaa 1176
```

&lt;210&gt; 546

&lt;211&gt; 1735

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (10)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 546

```
cttccactgn gccgcccact acagcctgcc cgacggccgc caccggccgc tggacagccc 60
caccttccac ctcaccctgc actatcccac ggagcacgtg cagttctggg tgggcagccc 120
gtccacccca gcaggctggg tacgcgagg tgacactgtc cagctgtctt gccgggggga 180
cggcagcccc agcccggagt atacgctttt ccgccttcag gatgagcagg aggaagtgtc 240
gaatgtgaat ctgcagggga acttgaccct ggaggagtg acccggggcc agagcgggac 300
ctatggctgc agagtggagg attacgacgc ggcagatgac gtgcagctct ccaagacgct 360
ggagctgcgc gtggcctatc tggacccctt ggagctcagc gaggggaagg tgctttcctt 420
acctctaaac agcagtgcag tcgtgaactg ctccgtgcac ggctgcccac cccctgccct 480
acgctggacc aaggactcca ctcccctggg cgatggcccc atgctgtcgc tcagttctat 540
caccttcgat tccaatggca cctacgtatg tgaggcctcc ctgcccacag tcccgtctct 600
cagccgcacc cagaacttca cgctgctggt ccaaggctcg ccagagctaa agacagcgga 660
aatagagccc aaggcagatg gcagctggag ggaaggagac gaagtcacac tcattctgctc 720
tgcccgcggc catccagacc ccaaactcag ctggagccaa ttggggggca gccccgcaga 780
gccaatcccc ggacggcagg gttgggtgag cagctctctg accctgaaag tgaccagcgc 840
cctgagccgc gatggcatct cctgtgaagc ctccaacccc caccgggaaca agcgccatgt 900
cttccacttc ggcaccgtga gccccagac ctcccaggct ggagtggccg tcatggccgt 960
ggccgtcagc gtgggctctc tgctcctcgt cgttgcgtgc ttctactgag tgagacgcaa 1020
agggggcccc tgctgccgcc agcggcgagg gaagggggct ccgcgcagc gggagccagg 1080
gctgagccac tcggggtcgg agcaaccaga gcagaccggc cttctcatgg gaggtgcctc 1140
cggaggagcc aggggtggca gcgggggctt cggagacgag tgctgagcca agaacctct 1200
```

```

agaggctgtc cctggacctg gagctgcagg catcagagaa ccagccctgc tcacgccatg 1260
ccccccccc ccttcctctt tccctcttcc ctctccctgc ccagccctcc cttccttcct 1320
ctgccggcaa ggcagggacc cacagtggct gcctgcctcc gggaggggaag gagagggagg 1380
gtgggtgggt gggagggggc cttcctccag ggaatgtgac tctcccaggc cccagaatag 1440
ctcctggacc caagcccaag gccagcctg ggacaaggct ccgagggctg gctggccgga 1500
gctattttta cctcccgctt cccctgctgg tccccccacc tgacgtcttg ctgcagagtc 1560
tgacactgga ttcccccccc tcaccccgcc cctgggtccca ctctgcccc cgccctacct 1620
ccgccccacc ccatcatctg tggacactgg agtctggaat aaatgctgtt tgtcacatca 1680
amaaaaaaaaa aaaaaaaatt cgrggggggc ccggtacca atttgaggga tggga 1735

```

&lt;210&gt; 547

&lt;211&gt; 1048

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1043)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 547

```

accacgcgt ccggcggccg tgtgggtgag ttggctgccg gtgagttggg tgccggtgga 60
gtcgtgttgg tcctcagaat ccccgctas cgctgcctcc tcctaccctc gccatgtttc 120
ttaccgggtc tgagtacgac aggggcgtga atactttttc tcccgaagga agattatttc 180
aagtgggaata tgccattgag gctatcaagc ttggttctac agccattggg atccagacat 240
cagaggggtg gtgcctagct gtggagaaga gaattacttc cccactgatg gagcccagca 300
gcattgagaa aattgtagag attgatgctc acatagggtg tgccatgagt gggctaattg 360
ctgatgctaa gactttaatt gataaagcca gagtggagac acagaaccac tggttcacct 420
acaatgagac aatgacagtg gagagtgtga cccaagctgt gtccaatctg gctttgcagt 480
ttggagaaga agatgcagat ccaggtgcc a tgctcgtcc ctttgagta gcattattat 540
ttggaggagt tgatgagaaa ggacccagc tgtttcatat ggacccatct gggacctttg 600
tacagtgtga tgctcagaca attggtcttg cttcagaggg tgcccagagc tccttgcaag 660
aagtttacca caagtctatg actttgaaag aagccatcaa gtcttctact atcatcctca 720
aacaagtaat ggaggagaag ctgaatgcaa caaacattga gctagccaca gtgcagcctg 780
gccagaattt ccacatgttc acaaaggaag aacttgaaga ggttatcaag gacatttaag 840
gaatcctgat cctcagaact tctctgggac aatttcagtt ctaataatgt ccttaaatat 900
tatttccagc tcctgttcct tggaaaatct ccattgtatg tgcatttttt aaatgatgtc 960
tgtacataaa ggcagttctg aaataaagaa aatttttaaa taataaaaaa aaaaaaaac 1020
tcgggggtcg cggtttcgat aangcttg 1048

```

&lt;210&gt; 548

&lt;211&gt; 736

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (719)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

<221> misc feature  
 <222> (724)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (727)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (734)  
 <223> n equals a,t,g, or c

<400> 548  
 ctaaaggtaa caaaagctgg agctccaccg cgggtggcggc cgctctagaa ctagtggatc 60  
 ccccgggctg tttggtttga gcgctcgccg tcttttggcg gcagcggcga cgcgagggct 120  
 cccggccgcc cgcgtccgct gggaatctag cttctccagg actgtggtcg ccccgctccgc 180  
 tgtggcggga aagcggcccc cagaaccgac cacaccgtgg caagaggacc cagaaccgca 240  
 ggacgaaaac ttgtatgaga agaaccacaga ctcccatggt tatgacaagg accccgtttt 300  
 ggacgtctgg aacatgacgac ttgtcttctt ctttggcgtc tccatcatcc tggtccttgg 360  
 cagcaccttt gtggcctatc tgcctgacta caggtgcaca ggggtgtccaa gagcgtggga 420  
 tgggatgaaa gagtgggtccc gccgcgaagc tgagaggctt gtgaaatacc gagaggccaa 480  
 tggccttccc atcatggaat ccaactgctt cgaccccagc aagatccagc tgccagagga 540  
 tgagtgacca gttgctaagt ggggctcaag aagcaccgcc ttccccaccc cctgcctgcc 600  
 attctgacct cttctcagag cacctaatta aaggggctga aagtctgaaa aaaaaaaaaa 660  
 aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaagggcgnc 720  
 ctantntaa atcncg 736

<210> 549  
 <211> 2231  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc feature  
 <222> (2224)  
 <223> n equals a,t,g, or c

<400> 549  
 ttaaaacagg aactgttggga attattctag ctgtaactac ctattggcta tgtgttgatt 60  
 gaycctagaa agraanaata atttttcatt ttagatcttg attgaattta agatgtattt 120  
 atatgcctac aaaaggtctg tcttgtaact gttgtataaa ataaacctaa tctatggttt 180  
 catttttaat ctaaaaaaag ttgtgcctta acaatagggc attgtatgtt aataagggaa 240  
 aacaaccttt ttagtagatg ggggaaaata ggaacttttt gccattaaaa cttaagttct 300  
 tttgatgttt ttaatattat agttggggga gattcattaa aattaaattg aaataaaatt 360  
 atttttgcat aacctagcat ttacaactaa agtatgtttt ttataagaac tggcatcttg 420  
 atgtatatag gtctgaaata atatttcata ttttgatttt taattttaat aatattagac 480  
 caggatagat cacagtttta caaatcttag ttttaaataa attatttcag tgtgctgtta 540  
 gtcctctaca gtcatttttg tttaaaaagt gactatttat ttatggtagc atatcaataa 600  
 tttattaatg ttaaaaaata ctgtgtatga cattacmaac cagaacagtt cctgggggag 660

```

aggattctaa ttgattggca gttctgagag ggcaagaaga atggaacttt atacttcaaa 720
aggaggtttt gggttttacca ggtactgctt atgtaaatcg tttattttta tttcatcaaa 780
gcctggcaag tatatgcatt ccaatttacc attggcaaaag ctttattttat ttttaagggtt 840
ggatgttgaa ttaattttgt gggaaaatga gatttgtaag tagttttctt tctagataag 900
ataacataaa ccaaactttc agaagttaag gatgatgaat aatattgaaa tgacttggtta 960
tatattgtaa gggttccctt aagtatcata attaacaatt tgtggaaatt gaaaaagcat 1020
aaactgtggt atttgattag taatatgttc ccttaaaatt cattttgagg tgtatgttat 1080
acacacagta aatttttgtt caggaatgac ttgctcattc tgtgttttta aaaataggaa 1140
ataaggcata gtgagtcac attacatcaa ttaaccaaaa aatatttcat cccctccgtg 1200
cactgaaatt atctacttca gccacctttc ttattctcgt gttaggaggg cacgtttatg 1260
gactttttta tttccatgtg ccatattgtc cactaccggc agtagccaaa gctagctgtt 1320
tcagtcccac agaagagaca gtgctctgcc atgatgacag ggcaactgcta gggctggttt 1380
ttcttggttt tcccttttgg cagtgtggac ttcaggaact agatgtatat gcacaaggga 1440
ttgagtttac actaaaacta ggaaatggag ttttcaatct atgttcttgc ctcttcatac 1500
ttttatttat tttttgtcat cctgccttat actgggctaa caatgagata aaataaaaaat 1560
acctttgaat actcttttcc ctttcatgca tttaaagcca tggaggaact agaccattag 1620
ctgttgccgt cacatgctta gacaccagtt tacttagcgt gttatgacct tcctcaccca 1680
tactaccaa tttaaatggg tcccgacttc accctctgga aggaagtaaa ctcttctctc 1740
cccatggttt cagagcagtt tttacctgca agcaccatct ctgtatgtgc tcttactaga 1800
ttatacagtt cttgagaggg attgcactct ggtgttttgg tatttccacc tcaccccccag 1860
cacatagccc agtctcttgc acaaattaag tacttaatgt gtgttgagct aaattgaata 1920
aaggattatt agcattagca tattttgtgc cttggttgta taagctggtt gtttggtttg 1980
ttacctttgc aaatatattat gattatcacc ccccccacata ctaaattgtt tttaaaagtt 2040
ttgcctttcc ttcagatact accccaggca atttgctgta gataatgtga ttgcttccaa 2100
tgacataatt atcccaaact ctctgccccg gatatacttt gccaaacgaa atttgaattc 2160
tctgaataaa ttggtcatgt ctaaaaaaaa aaaaaaaaaa aaaaaactcg gggggggggcc 2220
cggnacccaa t 2231

```

&lt;210&gt; 550

&lt;211&gt; 1816

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 550

```

cccacgcgtc cgtagcggcg ccggtgagtc cgcgtgtgga agtctgtgag ggcgagaggt 60
ggggcaggcc gtctgrctag ctaggcggct gggagcgttt tcgtggcggg gaacggaggt 120
tgaattgccc tgctggggt catagggaag gaggatgtga aggagcttgt gaaggcagag 180
gaagattatt gaataataaa atacagtttt gaaaaaaaaat gatgaagaac ctgaaagaac 240
taagcgatgg gaaggaggct atgaaagaac atgggagatt cttaaagaag atgaatctgg 300
atcacttaaa gctacaatag aagacattct attcaaggca aagagaaaaa gagtatttga 360
gcaccatgga caagtctgac ttggaatgat gcgccacctt tatgtggtag tagatggatc 420
aagaacaatg gaagaccaag atttaaagcc taatagactg acgtgtactt taaagtgtgt 480
ggaatacttt gtagaggaat attttgatca aaatcctatt agtcagattg gaataattgt 540
aactaagagt aaaagagctg aaaaattgac tgaactttca ggaaacccaa gaaaacatat 600
aacgtctttg aagaaagctg tggatatgac ctgccatgga gagccatctc tttataattc 660
cctaagcata gctatgcaga ctctaaaaca catgcctgga catacaagtc gagaagtact 720
aatcatcttt agcagcctta caacttgcca tccatctaatt atttatgatg taatcaagac 780
cctaaaggca gctaaaatta gagtatctgt tattggattg tctgcagaag ttcgcgtttg 840
cactgtactt gctcgtgaaa ctggtggcac gtaccatgtt attttagatg aaagccatta 900
caaagagttg ctcacacatc atgttagtcc tcctcctgct agctcaagtt ctgaatgctc 960
acttattcgt atgggatttc ctcagcacac cattgcttct ttatctgacc aggatgcaaa 1020

```

accctctttc agcatggcgc atttgatgg caatactgag ccagggtta cattaggagg 1080  
ctatttctgc ccacagtgtc gggcaaagta ctgtgagcta cctgttgaat gtaaaatctg 1140  
tggtcttact ttggtgtctg ctccccactt ggcacggtct taccatcatt tgtttccttt 1200  
ggatgctttt caagaaattc ccctagaaga atataatgga gaaagatttt gttatggatg 1260  
tcagggggaa ttgaaagacc aacatgttta tgtttgtgct gtgtgccaaa atgttttctg 1320  
tgtggactgt gatgtttttg ttcatgatcc tctacactgt tgccctggct gtattcataa 1380  
gattccagct ccttcagggtg tttgattcca gcatgtagta tacattgtat gtgttaaaaa 1440  
gaaatttgca actgtgaata aaaggacttc tttagaagaa gcttcattta aaacatgaaa 1500  
ggataatctg acttaagaaa ctttttgcta agaaaaggta atattttatt aaattttaaa 1560  
tttgtgttgt cacagaaata cctgaaattc agtagtactt cattcaatta attttgtttt 1620  
ctattatttt gagttatact gttttcaaag tcattatgca gtatgtataa acttataaga 1680  
attaaattga tgtgataatt ttatgttttt ataattaaat atagaatctt tatgatttat 1740  
gttaattcat taatttagtg taagaagaaa gtttaagtctg aatgtaaatt cagtgtaaaga 1800  
tgaaaattta tcaata 1816

<210> 551

<211> 2610

<212> DNA

<213> Homo sapiens

<400> 551

gctgaagga ctgcctcgtt tcaacaacaa ctttatggct cccggaagtg cctcctcccc 60  
gtccccttcc tttccagcct cacgcccgtg ggctgcagtt ggaacgatgg cggcggcagc 120  
tgccgcccgg cctagcccgg ggtctggacc tggggactcc ccagaagggc ccgaggggga 180  
ggctccggag cgtcggcgga aggcgcacgg gatgctgaag ctttactacg gcctctcgga 240  
aggggaggcg gcgggacgcc ccgcggggcc cgacccctg gacccgactg atctgaacgg 300  
ggcgacactc gacccggaag tttacctaga caagctgctg agagagtgcc ctctggccca 360  
gttgatggac agtgagacgg acatgggtcg gcagatccgg gctctagaca gcgacatgca 420  
gaccctggtc tatgagaact acaacaagtt catctcagcc acagacacca tccggaagat 480  
gaagaacgat ttccggaaga tggaggatga gatggaccgg ctggccacca acatggcagt 540  
gatcaccgac ttcagcgctc gcacagcgcc cacgctgcag gaccgccacg agcgcatcac 600  
caagctggca ggggtccacg cgctgctcg gaaactgcag ttcctctttg agctgccctc 660  
gcgcctcacc aagtgcgtgg aactgggcgc ctatgggcag gcggtgcgct accagggccg 720  
cgcgcaggcc gtgctgcagc agtaccaaca cctgccctcg ttcgcgcgca tccaggacga 780  
ctgccaggtc atcacggccc gcctggccca gcagctgcgg cagcgcttta gggagggcgg 840  
ctcaggcgcc ccggagcagg cagagtgcgt ggagctgctg ctggccctgg gcgagcctgc 900  
ggaggagctg tgcgaggagt tctggcgac gcccgcgcc ggctggagaa ggagctgaga 960  
aacctggagg ccgagctggg gccctcacct ccggtctccg acgtgttaga gttcaccgac 1020  
catggaggca gtggcttcgt gggcgccctc tgccagggtg cggcggccta ccaggagctg 1080  
tttgcgccc agggcccagc aggtgccgag aagctggcgg ccttcgccc gcagctgggc 1140  
arccgctatt ttgcgtggt ggagcggcg ctggcgcagg agcagggtgg tggtagaac 1200  
tactgctgg tgcgggcgct ggaccgyttc caccggcgct tgcgggctcc cggggccctg 1260  
ctggccgctg ccgggctcgc agacgctgcc acggagatcg tggaaacgagt ggcccgcgag 1320  
cgccctggcc accacctgca gggctctccg gcggccttcc tgggctgcct gacagacgtc 1380  
cgccaggcgc tggcagcacc tcgctgggct gggaaggagg gccctggcct ggccgagttg 1440  
ctggccaatg tggccagctc catcctgagc cacattaagg cctctctggc agcagtgcac 1500  
cttttcaccg ccaaagaggt gtcttcttcc aacaagccct acttccgggg tgagttctgc 1560  
agtcagggtg tccgtgagg cctcatcgtg ggcttcgtcc actctatgtg ccagacggct 1620  
cagagcttct gcgacagccc tggggagaag ggggggtgcca caccacctgc cctgctcctg 1680  
ctgctctccc gcctctgcct ggactacgag acggccacca tctcctacat cctcactctc 1740  
actgatgaac agtttctggt gcaggatcag tccccagtga cggccgtgag cacgctgtgt 1800

```

gcagaggcca gggaaacggc gcggcggctg ctgaccact acgtgaaggt gcagggcctg 1860
gtcatatcac agatgctgcg caagagcgtg gagactcgcg actggctcag cactctggag 1920
ccccggaatg tgcgggccgt catgaagcgg gtggtggagg ataccaccgc catcgacgtg 1980
caggtggggc tcctgtacga agaggggtgt cgcaaggccc agagcagcga ctccagcaag 2040
aggactttct ccgtgtacag cagctctcgg cagcagggcc gctacgcccc cagctatacc 2100
cccagtggcc cgatggacac caacctcttg agcaatatcc agaagctatt ctctgaacgt 2160
attgatgtgt tcagccctgt ggagttcaac aagggtgctg tgctgaccgg catcatcaag 2220
atcagcctga agacgctgct ggagtgtgtg cggtgcgca cctttgggcg cttcgggctg 2280
cagcaggtgc aagtggactg ccactttctg cagctctacc tgtggcgttt tgtggccgac 2340
gaagaactcg tgcacttgct gctggacgaa gtggtggcct ctgctgccct gcgctgcccc 2400
gaccctgtgc ccatggagcc cagtgtggtt gaggtcatct gcgagcgcg ctaggcgcag 2460
ccgctgccat gcaccggtct gtccctgcac cccatggcac ccaggatctg gtctcgggtg 2520
tccttccccg caggcaggtg tcaggaccgg cctaataaac atgtgtggcc tcctcaaaaa 2580
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2610

```

&lt;210&gt; 552

&lt;211&gt; 4021

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (4000)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 552

```

attttctttt cccctctcat cagagccctt ccagggctcc tacaaggtgg tggtagagaa 60
gaaatcaggt ggaaggacag agcacccttt caccgtggag gaatttgctt tccccagtt 120
tgaagtacaa gtaacagtgc caaagataat caccatcttg gaagaagaga tgaatgtatc 180
agtgtgtggc ctatacacat atgggaagcc tgtccctgga catgtgactg tgagcatttg 240
cagaaaagat agtgacgctt ccgactgccg cggtgaagat tcacaggctt tctgtgagaa 300
attcagtgga cagctaaaca gccatggctg cttctatcag caagtaaaaa ccaaggctct 360
ccagctgaag aggaaggagt atgaaatgaa acttcacact gaggcccaga tccaagaaga 420
aggaacagtg gtggaattga ctggaaggca gtccagtga atcacaagaa ccataacca 480
actctcattt gtgaaagtgg actcacactt tcgacaggga attcccttct ttgggcagg 540
gcgcctagta gatgggaaag gcgtccctat accaaataaa gtcataattc tcagaggaaa 600
tgaagcaaac tattactcca atgctaccac ggatgagcat ggccttgtag agttctctat 660
caacaccacc aatgttatgg gtacctctct tactgttagg gtcaattaca aggatcgtag 720
tccctgttac ggctaccagt ggggtgtcga agaacacgaa gaggcacatc aactgctta 780
tcttgtgttc tccccagca agagctttgt ccaccttgag cccatgtctc atgaactacc 840
ctgtggccat actcagacag tccaggcaca ttatattctg aatggaggca ccctgctggg 900
gctgaagaag ctctccttct attatctgat aatggcaaa gagggcattg tccgaactgg 960
gactcatgga ctgcttgtga agcaggaaga catgaagggc catttttcca tctcaatccc 1020
tgtgaagtca gacattgtct ctgtcgctcg gttgctcatc tatgtgtgtt tacctaccgg 1080
ggacgtgatt ggggattctg caaaatatga tgttgaaaat tgtctggcca acaagggtga 1140
tttgagcttc agcccatcac aaagtctccc agcctcacac gccacctgc gagtcacagc 1200
ggctcctcag tccgtctgcg ccctcgtgct tgtggacca agcgtgctgc tcatgaagcc 1260
tgatgctgag ctctcggcgt cctcgggtta caacctgcta ccagaaaagg acctcactgg 1320
cttcctctgg cctttgaatg accaggacga tgaagactgc atcaatcgtc ataattgtct 1380
tattaatgga atcacatata ctccagtatc aagtacaaat gaaaaggata tgtacagctt 1440
cctagaggac atgggcttaa aggcattcac caactcaaag attcgtaaac ccaaatgtg 1500

```

tccacagctt caacagtatg aaatgcatgg acctgaagggt ctacgtgtag gtttttatga 1560  
gtcagatgta atgggaagag gccatgcacg cctggtgcat gttgaagagc ctcacacgga 1620  
gaccgtacga aagtacttcc ctgagacatg gatctgggat ttggtggtgg taaactcagc 1680  
aggtgtggct gaggtaggag taacagtccc tgacaccatc accgagtggg aggcaggggc 1740  
cttctgcctg tctgaagatg ctggacttgg tatctcttcc actgcctctc tccgagcctt 1800  
ccagcccttc tttgtggagc tcacaatgcc ttactctgtg attcgtggag aggccttcac 1860  
actcaaggcc acggtcctaa actaccttcc caaatgcatc cgggtcagtg tgcagctgga 1920  
agcctctccc gccttcctag ctgtcccagt ggagaaggaa caagcgctc actgcatctg 1980  
tgcaaacggg cggcaactg tgtcctgggc agtaaccca aagtcattag gaaatgtgaa 2040  
tttcaactg agcgagagg cactagagtc tcaagagctg tgtgggactg aggtgccttc 2100  
agttcctgaa caggaaggaa aagacacagt catcaagcct ctggtggtg aacctgaagg 2160  
actagagaag gaaacaacat tcaactccct actttgtcca tcaggtggtg aggtttctga 2220  
agaattatcc ctgaaactgc caccaaatgt ggtagaagaa tctgcccag cttctgtctc 2280  
agttttggga gacatattag gctctgccat gcaaaacaca caaatcttc tccagatgcc 2340  
ctatggctgt ggagagcaga atatggctct ctttgcctct aacatctatg tactggatta 2400  
tctaaatgaa acacagcagc ttactccaga gatcaagtcc aaggccattg gctatctcaa 2460  
cactggttac cagagacagt tgaactacaa acactatgat ggctcctaca gcaccttgg 2520  
ggagcgatat ggcaggaacc agggcaacac ctggctcaca gcctttgttc tgaagacttt 2580  
tgcccaagct cgagcctaca tctcatcga tgaagcacac attaccaag ccctcatatg 2640  
gctctcccag aggcagaagg acaatggctg tttcaggagc tctgggtcac tgctcaacaa 2700  
tgccataaag ggaggagtag aagatgaagt gacctctcc gcctatatca ccctgcct 2760  
tctggagatt cctctcctag tcaactaccc tgttgtccgc aatgccctgt tttgcctgga 2820  
gtcagcctgg aagacagcac aagaagggga ccatggcagc catgtatata ccaaagcact 2880  
gctggcctat gcttttggcc tggcaggtaa ccaggacaag aggaaggaa tactcaagtc 2940  
actaatgag gaagctgtga agaaagacaa ctctgtccat tgggagcgcc ctcagaaacc 3000  
caaggcacca gtggggcatt tttacgaacc ccaggctccc tctgtctagg tggagatgac 3060  
atcctatgtg ctctcgtctt atctcagggc ccagccagcc ccaacctcgg aggacctgac 3120  
ctctgcaacc aacatcgtga agtggatcac gaagcagcag aatgcccagg gcggttctc 3180  
ctccaccag gacacagtgg tggctctcca tgctctgtcc aaatatggag cagccacatt 3240  
taccaggact gggaaggctg cacaggtgac tatccagtct tcaggacat tttccagcaa 3300  
attccaagtg gacaacaaca accgcctgtt actgcagcag gtctcattgc cagagctgcc 3360  
tggggaatac agcatgaaag tgacaggaga aggatgtgtc tacctccaga catccttgaa 3420  
atacaatatt ctcccagaaa aggaagagtt cccctttgct ttaggagtg agactctgcc 3480  
tcaaacttgt gatgaacca aagcccacac cagcttccaa atctccctaa gtgtcagtta 3540  
cacagggagc cgctctgcct ccaacatggc gatcgttgat gtgaagatgg tctctggctt 3600  
cattcccctg aagccaacag tgaaaatgct tgaaagatct aacctgtga gccggacaga 3660  
agtcagcagc aacctgtct tgatttacct tgataagggt tcaaatcaga cactgagctt 3720  
gttcttcacg gttctgcaag atgtcccagt aagagatctg aaaccagcca tagtgaaagt 3780  
ctatgattac tacgagacgg atgagtttgc aattgctgag tacaatgctc cttgcagcaa 3840  
agatcttgga aatgcttgaa gaccacaagg ctgaaaagt ctttgcctgga gtctgttct 3900  
cagagctcca cagaagacac gtgttttgt atctttaaag acttgatgaa taaacacttt 3960  
ttctggtcaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa gggggggggc cggaacccaa 4020  
t 4021

&lt;210&gt; 553

&lt;211&gt; 1780

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 553

tggttttgag gtgctcaatt ggaataaaaa tattccaatc tatttgagga ccaaaggcaa 60



```

aatcrgtttt cttacetttg gaattattcg taccttttat ggtaaatttc agctttgaca 120
tgtattatga ggaacgtacc aaaaaccggg ttgtaacaaa tctgtagaga aggtctgaat 180
ctatcgtgtt tgccttttca ggtgccattt ctactgccta atacagtgcc atttgccttg 240
tgaagaccca taaacattca ttgtgttgaa tgtaagatag agactctccc tagtcttact 300
gatctcagta cccacaaaat gattaagaat gatatgaaaa ccagcagcta aggaacatct 360
tattatttag ttgtagcata ttcataacaa gtgtccttca aggataaaca tatattctct 420
atgtgtatgt agcaagtaaa acttgtgttg accttttagt cattatatct agcttttaac 480
agtattatgt atgtactgga aagcaaagaa atccttagagt cttggacatt gtttatttgt 540
gcaacaacta gaaaggagca atgaagttta ttacagttgt atttttccct aagcacaaatc 600
tgcaatagtt tatgtatgac agagataaatt caaaaaggaa aactatataat aaaagttgta 660
tataaagttt gtctctgaaa tatttctttg aagtttttaa aaaattgact catgttttaa 720
aacaaaaaca catattcaga gcattggact tttttaactt gttttcatct gtttatcatg 780
acttttttat ttctggtgta gagtccacat tattttagttt gttgtacttt taaatttcaa 840
agttcaaatc tgaagaatta gcgtttgtga tttcgggata ccatgcagtg gttttaatcc 900
caggaaaaaa actatcaaca aaagtctggt tgattctcat tatgtaactt tgtagaacca 960
tcctttctag atgggtccac cacagtgaat ttgtaacttt gaagtcagga tagaatatca 1020
ttagattatc tgtgagatag cattactatg ttaggaccag cagagtttgg gttggtaaaa 1080
ataatgtttg ctctattact gggttacaga catttcagca tttttagggt ggttttaaat 1140
cactaaaaat atttattcgg atttgaagga tttaagtgtc aaaaatcaat ccatttcttg 1200
cccttcaata attgtccatg cctgcctttt gttgtttaca tgctcttctg cccagactgt 1260
tagtaatcta gggacccctt ttggagctga taagtacagt tcagcctttt ctctcctaaa 1320
atataatgac tttaacattc ctaagaatat aggtatttct gaatgattta aatttgagga 1380
attttaatac ataaaataca atgtacaaac tttctgcca ctcagatctc ttctccatca 1440
tgtacttagt atttcccatt aacctacaca ctgattttta tgctactcct tgtagaaaca 1500
aaattctggt ttgactcagt ttttgtgttt ataaactttt ggaatgtgta ccccgtttat 1560
gtgaagaatt atgacctatc agtcatagct aaatagttaa cctcaaaagt gttaactttt 1620
gactattcat gtgaggtttg gtatcttgca tttatgtaca tggctgtaaa ttatgtgcat 1680
ttactctgta tttatgttat ctactgtgact tttacttgaa ttgttcaaat tttaaaaatt 1740
aaaatacgtc catgaaaata tggctttttc tgtaaaaaaa 1780

```

&lt;210&gt; 554

&lt;211&gt; 3713

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (4)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (3006)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 554

```

ccgnacgcgt gggattcacg gcgaaatgag actgttcgtg agtgatggcg tcccgggttg 60
cttgccggtg ctggccgccg ccgggagagc ccggggcaga gcagaggtgc tcatcagcac 120
tgtaggcccg gaagattgtg tggccccgtt cctgacccgg cctaaggctc ctgtcttgca 180
gctggatagc ggcaactacc tcttctccac tagtgcaatc tgccgatatt ttttttgg 240
atctggctgg gagcaagatg acctcactaa ccagtggctg gaatgggaag cgacagagct 300

```

gcagccagct ttgtctgctg ccctgtacta tttagtggtc caaggcaaga agggggaaga 360  
tggtcttggt tcagtgcgga gagccctgac tcacattgac cacagcttga gtcgtcagaa 420  
ctgtcctttc ctggctgggg agacagaatc tctagccgac attgttttgt ggggagccct 480  
atacccatca ctgcaagatc ccgcctacct ccctgaggag ctgagtgtccc tgcacagctg 540  
gttccagaca ctgagtaccc aggaaccatg tcagcgagct gcagagactg tactgaaàca 600  
gcaaggtgtc ctggctctcc ggccttacct ccaaaagcag cccagccca gccccgtga 660  
gggaagggtc gtcaccaatg agcctgagga ggaggagctg gctaccctat ctgaggagga 720  
gattgctatg gctgttactg cttgggagaa gggcctagaa agtttgcccc cgctgcggcc 780  
ccagcagaat ccagtgttgc ctgtggctgg agaaaggaat gtgctcatca ccagtgcctt 840  
cccttacgtc aacaatgtcc cccaccttgg gaacatcatt ggttgtgtgc tcagtgcgga 900  
tgtctttgcc aggtactctc gcctccgcca gtggaacacc ctctatctgt gtgggacaga 960  
tgagtatggt acagcaacag agaccaaggc tctggaggag ggactaacc cccaggagat 1020  
ctgcgacaag taccacatca tccatgttga catctaccgc tggtttaaca tttcgtttga 1080  
tatttttggt cgcaccacca ctccacagca gacaaaaatc acccaggaca ttttccagca 1140  
gttgctgaaa cgaggttttg tgctgcaaga tactgtggag caactgcgat gtgagcactg 1200  
tgctcgcttc ctggctgacc gcttcgtgga gggcgtgtgt ccttctgtg gctatgagga 1260  
ggctcggggt gaccagtgtg acaagtgtgg caagctcatc aatgctgtcg agcttaagaa 1320  
gcctcagtgt aaagtctgcc gatcatgccc tgtggtgcag tcgagccagc acctgtttct 1380  
ggacctgcct aagctggaga agcgactgga ggaagtgttg gggaggacat tgcctggcag 1440  
tgactggaca cccaatgccc agtttatcac ccgttcttgg cttcgggatg gcctcaagcc 1500  
acgctgcata acccgagacc tcaaatgggg aaccctgtga cccttagaag gttttgaaga 1560  
caaggatattc tatgtctggt ttgatgccac tattggctat ctgtccatca cagccaacta 1620  
cacagaccag tgggagagat ggtggaagaa cccagagcaa gtggacctgt atcagttcat 1680  
ggccaaagac aatgttccct tccatagctt agtctttcct tgctcagccc taggagctga 1740  
ggataactat accttgggtca gccacctcat tgctacagag tacctgaact atgaggatgg 1800  
gaaattctct aagagccgag gtgtgggagt gtttggggac atggcccagg acacggggat 1860  
ccctgctgac atctggcgtc tctatctgct gtacattcgg cctgagggcc aggacagtgc 1920  
tttctcctgg acggacctgc tgctgaagaa taattctgag ctgcttaaca acctgggcaa 1980  
cttcatcaac agagctggga tgtttgtgtc taagtctctt gggggctatg tgcctgagat 2040  
ggtgctcacc cctgatgatc agcgccctgt gggccatgtc accctggagc tccagcacta 2100  
tcaccagcta cttgagaagg ttccggatccg ggatgccttg cgcagtatcc tcaccatata 2160  
tcgacatggc aaccaatata ttcagggtgaa tgagccctgg aagcggatta aaggcagtga 2220  
ggctgacagg caacgggcag gaacagtgtc tggttgggca gtgaatatag ctgccttgtc 2280  
ctctgtcatg cttcagcctt acatgccac ggtagtgccc acaatccagg cccagctgca 2340  
gtccccacct ccagcctgca gtatcctgct gacaaacttc ctgtgtacct taccagcagg 2400  
acaccagatt ggacagtcga gtcccttgtt ccaaaaattg gaaaatgacc agattgaaag 2460  
tttaaggcag cgctttggag ggggccaggc aaaaacgtcc ccgaagccag cagttgtaga 2520  
gactgttaca acagccaagc cacagcagat acaagcgtg atggatgaag tgacaaaaca 2580  
aggaacatt gtccgagaaac tgaagcaca aaaggcagac aagaacgagg ttgctgcgga 2640  
ggtggcgaaa ctcttggtatc taaagaaaca gttggctgta gctgagggaa accccctgaa 2700  
gcccctaaaag gcaagaagaa aaagtaaaag accttggctc atagaaagtc accttaatag 2760  
atagggacag taataaataa atgtacaatc tctatataca agctgagacc tttccttttg 2820  
tctactccaa gccttcccc tgctgtatgt ggattgaggg tcacatcatt ggcactagt 2880  
agagggtagt cagtagccac ttctgggaaa ggtgggtagt gtggcccaag tgggggactg 2940  
atgctcccaa ttgttcatgc ttggtgcaga ttcaccattc ggtcaatcag agctcggcga 3000  
gtcgcttcta cttccctggg caggcgctcg atttctgtc tgagccgttc attctcttca 3060  
gctagctgtg ccactttcct ttcattctcc tgttctttct ccttcatgag ctgctttcca 3120  
gcccgggctg gggaatgacc actctgtttc cgtttctgtg ttctcccttg gtcttctcc 3180  
tcttctcctc gagcagggga gctctgactg gaatctggag agtgagggct ctgggaggtg 3240  
cttgtgacct ctgctgggtc tggctcctcc tcagtcagcc aagccagaga agcagggtca 3300  
agagtgtgta agatttttga tcttctctct tcatttccag gaggtgaaac ataggtaccc 3360

ccattttcat ctgaagacag gacctcttgc aggtcctcat accaggcttc cagctcccag 3420  
ctggacagtg tcccgaagga gaaaggcaat gactcagctg ccattctctgc agttggatca 3480  
gtctggaaaa gcacatctgc aggataatgg ggagtggctg gaacaagctc catgtagcaa 3540  
acagtctatg ccacaagtgt gcaagctggt ctgatgcctg ctttcagggtg tggatgatgta 3600  
tgaagataca cttccttctt gaacactctc tcctcagggt ccagctctga ttttggctct 3660  
gtcgtgccca cccgctcatc tttaacatga tacgctcagt ccctgtgccg aat 3713

<210> 555

<211> 1997

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1887)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1951)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1980)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1992)

<223> n equals a,t,g, or c

<400> 555

ggaaccggcg ccgcgcttgc tgctggtaac agggccttgc ctagtgggccc ttccttccca 60  
ggtcgccctt cagtctccac tagagacagg actgaccagt tgctcttcct tccaagaacc 120  
ttcgagatct gcggtctggg gtctggttga aagatggcgg ccctcactac cctgtttaag 180  
tacatagatg aaaatcagga tcgctacatt aagaaactcg caaaatgggt ggctatccag 240  
agtgtgtctg cgtggccgga gaagagaggc gaaatcagga ggatgatgga agttgctgct 300  
gcagatgtta agcagttggg gggctctgtg gaactgggtg atatcgaaa acaaaagctc 360  
cctgatggct cggagatccc gctccctcct attctgctcg gcaggctggg ctccgacca 420  
cagaagaaga ccgtgtgcat ttacgggcac ctggatgtgc agcctgcagc cctggaggac 480  
ggctgggaca gcgagccctt caccctggtg gagcgagacg gcaagctgya tgggagaggt 540  
tcgactgatg ataaggggcc ggtggccggc tggataaacg ccctggaagc gtatcagaaa 600  
acaggccagg agattcctgt caacgtccga ttctgcctcg aaggcatgga ggagtcaggc 660  
tctgagggcc tagacgagct gatttttgcc cggaaagaca cattctttaa ggatgtggac 720  
taygtctgca tttctgacaa ttactggctg ggaaagaaga agccctgcat cacctacggc 780  
ctcaggggca tttgctactt tttcatcgag gtggagtga gcaacaaaga cctccattct 840  
ggggtgtacg ggggctcggg gcatgaggcc atgactgatc tcattttgct gatgggctct 900  
ttgggtggaca agagggggaa catcctgatc cccggcatta acgaggccgt ggccgccgtc 960  
acggaagagg agcacaagct gtacgacgac atcgactttg acatagagga gtttgccaag 1020  
gatgtggggg cgcagatcct cctgcacagc cacaagaaag acatcctcat gcaccgatgg 1080

cggtaccctgt ctctgtccct ccattggcatc gaaggcgccct tctctgggtc tggggccaag 1140  
accgtgattc ccaggaaggt ggttggcaag ttctccatca ggctcgtgcc gaacatgact 1200  
cctgaagtcg tcggcgagca ggtcacaagc tacctaacta agaagtttgc tgaactacgc 1260  
agccccaatg agttcaaggt gtacatgggc cacgggtggga agccctgggt ctccgacttc 1320  
agtcaccctc attacctggc tgggagaaga gccatgaaga cagtttttgg tgttgagcca 1380  
gacttgacca gggaaggcgg cagtattccc gtgacctga cctttcagga ggccacgggc 1440  
aagaacgtca tgctgtgcc tgtgggttca gcggatgacg gagccactc ccagaatgaa 1500  
aagctcaaca ggtataacta catagaggga accaagatgc tggccgcgta cctgtatgag 1560  
gtctcccagc tgaaggacta ggccaagccc tctgtgtgcc atctccaatg agaaggaatc 1620  
ctgccctcac ctcacccttt tccaacttgc ccagggaagt ggaggttccc tctttccttt 1680  
ccctcttgtc aggtcatcca tgactttaga gaacagacac aagtgtatcc agctgtccac 1740  
gggtggagct acccgttggg cttatgagtg acctggagtg acagctgagt caccctgggt 1800  
aagttctcag agtggtcagg atggcttgac ctgcagaaga tacccaaggt ccaaaagcac 1860  
aaggtctgcg ggaaagtctt ggttgtncgg ctggggcacc acgggttcac amctatwaat 1920  
cgaggcattt ttggggaggg ccaagacagg ngggtycatt tttagggccca gggrrtytn 1980  
aggacaaaagg cntaggg 1997

<210> 556

<211> 906

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (12)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (879)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (906)

<223> n equals a,t,g, or c

<400> 556

tcttcatctg tnaccacat ccatttcttc atcttcgtct tgctctgtgt cttctgtggt 60  
gtctcagcgc ctgacagaat ctccgtgtgc tttgggtggc agccagtagc gatggtctgg 120  
caacatggag agaatcatga aagcacaagc gtaccaaagc ggcaaggaca tctctacaaa 180  
ttactatgag agtcagaaga aaacatttga aattaatccc agacaccgc tgatcagaga 240  
catgcttcga cgaattaagg aagatgaaga tgataaaaca gttttggatc ttgctgtggt 300  
tttgtttgaa acagcaacgc ttccgtcagg gtatctttta ccagacacta aagcatatgg 360  
agatagaata gaaagaatgc ttgcctcag tttgaacatt gacctgatg caaaggtgga 420  
agaagagccc gaagaagaac ctgaagagac agcagaagac acaacagaag acacagagca 480  
agacgaagat gaagaaatgg atgtgggaac agatgaagaa gaagaaacag caaaggaatc 540  
tacagctgaa aaagatgaat tgtaaattat actctacca tttggatcct gtgtggagag 600  
ggaatgtgaa atttacatca tttctttttg ggagagactt gttttggatg cccctaatac 660  
cccttctccc ctgcactgta aaatgtggga ttatgggtca caggaaaaag tgggtttttt 720  
agttgaattt tttttaacat tcctcatgaa tgtaaattg tactatttaa ctgactattc 780

```

ttgatgtaaa atcttgtcat gtgtataaaa ataaaaaaga tcccaaataa aaaaaaaaaa 840
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaanc ccccgggggg ggcccccccc 900
ccccctn                                         906

```

<210> 557

<211> 3484

<212> DNA

<213> Homo sapiens

<400> 557

```

gggtatttgc aaatatgtag tttaattgta ttattgaact ctcatttttg gggcttgggc 60
acattaacag attaatccat ctgtataggg cttttgctgt tggatagaat ttaaatgtgc 120
tacataaata ttgtttttag gacccttaga ttttatctga atacacagat taggctttaa 180
aaacagatat atatgtcatt ttggcttaa ggagtttggc taagttagct tttcaactgg 240
cactgtatgg cagcattttt tggtaggtt agcatggcac atggcgaaac ataaagcatt 300
ttactgtaca ggtaaggaat gtgccatgtt gttttaccta tctctcttct tctctcactc 360
ccatgcacac atcctgtgtg tattcagaga ccttcagaaa cattcatatt cattttcatg 420
agtacagaaa agccctacgc ttgattccaa cagaatatct cctttacata ctttcttctc 480
ttaattttta caaaatttgt atggtaggtg taaaagaaaa tcatagtaac tgtaccatat 540
tattaacccc taaatcaaac tttttttgkc ttgtgkatct tgatttttct gtgtgcttta 600
tagtgaagca gccgacacga gtcgttggtc ataaaacagc ttttgaaagt tgagagcaca 660
cccctggaga accgactgtg cttgcttacg tttggttcat gacttaaaaa tcgagtacag 720
gagttattcc tgatgaagct aaagctttgt ctctgttggc accagctaat gcagtgccag 780
gtctttctgc tgggtgtgga ctccctgcta ctccctaacc acttaccagc attggcgctg 840
ttccactggc tgctttgggg gctcctactc ttgatcctgc ccttgctgca cttgggcttc 900
ctggagcaaa cttgaactct cagtctcttg ctgcagatca gttgctgaag cttatgagta 960
ctgttgatcc caagttgaat catgtagctg ctggtctcgt ttcaccaagt ctgaaatcgg 1020
atacctctag taaagaaata gaggaagcta tgaaaagagt acgagaagca cagtccctaa 1080
tttctgctgc tatagaacca gataagaaag aagaaaaaag aaggcattca agatcaagat 1140
cacgttctag gaggaggagg actccctcat cttctagaca caggcgggtca agaagcagat 1200
cgagacggcg gtcacattct aagtctagga gtcggcgacg atccaaaagc ccaaggcgga 1260
gaagatctca ttccagagaa agaggtagaa ggtcaaggag cacatcaaaa acaagagaca 1320
aaaagaaaga agacaaagaa aagaaacggt ctaaaacacc accaaaaagt tacagcacag 1380
ccagacgttc tagaagtgca agcagagaga gacgacgacg aagaagcagg agtggcacia 1440
gatctcctaa aaagcctcgg tctcctaaaa gaaaattgtc ccgctcacca tcccctagga 1500
gacataaaaa ggagaagaag aaagataaag acaaagaaaag aagtagggat gaaagagaac 1560
gatcaacaag caagaagaag aagagtaaaag ataaggaaaa ggaccgggaa agaaaaatcag 1620
agagtataaa agatgtaaaa caggttacac gggattatga tgaagaggaa caggggtatg 1680
acagtgaaga agagaaaaaa gaagagaaga aaccaataga aacaggttcc cctaaaaaca 1740
aggaatgttc tgtggaaaag ggaactgggt attcactaag agaatccaaa gtgaatgggg 1800
atgatcatca tgaagaagac atggatatga gtgactgaat attgcctctg agggagtcca 1860
actgtatacc tgcatcagtg tcattccttt gtgtgatttc ttaatgctgt atttgttcat 1920
ctcaaacccta gatgtataca gctctgagtt ataatgggt ataaagctcc tgttactcat 1980
attagttatt tacatcaaaa agcttttaga aaatggtacg aggtaaccaa ttcttgtcat 2040
ggtgaaatct gattgagtaa ccaagcagtt ttactattct ggtgctgctt cataacaaaa 2100
atgaaaagct gcatgcatct acagcaggca tggattgttt atgtcgtatg atatccttta 2160
ttaagtaagt tcacttatag tatttctata atttgattca ttgccgtaat agagccatgt 2220
aggaaatgca ctgattgcat gttattgttg caagaatatc ctaaatgtca ttaaaatcct 2280
ccaacatgat ggatctactt atggtcttgt ttggtgacat gacaaattaa cattcttata 2340
gttacatctg gaaatgagca tttgaaatag ataatccttt aagccttgtg gcaaaatttt 2400
tgttggtttt gtttaacttt gaaagggtat tatgcactaa ccttttttgg tggctaatta 2460

```

gggttttaaat acagaaacaa gatttcaaat aaaactgtct ttggcagtga gttaaatagca 2520  
tattttgaag tagagttgta tactttttca taagatgttt gggaattttt ttcctgaagt 2580  
aataatttat tccacatcta catcagtga agctatctac ctatcctgag tctatcttaa 2640  
aggaaaaaaa gaaaaaaacc ttatctcttg cccttatttt gaattttcca ctctttcatt 2700  
aatttgtttt aagctccgtg ttggaaaaaa ggggtagtgc attttaaatt gaccttcata 2760  
cgctttttaa ataagacaaa tctacttgat aatgtacctt tatttgatct caagttgtat 2820  
aaaaccaata aatttggtgt actgcagtag taatcttatg cacacggtga tttcatgtta 2880  
tatatgcaaa gtaggcaact gttttcttag ttacagaagt ttcaagcttc acttttgtgc 2940  
agtagaaaca aaagtaggct acagtctgtg ccatgttgat gtacagtttc tgaaattgtt 3000  
ttacaagact ttgataataa aacccttaaa cttagtttca tgttcctgta aaaccgtatt 3060  
tgtattttatt tacgctactg aatgtatgac atttacctca ttcattttac aaattctttc 3120  
cctttctgtc cacatatctc agtatagtaa aaagaggaag tctatcactg tagtgataat 3180  
tgccatcaaa attgtcaaaa atgatttaat ttctatccaa aatagtcctt ttcttagctt 3240  
agtatcattt tattgcttat tttttgtgtg ggaatggggg ttgataaaagc aatgaacttt 3300  
agtataaaca aatcccacct atatctagca aatttatatt ttcggtgaaa tacagatatt 3360  
tgcccttctg gagtagtata gaagctgtca atatgtatct actgtacctg cccggggcgc 3420  
cgctcgaaat tccagcacac tggcgccgt trctagggat ccgagcgagg tatcccatag 3480  
aagt 3484

<210> 558

<211> 790

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (9)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (788)

<223> n equals a,t,g, or c

<400> 558

ngcacaggna aaggaggtga aatcgtctcg actcctgggg tccgtgtgct ctggtagaag 60  
tgggcgacag tggctcaatt tctgacagc agcttgacgc ctagatgatg gcagccaaaag 120  
gaaagacttg gccagcgagg ctccctacca ctccgaaaaa agagagtggg ggtcagcagg 180  
gtctgctctg ctctggggat taaggggctg actagaagga tttgagtctt tccttctgtc 240  
cactgccaca gggttcttg agtaactgca ggtttaaact gcagggtctaa cttccagagg 300  
ctgggggttc ctgccccca gcttagagac attcctgarg tggctgaaga gcaggaagga 360  
gaatgaatgc acttccagac tggcccagag tctcagcccc tcctcttcct tgtttccgc 420  
tggtccctct gggctgtacg gcccggatgg aggcctgagg aaaatgaggg ggctttgggt 480  
ctccggaatt ccggccgggg ccacaccctc ctgtcttcag atgggttcag taccatccc 540  
cccttcccg cctctccttt gtctcctctg tcaccgggac tcccagcaga gattttttt 600  
tgtactggct gtgtaacagg acaccgcatg cagccctcag gaggggctct gtgcttctra 660

477

tgaaaaaggm aggcattgac ctccctctga ggcagtttcc aggccccaccg tgggtgcacgc 720  
aaaccacttc ctggccatgc gctccctcct gcttctcagc gccttctgcc tcctggaggc 780  
ggccctcncg 790

&lt;210&gt; 559

&lt;211&gt; 558

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 559

tacgtctcac tcgggacctg caacgtccga cagaacgagg ggacgtaacg gaggcaggtt 60  
ggagccgctg ccgtcgccat gaccgcggt aaccagcgtg agctcgcccg ccagaagaat 120  
atgaaaaagc agagcgactc ggtaagggga aagcgccgag atgacgggct ttctgctgcc 180  
gcccgcaagc agagggactc ggagatcatg cagcagaagc agaaaaaggc aaacgagaag 240  
aaggaggaac ccaagtagct ttgtggcttc gtgtccaacc ctcttgccct tcgcctgtgt 300  
gcctggagcc agtcccacca cgctcgctt tcctcctgta gtgtcacag gtcccagcac 360  
cgatggcatt ccctttgccc tgagtctgca gcgggtccct tttgtgcttc cttcccctca 420  
ggtagcctct ctccccctgg gccactcccg ggggtgaggg ggttaccct tccagtggt 480  
ttttattcct gtggggctca ccccaaagta ttaaagtag ctttgaatt ccaaaaaaaa 540  
aaaaaaaaag gsggccc 558

&lt;210&gt; 560

&lt;211&gt; 534

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (16)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (17)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 560

gcgaccgccg cgccgnncac ccatggacgg cccggccatc atcaccagc tgaccaaccc 60  
caaggaggac gagggccggt tgccgggcgc gggcgagaaa gcctcccagt gcaacgtcag 120  
cttaaagaag cagaggagcc gcagcatcct tagctccttc ttctgctgct tccgtgatta 180  
caatgtggag gccctccac ccagcagccc cagtgtgctt ccgccactgg tggaggagaa 240  
tgggtgggctt cagaagccac cagctaagta cttcttcca gaggtgacg tgcttgacta 300  
tgaaaagaaa tgttgtgtca ttgatttaga tgaaacattg gtgcacagtt cgtttaagcc 360  
tattagtaat gctgatttta ttgtccggt tgaaatcgat ggaactatac atcaggtgta 420  
tgtgtgaag cggccacatg tggacgagtt cctccagagg atggggcagc ttttgaatgt 480  
gtgcwcttta ctgccgcwtg gccaaagtat cagacctgtg gctgacctcc taga 534

&lt;210&gt; 561

&lt;211&gt; 3043

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (3038)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (3039)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 561

```
ctcaccatgt attcaggaca gatccagatt gggtagggct ctgccaaagag cctgtgggac 60
tggaagtcgg gccctgggct gcccgatcgc cagcccagag acttaccatc cacaatgcac 120
cacggaagag gccgttctat gaaaaactga cacagactgt attcctgcat tcaaatgtca 180
gccgtttgta aaatgctgta tcctaggaat aagctgccct ggtaaccagt ctctagctag 240
tgccctctgc cctctcctca cctccttttc totcagtgc tctggaacct gaatgcagct 300
tacaagacaa gccctgacttt tttctctgat taccttgccc tcctcttgga accagtgcctg 360
aaaggttttg aatcctttac ccaacaatgc aaaaatagag ccaatgggta taacttggtc 420
agaaatatca agagttgaat ccatagtgtg gggcccatga ctctagctgg gcaccttgga 480
cctccagctg gccaatagaa gagacaggag acaggaagcc ttcccatttt ttcaaagtct 540
gtttaattgc ctattacttc tctcaaagag aacctgaagt cagaacacat gagcaggggtg 600
agaggtgagg caaggttcat cctgaatggg agaggaagtc gaaccactgc tgtgtgtctt 660
gtcaggatgc tcacttggtc ctactgagat gctggatatt gatthttgtaa cagcacctgg 720
tgthttcacgg ctgtccgagt gagctaactg ggcgggtgtg ctgcctggac ctctctcttc 780
aggttaacgc tgacagaatg gaggtcagg ctgtctgcaa gaaaacagtt ggtttggctg 840
tgatthtgac ctctcttcc ccactgccat cttctaagag actthttagc tgcctcctag 900
aagcacatc tgagcacatt tgagacctct gtgttagagg ggagactgca caaactatcc 960
tccccagggt tgagacgtct gcagagtggc aagctgactt gtagaaatgg ggtgccattt 1020
atgctctact tagacaaggg taatcagaaa tggaatcagt gcaggcaaaa ttaggattt 1080
gccgttcca taaatcaaag catgactaat aggggtctc tgaaatgtaa gggcacaac 1140
ttcacttagg gcatcgaga tgthtgaga atggttgccc taatgattat gctacagatg 1200
ggthttaaat gaccgtcta ggttactgct tccttgcaa aaaagtcgaa tcctgcattg 1260
aattgaatat gaatttctct aactctctcc agaaaatgga tggagataac ttgtctttaa 1320
aactgtaggc cagccttagc cactgtggag cccttgctc cgagctctgg cttcaagggg 1380
agctcttctc caggttcact aggtgaattg atthattatt atcatattga taatgtgaga 1440
ttctthtagc actthgggga gcctgtctct ccagaagcct ttcttagtgg tgcccacagt 1500
tggaagcccag ggccatggt tgcaaaactga ttcattgtgca tggctgacag gactactggt 1560
tcactacca tgctgagct tttctcttac atagaaaaac tgtccrctct cagtaatcac 1620
aagcagcatc cgtthttgtht tctcttcttg ggagacatct gtcaaaccag gaatattctt 1680
gaaaagaacg tgagcaggaa aaactgctgg tgatacttht tthaaagtht gthtttatct 1740
tgctgttggt cttaataca tttgagaata cgctgaagag ggaatttc agtgatggag 1800
attctagatt aaatatcagg actgatttcc tgggtggatt atggtccagt tttaccaaag 1860
aaccaattcc ttgaatgttg gaatctaact ttttatattg tcattattat tgtgtgtttt 1920
aaacggttct ttgtcttttc tgtthttatt ttctcaagct gctthcagga gctagcagaa 1980
aataactcaa agttgaagac tctggaagat tthgctthta cctaactcgc attgatgtat 2040
taaatttata atthtagcat tcccaataga tcctatcatt ccttaaacat aatacccttt 2100
gtcttgagg agaaactaa gttagagtha gtggatttct agthtaggag aggagctcaa 2160
aactataatc tthaaacaa tgaaaaatga aataggggtg tttccctttt tgtgcacacc 2220
tatattacct taagaaattt ccttccatag acagctgcct caaagggaaa tcctctttaa 2280
accgtagttg gcgcagaggt cagtcctagt cggagcttag gagggcgga gacgctcaca 2340
```



```

tcgtctgact tgagtcgcca ctgattgtgg caacagcttt gcctcatgag tcaaaaattg 2400
gcaatttctt ttgattttta gttgttgaat ttgctgtttc aagcatttgt acatattaga 2460
agtctaagga gtagcaagtc agtgggagga ctttttcacc cctggcatta gcagcttcga 2520
cctcattttc cagatgcacc agtccttatt aataagttag caaggaaagt gtatgtcacg 2580
tgcaggaaca gtgaggcagg gacagggtt ctgctccttc tcaactcacc accggcacac 2640
agcttgcccc tgtctttgcc cccaaaggta ttttgtgtct agtgtcamat tggagctatt 2700
cttcaactgg ccttaacctt gggtttttaa aagaaggctt ctctgttttg gtagcgtaag 2760
agctgagtat agtaagtctt cttccaaaga gatggcaata tgctgggcat ctacttttaa 2820
acaaagtgtg ctgatttttg caagagaggt taggatttta ttgttcttat ttccctttac 2880
agttctgcag ttccatcaca gtattttttt aaataactca ggtgtatgag aagaaattag 2940
aaaagaaaat taacttatgt ggactgtaaa tgttttatgt gtaagattct ataaataaag 3000
ctatattctg taaaaaaaaa aaaaaaaaaa aaaaaatnnc tgc 3043

```

&lt;210&gt; 562

&lt;211&gt; 1386

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (480)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 562

```

gcgtccgctc caacatcaga cctcgcctg gctcccagct ggtgctgaag ctgctcagtt 60
caccatccgc cctcggcttc cgcggggcgc tgggcccga gcctcggcac cgtcctttcc 120
tttctccctc gcgttaggca ggtgacagca gggacatgtc tcgggagatg caggatgtag 180
acctcgtga ggtgaagcct ttggtggaga aaggggagac catcaccggc ctctgcaag 240
agtttgatgt ccaggagcag gacatcgaga ctttacatgg ctctgttcac gtcacgctgt 300
gtgggactcc caagggaac cggcctgtca tcctcaccta ccatgacatc ggcatgaacc 360
acaaaacctg ctacaacccc ctctcaact acgaggacat gcaggagatc acccagcact 420
ttgccgtctg ccacgtggac gccctggcc agcaggacgg cgcacytctt tccccgcagn 480
tacatgtacc cctccatgga tcagctggct gaaatgcttc ctggagtctt tcaacagttt 540
gggctgaaaa gcattatttg catgggaaca ggagcaggcg cctacatcct aactcgattt 600
gctctaaaca accctgagat ggtggagggc cttgtcctta tcaacgtgaa cccttggtgcg 660
gaaggctgga tggactgggc cgctccaag atctcaggat ggaccaagc tctgccggac 720
atggtggtgt cccacctttt tgggaaggaa gaaatgcaga gtaacgtgga agtggtccac 780
acctaccgcc agcacattgt gaatgacatg aacccgggca acctgcacct gttcatcaat 840
gcctacaaca gccggcgcgga cctggagatt gagcgaccaa tgccgggaac ccacacagtc 900
acctgcagt gccctgctct gttggtggtt ggggacagct cgcctgcagt ggatgccgtg 960
gtggagtga actcaaaatt ggacccaaca aagaccactc tcctcaagat ggcggactgt 1020
ggcggcctcc cgcagatctc ccagccggcc aagctcgtg aggccttcaa gtacttcgtg 1080
cagggcatgg gatacatgcc tcggetagca tgaccgcct gatgcgggtc cgcacagctg 1140
ctggttccag cgtcacttct ctggatggca cccgcagccg ctcccacacc agcgagggca 1200
cccgaagccg ctcccacacc agcgagggca cccgcagccg ctgcacaccc agcgaggggg 1260
sccacctgga matcaccccc mactcgggtg ctgctgggaa cagcgccggg cccaagtcca 1320
tggaaggctc cctgctaggg gccctgccc gctgccgcc cggactctga tctctgtagt 1380
ggcccc 1386

```

&lt;210&gt; 563

&lt;211&gt; 2638

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 563

```
cccacgcgtc cggaggtcta cagtatttgt gttggcatag tttttgtaaa aaaaaagatt 60
aaaaaatatc aggatgggtg aaaaactaga tctgtgtatc tctgttttgg catgcattta 120
ttcagtatct tctagcaatg gtttttctct gttgatctac cgtagtatcc tatttttaag 180
tttattttat ttttaaggag tattgtcatc acttttcaag gtgtccttgac ttctacacaa 240
agtatatata ttcaggactt taaaaaatag cagtacacat ttaacagtag cgaattacac 300
caaaatgatt tactttgaga tttgaataat ttgcatagca gtaaaatgtg ttttgtgtaa 360
catacaaata gaaaaatgac ccagtatctt aattgatact tactggagag tatcagaatt 420
accagcagc tcttacagaa tgccataaat tctttaagac taaatattga aatcaattat 480
ttgaagtaat gttwctgatt tactgttaaa agttgctgag ctcagttttt ggagatatca 540
tttatgcctg cctgttccct tatgacagtg aggccttctt tggtccacc tagtatgata 600
atcatgggtt ctgttttagt tgatgagaag tggctcctat gaatgcctct gctcaatttc 660
tttttatttt actttatttt atttttaggg gtctcgccaa ctccctgggt caagtgatcc 720
tctgtcttcc acctccccc agtgctggga ttacaggcat gagccaccac gcctggctct 780
ctgttctttt cagtgtctcc gtgccatcag tcagcagtgc ttacatgttt agcatattgt 840
catgcagttt ctcttctgtt cccacgagat atttttggrc aaaaaattga caaaagtaca 900
tgtgtttttc cccacctatc ccttagaaaa cctaattgtg actgctattt ttaaaaccaa 960
aaagagacag cgtgacgatg cgtaaagcat ttttcttagc ctttcccttg tcttgatctg 1020
ttaatgagaa caaaactgcc agactcaaaa tactctacta ttgtgctgaa agaaatacaa 1080
tttagattgc acaaaatttg aaaatataac tcagctgtct tttaaaagag ttgtgtgtgt 1140
atctacaaga ctattagcag tcttttttca gagcaaattt taacagctag ttgtgagtgg 1200
tttaaaatat agaaaattat taaaatctta gtttgagggg ttttatagtg ggagaaaaaa 1260
caggaccaaa gtttatgtgc cttcttcagt agtcttaatt gaccttttct tcctatttga 1320
gactaaaagta gtatcagtat tctggttttc aggaatatg tactatatag ttttaaaaga 1380
atgttgctcc accaactatt catccaagca aagaattgta actataaata aagtctcagt 1440
tacacttttg cctttatcac ataattattca ttgtagagca ttgtgcaggt ccaagaatag 1500
agctgtcaca aatctttgtg gtagtttctt tagtttttgt aacctgaggc atatgttcca 1560
gagaacaggg atatttgtct ggtccagtga ccttggtgat catagtcata attgaaagat 1620
gcctatggca tgcttaaatc agcattgtca actgatttgt tgttgattta ttttcacttc 1680
ttggatctat gtagtagttg taataacaaa tatttaata gctatttttt tgatgccatt 1740
aaaaaaatca tactctggcc ttttttcccc cttactgttg tttcccagat cttttaaaaa 1800
ttcatcccat atccagaaag taccagttat aaagattgct gaccaagcaa agttttgcat 1860
caaagtgtca cctcattgct ctgaccaaag actgactgtt gtggttttaa ctctctctg 1920
taaagcattt tgcattttcc ccaagctcct ttctgaaaga agaccagtg cagagcggcc 1980
tttactttca atttctactg ctgaatagac tacttagaga aaatgtgagt ttcagtgtga 2040
acagaatgga ttaggatgac gagtttgatg ggcattttca gtactgtatc taagaaaaaa 2100
aaaatagcac agctaggagc ctctgacatt gtctggtgtt ttacgtggtc tgttcatcaa 2160
aattccctt ttcagttttt aagaatgttc gtctaacaga agaaaatgct gtaaatattt 2220
gtaacaacat tttttttaac aaggccaaaa aagaaaaaaa ggtttttggg aacaaatgaa 2280
cttataaagt ggttttatat aaaacatcaa ttgtcttgta tattttggat aagcagcagt 2340
accagctttc atttgtaaca gtctgtggca ttggraaaaa aggagtctgt gattgttgaa 2400
gtgaattatg ttataaatgc aaagagaaga taaaatatta aaaaacatat tttctaaatg 2460
cgtagtgcag ggttaattca agcttctgta cactacagta tattccattt tcgttcagtt 2520
tgatatattg ctgactatta cttgatattc ctaatctctt ttcctaacaa atatagcatt 2580
gtagcatgcc ttttaataaa tgtcatgaca tctgtactct cttaaaaaaa aaaaaaaa 2638
```

&lt;210&gt; 564

&lt;211&gt; 691

<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (569)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (575)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (581)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (619)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (650)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (653)  
<223> n equals a,t,g, or c

<400> 564  
ggcagagcgc ccgctccagg tcccaggag cgcaggtgag gcggcacccc actcccggcg 60  
gcccccgggc ctcttccgc acgcaccccg agctgcctcc gcacagttag aggagcgtag 120  
gagggacccc caccagga tgacactcca ggaaggggac tgcagaggaa gccagactgt 180  
gtccctgaca atgggaacag ccgacagtga tgagatggcc ccggaggccc cacagcacac 240  
ccacatcgat gtgcacatcc accaggagty tgccctggcc aagtcctgc tcacctgctg 300  
ctctgcgctg cggccccggg ccaccaggc magggrcagc agccggctgc tggwggcctc 360  
rtgggtgatg cagatcgtgc tggggatctt gagtgcagtc ctaggaggat ttttctacat 420  
ccgcgactac accctcctcg tcacctcggg agctgcatct ggacaggggc tgtggctgtg 480  
ctgctggagc tgctgccttc atttaygaga aacggggtgg tacatactgg gccctgctga 540  
ggactctgct aacgctggca agctttctnc acagncatcg ntggcctcaa actttgggaa 600  
tgaagaattc cgatatggnt tactcttaat tacaacaagt ggctggccgn atnttcaggt 660  
tcgagtggat tggaacactt caagccccca a 691

<210> 565  
<211> 1967  
<212> DNA  
<213> Homo sapiens

&lt;400&gt; 565

```
gtagggatcc attggagcat taaggagcac atatttttat taacttcttt tgagctttca 60
atgttgatgt aatttttggt ctctgtgtaa tttaggtaaa ctgcagtgtt taacataata 120
atgttttaaa gacttagttg tcagtattaa ataatcctgg cattataggg aaaaaacctc 180
ctagaagtta gattatttgc tactgtgaga atattgtcac cactggaagt tactttagtt 240
catttaattt taattttata ttttgtgaat attttaagaa ctgtagagct gctttcaata 300
tctagaaatt tttaattgag tgtaaacaca cctaacttta agaaaaagaa ccgcttgat 360
gattttcaaa agaacattta gaattctata gagtcaaac tatagcgtaa tgctgtgttt 420
attaagccag ggattgtggg acttccccca ggcaactaaa cctgcaggat gaaaatgcta 480
tattttcttt catgcactgt cgatattact cagatttggg gaaatgacat ttttatacta 540
aaacaaacac caaaatattt tagaataaat tcttagaaaag ttttgagagg aattttttaga 600
gaggacattt cctccttcct gatttggata ttccctcaaa tccctcctct tactccatgc 660
tgaaggagaa gtactctcag atgcattatg ttaatggaga gaaaaagcac agtattgtag 720
agacaccaat attagctaag gtattttgga gtgttttcca ttttacagtt tatattccag 780
cactcaaac tcaggggtcaa gttttaacaa aagaggtag tagtcacagt aaataactaag 840
atggcatttc tatctcagag ggccaaagt aatcacacca gtttctgaag gtcctaaaaa 900
tagctcagat gtcctaata acatgcacct acatttaata ggagtacaat aaaactgttg 960
tcagcttttg ttttacagag aacgctagat attaagaatt ttgaaatgga tcatttctac 1020
ttgctgtgca ttttaaccaa taatctgatg aatatagaaa aaaatgatcc aaaatatgga 1080
tatgattgga tgtatgtaac acatacatgg agtatggagg aaattttctg aaaaatacat 1140
ttaagattagt ttagtttgaa ggagaggtgg gctgatggct gagttgtatg ttactaactt 1200
ggccctgact ggttgtgcaa ccattgcttc atttctttgc aaaatgtagt taagatatac 1260
tttattctaa tgaaggcctt ttaaatttgt ccactgcatt cttggtattt cactacttca 1320
agtcagtcag aacttcgtag accgacctga agtttctttt tgaatacttg tttcttttagc 1380
actttgaaga tagaaaaacc actttttaag tactaagtca tcatttgcct tgaaagtttc 1440
ctctgcattg ggtttgaagt agtttagtta tgtcttttct tctgtatgta agtagtataa 1500
tttgttactt tcaaataccc gtactttgaa ttagaggtttt tttgttgttg ttatctataa 1560
aaattgaggg aaatggttat gcaaaaaaat attttgcttt ggaccatatt tcttaagcat 1620
aaaaaaaaatg ctgagttttg cttgcattcc ttgagaatgt atttatctga agatcaaac 1680
aaacaatcca gatgtataag tactaggcag aagccaattt taaaatttcc ttgaataatc 1740
catgaaagga ataattcaaa tacagataaa cagagttggc agtatattat agtgataatt 1800
ttgtattttc acaaaaaaaaa agttaaactc ttcttttctt tttattataa tgaccagctt 1860
ttggtatttc attgttacca agttctatct ttagaataaaa attgttctcc ttctaaaaaa 1920
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaggg ggggggag 1967
```

&lt;210&gt; 566

&lt;211&gt; 1334

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1253)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1307)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1309)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1312)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 566

```
gaattcggca cgagggagcc tcctgggggtg tccacgtgag cgcgcgtgag tccgcccccc 60
cagtcacgtg accgctgact cggggcggtc tccactatcg cttacctacc tccctctgca 120
ggaaccggcg gatattggctg ccgctgtgcc ccgcgcgcga tttctctccc cgctgcttcc 180
ccttctcctg ggttcctgc tcctctccgc tccgcatggc ggcagcggcc tgcacaccaa 240
gggcgcctt cccctggata cggtcacttt ctacaaggtc attcccaaaa gcaagttcgt 300
cttgggtgaag ttcgacaccc agtaccctta cggtgagaag caggatgagt tcaagcgtct 360
tgctgaaaac tcggcttcca gcgatgatct cttgggtggc gaggtgggga tctcagatta 420
tggtgacaag ctgaacatgg agctgagtga gaaatacaag ctggacaaag agagctaccc 480
agtcttctac ctctccggg atggggactt tgagaacca gtcccataca ctggggcagt 540
taaggttga gccatccagc gctggctgaa ggggcaagg gtctacctag gtatgcctgg 600
ttgcctgcct gtatacgacg ccctggccgg ggagttcatc agggcctctg gtgtggaggc 660
ccgccaggcc ctcttgaagc aggggcaaga taacctctca agtgtgaagg agactcagaa 720
gaagtgggccc gagcaatacc tgaagatcat ggggaagatc ttagaccaag gggaggactt 780
cccagcatca gagatgacac ggatcgccag gctgattgag aagaacaaga tgagtgcagg 840
gaagaaggag gagctccaga agagcttaaa catcctgact gccttccaga agaagggggc 900
cgagaaagag gagctgtaaa aaggctgtct gtgattttcc agggtttggg gggggtaggg 960
aggggagagt taacctgctg gctgtgagtc ccttgtggaa tataaggggg tagtgggaaa 1020
agtggtacta acccacgatt ctgagccctg agtatgcctg gacattgatg ctaacatgac 1080
catgcttggg atgtctctag ctggtctggg gatagctgga gcacttactc aggtggctgg 1140
tgaaatgaca cctcagaagg aatgagtgct atagagagga gagaggagtg tactgcccag 1200
gtctttgaca gatgtaattc tcattcaatt aaagtttcag tgttttggtt aantaaaaaa 1260
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaggg cggccgntnt anaggatccc 1320
tcgagggggc caag 1334
```

&lt;210&gt; 567

&lt;211&gt; 1610

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 567

```
gccggccagt gcgggaaccg tttccgaagg accaccggga acagacggat cggcagggcg 60
rggcggaacg gcgtttgcaa tggctgctac tgtgaacttg gaacttgatc ccatTTTTTT 120
gaaagcacta ggtttcttgc attcaaagaa taaagattct gctgaaaagc taaaagcact 180
gcttgatgaa tctttggctc ggggcattga ttccagttac cgtccatctc aaaaggatgt 240
ggagccaccc aaaatttcaa gcacaaaaaa catttccatt aagcaagagc ccaaaatata 300
atccagtctt ccttctggta ataataatgg caaggtcctc acaactgaaa aggtaaagaa 360
ggaagctgaa aagagacctg ctgataaaat gaaatcagac atcactgaag gagttgatat 420
tccaaagaaa cctagattgg agaaaccaga aacacagtca tctccatta ctgtccaaag 480
tagcaaggat ttacctatgg ctgaccttcc cagttttgag gagaccagtg ctgatgattt 540
tgccatggag atgggattgg cctgcgttgt ttgtaggcaa atgatggtgg catctggcaa 600
```

```

tcaattagta gaatgtcagg agtgccataa tctctaccac cgagattgtc ataaacccca 660
ggtgacagac aaggaagcga atgaccctcg cctggtgtgg tattgtgccc gatgtaccag 720
acaaatgaaa agaattggctc aaaaaactca gaaaccaccg cagaaaccag cccctgcagt 780
tgtttctgta actccagctg tcaaagatcc attggttaag aaaccagaaa ctaaactgaa 840
acaagagaca acttttctag cgtttaagag aacagaagtc aagacatcca cagttatttc 900
aggaaattct tctagtgccg gcgtttcctc gtcagtaact agtggcttaa ctggatgggc 960
agcttttgca gccaaaactt cctctgctgg tccttcaaca gcaaaattga gttcaacaac 1020
acaaaacaat actgggaaac ctgctacttc gtcagtaac cagaaacctg tgggtttgac 1080
tggtctggca acatcatcca aaggtggaat aggttccaaa ataggttcca ataacagcac 1140
tacgcccact gtacctttaa aaccacctcc acctctaacc ttgggtaaaa ctggccttag 1200
tcgctcagtt agttgtgaca atgtcagcaa agtaggtctt cctagtccaa gtagtttagt 1260
tcaggaagc agcagccaac taagtgggaa tggaaatagt ggaacatcag gacctagtgg 1320
aagtactacc agcaaaacta cttcagaatc cagcagctct ccctcagcat cccttaaagg 1380
cccaacttca caagaatcac agctcaatgc tatgaagcga ttacagatgg tcaagaagaa 1440
agctgcccac aagaaactca agaagtaatg tggccaagta ggtttttgta tcatattagc 1500
ctaaagatga aaggcttatt attatgatat aatctgtaac acactgtaat ttaataaaaag 1560
tcttcataat caaaaaaaaa aaaaaaaaaa agaaaaaaaa aaaaaaaaaa 1610

```

&lt;210&gt; 568

&lt;211&gt; 1412

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1018)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1037)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 568

```

aattcggcac gagagaaaac attgcaaaag ctaaacgact aaaaaaggat tgaaggactg 60
aacaggcttt gcaaccagag gaaaatcatt tggaaaatta cacagctttg gaagaatcca 120
ctaaagtttc ttctttggat ttcttgacag tatgatttag taaatgaaat ttgaccaaata 180
ggaagaatca tgtagttctt gacctcaata ctatagtaac ttttaggcgt ggggtgtagaa 240
gtttataggt ttctattgac agttattgta aattagcatt tactgtggtg caaattcttt 300
ataactgact tagtcatttg ccgcttagca gtttatatac tgaaatgaaa acatcttggt 360
gggaaaagtg acttttagatt atgaactcaa ttcaaatgaa ctctatttaa aatgggggtcc 420
tattttggag aaaggaaatt aagaatgtaa aagtcagaac agtcttgagg taaaaagtgt 480
gctttggcct aaaaagggata cagtatatta attacatctt ttattattat tgtttatttc 540
ttagaatcat ttctggcctt ctcaaaacaa aataatatta atgagtactt ctatttgctg 600
catttttctt attacagcct ttgagacagc tggtaattat aagtcatttt ccatttttta 660
aaacataatt ttataaagaa ttctcttctc tcgactatgt agaataccac ctactggaca 720
gaacaatttt tgtactcaca aacactgccg ttttcttaga gatggcttga gaggagtaac 780
actatgggtt aaagcttgca gtaaaaatgc caaacactgt agtaccttgg aaccagttt 840
attcttgtgc taagcagaac tgtaaaatag ttaaaatgtc ttatcaagta attcgccgat 900
tacaaagaca ccatttggtt tttatttcat tctttgkttt aactcatgtg gtagtgatat 960
ttaatacttt ctgatcaaac aggttcaaag taaaacgtta aatttcacat ttcttttnaa 1020

```

```

agaactctta aagtgtgnaa gttacgccat acttcataag tggtaaagaa aggtataaaa 1080
tttggaacaa tttgtttggg catagtagtg attgggtgaa aaggataaat tatatcaaaa 1140
tgagaatgtg ctgtaattgg aagtagggag ctaaaggatg tttctttcag tttagtagaa 1200
ctggaacgtt ttactattaa acatggcttt tataaatgca tggccaata attttattca 1260
ctgttagtat ttaattcact gtcagcttat taatgttttc tgtaccatt aatgaatttt 1320
aaattacaaa aaattgtcta gcagctacag tttaaaaatg aaactagaca ttaaaataaa 1380
tttgataatt ttttataaaa aaaaaaaaaa ag 1412

```

&lt;210&gt; 569

&lt;211&gt; 1125

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 569

```

gacaacgggg gcgaagcgca ggcgaagga gcaagcgag attgtgggag gctgtgtcag 60
ctgacccaag gggccttcga ggtgccttag gccgcttgcc ttgctctcag aatcgctgcc 120
gccatggcta gtcagtctca ggggattcag cagctgctgc aggccgagaa gcggcgagcc 180
gagaagggtg ccgaggcccg caaaagaaag aaccggaggc tgaagcaggc caaagaagaa 240
gctcaggctg aaattgaaca gtaccgcctg cagagggaga aagaattcaa ggccaaggaa 300
gctgcggcat tgggatcccg tggcagttgc agcactgaag tggagaagga gaccaggag 360
aagatgacca tcctccagac atacttccgg cagaacagg atgaagtctt ggacaacctc 420
ttggcttttg tctgtgacat tcggccagaa atccatgaaa actaccgcat aaatggatag 480
aagagagaag cacctgtgct gtggagtggc attttagatg ccctcacgaa tatgaagctt 540
agcacagctc tagttacatt cttatgatat ggcattaaat tatttcata tattatataa 600
taggtccttc cacttttttg agagtagcaa atctagcttt tttgtacaga cttagaaatt 660
atctaaagat ttcactttt tacctcatat ttcttaggaa ttaaatggtt atatgttgtc 720
tttttttctt atgtcttttg gctcaagcaa catgtatatc agtgttgact tttctttct 780
tagatctagt ttaaaaaaaaa aaaaaaccac ataacaattc tttgaagaaa ggaagggatt 840
aaataatttt tttccctaac actttcttga aggtcagggg ctttatctat gaaaaagtag 900
taaatagttc tttgtaacct gtgtgaagca gcagccagcc ttaaagtagt ccattcttgc 960
taatggttag aacagtgaat actagtggaa ttgtttgggc tgcttttagt ttctcttaat 1020
caaaattact agatgataga attcaagaac ttgttacatg tattacttgg tgtatcgata 1080
atcatttaaa agtaagact ctgtcatgca tttttcccca aaaaa 1125

```

&lt;210&gt; 570

&lt;211&gt; 1916

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1899)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 570

```

ggggagggtc agttggaggc aggcgtcgc tgaggcaaaa ggaggcgctc ggcccgcggc 60
ctgacaggga cttagccgcg agagatcgac cccgcgcgcg tgacccca cccaccact 120
catccatcta tccactccct gcgcgcctc ctcccacct gagcagagcc gccgaggatg 180
ataaacaccc aggacagtag tattttgcct ttgagtaact gtccccagct ccagtgtgtc 240
aggcacattg ttccagggcc tctgtggtgc tcctgatgcc cctcaccac tgctgaagat 300
ccccggtggg cgagggggcg gcagggatcc ttctctctca gctctaatat ataaggacga 360

```

```

gaagctcact gtgacccagg acctccctgt gaatgatgga aaacctcaca tcgtccactt 420
ccagtatgag gtcaccgagg tgaagggtctc ttcttgggat gcagtcctgt ccagccagag 480
cctgtttgta gaaatcccag atggattatt agctgatggg agcaaagaag gattgttagc 540
actgctagag tttgtggaag agaagatgaa agtgaactat gtcttcatct gcttcaggaa 600
gggccgagaa gacagagctc cactcctgaa gaccttcagc ttcttgggct ttgagattgt 660
acgtccaggc catccctgtg tccctctctg gccagatgtg atgttcatgg tttatccctt 720
ggaccagaac ttgtccgatg aggactaata gtcatagagg atgctttacc caagagccac 780
agtgggggaa gaggggaagt taggcagccc tgggacagac gagagggctc ctcgctgtct 840
aggggaaggac actgaggggc tcagggtgag ggttgccctat tgtgttctcg gagttgactc 900
gttgaaattg tttccataa agaacagtat aaacatatta ttcacatgta atcaccaata 960
gtaaatgaag atgtttatga actggcatta gaagctttct aaactgcgct gtgtgatgtg 1020
ttctatctag cctaggggag gacattgcct agagggggag ggactgtctg ggttcagggg 1080
catggcctgg agggctggtg ggcagcactg tcaggctcag gtttccctgc tgttggtctt 1140
ctgttttggg tattaagact tgtgtatttt ctttctttgc ttcctgtcac cccaggggct 1200
cctgagtata ggcttttcag tccctgggca gtgtccttga gttgtttttt gacactotta 1260
cctgggcttc tctgtgtgca ttgctgtctg gcctggagta agcagggtccg acccctcctt 1320
ctttacagct tagtgttatt ctggcatttg gttaagctgg cttaatctgt ttaatgttat 1380
cagtacattt taaatagggg cattgaaatt tactcccacc accagggctt ttttggggga 1440
tgcttgggcc tttaaaacac tagccaaact ctaattaatt ctcaaatcac tgccaggagt 1500
tcttgctcct ggctgcaggc ccaggcccca aggtctcctt cttgggggtca caaacagcag 1560
taaggaagag gaatatatag caactcaggg cctgggaatt gtggggcaat ccgttcttag 1620
ggactggata cttctggctg gctgagtata gtactagctg cctccccacc aggttccgag 1680
tagtgtctga gactctgctc tgcagggcct agggtagcgc tgggagtgtg gaagtggcct 1740
gcccttaact gttttcacta aacagctttt tctaagggga gagcaagggg gagagatcta 1800
gattgggtga gggggacggg gatgtcaggg aggcaagtgt gttgtgttac tgtgtcaata 1860
aactgattta agttraaaa aaaaaaaaaa aaaaactcng rgggggcgct atagtgt 1916

```

<210> 571

<211> 1253

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1205)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1207)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1212)

<223> n equals a,t,g, or c

<400> 571

```

cgcgtccgcc cagcgtccg cccacgcgtc cgcccaacgcg tccgctcagg aggcgggagg 60
aggaccggga atgaagacga aggcgtcac cattaaatcg tacggctcgc actgccccct 120
gccgcagtc cagcgtcttc aaccgtttct gcggcagctc tggaggccgc ggctttggct 180

```



```

cagggaaagc catgctccca ggactccttc cttgcagcct taaatcggtc tgtacggaaa 240
attccgcgcc ttagaaaccc acgcttgggt gtaaccttat tattgttctt cctgacctac 300
ttcctgttta tcacttccgg gttcatcatt ttggcatttc ggtgatcggg ttggaactat 360
tgaagcccg c ttccaggttc ttttcccat tttccctttg aaaggaagac ttctggcttc 420
tcctaaatct ccgttctctg ggtaagggga gtccaagcct ctgtcatgag gaacggaaat 480
gcgagggcct cgggtgttac tctaaaatcc gccctcagct tgcacgcgg aagctgcgat 540
tcctgcagcg gaagaggcgt gatctggcct tcgactcgct atgtccacta acaatatgtc 600
ggaccacagg aggccgaaca aagtgtgtag gtacaagccc ccgccgagcg aatgtaaccc 660
ggccttggac gaccgcagcg cggactacat gaacctgtg ggcatgatct tcagcatgtg 720
cgccctcatg cttaagctga agtgggtgtg ttgggtcgct gtctactgct ccttcacag 780
ctttgccaac tctcggagct cggaggacac gaagcaaatg atgagtagct tcatgctgtc 840
catctctgcc gtggtgatgt cctatctgca gaatcctcag cccatgacgc ccccatggtg 900
ataccagcct agaagggtca cattttggac cctgtctatc cactaggcct gggctttggc 960
tgctaaacct gctgccttca gctgccatcc tggacttccc tgaatgaggc cgtctcggty 1020
ccccagctg gatagaggga acctggccct ttcctaggga acaccctagg cttacccttc 1080
ctgcctccct tcccctgcct gctgctggg gagatgctgt ccatgtttct aggggtattc 1140
atgtgctttc tcgttgaaac ctgttgtaa taaagtttt cactctgaaa aaaaaaaaaa 1200
aaaanrnaa anctygrggg ggggcccgga acccaattcs ccggatagt agt 1253

```

&lt;210&gt; 572

&lt;211&gt; 2013

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 572

```

cctgggagca cctctttgct tttcacacca aacccaaact gscgaragcc ctcctagcca 60
ccagtgatcc ccaagcatcc agtacagaac caggcatcga gctagctccc tgcacggccg 120
caccctccca gagaactcct tgaggagaac aagtgcctt ggggacagcc ggcakgcgcc 180
cctgtacgtc tgcctatgca ccaggcagca cagccgcagt tcctcagttg ttgttttgac 240
atatttcagt ttccacctca ygtttttaga gcagaaccac actgtctccc tggaggggct 300
cgagggcatg accggggact gaccattctg tgaagkagc agaatgtgag gagcacgcgt 360
gagcttatgt accgtgaaga tgatcagagg atatcttatt ttaagagtaa aaaccacat 420
aattttatct ctgcttgata gtcatggtag tctgtcatac ccacctctgg gactctgcgt 480
ggctgtttgg ctgtcacttg tagcaataac gacattagtt ctagtcatg ctgttttaca 540
tttttctttt gatgggttta gtcttgccct ggagtgccga tgatgattct ccctccagag 600
ccacgcttgg gaacatgaag caagtctggc gtgtgggctg cgtgccggcc ttagtgggac 660
ccgtgggggt ggagcatgcc tttaggggca gtgtctgggc cgaagcacgt cccaccacac 720
agtgccagag ccagagaagg ggccccacca ccaaggccaa gcttgaccag gtcagcattg 780
ccatggccca gtgtgcccg tggcctctga agatccctct gtgcagggtc tgcagggatc 840
tggtattgcaa gggcccaagt ctgcaggctt ggaagcatct tcctataaga gcactttcgc 900
cttctgggtc aggactccaa ggtgcagcgg gcttcacagc cctacaattg ggttctcagc 960
taagccccag agttctggta gaacctccc ggggcgggtg gagggtggga ttttaaggag 1020
acgggaacac atggggcagg tcctggaact tgggtggcctg aggactgagg ccattgccct 1080
ggtggaagg cctggcctgg ttctgtggc ttgggacctg aataggcagg tgctgtggc 1140
tccgtagaaa ccttttccc atcttttgc tttgccaaa cctaccttg tttgggagct 1200
cctgaccca cccagagaa gggccacct tctcatccc tcagaccga ggaggccctc 1260
cagtaaggag tttcccaaga ggggactcac aggaacaag tcttagtgct tgggaggag 1320
gccccgctgc gtgctcagac tcacagccaa cctggaagg agacgagata gcgccacca 1380
cgcccccca caccacagac tccgagtaa gcggcggtg gggccggagt cacctccct 1440
atggcagtg ccgccgctg actccatcct cccgtcagga agatcagctg taaataaacg 1500
ctgggctccc cagagcacct gtccgccac tggccttgct gttctgggat cttcgtgca 1560

```

gttcacggga aacaagcctg agtccgctcg caccgcggc tgctctccc gctcggccc 1620  
gccgcctctg tctccggcca cgggtggcg ctgccgagcc agagccgcc cgtccggcg 1680  
ctttccagga gccccaggcc cggaggagcg aagcccgag agcaaaggcg gaaacacgtg 1740  
cctacgctgt aaagaaatcc tgttccagag catacctgtt gtacaaacag aactgttcc 1800  
taacgagagg agtgacgtat tttcatcacc gtttttaatt tgttttctta cgggtttacg 1860  
atthttgaatt tttcttattt ggttgaaaga atthttgattc tatcagcctg agtgagttca 1920  
gcctgtaaaa aggatgttaa gctgtgggta aaatatgcaa acgaaaagaa atatattgta 1980  
caaattctat ataataagaa aaaaaaaaaaaa aaa 2013

<210> 573

<211> 669

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (445)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (631)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (638)

<223> n equals a,t,g, or c

<400> 573

cgthttgcccg gcgctgccgc gtctctctcg gctcccgtt cctttgaccg cctccccccc 60  
cggcccgccg gcgcccgcct cctccacggc cactccgcct cttccctccc ttcgtccctt 120  
cttctctctc cttttttcct tcttcttcc cctctctgcc gccaccgcc aggaccgcc 180  
gccgggggac gagctcggag cagcagccag agthttattaa ccacttaacc tctcagaact 240  
gaacaaagac aacattgttc ctggaacgcc ctctthtttaa aaaagaaagc ataaccctta 300  
ctgtagaact aaatgcactg tgcataaaac ttggaaaaaa accaatgtat aagcctgttg 360  
acccttactc tcggatgcak tcmactata actacaacat gagaggaggt gcttatcccc 420  
cgaggtactt ttaccatttt ccagntccac cthttacttta tcaagtggaa cthttctgtg 480  
gaggacagca atttaattggc aaaggaaaaga caagacaggc tgcgaaacac gatgctgctg 540  
ccaaagcggg tgaggatcct gcagaatgag cccctggcag aagagggctg aggtgaaagg 600  
aagagaatcc gaagaagaaa actcaataaa nctgaaanaa agcaaggggg tgagatgcct 660  
taaacgggga 669

<210> 574

<211> 2432

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (7)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2326)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2367)

<223> n equals a,t,g, or c

<400> 574

```

acacagnaga aacacagcat tccaggctgg cccacacct atattgataa gtagccaatg 60
ggagcgggta gccctgatcc ctggccaatg gaaactragg taggcgggtc atcgcgctgg 120
ggtctgtagt ctgagcgcta cccggttgct gctgcccaag gaccgcggag tcggacgcag 180
gcagaccatg tggaccctgg tgagctgggt ggccttaaca gcagggctgg tggctggaac 240
gcggtgccca gatggtcagt tctgccctgt ggcctgctgc ctggaccccg gaggagccag 300
ctacagctgc tgccgtcccc ttctggacaa atggcccaca aactgagca ggcattctgg 360
tggccctgc caggttgatg cccactgctc tgccggccac tcctgcattt ttaccgtctc 420
agggacttcc agttgctgcc ccttcccaga ggccgtggca tgcggggatg gccatcactg 480
ctgcccacgg ggctccact gcagtgcaga cgggcgatcc tgcttccaaa gatcaggtaa 540
caactccgtg ggtgccatcc agtgccctga tagtcagttc gaatgcccg acttctccac 600
gtgctgtgtt atggtcgatg gctcctgggg gtgctgcccc atgcccagg cttcctgctg 660
tgaagacagg gtgcactgct gtccgcacgg tgcccttctgc gacctgggtc acaccgctg 720
catcacaccc acgggcaccc accccctggc aaagaagctc cctgcccaga ggactaacag 780
ggcagtgggc ttgtccagct cggtcattgt tccggacgca cggctccggt gccctgatgg 840
ttctacctgc tgtgagctgc ccagtgggaa gtatggctgc tgcccaatgc ccaacgccac 900
ctgctgctcc gatcacctgc actgctgccc ccaagacact gtgtgtgacc tgatccagag 960
taagtgcctc tccaaggaga acgctaccac ggacctcctc actaagctgc ctgcgcacac 1020
agtgggggat gtgaaatgtg acatggaggt gagctgccc gatggctata cctgctgccg 1080
tctacagtgc ggggcctggg gctgctgccc ttttaccag gctgtgtgct gtgaggacca 1140
catacactgc tgtccgcggt ggtttacgtg tgacacgcag aagggtacct gtgaacaggg 1200
gccccaccag gtgcctgga tggagaaggc cccagctcac ctgagcctgc cagaccaca 1260
agccttgaag agagatgtcc cctgtgataa tgtcagcagc tgtccctcct ccgataacct 1320
ctgccaaactc acgtctgggg agtggggctg ctgtccaatc ccagaggctg tctgctgctc 1380
ggaccaccag cactgctgcc cccagggcta cacgtgtgta gctgaggggc agtgtcagcg 1440
aggaagcgag atcggtgctg gactggagaa gatgcctgcc cgcggggctt ccttatccca 1500
ccccagagac atcggtgtg accagcacac cagctgcccg gtggggcaga cctgctgccc 1560
gagcctgggt gggagctggg cctgctgcca gttgcccac gctgtgtgct gcgaggatcg 1620
ccagcactgc tgcccggctg gctacacctg caacgtgaag gctcgatcct gcgagaagga 1680
agtgtctctt gcccagcctg ccaccttctt gggccgtagc cctcacgtgg gtgtgaagga 1740
cgtggagtggt ggggaaggac acttctgcca tgataaccag acctgctgcc gagacaaccg 1800
acagggtggt gcctgctgtc cctaccgcca gggcgtctgt tgtgctgac ggcgccactg 1860
ctgtcctgct ggcttccgct gcgcagccag gggtaacca tggttgcgca gggaggcccc 1920
gcgtggggac gccctttga gggaccagc cttgagacag ctgctgtgag ggacagta 1980
gaagactctg cagccctcgg gacccactc ggagggtgcc ctctgctcag gcctccctag 2040
cacctcccc taaccaaatt ctocctggac ccattctga gctccccatc accatgggag 2100
gtggggcctc aatctaaggc cttccctgtc agaagggggt tgtggcaaaa gccacattac 2160
aagctgccat cccctcccc tttcagtggg ccctgtggcc aggtgctttt ccctatccac 2220
aggggtggtt gtgtgtgtgc gcgtgtgcgt ttcaataaag tttgtacact ttcaaaaaaa 2280

```

aaaaaaaaaa aaagggsggc cgctctaaaa gatccaaggg gccaanctta cccttgcatg 2340  
ccaactctaa ctctctccca ataattnatt cttatataac taaggcactg gccgtctttt 2400  
aaaacttctg aatggaaatt gctacttggg at 2432

<210> 575

<211> 1372

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (71)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1335)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1338)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1370)

<223> n equals a,t,g, or c

<400> 575

tccgcccacg cgtccgagcg gatcgcgkgc tcgggctgcg gggctccggc tgcgggcgct 60  
gggcccgcgag ngcggagctt gggagcggac ccaggccgtg ccgcgcggcg ccatgaagg 120  
caaggaggag aaggagggcg gcgcacggct gggcgctggc ggcggaagcc cgagaagagc 180  
ccgagcgcgc aggagctcaa ggagcagggc aatcgtctgt tcgtgggccc aaagtacccg 240  
gaggcgggcg cctgtctacg ccgcgcgac acccggaacc cgctggtggc cgtgtattac 300  
accaaccggg ccttgtgcta cctgaagatg cagcagcacg agcaggccct ggccgactgc 360  
cggcgcgccc tggagctgga cgggcagtct gtgaaggcgc acttcttcct ggggcagtgc 420  
cagctggaga tggagagcta tgatgaggcc atcgccaatc tgcagcgagc ttacagcctg 480  
gccaaggagc agcggctgaa cttcggggac gacatcccca gcgctcttcg aatcggaag 540  
aagaagcgct ggaacagcat tgaggagcgg cgcacccacc aggagagcga gctgcactcc 600  
tacctctcca ggctcattgc cgcggagcgt gagagggagc tggaagagtg ccagcgaac 660  
cacgagggtg atgaggacga cagccacgtc cgggcccagc aggcctgcat tgaggccaag 720  
cacgacaagt acatggcgga catggacgag ctttttctc aggtggatga gaagaggaag 780  
aagcgaagaca tcccgcacta cctgtgtggc aagatcagct ttgagctgat gcgggagccg 840  
tgcatcacgc ccagtggcat cacctacgac cgcaaggaca tcgaggagca cctgcagcgt 900  
gtgggtcatt ttgaccccgt gaccggagc cccctgacct aggaacagct catcccaac 960  
ttggctatga aggaggttat tgacgattc atctctgaga atggctgggt ggaggactac 1020  
tgaggttccc tgccctacct ggcgtcctgg tccaggggag ccctgggcag aagcccccg 1080  
cccctataca tagtttatgt tcttgccac cccgaccgt tcccccaagt tctgtgttg 1140  
gactctggac tgtttccct ctcagcatcg cttttgtgg gccgtgatcg tcccccttg 1200  
tgggctggaa aagcaggtga ggggtggctg ggctgaggcc attgccgcca ctatctgtgt 1260

aataaaatcc gtgagcacga aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1320  
ttgggggggg ccccntancc aattggccct aaaggggggg tttaaaaaan aa 1372

<210> 576

<211> 2020

<212> DNA

<213> Homo sapiens

<400> 576

gctccccgcg kckcttcgc tttgtggcg gcgccgcgc tcgcaggcca ctctctgctg 60  
tcgcccgctc cgcgcgctcc tccgaccgc tccgctccgc tccgctcggc cccgcgccgc 120  
ccgtcaacat gatccgctgc ggctggcct gcgagcgctg ccgctggatc ctgccctgc 180  
tcctactcag cgccatcgcc ttcgacatca tcgcgctggc cggccgcggc tggttgcagt 240  
ctagcgacca cggccagacg tcctcgctgt ggtggaaatg ctcccaagag ggcggcggca 300  
gcgggtccta cgaggaggcg tgcagagcc tcatggagta cgcgtggggt agagcagcgg 360  
ctgccatgct cttctgtggc ttcatcatcc tggatgatct tttcatcctc tccttcttcg 420  
ccctctgtgg accccagatg cttgtcttcc tgagagtgat tggaggtctc cttgccttgg 480  
ctgctgtggt ccagatcatc tccttggtaa tttaccccggt gaagtacacc cagaccttca 540  
cccttcatgc caaccgtgct gtcacttaca tctataactg ggcctacggc tttgggtggg 600  
cagccacgat tatcctgatg ggctgtgcct tcttcttctg ctgcctcccc aactacgaag 660  
atgaccttgc gggcaatgcc aagcccagggt acttctacac atctgcctaa cttgggaatg 720  
aatgtgggag aaaatcgctg ctgctgagat ggactccaga agaagaaact gtttctccag 780  
gcgactttga acccattttt tggcagtggt catattatta aactagtcaa aaatgctaaa 840  
ataatttggg agaaaatatt ttttaagtag tgttatagtt tcatgtttat cttttattat 900  
gttttgtgaa gttgtgtctt ttcactaatt acctatacta tgccaatatt tccttatatc 960  
tatccataac atttatacta catttgtaag agaatatgca cgtgaaactt aacactttat 1020  
aaggtaaaaa tgaggtttcc aagatttaat aatctgatca agttcttggt atttccaaat 1080  
agaatggact cggctctgta agggctaagg agaagaggaa gataaggtta aaagtgttta 1140  
atgaccaaac attctaaaag aaatgcaaaa aaaaagttta ttttcaagcc ttcgaactat 1200  
ttaaggaaag caaaatcatt tcctaaatgc atatcatttg tgagaatttc tcattaatat 1260  
cctgaatcat tcatttcagc taaggcttca tgttgactcg atatgtcatc taggaaagta 1320  
ctatttcatg gtccaaacct gttgccatag ttggtaaggc tttcctttaa gtgtgaaata 1380  
tttagatgaa attttctctt ttaaagttct ttataggggt aggggtgtggg aaaatgctat 1440  
attaataaat ctgtagtgtt ttgtgtttat atgttcagaa ccagagtaga ctggattgaa 1500  
agatggactg ggtctaattt atcatgactg atagatctgg ttaagttgtg tagtaaagca 1560  
ttaggagggt cattcttgtc acaaaagtgc cactaaaaca gcctcaggag aataaatgac 1620  
ttgcttttct aaatctcagg ttatctggg ctctatcata tagacaggct tctgatagtt 1680  
tgcaactgta agcagaaacc tacatatagt taaaatcctg gtctttcttg gtaaacagat 1740  
tttaaagtgc tgatataaaa catgccacag gagaattcgg ggatttgagt ttctctgaat 1800  
agcatatata tgatgcatcg gataggatcat tatgattttt taccatttcg acttacataa 1860  
tgaaaaccaa ttcattttta atatcagatt attattttgt aagttgtgga aaaagctaata 1920  
tgtagttttc attatgaagt tttcccaata aaccagggtat tctaaaaaaa aaaaaaaaaa 1980  
aaaactcgag gggggcccgg taccawtcg ccgtatatga 2020

<210> 577

<211> 3161

<212> DNA

<213> Homo sapiens

<400> 577

ctcatttact gtaatattta tgatacagt aatatgaaaa tgcactgggtc agaaggcact 60

ctcaaagagc cgcactgctc ctgacatcgt ccttagcaat gaaatcacaa agacagccaa 120  
 agcagtcctg cttcttgga atcagaagct gcctttatca catataaagc caaacagggc 180  
 ataaccatgt cacgtgagca tgtcatcagg cttctgagga cttgttcttt ataaaaaaag 240  
 acccttcacaa aatatcttg cttagagata gcagtcctta ttaacaaagg ccacctaggc 300  
 tgacacctgc agataatcat ctccctttct ttgtctatgt tgtacatttt catgatataa 360  
 cttttaacta tgtctagaga aggcaggctc tgcaagagag gtgccctttc aaccgctca 420  
 gtgccctgga caggagatgc tgtgttaaac tgtaaatgga tatctatatg agaagctcat 480  
 ttttgtatgc tatccctgca gttttttttt ttctaacagg cccatgtttg agaataaaca 540  
 agtctgtgat gtcagagaca aagggtgatt cttcagtcgt cagggtgtgtg gcacctccct 600  
 tctccctgca agccccccac atccagagcc gtccctgaga gtgacatcat gcatcaagaa 660  
 aacataacct tggctctcag gtgaaccctt ggaacattct gtgaccgcct gatgtccatt 720  
 ctgagccacc ttggcacaca tgcttacagg cagcactgct aagggttcag gtgccccatg 780  
 gctgacagcc cgagttgctt ctgtggacca tcatgccgct cggcacgtcc tgagacagaa 840  
 gttgctgcag gaaggagctt ctggagaggt cctgtggcat gtgtgggggt gtgtgtgtgt 900  
 atgtttcctt cttgaacaga cattccaact ttagatgtgt ttatagaact gaccttttta 960  
 ctaacaaaat acaatgat atgttggaat ctacttaata tgcttttctt gcacacctta 1020  
 gcaataactg taggggtctc tgctagagtt gtttgtatgt acagcaattt tgaacaaatt 1080  
 gttttaaatg taatataaga gaattagttt aaggaaagta agagaatcat ttgcttgtgt 1140  
 tacattttca gtgaggattc agtttaagag tcattcttag gacttccatt tcctaataatt 1200  
 tattcatggg taatgaagaa atggtttgca ttttgtggcc agtcctaatt tattttccag 1260  
 ctgagcccta acttccggct cccacctacc tccacggact tcctaacaga gacttatgaa 1320  
 taccaggatg tgtttttggt aagtcagggt caattcgttg cccctgtcag ttttatagag 1380  
 tgtgaggggc actccattaa agatctctcc tgggtggatc ctacttggat gttcagggtga 1440  
 ttttgaaaac tgctaaccatt tttaaaaggc tagaacatcc tttgacttct tgaaaatctg 1500  
 catgtctggc ttgggtttta ttaccacatg cctgagttct tcaagaatgg aaggctcaag 1560  
 tattctcctc ttccatttgc caaacttctt tcctgatttg agtcacgtgt tccacttgga 1620  
 aagaaaggga acagagagcc tcctccatgg acagtgtatg aatttcattg ggaatcttgc 1680  
 tctctccgc ctctatgcct ttctctctt ttaaccttac ttacataat attatagatg 1740  
 ggccaagaaa agaaaagatg acataacatt ttgatgaatt tcacctatc cattcttcac 1800  
 gtttcagaat tggctgactt tgttagaaga taattgaagt agccttgggt caaaagcaac 1860  
 cttttcaatt gtgatcatc ctaaaacata taaaaccct gccgtagatt aaaagcaatt 1920  
 ataaaatcat aaaattgaat gtttgcagaa tcctggagca gtagatttct ttgtctttgg 1980  
 cctgaggact agaaagagg cagcagtagt atgctggagc ttccctggga taccagccac 2040  
 atggtttctt ttcattagat ctgatttttg ttccactg tagatctgat tttgtagttg 2100  
 aaaacatttc accaccatca aacactattt ctgaatattg tgccttttta tacctagcct 2160  
 agatgaaaac cgatgccatt cttattcaga aaatccccc atcctacatg actgttatct 2220  
 agacataaag caaagtgcatt ttaattcaaa atttggttca caatataagt attttgtaaa 2280  
 agccagctga accagcattt tatcagggtg aaatctctgc aagccaaatt gctgatactc 2340  
 cttcatgcag atcaacttgg tgtcccagtc agaatagaac agcataatta cctggagtta 2400  
 gggggagtat ttctgacta ttacttgtca gggagagaag aaacttagaa ttgtccctca 2460  
 aaggagtgtc aagaagtatg aataaatgtc ctttcaccag ctcacaggcc agaaatggag 2520  
 gacccaagtc aactaggtga aactactagc agaccagct tcccataat aacctaattc 2580  
 gcaaatgtt ctattaaagt ctcatgttt tcaggatgca atgaaagtgg atttcaaaag 2640  
 gctttgaaa aataagtga acatgactga tcttgaaaaa aaaagcaaaa gcttaaatat 2700  
 ttgatacaag tttacttagc tacaacatac ttacattgt tgccttagt tatctcacag 2760  
 gcactgacat tttatattta gaaaatactt ttaatcttct taatcttttt ttgtaaatat 2820  
 tagtgtccat tctgtatgac tcgctaacct actttgcaag gctttgggca acatttttagc 2880  
 tcattaactt caagatgatg tgtcatctgt atagggtcaa gaatgggact tctgaactga 2940  
 ggaatttgct gttgacagcc aaagtatagt gtacaagatt gatgtaactt gatatgtatt 3000  
 tttgttgaa ttttttgtaa aaaaaaatta tttacaatgt tttttgaatg atttttttta 3060  
 atgctgtgaa tctatatattg ttgttttrta tattaaatt catttgccaa aaaaaaaaaa 3120

aaaaaaaaa aaaaaaaaaa aaaactcgag actagtcttc t

3161

&lt;210&gt; 578

&lt;211&gt; 2046

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 578

gtcatgcagt gcgccggaga actgtgctct ttgaggccga cgctaggggc ccggaaggga 60  
aactgcgagg cgaaggtgac cggggaccga gcatttcaga tctgctcggg agacctggtg 120  
caccaccacc atgttggtg caaggctggg gtgtctccgg acactacctt ctagggtttt 180  
ccaccagct ttcaccaagg cctcccctgt tgtgaagaat tccatcacga agaataaatg 240  
gctgttaaca cctagcaggg aatatgccac caaaacaaga attgggatcc ggcgtgggag 300  
aactggccaa gaactcaaag aggcagcatt ggaaccatcg atggaaaaa tatttaaat 360  
tgatcagatg ggaagatggt ttgttgctgg aggggctgct gttggctctg gagcattgtg 420  
ctactatggc ttgggactgt ctaatgagat tggagctatt gaaaaggctg taatttgcc 480  
tcagtatgtc aaggatagaa ttcattccac ctatatgtac ttagcaggga gtattggtt 540  
aacagctttg tctgccatag caatcagcag aacgcctgtt ctcatgaact tcatgatgag 600  
aggtctttg gtgacaattg gtgtgacctt tgcagccatg gttggagctg gaatgctggt 660  
acgatcaata ccatatgacc agagcccagg ccaaagcat cttgcttggg tgctacattc 720  
tggtgtgatg ggtgcagtgg tggctcctct gacaatatta gggggtcctc ttctcatcag 780  
agctgcatgg tacacagctg gcattgtggg aggcctctcc actgtggcca tgtgtgcgcc 840  
cagtgaanaag tttctgaaca tgggtgcacc cctgggagtg ggcctgggtc tcgtctttgt 900  
gtcctcattg ggatctatgt ttcttcacc taccaccgtg gctggtgcca ctctttactc 960  
agtggcaatg tacggtggat tagttctttt cagcatgttc cttctgtatg ataccagaa 1020  
agtaatcaag cgtgcagaag tatcaccaat gtatggagtt caaaaatatg atcccatata 1080  
ctcgtatgct agtatctaca tggatacatt aaatatattt atgcgagttg caactatgct 1140  
ggcaactgga ggcaacagaa agaaatgaag tgactcagct tctggcttct ctgctacatc 1200  
aaatatcttg tttaatgggg cagatatgca ttaaatagtt tgtacaagca gctttcgttg 1260  
aagtttagaa gataagaaac atgtcatcat atttaaagt tccggtaagt tgatgcctca 1320  
ggtctgcctt ttttctgga gaataaatgc agtaatcctc tcccaaataa gcacacacat 1380  
tttcaattct catgtttgag tgattttaaa atgttttggg gaatgtgaaa actaaagttt 1440  
gtgtcatgag aatgtaagtc tttttctac tttaaaattt agtaggttca ctgagtaact 1500  
aaaatttagc aaacctgtgt ttgcatattt ttttgagtg cagaatattg taattaatgt 1560  
cataagtgat ttggagcttt ggtaaaaggga ccagagagaa ggagtcacct gcagctttt 1620  
gtttttttaa atacttagaa cttagcactt gtgttattga ttagtgagga gccagtaaga 1680  
aacatctggg tatttggaag caagtggta ttgttacatt catctgctga acttaacaaa 1740  
actgttcac ctgaaacagg cacaggtgat gcattctcct gctgttgctt ctcagtgtc 1800  
tctttccaat atagatgtgg tcatgtttga cttgtacaga atgttaatca tacagagaat 1860  
ccttgatgga attatatatg tgtgttttac ttttgaatgt taaaaagga aataacttta 1920  
aaactattct caagagaaaa tattcaaagc atgaaatatg ttgctttttc cagaatacaa 1980  
acagtatact catgagcaaa aaaaaaaaaa gggcgccgc tctagaggat ccctcgaggg 2040  
gcccaa 2046

&lt;210&gt; 579

&lt;211&gt; 302

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (226)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (241)

<223> n equals a,t,g, or c

<400> 579

```
ctgcgggnaa ctgctgatgg ctcagggact gtcagcctct gctctggaag gcctgaagac 60
ggaagaaggg agtgtcagag gcgccctgcc agctgtgtca tctccccag ctccagtttc 120
accctcatca cccaccacac ataatgggga gctggagccg tcattctccc ccttgctagg 180
agaagggaag acgcccgaga cgctgcttcc ccagaagtgc tggggncagg gagggccagg 240
nagatgagag agaaggtccg agtaggtgga tagaagacaa ggggggagac cgagccggag 300
tg                                     302
```

<210> 580

<211> 3067

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (626)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1808)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2945)

<223> n equals a,t,g, or c

<400> 580

```
gcgcctgcag gtcgacacta gtggatccaa agaattcggc acaggagcgg cgcgcgctcg 60
gacctctccc gccctgctcg ttcgctctcc agcttgggat ggccgggtac ctgcgggtcg 120
tgcgctcgct ctgcagagcc tcaggctcgc ggccggcctg ggccggcgcg gccctgacag 180
ccccacctc gcaagagcag ccgcggcgcc actatgccga caaaaggatc aagggtggcg 240
agcccgtggg ggagatggat ggtgatgaga tgaccggtat tatctggcag ttcatcaagg 300
agaagctcat cctgccccac gtggacatcc agctaaagta ttttgacctc gggctcccaa 360
accgtgacca gactgatgac caggtcacca ttgactctgc actggccacc cagaagtaca 420
gtgtggctgt caagtgtgcc accatcaccg ctgatgaggc ccgtgtggaa gagttcaagc 480
tgaagaagat gtggaaaagt cccaatggaa ctatccggaa catcctgggg gggactgtct 540
```



```

tccgggagcc catcatctgc aaaaacatcc cagcctagt ccctggctgg accaagccca 600
tcaccattgg caggcacgcc catgnggacc agtacaaggc cacagacttt gtggcagacc 660
gggccggcac tttcaaaatg gtcttcaccc caaaagatgg cagtgggtgtc aaggagtggg 720
aagtgtacaa cttccccgca ggcggcgtgg gcâtgggcat gtacaacacc gacgagtcca 780
tctcaggttt tgcgcacagc tgcttccagt atgccatcca gaagaaatgg ccgctgtaca 840
tgagcaccaa gaacaccata ctgaaagcct acgatgggcg tttcaaggac atcttccagg 900
agatctttga caagcactat aagaccgact tcgacaagaa taagatctgg tatgagcacc 960
ggctcattga tgacatgggt gctcagggtcc tcaagtcttc ggggtggcttt gtgtgggcct 1020
gcaagaacta tgacggagat gtgcagtcag acatcctggc ccagggtctt ggctcccttg 1080
gcctgatgac gtccgtcctg gtctgccctg atgggaagac gattgaggct gaggccgctc 1140
atgggaccgt caccgccac tatcgggagc accagaaggg ccggcccacc agcaccaacc 1200
ccatcgccag catctttgcc tggacacgtg gcctggagca ccgggggaag ctggatggga 1260
accaagacct catcaggttt gccagatgc tggagaaggt gtgcgtggag acggtggaga 1320
gtggagccat gaccaaggac ctggcgggct gcattcacgg cctcagcaat gtgaagctga 1380
acgagcactt cctgaacacc acggacttcc tcgacaccat caagagcaac ctggacagag 1440
ccctgggagc gcagtagggg gaggcgccac ccatggctgc agtggagggg ccagggtcta 1500
gccggcgggt cctcctgagc gcggcaragg gtgagcctca carccccag caccgggagt 1560
cttggccagg gatggggagc ggggaggtm carctccgt ccaacccctt gaggaggtca 1620
ctccccatcc agccaccctt gcccgccggc ctccgagtcc ccgaagggtcc caccatcccc 1680
gcaggaactc cctggatgga gggggccgat cccggggagc gggttctgca cagcctgaac 1740
cccagcactt ccagcccaaa aagcacaact cttatcccca gccaccccaa cctaccagag 1800
cccagcgnc cccaggggcc gctaccccc atactact cccccacgaa tgagacggca 1860
gcgttctgcc cctgacctca aggagagtgg ggcagctgtg tgagtccac atcctgggca 1920
gagggcctgg tggggcccyt tgctaggaga agggaagacg cccgagacgc tgcttcccca 1980
gaaagtctgg ggcaggagag cccagagat gagagagaag gtccgagttag gtgatagaag 2040
acaaggggga gaccgagccg gagytgagga aaggaagagg gcacggaktt gccaggagca 2100
aaccaaagt aagagagaga taggaagctg cctcggggcc accccttgca aagggggtgt 2160
gtcccacaaa cgctgctatg ggtggggtgg ggggctgggg tgctgcgtag ccagtgtttg 2220
actttctttt caagtggggg aaagtgggag aggactgaga gtgaggcaag ttctccccag 2280
cccctgtccg tctgtctgtc tgtctgtggt ggtttctgtt tcttgggagg catggtagga 2340
tcataagtca ttccctctcc cttccaggcc tcctgtata tttgggggac ctgactgggt 2400
tggttgaggt cccatgagga tgtgggccct ttaataaagg atagcaaaaca gggagcttgt 2460
ggcctgtttg ttttgggttt tcatggaggt gtaggttata taaggcaatg gcacaggtct 2520
taagcatact tatcagtga gtattgtatg tgtgtctgt gcaggcacca cccagatctg 2580
gatataagaa tgtttccatc ttgtcttcc gaacttcacc ctcctgtctc ttccttcagg 2640
gtgcgcascc gatcttttcc ccgctttttt tttttttggg agacagggtc ttgctttgtt 2700
gccaggctg gaggtacagt cttggctcac tgcagcctcc gcctcctgag tagctgggat 2760
tacaggcatg tgccaccacg cccggctcat tactgttttt tttgtagtga cgaggtttca 2820
ccatgttggc caggctgggt tcgaactcct gatgacctca agtgatccgc ccacctggc 2880
ctcccaaagt ggtgggatta cagggtgtgag ccaccgcgcc cggcctcccc tgctttcatg 2940
tttgnattacc cagtgtctca gtctgtgcca gcagcamcac tgtctgtwat ggacaaagca 3000
cagaagcggg gatgcraggg gaagtagagg gaccgccagc ctgtcaaggc ttaactggct 3060
gttgctg

```

&lt;210&gt; 581

&lt;211&gt; 1574

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (457)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 581

```
gtacggattc ccgggtcgac ccacgcgtcc ggcggcggcg acggcgacat ggagagcggg 60
gcctacggcg cggccaaggc gggcggctcc ttcgacctgc ggcgcttcct gacgcagccg 120
caggtgggtg cgcgcgccgt gtgcttggtc ttcgccttga tcgtgttctc ctgcatctat 180
ggtgagggct acagcaatgc ccacgagtct aagcagatgt actgcgtgtt caaccgcaac 240
gaggatgcct gccgctatgg cagtgccatc ggggtgctgg ccttcctggc ctcggccttc 300
ttcttggtgg tcgacgcgta tttccccag atcagcaacg ccaactgaccg caagtacctg 360
gtcattgggt acctgctctt ctcagctctc tggaccttcc tgtggtttgt tggtttctgc 420
ttcctcacca accagtgggc agtcaccaac ccgaagnacg tgctgggtgg ggccgactct 480
gtgagggcag ccatcacctt cagcttcttt tccatcttct cctgggggtgt gctggcctcc 540
ctggcctacc agcgctacaa ggctggcgtg gacgacttca tccagaatta cgttgacccc 600
actccggacc ccaacactgc ctacgcctcc taccaggtg catctgtgga caactaccaa 660
cagccaccct tcaccagaa cgcgagacc accgagggct accagccgcc ccctgtgtac 720
tgagcggcgg ttagcgtggg aagggggaca gagagggccc tccccctgc cctggacttt 780
cccattgagc tcctggaact gccagcccc ctctttcacc tgttccatcc tgtgcagctg 840
acacacagct aaggagcctc atagcctggc gggggctggc agagccacac cccaagtgcc 900
tgtgccaga gggcttcagt cagcygctca ctctccagg gcacttttag gaaagggttt 960
ttagctagt ttttctctcg cttttaatga cctcagccc gcctgcagt gctagaagcc 1020
agcagtgcc catgtgctac tgacaagtgc ctcagcttcc ccccggccg ggtcaggccg 1080
tgggagccgc tattatctgc gttctctgcc aaagactcgt gggggccatc acacctgccc 1140
tgtgcagcgg agccggacca ggctcttggt tcctcactca ggtttgcttc ccctgtgccc 1200
actgctgtat gatctggggg ccaccaccct gtgccgggtg cctctgggct gcctcccgtg 1260
gtgtgagggc ggggctggtg ctcatggcac ttcctccttg ctcccacccc tggcagcagg 1320
gaagggcttt gcctgacaac acccagcttt atgtaaatat tctgcagttg ttacttagga 1380
agcctgggga gggcaggggt gcccattggc tcccagactc tgtctgtgcc gagtgtatta 1440
taaaatcgtg ggggagatgc ccggcctggg atgctgtttg gagacggaat aaatgttttc 1500
tcattcaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1560
aaaaagggc ggcc 1574
```

&lt;210&gt; 582

&lt;211&gt; 960

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (924)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (937)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (939)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 582

```
agagtcagga ggcagagctc tgggaatctc accatggcct ggacccctct cctgctcccc 60
ctcctcactt tctgcacagt ctctgaggcc tcctatgagy tgacacagcc accctcggtg 120
tcagtgtccc caggacaaac ggccmggatc acctgctctg gagatgcmmt gccaaamaaa 180
tatrcattatt ggtaccagca gaagtcaggc caggcccttg tgytggtcat ctatgaggac 240
accagacgac cctccgcgat ccctgagaga ttctctgcct ccagctcagg gacaatggcc 300
accttgacta tcagtggggc ccaggtggag gatgaagcgg actactactg ctactcaaca 360
gacagcagtt cttattacag ggtgttcggc ggagggacca agctgaccgt cctaggtcag 420
cccaaggctg cccctcggc cactctgttc cccctcct ctgaggagct tcaagccaac 480
aaggccacac tgggtgtgtct cataagtgc ttctaccgg gagccgtgac agtggcctgg 540
aaggcagata gcagccccgt caaggcggga gtggagacca ccacaccctc caaacaagc 600
aacaacaagt acgcggccag cagctacctg agcctgacgc ctgagcagtg gaagtccac 660
araagctaca gctgccaggc cagcatgaa gggagaccg tggagaagac agtggccct 720
acagaatgtt cataggttct caaccctcac cccccaccac gggagactag agctgcagga 780
tcccagggga ggggtctctc ctcccacccc aaggcatcaa gcccttctcc ctgcaactca 840
taaaccctca ataaatattc tcattgtcaa tcagaaaaaa aaaaaaaaaa aaaaaagggg 900
ggggcccggt accmattggc ctnnggkggg tggtttnanw ttaatggcck ggtttaaaag 960
```

&lt;210&gt; 583

&lt;211&gt; 541

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 583

```
cgccggccgc gccacgtga ycggccggg tgcaaacacg cgggtcagct gatccggccc 60
aactgcggcg tcatcccgcc tataagcgca cgccctcgcc gaccctctcc gaccggccg 120
ccgcccgcct gcagccctcc agccttctgc cgctcgccct ctgcctgctg gctgcacccg 180
cctccgcgct cgtcaggatc ccgctgcaca agttcacgtc catccgccgg accatgtcgg 240
agggtggggg ctctgtggag gacctgattg ccaaaggccc cgtctcaaag tactcccagg 300
cggtgccagc cgtgaccgag gggccattc ccgaggtgct caagaactac atggacgccc 360
agtamtacgg ggagattggc atcgggacgc cccccagtg cttcacagtc gtcttcgaca 420
cgggctycty caacctgtgg gtccctcca tccactgcaa actgctggac atcgcttgt 480
ggatycacca caagtamaac agcgacaagt ccagcaacta cgtgaagaat ggtaactcgt 540
t 541
```

&lt;210&gt; 584

&lt;211&gt; 2968

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (454)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1437)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2961)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2964)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 584

```
aattcggcac gagatcctct ggctgctctg ctcccaccgc ccggcccccgc gcaggccccc 60
caccacacat gcacacaact ggaggctcgg ccaggcgccc gccarctggt acaatgacac 120
ctaccccctg tctcccccac aaaggacacc ggctgggatt cggatcgaac tcgcagttat 180
cgcagacctg gacacagagt caaggcccca agaggaaaac acctggttca gttacctgaa 240
aaagggctac ctgaccctgt cagacagtgg ggacaagggt gccgtggaat gggacaaaga 300
ccatggggtc ctggagtccc acctggcgga gaaggggaga ggcattggagc tatccgacct 360
gattgttttc aatgggaaac tctactccgt ggatgaccgg acgggggtcg tctaccagat 420
cgaaggcagc aaagccgtgc cctgggtgat tctntccgac ggcgacggca ccgtggagaa 480
aggcttcaag gccgaatggc tggcagtga ggacgagcgt ctgtacgtgg gcggcctggg 540
caaggagtgg acgaccacta cgggtgatgt ggtgaacgag aaccgggagt ggggtaagg 600
ggtgggctac aagggcagcg tggaccacga gaactgggtg tccaactaca acgcctgcg 660
ggctgctgcc ggcattccagc cgccaggcta cctcatccat gagtctgcct gctggagtga 720
cacgctgcag cgctggttct tctgcccgc cgcgccagc caggagcgt acagcgagaa 780
ggaagcagag cgcaaggcg ccaacctgct gctgagcgcc tcccctgact tcggcgacat 840
cgctgtgagc cagctcgggg cggtggtccc cactcacggc ttctcgtcct tcaagttcat 900
ccccaacacc gacgaccaga tcattgtggc cctcaaatcc gaggaggaca gcggcagagt 960
cgccctctac atcatggcct tcacgttggc cgggcgcttc ctgttgccgg agaccaagat 1020
cggaagcgtg aaatacgaag gcatcgagtt catttaactc aaaacggaaa cactgagcaa 1080
ggccatcagg actcagcttt tataaaaaca agaggagtgc acttttgttt tgtttgttc 1140
tttttggaac tgtgcctggg ttggaggtct ggacaggag cccagtcccg ggccccatag 1200
tggtgcgggc actggacccc cgggccccac ggaggccgc gtctgaactg ctttccatgc 1260
tgccatctgg tgggtatttc ggtcacttca ggcattgact caaggcctgc ctaactggct 1320
gggtcgtttc ttccatccga cctcgtttct tttctttcct atgttctttt gttcagtga 1380
tatccctaga gtcctacca tatgtcaggc cctatgcctc accctgagaa cgcagtnagc 1440
atgaggtgga cctgtttgc gggaaacccc ggtcaccccc ttttcttctc actctgtgcc 1500
tggagcatca tgtccacccc tgcagatcct tggaaaagaa aatgtttatg ttgcagggtg 1560
ttgcatggtc acgagtgagg gcaggcccct ggggacacat ctgcccacag ctgcacaggc 1620
caggggcgag gcacatctgt tggttctcag gcctcagata aaaccatctc cgcacatcat 1680
ggccagtga cgttttctcc cttcaagaaa attctgtggc tgtgcagtac tttgaagttt 1740
taattattaa cctgctttta ttaaagcagt ttcctttctt ataaagtggg atcaccaaaat 1800
cttatcacac agagcacagt cctgtagtta ccagccccgc tccagcagtgc cgggagattg 1860
taaggaagcg gtggcggtg gtgaagcaag tctcacatgt cggcgttctt ggccaatgga 1920
tacaaagata aagaaaatgt tgcctttttc taggaactgt cagaaatcct catgcctttc 1980
aagacttctg tgaatgactt gaatttttta ttccctgcct agggctctgt aacgaggcct 2040
gtctcttccc tggggtttct ttccatggcc tttatttctc ctcttccagt gggagttttg 2100
caggctcttc tctgtgaaa cttcacgagc gttggctggg cctcggcttc gctggagtga 2160
actccagggg gaaggcagag tgggatttga gaccaggtt aggcacgacc caggctgaga 2220
agggaggttt ccatcattca cagtgccttc cccacagcac tacctacccc cgacccccac 2280
cctcactcct accccacccc gcgatcgtca ggggtgccac ggtgggcccgc aggggtgccg 2340
ctctggctgt ccctgtgccg gtccctcaca aacctctccc cctttgaaac tcaagcacag 2400
```

```

ctgcgaggag ggcagcgagg agggaccctt ctctcatggt tgtctctttc ccccgctatg 2460
tcataaggtag tggaggaagc gaaggaagtg aacgctgaat gtgacgcatt tctgaagagc 2520
tcagctgtca ccgggcatag cctggaagcc ccaagtctgt tctgactttg cctggctgtc 2580
tccttgaccg ccctcctaga tcattgtcct tgatgtccag gctgggtcat ttaaaataga 2640
gatgcaatca ggaaggttgg gggacttggg actgtggctg aattgagacc ttgctgatgt 2700
attcatgtca gcacctgagt cacagcccag gtgcccggaa gcagcctctt cgcataaggca 2760
gtgatttgcg attactttaa agctcacctt ttttcttccc ctctctgttc gctgctgtca 2820
gcataatgat tgtgttcctt ccctatggga tccatctgtt ttgtaaacaa taaagcgtct 2880
gagggagtgt aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2940
aaaaacaaaa aaaaaaaaaa nagnagag 2968

```

&lt;210&gt; 585

&lt;211&gt; 2608

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (84)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 585

```

ggcgcgggct aggaaaggag ttggttcgcg caggtgcggc gcctgggtcc ccatggcgct 60
gtggcgcggc tccgcgtacg cggncctcct ggcgctggcc gtgggctgcg tcttcctgct 120
ggagccagag ctgccaggct cggcgctgcg ctctctctgg agctcgctgt gtctggggcc 180
cgcgcctgcg ccccggggac ccgtctcccc cgaggcgcgg ttggcggcag ctgggacgcy 240
cttatcgtgc ggccagtccg gcgctggcgc cgcgtggcag tgggagtcaa tgcattgtgt 300
gatgtggtgc tctcaggggt gaagctcttg caggcacttg gccttagtcc tgggaatggg 360
aaagatcaca gcattctgca ttcaaggaaat gatctggaag aagccttcat tcaattcatg 420
gggaaggagg cagctgctga gcgcttcttc agtgataagg aaacttttca cgacattgcc 480
caggttgctg cagagttccc aggagcccag cactatgtag gaggaaatgc agctttaatt 540
ggacagaaat ttgcagccaa ctcagattta aaggttcttc ttgcggtcc agttggtcca 600
aagctacatg agcttcttga tgacaatgtc tttgttccac cagagtcatt gcaggaagtg 660
gatgagttcc acctcatttt agagtatcaa gcaggggagg agtggggcca gttaaaagct 720
cccattgcca accgattcat cttctctcac gacctctcca acggggccat gaatatgctg 780
gaggtgtttg tgtctagcct ggaggagttt cagccagacc tgggtgtcct ctctggattg 840
cacatgatgg agggacaaag caaggagctc cagaggaaga gactcttggg ggttgtaacc 900
tccatttctg acatccccac tggatttcca gttcacctag agctggccag tatgactaac 960
agggagctca tgagcagcat tgtccatcag caggtctttc ccgcggtgac ttcccttggg 1020
ctgaatgaac aggagctgtt atttctcacc cagtcagcct ctggacctca ctcttctctc 1080
tcttcttggg acggtgttcc tgatgtgggc atggtcagtg acatcctctt ctggatcttg 1140
aaagaacatg ggaggagtaa aagcagagcc tcggatctca ccaggatcca tttccacacg 1200
ctggtctacc acatcctggc aactgtggat ggacactggg ccaaccagct ggcagccgtg 1260
gctgcaggag ctcggtgtgc tgggacacag gcctgcgcca cagaaaccat agacaccagg 1320
cgagtgtctc tgagggcacc ccaagagttc atgacttccc attcgagggc aggtccagg 1380
attgtattaa acccaaacaa gccagtagta gaatggcaca gagagggaat atccttccac 1440
ttcacaccag tattggtgtg taaagacccc attcgaactg taggccttgg agatgccatt 1500
tcagccgaag gactcttcta ttcggaagta caccctcact attaggaaga ttcttagggg 1560
taatttttct gaggaaggag aactagccaa cttaagaatt acaggaagaa agtggtttgg 1620
aagacagcca aagaaataaa agcagattaa aytgtatcag gtacattcca gcctgttggc 1680
aactccataa aaacatttca gattttaatc cgaatttagc taatgagact ggatttttgg 1740

```

```
tttttatgtt gtgtgtcaca gagctaaaaa ctcagttccc aaatccccag tttatgcagc 1800
gccatcaggt attttaagct aaacttcttc acccctgaga gcatgtcagc tggagaaaaag 1860
cagttcttcc ttgcccactt gagaagtgcg cgcccactca cccaacatcc tggctctctag 1920
gaaagcctca tgtgaggttc ctctttcttt cagctcagtg cccatgggca aggatcatga 1980
tttccattcc gtgttacaat gacaatatat aatgagcata accttctcag tctcctgctc 2040
tcaaatttag gacagagccg ctaaggacaa aacaatccct cccgtgcttt atgatggcag 2100
caggggctgg ggagcctctg agggactcct tcattctgca gttgtctgga agcctgggtg 2160
gcgtcatgag ctgaaggatc atgctttcct gtcctggctc cataggttat aggctggctg 2220
gtgaaagggt cagctggccc aggctgaact tcattgccta gctttggatg tgctttctgc 2280
cataaagact gatttttgtt cgctctgagc cttcaaggaa tttgtttttt acaactggaa 2340
tatgctcctg tgtgtgttaa cagatcatgg atgttttatg ttttactga tcatttaaag 2400
agtttgacct cagagctcca ggatcatcag taaatttgtc atgttatata tttatttttt 2460
tataaatcaa gacttctgtg tgctcttaaa tatattaaaa acaatttaca tttcaggaat 2520
tctgtctgta attgattttt gtctccatca ccactctgga accagataag ataaaaatca 2580
ttctgatctt caaaaaaaaa aaaaaaaaaa 2608
```

<210> 586

<211> 1893

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1184)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1865)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1883)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1887)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1893)

<223> n equals a,t,g, or c

<400> 586

```
cccacgcgtc cgcggaacgc tggggcgcgc ggagctggga ggctgcgaga tccctaccgc 60
agtagccgcc tctgccgccg cggagcttcc cgaacctctt cagccgcccg gagccgctcc 120
cggagcccg ccgtagaggc tgcaatcgca gccgggagcc cgcagcccg gccccgagcc 180
cgccgccgcc cttcgagggc gccccaggcc gcgccatggt gaaggtgacg ttcaactccg 240
```

```

ctctggccca gaaggaggcc aagaaggacg agcccaagag cggcgaggag gcgctcatca 300
tccccccga cgccgtcgcg gtggactgca aggaccaga tgatgtggtta ccagttggcc 360
aaagaagagc ctggtgttgg tgcatgtgct ttggactagc atttatgctt gcagggtgta 420
ttctaggagg agcatacttg tacaaatatt ttgcacttca accagatgac gtgtactact 480
gtggaataaa gtacatcaaa gatgatgtca tcttaaatga gccctctgca gatgccccag 540
ctgctctcta ccagacaatt gaagaaaata ttaaaatctt tgaagaagaa gaagttgaat 600
ttatcagtgt gcctgtccca gagtttgacg atagtgatcc tgccaacatt gttcatgact 660
ttaacaagaa acttacagcc tatttagatc ttaacctgga taagtgtat gtgatccctc 720
tgaacacttc cattgttatg cccccagaa acctactgga gttacttatt aacatcaagg 780
ctggaacctt tttgcctcag tcctatctga ttcatgagca catggttatt actgatcgca 840
ttgaaaacat tgatcacctg ggtttcttta tttatcgact gtgtcatgac aaggaaactt 900
acaaactgca acgcagagaa actattaaag gtattcagaa acgtgaagcc agcaattgtt 960
tcgcaattcg gcattttgaa aacaaatttg ccgtggaaac ttttaattgt tcttgaacag 1020
tcaagaaaaa cattattgag gaaaattaat atcacagcat aacccccacc tttacatttt 1080
gtgcagtgat tattttttta agtcttcttt catgtaagta gcaaacaggg ctttactatc 1140
ttttcatctc attaatcaaa ttaaaacatc taccttaaaa tttnaaaaaa aaaaaaaaaa 1200
aggcccgccg cgctcgccctc tccgccccgc gtccagctcg cccagctcg cccagctcg 1260
ccgcgccctg gccaaaggctt caacggacca caccaaaatg ccactctcaa tggaaacacg 1320
catggaaacc atgatgttta catttcacaa attcgctggg gataaaggct acttaacaaa 1380
ggaggacctg agagtactca tggaaaagga gttccctgga tttttggaaa atcaaaaaa 1440
ccctctggct gtggacaaaa taatgaagga cctggaccag ttagagatg gcaaagtggg 1500
cttcagagc ttcttttccc taattgcggg cctcaccatt gcatgcaatg actattttgt 1560
agtacacatg aagcagaagg gaaagaagta ggcagaaatg agcagttcgc tcctccctga 1620
taagagttgt cccaaagggt cgcttaagga atctgcccc cagcttcccc catagaagga 1680
tttcatgagc agatcaggac acttagcaaa tgtaaaaata aaatctaact ctcatgtgac 1740
aagcagagaa agaaaagtta aataccagat aagcttttga tttttgtatt gtttgcac 1800
ccttgccctc aataaataaa gttcttttt agttccaaa aaaaaaaaag ggcgccgctt 1860
taarngatcc aasttacgta ccntgcntgc gan 1893

```

&lt;210&gt; 587

&lt;211&gt; 2463

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2413)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 587

```

ttggactctt gggcacagga tttgcatcag gattgtgaca tactagagtc gacttcaatg 60
ttcctatgaa gaacaaccag ataacaaaca accagaggat taaggctgct gtcccaagca 120
tcaaatcttg cttggacaat ggagccaagt cggtagtcct tatgagccac ctaggccggc 180
ctgatggtgt gcccatgcct gacaagtact ccttagagcc agttgctgta gaactcaa 240
ctctgctggg caaggatgtt ctgttcttga aggactgtgt aggccagaa gtggagaaa 300
cctgtgcaa cccagctgct gggctgtgca tcctgctgga gaacctccgc tttcatgtg 360
aggaagaagg gaaggggaaa gatgcttctg ggaacaagg taaagccgag ccagccaaa 420
tagaagcttt ccgagcttca ctttccaagc taggggatgt ctatgtcaat gatgctttt 480
gcaactgtca cagagccac agctccatgg taggagtcaa tctgccacag aaggctggtg 540
ggtttttgat gaagaaggag ctgaactact ttgcaaagg cttggagagc ccagagcgac 600
ccttcctggc catcctgggc ggagctaaag ttgcagacaa gatccagctc atcaataata 660

```

```

tgctggacaa agtcaatgag atgattattg gtggtggaat ggcttttacc ttccttaagg 720
tgctcaacaa catggagatt ggcacttctc tgtttgatga agagggagcc aagattgtca 780
aagacctaag gtccaaagct gagaagaatg gtgtgaagat taccttgccct gttgactttg 840
tactgctga caagtttgat gagaatgccca agactggcca agccactgtg gcttctggca 900
tacctgctgg ctggatgggc ttggactgtg gtcttgaaag cagcaagaag tatgctgagg 960
ctgtcactcg ggctaagcag attgtgtgga atggctcctgt gggggtatct gaatgggaag 1020
cttttgcccg gggaaccaa gctctcatgg atgaggtggt gaaagccact tctaggggct 1080
gcatcaccat cataggtggt ggagacactg ccacttgctg tgccaaatgg aacacggagg 1140
ataaagtcag ccatgtgagc actgggggtg gtgccagttt ggagctcctg gaaggtaaag 1200
tccttcctgg ggtggatgct ctcagcaata tttagtactt tcctgccttt tagttcctgt 1260
gcacagcccc taagtcaact tagcattttc tgcatctcca cttggcatta gctaaaacct 1320
tccatgtcaa gattcagcta gtggccaaga gatgcagtcg caggaaccct taaacagttg 1380
cacagcatct cagctcatct tcaactgcac ctggatttgc atacattctt caagatccca 1440
tttgaatctt ttagtgacta aaccattgtg cattctagag tgcatatatt tatattttgc 1500
ctgttaaaaa gaaagtgagc agtggttagct tagttctctt ttgatgtagg ttattatgat 1560
tagctttgtc actgtttcac tactcagcat ggaaacaaga tgaaattcca tttgtaggta 1620
gtgagacaaa attgatgatc cattaagtaa acaataaaaag tgtccattga aaccgtgatt 1680
tttttttttt tcctgtcata ctttgtagg aagggtgaga atagaatctt gaggaacgga 1740
tcagatgtct atattgtga atgcaagaag tggggcagca gcagtggaga gatgggacaa 1800
ttagataaat gtccattctt tatcaagggc ctactttatg gcagacattg tgctagtgtc 1860
tttattctaa cttttatttt tatcagttac acatgatcat aatttaaaaa gtcaaggctt 1920
ataacaaaaa agccccagcc cattcctccc attcaagatt cccactcccc agaggtgacc 1980
actttcaact cttgagtttt tcaggtatat acctccatgt ttctaagtaa tatgcttata 2040
ttgttcactt cttttttttt ttttttttaa agaaatctat ttcataccat ggaggaaggc 2100
tctgttcac atatatctcc acttcttcat tctctcggtg tagttttgtc acaattatag 2160
attagatcaa aagtctacat aactaataca gctgagctat gtagtatgct atgattaaat 2220
ttacttatgt aacttttatt gtctttggca ttaacagtgt ttcaaaaaat tttctgtgta 2280
taccatcag tgattcatc ccaaatcttc tagaagcata agtgtctcaa tatattaaaa 2340
catattgaat aatccttgtt agagttatcc ctgcaggagt ccttagtgct cctttatcca 2400
atttgactt gangccctct aggcagggtg tacagctagc tgttgctctg gtatttccta 2460
taa 2463

```

<210> 588

<211> 1945

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1240)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1939)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1945)

<223> n equals a,t,g, or c



&lt;400&gt; 588

```

acaggatcta cccctctgc agcccttcaa gaagaggtat gattgctacc acttttcccc 60
acaaagtgc gaaaggaaac agcgacggaa gcgcaaccga accctggaat tgggtgctcg 120
actggtccat tcccgccca ccccatataa ccggtcgag ccactcccag gacgaagtca 180
aggcctcga aggcgactac aactcccagc aggtcgagca gctccgccc cgctgattct 240
ccattggcct tccgggggtg gggattagat gggaggtggc cgtggggctg cggccgggat 300
ttgtcccctc ttcggcttcc gtagaggaag tggcgcgac cttcatttg gggttcgggt 360
cccccccttc ccttcccgc gggctgagg gtgacattgc accgcgccc tcgtggggtc 420
gcgttgccac cccacgcgga ctcccagct ggcgcgccc tcccatttg ctgtcctggt 480
caggccccc ccccttccc cactgacca gccatgggg ctgcggtgtt ttcggctgc 540
actttcgtcg cggtcggccc ggccttcgc cttttcttga tcaactgtggc tggggacccg 600
cttcgcgtta tcactcctgt cgcaggggca tttttctggc tggctcctct gctcctggcc 660
tctgtggtct ggttcactct ggtccatgt accgaccggt cagatgccc gctccagtac 720
ggcctcctga tttttggtg tctgtctct gtccctctac aggaggtgt ccgctttgct 780
tactacaagc tgcttaagaa ggcagatgag gggtagcat cgctgagtga ggacggaaga 840
tcacccatct ccatccgcca gatggcctat gttctggtc tctccttcg tatcatcagt 900
ggtgtcttct ctgttatcaa tattttggct gatgcacttg ggccagggtg ggttgggac 960
catggagact caccctatta ctctcgtact tcagccttct tgacagcagc cattatcctg 1020
ctccatacct tttggggagt tgtgttctt gatgcctgt agaggagacg gtactgggct 1080
ttgggccttg tgggtgggag tcacctactg acatcgggac tgacattcct gaacccttg 1140
tatgaggcca gcctgctgcc catctatgca gtcactgtt ccatggggct ctgggccttc 1200
atcacagctg gagggtccct ccgaagtatt cagcgcagcn tcttgtgtaa ggactgacta 1260
cctggactga tcgcctgaca gatccacct gcctgtccac tgcccatgac tgagcccagc 1320
cccagcccgg gtccattgcc cacattctct gtctccttct cgtcgggtcta cccactacc 1380
tccagggttt tgctttgtcc ttttgtgacc gttagtctct aagctttacc aggagcagcc 1440
tgggttcagc cagtcagtga ctggtgggtt tgaatctgca cttatcccca ccacctggg 1500
accccttgt tgtgtccagg actcccctg tgcagtgct ctgctctcac cctgcccag 1560
actcacctcc ctcccctct gcaggccgac ggcaggagga cagtcgggtg atggtgtatt 1620
ctgccctgcg catccacccc gaggactgag ggaacctagg ggggacctt gggcctggg 1680
tgccctctg atgtcctgc cctgtatttc tccatctcca gttctggaca gtgcagggtg 1740
ccaagaaaag ggacctagt tagccattgc cctggagatg aaattaatg aggtcaagg 1800
atagatgagc tctgagtttc tcagtactcc ctcaagactg gacatcttg tcttttcty 1860
aggcctgagg gggaaccatt tttggtgtga taaataccct aaatgscttt tttcttttt 1920
tgagggtggg ggaagggang aagg 1945

```

&lt;210&gt; 589

&lt;211&gt; 816

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 589

```

tcgacccacg cgtccggtca tggcgcccc aagcctctc ctgctgctct caggggacct 60
ggccctgacc gatacttggg cgggtccca ctcttgagg tatttcagca ccgctgtgtc 120
gcggcccggc cgcggggagc cccgctacat cgccgtggag tacgtagacg acacgcaatt 180
cctgcggttc gacagcgacg ccgcgattcc gaggatggag ccgcgggagc cgtgggtgga 240
gcaagagggg ccgcagtatt gggagtggac cacagggtac gccaggcca acgcacagac 300
tgaccgagtg gccctgagga acctgctccg ccgtacaac cagagcgagg ctgggtctca 360
caccctccag ggaatgaatg gctgcgacat ggggcccgac ggacgcctcc tccgcggtta 420
tcaccagcac gcgtacgacg gcaaggatta catctccctg aacgaggacc tgcgtcctg 480
gaccgcggcg gacaccgtgg ctcatatcac ccagcgttc tatgaggcag aggaatatgc 540

```

```

agaggagttc aggacctacc tggagggcgga gtgcctggag ttgctccgca gatacttggga 600
gaatgggaag gagacgctac agcgcgcaga tcctccaaag gcacacgttg cccaccaccc 660
catctctgac catgaggcca cctgagggtg ctgggccctg ggcttctacc ctgaggagat 720
cacgctgacc tggcagcggg atggggagga acagaccag gacacagagc ttgtggagac 780
caggcctgca ggggatggaa ccttcagaag tgggct 816

```

&lt;210&gt; 590

&lt;211&gt; 2307

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 590

```

gcccacgcgt ccggcgcccc cgagcagcgc ccgcgccttc cggccttct ccgccgggac 60
ctcgagcgaa agacgcccgc ccgcgcacca gccctgcct ccctgccac cgggcacacc 120
gcgcgcgccac ccgcaccccg ctgcgcacgg cctgtccgct gcacaccagc ttgttggcgt 180
cttcgtcgcc gcgctcgccc cgggctactc ctgcgcgcca caatgagctc ccgcatcgcc 240
agggcgctcg ccttagtctg cacccttctc cacttgacca ggctggcgct ctccacctgc 300
cccgtgcct gccactgccc cctggaggcg cccaagtgcg cggcgaggat cgggctgggc 360
cgggacggct gcggtgctg taaggctctg gccaaagcgc tcaacgagga ctgcagcaaa 420
acgcagccct gcgaccacac caaggggctg gaatgcaact tcggcgccag ctccaccgct 480
ctgaagggga tctgcagagc tcagtcagag ggcagaccct gtgaatataa ctccagaatc 540
taccaaaacg gggaaagtct ccagcccaac tgtaaacatc agtgcacatg tattgatggc 600
gcccgtgggt gcattcctct gtgtcccaa gaactatctc tcccaactt gggctgtccc 660
aaccctcggc tggtaaaagt taccggcgag tgctgcgagg agtgggtctg tgacgaggat 720
agtatcaagg accccatgga ggaccaggac ggccctcctg gcaaggagct gggattcgat 780
gcctccgagg tggagttaga gagaaacaat gaattgattg cagttggaaa aggcagctca 840
ctgaagcggc tccctgtttt tggaaaggag cctcgcatcc tatacaacc tttacaaggc 900
cagaaatgta ttgttcaaac aacttcatgg tcccagtgt caaagacctg tggaaactgg 960
atctccacac gagttaccaa tgacaaccct gaggcgccgc ttgtgaaaga aaccgggatt 1020
tgtgagggtg ggccttgtgg acagccagtg tacagcagcc tgaaaaagg caagaaatgc 1080
agcaagacca agaaatcccc cgaaccagtc aggtttactt acgctggatg tttgagtgtg 1140
aagaaatacc ggcccaagta ctgcggttcc tgcgtggacg gccgatgctg cagcggccag 1200
ctgaccagga ctgtgaagat gcggttccgc tgcgaagatg gggagacatt ttccaagaac 1260
gtcatgatga tccagtcctg caaatgcaac tacaactgcc cgcagccaa tgaagcagcg 1320
tttcccttct acaggctgtt caatgacatt cacaatttta gggactaaat gctacctggg 1380
tttccagggc acacctagac aaacaaggga gaagagtgtc agaatacaga tcatggagaa 1440
aatgggcggg ggtggtgtgg gtgatgggac tcattgtaga aaggaagcct tgctcattct 1500
tgaggagcat taaggatatt cgaaactgcc aagggtgctg gtgcggatgg aactaatgc 1560
agccacgatt ggagaatact ttgcttcata gtattggagc acatgttact gcttcatttt 1620
ggagcttgtg gaggttgatg ctttctgttt tctgtttgta aattatttgc taagcatatt 1680
ttctctagge ttttttctt ttggggttct acagtcgtaa aagagataat aagattagtt 1740
ggacagttta aagcttttat tcgtcctttg acaaaagtaa atgggagggc attccatccc 1800
ttcctgaagg gggacactcc atgagtgtct gtgagaggca gctatctgca ctctaaactg 1860
caaacagaaa tcagggtggt taagactgaa tggtttattt atcaaaatgt agcttttggg 1920
gagggagggg aaatgtaata ctggaataat ttgtaaatga ttttaatttt atattcagt 1980
aaaagatttt atttatggaa ttaaccattt aataaagaaa tatttaccta aaatctgagt 2040
gtatgccatt cgggtatttt agagggtgct caaagtcatt aggaacaacc tagctcacgt 2100
actcaattat tcaaacagga cttattggga tacagcagtg aattaagcta ttaaaataag 2160
ataatgattg cttttatacc ttcagtagag aaaagtcttt gcatataaag taatgtttta 2220
aaaacatgta ttgaacacga cattgtatga agcacaataa agattctgaa gctaaaaaaa 2280
aaaaaaaaaa aaaaaaaaaa actcgta 2307

```

<210> 591  
<211> 1438  
<212> DNA  
<213> Homo sapiens

<400> 591  
acagaagggg agacgtggcg cagcgactcg gaggttcgcc tccagcttgc gcatcatctg 60  
cgcccgggtc ccgatgagcc tcctgttgcc tccgctggcg ctgctgctgc ttctcgcgcc 120  
gcttgtggcc ccagccacag ccgccactgc ctaccggccg gactggaacc gtctgagcgg 180  
cctaaccgcg gcccggttag agacctgcgg gggatgacag ctgaaccgcc taaaggaggt 240  
gagtttgaag gaagaggtcc ctactctgtg tccccctgag cctcttgggg agtgggcaac 300  
atggtcccaa tgactggggc ggggaggggg gaaggatccc taggctgaga gtctagccta 360  
ggctgggagt ctagcctgca cctgacttgc tttatgacct cactgggctt cagtgtctcg 420  
tctgtacctc gagtagactg aggtcatggt ctctgatgct ctggttcctc cccaggtgaa 480  
ggctttcgtc acgcaggaca ttccattcta gtatccttct gttctggggg aggggaaatg 540  
ggatgggcac ctgggagaat ctccacgtaa cttcagaaaag ggggtggcaga tggttttcaa 600  
ctgacaattg aattgatygg tagtggctcc cagaggattc tgagggtggtc tccatgttgg 660  
gtgggcaaga gagattgact agtgatgact gccacagaat ggagaggagg gccctttact 720  
tctttgaacc ctaattttct cactgataag cggaraccct ggcccctccc gggcacagag 780  
taagctctga gcaaaggagg caatgctgtt cccatcagta aggctgcgga aaccaccacc 840  
tccctctgcc caccaccccg ctcttaaca ccacctccag tcacaacctg gtgatgaaac 900  
acctccctgg ggccgaccct gagctcgtgc tgctggggcg cgctacgagg aactagaggt 960  
gaggccgtgg gaggtgggct gggggcgagg ccagakgcga ggyccagcct gctgaccccg 1020  
cccctcctcc gcctcagcgc atcccactca gtgaaatgac ccgcgaagag atcaatgcgc 1080  
tagtgcagga gctcggcttc taccgcaagg cggcgcccga cgcgaggtg ccccccaggt 1140  
acgtgtgggc gcccgcaag ccccagagg aaacttcgga ccacgctgac ctgtagggtcc 1200  
gggggcgcgg cggagctggg acctacctgc ctgagtcctg gagacagaat gaagcgtca 1260  
gcatcccggg aatacttctc ttgctgagag ccgatgcccg tccccggggc agcagggatg 1320  
gggttgggga ggttctccca accccaactt ctccctccc cagctccact aaattccctc 1380  
ctgccttaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaagg gcggccgc 1438

<210> 592  
<211> 1078  
<212> DNA  
<213> Homo sapiens

<400> 592  
ggagctcgcg cgcctgcagg tcgacactag tggatccaaa gaattckgca cgagcacacc 60  
tgkcgagggt gaagtggatg tggacgagca gcgcctggcg gaagggtggtg gggctctgctc 120  
cttccacctg caggcagccc tgggggaaat gctgcccctc ccacccccca gggctctgag 180  
tgtggagggc aggggcagga atggcgctcc tcaggagcca gcatggccct ggagcccccg 240  
agtccctgag gaaagtgttg atgccctcca gcatggggct ccttctcatc ctgtacgccc 300  
ggctgccacc cagcctggtg ggccaggcag gcagggtgat aggggtggga ggccgggcag 360  
gggggcaggc ggtcaggcag ccctctccca ggtcctcat cgacggcgtg gagtgcagcg 420  
acgtcaagtt ctccagctg gccgcgcagt ggtcctcgca cgtgaagcac ttccccatct 480  
gcatcttcgg acctccaag gccaccttct agccccaccc accagggggc ccacctcctg 540  
ccccatgtg tgaggggccc agctgcattt ctgttaacat ttcagtttac tacagagaca 600  
gacgcttaaa acacaaagag aaacagtctt aagtatgaat gtgctcacia cgtggaaact 660  
aacgggggag ctccctgccag gagccgaata actgctctgc ttattaaccc gaacgttcgg 720  
cccggggctg ggaagccaga aggacgatgc tgagccatgg atcgcggaag gcgtcctctg 780

gcctcaggag ccaccagag cctcacaggc tgagttcttg cctctgtgtc ctgtccttcc 840  
tggaagtcag gactctgctt cctcagggag cccggggaag gcggagctca gtggccacag 900  
gccgagggcc atggggccgc tcagtcctgt tggggtgtgc ctgagttgag cctggggggg 960  
cgtctctgcc cgcctaagag atgccccag caccgcacac tcgtgggtcc caataaactc 1020  
ctscctgcgg cggagggttt atagcaaaaa aaaaaaaaaa aaaaacaaaa aaaaaaaa 1078

<210> 593

<211> 2492

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2113)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2452)

<223> n equals a,t,g, or c

<400> 593

tcgaccacg cgtccggcga acttgggacc cgctggcctc gctcgggtgc cgcctccctc 60  
cccgcattga gcccgccgag cgctcgcggtg tcccaggat cgaccctac ggattcgagc 120  
ggcctgagga ctctcgacgac gccgcctacg agaagttttt ctccagctac ctgggtcacgc 180  
tcaccgcgag gcgatcaaat ggtcccggtc gctgcagggc gggggcgctcc ccaggagccg 240  
gacagtgaag cgctatgtcc ggaaaggggt cccgctggag caccgtgccg gcgtctggat 300  
ggtgctgagt ggggcccarg cgcaratgga ccagaatccc ggctactacc accagcttct 360  
ccaggagag agaaacccca ggctggagga cgccatcagg acagacctga accggacctt 420  
ccccgacaac gtgaagtctc ggaagaccac ggaccctgc ttacagagga ccctgtacaa 480  
tgtgtgtgtg gcatatgggc accataacca gggagtgggc tactgccagg gaatgaattt 540  
tatagcagga tatctgattc ttataacaaa taatgaagaa gaatcttttt ggctgttaga 600  
tgctcttgtt ggaagaatac taccagatta ctacagcccg gccatgctgg gcctgaagac 660  
cgaccaggag gtccctgggg agctggtgcg ggcaagctg ccggctgtgg gggccctgat 720  
ggagcgtctc ggtgtgtgtg ggacgctgct ggtgtcccgc tggttcatct gcctgtttgt 780  
ggacatcttg cccgtggaga cagtgtctcg gatctgggac tgtttgkta acgaaggctc 840  
gaagattatc ttccgggtgg ccctgacctt aattaagcag caccaggagt tgattttgga 900  
agccaccagc gttccagaca tttcgataa gtttaagcag ataaccaaag ggagtctcgt 960  
gatggagtgt cacacgttta tgcaggtgtg tggggctgca cgtggctcag tcccctccca 1020  
gggggccccg cctcacctgc agcmcgggg ctgctctgac caccggagg gtgcacagga 1080  
ygggcaccag tgggcatagg gcacaggatg agcctccagc tctgtcctgc atctgcccc 1140  
tgcgctggc ctccgagggc ttctctgtct atggcgccct gtctctcttg ccctggcact 1200  
gcggacgtg ctctggttcc taatggctgt actcatctgc tgtgtgtggt gccagaagtg 1260  
tggcttccc aggcccggt ycccactgg tcctggacct ggccgagcc gtayagactc 1320  
aggtcctgat gaggcggtt tgggagctgt acctgacagg ccttctgagg aagccaagac 1380  
gccaggagag gctcaggcct gggagtcagt agtttcctaa gagggagtgg aggctcgggg 1440  
ccactctggg tgcagcatgg caaacgtgg cggtatttca gcagctgggc cttcatcaaa 1500  
gagaagacca tgttgccgg gcgcggtgg tcacgcctgc agtcccagca ctttgggagg 1560  
ccaaggcgtg tggatcacct gaggtcagga gttcaagacc agcctggcca acacggtgaa 1620  
accccgctct tactaaaaa taaaaaatt agccaggtgt ggtggctcac gcttatgtag 1680  
tcccagttac tcgggagggt gaggcacgag aatcacttga acctgggagc ggagggtgca 1740

```
gtgagccgag atcgcgccac tgcactccag cctgggcaac agagtgagac tctgtctcaa 1800
aaaaaaaaaa aaagtctaata ggaagcagat ggctttttct tccaccgttt gattcattta 1860
acattttctga gcagcaaagc tgcagtcyta ggccccaggc caggagttag atggtgacaa 1920
tctgtgggtc accccagaag cccttggatg tggactgctc ctccctcacc tcacacgagg 1980
cctgtctgtc tgcctgccag tctgggagag ctaacgtaga aatgggttgt tgggtttgtt 2040
ttyaaactaa ctgtttgcct tccagaaaat attttcagaa cctggaagct tatccatggc 2100
caccgtcgcc aangetccgc gagagctgca gggcccggtc gctggcacag gggtgagcgt 2160
gcctgtcccc tgcgttgctc gtctctacac tgacgatgcc cctttccaga gttgacactg 2220
gaccaacttt cactgctttc ctttttagtg ttgtaaatac ttgacatcrc tacactttag 2280
ttgtgaattt tttaaaagag cagtttaaaa tcaggctcatt ctaccagctt ttgatgatta 2340
gctatgaagt catacttttt aaagaaaact tatttttacc tgagagatca ataatatata 2400
aaatgtgagt gtgggtttgt atctaataaa gtatgccaac acctgtgttt gngatcagtt 2460
ctcagctgac tggaaattaa catagttagt gg 2492
```

<210> 594

<211> 1904

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1878)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1893)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1895)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1903)

<223> n equals a,t,g, or c

<400> 594

```
aatgaatgta ccggtccgga attccgggtc gaccacgcg tcgctccgc cccgcgagca 60
cagagcctcg cctttgccga tccgcgccc gtccacacc gccgccagct caccatggat 120
gatgatatcg ccgcgctcgt cgtcgacaac ggctccgca tgtgcaaggc cggcttcgag 180
ggcgacgatg cccccgggc cgtcttcccc tccatcgtgg ggcgcccag gcaccagggc 240
gtgatggtgg gcatgggtca gaaggattcc tatgtggcg acgaggcca gagcaagaga 300
ggcatcctca ccctgaagta ccccatcgag cacggcatcg tcaccaactg ggacgacatg 360
gagaaaatct ggcaccacac cttctacaat gagctgcgtg tggctcccga ggagaccccc 420
gtgctgctga ccgaggcccc cctgaacccc aaggccaacc gcgagaagat gaccacagatc 480
atgtttgaga ctttcaacac cccagccatg tacgttgcta tccaggctgt gctatccctg 540
tacgcctctg gccgtaccac tggcatcgtg atggactccg gtgacggggt caccacact 600
gtgcccctct acgaggggta tgccctcccc catgccatcc tgcgtctgga cctggctggc 660
```

```

cgggacctga ctgactacct catgaagatc ctcaccgagc gcggtacag cttcaccacc 720
acggcccgagc gggaaatcgt gcgtgacatt aaggagaagc tgtgctacgt cgccctggac 780
ttcgagcaag agatggccac ggctgcttcc agtcctctcc tggagaagag ctacgagctg 840
cctgacggcc aggtcatcac cattggcaat gagcggttcc gctgccctga ggcactcttc 900
cagccttctc tcctgggcat ggagtcctgt ggcatccacg aaactacctt caactccatc 960
atgaagtgtg acgtggacat ccgcaaagac ctgtacgcca acacagtgtc gtctggcggc 1020
accaccatgt accctggcat tgccgacagg atgcagaagg agatcactgc cctggcacc 1080
agcacaatga agatcaagat cattgtctct cctgagcgca agtactccgt gtggatcggc 1140
ggctccatcc tggcctcgct gtccaccttc cagcagatgt ggatcagcaa gcaggagtat 1200
gacgagtcgc gccctccat cgtccaccgc aaatgcttct aggcggacta tgacttagtt 1260
gcgttacacc ctttcttgac aaaacctaac ttgcgcagaa aacaagatga gattggcatg 1320
gctttatttg tttttttgt tttgttttg ttttttttt ttttttggt tgactcagga 1380
tttaaaaact ggaacggtga aggtgacagc agtcggttg agcgagcatc ccccaaagt 1440
cacaatgtgg ccgaggactt tgattgcaca ttgtgtttt tttaatagtc attccaaata 1500
tgagatgert tgttacagga agtcccttgc catcctaaaa gccacccac ttctctctaa 1560
ggagaatggc ccagtcctct cccaagtcca cacaggggag gtgatagcat tgctttctg 1620
taaattatgt aatgcaaaat ttttttaac ttcgccttaa tactttttta ttttgttta 1680
ttttgaatga tgagccttcg tgccccccct tcccccttt ttgtcccca acttgagatg 1740
tatgaaggct tttggtctcc ctgggagtgg gtggaggcag ccagggtta cctgtacact 1800
gacttgagac cagttgaata aaagtgcaca ccttaaaaaa aaaaaaaaaa aaaaaaaaaa 1860
aaaaaaaaaa aaaaaaanag gggggggccc ccnanggggc ccna 1904

```

&lt;210&gt; 595

&lt;211&gt; 337

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 595

```

ctagttctag atcgcgagcg gcgccctttt ttttttytt tgtaagtcg ttccctctac 60
aaaggacttc ctagtgggtg tgaaaggcag cgtggccac agaggcgcg gagagatggc 120
cttcagcrgt tcccaggtc cctacctgag tccagctgtc ccttttctg ggactattca 180
aggaggtctc caggacggac ttcagatcac tgtaaatgg accgttctca gctccagtgg 240
aaccagtgga aatgacattg ccttccactt caaccctcg tttgaagatg gagggtagct 300
ggtgtgcaca gcaggcagaa cggaagctgg ggggccc 337

```

&lt;210&gt; 596

&lt;211&gt; 1288

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1283)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1285)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

<221> misc feature

<222> (1287)

<223> n equals a,t,g, or c

<400> 596

```
gcctccgccc cctcaacctt cgcgggggcg gggccgcagc ttttcgggtc acagcgggca 60
gggaaagccg cggaagggt actccaggcg agaggcggac gcgagtcgtc gtggcaggaa 120
aagtgaactag ctccccttcg ttgtcagcca gggacgagaa cacagccacg ctcccacccg 180
gctgccaacg atccctcggc ggcgatgtcg gccgccggtg cccgaggcct gcggggccacc 240
taccaccggc tcctcgataa agtggagctg atgctgcccg agaaattgag gccgttgtac 300
aaccatccag cagggtcccag aacagtttty ttctgggctc caattatgaa atggggggtg 360
gtgtgtgctg gattggctga tatggccaga cctgcagaaa aacttagcac agctcaatct 420
gctgttttga tggtacaggg gtttatttgg tcaagatact cacttgtaat tattccaaaa 480
aattggagtc tgtttgctgt taatttcttt gtgggggcag caggagcctc tcagcttttt 540
cgtatttgga gatataacca agaactaaaa gctaaagcac acaaataaaa gagttcctga 600
tcacctgaac aatctagatg tggacaaaac cattgggacc tagttttatta tttggttatt 660
gataaagcaa agctaactgt gtgttttagaa ggcactgtaa ctggtagcta gttcttgatt 720
caatagaaaa atgcagcaaa cttttaataa cagtctctct acatgactta aggaacttat 780
ctatggatat tagtaacatt tttctacat ttgtccgtaa taaaccatac ttgctcgtat 840
ataccccttg cctccttctg ttccagtcag ccaacatatg tacataaaaag aacacacaaa 900
ttcaagaagt tggaagatta aattatctgc ttatttagtg taggatggtc aggtagctag 960
ctataagtga aaggaaattt tgctgaagag actgagaaat gggtagtgga atgactatca 1020
agatgacctc aaactattta aaaacatttt aacttgccat gaagaatctt gatgattttt 1080
gtataaatgt tgtataaaat tcttttacag ctacagattt ttaaatagga tcattgtaar 1140
gattaatgag ataatgtttt aacatagtgc ctgggtccat gataagtgtt aaatttttca 1200
attaccctca gtaactgata atgtagcaag aaaatactct atattcagac agacctgaat 1260
ttgatcccag ctctatacta cntngna 1288
```

<210> 597

<211> 1052

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (937)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (943)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (995)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1004)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1009)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1040)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1051)

<223> n equals a,t,g, or c

<400> 597

```

agcgctgca ggtcgacact agtggatcca aagaattcgt gcacgtggaa aaaccaatct 60
gagaagaaca acctaccttg tccttgatga agcagataga atgcttgata tgggctttga 120
accccaaata aggaagattg tggatcaaat aagacctgat aggcaaactc taatgtggag 180
tgcgacttgg ccaaaaagaag taagacagct tgctgaagat ttcctgaaag actatatcca 240
tataaacatt ggtgcacttg aactgagtgc aaaccacaac attcttcaga ttgtggatgt 300
gtgtcatgac gtagaaaagg atgaaaaact tattcgtcta atggaagaga tcatgagtga 360
gaaggagaat aaaaccattg tttttgtgga aaccaaaga agatgtgatg agcttaccag 420
aaaaatgagg agagatgggt ggcctgccat gggatatccat ggtgacaaga gtcaacaaga 480
gcgtgactgg gttctaaatg aattcaaaca tggaaaagct cctattctga ttgctacaga 540
tgtggcctcc agagggctag atgtggaaga tgtgaaattt gtcatcaatt atgactaccc 600
taactcctca gaggattata ttcacgaat tggaagaact gctcgcagta ccaaaacagg 660
cacagcatac actttcttta cacctaataa cataaagcaa gtgagcgacc ttatctctgt 720
gcttcgtgaa gctaatacaag caattaatcc cmagttgctt cagttggtcg aagacagagg 780
ttcaggtcgt tccaggggta gaggaggcat gaaggatgac cgtcgggaca gatactctgc 840
gggcaaaaagg ggtggattta ataccttag agacaggga aattatgaca gaggttactc 900
tagcctgctt aaaagagatt ttggggcaaa aactcanaat gngngttaca gtgcttgcaa 960
attaccaat gggagctttg gaagtaattt tgggncttgc tggnatcng gaccagtttt 1020
aggactggga attccaacan ggccttacc nc 1052

```

<210> 598

<211> 2093

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (969)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1422)

<223> n equals a,t,g, or c



&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1425)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1481)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 598

```
ccgccgccat gggaccacgt ggggtaagct ggggtgagag cagcgggagc cgtaaggag 60
ctgcagagtc acgtctgtgc aaagactgca ccagagccct tctgtgtcac ggcgggctgt 120
gcacccatgc acacacctac gcacacacaa cactccgcac tgcagtatat tcttgccaaa 180
gatttccttt aaaagcaagc acttttacta attattattt tgtaaatgtt tatcttcttc 240
tgtcttctcc ctccctgaat ctattttact gttgtttatt gttgaatctg tgtgtcagcc 300
aggagagcgc tgtctggcct tgaacatggg ctgggatggg aaagggtctg ggagaagatg 360
ggcaacaaaag agccaggagag tcatggacat cgcagcgacg cagaccccag caggttcagt 420
cccggtgctgc caccagctgt ccagctgggt gtctggaggg aagagggcag aggaggggtca 480
tgtcccttca gctgggggag gggcccagtg agctccacgt ggctttttcc caaagggagc 540
aagagggaag gattgggcga gaaaacaatg gagaggggac ctgcgaagga aaacagggag 600
gaagtgcgcg gtttgatcag cctgctatca cgggtgtctg gctctcttat ttagccaggc 660
gcttaaggga cagatacatc acatccctaag tttgggaaaag gcctttgacc catgtcatct 720
gagcgtctcc tccagtagct ctgaaagctg tggacaccaa tggccaggat tccttctccc 780
ctgggttttg aggatccctg ggtcttctga gactggccag gagagggatg gtggggccag 840
tggtttgtg aaagcaggag gggcagccct cctggacaag tgtgatcccc ctataaacgg 900
ctctcaggag gttagtgagt aggagattct gccttggtct gatgagcctg tgcaggggct 960
ccagggganc atgctgtcca gggggcacag aagggtggtg agtgtgatca aatctagtct 1020
cactcccact ttttagtctc actcctactt ttgtccacca cccctgcctc ctggatcttc 1080
tcccactttt ttttccagct ttaggacctg gggagatcct gtgagtcaag gcagacaccc 1140
aatcctgccc ccacactcgg ggtcctccaa gaggttgggg ggcagagtcc cagagcagcc 1200
ctttacccca ggtccaggcc ctggaatcct gagactcgcg tttccttggc cagtggtaac 1260
acaggacgtg tgtgcgcagtg tgcaagtgtg gatgtatgtg tgtgcgtgtg ttttgctcat 1320
ttcttttagg aacttgggag tcggggttgg aggtgctggg caatggaact tcaaattcaa 1380
tgtcgcgccag cagtgcgggg agtcgggagg tgaggcctgt angcnaacca attggtggag 1440
tctcagcgat acccaggtga gaagtgggtc acccagaggg ncagggtggg ggcctcgggc 1500
agatctgtcc ctcttgcccc ctctgtcctc aaatgtccaa aatgttgag gacctctgtt 1560
catatcccac gcctgggctc ttgccagcag tggagttact gtagaggat gtcccaagct 1620
tgttttccaa tcagtgttaa gctgtttgaa actctcctgt gtctgtgttt tgtttgtgcg 1680
tgtgtgtgag agcacatcag tgtgtgcagg ctgtgtttcc ccatttctct cctcccttca 1740
gacccatcat tgagaacaaa tgtaagaaat cccttccac caccctccct gcctcccagg 1800
ccctctgcgg gggaaacaa atcaccacag atccttcccc accccagctg tgtatttata 1860
tagatggaat tatactttat attttgtatc atcgtgccta tagccgctgc caccgtgtat 1920
aaatcctggt gtmgtctcct tatcctggac atgaatgtat tgtacactga cgcgtcccca 1980
ctcctgtaca gctgctttgt ttctttgcaa tgcattgtat ggctttataa atgataaagt 2040
taagaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaa 2093
```

&lt;210&gt; 599

&lt;211&gt; 562

&lt;212&gt; DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (349)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (383)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (437)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (445)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (473)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (524)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (549)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (561)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (562)

<223> n equals a,t,g, or c

<400> 599

gcttactgca gcctcgatct tctgggttca agtgatcttc tgcctcagcc tctcgtgtac 60  
ctgaggccac aggcacacac cgccacacct ggctaatttt tattattttt ttgtagaga 120  
cgaggcttca ctatgccag gttggtctca aactcctgtg ctcaagcaat cctcccatct 180

tggctcccta agtgctggga ttataggcat gagccaccgt gcccggcctc atgtctgcat 240  
gttaaaagtt ctgagaattc ctatggaaaa taaatttgac ttgcttaat gcagttcctc 300  
taaaacttact taattccttt ttcttttttt ctttactatt tattaattnt tctcttttct 360  
cagaccttgc agggatgaaa ggnccccttt tctcaaaacc ctcttatgat ctctacactc 420  
tgcaagggct tctgaangac agcangctga gaaaggccga tcctaacact tanctctttg 480  
aagacacttt taaaactggg aacagtattt atagctttaa aagnaccat gggtcttaag 540  
gcccgttant aaaaaaaaaa nn 562

<210> 600

<211> 528

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (9)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (11)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (104)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (417)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (444)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (458)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (493)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (507)

<223> n equals a,t,g, or c

<400> 600

```
nngcaagnng ncaccaaccc tcactaaagg gaacaaaagc tggagctcca ccgcggtgcg 60
gccgctctag aactagtgga tcccccgggc tgcaggaatt cggnacgagg gaggctgagg 120
ctggagtgca gtggtgtgat ctcggtcac tgcaacctct gcctcccagg ttccagcaat 180
tctcctgcct cagcctccct agtggtctgg atgacaggcg cctgccatca tgcctgacta 240
gtttttgtat ttttagtaga gacggcggtt caccatgttg gccaggctgg tctcaaactc 300
ctgacctcag gtgatccgcc tacctcagcc tcccaaagtg ctgggattac aggcgtgatc 360
caccacacct ggcccttgca atcttctact ttaaggtttg cagagataaa ccaatanatc 420
cacaccgtac atctgcaata tganttcaag aaaggaanta gtacctcaa tacttaaaaa 480
tagtcttcca canaaaatac tttattnctg atctatacaa attttcag 528
```

<210> 601

<211> 475

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (145)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (160)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (172)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (174)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (185)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (191)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (199)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (212)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (218)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (250)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (297)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (302)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (306)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (341)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (389)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (413)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (444)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (450)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (468)  
<223> n equals a,t,g, or c

<400> 601  
gcctacacgc cgccgcttgt gctgcagcca tgtctctagt gatccctgaa aagttccagc 60  
atatTTTgCG agtactcaac accaacaTcg atgggcggcg gaaaatagcc tttgccatca 120  
ctgccattaa gggTgtgggc cgaanatatg ctcatgtggn gttgaggaaa gnanacattg 180  
acctnaccaa nagggcggnA gaactcactg angatgangt ggaacgtgtg atcaccatta 240  
tgcagaatcn acgccagtac aagatcccag actggttctt gaacagacag aatgatngta 300  
angatnaatc tacttcaagc taacatgcta tcatttctac nttgagtact gctaagggtt 360  
ctttocacaa cttgtacaca atgttattna ctgcccagtt tataatttcc ctnttggttc 420  
ccattttaag acttatttaa ttantatgcn ttttaaattt ttgagacntg ataga 475

<210> 602  
<211> 288  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (84)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (100)  
<223> n equals a,t,g, or c

&lt;400&gt; 602

```

cacattctca ggaactctcc ttctttgggg agcctcagat gggaagggac tcgagcccca 60
cctgtccctg gactctggaa tgtntggctg aagttgaggn tctcttactc tctaggccac 120
ggaattaacc cgagcaggca tggaggcctc tgctctcacc tcatcagcag tgaccagtgt 180
ggccaaagtg gtcagggttg cctctggctc tgccgtagtt ttgcccctgg ccaggattgc 240
tacagttgtg attggaggag ttgtggccat ggcggctgtg cccatggt 288

```

&lt;210&gt; 603

&lt;211&gt; 432

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (365)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (408)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (416)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (421)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (425)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 603

```

ggcgccccgg agagctcttg cgcgtcttgt tcttgccctg tgtcggtggt tagtttctgc 60
gacttgtgtt gggactgctg ataggaagat gtcttcagga aatgctaaaa ttgggcaccc 120
tgcccccaac ttcaaagcca cagctgttat gccagatggt cagtttaaag atatcagcct 180
gtctgactac aaaaggaaaa tatgttgtgt tcttcttta cctcttgac ttcaccttg 240
tgtgccccac ggagatcatt gctttcagtg atagggcaga agaatttaag aaactcaact 300
gccaagtgat tgggtgcttc gtggattctc acttctgtca tctagcatgg gtcaatacac 360
ctaanaaaca aggaggactg ggacccatga acattccttt ggtatcanac ccaacncaca 420
nttgntcagg at 432

```

&lt;210&gt; 604

&lt;211&gt; 371

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

<220>

<221> misc feature

<222> (282)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (291)

<223> n equals a,t,g, or c

<400> 604

```
atttagtggtg ataaggagaa gaacctgctg catgtcacag acaccggtgt aggaatgacc 60
agagaagagt tggttaaaaa ccttggtacc atagccaaat ctgggacaag cgagttttta 120
aacaaaatga ctgaagcaca ggaagatggc cagtcaactt ctgatttgat tggccagttt 180
ggtgtcgggtt tctattccgc ctcccttgta gcagataagg ttattgtcac ttcaaacac 240
aacaacgata cccagcacat ctgggagtct gactccaatg anttttctgt naattgctga 300
cccaagaggg aaacactcta ggacggggga acgacaattt acgtggagta tggaccaatt 360
tccttattaa g 371
```

<210> 605

<211> 392

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (292)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (322)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (330)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (331)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (342)

<223> n equals a,t,g, or c

<220>



<221> misc feature

<222> (363)

<223> n equals a,t,g, or c

<400> 605

```
ggcacagccg gcatcgtggt gtgttcttga ctccgctgct cgccatgtct tctcacaaga 60
ctttcaggat taagcgattc ctggccaaga aacaaaagca aaatcgtccc attccccagt 120
ggattcggat gaaaactggg aaataaaatc aggtacaact ccaaaaggag acattggaga 180
agaaccaagc tgggtctatg aaggaattgc acatgagatg gcacacatat ttatgctgtc 240
tggaaggtgc acgatccatg ttaccatatg caagctggaa aatgtgcacc antatctggg 300
agattttcga cgtgtttttc cncctctggn nctgtttatg gnacaagggt gggttggttt 360
ggntccatta aattaaatta ggtaaaggcc cc 392
```

<210> 606

<211> 442

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (255)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (312)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (368)

<223> n equals a,t,g, or c

<400> 606

```
gcgtcttcag ggtggaagcc tggcgcacgt ccggagagac acccgccatt tcacccagta 60
agcgggcccg gcctgcggag gtggcgcgca tgcagctccg ctttgcccgg ctctccgagc 120
acgccacggc ccccacccgg ggctccgcgc gcgcgcggg ctacgacctg tacagtgcct 180
atgattacac aataccacct atggagaaaag ctgttgtgaa aacggacatt cagatagcgc 240
tcccttcttg gtgtnatgga agagtggctc cacggtcagg cttggctgca aaacacttta 300
ttgatgtagg antggtgtca tagatgaaga ttataagagg aatgttggtg ttgtactgtt 360
taattttngg caagaaagtt tgaagtcaaa aaaggtgatc gaattgcaca gtcatttgca 420
acggattttt tatccagaaa ta 442
```

<210> 607

<211> 182

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (53)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (124)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (132)

<223> n equals a,t,g, or c

<400> 607

gcacatggc gggtggcaag aacaagcgcc ttacgaaagg cggcaaaaag ggngccaaga 60  
agaaagtggg tgatccattt tttaagaaag attggtatga tgtgaaagca cctgctatgt 120  
tcantataag anatattgga aagacgctcg tcaccaggac ccaaggaacc aaaattgcat 180  
ct 182

<210> 608

<211> 673

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (561)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (569)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (603)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (604)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (627)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (630)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (652)

<223> n equals a,t,g, or c

<400> 608

```
nncaaaatta accccctaatt aaaattaatt aaccactcac tcatcgacct cccaccccca 60
tccaacatct cgcgatgatg aaacttcggc tcactccttg gcgcctgcct gatcctccaa 120
atcaccacag gactattcct agccatgcac tactcaccag acgcctcaac cgccttttca 180
tcaatcgccc acatcactcg agacgtaaat tatggctgaa tcatccgctg ccttcaagcc 240
aatggcgccct caatattctt tatctgcctc ttcctacaca tcgggcgagg cctatattac 300
ggatcatttc tctactcaga aacctgaaac atcggcatta tcctcctgct tgcaactata 360
gcaacagcct tcataggcta tgtcctcccg tgaggccaaa tatcattctg aggggccaca 420
gtaattacaa acttactatc cgccatccca tacattggga cagacctagt tcaatgaatc 480
tgaggaggct actcagtaga cagtcaccacc ctcacacgat tctttacctt tcacttcac 540
ttgcccttca ttattggcag ncctacagna ctcacctcta ttttttgccg aaacggggat 600
canncaaccc ccttagggaa tcacctnccn tttccgataa aaatcaacct tncacccttt 660
actacacaat cat 673
```

<210> 609

<211> 553

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (377)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (449)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (497)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (536)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (545)  
<223> n equals a,t,g, or c

<400> 609  
gcggaacgcgt gggttttaat acaaagtta tttatagttt acaatgaatg cactgcataa 60  
aaacttttgg acgacaatgg gaacattgct gaagaactga gcattctcaa atggaacaca 120  
gacagtgtag aagaattcct gagtgaagaa ttggaacgca tataaatctt gcttaaattt 180  
tgtcctatcc ttttgttacc ttatcaaag aaatattaca gcacctagaa aataatttag 240  
ttttgcttgc ttccattgat cagtctttta cttgaggcat taaatatcta attaaatcgt 300  
gaaatggcag tatagtccat gatatactag gagttggcaa gcttaacaaa acccattttt 360  
tataaatgtc catcctnctg catttggtga taccactaac aaaatgcttt gtaacagact 420  
tgcggttaat tatgcaaag atagtttgng ataattgggg ccaagtttta cgaacaacag 480  
atttctaaat tagaganggt taccaggaca gatgatacta tgcctaaggg ctgggngccc 540  
ttttnaagga aga 553

<210> 610  
<211> 458  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (17)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (18)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (215)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (225)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (281)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (312)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (314)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (316)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (344)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (369)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (412)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (430)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (442)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (456)  
<223> n equals a,t,g, or c

<400> 610  
accacgcgt ccgctnncc gatgagacca atatatgcaa tggtaagcca gtagatggac 60  
tgactacttt ggcgaatggg acattagttg cattccgagg tcattatttc tggatgctaa 120  
gtccattcag tccaccatct ccagctcgca gaattactga agttttgggg aatcctttcc 180  
cccattgata ctgttttact aaggggaatt ttcnagaaa aggtngcagc attcagcagt 240

atatttataa acaggaacct gtacagaagt gcccttgga naaggcctgc tctaaaatta 300  
tcagtggtg tngngnaacg acacagggtta agagacgtcg cttnaacgtg ctaaaaggac 360  
ctttccaana cacaccatca gaatccataa tcacctgcca aatgggggtat cnagaccaag 420  
gggcctccan aaggagttaa gnggttaccg tggggngg 458

<210> 611  
<211> 565  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (5)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (8)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (469)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (471)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (534)  
<223> n equals a,t,g, or c

<400> 611  
aagcnganac caaccctcac taaaggaac aaaagctgga gctccaccgc ggtgcggccg 60  
ctctagaact agtggatccc ccgggctgca ggaattcggc acgaggttgc agtgagccga 120  
gatcgacca ttgactcca gtctgggcaa cagagtgaga ttccgtctca aaaaaaaaaa 180  
gaaaaggaaa aaaaaatagc attatacctc ttccttgtct caaccgccat gaaaattctg 240  
aacactccaa attcagttga ataatccaaa acaaaattta taagtataaa ataattttac 300  
ttcttatagt aatagtatac tttaaaaagc ctcagggtat attatcttot aaacagctac 360  
aattcagtg agctacatta accaactatg ttctctagtt gaggaacaac taggcctatt 420  
tactgtctgt gtagcctcag tgcctaacat gggtgccaaa taaatatng nggattacac 480  
tgaattgtaa aaaccattcg tttttgttta caattgccaa aaatctcaaa aggnccctgta 540  
tttatgtaat tctttgaaat tatta 565

<210> 612  
<211> 442  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (229)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (253)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (294)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (297)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (319)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (328)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (333)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (365)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (413)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (415)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (440)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (441)

<223> n equals a,t,g, or c

<400> 612

```
gaccagggtt gtcctcgccg tgctccgcct cgccatgact tcctacagct atcgccagtc 60
gtcggccacg tcgtccttcg gaggcctggg cggcgggctcc gtgcgtattg ggccgggggt 120
cgcttttcgc gcgcccagca ttcacggggg ctccggcggc cgcggcggtat ccgtgtcctc 180
cgcccgcgtt gtgtcctcgt cctcctcggg gggctacggc ggcggtang gcggcgctcct 240
gaccgcgtcc gangggctgc tggcgggcaa cgagaagcta accatgcaga actnaangac 300
cgcttggtt ctactggana agttcgcncc tgnaggggca aagggaaacta aaagttaaata 360
ccgcnattgt acaaaacagg gcttggcctt cccggataaa gcattataaa gancntcagg 420
aattggggaa aaatttttgn nc 442
```

<210> 613

<211> 306

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (5)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (102)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (129)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (172)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (185)

<223> n equals a,t,g, or c

<220>



527

<221> misc feature  
<222> (190)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (192)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (199)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (213)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (237)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (272)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (299)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (302)  
<223> n equals a,t,g, or c

<400> 613  
ggcanaggag aactccagga ttgtcctgca gatcgacaac' gcccgtttgg ctgcagatga 60  
cttccgaacc aagtttgaga cggaacaggc tctgcgcatg ancgtaggagg ccgacatcaa 120  
cggcctgcnc aggtgctgga tgagctgacc ctggcccaga accgaccttg gngatgcagt 180  
tcgangcctn angaagagnt ggcctaccta agnaggaccc tgagggggaa tcaattncgt 240  
taagggggcca atgggaggcc attaattttg anttggttcc ttccggacct tttggccant 300  
cntggt 306

<210> 614  
<211> 555  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (392)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (409)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (433)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (497)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (543)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (545)  
<223> n equals a,t,g, or c

<400> 614  
ggcgactaca gccactacta cacgaccatc caggacctgc gggacaagat tcttggtgcc 60  
accattgaga actccaggat tgtcctgcag atcgacaatg cccgtctggc tgcagatgac 120  
ttccgaacca agtttgagac ggaacaggct ctgcgcacatga gcgtggaggc cgacatcaac 180  
ggcctgcgca ggggtgctgga tgagctgacc ctggccagga ccgacctgga gatgcagatc 240  
gaaggcctga aggaagagct ggcctacctg aagaagaacc atgaggagga aatcagtagc 300  
cttagggggc aagtgggagg ccaggtcagt gtggagggtgg attccgctcc gggcaccgat 360  
ctcgccaaga tcctgagtga catgcgaagc cnatatgagg tcatggccna gcagaaccgg 420  
aaggatgctt aancctggtc accagcccgg actgaagaat tgaaccggga ggtagcttgc 480  
cacacggagc aacttcngat gagcagggtcc aagggttactg acctgcggcg caacccttaa 540  
ggnctgaga atgaa 555

<210> 615  
<211> 575  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (4)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (28)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (57)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (173)

<223> n equals a,t,g, or c

<400> 615

```
tganagaaat taaccctcac taaagggnac aaaagctgga gctccaccgc ggtgcgncgc 60
ctctagaact agtggatccc ccgggctgca ggaattcggc acgaggctaa ggctgcgttg 120
gggtgaggcc ctcaattcat ccggcgacta gcaccgcgtc cggcagcgcc agncctacac 180
tcgcccgcgc catggcctct gtctccgagc tcgcctgcat ctactcggcc ctcaattctgc 240
acgacgatga ggtgacagtc acggaggata agatcaatgc cctcattaaa gcagccggtg 300
taaatgttga gccttttttg cctggcttgt ttgcaaaggc cctggccaac gtcaacattg 360
ggagcctcat ctgcaatgta ggggccggtg gacctgctcc agcagctggt gctgcaacca 420
gcaggaggtc ctgccccctc cactgctgct gctccagctg aggagaagaa agtggaagca 480
aagaaagaag aatccgagga gtctgatgat gacatgggct ttggtctttt tgactaaacc 540
tcttttataa catgttcaat aaaaagctga acttt 575
```

<210> 616

<211> 346

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (117)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (139)

<223> n equals a,t,g, or c

<400> 616

```
ctcgtgccga attcggcacg agccgccgcc tccgccgcag acgccgccgc gatgcgctac 60
gtcgctcctt acctgctggc tgccctaggg ggcaactcct cccccagcgc caagggnatc 120
aagaagatct tggacaacnt gggatatcag gcggacgacg accgggtcaa caaggttatc 180
agtgaactga atggaaaaaa cattgaagac gtcattgccc aggggtattg caagcttgcc 240
agtgtacctg ctgggtggggc tgtagccgtc tctgctgccc caggctctgc agcccctgct 300
gctggttctg cccctgctgc agcagaggag aagaaagatg agaaga 346
```

530

<210> 617  
<211> 409  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (356)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (380)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (388)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (397)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (408)  
<223> n equals a,t,g, or c

<400> 617  
gggcagggt gagccagcga cgccctccat tcaactctccg cgcccgttct cgggctgtcc 60  
tcccgttccg ctgcccgecc tgccaccatg acggaacagg ccattctcctt cgccaaagac 120  
ttcttgccg gaggcacgc cgccgccatc tccaagacgg ccgtggctcc gatcgagcgg 180  
gtcaagctgc tgctgcaggc ccagcacgcc agcaagcaga tcgccgccga caagcagtac 240  
aagggcatcg tggactgcat tgtccgcac cccaaggagc agggcggtgt gtccttctgg 300  
aggggcaacc ttgccaacgt cattcgctac ttcccactc aagccctcaa cttcgncttc 360  
aaggataagt acaagcagan cttcctgngg ggcgtnaca agcacacnc 409

<210> 618  
<211> 473  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (5)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (9)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (25)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (241)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (256)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (322)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (337)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (352)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (359)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (360)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (365)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (368)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (416)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (436)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (442)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (446)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (470)

<223> n equals a,t,g, or c

<400> 618

```
ggcanagcnc aaagacaggc ttttnagatt ggatctccgt ggcgtactat ggatgcttcc 60
gagagggggc gactattata caagttggca agttgatcaa agaagctgcc gggaaaagca 120
atctgaagag ggtgacctg gagcttggag gaaagagccc ttgcattgtg ttagctgatg 180
ccgacttgga caatgctgtt gaatttgcac accatggggg attctaccac cagggccagt 240
nttgtatagc cgcattncagg atttttgtgg aagaatcaat ttatgatgag ttgtttcgaa 300
ggagtgttga gcgggttaag antatatcct tgggaantcc tttgacccca gnagttcann 360
caagnccntc agattgacaa ggaccatttg gtaaatactt gacccattg agagtnggaa 420
gaaagaaggg gcccaantgga tntgngggag gccctggggg ataaaggtan ttg      473
```

<210> 619

<211> 604

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (5)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (371)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (440)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (492)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (500)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (537)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (554)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (584)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (587)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (593)

<223> n equals a,t,g, or c

<400> 619

```
cgacnttccc ctactaaagg gaacaaaagc tggagctcca ccgcggtggc ggccgctcta 60
gaactagtgg atcccccggg ctgcaggaat tcggcacgag gtggtccccc tggcagggac 120
aaatggcgag actaccaccc aagggttgga tgggctgtct gagcgctgtg cccagtacaa 180
gaaggacgga gctgacttcg ccaagtggcg ttgtgtgctg aagattgggg aacacacccc 240
ctcagccctc gccatcatgg aaaatgccaa tgttctggcc cgttatgcca gtatctgcca 300
gcagaatggc attgtgccca tcgtggagcc tgagatcctc cctgatgggg accatgactt 360
gaagcgcttg ncagtatgtg accgaaaagg tgcttggtt gctgctacaa ggctcttgag 420
tgaccaccac atctacctgn aaggcacctt gctgaagccc aacatggtcc cccaggccat 480
```

```

gcttgcactc anaagttttn ttatgaagga gattgcccac ggcgaacccg tctcaancgc 540
tgtgcccgcg caantgcccc cccgcttgtc acttgggatc aacnttncct gtnttggaag 600
gccca                                           604

```

```

<210> 620
<211> 312
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc feature
<222> (2)
<223> n equals a,t,g, or c

```

```

<220>
<221> misc feature
<222> (41)
<223> n equals a,t,g, or c

```

```

<220>
<221> misc feature
<222> (307)
<223> n equals a,t,g, or c

```

```

<220>
<221> misc feature
<222> (309)
<223> n equals a,t,g, or c

```

```

<220>
<221> misc feature
<222> (310)
<223> n equals a,t,g, or c

```

```

<220>
<221> misc feature
<222> (311)
<223> n equals a,t,g, or c

```

```

<220>
<221> misc feature
<222> (312)
<223> n equals a,t,g, or c

```

```

<400> 620
gngccaacag ccttgccctgt caaggaaagt acactccgag nggtcaggct ggggctgctg 60
ccagcgagtc cctcttcgtc tctaaccacg cctattaagc ggaggtgttc ccaggctgcc 120
cccaacactc caggccctgc cccctccac tcttgaagag gaggccgcct cctcggggct 180
ccaggctggc ttgccgcgc tctttcttc ctcgtgacag tggtgtgtgg tgctgtctgt 240
gaatgctaag tccatcacc tttccggcac actgccaaat aaacagctat ttaaggggga 300
aaaaaanann nn                                           312

```



<210> 621  
<211> 248  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (141)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (193)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (195)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (198)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (207)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (246)  
<223> n equals a,t,g, or c

<400> 621  
gatgattgtg aattcaaggc tgaaggaaat agcaaattca cctacacagt tctggaggat 60  
ggttgacga aacacactgg ggaatggagc aaaacagtct ttgaatatcg aacacgcaag 120  
gctgtgagac tacctattgt ngatattgca ccctatgaca ttggtggtcc tgatcaagaa 180  
tttgggtgtg acntnggncc tgtttgnttt ttataaacca aactctatct gaaatcccaa 240  
caaaanaa 248

<210> 622  
<211> 344  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (4)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (19)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (31)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (273)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (279)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (283)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (297)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (301)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (303)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (310)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (312)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (342)

<223> n equals a,t,g, or c

<400> 622

```
aatncggcac gaggcaccnc ctgcgcaccc ncaatcagtc cagcgatgag ctgcagctga 60
gtatgggaaa tgccatgttt gtcaaagagc aactcagtct gctggacagg ttcacggagg 120
atgccaagag gctgtatggc tccgaggcct ttgccactga ctttcaggac tcagctgcag 180
ctaagaagct catcaacgac tacgtgaaga atggaactcg agggactata acctgaacga 240
catacttctc cagctgaagt acacaggcaa tgnccagcna ctnttcatcc tgcctgntca 300
ngncaagatn gnggaagtgg aagccatggt ggttttcaga gncc 344
```

<210> 623

<211> 316

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (248)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (286)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (294)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (308)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (313)

<223> n equals a,t,g, or c

<400> 623

```
gctcaaaggg agaccggggt ttccaggagg caaaggcgag gctggatttt tcggaatacc 60
cggtctgaag ggtctggctg gtgagccagg ttttaaaggc agccgagggg accctgggcc 120
cccaggacca cctcctgtca tcctgccagg aatgaaagac attaaaggag agaaaggaga 180
tgaagggcct atggggctga aaggatacct gggcgcaaaa ggtatccaag gaatgccagg 240
catcccangg ctgtcaggaa tccctgggct gcctggggagg cccggncaca tcanaggaat 300
caaggganac atngga 316
```

<210> 624  
<211> 445  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (112)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (172)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (185)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (187)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (222)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (241)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (253)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (266)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (311)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (327)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (331)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (381)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (383)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (426)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (429)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (438)

<223> n equals a,t,g, or c

<400> 624

ggcagaggtg aggaggtgtg gtaccgtgtg ctacagatcg tcaccaaccg tgaatgacgt 60  
ccagggttat gcgccaagac cgtctttaag gcgctccagg cccctgcctt gnacgaagaa 120  
catggtgaag gttggcggct acatccttgg ggagtttggg aaacctgaat tntggggacc 180  
cccgntncca gccccccagt ggcagttctc cctgctccac tncaagttcc atctgtgaca 240  
ngtggccagg ggnccgtgct gctgtgccac ctgacatcaa gttcatcaac ctctttcccc 300  
gagaccaagg ncaccatcca gggggtncgt nggggtcggt tttccagttg cgcaatgttg 360  
acgtggagtt gcagcaggag ncntggagta acttcacctt cagttcatgg gtcagcaaca 420  
agttcnggnc aggtgttnga ggagt 445

<210> 625

<211> 401

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature  
<222> (30)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (33)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (380)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (389)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (390)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (393)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (397)  
<223> n equals a,t,g, or c

<400> 625  
tcgacccacg cgtccgggcg ggtccgccgn gantaagacc cgtgcccgg cacctctagg 60  
gtgtgatctg accggtcgcg ggggaccagc ccagccctat ttcggctcga gcgaggaact 120  
tctgctcccg tgactgaact ctgatcttga tagagagtcg cggccatggc agccaaagga 180  
ggcaccgtca aagctgcttc agcattcaat gccactgaag atgcccagac cctgaggaag 240  
gccatgaagg ggcttggcac cgacgaagat gccatcatca gcgtcctcgc ctaccgcaac 300  
acagcccagc gccaggaaat caggacggcc ttacaagagc accattcggc aggggacctt 360  
gtgttaagga acggaccccn tttgttttnn gantgngtg a 401

<210> 626  
<211> 315  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (55)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (103)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (129)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (163)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (240)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (257)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (296)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (303)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (308)

<223> n equals a,t,g, or c

<400> 626

```

cggtaccggt ccctggtgta ccagctgaac tttgatcaga ccctgaggaa tgtanataag 60
gctggcacct gggccccccc gggagctggt gctggtggtc cangtgcata accggccccga 120
atacctcana ctgctgctgg actcacttcg aaaagcccag ggnaattgac aacgtcctcg 180
tcatcttttag ccatgacttc tggtcgaccg agatcaatca gctgatcgcc ggggtgaatn 240
tctgtccggt tctgcangtg ttctttccct tcagcattca gttgttccct aacgantttc 300
cangttantg accta                                     315

```

<210> 627

542

<211> 412  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (211)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (282)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (319)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (320)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (327)  
<223> n equals a,t,g, or c

<400> 627  
gaaaaagatg agtatgcttg ccgtgtgaac catgtgactt tgtcacagcc caagatagtt 60  
aagtgggatc gagacatgta agcagcatca tggaggtttg aagatgccgc atttgattg 120  
gatgaattcc aaattctgct tgcttgcttt ttaatatgta tatgcttata cacttacact 180  
ttatgcacaa aatgtagggt tataataatg ntaacatgga catgatcttc tttataattc 240  
tactttgagt gctgtctcca tgtttgatgt atctgagcag gntgctccac aggtagctct 300  
agcagggctg gcaacttann aggtggngag cagagaattc tcttatccaa catcaacatc 360  
ttggtcagat ttgaactctt caatctcttg cactcaaagc ttgataagga aa 412

<210> 628  
<211> 577  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (52)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (408)



<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (418)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (424)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (430)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (438)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (445)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (458)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (460)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (474)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (506)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (518)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (545)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (546)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (560)

<223> n equals a,t,g, or c

<400> 628

```
gaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaggg cgcccgctct anaggatcca 60
agctttacgta cgcggtgcatg cgacgtcata gctcttctat agtgtcacct aaattcaatt 120
cactggccgt cgttttacaa cgctgtgact gggaaaaccc tggcgttacc caacttaatc 180
gccttgacgc acatccccct ttcgccagct ggcgtaatag cgaagaggcc cgcaccgatc 240
gcccttccca acagttgcgc agcctgaatg gcaaatggga cgcgccctgt agcggcgcat 300
taagcgcggc ggggtgtggtg gttacgcgca gcgtgacgcg tacacttgcc agcgccctac 360
gcccgtcctt ttcgtttctt cccttccttt ctgcgcaagt tcgcccgnnt tccccgtnaa 420
gctntaaatn gggggctncc tttaggttc cgattaangn ttacgggac cttnngaccca 480
aaaacttgat taggggtgat gttacntaat gggccatngc ctgataaacg gttttgcctt 540
ttgannttgg agtcccgttn ttaaaggga ctttggt 577
```

<210> 629

<211> 703

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (146)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (344)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (391)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (414)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (428)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (438)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (457)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (494)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (499)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (518)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (541)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (576)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (580)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (586)

<223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (603)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (621)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (632)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (643)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (651)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (668)  
 <223> n equals a,t,g, or c

<400> 629  
 gactagttct agatcgcgag cggccgctct agaggatcca agcttacgta cgcgtgcatg 60  
 cgacgtcata gctcttctat agtgtcacct aaattcaatt cactggccgt cgttttataa 120  
 cgtcgtgact gggaaaaccc tggcgntacc caacttaatc gccttgacagc acatccccct 180  
 ttccgccagct ggcagtaata gcgaagaggc ccgcaccgat cggcccttccc aacagttgag 240  
 cagcctgaat ggcgaatggg acgcgccctg tagcggcgca ttaagcgagg cgggtgtggt 300  
 ggttacgcgc agcgtgaccg ctacacttgc cagcgcccta gcgnccgctc ctttcgcttt 360  
 cttcccttcc tttctcgcca cgttcgcccg ntttccccgt caagctctaa atcngggggt 420  
 ccctttangg ttccgatnta gtgctgtacg gcacctngac cccaaaaaac ttgattaggg 480  
 tgatggttca cgtngtggn c atcgccctga tagacggntt ttcgcccctt gacgttggag 540  
 nccacgttct taatagtgga ctctttggtc caaacnggan caacantgaa cccctatctc 600  
 ggnctattct tttgatttat nagggatttt gncgatttca ggnctattgg ntaaaaaatg 660  
 gatcttgntt ttaacccaaa atttaaaccg cgggaatttta agc 703

<210> 630  
 <211> 638  
 <212> DNA  
 <213> Homo sapiens

<220>

<221> misc feature  
<222> (14)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (70)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (72)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (75)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (105)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (120)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (153)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (213)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (222)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (245)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (256)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (305)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (307)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (315)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (319)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (327)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (329)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (342)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (351)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (354)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (357)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (376)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (416)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (449)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (484)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (500)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (502)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (526)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (532)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (537)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (570)

<223> n equals a,t,g, or c

550

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (574)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (593)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (613)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (629)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 630

```

gaaaaaaaaa aaantaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 60
gggcggccgn tntanaggat ccaagcttac gtacgcgtgc atgcnacgtc atagctcttn 120
tatagggtca cctaaattca attcactggc cgncgtttta caacgtcgtg actgggaaaa 180
ccctggcggt acccaactta atcgccctgc agnacatccc cntttcgcca gctggcgtaa 240
tagcnaaaag gcccgnaaccg atcgcccttc ccaacagttg cgcagcctga atggcaaatg 300
ggacncccc tgtancggng cattaancnc ggcggtgtg gngggtaccc ncancngac 360
cgctacactt gccagngccc tagcgccgc tcctttcgct ttcttccctt cctttntcgc 420
cacgttcgcc ggctttcccc gtcaagctnt aaatcgggg ctccctttag ggttccgatt 480
aagngcttta cgggaccttn gncccaaaaa aaacttgatt aggggngatg gntcacngta 540
aaggggccat tgcccttgat aaaacggttn ttngccctt ttgacctgg aantccccgt 600
ttctttaaaa aangggacct tttggttcna actgggaa 638

```

&lt;210&gt; 631

&lt;211&gt; 187

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 631

```

ctaagttcta gatcgcgagc ggccgctcta gaggatccaa gcttacgtac gcgtgcatgc 60
gacgtcatag ctcttctata gtgtcaccta aattcaattc actggccgtc gttttacaac 120
gtcgtgactg ggaaaaccct ggcgttacct aacttaatcg ccttgacgca catccccctt 180
tcgccag

```

&lt;210&gt; 632

&lt;211&gt; 305

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;



<221> misc feature  
<222> (2)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (21)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (23)  
<223> n equals a,t,g, or c

<400> 632  
cnagaagtca agcggggccgt ngncgatagc tggtagcct gcagggtaccg gtccggaatt 60  
cccggtcgga cccacgcgtc cgactagttc tagatcgga gcggccgctc tagaggatcc 120  
aagcttacgt acgcgtgcat gcgacgtcat agctcttcta tagtgtcacc taaattcaat 180  
tcactggccg tcgttttaca acgtcgtgac tgggaaaacc ctggcggttac ccaacttaat 240  
cgccctgcag cacatcccc tttcgccagc tggcgtaata gcgaagaggc ccgcaccgat 300  
cgccc 305

<210> 633  
<211> 187  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (10)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (15)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (23)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (27)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (144)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (176)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (178)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (180)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (181)  
<223> n equals a,t,g, or c

<400> 633  
ncttccttan gctcnatata cntggntgg taccaccct cactatagg aaagctggta 60  
cgctgcagg taccggtcg gaattcccg gtgaccac gcgtccgaaa aaaaaaaaaa 120  
aaaaaaaaa aaaaaaaaaa ggnggacga tctagaggat ccaaagctta cgtacnctn 180  
natgcaa 187

<210> 634  
<211> 243  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (8)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (11)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (15)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (23)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (87)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (119)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (131)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (165)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (196)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (205)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (218)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (229)  
<223> n equals a,t,g, or c

<400> 634  
aataaggnga ngagngttaa gancggatac gactcactat agggaaaagct ggtacgcctg 60  
caggtagcgg tccggaattc ccgggtngac ccacgcgtcc gtggaaatct gtcctccana 120  
atccaggcca naaagttcac agtcaaatgg ggaggggtat tcttnatgca ggagacccca 180  
ggccctggag gctgcnacat acctnaatcc tgtcccangc cggatcctnc tgaagccctt 240

ttt

243

&lt;210&gt; 635

&lt;211&gt; 180

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 635

cccacgcgtc cggaatgggt tagcgccagg ttccccacga acgtgcgggtg cgtgacgggc 60  
gagggggcgg ccgctctaga ggatccaagc ttacgtacgc gtgcatgcga cgtcatagct 120  
cttctatagt gtcacctaaa ttcaattcac tggccgctcgt ttacaacgt cgtgactggg 180

&lt;210&gt; 636

&lt;211&gt; 747

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (3)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (4)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (6)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (497)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (507)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (639)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (657)

&lt;223&gt; n equals a,t,g, or c

<220>

<221> misc feature

<222> (747)

<223> n equals a,t,g, or c

<400> 636

```
atnnanagac ctccatttgg attacgctgg tacgcctgca ggtaccggtc cggaattccc 60
gggtcgaacc acgcgtccgc tagttctaga tcgcgagcgg ccgctctaga ggatccaagc 120
ttacgtacgc gtgcatgcca cgtcatagct cttctatagt gtcacctaaa ttcaattcac 180
tggccgctcgt ttacaacgt cgtgactggg aaaaccctgg cgttacccaa cttaatcgcc 240
ttgcagcaca tcccccttcc gccagctggc gtaatagcga agaggccgc accgatcgcc 300
cttcccaaca gttgcgcagc ctgaatggcg aatgggacgc gccctgtagc ggcgcattaa 360
gcgcggcggg tgtggtggtt acgcgcagcg tgaccgctac acttgccagc gccctagcgc 420
ccgctccttt cgctttcttc ccttccttcc tcgccacgtt cgccggcttt ccccgtaag 480
ctctaaatcg ggggcctncct ttagggntcc gatttaagtg ctttacggac ctcgacccca 540
aaaaacttga ttagggtgat gggtcacgta gtgggccatc gcctgataga cggttttcgc 600
ctttgacgtt ggagtcacgt cttaataggg actcttgtnc aaactggaac aacactnaac 660
ctatttggtt atcttttgat tataaggatt tgccgattcg gcattggtaa aaatgagtgt 720
tacaaaatta cgcgattaca aaaatan 747
```

<210> 637

<211> 497

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (375)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (415)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (445)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (446)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (463)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (497)

<223> n equals a,t,g, or c

<400> 637

```
gtagttctag atcgcgggcg gccgctctag aggatccaag cttacgtacg cgtgcatgcg 60
acgtcatagc tcttctatag tgcaccta attcaattca ctggccgctg tttacaacg 120
tcgtgactgg gaaaaccctg gcgttacc caactaatcg cttgcagcac atccccctt 180
cgccagctgg cgtaatagcg aagaggcccg caccgatcgc cttcccaac agttgcgcag 240
cctgaatggc gaatgggacg cgccctgtag cggcgcatta agcgcggcgg gtgtggtggt 300
tacgcgcagc gtgaccgcta cacttgccaa gcgcctaag cgcccgttcc tttcgctttc 360
ttcctttctt ttttngccac gttcggcccg cttttcccg taaagcttta aatcnggggg 420
gttccttaaa ggggttccga ttaannggtt ttacgggaac ttngaccca aaaaaacttg 480
attagggggg aaggtn                                     497
```

<210> 638

<211> 509

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (321)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (348)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (385)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (394)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (399)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (406)

<223> n equals a,t,g, or c

557

<220>  
<221> misc feature  
<222> (424)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (461)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (463)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (492)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (496)  
<223> n equals a,t,g, or c

<400> 638  
ggactagttc tagatcgcg ggggccgctc tagaggatcc aagcttacgt acgcgtgcat 60  
gcgacgtcat agctcttcta tagtgtcacc taaattcaat tcaactggcg tcgttttaca 120  
acgtcgtgac tgggaaaacc ctggcggtac ccaacttaat cgccttgag cacatcccc 180  
tttcgccagc tggcgtaata gcgaagaggc ccgcaccgat cgcccttccc aacagttgcg 240  
cagcctgaat ggcgaatggg acgcgccctg tagcggcgca ttaagcgcg cggtgtggt 300  
ggttacgcgc agcgtgaccg ntacacttgc cagcgcccta gcgccgntc ctttcgcttt 360  
cttccttctt tctcggcacg gtcgnccggc tttcccnc aagctntaaa tcggggggct 420  
tccttttagg ggttcgaat taagggttt accgggaacc ntngaacccc caaaaaactt 480  
tgaattaggg tngaanggt tcacgtaa 509

<210> 639  
<211> 507  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (2)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (214)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (263)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (298)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (334)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (355)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (356)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (360)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (363)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (373)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (375)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (384)  
<223> n equals a,t,g, or c

<220>



<221> misc feature  
<222> (407)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (430)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (453)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (481)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (485)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (489)  
<223> n equals a,t,g, or c

<400> 639  
gnctagttct agatcgcgag cggcccgcgc tagaggatcc aagcttacgt acgcgtgcat 60  
gcgacgtcat agctcttcta tagtgtcacc taaattcaat tcaactggccg tcgttttaca 120  
acgtcggtgac tgggaaaacc ctggcggttac ccaacttaat cgccttgacg cacatcccc 180  
tttcgccagc tggcataata gcgaagaggc ccgnaccgat cgcccttccc aacagttgcg 240  
cagcctgaat ggcgaatggg acncgccctg tagcggcgca ttaagcgcgg cgggtgtngt 300  
ggttacgcgc agcgtgaccg ctacacttgc agncacctag cgcccgctcc ttctnnttn 360  
ttnccttctt ttntngcacg tttnacggtt ttcccgtaa gctctanac gggggctcct 420  
ttagggttcn atttaattgt tacggacctt tanccaaaaa acttgatatg gttatgggta 480  
ntgtnttgng ccattgcctt atttccc 507

<210> 640  
<211> 496  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (10)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (29)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (33)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (37)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (126)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (140)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (167)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (240)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (317)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (330)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (337)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (346)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (354)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (356)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (372)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (379)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (390)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (392)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (393)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (396)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (426)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (427)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (430)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (433)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (438)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (441)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (446)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (459)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (460)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (463)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (478)

<223> n equals a,t,g, or c

<400> 640

aattcggc an agaccaa aat gcagatttnc gtnaaanccc ttacggggga agaccatcac 60  
cctcaagggt aaaccctcgg aatacgatag gaaaatgtaa aggccaaagat ccaggataag 120  
gaaggnattc ctctgaatn cagcagagaa ctgaatcttt gcctggnc aa gcagctggga 180

```

aggatgggac gttactttgt gctgaactta caatatttca aaaggggttc ttacttcttn 240
atcttgtgtt gagaatttcg tgggtggtgc ttaggaaagg ggaaggagga agtttttaca 300
accattccca ggaaggnnta ggcccagggn aaagganggt ttaagntggt tgnncncgaa 360
atthtttagg gngggttgng attgggcaan tnngtnggct ttggttgggg gggtcccctt 420
tttaanngan ttnggggntt ngggngttt tttttggggn ggnaaatttt tttaaggnc 480
tttttttggg ggaaaaa 496

```

```

<210> 641
<211> 186
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc feature
<222> (112)
<223> n equals a,t,g, or c

```

```

<220>
<221> misc feature
<222> (133)
<223> n equals a,t,g, or c

```

```

<220>
<221> misc feature
<222> (148)
<223> n equals a,t,g, or c

```

```

<220>
<221> misc feature
<222> (167)
<223> n equals a,t,g, or c

```

```

<220>
<221> misc feature
<222> (177)
<223> n equals a,t,g, or c

```

```

<400> 641
ggcaaacatg cagatctttg tgaagaccct cactggcaaa accatcaccc ttgaggtcga 60
gcccagtgac accattgaga atgtcaaagc caaaattcaa gacaaggagg gnatcccacc 120
tgaccagcag cgntgatata ttgccggnaa acagctggaa ggatggncgc aactctntca 180
gactac 186

```

```

<210> 642
<211> 519
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc feature
<222> (168)

```

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (188)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (209)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (216)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (217)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (218)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (278)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (282)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (284)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (299)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (316)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (320)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (333)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (364)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (374)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (396)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (405)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (428)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (437)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (494)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (500)  
<223> n equals a,t,g, or c

&lt;400&gt; 642

```

ggcacgaggc cctctgaaga ggaggccccc aggtctccac tggcaccctc cgaagggctg 60
gctccgatgt atttgatggt gacctgggaa tggggcagcc aagggctgca aagcctcccc 120
acacatgacc ccagccctct acagcggtaa ggtgagggac ccacattncc cctgccctct 180
gagacttngg gggacgttgc cccctgana tgcagnnngg gcctgaatat gtgaaccagc 240
cagatgttcg gccccagccc ccttcgcccc gaagatgngc tngnctgctg cccgacctnc 300
ttggtgccac tctggnaagn ggccaagaat ctnttcccca gggaagaatt gggtcgtcaa 360
aagnggtttt tgcnttttgg gggttccgtt gagaancccg agtangttta caaccccaag 420
ggaagaanct tccctnaag ccccaacctt cttccttgct taagccagcc tttgacaacc 480
tctaataatt ggancaagan ccaacaaaac cgggggggtc 519

```

&lt;210&gt; 643

&lt;211&gt; 138

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (11)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (36)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (72)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (74)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (92)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (102)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (103)

&lt;223&gt; n equals a,t,g, or c



567

&lt;400&gt; 643

agttccttgc ngcaggcaac ccacttaggt ggccancaat cttgacttcc agatggaaga 60  
gtgacatcta tnanaggaaa agtgatggca tntatatcat anntctcaag aggacctggg 120  
agaagcttct gctgggca 138

&lt;210&gt; 644

&lt;211&gt; 602

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (530)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (554)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (562)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (591)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (602)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 644

gcccacgcgt ccggcgagct gagtgggtgt gtggtcgcgt ctcggaaacc ggtagcgctt 60  
gcagcatggc tgaccaactg actgaagagc agattgcaga attcaaagaa gctttttcac 120  
tatttgacaa agatggtgat ggaactataa caacaaagga attgggaact gtaatgagat 180  
ctcttgggca gaatcccaca gaagcagagt tacaggacat gattaatgaa gtagatgctg 240  
atggtaatgg cacaattgac ttccctgaat ttctgacaat gatggcaaga aaaatgaaag 300  
acacagacag tgaagaagaa attagagaag cattccgtgt gtttgataag gatggcaatg 360  
gctatattag tgctgcagaa cttcgccatg tgatgacaaa ccttgggaaga gaagttaaca 420  
gatgaagaag tttgatgaaa tgatcaggga agcagatatt gatggtgatg gtcaagtaaa 480  
ctatgaagag tttgtaccaa atgatgacag caaaagtga agaccttttn ccagaatggg 540  
gttaaatttc ttgnaccaa antggttaat ttggcctttt ctttggttgg naacttatct 600  
gn 602

&lt;210&gt; 645

&lt;211&gt; 112

&lt;212&gt; DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (24)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (41)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (48)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (59)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (106)

<223> n equals a,t,g, or c

<400> 645

atntgttggg ccggaactgg gctngtttca ccggaagaa ngtggganct gcctctgana 60  
atgtgtatgt ccacatacca caccttagga attctcacga aaagtnttcc aa 112

<210> 646

<211> 514

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (178)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (348)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (389)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (391)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (444)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (463)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (466)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (473)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (485)  
<223> n equals a,t,g, or c

<400> 646  
cagcgggcca ctctggatcc tgggcgacgt cttcatcggc cgctactaca ctgtgtttga 60  
ccgtgacaac aacaggggtgg gcttcgccga ggctgcccgc ctctagttcc caaggcgtcc 120  
gcgcgccagc acagaaacag aggagagtcc cagagcagga ggcccctggc ccagcgggcc 180  
ctccacaca caccacaca ctgcgccgcc cactgtcctg ggcgccctgg aagccggcgg 240  
gccaaagccga cttgtgtttt tggtctgtgg ttccccctcc ctgggttcaa aaatgctgcc 300  
tgctgtctgt ctctccatct tggttggtgg gttaactga tccaaaanaa aatttgttcc 360  
gtgattggaa aaaccaccca acttgggaanc nactcttttt cctgggtcct tctctccagg 420  
atcccccccg gcctacaagc cgtnggttaa cctacccaac agngcncccg gcnccctgaa 480  
ctgcngctaa gcccttccaa ttggccattg gttc 514

<210> 647  
<211> 525  
<212> DNA  
<213> Homo sapiens

<220>  
 <221> misc feature  
 <222> (11)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (14)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (23)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (25)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (73)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (480)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (517)  
 <223> n equals a,t,g, or c

<400> 647  
 ccctactaat ntgngcaaaa gcnengagct ccaccgcggt ggcggccgct ctagaactag 60  
 tggatcccc ggnttgcagg aattcggcac gagcacgcag cggcccggtg acatcgtctt 120  
 cctgctggac ggctccgagc ggctgggtga gcagaacttc cacaaggccc ggcgcttcgt 180  
 ggagcaggtg gcgcggcggc tgacgctggc ccggaggggac gacgaccctc tcaacgcacg 240  
 cgtggcgctg ctgcagtttg gtggccccgg cgagcagcag gtggccttcc cgctgagcca 300  
 caacctcacg gccatccacg aggcgctgga gaccacgcaa tacctgaact ccttctcgca 360  
 cgtgggcgca ggcgtggtgc acgccatcaa tgccatcgtg cgcagcccgc gtggcggggc 420  
 ccggaggcac gcagagctgc cttcgtggtc ctcacggacg gcgtcacggg caacgcacag 480  
 ctgacgagtc ggcgcactcc atgcgcaagc agaacgngga ccac 525

<210> 648  
 <211> 317  
 <212> DNA  
 <213> Homo sapiens

<220>  
<221> misc feature  
<222> (3)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (79)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (118)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (126)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (146)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (159)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (171)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (173)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (176)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (185)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (194)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (207)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (245)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (258)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (297)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (301)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (316)  
<223> n equals a,t,g, or c

<400> 648  
gencagatgg gcatgctgaa ggggcctctt cttaacaaat ttctgaccac agccaaagat 60  
aagaaccgct gggaggacnc tggtaagcag ctctacaacg tggaggccac atcctatncc 120  
ctcttngccc tactgcagct aaaagncttt gactttgtnc ctcccgtcgt ncnttngctc 180  
aatgnacaga gatnctacgg tgggtgntat ggctctaccc aggccacett catggtgttc 240  
caagncttag ctcaatanca gaaggacggc cctgaccacc aggcactgaa ccttgangtg 300  
nacctccaaa tgctcng 317

<210> 649  
<211> 575  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (501)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (509)

<223> n equals a,t,g, or c

<400> 649

```
gtaggaacac cctcatcatc tacctggaca aggtctcaca ctctgaggat gactgtctag 60
ctttcaaagt tcaccaatac tttaatgtag agcttatcca gcctggagca gtcaaggtct 120
acgcctatta caacctggag gaaagctgta cccggttcta ccatccgga aaggaggatg 180
gaaagctgaa caagctctgc cgtgatgaac tgtgccgctg tgctgaggag aattgcttca 240
tacaaaagtc ggatgacaag gtcaccctgg aagaacggct ggacaaggcc tgtgagccag 300
gagtggacta tgtgtacaag acccgactgg caaggttcaa gctgtccaat gactttgacc 360
gagtacatca tggccattga gcagaccatc aagtcaggct cggatgaggt gcaggttgga 420
cagcagcgca cgttcatcag ccccatcaag tgcagagaag ccctgaagct tgaggagaag 480
aaacactact tcatgtgggg nctcttctnc caattctggg gagagaagcc caaccttagc 540
tacatcatcg ggaaggacac ttgggtggag cactg 575
```

<210> 650

<211> 277

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (186)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (243)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (256)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (265)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (267)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (269)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (276)

<223> n equals a,t,g, or c

<400> 650

```
tcgaccacg cgtccggcat tgtctatcat tgcactggag atccaagcac agaagtgtgt 60
agagttaaca gaaggaatag aatgtcttca gacacattcc aagataaatg gcagagattt 120
gaccttctgg caagaacttg tatccaagtg tttaactgaa tattcatcta agcaaagtgg 180
ttccanacca aatgttccag aagtttgaaa atggatttgt tcctggacgt actgcacggc 240
aanctgaagc acaggntact aacgngntna acccanc 277
```

<210> 651

<211> 357

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (9)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (13)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (86)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (89)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (97)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (100)

<223> n equals a,t,g, or c

<220>

<221> misc feature



575

<222> (106)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (175)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (185)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (221)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (289)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (299)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (321)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (324)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (355)  
<223> n equals a,t,g, or c

<400> 651  
ggcacaggnt ccngggtgga gctggctgag tcgcgcgctc tgctccaccc gggggggctg 60  
ttttttctgg gcctggctcg cggcgnacng agatgggnagn gcagtnggac gaggccgtga 120  
agtaatacac cctaggagga gattcagaag cacaaccaca gcaagagcac ctggnctgat 180  
cctgncacca caaggtgtac gaatttgacc aaatttctgg nagaggcatc cctggtgggg 240  
gaggaagttt taaggggaac aagcttggag gtgacgctac ttgaggaant tttgaggnt 300  
gttcggggca cttttaccag ntgncccaag ggaaaattgt tcccaaaaac atttnca 357

<210> 652  
<211> 190  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (138)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (146)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (148)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (172)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (180)  
<223> n equals a,t,g, or c

<400> 652  
ggacgctact tcccctatca tagaagagct tatcaccttt catgatcacg ccctcataat 60  
cattttcctt atctgcttcc tagtcctgta tgcccttttc ctaacactca caacaaaact 120  
aactaatact aacatctnag acgctnanga aatagaaacc gtctgaacta tnctgcccgn 180  
catcatccta 190

<210> 653  
<211> 603  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (415)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (600)  
<223> n equals a,t,g, or c

&lt;400&gt; 653

```

gcttcgaccc cgccggagga ggagacccca ttctatacca acacctattc tgatttttcg 60
gtcacctga agtttatatt cttatcctac caggcttcgg aataatctcc catattgtaa 120
cttactactc cggaaaaaaa gaaccatttg gatacatagg tatggctctga gctatgatat 180
caattggctt cctagggttt atcgtgtgag cacaccatat atttacagta ggaatagacg 240
tagacacacg agcatatttc acctccgcta ccataatcat cgctatcccc accggcgtca 300
aagtatttag ctgactcgcc aactccacg gaagcaatat gaaatgatct gctgcagtgc 360
tctgagccct aggattcatc tttcttttca ccgtagggtg cctgactggc attgnattag 420
caaactcatc actagacatc gtactacacg acacgtacta ccgttgtagc ccacttccac 480
tatgtcctat caataggagc tggatttgcc atcataggaa ggcttcattc actgatttcc 540
ctattctcag gctacaccct agaccaaacc tacgccaaaa atcatttcac tatcataatn 600
cac 603

```

&lt;210&gt; 654

&lt;211&gt; 356

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (198)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (270)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (302)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (328)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (340)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (347)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 654

```

ggtttttttc ttgcaggat ttttctgagc cttttaccac tccagcctag cccctacccc 60
ccaattagga gggcactggc ccccaacagg catcaccccg ctaaattccc tagaagtccc 120

```

```

actcctaaac acatccgtat tactcgcatc aggagtatca atcacctgag ctcaccatag 180
tctaatagaa aacaaccnaa accaaataat tcaagcactg cttattacaa ttttactggg 240
tctctatttt accctoctac aaagcctcan agtacttcga gtctcccttc accatttccg 300
anggcatacta cggctcaaca ttttttgnag cccaggcttn cacgganttt cacgtc 356

```

```

<210> 655
<211> 682
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc feature
<222> (660)
<223> n equals a,t,g, or c

```

```

<400> 655
gcgcaagtag gtctacaaga cgctacttcc cctatcatag aagagcttat cacctttcat 60
gatcacgccc tcataatcat ttctcttacc tgcttcctag tcctgtatgc ccttttccta 120
acactcacia caaaactaac taatactaac atctcagacg ctcaggaaat agaaaccgct 180
tgaactatcc tgcccgccat catcctagtc ctcacgccc tcccatccct acgcatcctt 240
tacataacag acgaggtcaa cgatccctcc cttaccatca aatcaattgg ccaccaatgg 300
tactgaacct acgagtacac cgactacggc ggactaatct tcaactocta catacttccc 360
ccattattcc tagaaccagg cgacctgcca ctccttgacg ttgacaatcg agtagtactc 420
ccgattgaag cccccattcg tataataatt acatcacaaag acgtcttgca ctcattgagc 480
gtccccacat taggcttaaa aacagatgca attcccggac gtctaaacca aaccactttc 540
accgctacac gaccgggggt atactacggc caatgctctg aaatctgtgg agcaaaccac 600
agtttcatgc ccatcgccct agaattaatt cccctaaaaa tctttgaaat aaggggcccg 660
atttacccta tagcaccct ct 682

```

```

<210> 656
<211> 520
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc feature
<222> (429)
<223> n equals a,t,g, or c

```

```

<220>
<221> misc feature
<222> (442)
<223> n equals a,t,g, or c

```

```

<220>
<221> misc feature
<222> (449)
<223> n equals a,t,g, or c

```

```

<220>
<221> misc feature

```

579

&lt;222&gt; (483)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (485)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 656

```
gagaagagct tatcaccttt catgatcacg ccctcataat cattttcctt atctgcttcc 60
tagtcctgta tgcccttttc ctaacactca caacaaaact aactaatact aacatctcag 120
acgctcagga aatagaaacc gtctgaacta tcctgcccgc catcatccta gtcctcatcg 180
ccctcccatc cctacgcacg ctttacataa cagacgaggt caacgatccc tcccttacca 240
tcaaataaat tggcaccaat ggtactgaac ctacgagtac accgactacg gcggactaat 300
cttcaactcc tacatacttc ccccattatt cctagaacca ggcgacctgc gactccttga 360
cggtgacaat cgagtagtac tcccgattga agccccattc gtataataat tacatcacia 420
gacgcttgna ctcaagagct gnccacant aggcttaaaa acaggatgca atttccgggc 480
ggntnaaaca aaacaatttt accggtacac gaacggggggg 520
```

&lt;210&gt; 657

&lt;211&gt; 353

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (227)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (340)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 657

```
gcactttctg ccaaagaaat ctctcctttt gcttctagca ccgactagat ttccttcagc 60
tgatgattga ctcccagaat tcgaaagaaa ctgagtccca caaagctctg tctgatctgg 120
agctcgcagc ccagtcaata atcttcattt ttgctggcta tgaaaccacc agcagtgttc 180
tttccttcac ttatatgaa ctggccactc accctgatgt ccagcanaaa ctgcaaaagg 240
gagattgatg cagttttgcc caataaggca ccacctacct atgatgccgt ggtacagatg 300
gattaccttg acatggtggt gaatgaaacc tcaaattatn cccgttggtg tta 353
```

&lt;210&gt; 658

&lt;211&gt; 362

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (5)

&lt;223&gt; n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (203)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (215)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (240)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (262)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (310)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (321)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (333)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (338)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (362)  
<223> n equals a,t,g, or c

<400> 658  
ggcanaggcc accaccatcc tgcattgccc actttacttg gccttctcct ggctctaact 60  
caggcagcca agaccctcc cacttccttc tttggcctcc ctctcctcag gtatgaaaat 120  
gaagctggcc ctgcgcccag gcgtttgaag gctgacatca acggcttgcg ccgagtcctg 180  
ggatgagctg accctggcca ggnctgacct ggagntgcag atcgagggcc tgaatgaggn 240

agctagcctt acctgaagtg gnaccacgaa ggagggagat ggaaggagtt tcagcagcca 300  
gttgcccggn caagttcaat nttggagatg ggncgganca ccgggtgtgg gacctgaccc 360  
gn 362

<210> 659

<211> 447

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (7)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (33)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (47)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (100)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (147)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (168)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (175)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (202)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (204)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (228)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (240)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (247)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (286)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (294)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (353)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (445)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (446)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (447)  
<223> n equals a,t,g, or c

<400> 659  
gcttctnccg tccttctagg atctccgect ggntcggccc gcctgcntcc actcctgcct 60  
ctaccatgtc catcaaggtg acccagaagt cctacaaggn gtccacctct agcccccggg 120



ccttcagcag ccgctcctac acgaatnggc ccggttcccg catcaacncc tcgancttct 180  
cccgaatagg cagcagcaac tntngcagtg gcctgggcgg cggctatngt ggggccagcn 240  
gcatggnagg catcacgca gttacgggtca accagagcct gctgancccc cttntcctgg 300  
agggtggacc caacatccag gccgtgcgca ccaggagaa ggagcagatc aanaccctca 360  
acaacaagtt tgcctcttca tagacaaggt aggttcctgg agcagcagaa caagatgttg 420  
gaaaccaagt agagctcctt gagcnnn 447

<210> 660

<211> 295

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (10)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (55)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (70)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (73)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (82)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (86)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (95)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (121)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (131)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (144)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (168)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (173)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (185)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (229)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (241)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (257)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (270)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (284)

<223> n equals a,t,g, or c

<400> 660

```
ggnacgagcn aaggcctgca ccattctcct ccgggggggct agcaaagaaa ttctntcgga 60
agtagaacgn gancctccag gntgcnatgc aagtntgtcg caatgttctc ctgggaccct 120
nagctggtgc nagggggtgg ggcntccaaa atggctgtgg cccatgcntt ganagaaaaa 180
tccanggccca tggactggtg tgggaacaat ggccatacag ggctgttgnc cagggcccta 240
naggttcatt cctcgtnacc ctggatccan aaactgtggg gggncagcca ccatt      295
```

<210> 661

<211> 212

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (207)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (210)

<223> n equals a,t,g, or c

<400> 661

```
gttggegtgc tgggcctgga cctctggcag gtcaagtctg gcaccatctt tgacaacttc 60
ctcatcacca acgatgaggc atacgtgag gagtttggca acgagacgtg gggcgtaaca 120
aaggcagcag agaaacaaat gaaggacaaa caggacgagg agcagaggct taaggaggag 180
gaagaagaca agaaacgcaa agaggangan ga                                212
```

<210> 662

<211> 130

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (13)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (20)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (35)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (48)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (74)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (123)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (129)

<223> n equals a,t,g, or c

<400> 662

aaaatacatt ganatacatn atgaaggcca ctatnaccct ccttctgntt gcacaacttt 60  
cctgggctgg accntttcat cagacaggct tattagactc tatgctagaa catgaagctt 120  
atnggatcng 130

<210> 663

<211> 232

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (9)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (10)

<223> n equals a,t,g, or c

587

<220>  
<221> misc feature  
<222> (21)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (138)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (139)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (195)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (205)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (216)  
<223> n equals a,t,g, or c

<400> 663  
gnctcatnnn gactgttctg ncccgattgt tgctgctggt gttggtgaat ttgaagctgg 60  
tatctccaag aatgggcaga cccgagagca tgcccttctg gcttacacac tgggtgtgaa 120  
acaactaatt gtcggtgnna acaaaatgga ttccactgag ccaccctaca gccagaagag 180  
atatgaggaa attgntaagg aagtnagcac ttaccnttaa gaaaaaactg gg 232

<210> 664  
<211> 296  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (25)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (241)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (258)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (279)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (292)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (294)  
<223> n equals a,t,g, or c

<400> 664  
agcggagacc cgcaagcgca agggnctgaa agaaggcatc cctgccctgg acaacttcct 60  
ggacaaaattg taggtggccc ctgcagcgcc tgccgccccg gggactcgca gcacccacag 120  
caccacgtcc cgaattctca gacgacacct ggagactgtc ccgacactcc cctgagaggt 180  
ttctggggcc cgctgcggtc acgagggggg gcccggttac ccaattcgtc ctatagtgat 240  
natttacaat tcaactggncg tcgttttaca agtcgtgtnt gagttttttt tntntt 296

<210> 665  
<211> 376  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (282)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (334)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (335)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (336)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (342)

<223> n equals a,t,g, or c

<400> 665

```
gggtcgaccc acgcgtccgg ttgcccga gaacacaggt gtcgtgaaaa ctaccctaa 60
aagccaaaat gggaaaggaa aagactcata tcaacattgt cgtcattgga cacgtagatt 120
cgggcaagtc caccactact ggccatctga tctataaatg cggtggcatc gacaaaagaa 180
ccattgaaaa atttgagaag gaggtgctg agatgggaaa gggctccttc aagtatgcct 240
gggtcttgga taaactgaaa gctgagcgtg aacgtggtat cnccattgga tatctccttg 300
tggaatttg agaccagcaa gtactatgtg actnnncatt gnatgcccc aggacacaga 360
gactttatcc agaaac 376
```

<210> 666

<211> 332

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (11)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (211)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (223)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (287)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (297)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (323)

<223> n equals a,t,g, or c

590

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (325)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (332)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 666

gccggatcct ncaatcttcg ctcctccaat ctccgctcct ccacccagtt caggaacccg 60  
cgaccgctcg cagcgctctc ttgaccacta tgagcctcct gtccagccgc gcggcccgtg 120  
tccccggtcc ttcgagctcc ttgtgcgcgc tgttggtgct gctgctgctg ctgacgcagc 180  
cagggcccat cgccagcgct ggtcctgccg ntgctgtggt ganagagctg cgttgccgtt 240  
tgtttacaga ccacgcaagg agtccatccc aaaaatgatc agtaatntgc aagtgtncgc 300  
cataggccca acagtgctcc aangngggaa gn 332

&lt;210&gt; 667

&lt;211&gt; 361

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (53)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (81)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (93)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (124)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (128)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (140)



<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (146)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (188)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (241)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (295)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (334)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (335)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (339)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (355)

<223> n equals a,t,g, or c

<400> 667

gtccttcgtg gagctaccgc tggccagcat tgtctcactt catgcctcca gcngcggtagg 60  
taggctgcag acctcaccgc naccgatcca gancactcct cccaaggaca cttgtagccc 120  
gganctgntc atgtccttgn atccanacaa attgtgccga cgacgccatg gaccttggtg 180  
ctaaaganag agcttggttc gcatttggaa ttgcaccatg cacgggcctg accttctggg 240  
naccacagct gtgtaggcag aggacagggt gacaattttg tctttgcgca tggcntaatg 300  
ccatctgtgg tcatgacagg ttgttcacat agtnnggant caggcaatga aggcngtggg 360  
t 361

<210> 668  
<211> 518  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (272)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (274)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (323)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (344)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (358)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (373)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (376)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (387)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (403)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (411)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (446)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (455)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (491)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (513)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (516)  
<223> n equals a,t,g, or c

<400> 668  
ggcacgagct cctcccagcg cttctacaag gagaacctgg gacagggctg gatgacccag 60  
aagcatgagc ggatgaaggt ctatgtgcc actggcttct ctgccttccc ttttgagcta 120  
ttgcacacgc ctgaaaagtg ggtgaggttc aagtacccaa agctcatctc ctattcctac 180  
atggttcgtg ggggccactt tgcggccttt gaggagccgg agctgctcgc ccaggacatc 240  
cgcaagttcc tgtcggtgct ggagcggcat gnanccaccc ctctcccccc gcttgccact 300  
tccccccaca atgccctcca ggnntttcttg ggggaagata accntttctg aggatgantt 360  
tgcttccgtc cntgnccag ttggganccc agttcaaccc ctnaaccttc nagttaattc 420  
ccaaccccaa tcgtgtggta agcaanggtt ttgangataa agatttaatc taaaaaaaaa 480  
aaaaaaaaatc nggggggggc ccgtaacaat tgnccnaa 518

<210> 669  
<211> 545  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (8)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
 <222> (11)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (13)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (58)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (337)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (453)  
 <223> n equals a,t,g, or c

<400> 669  
 gcaagatnga nantaaccct cactaaaggg aacaaaagct ggagctccac cgcgggtgncg 60  
 gccgctctag aactagtgga tcccccgggc tgcaggaatt cggcacgaga gatagaggag 120  
 gcttccctcc aagagggaccc cgggggtccc gaggggaacc ctctggagga ggaaacgtcc 180  
 agcaccgagc tggagactgg cagtgtccca atccttcaat tggtgatttc tgctgtgatg 240  
 taattgtatg caggggttgt ggaaaccaga acttcgcctg gagaacagag tgcaaccagt 300  
 gtggtgatcg tggcagaggt ggccctggtg gcatgcnggg aggaagaggt ggcctcatgg 360  
 atcgtggtgg tcccggtgga atgttcagag gtggccgtgg tggagacaga ggtggcttcc 420  
 gtggtggccg gggcatggac cgaggtggct ttngtggagg aagacgaggt ggccctgggg 480  
 ggccctgga cctttgatgg aacagatggg aggaagaaga ggaggacgtg gaggacctgg 540  
 gaaaa 545

<210> 670  
 <211> 386  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc feature  
 <222> (141)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (173)  
 <223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (192)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (208)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (285)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (320)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (352)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (379)  
<223> n equals a,t,g, or c

<400> 670  
ggcggactcg gtggctagcc gatgaggagg ccgcgggggg aaccggcccc cgggccccga 60  
gaccgactga gggagcgacc tgcgcagggc ccggggagtc atgtaagggt ggcacccctg 120  
gctacagtca acatcttgat ntcactgtgc caactgcggt gcctgccctt canagccctg 180  
cactttgttt tntccccctgg cttcatcnac tacatcagtg gcacccctca tgctctgatt 240  
gtgcgtcgct acctctccct gctggacacg gccgtggagc tgganctccc aagatacccg 300  
ggtccccgcc ttccccgaan gcagtaagtg cccatctttc cccaacctct cntcaccgac 360  
cgtgcccgtg gcaagtacng tcacaa 386

<210> 671  
<211> 436  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (395)  
<223> n equals a,t,g, or c

<400> 671  
tggagacaga gcgagggttt gaggagttgc ccctgtgcag ctgccgcatg gaggcaccca 60

agattgacag catcagcgag agggcggggc acaagtgcac ggccactgag agtgtggacg 120  
gagagctgtc aggctgcaat gccgccatcc tcaagcggga gaccatgagg ccatccagcc 180  
gtgtggccct gatggtgtc tgtgagaccc accgcgcccg catggtcaaa caccactgct 240  
gcccgggctg cggtacttc tgcacggcgg gcaccttccct ggagtgccac cctgacttcc 300  
gtgtggccca ccgttccac aaggcctgtg tgtctcagct gaatgggatg gtcttctgtc 360  
cccactgtgg ggaggatact tctgaagctc aagangtgac catccccggg gtgacggggt 420  
gacccaacgg ccggca 436

<210> 672

<211> 504

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (22)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (32)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (33)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (55)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (57)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (68)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (75)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (76)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (89)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (110)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (124)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (147)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (159)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (163)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (180)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (204)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (211)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (224)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (226)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (251)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (265)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (286)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (287)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (288)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (300)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (307)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (334)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (347)  
<223> n equals a,t,g, or c



<220>  
<221> misc feature  
<222> (352)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (363)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (365)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (372)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (381)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (393)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (395)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (400)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (410)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (423)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (427)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (430)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (438)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (456)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (457)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (460)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (462)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (465)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (468)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (470)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

601

&lt;222&gt; (478)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (482)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (498)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (503)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 672

```
aattcggcac gagagcatat cnggtgcac tnnгаааgac atcgtgcact ctggntnggc 60
atacacantg gagcnntctg ccaggcaant tatgcgcaca gccatgaagn ataacctggg 120
tttngacctg agaacagctt cctatgntaa tgccattgng aangtcttca aagtgtacan 180
tgaagctggt gtgaccttca catngatgga ncatggctga cttncnact atcctcttca 240
catgtaactt ntgcagacct atcanaagtt tacatgtaac cacagnnntc cctttctctn 300
ctgactnatt aataatggct accattctta acangttaat ccaagtnag cncgtttaag 360
ggngnaaagg antcaagggt nggggggttc atntncaagn tgcgtgtggn agtagtaatt 420
ctnctgnan cagtggncc attttgggt attttnnctn tnaantanan agggctantt 480
tnatcttgtt gttgcagnct ttnc 504
```

&lt;210&gt; 673

&lt;211&gt; 431

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (13)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (34)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (55)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

602

&lt;222&gt; (103)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (113)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (114)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (412)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (422)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 673

```
aatacccaca ccnaacggga caaaaacctg gaanaccacc gaggtggcgg ccgcncatag 60
aactagtgga acccccaggg ctgcaggaat tcgggcacga ggnagagcgg acnngtgagc 120
agtactgagg cctcctctcc tctcctaacc tcgctctcgc ggcctagctt taccgccccg 180
cctgctcggc gaccagaaca cttccacca tgaccacctc agcaagttcc cacttaaata 240
aaggcatcaa gcagggtgtac atgtccctgc ctcagggtga gaaagtccag gccatgtata 300
tctggatcga tgggtactgga gaaggactgc gctgcaagac ccggaccctg gacagtgagc 360
ccaagtgtgt ggaagagttg cctgagtgga atttcgatgg ctctagtact tnacagtctg 420
anggttccag t 431
```

&lt;210&gt; 674

&lt;211&gt; 370

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (22)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (23)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (29)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (33)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (81)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (114)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (238)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (260)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (267)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (282)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (309)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (310)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (360)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (369)

<223> n equals a,t,g, or c

<400> 674

```
cgggcgggaa agtcaagata cnnctttnc tancctgggtg gagagagtta tccaacaatt 60
ggaaggtgct tttgcacttg ngtttaaaag tggtcatttt cccgggcaag cagntggcac 120
aaggcgaggt agccctctgt tgattggtgt acggagtga cataaacttt ctactgatca 180
cattcctata ctctacagaa caggcaaaga caagaaagga agctgcaatc tctctcngt 240
ggacagcaca acctgccttn tcccggngga agaaaaagca gnggagtatt actttgcttc 300
tgatgcaann gctgcataga acacaccaat cgcgtcatct ttctggaaga tgatgatgtg 360
gcagcaagna                                     370
```

<210> 675

<211> 363

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (5)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (49)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (50)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (57)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (65)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (99)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (211)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (212)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (215)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (298)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (316)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (318)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (325)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (329)  
<223> n equals a,t,g, or c

<400> 675  
ggcanagaga agagagagag agagagagag agactcgtaa ttcggcagann cccccangta 60  
cagtncccttc aagcctacaa gccccgagag aatgatgant tggcactgga gaaagccgac 120  
gtggtgatgg tgactcacca gagcagtgca cggctggctg gagggcgtga ggctctcaga 180  
cggggagcga ggctgggttc ctgtgacagc nntgngagtt catttccaac ccagaggtcc 240  
gtgacacaga acctgaaggg aagcttcacg gaggcaaga cttgccaac tacagctngt 300  
gggaacagca agcctnantt ttctnctgna gaaggagttt tcgtgagctg gaagaacaag 360  
ttg 363

<210> 676  
<211> 441  
<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (214)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (353)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (397)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (404)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (413)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (440)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (441)

<223> n equals a,t,g, or c

<400> 676

```
ccgaggacca gcgcaacgag gagaaggcgc acgtgaggcc aacaaaaaga tcgagaagca 60
gctgcagaag gacaagcagg tctaccgggc caccgaccgc ctgctgctgc tgggtgctgg 120
agaatctggt aaaagcacca ttgtgaagca gatgaggatc ctgcatgtta atgggtttaa 180
tgagagacagt gagaaggcaa ccaaagtgcg gganatcaaa aacaacctga aagaggcgat 240
tgaaaccatt gtggccgcca tgagcaacct ggtgcccccc gtggagctgg ccaaccccgga 300
aaaccagttc agagtggact acatcctgag tgtgatgaac gtgcctgact ttnacttccc 360
tcccgaattc tatgagcatg ccaaggctct gtgggangat gaangagtgc gtnctgcta 420
cgaacgctcc aacgaatacn n 441
```

<210> 677

<211> 550

<212> DNA

<213> Homo sapiens



607

<220>  
<221> misc feature  
<222> (217)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (429)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (482)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (484)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (487)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (523)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (542)  
<223> n equals a,t,g, or c

<400> 677  
gcgactcgca gcgccaggcc accaaggatg cgggtgtgat cgcggggctc aacgtgctgc 60  
ggatcatcaa cgagcccacg gccgccgcca tcgcctacgg cctggacaga acgggcaagg 120  
gggagcgcaa cgtgtcatc tttgacctgg gcgggggcac cttegacgtg tccatcctga 180  
cgatcgacga cggcatcttc gaggtgaagg ccacggncgg ggacaccac ctgggtgggg 240  
aggactttga caacaggctg gtgaaccact tcgtggagga gttcaagaga aaacacaaga 300  
aggacatcag ccagaacaag cgagccgtga ggcggctgcg caccgctgcg agagggccaa 360  
gaggaccctg tcgtccagca cccaggccag cctggagatc gacttccttg tttgagggc 420  
atcgacttnt acacgttcat caccaggcg aaggttcgaa ggagctgtgc ttccgacctt 480  
gntnccnaaa caccctggg aaccctgtg gaaaaaaggc ttnttgccg gaaaggccca 540  
ancttgggac 550

<210> 678  
<211> 435  
<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (47)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (55)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (134)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (295)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (330)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (333)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (344)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (376)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (385)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (401)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (423)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (434)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (435)  
<223> n equals a,t,g, or c

<400> 678  
tgcaggaaga gctcgtggaa gaggtggtgg cccagtcaa aactggnaac caggnatata 60  
gtaactattg gaatcaaggc tatggcaact atggatataa cagccaaggt tacggtggtt 120  
atggaggata tggnctacac tggttacaac aactactatg gatatggtga ttatagcaac 180  
cagcagagtg gttatgggaa ggtatccagg cgaggtggtc atcaaaatag ctacaaacca 240  
tacttaaatt attccatttg caacttatcc ccaacagggt gtgaagcata ttttnccatt 300  
tgaaggttcc tttgaggggg gctccgcccn ggncttaatt ggcnttccaa ctaaattttt 360  
gggtatccag tcccnatgg gagtntgcgg tggggccccc nggagtttaa ttcggggtcc 420  
ccntaaagga tttnn 435

<210> 679  
<211> 390  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (164)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (217)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (287)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (330)  
<223> n equals a,t,g, or c

610

<220>  
<221> misc feature  
<222> (333)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (371)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (390)  
<223> n equals a,t,g, or c

<400> 679  
cggacgcgtg ggctctggcc cctggctctg tcctgttctc caacatgggtg tgtctgaagt 60  
tccctggaag ctccctgcatg gcagctctga cagtgcact gatgggtgctg aactccccac 120  
tggctttggc tggggacacc cgaccacgtt tcttggagca ggtnaaacat gaatgtcatt 180  
tcttcaacgg gacggaacgg gtgcggttcc tggacanata cttctatcac caagaagaat 240  
acgtgcgctt cgacagcgac gtgggggaat accggggcgg gacgganctg gggcggccta 300  
actccgaata ctggaacagc cagaaagacn ccngggacag aagcggggccg cgggtggacac 360  
ctactgcaga nacactacgg ggttggtgn 390

<210> 680  
<211> 343  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (2)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (3)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (8)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (11)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (18)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (121)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (122)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (132)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (158)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (160)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (175)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (197)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (202)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (223)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (240)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (272)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (278)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (280)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (292)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (331)

<223> n equals a,t,g, or c

<400> 680

```
anngtcanac ngacagtnac cgtccggatt cccgggtcga cccacgcgtc cgtgagggtta 60
cagattatgc cattgccagg cgcatagtag atttgcattc aagaattgag gaatcaattg 120
nnaatatcta tnccctcgat gatatcagaa gatatctncn ctatgcaaga aagtntaaac 180
ccaagaattc caaagantca gnggacttca ttgtggagca atntaaacat ctccgcccgn 240
aagatggggt ctggagtagc ccagtcttca tngagggntn cagttgcggc cncattgagg 300
gccttggtac cgtctctctt ggaagccaat ngctccgggt gcc 343
```

<210> 681

<211> 523

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (17)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (22)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (25)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (72)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (141)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (383)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (442)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (487)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (500)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (503)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (514)  
<223> n equals a,t,g, or c

<400> 681  
natcttccgt gacactnttg anggnacgcc cgcaggtacc cggtcggaa ttcccgggtc 60

gacccacgcg tncgccaat ttaccaatc tatcacccta tagaagagct aatgttagta 120  
taagtaacat gaaaacattc ncctccgcat aagcctgcgt cagattaaaa cactgaactg 180  
acaattaaca gcccaataatc tacaatcaac caacaagtca ttattaccct cactgtcaac 240  
ccaacacagg catgctcata aggaaagggt aaaaaaagta aaaggaactc ggcaaattct 300  
accccgctg ttaccacaaa acatcacctc tagcatcacc agtattagag gcaccgcctg 360  
cccagtgaca catgtttaac ggncgcggtc ccctaaccgt gcaaaggtag cataatcact 420  
tggtccttaa ttagggacct gnatgaatgg ctccacgagg gtcagctggc tcttactttt 480  
aaccagnгаа attgacctgn cngaaagg cggnatgaca cag 523

<210> 682

<211> 713

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (423)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (583)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (595)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (605)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (626)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (633)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (640)

<223> n equals a,t,g, or c

<220>

<221> misc feature



<222> (646)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (660)

<223> n equals a,t,g, or c

<400> 682

```
ggtcaaccca acacagggcat gtcataagg aaagggttaa aaaagtaaaa ggaactcggc 60
aaatcttacc ccgcctgttt accaaaaaca tcacctctag catcaccagt attagaggca 120
ccgcctgccc agtgacacat gttaacggc cgcggtagcc taaccgtgca aaggtagcat 180
aatcacttgt tccttaaata gggacctgta tgaatggctc cagaggggtt cagctgtctc 240
ttacttttaa ccagtgaat tgacctgccc gtgaagaggc gggcatgaca cagcaagacg 300
agaagaccct atggagcttt aatttattaa tgcaaacagt acctaacaaa cccacaggtc 360
ctaaactacc aaacctgcat taaaaatttc gggtggggcg acctcggagc agaaccacaac 420
ctnecagcag tacatgctaa gacttcacca gtcaaagcga actactatac tcaattgac 480
caataacttg accaacggaa caagttaccc tagggataac agcgcaatcc tattctagag 540
tccatatcaa caataggggtt tacgaacctc gatgtttgat cangacattc ccatngtgca 600
gccnctatt taaaagggtt gttgntcac gantaaaggn cctacntgaa ctgagttcan 660
aaccggagta aattccaagg cgggttttta tctaccttaa aattcccccc tgg 713
```

<210> 683

<211> 289

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (6)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (15)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (28)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (73)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (80)

<223> n equals a,t,g, or c

616

<220>  
<221> misc feature  
<222> (225)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (237)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (240)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (252)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (287)  
<223> n equals a,t,g, or c

<400> 683  
tccccntact aaagngaaca aaagctgnag ctccaccgcg gtggcggccg ctctagaact 60  
agtggatccc ccnggctgcn tgaattcggc acgagcggca cgaggccctg cggggtgtac 120  
accccccggt gcggtcggg cctgctctgc taccgcgccg gaggggtgga gaagccctg 180  
cacacactga tgcacgggca aggcgtgtgc atggagctgg cgganatcga ggccatncan 240  
gaaagcctgc anccctctga caaggacgag ggtgaccacc ccaacanca 289

<210> 684  
<211> 464  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (4)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (353)  
<223> n equals a,t,g, or c

<400> 684  
ggangagccc agccctggga ttttcaggtg gtttcatttg gtgaacagga ctgaacagag 60  
agaactcacc atggaatttg ggctgagctg gctttttctt gtggctattt taaaaggtgt 120

ccagtgtgag gtgcaattgg tggagtctgg gggaggcttg gtacagcctg ggggggccct 180  
gagactctcc tgtacagtct ctggattcac ctttcgcaac tatgccatga gttgggtccg 240  
ccagggtcca ggggaagggc tggaatgggt ctcagcaatt gacggtagtg gttataaacac 300  
atactacgag aggtccctgc agggccgctt tagtgtctcc agagacaatt ccnagaacac 360  
actatatctg caaatgaaca gcctgggagc cgaggacacg gccatctatt attgtgcgaa 420  
gacagaacgt atgggtactg gctggtacgg acgaaatgac tact 464

<210> 685

<211> 545

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (6)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (10)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (14)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (16)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (20)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (326)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (428)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (438)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (442)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (456)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (457)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (505)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (509)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (536)  
<223> n equals a,t,g, or c

<400> 685  
attgantccn ttananaccn cctttatacg actcactata gggaaagctg gtacgcctgc 60  
aggtaccggt ccggaattcc cgggtcgacc cacgcgtccg gaccgtcacc cctggagaga 120  
cggcctccat ctccctgcagg tctagtcaga ccctcctgca tgtcaatgga cacaactatt 180  
tggattggta catgcagaag ccagggcagc ctccacagct cgtgggtctat aggggttcca 240  
atcgggcctc cgggggtccct gacaggttca gtggcgggtg atcaggcaca gattttacac 300  
ttagaatcac cacggtggag gctgangatg ttggcggtta ttactgcatg caagctctac 360  
aaagtccgta cacttttggc caggggacca agctggagat caaacgaact gtgggctgca 420  
ccatctgnet tcatcttncc gncatctgat gaacanntga aatctggaac tgcctctggt 480  
gggggcctgc tgaataactt ctatnccana gaggcccaaa gtaccagtgg aaaggnggga 540  
taacg 545

<210> 686  
<211> 496  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (358)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (417)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (460)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (472)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (481)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (488)

<223> n equals a,t,g, or c

<400> 686

```
ctactaaagg gaacaaaagc tggagctcca ccgcggtggc ggccgctcta gaactagtgg 60
atcccccggg ctgcaggaat tcggcacgag cggctgggcg ctgaggatca gccgcttcct 120
gcctggattc cacagcttcg cgccgtgtac tgtcgcccca tccctgcgcg cccagcctgc 180
caagcagcgt gccccggttg caggcgtcat gcagcgggcg cgacccacgc tctgggccgc 240
tgcgctgact ctgctggtgc tgctccgcgg gccgcccgtg gcgcgggctg gcgcgagctc 300
ggggggcctt ggtcccgttg tgcgctgcga accgtgcgac gcgcgtgcac tggcccantg 360
cgcgccttcc gcccgccgtg tgcccgga cttggtgcgc caagccgggc ttgcggntgc 420
tgcttgacgt gcgcactgag cgaaggcca gccgtgcggn atctacaccg ancgtgtgg 480
nttccggnct tcgttg                                     496
```

<210> 687

<211> 476

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (7)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (10)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (56)

<223> n equals a,t,g, or c

<400> 687

```
gcncganacn aaccctcact aaagggaaaca aaagctggag ctccaccgag gtgcgnccgc 60
tctagaacta gtggatcccc cgggctgcag gaattcggca cgagattgat gacaccaata 120
tcacacgact gcagctggag acagagatcg aggctctcaa ggaggagctg ctcttcatga 180
agaagaacca cgaagaggaa gtaaaaggcc tacaagccca gattgccagc tctgggttga 240
ccgtggaggt agatgcccc aaatctcagg acctcgccaa gatcatggca gacatccggg 300
cccaatatga cgagctggct cggaagaacc gagaggagct agacaagtac tgggtctcagc 360
agattgagga gagcaccaca gtggtcacca cacagtctgc tgaggttga gctgctgaga 420
cgacgctcac agagctgaga cgtacagtcc agtccttga gatcgacctg ggactt 476
```

<210> 688

<211> 483

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (4)

<223> n equals a,t,g, or c

<400> 688

```
anantaaccc tactaaagg gaacaaaagc tggagctcca ccgcggtgag gccgctctag 60
aactagtga tccccgggc tgcaggaatt cggcacgagc aggttccgc ccggaagaag 120
cgaccaaagc gcctgaggac cggcaacatg gtgcggtcgg ggaataaggc agctgttggtg 180
ctgtgtatgg acgtgggctt taccatgagt aactccatc ctggtataga atccccattt 240
gaacaagcaa agaaggtgat aaccatgtt gtacagcgac aggtgtttgc tgagaacaag 300
gatgagattg ctttagtcct gtttggtaca gatggcactg acaatcccct ttctgggtggg 360
gatcagtatc agaacatcac agtgcacaga catctgatgc taccagattt tgatttgctg 420
gaggacattg aaaagcaaaa tccaaccagg ttctcaacag gctgacttcc tgggatgcac 480
taa 483
```

<210> 689

<211> 339

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (109)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (135)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (155)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (236)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (260)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (280)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (289)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (337)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (338)

<223> n equals a,t,g, or c

<400> 689

aggcaggagg aagccgatcg aaaactcaga gaggaggaag agaagaggag gctaaaggaa 60  
gagattgaaa ggcgaggagc agaagctgct gagaaacgcc agaagatgnc agaagatggc 120  
ttgtcagatg acagnaaacc attcaagtgt ttcantccta aaagggttcac ctcttcaaga 180

622

tagaagagcg agcagatttt tgattaagtc tgtgcagaaa agcagtgggtg ttcaantcga 240  
 cccttcaagc agcattagtn ttccaagttt gacagcagan tggagcatnt taccatggca 300  
 tttaggggga ccaaaagcag ccaaaacctt aaaaaanna 339

&lt;210&gt; 690

&lt;211&gt; 594

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (473)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 690

gntgctttct ccaccagaag ggcacacttt catctaattt ggggtatcac tgagctgaag 60  
 acaaagagaa gggggagaaa acctagcaga ccaccatgtg ctatgggaag tgtgcacgat 120  
 gcatcggaca ttctctgggtg gggctcgccc tcctgtgcat cgcggctaata attttgcttt 180  
 actttcccaa tggggaaaca aagtatgcct ccgaaaacca cctcagccgc ttcgtgtggt 240  
 tcttttctgg catcgtagga ggtggcctgc tgatgctcct gccagcattt gtcttcattg 300  
 ggctggaaca ggatgactgc tgtggctgct gtggccatga aaactgtggc aaacgatgtg 360  
 cgatgctttc ttctgtattg gctgtctca ttggaattgc aggatctggc tactgtgtca 420  
 ttgtggcagc ccttggctta gcagaaggac cactatgtct tgattccctc ggncagtggg 480  
 actacacctt tgccagcacc gagggccaag taccttctgg ataccttcac atgggtccgag 540  
 tgcactgaac ccaacacatt ggggaatgga atggatctct ggtttctatc ctct 594

&lt;210&gt; 691

&lt;211&gt; 538

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (3)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (6)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (9)

&lt;223&gt; n equals a,t,g, or c



623

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (55)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 691

```
ganganacna accctcacta aagggaacaa aagctggagc tccaccgagg tgcgnccgct 60
ctagaactag tggatccccc gggctgcagg aattcggcac gagcgcatga ctttgtcttc 120
tccgcacgac tggtacagag gtctccagag cttctctct cctgtgcaaa atggcaactc 180
ttaaggaaaa actcattgca ccagttgcgg aagaagaggc aacagttcca aacaataaga 240
tcaactgtagt ggggtgttga caagttggta tggcgtgtgc tatcagcatt ctgggaaagt 300
ctctggctga tgaacttgct cttgtggatg ttttgaaga taagcttaaa ggagaaatga 360
tggatctgca gcatgggagc ttatttcttc agacacctaa aattttggca gataaagatt 420
attctgtgac cgccaattct aagattgtag tggtaactgc aggagtcctg cagcaagaag 480
gggagagtcg gctcaatctg gtgcagagaa atgttaatgt cttcaaattc attattcc 538
```

&lt;210&gt; 692

&lt;211&gt; 201

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (125)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (143)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (161)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (165)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (183)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 692

```
gctcattgcc acgcgcccc gacgaccgcc cgacgtgcat tcccgattcc ttttggttcc 60
aagtccaata tggcaactct aaaggatcag ctgatttata atcttctaaa ggaagaacag 120
accncncaga ataagattac agntgttgagg gttgggtgctg ntggnatggc ctgtgccatc 180
aanatcttaa tgaaggactt g                                     201
```

<210> 693  
<211> 589  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (2)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (23)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (271)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (312)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (342)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (354)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (377)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (401)  
<223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (424)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (437)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (466)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (491)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (551)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (571)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (572)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (576)  
 <223> n equals a,t,g, or c

<400> 693  
 nncaaaaagt acctagggtga cantatagaa ggtacgcctg caggtaccgg tccggaattc 60  
 ccgggggttgt taacttgttt attgcagctt ataattggtta caaataaaagc aatagcatca 120  
 caaatttcac aaataaaagca tttttttcac tgcattctag ttgtgggttg tccaaactca 180  
 tcaatgtatc ttatcatgtc tggatcgatc ctgcattaat gaacggccaa cgcgcgggga 240  
 gaggcgggtt gcgtattggc tggcgtaata ncgaaaagcc cgcaccgatc gcccttcccc 300  
 acagttgcgc ancctgaatg gcgaatggga cgcgccctgt ancggcgcat taancgcggc 360  
 ggggtgtggtg gttaccncaa cgtgaccgct acacttgcca ncgccctaac gcccgtcctt 420  
 ttncntttct tcccctncct ttctccccc cgttcgcgcg gggttncccc gtcaaaactct 480  
 aaatccgggg ntccttcta agggttccca atttaattgc ttaacggcac ctccaacccc 540  
 aaaaaaactt naataagggg tgaatggttc nnctanttg gcccaccccc 589

<210> 694  
<211> 386  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (59)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (135)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (149)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (173)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (202)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (204)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (244)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (326)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (340)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (369)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (370)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (383)  
<223> n equals a,t,g, or c

<400> 694  
ggcaaagcat ggggcagcga gtgtgagaaa tgccctctgc ctggcacaga ggccttcana 60  
gagatctgcc ctgccggcca cggtacacc tacgcgagct ccgacatccg cctgtccatg 120  
aggaaagccg aggangaaga actggcaang cccccaaggg agcaagggca gangagcagc 180  
tgggcactgc ccgggccaac ananaagcag cccctccggg ttcgtcacgg acacctggct 240  
tgangccggg accatccctg acaagggtga ctctcaagct ggccagggtca cgaccagtgt 300  
cactcatgca cctgcctggg tcacanggaa atgccapaan cccacccaat gcctgaacag 360  
ggaattgcnn aaaattccgg aaaaaa 386

<210> 695  
<211> 475  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (231)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (278)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (423)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (459)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (463)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (465)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (466)

<223> n equals a,t,g, or c

<400> 695

```
ggttcacagc atatattggt ggattcttgt ccatagtgc tctgctttaa gaattaacga 60
aagcagtggt aagacagtaa ggattcaaac ctttgccaa aaatgagtct aagtgcattt 120
actctcttcc tggcattgat tgggtgtacc agtggccagt actatgatta tgattttccc 180
ctatcaattt atgggcaatc atcaccaaac tgtgcaccag aatgtaactg ncctgaaagc 240
taccaaatgt ccatgtactg tgatgagctg aaattganaa gtgtaccaat ggtgcctcct 300
ggaatcaagt atctttacct taggaataac cagattgacc atattgatga aaaggccttt 360
gagaatgtaa ctgatctgca gtggctcatt ctagatcaca accttctaga aaactccaag 420
atnaaaggga gagttttctc taaattgaaa caactgaana agtnntata accac 475
```

<210> 696

<211> 444

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (402)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (410)

<223> n equals a,t,g, or c

<400> 696

```
tatcaagtgt actccaaaat ccaggcaaca aacacatggc tgtttctaag tagctgtaac 60
ggaaatgaaa cttctctttg ggactgcaag aactggcaat ggggtggact tacctgtgat 120
cactatgaag aagccaaaat tacctgtcga gccacaggg aaccagact ggttgaggag 180
gacattccct gttctggacg tgttgaagtg aagcatggtg acacgtgggg ctccatctgt 240
gattcagact tctctctgga agctgccagc gttctatgca gggaattaca gtgtggcaca 300
gttgtctcta tcctgggggg agctcacttt ggagagggaa tggacagatc tgggctgaag 360
aattccagtg ttgagggaca tgaatcccca tctttcatct tnccagtagn aaccccggcc 420
aaaaggaact tgtagccaca gcaa 444
```

<210> 697

<211> 411

<212> DNA

629

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (104)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (305)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (338)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (370)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (375)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (391)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (410)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 697

```
aacatggcgg gtgtggagga ggtagcggcc tccgggagcc acctgaatgg cgacctggat 60
ccagacgaca gggaagaagg agctgcctct acggctgagg aaanagccaa gaaaaaaga 120
cgaaagaaga agaagagcaa agggccttct gcaggtaaag agagttttat gttttcccag 180
tcccctccgg gaacggctga actgtttggc tcaggcccgt tgagggggcc gggaccgggg 240
ccccagagcc ccgactagac tgattcttgg gcctgacagg gtggcaaagc cgggctatag 300
atcanggtgc acctgagctt tctctgatgt atgcccangc agatctccag gtattcagag 360
cacctgcttn cccancctgt tagtcttagt naccacaacc tcctgtgcan a 411
```

&lt;210&gt; 698

&lt;211&gt; 135

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

630

<220>  
<221> misc feature  
<222> (21)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (27)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (54)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (65)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (79)  
<223> n equals a,t,g, or c

<400> 698  
ggcgtgggtt tccgggaggg nacctgnggg gccagaccc agcgcatccg gtgnaggggtg 60  
ccctncaact ggaagatgna ttctgagccg atttcaagta caaagtttta gaacttgggg 120  
tgcggtgtgat taggg 135

<210> 699  
<211> 434  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (7)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (15)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (18)  
<223> n equals a,t,g, or c

<220>



631

<221> misc feature  
<222> (56)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (61)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (321)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (368)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (369)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (391)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (394)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (427)  
<223> n equals a,t,g, or c

<400> 699  
cgtacangag ctganggnga ggcgcgcctgc aggtcgacac tagtggatcc aaagantgtc 60  
ngcacagttt tctctcttgg agcatgcatg gaaggcctga atattttgct taacagactg 120  
ttggggattt cattatatgc agagcagcct gcaaaaggag aggtgtggag cgaagatgtc 180  
cgaaaactgg ctgttggtca tgaatctgaa ggattgttgg ggtacattta ctgtgatttt 240  
tttcagcgag cagacaaacc acatcaggat tgccatttca ctatccgtgg aggcagacta 300  
aaaggaagat gggagactat ncaactccca gttgtaagtt cttatgctgg aatcttcccc 360  
gttcccgnna gggagttctc caactttggc naangcctgg gcatgatggg aaaacctttc 420  
ccagganggg ggac 434

<210> 700  
<211> 435

<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (118)  
<223> n equals a,t,g, or c

<400> 700  
gccgagcgca cgccttgccg ccgccccgca gaaatgcttc gggtacccac agtctttcgc 60  
cagatgagac cgggtgtccag ggtactggct cctcatctca ctccgggctta tgccaaanat 120  
gtaaaatttg gtgcagatgc ccgagcctta atgcttcaag gtgtagacct tttagccgat 180  
gctgtggccg ttacaatggg gccaaaggga agaacagtga ttattgagca gagttgggga 240  
agtcccaaag taacaaaaga tgggtgtgact gttgcaaagt caattgactt aaaagataaa 300  
tacaagaaca ttggagctaa acttgttcaa gatgttgcca ataacacaaa tgaagaagct 360  
ggggatggca ctaccactgc tactgtactg gcacgctcta tagccaagga aggccttcgag 420  
aagattagca aaggt 435

<210> 701  
<211> 406  
<212> DNA  
<213> Homo sapiens

<400> 701  
aaaatttggg gcagatgccc gagccttaat gcttcaagggt gtagaccttt tagccgatgc 60  
tgtggccggt acaatggggc caaagggaag aacagtgatt attgagcaga gttggggaag 120  
tcccaaagta acaaaagatg gtgtgactgt tgcaaagtca attgacttaa aagataaata 180  
caagaacatt ggagctaaac ttgttcaaga tgttgccaat aacacaaatg aagaagctgg 240  
ggatggcact accactgcta ctgtactggc acgctctata gccaaaggaag gcttcgagaa 300  
gattagcaaa ggtgctaata cagtggaaat caggagaggt gtgatgtag ctgttgatgc 360  
tgtaattgct gaacttaaaa agcagtctaa acctgtgacc acccct 406

<210> 702  
<211> 266  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (203)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (215)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (230)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (239)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (252)

<223> n equals a,t,g, or c

<400> 702

```
tgtgagttca agcgggtgcc gcagtgcccc agcgggaggg tctacgtgct gaagttcaag 60
gcagggtcca agcggctttt cttctggatg caggaaccca agacagacca ggatgaggag 120
cattgccgga aagtcaacga gttatctgga acaaccccc gatgcctggg gactggggg 180
ccagcggaac agcggccacg aantctctgc gctangcggg tgaggtggcn tgcagagcnt 240
gctggggaaa cntgagccac agccag 266
```

<210> 703

<211> 244

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (194)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (207)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (208)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (211)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (216)

<223> n equals a,t,g, or c

<400> 703

```
tacctacgcc taatctactc cacctcaatc acactactcc ccatatctaa caacgtaaaa 60
ataaaatgac agtttgaaca tacaaaaccc accccattcc tccccacact catcgccctt 120
```

634

accacgctac tcctacctat ctcccctttt atactaataa tcttataaaa aaaaaaaaaa 180  
aaaaaaaaaa aaangggggg gccgggnncc natttngccc aaaggggggg ggttttataaa 240  
ttca 244

<210> 704

<211> 462

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (7)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (45)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (102)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (162)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (168)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (183)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (186)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (189)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (206)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (215)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (224)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (259)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (270)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (294)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (314)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (321)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (323)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (336)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (339)

636

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (344)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (347)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (356)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (358)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (381)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (401)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (406)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (427)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (443)

<223> n equals a,t,g, or c

<400> 704

gtaaganccta agtgaccctc ggctgctgca ggggatctgc agcgnactgc agccatgggg 60  
gccacacttg tccggcgcta cctgggcgat gcctcggtgg ancccgaccc cctgcagatg 120  
ccaaccttcc cgccagacta cggttcccc gaacgcaagg ancgcganat ggtggccaca 180

637

cancangana tgatggacgc gactnaagc tccanctgcg ggantactgc gcccaccaac 240  
tcatccgggt gctcaattnc aaccttaaan cttccccccac ttccttggtc tgcnaccag 300  
gaacgggaca aatnggaata ntnccaaaca cccanaant tttnttnccc ttaaanantt 360  
tttaaacgga aacgaagggt ntcccccccg gaaaaaaaaac nggggnaaaa aaaggggaaa 420  
ttttttnccc cccccccgcc cgnngaaatt ttcccccccg tt 462

&lt;210&gt; 705

&lt;211&gt; 436

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 705

gaaggtcagc gccgtaatgg cgttcttggc gtcgggaccc tacctgaccc atcagcaaaa 60  
ggtgttgccg ctttataagc gggcgctacg ccacctcgag tcgtggtgcg tccagagaga 120  
caaataccga tactttgctt gtttgatgag agcccggtt gaagaacata agaataaaa 180  
ggatatggcg aagggcaccc agctgctgaa ggaggccgag gaagaattct ggtaccgtca 240  
gcattcacag ccatacatct tccctgactc tcctgggggc acctcctatg agagatacga 300  
ttgctacaag gtcccagaat ggtgcttaga tgactggcat ctttctgaga aggcaatgta 360  
tcctgattac ttgccaaga gagaacagtg gaagaaactg cgggagggaa agctgggaac 420  
gagagggtta gcagct 436

&lt;210&gt; 706

&lt;211&gt; 487

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (26)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (34)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (45)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (51)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (63)

&lt;223&gt; n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (72)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (107)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (120)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (122)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (127)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (130)  
<223> n equals a,t,g, or c ,

<220>  
<221> misc feature  
<222> (161)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (176)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (190)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (202)  
<223> n equals a,t,g, or c

<220>



<221> misc feature  
<222> (229)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (279)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (289)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (293)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (341)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (346)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (359)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (371)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (378)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (384)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

640

<222> (404)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (442)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (453)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (467)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (483)  
<223> n equals a,t,g, or c

<400> 706  
gccagaagaa cactgctgct cttggnggac gggncacagag gaatncagag ntaaaccttg 60  
agngcctgcg tncgtgagaa ttcagcatgg aatgactcta ctatttctg ggatttctgn 120  
tntggntgn aagattgcca cttgatgccg ccaaacgatt ncatgatgag ctgggnaatg 180  
aaagaccttn tgcttacatg anggagcaca atcaattaaa tggctggtnt tctgatgaaa 240  
atgactggaa tgaaaaactc taccagtggt ggaagcgng agacatgang tngaaaaaac 300  
tgctggaagg gagggccgtg tgcaaggcgg tcctgaccag ngactnacca acccttgng 360  
ggctcaaata naacattngc cggngaacct gatattccct aaangccaaa aggaagaagc 420  
caatggcaac ataggctatg anaagaactg ganaaatgaa gctgggntaa acagctgaac 480  
canaagg 487

<210> 707  
<211> 414  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (178)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (214)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

641

<222> (219)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (365)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (368)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (382)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (402)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (408)  
<223> n equals a,t,g, or c

<400> 707  
ggttggtctc tggagcagcg ttcttttata tccgtccgcc ttctctccta cctaagtgcg 60  
tgccgccacc cgatggaaga ttcgatggac atggacatga gccccctgag gccccagAAC 120  
tatcttttcg gttgtgaact aaaggccgac aaagattatc actttaaggt ggataatnat 180  
gaaaatgagc accagttatc tttaagaacg gtcngtttng gggctgggtgc aaaggatgag 240  
ttgcacattg ttgaagcaga ggcaatgaat tacgaaggca gtccaattaa agtaacactg 300  
gcaactttga aaatgtctgt acagccaacg gttttccctt tgggggcttt gaataacacc 360  
accanggncc ttaaggttga antgtggttc agggccatgc cnattagnng acag 414

<210> 708  
<211> 360  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (287)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (335)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (343)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (352)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (355)  
<223> n equals a,t,g, or c

<400> 708  
gaaaagccat ctttgcattg ttctcatcc gcctccttgc tcgccgcagc cgcctccgcc 60  
gcgcgcctcc tccgccgccg cggactccgg cagctttatc gccagagtcc ctgaactctc 120  
gctttctttt taatcccctg catcggatca ccggcgtgcc ccaccatgtc agacgcagcc 180  
gtagacacca gctccgaaat caccaccaag gacttaaagg agaagaagga agttgtggaa 240  
gaggcagaaa tggaagagac gccctgctaa cgggatgcta atgaggnaat ggggagcagg 300  
aggtgacatg aggtagccga gaagaggaag aagtngggag aanagagaga anaanaagtt 360

<210> 709  
<211> 253  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (9)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (17)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (30)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (72)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (80)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (110)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (138)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (183)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (189)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (199)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (241)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (252)  
<223> n equals a,t,g, or c

<400> 709  
aaagctatnt cgggtganact atataaggtg cgcctgcagg taccgggtccg gaattcccgg 60  
gtcgaccac gngtcgctn cgggtggtgaa caagtctcca gcaccatn tggtttgtct 120  
ggcccacat ccggcgngg acctttccg ttagcgtggg tgatattgtt cctgctcgag 180  
gcncaaatng gtccttgga tctcctcca tctgcccatt aactctcgca agtgcctccg 240  
ngaggaaatt cnc 253

<210> 710  
<211> 496  
<212> DNA  
<213> Homo sapiens

<220>

<221> misc feature  
<222> (11)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (14)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (220)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (289)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (304)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (312)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (342)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (344)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (357)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (371)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (376)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (386)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (404)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (407)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (412)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (413)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (420)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (460)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (463)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (469)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (476)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (483)

<223> n equals a,t,g, or c

<400> 710

```
gaattcggca nagnaagagc tcctgacaca acctggagac tggacattat ttgtgccaac 60
caatgatgct ttttaagggaa tgactagtga agaaaaagaa attctgatac gggacaaaaa 120
tgctcttcaa aacatcattc tttatcacct acaccaggag ttttcattgg aaaaggattt 180
gaacctgggtg ttactaacat ttttaaagac cacacaaggn agcaaaatct ttctggaagg 240
aagtgaatg gttacacttc tgggtgaatg atttggaat ccaaaagant ctgacatcca 300
tggncacca anggtggtaa tttcatgttg taggttaaac tncncttttc cagcagncac 360
accttttggg natggnntcaa ctggtnggga tacttgatta ttnnatncaa tnnccctccn 420
atttaagggt ttttcggggg tggggccctt caagggaatn ccngggctnt tttttnacac 480
ctnaattttt tcccccc                                     496
```

<210> 711

<211> 461

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (3)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (12)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (37)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (63)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (221)



<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (337)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (364)

<223> n equals a,t,g, or c

<400> 711

```
ntncaatgga anctccctgg agctttcacc gcggtgnccg gccgctctag aactagtgga 60
ttnccegggc tgcaggaatt cggcacgagg tcgcagacac tatgtgcct cccatggccc 120
tgcccagtgat atcttggaatg ctgctttcct gcctcatgct gctgtctcag gttcaagggtg 180
aagaacccca gaggggaactg ccctctgcac ggatccgctg ncccaaaggc tccaaggcct 240
atggctccca ctgctatgcc ttgtttttgt caccaaaatc ctggacagat gcagatctgg 300
cctgccagaa gcggccctct ggaaacctgg tgtctgngct cagtggggct gagggatcct 360
ctgngcctcc ctggtgaaga gcattggtaa cagctactca tacgtctgga ttgggctcca 420
tgacccca cagggcaccg agcccaatgg ataaagggtg g 461
```

<210> 712

<211> 392

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (326)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (359)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (368)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (376)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (389)

<223> n equals a,t,g, or c

<400> 712

```
cgcaaccttt ccaagggagt ggttgtgtga tcgccatctt agggaaaaga tggtctcgtc 60
cgtggcgcac ctggcgcggg cgaaccctt caacacgcca catctgcagc tggcgcacga 120
tggtctcggg gacctccgca gcagctcccc agggccacag ggccagcccc gccgcccctg 180
caacctggca gccgcccggc tggaagagca gtatagctgt gactatggat ctggcagatt 240
ctttatcctt tgtggacttg gaggaattat tagctgtggc acaacacata cagcattggt 300
tcctctagat ctggttaaata gcagangcag gtttgttttt gcatgctgga cttagagcna 360
ttgaagcntg actgangtta agtattagna ta 392
```

<210> 713

<211> 734

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (235)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (256)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (373)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (496)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (580)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (601)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (642)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (655)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (690)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (703)  
<223> n equals a,t,g, or c

<400> 713  
gagaaaaagg tggaacggca gacggaactt aagcgcaaat ttgaacagat gaaacaagat 60  
aggatcacca gataccaggg tggttaatctt tatgtgaaaa atcttgatga tggattgat 120  
gatgaacgtc tccggaaaga gttttctcca ttgtgtacaa tcactagtgc aaaggttatg 180  
atggagggtg gtcgcagcaa agggtttggt ttgttatgtt tctcctccc agaanaagcc 240  
actaaagcag ttacanaaat gaacggtaga attgtggcca caaagccatt gtatgtagct 300  
ttagctcagc gcaaagaaga gcgcaggct cacctcacta accagtatat gcagagaatg 360  
gcaagtgtac gantgtttcc caaccctgta atcaaccctt accagccagc acctccttca 420  
ggttacttca tggcagctat cccacagact cagaacgtgc tgcatactat cctcctagcc 480  
aaattgctca actaanacca agtcctcgct ggactgctca gggtgccata actcatccat 540  
tccaaaatat gcccggtgct atccgcccag ctgctcctan aacaccattt agtactatga 600  
naacagcttc ttctcagcaa catcttaatg cacagccaca anttacaatg cacancctgc 660  
tgttcatgtt caaggtcagg aacctttgan tgcttccatg ttngcatctg cccccccca 720  
aaacaaaacc aatt 734

<210> 714  
<211> 500  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (3)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (5)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (6)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

650

<222> (7)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (22)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (26)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (33)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (36)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (38)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (42)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (449)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (470)  
<223> n equals a,t,g, or c

<400> 714  
tantnnntta accctcacta anggcnaaa agnctngngc tncaccgcgg tggcgggccgc 60  
tctagcaact agtggatccc ccgggcctgt caggaattcg gcacgagctg ggacaagcga 120  
gttttttaaac aaagtgactg aggcacagga agatggccag tcaacttctg aattgattgg 180  
ccagtttggt gtcggtttct attccgcctt ccttgtagca gataaggtta ttgtcacttc 240  
aaaacacaaac aacgataccc agcacatctg ggagtctgac tccaatgaat tttctgtaat 300  
tgctgaccca agaggaaaca ctctaggacg gggaaacgaca attacccttg tcttaaaaga 360  
agaagcatct gattaccttg aattggatag aattaaaaat ctcgtcaaaa aatattcaca 420

gttcataaac tttcctatatt atgtatggng cagcaagact gaaactgttn aggagcccat 480  
ggaggaagaa ggagcagcca 500

<210> 715

<211> 491

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (4)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (58)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (62)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (65)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (116)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (248)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (250)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (271)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (278)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (285)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (293)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (310)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (314)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (319)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (321)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (326)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (339)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (353)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (360)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (398)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (410)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (422)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (473)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (474)  
<223> n equals a,t,g, or c

<400> 715  
gnanaaatgt ggtggaggct cagtttgata gccgggttcg tgcaacagga cacagttntg 60  
anaantacaa caagtgggaa acgatatagg cttggactca acaagtcgcc actganaatc 120  
cagccctcat ctctgcagct gttatcgga ccacatttga gggacgcgct atttacctcc 180  
tgaagggttg caaagctgga caaaataagc ctgccatttt catggactgt gggtttccca 240  
tgccaganan ttggatttct ccctgcattc ngccagtngg tttntaaaa aangcggttc 300  
ccttcctatn gacntttana ncccanttga caaacttcnc caacaattta aanttttatn 360  
ttcccgcctt gtggcccaa tattgaagg caacttcnac cccgggaacn aaaacccaat 420  
tntggaaaaa aaaaccccc cccccctgg tgggattctt gctttggttg ggnccaccc 480  
caaaaaaatt t 491

<210> 716  
<211> 331  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (242)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (303)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (321)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (322)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (326)  
<223> n equals a,t,g, or c

<400> 716  
gtaaagccgg ggcagcagcc ggcgggtccgg gtgtaagcgg cgtgtgcgtg tgcaagagcc 60  
gctaccgggt gtgcggcagc gacggcacca cctaccggag cggctgccag ctgcgcgccg 120  
ccagccagag ggccgagagc cgcggggaga aggccatcac ccaggtcagc aagggcacct 180  
gcgagcaagg tccttcata gtgacgcccc ccaaggacat ctggaatgtc actggtgccc 240  
angtgtactt gagctgtgag gtcacgga tcccgcacacc tgtcctcatc tggaacaagg 300  
tanaaagggg tcactatgga nntcanagga c 331

<210> 717  
<211> 486  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (5)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (25)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (32)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature



<222> (38)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (42)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (68)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (78)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (99)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (107)

<223> n equals a,t,g, or c

<400> 717

```
tatcnttact aagggtacaa agttingggtc tncacccngg tngaggaccg ctcctagcaa 60
ctagtggntc ccccggnct gcaggaattc ggcacgagna tattagnacg cggttattcg 120
gtgagcgggtg gtggtttatt ctccgtgga gttagggtc cgtggacat ctcaggtctt 180
cagggtcttc catctggaac tatataaagt tcagaaaaca tgtctcgaga tatgactcca 240
ggaccactat attttctcca gaaggtcgct tataccaagt tgaatatgcc atggaagcta 300
ttggacatgc aggcacctgt ttgggaattt tagcaaatga tgggtgtttg cttgcagcag 360
agagacgcaa catccacaag cttcttgatg aagtctttt ttctgaaaaa atttataaac 420
tcaatgagga catggcttgc agtgtggcag gcataacttt ctgatgctaa tggtctgact 480
aatgac 486
```

<210> 718

<211> 479

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (436)

<223> n equals a,t,g, or c

<400> 718

```
tcgaccacg cgtccgcagc ccacccatcc acgttgactc atcctcagag acgaatcgac 60
```

656

accctcaact cagatggata caccctgag ccagacaaac cgcggccgat gcccattggac 120  
acgagcgtgt atgagagccc ctacagcgac ccagaggagc tcaaggacaa gaagctcttc 180  
ctgaagcgcg ataacctcct catagctgac attgaacttg gctgcggcaa ctttggtca 240  
gtgcgccagg gcgtgtaccg catgcgcaag aagcagatcg acgtggccat caaggtgctg 300  
aagcagggca cggagaaggc agacacggaa gagatgatgc gcgaggcgca gatcatgcac 360  
cagctggaca acccctacat cgtgcggctc attggcgtct gccaggccga agccctcatg 420  
ctgggtcatgg agatgntggg ggcgggcgct gcacaagttc ctggtcggca agaaggaag 479

&lt;210&gt; 719

&lt;211&gt; 572

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (418)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (421)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (501)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (503)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (526)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (546)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (559)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 719

gcgtgcccat gagaatgaga tcaccaaagt gcgaaaagtt actttcaatg gactgaacca 60  
gatgattgtc atagaactgg gcaccaatcc gctgaagagc tcaggaattg aaaatggggc 120

657

```

tttccaggga atgaagaagc tctcctacat ccgcattgct gataccaata tcaccagcat 180
tcttcaaggt cttcctcctt cccttacgga attacatctt gatggcaaca aaatcagcag 240
agttgatgca gctagcctga aaggactgaa taatttggct aagttgggat tgagtttcaa 300
cagcatctct gctgttgaca atggctctct ggccaacacg cctcatctga gggagcttca 360
cttggaacaac aacaagctta ccagagtacc tgggtgggctg cagagcataa agtacatnca 420
nggtggctac cttcataaca accatatctc tgtagttgga tcaaagtgac ttctggccac 480
ctggacacaa ccacccaaaa ngnttcttaa ttccgggtgg gaagcntttt aacaaaccgc 540
ggccangact ggggagaana cagccatcca cc 572

```

&lt;210&gt; 720

&lt;211&gt; 487

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (3)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (376)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (447)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (459)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (460)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (467)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (468)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 720

```

ggntaaatca gaactcgaat ggccttgttt tcttgctctg gggctcttat gctcagaaga 60

```

agggcagtg c attgatagg aagcggcacc atgtactaca gacggctcat ccctcccctt 120  
tgtcagtgta tagaggggttc tttggatgta gacacttttc aaagaccaat gagctgctgc 180  
agaagctctgg caagaagccc attgactgga aggagctgtg atcatcagct gaggggtggc 240  
ctttgagaag ctgctgttaa cgtatttgcc agttacgaag ttccactgaa aattttccta 300  
ttaattctta agtactctgc ataaggggga aaagcttcca gaaagcagcc atgaaccagg 360  
ctgtccagga atggancctg tatccaacca caaacaacaa aggctaccct ttgacccaaa 420  
tgtctttctc tgcaacatgg cttcggcnct aatatgcnn aagacannat gagggccaat 480  
acttaat 487

<210> 721

<211> 464

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (222)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (312)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (347)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (349)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (364)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (415)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (436)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (443)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (448)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (455)

<223> n equals a,t,g, or c

<400> 721

```
cggaacgcgtg ggcgctctgct ggggcacctg aaggagactt gggggcaccc gcgtcgtgcc 60
tcctgggttg tgaggagtcg ccgctgccgc cactgcctgt gcttcattgag gaagatgctc 120
gccgccgtct cccgcgtgct gtctggcgct tctcagaagc cggcaagcag agtgctggta 180
gcatcccgta attttgcaaa tgatgctaca ttgaaatta anaaatgtga ccttcaccgg 240
ctggaagaag ccctcctgtc acaacagtgc tcaccaaggg aagatgggct caaatactac 300
aggatgatgc anactgtacc cgaatggaat tgaaacagat cactgtntna acagaaaatt 360
atcntgggtt ctgtccttgt gtgatgtcag aacttgctgt gtggcctgga gccgnatcac 420
cccaaacact ctccanctac ggntccgntt atttnccggg cttc 464
```

<210> 722

<211> 320

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (12)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (43)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (113)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (142)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (152)

660

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (153)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (182)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (211)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (263)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (275)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (281)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (299)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (308)

<223> n equals a,t,g, or c

<400> 722

```
gttgcacagc anctgcacgc gccgtggctc cggatctctt cgnctttgca gcgtagcccg 60
agtcggtcag cgccggatga cctcagcagc catgtcgaag ccccatagtg aancggggac 120
tgcccttcatt cagaccacgc anctgcacgc anncatggct gacacattcc tggagcacat 180
gngccgcctg gacattgatt caccacccat nacaggccgg aacactggca tcatctgtac 240
cattggccca gcttcccgat cangtggaga cggtnaagga natgattaaa gcctggaang 300
aatgtggntc gtctgaactt                                     320
```

<210> 723

661

<211> 152  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (79)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (87)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (111)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (127)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (148)  
<223> n equals a,t,g, or c

<400> 723  
gccaccatg gctgcaatcc gaaagaagct ggtgatcggt ggggatgggtg cctgtgggaa 60  
gacctgcctc ctcacgtnt tcagcangga tcagtttccg gaggtctacg nccctactgt 120  
cctttgngaa ctatattgcg cacattgngg cg 152

<210> 724  
<211> 573  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (463)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (514)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (553)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (559)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (569)

<223> n equals a,t,g, or c

<400> 724

```
gctgctatgt tcaatataag aaatattgga aagacgctcg tcaccaggac ccaaggaacc 60
aaaattgcat ctgatggctct caagggctcgt gtgtttgaag tgagtcttgc tgatttgag 120
aatgatgaag ttgcatttag aaaattcaag ctgattactg aagatgttca gggtaaaaac 180
tgccctgacta acttccatgg catggatctt acccgtgaca aaatgtgttc catggcaca 240
aaatggcaga caatgattga agctcacgtt gatgtcaaga ctaccgatgg ttacttgctt 300
cgtctgttct gtgttggttt tactaaaaaa cgcaacaatc agatacggaa gacctcttat 360
gctcagcacc aacaggtccg ccaaatccgg aagaagatga tggaaatcat gacccgagag 420
gtgcagacaa atgacttgaa agaagtgtc aataaattga ttncagacgc attggaaaag 480
acatagaaaa ggcttgga tctattatcc tctncatgat ggcttcgtta gaaaagttaa 540
aatgctgaag aanccaagnt tgaatgggna aac 573
```

<210> 725

<211> 403

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (9)

<223> n equals a,t,g, or c

<400> 725

```
gcttgaaant aaccctcact aaagggaaaca aaagctggag ctccaccgag gtgcggccgc 60
tctagaacta gtggatcccc cgggctgcag gaattcggca cgagtcctgg tccgcgccag 120
agcccagcgc gcctcgtcgc catgcctcgg aaaattgagg aaatcaagga cttcctgctc 180
acagcccagac gaaaggatgc caaatctgtc aagatcaaga aaaataagga caacgtgaag 240
tttaaagttc gatgcagcag atacctttac accctggtca tcaactgaaa agagaaggca 300
gagaaactga agcagtcctt gcccccggt ttggcagtga aggaactgaa atgaaccaga 360
cacactgatt ggaactgtat tatattaaaa tactaaaaat cct 403
```

<210> 726

<211> 502

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature



<222> (7)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (8)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (12)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (256)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (281)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (380)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (391)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (428)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (456)  
<223> n equals a,t,g, or c

<400> 726  
cgcaagnncg anactaacc tcactaaagg gaacaaaagc tggagctcca ccgcggtgcg 60  
gccgctctag aactagtgga tcccccgggc tgcaggaatt cggcacgaga gccatcaggt 120  
aagccaagat ggggtgcatac aagtacatcc aggagctatg gagaaagaag cagtctgatg 180  
tcatgcgctt tcttctgagg gtccgctgct ggcagtagcg ccagctctct gctctccaca 240  
gggctccccg ccccanccgg cctgataaag cgcgccgact nggctacaag gccaaagcaag 300  
gttacgttat atataggatt cgtgttcgac gtggtggccg aaaacgcca gttcctaagg 360  
gtgcaattac ggcaagcctn tccatcatgg ngttaaccag ctaaagtttg ctcgaagcct 420

664

tcagtcennt gcagaggagc gagctggacg ccactntggg gctctgagag tcctgaattc 480  
ttactggggtt ggtgaagatt cc 502

&lt;210&gt; 727

&lt;211&gt; 361

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (17)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (309)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (318)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (360)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 727

ggcacgagcg aacgcgnaga gcacgccatg aaggcctcgg gcacgctacg agagtacaag 60  
gtagtgggtc gctgcctgcc ccccccaaa tgccacacgc cgccccctcta ccgcatgcga 120  
atctttgcgc ctaatcatgt cgtcgccaag tcccgtttct ggtactttgt atctcagtta 180  
aagaagatga agaagtcttc aggggagatt gtctactgtg ggcaggtgtt tgagaagtcc 240  
ccccgcggg tgaagaactt cgggatctgg ctgcgctatg actcccggag cggcacccac 300  
aacatgtanc gggaatancg ggacctgacc aacgcaggcg ctgtcaacca gtgtaacggn 360  
g 361

&lt;210&gt; 728

&lt;211&gt; 401

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (6)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (200)

&lt;223&gt; n equals a,t,g, or c

665

<220>  
<221> misc feature  
<222> (234)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (251)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (319)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (332)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (334)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (360)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (389)  
<223> n equals a,t,g, or c

<400> 728  
gaagangctc gcctctagtg tcctccgctg tggcaagaag aagtctggtt agaccccaat 60  
gagaccaatg aaatcgccaa tgccaactcc cgtcagcaga tccggaagct catcaaagat 120  
gggctgatca tccgcaagcc tgtgacggtc cattcccggtg ctcgatgccg gaaaaacacc 180  
ttggcccgcc ggaaaggcan gcacatgggc atagttagcg gaaagggtaca gccnatgccc 240  
gaatgccaaa naaggtcaca tggattaaga aaatgaagat tttgcgcccg ctgctcaaaa 300  
aatacgtgaa tcttaaaana tcgatcgcca cntntttcac agcctgttcc taaagttaan 360  
ggaatttttt caaaaacaac cgatttctnt ggaacacttc c 401

<210> 729  
<211> 530  
<212> DNA  
<213> Homo sapiens

<220>

666

<221> misc feature  
 <222> (7)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (10)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (12)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (14)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (60)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (527)  
 <223> n equals a,t,g, or c

<400> 729  
 gcacagngan ancnaaccct cactaaaggg aacaaaagct ggagctccac cgcggtgcgn 60  
 ccgctctaga actagtggat ccccgggct gcaggaattc ggcacgagcc gccatcttcc 120  
 agtaattcgc caaaatgacg aacacaaagg gaaagaggag aggcaccgca tatatgttct 180  
 ctaggccttt tagaaaacat ggagttgttc ctttggccac atatatgcga atctataaga 240  
 aaggtgatat ttagacatc aagggaatgg gtactgttca aaaaggaatg cccacaagt 300  
 gttaccatgg caaaactgga agagtctaca atgttaccga gcatgctgtt ggcattgttg 360  
 taaacaaaca agttaagggc aagattcttg ccaagagaat taatgtgcgt attgagcaca 420  
 ttaagcactc taagagccga gatagcttcc tgaaacgtgt gaaggaaaat gatcagaaaa 480  
 agaaagaagc caaagagaaa ggtacctggg ttcaactaaa gcgccancct 530

<210> 730  
 <211> 375  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc feature  
 <222> (33)  
 <223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (55)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (87)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (97)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (111)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (121)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (124)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (125)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (142)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (181)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (183)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (190)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (198)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (206)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (229)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (241)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (248)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (262)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (269)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (284)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (322)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (333)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (354)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (367)

<223> n equals a,t,g, or c

<400> 730

gggtggttgc tgccgaaatg ggcaagttca tagnaaccaag aaagtgggtgc ttgttctggc 60  
tggacgctac tccggacgca aagctgntca tcgtaanaga acattgaatg ntggcacctc 120  
naanngccccc tacagccatg cncctgggtggc tgggaattga accgctaccc ccgcaaata 180  
ncngctgccn tggggcanga agaagntcgc caggagggtca aagatatant cttttgtgaa 240  
ngtgtgtnac tacaatcacc tnatgcccnc aaggtactct gtgngatatt ccccttgggg 300  
caaagctgta cgttcattag gntgtcttcc ganattcctg gctcttaaac gctnggcccg 360  
aaggagnccc aggtc 375

<210> 731

<211> 207

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (143)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (177)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (187)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (201)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (207)

<223> n equals a,t,g, or c

670

&lt;400&gt; 731

gcgcgcgtgc gaagggagcc gccgccatgt ctgcgcattct gcaatggatg gtcgtgcgga 60  
actgctccag tttcctgatc aagaggaata agcagacctc cagcactgag cccaataact 120  
tgaaggcccg caattccttc cgntacaacg gactgattca ccgcaagact gtgggcntgg 180  
agccggnagc cgacggcaaa ngtgtcn 207

&lt;210&gt; 732

&lt;211&gt; 702

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (10)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (620)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (628)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (655)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (686)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (690)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 732

ggcagaatgn ctcccgcaaa gaagggtggc gagaagaaaa agggccggtc tgccatcaac 60  
gaagtggtaa cccgagaata caccatcaac attcacaagc gcatccatgg agtgggcttc 120  
aagaagcgtg caccctcgggc actcaaagag attcggaaat ttgccatgaa ggagatggga 180  
actccagatg tgcgcattga caccaggctc aacaaagctg tctgggcaa aggaataagg 240  
aatgtgccat accgaatccg tgtgcggctg tccagaaaac gtaatgagga tgaagattca 300  
ccaaataagc tatatacttt ggttacctat gtacctgtta ccactttcaa aaatctacag 360  
acagtcaatg tggatgagaa ctaatcgctg atcgtcagat caaataaagt tataaaattg 420  
caaaaaaaaa aaaaaagggc ggccgctcta gaggatccaa gcttacgtac gcgtgcatgc 480  
gacgtcatag ctcttctata gtgtcaccta aattcaattc actgccgtcg gtttacaacg 540



tcgtgactgg gaaaaccctg cgttacccaa cttaatcgcc ttgcagcaca tcccccttcg 600  
ccagctgcgt aataacgaan aggcccgac cgatcgctt tccacagttg cgcancctga 660  
atggcgaatg gacgcgcctt taccngcan taagcgcgc gg 702

<210> 733  
<211> 441  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (22)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (62)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (99)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (101)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (118)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (126)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (152)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

672

&lt;222&gt; (185)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (212)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (260)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (310)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (356)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 733

```

naattaaccc tcactaaagg gngcaaaagc tgggtgctcca ccgcggtgcg accgctctag 60
anctagtggg tcccccgggc tgcaggattt cggcacganc ncgtgcagat tcgagcanag 120
gagcgnaagg gaacgtcatc gtttggaag cntcgcaata agacgcacac gttgtgccgc 180
cgctntggct ctaaggccta ccaccttcag angtcgacct gtggcaaatt tggctaccct 240
gccaaagcga agagaaagtn taactggagt gccaaaggcta aaagacgaaa taccaccgga 300
actggtcgan tgaggcacct aaaatttgta taccgcagat tcaggcatgg tttccntgaa 360
ggaacaacac ctaaacccaa gagggcagct gttgcagcat ccagttcatc ttaagattgt 420
caacgattag tcatgcaata a                                     441

```

&lt;210&gt; 734

&lt;211&gt; 379

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (42)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (323)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (324)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (342)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (346)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (375)

<223> n equals a,t,g, or c

<400> 734

```
ggccgcagaa gcgagatgac gaagggaacg tcatcgtttg gnaagcgtcg caataagacg 60
cacacgttgt gccgccgtg tggtcttaag gcctaccacc ttcagaagtc gacctgtggc 120
aaatgtggct accctgccaa gcgcaagaga aagtataact ggagtgccaa ggctaaaaga 180
cgaataacca ccggaactgg tcgaatgagg cacctaaaaa ttgtataccg cagattccag 240
catggattcc gtgaaggaa aacacctaaa cccaagaggg cagctggtgc agcattccag 300
ttcatcttta agaattgtcaa cgnntttagt catgcaataa antgtntctg ggttttaaaa 360
aattaaaaga aaagnaanaa 379
```

<210> 735

<211> 187

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (172)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (176)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (177)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (179)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (185)

<223> n equals a,t,g, or c

<400> 735

```
gcgggatcgt cggtaaatac gggacccgct atggggcctc cctccgaaa atggtgaaga 60
aaattgaaat cagccagcac gccaaagtaca cttgctcttt ctgtggcaaa accaagatga 120
agagacgagc tgtggggatc tggcactgtg gttcctgcat gaagacagtg gntggngng 180
cctgnac 187
```

<210> 736

<211> 576

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (94)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (334)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (340)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (361)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (371)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (397)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (409)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (429)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (436)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (440)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (444)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (452)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (466)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (479)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (490)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (519)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (553)  
<223> n equals a,t,g, or c

<400> 736

676

```

tcgaccacg cgtccgccca cgctccggcc tcagccctac cagcactggt catgtctaaa 60
ggtcacgta ttgaggaagt tcctgaactt cttntggtag ttgaagataa agttgaaggc 120
tacaagaaga ccaaggaagc tgttttgctc ctaagaaac ttaaagcctg ggaatgatat 180
caaaaaggct tatgcctctc agcgaatgag agctgggcaa aggcaaatg gagaaaccgt 240
cgccgtatcc agcgcagggc ccgtgcatca tctataatga ggataatggt atcatcaagg 300
ccttcagaa acatccctgg aattactctg cttnaatgtt aagcaagctg aaacattttg 360
naagcttgct ncctggtggg gcatgtgggg acgtttncgg cattgggang gaaatggctt 420
ttccgggant ttaganggan tgtnacgggc antgggcgta aagcgntttc cctccaagng 480
ttaactacan tcttcccagg caccaagatg gattaatana gatcttgcca gaatctggaa 540
aagcccagag gtnccaaggg cccttcgggc accagc 576

```

&lt;210&gt; 737

&lt;211&gt; 297

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (7)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (243)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (254)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (261)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (266)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (275)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 737

```

gctccgncat ggcgtgtgct cgccactga tatcggtgta ctccgaaaag ggggagtcac 60
ctggcaaaaa tgtaactttg cctgctgtat tcaaggctcc tattcgacca gatattgtga 120
actttgttca caccaacttg cgcaaaaaca acagacagcc ctatgctgtc agtgaattag 180
caggtcatca gactagtgtc gagtcttggg gtactggcag agctgtggct cgaattccca 240

```

ganttcgagg tggngggact naccgntctg gccanggtgc ttttggaac atgtgtc 297

<210> 738

<211> 354

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (26)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (74)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (80)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (84)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (98)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (120)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (148)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (193)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (286)

<223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (303)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (329)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (351)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (353)  
 <223> n equals a,t,g, or c

<400> 738  
 gcgagaatga agactattct cagcantcag actgtcgaca ttccagaaaa tgtcgacatt 60  
 actctgaagg gacncacagn tatngtgaag ggccccaanag gaaccctgcg gagggacttn 120  
 aatcacatca atgtataact cagccttntt ggaaagaaaa aaaagaggct ccgggttgac 180  
 aaatggtggg gtnacagaaa ggaactggct accgttcgga ctatttgtag tcatgtacag 240  
 aacatgatca aggggtgttac actgggcttc cgttacaaga tgaggnctgt gtatgctcac 300  
 ttncccatca acgttggttat ccaagagant ggggtctattg ttgaaatcca nant 354

<210> 739  
 <211> 504  
 <212> DNA  
 <213> Homo sapiens

<400> 739  
 ccgccatcat gggtcgcatg catgctcccg ggaagggcct gtcccagtcg gctttaccct 60  
 atcgacgcag cgccccact tgggtgaagt tgacatctga cgacgtgaag gagcagattt 120  
 acaaactggc caagaagggc cttactcctt cacagatcgg tgtaatcctg agagattcac 180  
 atggtgttgc acaagtacgt tttgtgacag gcaataaaat ttttaagaatt cttaagtcta 240  
 agggacttgc tcctgatctt cctgaagatc tctaccattt aattaagaaa gcagttgctg 300  
 ttcgaaagca tcttgagagg aacagaaagg ataaggatgc taaattccgt ctgattctaa 360  
 tagagagccg gattcacctg ttggctcgat attataagac caagcgagtc ctccctccca 420  
 attggaata tgaatcatct acagcctctg ccctggctcg ataaaattgt ctgtgtactc 480  
 aagcaataaa atgattgttt aact 504

<210> 740  
 <211> 399  
 <212> DNA  
 <213> Homo sapiens

<400> 740



679

```

ggaccgcga acatgggccc cgttcgcacc aaaaccgtga agaaggcggc ccgggtcatc 60
atagaaaagt actacacgcg cctgggcaac gacttcaca cgaacaagcg cgtgtgcgag 120
gagatcgcca ttatccccag caaaaagctc cgcaacaaga tagcagggtta cgtcacgcat 180
ctgatgaagc gaattcagag aggccagta agaggtatct ccatcaagct gcaggaggag 240
gagagagaaa ggagagacaa ttatgttcct gaggtctcag ccttggatca ggagattatt 300
gaagtagatc ctgacactaa ggaaatgctg aagcttttgg acttcggcag tctgtccaac 360
cttcagtcac tcagcctaca gttgggatga tttcaaaac 399

```

&lt;210&gt; 741

&lt;211&gt; 431

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (335)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (393)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (417)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (425)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 741

```

aaacaacggt cgtgccaaaa agggccgcgg ccatgtgcag cccattcgct gcacgaactg 60
cgcccgggtgc gtgcccaagg ataaggccat caagaagttt gtcattcgga acattgtaga 120
agccgctgct gtcagggaaca tatctgaagc aagcgtcttc gacgcctacg tgcttcccaa 180
gctctatgtc aagctgcatt attgcgtgac tgtgccatcc atagcaaggt tgtaggaat 240
cgatcccgct aagcccggaa ggaccgaaca cccccaccac gattcagacc tgctggcgct 300
gcaccttcga cctccaccaa agcccatgta aagangccgt ttttgtaagg acggaaggaa 360
aattaccttg gaaaaataaa atggaagttg tanttttaaa aaaaaaaaaa aaaccnagg 420
gggncccgt c 431

```

&lt;210&gt; 742

&lt;211&gt; 357

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (178)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (240)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (273)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (297)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (324)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (352)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (353)

<223> n equals a,t,g, or c

<400> 742

gtgcagcggg tcattaaaat cgatggcaag gtccgaactg atataacctt ccctgctgga 60  
ttcatggatg tcatcagcat tgacaagacg ggagagaatt tccgtctgat ctatgacacc 120  
aagggtcgcg ttgctgtaca tcgtattaca cctgaggagg ccaagtacaa gttgtgcnaa 180  
gtgagaaaaga tctttgtggg cacaaaagga atccctcatc tggtgactca tgatgcccgn 240  
accatccgct accccgatcc cctcatcaag gtnaatgatc cattcatatt gatttanaga 300  
ctggcaagat tactgatttc atcnatttcg acactggtaa cctgtgtatg gnnactg 357

<210> 743

<211> 249

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (42)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (77)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (115)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (122)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (158)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (200)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (215)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (221)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (248)  
<223> n equals a,t,g, or c

<400> 743  
ggggcggtat gccgccaaac gcttccgcaa agctcagtgt cncattgtgg agcgccctcac 60  
taactccatg atgatgnacg ggcgcaacaa cggcaagaag ctcatgactg tgcgnatcgt 120  
cnagcatgcc ttcgagatca tacgcctgct cacaggcnaa gaaccctctg caggtcctgg 180  
tgaacgcat catcaacatn ggtccccggg aagantccac ncgcattggg cgcgccggga 240  
ctgttgana 249

<210> 744  
<211> 383  
<212> DNA  
<213> Homo sapiens

<400> 744  
gaagaattgc atcgtgctca tcgacagcac accgtaccga cagtggtagc agtcccacta 60  
tgcgctgccc ctgggcccga agaagggagc caagctgact cctgaggaaag aagagatttt 120  
aaacaaaaaa cgatctaaaa aaattcagaa gaaatatgat gaaaggaaaa agaatgccaa 180  
aatcagcagt ctcttgagg agcagttcca gcagggaag cttcttgctg gcatcgcttc 240  
aaggccggga cagtgtggcc gagcagatgg ctatgtgcta gagggcaaag agttggagtt 300  
ctatcttagg aaaatcaagg cccgcaaagg caaataaatc cttgttttgt cttcacccat 360  
gtaataaagg tgtttattgg ttt 383

<210> 745

<211> 452

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (314)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (328)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (334)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (352)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (403)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (416)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (429)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (435)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (451)

<223> n equals a,t,g, or c

<400> 745

```
g'gcacgatg cctggagtta ctgtaaaaga cgtgaaccag caggagttag tcagagctct 60
ggcagccttc ctcaaaaagt ccgggaagct gaaagtcccc gaatgggtgg ataccgtcaa 120
gctggccaag cacaaagagc ttgctcccta cgatgagaac tggttctaca cgcgagctgc 180
ttccacagcg cggcacctgt acctccgggg tggcgctggg gttggctcca tgaccaagat 240
ctatggggga cgtcagagaa acggcgatcat gccagccac ttcagccgag gctccaagag 300
tgtggccgcg cggntcctcc aagccctngg agngngctgaa aatggtggaa anggaccaag 360
atggcgggcc gcaaaactgac acctcaggga caaagagatc tgnacagaat cgccgnacag 420
gtggcagcnc gccancaaag aagcattaga nc 452
```

<210> 746

<211> 114

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (11)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (22)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (55)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (85)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (98)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (103)

<223> n equals a,t,g, or c

<400> 746

tgcattgctgg ngctgggtcct gnccttgctg tcctocagct ctgctgagga gtacntgggc 60  
ctgtctgcaa accaatgtgc cgtgncagcc aaggacangg tgnactgtgg ctac 114

<210> 747

<211> 165

<212> DNA

<213> Homo sapiens

<400> 747

ggcacagcca cccagggcct gaggctgtgc cacaccccag gtgacggccg gctccacaag 60  
gcagtgaagc tgggcccccg ggtgcacatc attgaggagc tgcagatctt ctcatcggga 120  
cagcccggtg cagaatctgc tcctgggaca cccacagggg ggctg 165

<210> 748

<211> 583

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (46)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (291)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (341)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (387)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (458)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (462)

<223> n equals a,t,g, or c

685

<220>  
 <221> misc feature  
 <222> (480)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (537)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (541)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (543)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (546)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (580)  
 <223> n equals a,t,g, or c

<400> 748  
 ggctagaaga tggttttgga gagcaccct tttaccactg cctggntgca gaagtgccga 60  
 aagagcactg gactccggaa ggacacagca ttgttggttt tgccatgtac tattttacct 120  
 atgaccctg gattggcaag ttattgtatc ttgaggactt cttcgtgatg agtgattata 180  
 gaggctttgg cataggatca gaaattctga agaattctaa ccaggttgca atgagggtgct 240  
 gctgcagcag catgcacttt tttggttagca gaattggaatg aaccattcat naacttctat 300  
 aaaagaagag gtgcttctga tctgtccagt gaagaagggt ngagacttgt taagaatcga 360  
 caaggagtct tgctaaaaat ggcaacntag gaggtaggaa tgcttgctgt agatgacaac 420  
 ctccattcta ttttagaata aaattcccca actttctntt gnttttctat gctggttggn 480  
 agtgaaatta atttaaatga gcacccattt caaaaagcttt aattaccaag tgggcnnttg 540  
 ntncntgtt ttgaaaattg aaggcttgt tttaaaaggg ggc 583

<210> 749  
 <211> 419  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc feature  
 <222> (3)  
 <223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (16)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (24)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (29)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (30)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (169)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (342)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (351)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (376)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (398)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (419)  
<223> n equals a,t,g, or c



687

&lt;400&gt; 749

acncggagggc ttcttnatta cggncggggnn tgatgagggg aagctggtga cgcctgcagg 60  
 tgaccggtcc ggaattcccg ggctcgacca cgcgtccggg cgtgatgtct cacagaaagt 120  
 tctccgctcc cagacatggg tccctcggct tcctgcctcg gaagcgcana gcaggcatcg 180  
 tgggaagggtg aagagcttcc ctaaggatga cccgtccaag ccggtccacc tcacagcctt 240  
 cctgggatac aaggctggca tgactcacat cgtgcgggaa gtcgacaggc cgggatccaa 300  
 ggtgaacaag aaggagggtg gtggaggctg tgaccattgt anagacacca nccatggtgg 360  
 tttgtgggca ttgttngcta cgttggaana ccctcgangg ctccggaact tcaagaatn 419

&lt;210&gt; 750

&lt;211&gt; 507

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (453)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (475)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (497)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (499)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (503)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 750

ggccgaacat ggagatcaag attatatctg gcactgcatt gatctcttct tagatttcat 60  
 tactgtcttc agaaaactca tgatgatcct ggccatgaat gaaaaggata agaagaaaga 120  
 gaagaaatga agtgaccatc cagccttcc caattagact tcctctcctt ccaccctca 180  
 ttcccttttt gcacacatta caggtggtgt gttctgtgat aatgaaaagc atcagaaaag 240  
 cttttgtact ttgtggtttc ctctattttg aattttttga tcaaaaaact gattagcaga 300  
 atatagtttg gagtttggtc tcactctcct ggggttcccc tcaactccctt ttttggaac 360  
 cccatctgta gcctcttcct ctactcaggc agtcgaccgg ccacgatgag aagtgggacc 420  
 agcagagggc gccaaacttca ggagcccgct ttncaccca gcttcattca cccantggac 480  
 ctgaactgtt tgggtananc ccnccgg 507

&lt;210&gt; 751

<211> 435  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (1)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (11)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (23)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (31)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (34)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (110)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (134)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (151)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (158)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (199)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (215)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (218)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (226)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (239)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (243)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (257)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (295)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (321)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (324)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (331)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (355)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (363)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (365)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (403)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (420)

<223> n equals a,t,g, or c

<400> 751

```
nactggaagt nctccgggag aanggatctc nacngcgggtg ccggacgctc tagaactagt 60
ggatcccccg ggctgcaggt agcctgagct tagctcagcg ccggggcctn accaagacct 120
acactgttgg ctgngaggaa tgcacagtgg ntccctgntt atccatcccc tgcaaactgc 180
agagtggcac tcattgctng tggacggacc agctnctnca aggcctntgaa aagggttnc 240
agncccgta ccttgctgc ctgcctcggg agccagggtt gggcacctgg cagtnctgc 300
ggccccagat agcctgaata ntgnccggag nggaagctga agcctgcaca gtgtncaccc 360
tgntnccact cccatctttc ttccggacaa tgaaataaag agntaccacc cagcaaaaan 420
aaaaaaaaaa acctg 435
```

<210> 752

<211> 591

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (195)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (240)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (319)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (345)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (365)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (407)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (452)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (456)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (480)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (556)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (570)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (572)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (579)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (586)  
<223> n equals a,t,g, or c

<400> 752  
gcggcacgag gcgcccagag agacaccaga gaaccaccca tggccccctt tgagcccctg 60  
gcttctggca tcctgttggt gctgtggctg atagccccc gcagggcctg cacctgtgtc 120  
ccacccacc cacagacggc cttctgcaat tccgacctcg tcatcagggc caagtctgtg 180  
gggacaccag aagtnaacca gaccacctta taccagcgtt atgagatcaa gatgaccaan 240  
atgtataaag ggttccaagc cttaggggat gccgctgaca tccggttcgt ctacaccccc 300  
gccatggaga gtgtctgcng atactttcac aggtcccaca accgnagcga ggagtttctc 360  
attgntggaa aactgcagga tggacttttg cacatcacta cctgcanttt tgtggctccc 420  
tggaacagcc tgagcttagc tcagcgccgg gnettnacca agacctacac tgttggctgn 480  
gaggaaatgc acaagtgtt ccctgtttat ccatccctg caaactgcag agtgggcact 540  
cattgttgtt aggaacngacc agctcctacn angctcttna aaaggncctt c 591

<210> 753  
<211> 547  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (429)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (454)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (489)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (503)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (512)  
<223> n equals a,t,g, or c

&lt;400&gt; 753

```
aagcacttgt ccagatgagc agtgtgtgaa ttctcctgga tcttaccagt gcgttccctg 60
cacagaagga ttccgaggct ggaatggaca gtgccttgat gtggacgagt gcctggaacc 120
aaacgtctgc gcaaattggtg attgttccaa ccttgaaggc tcctacatgt gttcatgcca 180
caaaggctat acccggactc cggaccacaa gcactgtaga gatattgatg aatgtcagca 240
agggaatcta tgtgtaaacg ggcagtgcaa aaataccgag ggctccttca ggtgcactgt 300
ggacaggggt taccagctgt cggcagctaa agaccagttt gaagacattg atgaatgcca 360
cacogtcac tctgttgctc atgggcatgc aagaacactg aagctctttt ccatgtgttt 420
tttgaccang gttacagaac atctgggctt gganacactg tgaaaaatth caatgaatgc 480
ttggaagana aaatttttgc canaaaagaa antgctttat actgcagggt cctatgatgt 540
cttgtcc 547
```

&lt;210&gt; 754

&lt;211&gt; 384

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (307)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (374)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 754

```
gctcggctcc agcgccatgg cgccctccag gaagttcttc gttgggggaa actggaagat 60
gaacgggagg aagcagagtc tgggggagct catcggcact ctgaacggcg ccaagggtgcc 120
ggccgacacc gaggtggttt gtgctcccc tactgcctat atcgacttcg cccggcagaa 180
gctagatccc aagattgctg tggctgcgca gaactgctac aaagtgacta atggggcttt 240
tactggggag atcagccctg gcatgatcaa agactgcgga ccacgtgggt ggtcctgggg 300
cactcanaga gaagcatgtc tttggggaat cagatgagct gattgggcag aaagtggccc 360
atgctctggc aganggactc ggat 384
```

&lt;210&gt; 755

&lt;211&gt; 253

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (60)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (217)

&lt;223&gt; n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (240)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (244)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (252)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (253)  
<223> n equals a,t,g, or c

<400> 755  
tgtagatctt tgaagactct gattctctga gactgaggag agatgtctta ccagcagcan 60  
cagtgcaagc agccctgcca gccacctcct gtgtgcccc a gccaaagtg cccaagagcc 120  
atgtccaccc ccgaagtgcc ctgagcctta cctgcctcct ccttgccac ctgagcattg 180  
cccacctcca ccttgccagt ataaatgcc tctgtngca accataccac cctggcagcn 240  
gaanttcccc cnn 253

<210> 756  
<211> 183  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (5)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (9)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (48)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (57)



695

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (79)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (83)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (108)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (141)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (144)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (146)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (148)

<223> n equals a,t,g, or c

<400> 756

ggcanaaana aggtaggaat aaggctagac ctttaacttc cctaaggnat acttttntag 60  
ctaccttctg ccctgtgtnt ggnacctaca tccttaatga ttgtcctntt acccattctg 120  
gaattttttt ttttttaaaa naantncnga aagcattttg aaaaaaaaaa aacaaaaaaaaa 180  
aag 183

<210> 757

<211> 99

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (12)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (26)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (33)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (45)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (77)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (79)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (82)

<223> n equals a,t,g, or c

<400> 757

agcctttaat anatcatata ggaaantggt agntgcagta cggtnngaata tccgggtgac 60  
tcagcggtccg ggattgnanc anctgggatt ggagtttgg 99

<210> 758

<211> 60

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (36)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (38)

<223> n equals a,t,g, or c

697

<220>  
<221> misc feature  
<222> (40)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (45)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (46)  
<223> n equals a,t,g, or c

<400> 758  
ggcacgaggt tttttttttt tttttttttt ttttntntn ttttnnttt ttataaaaaa 60

<210> 759  
<211> 66  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (6)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (59)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (63)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (65)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (66)  
<223> n equals a,t,g, or c

<400> 759  
agaganaacc gagttttttt tttttttttt tttttttttt tttttttttt ttttttttnc 60  
cctnn 66

698

<210> 760  
<211> 487  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (409)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (433)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (473)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (475)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (477)  
<223> n equals a,t,g, or c

<400> 760  
tacagatgga gcaaatgtcc taacagagaa atagaggtga tgctgctaaa gggagaaatg 60  
ccaggcggac aaagttcagt gtcgggaatt ttccccgtga cattcactgg ggcattgagat 120  
tttggaagaa gttttttact ttggtttagt ctttttttcc ttcccttttta ttcagctaga 180  
atctctggtg ggttgatggt aggggtataat gtgtctgtgt tgcttcaa at tggctctgaaa 240  
ggctatcctg ctgaaagtcc tgctttccta tctagcattt atttctcttg caaacttttc 300  
tttcttttct tttttaaaagt aaacttgtgt attgagctta actgtatttc agtattttcca 360  
gcttatgtgt acattattcc aatgatacc aacagttatt tatattttnt aacaaattca 420  
cagtctgaat gangacttta tttcatggat tataataagg aatgaggtaa ttngngnctc 480  
acattca 487

<210> 761  
<211> 422  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (253)  
<223> n equals a,t,g, or c

699

<220>  
 <221> misc feature  
 <222> (297)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (350)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (353)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (382)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (403)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (406)  
 <223> n equals a,t,g, or c

<400> 761  
 gaaaaggcta aaatcatgaa ttagttacaa gcaacagtac caacttatgt gacccctgag 60  
 ggggtggggct gtgagctctt aatttgtttt tgattctgaa aaactctgct tcctggcatc 120  
 caggagttag agattgagcc ttcatcttc ttctcaaaa ctagttttg atgttttctt 180  
 tcatgggaat agtcactttt ttatttagta aatcgattg ctggaaccac caaggatgtg 240  
 gaatgtcctt gantgtatta tttatgcaag tcacagtcac gtttgccatc atggcantat 300  
 ttgaaacact aataatgtgt ttttactttt ttatccccgt taaaatgatn ttnaaaagga 360  
 aaaaggtggt tatagcccct anaatttctg ggtccaaatt atnccnaaaa tttcctaaaa 420  
 aa 422

<210> 762  
 <211> 375  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc feature  
 <222> (279)  
 <223> n equals a,t,g, or c

700

<220>  
<221> misc feature  
<222> (315)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (373)  
<223> n equals a,t,g, or c

<400> 762  
tttgaccact tgccaagtcc ctgtctcttt cagacacaga caagcttcat ttaaattatt 60  
tcaactgatg aagtaacaat aaagttataa atgataatga tcagatgaaa taatttataa 120  
ctttattggt acttcatcag tgtttccttt tgaaagggtg atgaattcat tacattttta 180  
ttctaagtga ttatctgtag attagaagat aaaatcaagc atgtatctgc ctatactttg 240  
tgagttcacc tgtctttata ctcaaaagtg tcccttaana gtgtccttcc ctgaaataaa 300  
tacctaaggg agtгнаacag tctctggagg accactttga gcctttggaa gttaagggtt 360  
cctcagccac ctngt 375

<210> 763  
<211> 372  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (261)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (301)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (320)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (338)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (344)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

701

&lt;222&gt; (354)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 763

```
caatatgtag cttactcttt ttttcccccc ttcttaaacc accagtgggtt catttttaag 60
attttttcat caagagaaga ataactttac taaattttat ttctttattt gcaaaaagaat 120
ctttattaaa acaaacaatc ttaactatgc acatgatgtg accagatcat cttgaaaata 180
ttcctcttta gtaggaactc tttgttttta actcttggtg tggtcagaat ataatacttc 240
cataattact tataattcct ntccgggtac tgggggctat aaatacaact tttttaaatg 300
naattcatgg ttatcaaccn ggctccaagt accattangg ggtnccctat gggnaattac 360
cttgggaaag tc 372
```

&lt;210&gt; 764

&lt;211&gt; 195

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (46)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (52)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (60)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (67)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (71)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (86)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (94)

&lt;223&gt; n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (128)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (146)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (151)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (153)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (183)  
<223> n equals a,t,g, or c

<400> 764  
cggacgcgtg ggcggacgcg tggggaaagg taagctctag cttaangtct angatttgn 60  
ctttganatt naggaaggta aggatnggtc agangatgta acttgatgtg agcagtaata 120  
aacctgtntt aaatatcata ctgtgnatat ntnattgaaa atttatttca gacgcgaaaa 180  
acnttagcta aaatc 195

<210> 765  
<211> 103  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (30)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (76)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (83)  
<223> n equals a,t,g, or c



<220>

<221> misc feature

<222> (91)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (94)

<223> n equals a,t,g, or c

<400> 765

attaataatg gataccattc taaacaagtn aatccaagtt aagcccgtta aggagaaaga 60  
aattaagggtt agcggntcat gtncaagctg ngnttgaaag tgg 103

<210> 766

<211> 538

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (285)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (316)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (327)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (379)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (436)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (441)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (445)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (450)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (474)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (504)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (516)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (520)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (522)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (526)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (534)  
<223> n equals a,t,g, or c

<400> 766

cccgcgcggg cgcaggcggc cggaatggcg gggcccggct ggggtccccc gcgcctggac 60  
ggcttcatcc tcaccgagcg cctgggcagc ggcacgtacg ccacggtgta caaggcctac 120  
gccaaagaagg acaactcgtga agtggtagcc ataaagtgtg tagccaagaa aagtctgaac 180  
aaggcatcgg tggagaacct cctcacggag attgagatcc tcaaggcatt cgacatcccc 240  
acattgtgca gctgaaagac tttcagtgtg agctgggggc ggggncgctg ccaaaaggag 300  
tggagaagga catctntttc aggccgntc tctgcctctt aaaacaacag ttgggaacag 360

ttgaaccaat taatcttanc ttcaatccat tgggaagttt ttttgccggc caaggggggg 420  
gccggaaacc ttggtncctc nggcntttcn aatcccaatt aaaccccggc caanggaatt 480  
ttcttgcccc cttgaaagaa aaanggtttg ggcccncccn tnggtncctt tccnaatg 538

<210> 767

<211> 415

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (350)

<223> n equals a,t,g, or c

<400> 767

ctttcccaag ggaaacactc agctttctat agaaaattgc actttttgtc gagtaatcct 60  
ctgcagtgat acttctggta gatgtcaccc agtgggtttt gttagggtcaa atgttcctgt 120  
atagtttttg caaatagagc tgtatactgt ttaaattgtag caggtgaact gaactggggg 180  
ttgctcacct gcacagtaaa ggcaaacctc aacagcaaaa ctgcaaaaag gtgggttttg 240  
cagtaggaga aaggaggatg tttatttgca gggcgccaag caaggagaat tgggcagctc 300  
atgcttgaga cccaatctcc atgatgacct acaagctaga gtatttaaan gcagtggtaa 360  
atttcagga aagccagaag ttaaaggcca aaattgtaaa tcagtcgaga tcggg 415

<210> 768

<211> 425

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (351)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (381)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (389)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (422)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (423)

<223> n equals a,t,g, or c

<400> 768

```
ctttgtacag gggctcagtt caggaagag ttgagcttct ctctgagggg tccctagggg 60
gaccctcag gccaggccct gatccagttc tccagggctt ttctcagggt cagggtccatg 120
gggagaccat ggggtgcttg tctgacctg acctcgccct gctgagtccc cccatcagac 180
tgtccttcct ctgcagcgag tgtctgcagg gtctggatcc aggaaaggaa ttctgatctg 240
tggaagtttg tctccccctg gtgtgtcctg cactaaatgt ccaaaccctg atacaggatg 300
taatgcagag agggccacag gcacaacca ggctgacaa tcccgatatg nggaagtaga 360
actgaccccc aacaccaga ngtcatgtng aaatactcac ggtatacatg gaaaaaaaaa 420
annaa 425
```

<210> 769

<211> 256

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (34)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (60)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (83)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (85)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (112)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (120)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (151)

<223> n equals a,t,g, or c

707

<220>  
<221> misc feature  
<222> (163)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (200)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (211)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (235)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (250)  
<223> n equals a,t,g, or c

<400> 769  
attctagatg tagcttgtgc agatgtagca gganaatagg aaaacctacc atctcagtgn 60  
gcaccagctg gcctcccaaa ggngnggcag ccgtgcttat atttttatgg tnacaatggn 120  
cacaaaatta ttatcaacct aactaaaaca ntcttttct ctnttttctt ggaattatca 180  
tggagttttc taattctctn ttttggaat ngtagattgt ttttgaaatg ctttnacgat 240  
gttaaaatan tttatt 256

<210> 770  
<211> 316  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (3)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (46)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (158)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (173)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (200)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (228)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (266)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (267)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (281)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (284)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (291)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (294)

<223> n equals a,t,g, or c

<400> 770

ggnagagggt caacgatgtg gtgtggcatg taagctggtc catcanagcc aacatcctgg 60  
ctgtctctgg tggagacaat aaggaggagt tacagatgca gccacagatt gatcatctgc 120  
ctttaacgtg aatcggagat gctttgtaat ctactgtnc agctgaagca ctncatgtta 180

cgaggaagaa actacaagtn atgttcaa atctattttggg tcatttttnat gtacctttgg 240  
gttcaggcat tatttggggg gttttnttc caaaggaact naantaaagt natnttgctt 300  
attaaaaaaaa ggaaaa 316

<210> 771  
<211> 68  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (8)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (14)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (22)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (32)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (36)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (55)  
<223> n equals a,t,g, or c

<400> 771  
caaaagcngg agnccaccg cnggcgaccg cncctanaact agtggatccc ccggnctgca 60  
ggaattca 68

<210> 772  
<211> 258  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (17)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (19)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (42)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (45)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (47)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (60)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (61)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (139)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (155)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (189)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (225)

<223> n equals a,t,g, or c



<220>  
<221> misc feature  
<222> (235)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (250)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (257)  
<223> n equals a,t,g, or c

<400> 772  
cggacggtgg gtttttntnt tttttttttt tttttttttt tnttntnttt tttttttatn 60  
nttgggtcat ttccacatgc ttattccag caatcaaaat aattaaaaac atctcaaatt 120  
attatacaca tacaaaatng gtacagagtc ttttntctcc tcccaccctt aggggggaaa 180  
actgctttnt gctttgggaa gttgtctctg aaaccggggg acagnggacg caggncagac 240  
taggagggan ccggggang 258

<210> 773  
<211> 587  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (535)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (559)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (565)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (570)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (572)

<223> n equals a,t,g, or c

<400> 773

```
ggatcccaac tgctcctgcg ccgccggtaa gaggctgggg atgccagtg tagactgtag 60
cgctagagaa gcaatttctg acccctcttt ctttctctgg tcaactcaatt tcaggacagg 120
agttgctcct tcccaaagag ttttggggta tctttctctc cattctaggt tattcggagc 180
ccccttttta ccgttaagga gatctgagtt aatggcttgc tcaagttccc aggaatcggg 240
tgtggactga ggaactcggc ccgggctct tagtacgccg tcccttggtc aggtatccag 300
ggacggttct cacctctgtc ttttctcctt gcagggtgact cctgcacctg cgccggctcc 360
tgcaaatgca aagagtgcaa atgcacctcc tgcaagaaaa gtaagtggga tcctctcttt 420
cctctacccc ttctgtcct ccagcctgtc ccctcttcac catcctcagg ggaattaaag 480
caagtctggg gatgccccat tgcgccggga aattggtggc ctctcagtg atccntatca 540
aggagaagca aggaatccnt aattnccggn gnccgttgta cttaact 587
```

<210> 774

<211> 89

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (20)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (74)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (76)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (77)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (79)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (83)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (86)

<223> n equals a,t,g, or c

<400> 774

ggcagagggga aacatcaggn atgctaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 60  
aaaaaaaaaa aaanannana aanaantat 89

<210> 775

<211> 113

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (10)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (30)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (32)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (57)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (59)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (75)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (77)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (106)

<223> n equals a,t,g, or c

714

&lt;400&gt; 775

ggtccggcgn ggtggagggg aacgcctccn tntctatata aggaatttcc cggtgtntnc 60  
gggtcctttt ccctntnttc agagtggggg gcccaaattt gggcgntctg ttt 113

&lt;210&gt; 776

&lt;211&gt; 66

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (5)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (13)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (49)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (65)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 776

ggcanaggat ttnaaccctc accttcgtgt ttcccccaat gtttaaaang tttggatggt 60  
ttgtng 66

&lt;210&gt; 777

&lt;211&gt; 441

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (401)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (436)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 777

atttgtatga aagaacttaa gcaaccttaa tattggctga gactttttaa agagaaggag 60

715

```
aatttacttt tttgcctaata taggaggaag cttgggtcata aggaaaaaga gctgtgttta 120
ggaaatagtgt tgtgcccttt gaattaatgg agtgacaccg tgattcatga caggattcca 180
tttactggct gtatgccagc tgctgacagt ctataagtct taatagagat ggagtagagg 240
agctgaaggt tggcatctgc tcattgatga caactatgtt tacaatatgt tgtggactag 300
ttggggcact gaggcaggag aatcacgtgg agcccacggg ttcaagacca gcctgggaaa 360
catagcaaga cttgttttct aaaaaaaaaa aaaaaaaaaac ncgagggggg gcccggtacc 420
caattcgccc taaagngagt c 441
```

&lt;210&gt; 778

&lt;211&gt; 483

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (335)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (356)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (471)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (472)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (478)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (481)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (482)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 778

```
gcttactttt aaccagtgaattgacctgc ccgtgaagag gcgggcataa cacagcaaga 60
cgagaagacc ctatggagct ttaatttatt aatgcaaaca gtacctaaac aaccacagg 120
```

716

```

tcctaaacta ccaaacctgc attaaaaatt tcggttgggg cgacctcgga gcagaaccca 180
acctccgagc agtacatgct aagacttcac cagtcaaagc gaactactat actcaattga 240
tccaataact tgaccaacgg aacaagttac cctagggata acagcgcaat cctattctag 300
agtcacatc aacaataggg tttagcgcct cgatnttgga tcaggacatc ccgatngtgc 360
agccgctatt aaaggttcgt ttgttcaacg attaaagtcc tacgtgatct gagttcagac 420
cggagtaatc caggtcggtt tctatctact tcaaattcct cctggaaaa nnagaagngg 480
nng

```

&lt;210&gt; 779

&lt;211&gt; 389

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (261)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (325)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (337)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (362)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (367)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (389)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 779

```

ccctcttccc ggctccagct cgcgcgccag ctccagcctt tgctccccct cccaaagtcc 60
cctccccgga gcggagcgca cctagggtcc ctcttcgctc cccccagccc agctaccgct 120
tcagaccagc agcctcgggg ggcaccccc cgccagcctg cctccctccc gctcagccct 180
gccagggtcc cccagccatg aatctcttcc gattcctggg aaaactctcc caactcctcg 240
ccatcatctt gctactgctc naaatctgga attcccgctc gtgcgccgaa attcaggaaa 300
aaaacagtcc cgtttggtgt ggggntttca atggcenaat ttgaaatcct ttcacaataa 360
tntttantct aaaaattttt ttaaagggn

```

389

<210> 780  
<211> 66  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (18)  
<223> n equals a,t,g, or c

<400> 780  
ttgtttttaa aactatgnac caggtttcta atgatgaaat aaagcacctg ttgttttat 60  
accaaaa 66

<210> 781  
<211> 255  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (46)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (83)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (94)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (133)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (150)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (163)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (172)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (179)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (182)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (184)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (209)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (224)  
<223> n equals a,t,g, or c

<400> 781  
ggcagagcag agcagacgca caggccggaa aaggcgcac taacgngtat ctaggctttg 60  
gtaactgcgg acaagttgct ttnacctgaa ttnatgata catttcatta aggttccagt 120  
tataaaatat ttngttaaat atttattaan gtggactata gantgcaaac tnccatttnc 180  
cngntaaact tgtttttaaa ttatggccnt aggtaacca tatngtaggg tattaatttc 240  
cttggaacca aacca 255

<210> 782  
<211> 348  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (3)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (28)  
<223> n equals a,t,g, or c



<220>  
<221> misc feature  
<222> (32)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (75)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (123)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (135)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (178)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (182)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (296)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (298)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (307)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (323)  
<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (324)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (345)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (346)  
<223> n equals a,t,g, or c

<400> 782  
ttnagtagag acaggggttc accatgtnag tnaggctggt ctogaactcc tgacctcagg 60  
tgaatccacc cgagnttgcc ctcccaagtg gctgggcatt ataggcgtga gcactcacgt 120  
ccncgcctca aaatngcata ttcaaagaag caatttcagt tcctttctaa gctttgtgag 180  
tnaaggggct ccaactgactt cctaggccct gtaaatttaa accagtcttt aagggtttgc 240  
caggaaagtt cccttctttc caagtgggtt tttccaaatg ggcacaatgg caagcnaac 300  
agaggangaa acattaaaaa aannaaaaaa aatttggggg ggggnncc 348

<210> 783  
<211> 160  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (29)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (47)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (49)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (78)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (82)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (131)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (141)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (142)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (144)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (146)  
<223> n equals a,t,g, or c

<400> 783  
ggcagcagct acaatggcac tgtggactna tgtttccttc gccgagngnc tggagcgggg 60  
atctgatgaa aagggtcanac tnaaacgcct tgcacggctt ctcggttga tcacagctcc 120  
ctaggtaggt naccacagag nngncncttc tagtgagcct 160

<210> 784  
<211> 81  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (25)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (77)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (78)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (79)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (81)  
<223> n equals a,t,g, or c

<400> 784  
ggcaccgagcc gggatcgtgc cattncattc cagtctgggt gacagagcta gactccatct 60  
caaaaaaaaa aaaaaannng n 81

<210> 785  
<211> 541  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (175)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (265)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (354)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (355)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (356)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (361)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (364)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (369)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (393)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (399)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (405)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (411)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (463)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (489)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (521)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (530)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (539)

<223> n equals a,t,g, or c

<400> 785

```
gagctgcagg catcagagaa ccagccctgc tcaegccatg cccgcccccg ccttccctct 60
tccctcttcc ctctccctgc ccagccctcc ctctcttctt ctgccggcaa ggcagggacc 120
cacagtggct gcctgcctcc gggaggggaag gagagggagg gtgggtgggt ggganggggc 180
cttctccag ggaatgtgac tctcccaggc cccagaatag ctcttgacc caagccaag 240
gccagcctg ggacaaagct ccganggtcg gctggccgga gctattttta cctccgcct 300
cccctgctgg tgccccacc tggacgtctt gctgcagagt ctgacactgg attnnnaaaa 360
nctnaaaang aaccctggta cccaattctg ggncccggnc ctaanctcgg nccaaccca 420
tcatctgtgg acaatggagt ctggaataaa tgctgtttgt canatcaaca aaaaaaaaaa 480
aaaagggng gccgctttag aggattcaaa gcttaagtaa nggtgcatgn gaagttcana 540
a 541
```

<210> 786

<211> 433

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (230)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (350)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (400)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (402)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (405)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (422)

<223> n equals a,t,g, or c

<400> 786

```
cccacgcgtc cgttctaaca cgtgcgcgag tcgggggctc gcacgaaagc cgccgtggcg 60
```

725

caatgaaggt gaaggccggc gcgctcgcg gccgaggtgg gatcccagg cctctccagt 120  
ccgccgaggg cgcaccaccg gcccgctcgc cccgccgcgc cggggaggtg gagcacgagc 180  
gcacgtgtta ggaccgaaa gatggtgaac tatgcctggg cagggcgaan cagaaggaaa 240  
ctctggtgga ggtccgtagc ggtcctgacg tgcaaatcgg tcgtccgacc tgggtatagg 300  
ggcgaaagac taaatcgaac catcttagta agctggtttc cctccgaaan tttccctcaa 360  
gataagcttg gcgctcgcg aagaccccg aggaaccccn gncanggaat ttttatccgg 420  
tnaaagcgaa ttg 433

&lt;210&gt; 787

&lt;211&gt; 527

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (492)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 787

cccaggatgt gtggcgagag cctggggccag cccacagcgt tcctagtcag gcagccacac 60  
cttggtcctc atcttgggtcc cttccaatct gaaacctcgt gcctggctcg tctgccacct 120  
acatttctct ttccagctgc tgttttgtaa aaagaaaaag aaaaaagaag cccaaactag 180  
tgagagtaat atctaattat ctcatttttt gtaggtctgt gataaagaac ttagtcatcc 240  
cttccacctc ctactgtgaa gaacagaccc tgggtcccac actgaaatcc cctctagtca 300  
ccatttccca cccccaggg agctgcctcc caggcagggg gtgcagaaaa tgattgatgg 360  
gctggggaac cctggagagc ctcgactccg gaagtctcaa ggtgcctcct cctctcctta 420  
gctggcccggt tggttttctg agcagggggc tgaactgtga acaagtcaga caaataaagc 480  
aagggtctgc ancatctgca atgtcaaaaa aaaaaaaaaa aaaaaaa 527

&lt;210&gt; 788

&lt;211&gt; 203

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (121)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (160)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (179)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

726

&lt;222&gt; (181)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (192)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 788

```
gcttcattgtg gtctgacaat ttatTTTTgc catcattttt ttaattaaag aaaaaatttc 60
cagaagagga aaaaaaaaaact acaaaaaaca aaacattgaa gggtgatatt ttatgtggaa 120
naacatttga attgaattca gaatttttct gaagggtgtan atactttttt ttttttttna 180
ncaaaaaccc tnatttcaaa agg                                     203
```

&lt;210&gt; 789

&lt;211&gt; 124

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (38)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (70)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (87)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (94)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (113)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 789

```
ggcagcagca gcctacagcc gctgcatct gtatccancg ccagggtcccg ccagtcccag 60
ctgcgcgcgn cccccagtcc cgcaccngtt cggncacaggc taagtttagcc ctnaccatgc 120
cggt                                     124
```

&lt;210&gt; 790

&lt;211&gt; 293



<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (5)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (44)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (52)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (79)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (125)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (134)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (141)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (160)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (179)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (184)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (222)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (266)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (275)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (281)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (287)

<223> n equals a,t,g, or c

<400> 790

```
ggcanagcgg cagtccagga cctgcaggcc ccagaggacc tgtnggaccc antggacctc 60
ctggcaaaga tggaaccant ggacatccag gtgccattgg accaccaggg cctcgaggta 120
acagnngtga aagnggatct nagggctccc cagggccacn cagggcaacc agggccctnc 180
tggnacctcc tgggtcccct ggtccttgct gtggtggtgt tngagccgct gccattgctg 240
ggattgggag gttgaaaaag cttggnccggt tttgnccccg ngtttantgg ggg      293
```

<210> 791

<211> 129

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (93)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (104)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (113)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (116)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (119)

<223> n equals a,t,g, or c

<400> 791

gaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 60  
aaaaaaaaaa aaaaaaaagg ggcggccgttt tanaggatcc aagnttacgt acncgngcnt 120  
gcaacgtca 129

<210> 792

<211> 267

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (247)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (250)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (253)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (265)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (267)

<223> n equals a,t,g, or c

<400> 792

ggcacgagcg gccttgagcg cgacgaagac gtgtaggcct gctttccgag gggcgagcgc 60  
ggcgccgcgg ggaggagggc ctgcgcgcag tcccgggcgc gttctagggc gccatgctgc 120

730

```

gggaagtctc gcgcgattag tggggaggtc tcgcggcttc tggctacttg gtggcgaggt 180
gaagagcttc tgcaggtgct gggggcggcg aacgcggcgg gaaagaaaaa aaaaaaaaaa 240
aaaaaanctn ggnaagtatt tttnan                                     267

```

&lt;210&gt; 793

&lt;211&gt; 453

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (68)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (347)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (443)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 793

```

ggggaaaagt tttggcagga gcgggagaat tctgcggacc tgcgggacgg cggcgggtggc 60
gccgtagnag ccggggacag gtcagtccga gacgagagaa gcggtcagtg ttgtacagtg 120
ttttgggcat gcacgtgata ctacacacagt ggcttctgct caccaacaga tgaagacaga 180
tgcaccaacg aggctgatgg gaaccatcct gtagagggtcc atctgcgttc agaccagac 240
gatgccagag ctatgactgg gcctgcaggt gtggcgccga ggggagatca gccatggagc 300
agccacagga ggaagccctt gaggtccggg aagaggagga gaaagangaa gtggcagaag 360
cagaaggagc cccagagctc aattggggac cacagcatgc acttccttcc agcagctaca 420
cagactctcc cggagctcct cgncaacctt atg                                     453

```

&lt;210&gt; 794

&lt;211&gt; 141

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (15)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (17)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

<222> (30)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (54)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (63)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (108)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (132)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (137)

<223> n equals a,t,g, or c

<400> 794

caacgaccgc gtttncntgg cacgggggtcn ggcccgctg gccctgggaa agcntcccac 60  
ggngggggcg cgccggtctc ccggagcggg accgggtcgg aggatggncg agaatacaga 120  
gcgacggtgg tngtgngtg t 141

<210> 795

<211> 167

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (46)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (55)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (56)

732

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (61)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (93)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (112)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (146)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (149)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (164)

<223> n equals a,t,g, or c

<400> 795

ggggacccac ccgagggtcc agccaccagc cccctcacta atagcngcca ccccnncagc 60  
ngcggcacag cagcagcgac gcagcggcga cantcagagc agggaggccg cnccacctgc 120  
gggccggccg gagcgggcag ccccgangcnc cctccccggg cacncgc 167

<210> 796

<211> 331

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (10)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (16)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (20)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (34)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (41)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (54)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (56)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (58)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (61)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (79)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (88)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (90)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (91)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (101)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (104)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (105)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (114)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (115)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (116)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (123)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (124)  
<223> n equals a,t,g, or c

<220>



<221> misc feature  
<222> (125)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (126)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (131)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (132)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (146)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (192)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (225)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (228)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (241)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (242)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (244)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (260)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (280)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (328)

<223> n equals a,t,g, or c

<400> 796

```
aattcggnan cacgcnacgn cataccgtgg cagnttctgt ntgagacgaa catncngnag 60
nctccactca gctaagttna caacatgngn nctacttctc nctnnctttt acannnacag 120
gannnnnggcc nnagttaata tatccngtgt acctcactgt ccaatatgaa aaccgtaaag 180
tgccttatag gnatttgcgt aactaacaca ccctggttca ttganctnta cttgctgaag 240
nngnaaaaga caggataagn tttcaatagt ggcataccan atgggacttt tgatgaaatg 300
aatatcaata ttttctgcaa ttccatgngc t 331
```

<210> 797

<211> 699

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (404)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (521)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (564)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (589)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (597)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (598)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (635)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (643)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (657)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (678)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (695)  
<223> n equals a,t,g, or c

<400> 797  
ggtccacctt actaccagac aaccttagcc aaaccattta cccaaataaa gtataggcga 60  
tagaaattga aacctggcgc aatagatata gtaccgcaag ggaaagatga aaaattataa 120  
ccaagcataa tatagcaagg actaaccctt ataccttctg cataatgaat taactagaaa 180  
taactttgca aggagagcca aagctaagac ccccgaaacc agacgagcta cctaagaaca 240  
gctaaaagag cacaccgctc tatgtagcaa aatagtggga agatttatag gtagaggcga 300  
caaacctacc gagcctggtg atagctggtt gtccaagata gaattcttagt tcaactttaa 360  
atttggccac agaaccctct aaatcccctt gtaaatttaa ctgntagtcc aaagagggaac 420  
agctctttgg aactaggaa aaaaccttgt agagagagta aaaaatttaa caccataggt 480  
aggcctaaaa gcagccacca attaagaaa cgttcaagct naacaccac tacctaaaaa 540  
aatcccaaac atataactga actnctacac ccaattgggc caatctatna ccctatnnaa 600  
gaactaatgg tagtataagt acatgaaaac cattnttctt cgnataagcc ttgcgtnaga 660  
attaaaacac tgaactgnac attaaacagc caatntcta 699

<210> 798  
<211> 138

<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (115)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (120)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (127)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (128)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (133)  
<223> n equals a,t,g, or c

<400> 798  
cccggcacag agtcgatgct caataaatgt gtgttgactg catgaatgac ctggaaaaaa 60  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaanccccc 120  
gggggggncc ccnccccc 138

<210> 799  
<211> 496  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (9)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (414)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (442)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (443)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (485)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (490)

<223> n equals a,t,g, or c

<400> 799

```
cacactgtna tgctagcctc acgaaactgg aataagcctt cgaaaagaaa ttgtccttga 60
agcttgatc tgatcacgc actggattgt agaacttggt gctgattttg accttgatt 120
gaagttaact gttccccttg gtatttggtt aataccctgt acatatcttt gagttcaacc 180
tttagtacgt gtggcttggt cacttcgtgg ctaaggtaag aacgtgcttg tggaagaaa 240
gtctgtggct tggtagtct gtgtggccag cagcctctga tctgtgcagg gtattaacgt 300
gtcaaggctg agtggtcttg ggaattctct agaggctggc aagaaccagt tggttttgtc 360
cttgccgggt ctgtcaaggg ttggaaatcc caagccgtag gacccagttc cctnccttaa 420
ccgaagtctt tgccaaaaca cnggggccgt aactggcctt gagttggaac gggtgcataa 480
gccgnaaagn atcaac 496
```

<210> 800

<211> 516

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (12)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (29)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (30)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (44)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (80)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (107)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (122)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (149)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (157)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (164)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (166)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (169)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (173)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (183)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (188)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (190)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (193)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (199)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (208)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (220)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (256)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (270)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (273)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (275)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (294)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (296)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (335)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (336)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (341)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (362)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (370)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (487)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (500)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (501)  
<223> n equals a,t,g, or c

<400> 800



743

```

gctgaaaaag gnggggggga gccattann acgcccagac ggantaaccc caggccccgc 60
cacaccaccc cttgccaaan tcattctgect gctccccggg gggagangac cgccggcctc 120
tntactagc ccaccagccc accaggkana aaataanca tganangcng cgnccgccac 180
cngtgnncn cantccccc cttcccgntt cccttagaan cctgccgcgt cctatctcat 240
gacgctcatg gaaccncttt ctttgatctn ctntntctta totccccctc tttntngttc 300
taaagaaaat cattttgatg caaggctctg cctggnatca natccgaagt gtcctgcag 360
tnaccctttn cctggcatth ctctccacg cgacaagtct gctagtgaga tcttgcatga 420
ctcactttgt ttccaaaacc cggggctatt ttgcatctca agtttcctgg ggcctgcttc 480
ctgtgtncca cttagggn nctgggcaa gactgt 516

```

&lt;210&gt; 801

&lt;211&gt; 284

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (6)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (12)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (28)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 801

```

naagcncctg gngaacttgg ggaaggcncg cctgcaggta ccggtccgga attccccggg 60
cgaccttcgc gtttttatat atatagatat atatagatat atatagatat atatagatat 120
atatagatat atatagatat agatagatat agatagatat agatagatat agatagatat 180
atatagatat atatagatat atatagatat atatagatat atatagatat atatagatat 240
atatagatat atagatatat atatatctgg ctcctgcatg aaaa 284

```

&lt;210&gt; 802

&lt;211&gt; 153

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (46)

&lt;223&gt; n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (92)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (119)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (134)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (140)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (143)  
<223> n equals a,t,g, or c

<400> 802  
cggacggtg tgtagcgcgt ggggtgtaaga cttgcccag tccanagca cctcacctcc 60  
cgaagccacc atccccaccc tgtcttcac anccgcctga aagccacaat gagaatgant 120  
cacactgagg cctngatgtn ctntaatcac ttg 153

<210> 803  
<211> 383  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (271)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (301)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (370)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (374)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (375)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (383)  
<223> n equals a,t,g, or c

<400> 803  
cacgtgagat taaaaccaat tttttcccca ttttttctcc ttttttctct tgctgcccac 60  
attgtgcctt tattttatga gcccagttt tctgggctta gtttaaaaaa aaaatcaagt 120  
ctaaacattg catttagaaa gcttttggtc ttggataaaa agtcatacac tttaaaaaaa 180  
aaaaaaactt tttccaggaa aatatattga aatcatgctg ctgagcctct attttctttc 240  
tttgatggtt ttggattcag tattccttta nccataaatt ttttagcattt aaaaattcac 300  
nggatggtac attaagccaa taaactggct ttaatggatt acccaaaaaa aaaaaaaaaa 360  
aaaggggggn cgcnncagag ggn 383

<210> 804  
<211> 509  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (94)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (397)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (399)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (401)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

746

&lt;222&gt; (434)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (478)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (501)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (504)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 804

```
ggcacgagct ggggtgtcct ttgcatctgc acgtgttcgc agtcgtttcc gcgatgctga 60
ctctggagct cagcacagcc ctggagcacc agngtacat tacttttctt gaagacctca 120
agagttttgt caagagccag tagagcagac agatgctgaa agccatagtt tcatggcagg 180
ctttggccag tgaacaaatc ctactctgaa gctagacatg tgctttgaaa tgattatcat 240
cctaatatca tgggggaaaa aataccagat ttaaattata tgttttgtgc tctcatttat 300
ttatcatttt tttctgtaca aatctattat ttctaggttt ttgtattaca tgatagacat 360
aaattgggtt atctcctcca ggcagtttgt ctttctnant nctccccctt caaccgtgtc 420
acaaagacca gacngtgtcg ggaaagtgtt ttttctccgt attgttaaag gttccatnca 480
attaggttta ataaaggctt nttntccag 509
```

&lt;210&gt; 805

&lt;211&gt; 753

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (1)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (648)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (668)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

<222> (718)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (736)

<223> n equals a,t,g, or c

<400> 805

```
ncaaaccac tccaccttac taccagacaa ccttagccaa accatttacc caaataaagt 60
ataggcgata gaaattgaaa cctggcgcaa tagatatagt accgcaaggg aaagatgaaa 120
aattataacc aagcataata tagcaaggac taacccttat accttctgca taatgaatta 180
actagaaata actttgcaag gagagccaaa gctaagaccc ccgaaaccag acgagctacc 240
taagaacagc taaaagagca caccctgcta tgtagcaaaa tagtggaag atttataggt 300
agaggcgaca aacctaccga gcctggtgat agctggttgt ccaagataga atcttagttc 360
aactttaaat ttgccacag aacctcttaa atccccttgt aaatttaact gttagtccaa 420
agaggaacag ctctttggac actaggaaaa aacctgttag agagagtaaa aaatttaaca 480
cccatagtag gcctaaaagc agccaccaat taagaaagcg ttcaagctca acaccacta 540
cctaaaaaat cccaacata taactgaact cctcacacc aattggacca atctatcacc 600
ctatagaaga actaatggtg gtataagtaa catgaaaaca ttctcctncg cataagcctg 660
cgtcaganta aaacctgact gacaattaac agcccaattc tacaatcaaa caacaagnca 720
ttattaccct tactgncaac ccaaccaggc atg 753
```

<210> 806

<211> 404

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (11)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (352)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (383)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (396)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (398)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (403)

<223> n equals a,t,g, or c

<400> 806

```
ggaagaagga ngaaaagcag gaagctggaa aggaaggtag tgcaccatct gaaaatgggtg 60
aaactaaagc tgaagaggta ctttccataa atacctccca ctgattgaat cagtgtcttt 120
aaagaaattt ctcaatcctt cagccggtga tagcacgttc ttaatgtctc tttttattgc 180
ctgtaatggt attgcagatc cacatctctc gctcaactgt taatgtctca acctccagag 240
gcacccacc cagcacactg tcagtaaagg ggcagaatga aacagtgaga gttaagggtg 300
caggaagaaa atttgcatgt ttgcaagtga ctagaatcag atagtaagtg gnggtgggtt 360
ttttttttta atcattatga aanagtggga agcttngnag gtna 404
```

<210> 807

<211> 428

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (2)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (17)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (20)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (33)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (89)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (164)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (198)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (215)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (258)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (266)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (283)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (400)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (413)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (417)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (423)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (426)  
<223> n equals a,t,g, or c

<400> 807

750

cngttcctcc gcctgtncn tggggggggc ctnagaggga aggagaggtt tctcacacca 60  
aggcagatgc tcctctggtg ggagggtgnt ggcccggcaa gattgaagga tgtgcagggc 120  
ttcctctcag agccgcccac actgccttga tgtgtggagg ggangcaaga tgggtaaggg 180  
ctcaggaagt tgctccanga acagtagctg atganctgcc cagagtgcct ggctccagcc 240  
tgtacccttg gtatgccttg aacatntggt ttccccaccc aantgcggct aagtctcttt 300  
ttccttgat cagccaggcg aaattggggc ttgacaagg aattttctaa ggaaaccttg 360  
ttaaccagac aaaacacaac cagggttaca gggggtatgn aagggttttc tgncccngga 420  
ggnttnag 428

&lt;210&gt; 808

&lt;211&gt; 403

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (2)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (34)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (62)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (85)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (257)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (258)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (261)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature



751

<222> (265)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (270)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (286)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (288)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (342)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (346)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (349)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (365)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (375)  
 <223> n equals a,t,g, or c

<400> 808  
 cnagccccga ggggctctcg cttctggcgc caangcccgg ccgcgcgccg gccgggccga 60  
 cncgcgtccg gggacagtgc caggngggga gtttgactgg ggcggtacac ctgtcaaacg 120  
 gtaacgcagg tgtcctaagg cgagctcagg gaggacagaa acctcccgtg gagcagaagg 180  
 gcaaaagctc gcttgatctt cattttcagt acgaatacag accgtgaaaag ccgggcctca 240  
 cgatccctcct gaccttnncg ntttncagcn ggaggtgtca gaaaantnac cacagggata 300  
 actcgcttgt cgcggccaag cgttcatagc gacgtcgctt tnccangtnc gatgtcggat 360  
 cttcntatca ttgtnaagca gaattcacca agcgttggtat tgt 403

<210> 809  
<211> 583  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (376)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (377)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (421)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (423)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (435)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (440)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (444)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (472)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (478)  
<223> n equals a,t,g, or c

753

<220>  
<221> misc feature  
<222> (481)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (488)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (565)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (571)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (573)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (581)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (583)  
<223> n equals a,t,g, or c

<400> 809  
tcgacccacg cgtccgggac gacagttagc tatgctgata cccttctgtg aggagttgaa 60  
tttgaagacc acttggtgtg ttcacaaaac cagaagtaac tacagggtgt tcctgaaaag 120  
cccatagtg attgagtctt caaaaccacc gattctgaga gcaaggaaga ttttggaaga 180  
aaatctgact gtggattatg acaaagatta tcttttttct taagtaatct atttagatcg 240  
ggctgactgt acaaatgact cctggaaaaa actcttcacc tagtctagaa taagggaggt 300  
gggagaatga tgacttaccc tgaagtcctt cccttgactg cccgcactgg ggccctgttct 360  
gtgccctggg agcatnntgc ccagctaagt ggggttcagg cagtgggcag ctttcccaat 420  
nancgattt ccatnccagn gganttaaaa ccagttggcc aaatttccaa gnccttgnaa 480  
ntaaggantc catttaccaa cccgcggtt tgtggtcagt gcccgaagg ggtaggttga 540  
agggggctta acaaacatgg aagtnggggg nanaagggat nan 583

<210> 810  
<211> 272  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (33)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (43)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (123)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (130)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (163)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (165)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (167)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (228)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (259)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (262)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (265)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (266)

<223> n equals a,t,g, or c

<400> 810

```
tttttttttt tttttggacg tttaaaggcat ttnattccag cgncttctag agagcttagt 60
gtatacagat gaggggtgtcc gctgctgctt tccttcggaa tccagtgtt ccacagagat 120
tancctgtan cttatatattg acattcttca ctgtctgttg ttnancnacc gtagcttttt 180
accgttcact tccccttcca actatgtcca gatgtgcagg ctccctccnct ctggactttc 240
tccaaaggca ctgaccctng gncctnnactt tg 272
```

<210> 811

<211> 300

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (8)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (252)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (259)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (264)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (276)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (280)

<223> n equals a,t,g, or c

<400> 811

ggcagagnat aaaatcttaa agcactcata atatggcatc cttcaatttc tgtataaaaag 60  
cagatctttt taaaaagata cttctgtaac ttaagaaacc tgggcattta aatcatattt 120  
tgtcttttagg taaaagcttt ggtttggtgt cgtgttttgt ttgtttcact tgtttccctc 180  
ccagccccaac accttttggt ctctccgtga acttaccttt ccctttttct ttctcttttt 240  
tttttttgga anattaatng tttncataa aatttncatn gccattaaaa aaaaaaaaaa 300

<210> 812

<211> 478

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (232)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (294)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (325)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (336)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (409)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (427)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (445)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (460)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (468)

<223> n equals a,t,g, or c

<400> 812

```
gccaccttac taccagacaa ccttagccaa accatttacc caaataaagt ataggcgata 60
gaaattgaaa cctggcgcaa tagatatagt accgcaaggg aaagatgaaa aattatagcc 120
aagcataata tagcaaggac taaccctat accttctgca taatgaatta actagaaata 180
actttgcaag gagagccaaa gctaagaccc ccgaaaccag acgagctacc tnagaacagc 240
tgaaagagca caccgcgtcta tgtagcaaaa tagtggaag atttataggt tgangcgaca 300
aacctaccga gcctgggtgat agctngttgt tccaanattg aatccttagt tccactttta 360
atttggtccc aaaaaccccc taattccctt tggttaattt taactgttng tccccaaaaa 420
ggaaccngct ctttgggacc cttanggaaa aaaaccttgn ttaaaaanaa ttaaaaaa 478
```

<210> 813

<211> 63

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (49)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (50)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (53)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (57)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (59)

<223> n equals a,t,g, or c

<400> 813

```
gccgcggtcc ttcagactgc ccggagagcg cgctctgcct gccgcctgnn tgnctgncnc 60
tga
```

63

<210> 814  
<211> 73  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (4)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (37)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (38)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (52)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (58)  
<223> n equals a,t,g, or c

<400> 814  
ggcngacatt cagactgagc gtgcctacca aaagtanncg accatctttc anaacaanaa 60  
gagggtcctg ctg 73

<210> 815  
<211> 102  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (29)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (91)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature



<222> (93)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (100)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (102)

<223> n equals a,t,g, or c

<400> 815

gctgccgcct gcctgcctgc cactgaggnt tcccagcacc atgagggcct ggatcttctt 60  
tctcctttgc ctggccggga gggccttggc ngncctcan cn 102

<210> 816

<211> 379

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (340)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (348)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (358)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (359)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (360)

<223> n equals a,t,g, or c

<400> 816

gctccacgag gggtcagctg tctcttactt ttaaccagtg aaattgacct gcccggaag 60  
aggcgggcat aacacagcaa gacgagaaga ccctatggag ctttaattta ttaatgcaaa 120  
cagtaccta caaaccaca ggtcctaaac taccaaacct gcattaaaaa ttccggttg 180

ggcgacctcg gagcagaacc caacctccga gcagtacatg ctaagacttc accagtcaaa 240  
gcgaactact atactcaatt gatccaataa cttgaccaac ggaacaagtt accctaggga 300  
taacagcgca atcctattct agagtccata tcaacaatan ggtttacnac ctcgatgnnn 360  
ggatcaggac attccaatg 379

<210> 817

<211> 500

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (148)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (158)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (185)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (192)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (201)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (215)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (238)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (240)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (251)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (259)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (262)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (283)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (293)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (336)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (339)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (345)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (350)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (354)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

<222> (363)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (365)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (369)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (373)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (384)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (394)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (397)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (416)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (430)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (445)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (480)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (484)

<223> n equals a,t,g, or c

<400> 817

```
tcgacccacg cgtccggcca cagccacagc caggctagcc tcgccggttc ccgggtggcg 60
cgcgttcgct gcctcettca gctccaggat gatcggccag aagacgctct actccttttt 120
ctccccccag cccgccaaga agcgacangg cccaagncc cgagccggcc gtcaagggga 180
ccggngtggc tngggttgct naagaaagcg gaatncgggg ggcattcccag ccaagaangn 240
cccggctggg naggagaanc tngggaacgc cggcctcctt ggncgctgaa ttnccgaaca 300
ttttggaacc ggattccaga ggaacaaagg gcccgngnc cttgnttaan aatncggggg 360
ccngnaaang ttnccccttg gggntttttg gaanaanaac ctgggaaaga aagcanctta 420
aggggggggn attttcgggg gaaancgtta tttttaatca aagctaaatt ggggattttt 480
tttncaaaaa ggaaaggaaa 500
```

<210> 818

<211> 329

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (42)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (45)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (52)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (77)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (95)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (104)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (148)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (159)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (182)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (183)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (184)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (193)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (196)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (208)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (209)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (239)

<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (256)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (275)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (279)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (320)  
<223> n equals a,t,g, or c

<400> 818  
cggtaccaat ttacacagga gacagctatg accatgatta cncnagctc gnaattaacc 60  
ctcactaatg ggaacanaag ctggagctcc accngtagg cggncggtct agaactagtg 120  
tgatcccccg ggctgcagga attcggcncg agaggaaana gaaaccgtct gaactatgct 180  
gnnngccatc atnctnggcc tcatcgcnnt tccatcccta cgcattgcttt acatagcana 240  
cgaggtagcg atgccnccct taccatcaag atcanttgnc caccaatggt acttgaacct 300  
acgagtacac ccgaccacn ggtggacta 329

<210> 819  
<211> 648  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (369)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (518)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (544)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature

766

&lt;222&gt; (547)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (565)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature\

&lt;222&gt; (584)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (626)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 819

```
gcttaaattc ttttgaggat gggatgtatt tttcttgctg ttcagtgctt tttccttttc 60
atctgttggt ctgtgggtcac agtgacctta gctacatagc agactttccc aaatgtattg 120
attacaaata aacagttggt acttagcaag acctgaaaat atgtctgcag gtttctcctt 180
gaagcaaatg tgtgggatca ttgcatttcc agaaatctgc ctccctcacc ctccggtgac 240
agtatatgtc atgcctcact ttcttctagc tgagctttaa atcattagag cttaaattgt 300
cagatcggtc attgcctttc cagggttatt tagtaaagtt tgttgaaaac aaaaacgcct 360
tttcttggtt cttttttcag ttattttgaa ggccagcatc ctgattaaat gctgacacat 420
taatgaatga ccagcaacag ctttcagctc ttaaaaagac acttatattt gaatttacat 480
gctgggtacc tgggtccaat ggtggcaaaa ggccactntt cattaaaagg ggtcctccat 540
ttctantccc caaggacttc ctcanttttc aaattgggaa gggnacctaa aagggggtac 600
aattaaaacc ctggggtaaa gggggnaaaa aaaaaaaaaa aaaaaaaaaa 648
```

&lt;210&gt; 820

&lt;211&gt; 469

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (238)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (284)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (293)

&lt;223&gt; n equals a,t,g, or c



<220>  
<221> misc feature  
<222> (308)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (319)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (370)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (396)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (421)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (428)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (465)  
<223> n equals a,t,g, or c

<400> 820  
gccactccac cttactacca gacaacctta gccaaacccat ttacccaaat aaagtatagg 60  
cgatagaaat tgaaacctgg cgcaatagat atagtaccgc aagggaaaga tgaaaaatta 120  
taaccaagca taatatagca aggactaacc cctatacctt ctgcataatg aattaactag 180  
aaataacttt gcaaggagag ccaaagctaa aacccccaat aaaccttgaa cagtgaanaa 240  
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaacctcgag gtcnacggta tcnataacct 300  
tgatatcnaa ttcggcacna gcaaccctca ttccccaacc cacgccggag gctgcgcttg 360  
caggacctgn ctgaccgatt ggtggatcct ctgaanatga acacgactca ccactgctca 420  
ncgaggcntg cttgagcaaa atccgccaat tataaaaaaa aaacnctcc 469

<210> 821  
<211> 432  
<212> DNA  
<213> Homo sapiens

<220>

<221> misc feature  
 <222> (344)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (385)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (419)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (422)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (425)  
 <223> n equals a,t,g, or c

<400> 821  
 ggcacgagag aaactgtgtg tgaggggaag aggcctgttt cgctgtcggg tctctagttc 60  
 ttgcacgctc tttaagagtc tgcactggag gaactctgcc attaccagct cccttggtgc 120  
 agaaggaagg ggaaacatac atttattcat gccagtctgt tgcattgcagg ctttttggct 180  
 tcctaccttg caacaaaata attgcaccaa ctccttagtg ccgattccgc ccacagagag 240  
 tcctggagcc acagtctttt ttgctttgca ttgtaaggag agggactaaa gtgctagaga 300  
 ctatgtcgct ttcctgagct aacgagagcg ctctgaact ggantcaact gctttcaggg 360  
 aaaaagaaaa aaaaaaaaaa aaaanccggg ggggggcccc gtaaccatt tccccctana 420  
 gngngggggt tt 432

<210> 822  
 <211> 428  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc feature  
 <222> (323)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature  
 <222> (367)  
 <223> n equals a,t,g, or c

<220>  
 <221> misc feature

<222> (382)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (385)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (425)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (427)

<223> n equals a,t,g, or c

<400> 822

```
aagtctcttc agtgcaactcg ctccctctct ggctaaggca tgcattagcc actacacaag 60
tcattagtga aagtgggtctt ttatgtcctc ccagcagaca gacatcaagg atgagttaac 120
caggagacta ctctgttgga ctgtggagct ctggaaggct tgggtgggagt gaatttgccc 180
acaccttaca attgtggcag gatccagaag agcctgtctt tttatatcca ttccttgga 240
gtcattgggc ctctcccacc gatttcatta cgggtgccacg catccatggg atctggggta 300
gtccggaaaa acaaaaggag ggnagacagc ctggtaatgg ataagatcct taccacagtt 360
ttcccanggg gaatacctta tnaanccttc aacttttttt tttcccttaa gaattaaaac 420
ggggnana                                         428
```

<210> 823

<211> 100

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (32)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (54)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (63)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (71)

770

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (78)

<223> n equals a,t,g, or c

<400> 823

ctcagctcct gggggctcct gctactctgg gntcccagg gtgccaaaat gtgncatcca 60  
agntgacca ntctccgncc ctccctgtct gcagctggta 100

<210> 824

<211> 173

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (79)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (111)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (117)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (156)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (165)

<223> n equals a,t,g, or c

<400> 824

cggacgcgtg ggcggacgcg tgggcggacg cgtgggccga gaaccacagg tgtacaccct 60  
gccccatcc cgggaggana tgaccaagaa acagtcagct gaactgcctg nttctanagg 120  
tttctatccc acgaaatccc cttgaattgg gaaacnattg ggcanccgaa aaa 173

<210> 825

<211> 341

<212> DNA

<213> Homo sapiens

771

<220>  
<221> misc feature  
<222> (283)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (313)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (317)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (335)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (339)  
<223> n equals a,t,g, or c

<400> 825  
cccaaacc ca ctccacctta ctaccagaca accttagcca aaccatttac ccaaataaag 60  
tataggcgat agaaattgaa acctggcgca atagatatag taccgcaagg ggaaagatga 120  
aaaattataa ccaagcataa tatagcaagg actaaccctt ataccttctg cataatgaat 180  
taactagaaa taactttgca aggagagcca aagctaagac ccccgaaacc agaacgagct 240  
accttagaac agcttaaaga gcacaccctt ctatttttgc canaatagtg ggaaagattt 300  
ataggttgaa ggnaacnaac ctaccgagcc tggtnaatnc t 341

<210> 826  
<211> 492  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (337)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (416)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (446)

772

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (471)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (475)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (480)

<223> n equals a,t,g, or c

<400> 826

```
gcaaaccac tccaccttac taccagacaa ccttagccaa accatttacc caaataaagt 60
ataggcgata gaaattgaaa cctggcgcaa tagatatagt accgcaaggg aaagatgaaa 120
aattataacc aagcataata tagcaaggac taacccttat accttctgca taatgaatta 180
actagaaata actttgcaag gagagccaaa gctaagaccc ccgaaaccag acgagctacc 240
taagaacagc taaaagagca caccctgcta tgtagcaaaa tagtgggaag atttataggt 300
agaggcgaca aacctaccga gcctggtgat agctggntgt ccaagataga atcttagttc 360
aactttaaat ttgccacag aaccctctaa atccccttgt aaatttaact gttagnccaa 420
agaggaacaa gctctttgga cactangaaa aaaccttgta tagagaggaa naaanatttn 480
acaaccata ct 492
```

<210> 827

<211> 290

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (59)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (230)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (250)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (262)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (264)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (290)

<223> n equals a,t,g, or c

<400> 827

```
ggtcgtgctc tcccggggcg ggtccgagcc ggcacgggagc aggggcggac gttcgtggng 60
aacgggaccg tccttctcgc tccgccccgc ggggggtccc tcgtctctcc tctccccgcc 120
cgccggcggt gcgtgtggga aggcgtgggg tgccggacccc ggccccgacct cgccgtcccg 180
cccgcgcct tctgcgtcgc ggggtgcgggc cggcgggggtc ctctgacgcn gcagacagcc 240
ctcgtgtgten cctccagtgg angncgactt gcgggcggta ctcctacgan 290
```

<210> 828

<211> 420

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (149)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (334)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (382)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (396)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (403)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (405)

<223> n equals a,t,g, or c

<400> 828

gggtcgaccc acgcgtccgg cagcacggaa aaagaaggtc tcctccacga agcgacactg 60  
agcgtgcacc aagggttg tctgcggggg ccttggagct cctgctcttc tcccgcacct 120  
ccatggatgc actgctgccg agcagagcng cctctgccag gccccgccct gggattccta 180  
gagactagct tcagttttgc tttttttttt aagtgggaga aggggtgggca gttatcactg 240  
gggaagagag gaccggccac ctgtccagca tgggtccag agccttcctc tctcacaggg 300  
cagagtcttg tcggcaaggc agcctcctgg ccantttctc tgetcatgtt tctggtttagc 360  
agagttcaga gccaattgtt tnacttcttg gttgtncctg tgnangaagc ctttcaaaac 420

<210> 829

<211> 298

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (19)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (20)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (30)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (56)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (57)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (109)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (125)

<223> n equals a,t,g, or c



<220>  
<221> misc feature  
<222> (129)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (171)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (181)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (191)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (267)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (268)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (269)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (281)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (287)  
<223> n equals a,t,g, or c

<400> 829  
ttcagaaaaa acaatagtnn tgtgcctctn tcttctcaaa caatggatga cacaanncta 60  
tggagagtga caaaatggtg acaggtagct ggggacctag gctatctcnc catgaagggtt 120  
gttcngctna ttgtatatct gtgtatgtag tgtaactata ttgtacaatg ngaagactgt 180  
naactactat ntagggttgt tgcagattga aatttagttg tctcattggc tgtctgagga 240

agtggtggact tctatatata gatctannnt gaaaactgct ncatgantga aaaccaca 298

<210> 830

<211> 516

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (5)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (10)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (21)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (35)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (408)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (475)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (477)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (497)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (513)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (515)

<223> n equals a,t,g, or c

<400> 830

```
ncggnaaactn ctactatag ntgaaagctg gtacnccctgc aggtaccggt ccggaattcc 60
cgggggcatc cccttgctcc caagagaccc gacgcttgct tcatggccta cacgttcgag 120
agagagtctt cgggagagga ggaggagtag ggccgcctcg gggtgggca tccggcccct 180
ggggccaccc cttgtcagcc ggggtggtag gaaccgtaga ctgcctcatc tcgcctgggt 240
ttgtccgcat gttgtaatcg tgcaataaa cgctcactcc gaattagcgg tgtatttctt 300
gaagttaaat attgtgtttg tgatactgaa gtatttgctt taattctaaa taaaaattta 360
tattttactt ttttattgct ggtttaagat gattcagatt atccttgnac tttgaggaga 420
agtttcttat ttggagcttt tggaaacagc ttaagctttt aacttggaat gatangnatt 480
aatccccttc attggtntcc aaaagccaat aangng 516
```

<210> 831

<211> 636

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (414)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (453)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (530)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (617)

<223> n equals a,t,g, or c

<400> 831

```
ggaaaaaaat gagttccatt taaaattttg gcatatggca ttttctaact taggaagcca 60
caatgttctt ggcccatcat gacattgggt agcatctaact gtaagtgttg tgcttccaaa 120
tcactttttg gtttttaaga atttcttgat actcttatag cctgccttca attttgatcc 180
```

tttattcttt ctatttgtca ggtgcacaag attaccttcc tgttttagcc ttctgtcttg 240  
tcaccaacca ttcttacttg gtggccatgt acttggaata aggccgcatg atctttctgg 300  
ctccactcag tgtctaaggc accctgcttc ctttgcttgc atcccacaga ctatttcctt 360  
catcctatctt actgcagcaa atctctcctt agttgatgag actgtgttta tctnccttta 420  
aaaccctacc tatcctgaat ggtctgtcat tgnctgcctt taaaatcctt cctctttctt 480  
cctcctctat tctctaaata atgatggggc ttaagttata cccaaagctn actttacaaa 540  
atatttcctc aagactttgc agaaacacca acaaaatgcc atttaaaaaa ggggattttc 600  
tttaaaggaa ctctaanaca ggcaagggtc tgatgt 636

<210> 832

<211> 466

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (421)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (443)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (446)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (453)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (466)

<223> n equals a,t,g, or c

<400> 832

gacagatta tgagttactg tttaaagaa aaatgctgtt tattcatgct gaggtgattc 60  
agttccctcc ttcttacaga agtattttaa ttcacccac actagaaatg cagcatcttt 120  
gtggacgtct ttttcacaag cctccaaggc tccttagatt ggtcggttac taaaagtaca 180  
ttaaaacact cttgtttatc gaagtatatt gatgtattct aaagctagta aacttcctta 240  
acgtttaatt gccctacaga tgcttctctt gctgtgggtt ttcttttggt agtggtctga 300  
aataattatt ttctgtttct attaatacat aagtgatttt tgcacaaaaa aattaacctg 360  
gtcaaatagt gattacaaaa atatataata ataactcttg gcaaatTTTT gccatttata 420  
ngaaaacatt ttaacccac ggntangttc tanatttatt ctttcn 466

<210> 833

<211> 405

<212> DNA  
<213> Homo sapiens  
  
<220>  
<221> misc feature  
<222> (237)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (278)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (335)  
<223> n equals a,t,g, or c

<400> 833  
ttttaattca acccagccat gcaatgccaa ataatagaat tgctccctac cagctgaaca 60  
gggaggagtc tgtgcagttt ctgacacttg ttgttgaaca tggctaaata caatgggtat 120  
cgctgagact aagttgtaaa aaattaacaa atgtgctgct tggttaaaat ggctacactc 180  
atctgactca ttctttattc tattttagtt ggtttgatc ttgcctaagg tgcgtantcc 240  
aactcttggt attaccctcc taatagtcac actagtantc atactccctg gtgttatgta 300  
ttctctaaaa gctttaaatg tctgcattgc aaccngccat caaatattga atgggctctc 360  
ttttggctgg aattacaaac tcaaaaaatg tttctcagga aaaaa 405

<210> 834  
<211> 402  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (277)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (332)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (354)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (359)  
<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (390)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (400)

<223> n equals a,t,g, or c

<400> 834

```
gcaaaccac aggtcctaaa ctaccaaacc tgcattaaaa atttcggttg gggcgacctc 60
ggagcagaac ccaacctccg agcagtacat gctaagactt caccagtcaa agcgaactac 120
tatactcaat tgatccaata acttgaccaa cggaacaagt taccctaggg ataacagcgc 180
aatcctattc tagagtccat atcaacaata gggtttacga cctcgatgtt ggatcaggac 240
atcccgatgg tgcagccgct attaaagggt cgtttgntca acgattaaag tcctacgtga 300
tctgagttca gaccggagta atccaggtcg gnttctatct acttcaaatt cctncctgna 360
cgaaaggaca agagaaataa gggctacttn acaaagcgcn tt 402
```

<210> 835

<211> 121

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (4)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (40)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (77)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (100)

<223> n equals a,t,g, or c

<220>

<221> misc feature  
<222> (110)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (117)  
<223> n equals a,t,g, or c

<400> 835  
nttnaaaaaa aaaaaaaaaa aaaaaaaaaa aagaaaaaan aaaaaaaaaa aaaaaaaaaa 60  
aaaaaggcg gccgttntaa aggatccaag cttacgtacn cgtgcatgcn acgtcanagc 120  
t 121

<210> 836  
<211> 411  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (340)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (344)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (357)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (386)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (408)  
<223> n equals a,t,g, or c

<400> 836  
agtaagcctg ccagacacgc tgtggcggct gcctgaagct agtgagtcgc ggcgccgcgc 60  
acttgtggtt gggtcagtgc cgcgcgccgc tcggtcgtta ccgcgaggcg ctggtggcct 120  
tcaggctgga cggcgcggggt cagccctggt ttgccggctt ctgggtcttt gaacagccgc 180  
gatgtcgatc ttcaccccca ccaaccagat ccgcctaacc aatgtggccg tggtagcgat 240  
gaagcgcgcc aggaagcgct tcgaaatcgc ttgctacaga aacaagtcgt cggctggcgg 300  
agggcttttg aaaaagactt gatgaatttt gcagacccan caangtttgt aaagttacca 360

aagtcagttt ccaaaaggaa attcancagg ggtttgaaa atgccaanga a 411

<210> 837

<211> 386

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (381)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (383)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (384)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (385)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (386)

<223> n equals a,t,g, or c

<400> 837

gcggcagctc agcaagtggg ggaccaggcc acagaggcgg ggcagaaagc catggaccag 60  
 ctggccaaga ccacccagga aaccatcgac aagactgcta accaggcctc tgacaccttc 120  
 tctgggacgc ggaaaaaatt cggcctcctg aaatgacagc agggagactt gggtcggcct 180  
 cctgaaatga tagcaggag acttggtga ccccccctcc aggcgccatc tagcacagcc 240  
 tggccctgat ctccgggcag ccaccacctc ctcggtctgc cccctcatta aaattcacgt 300  
 tcccaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 360  
 aaaaaaaaaa aaaaaaaaaa ngnnnn 386

<210> 838

<211> 124

<212> DNA

<213> Homo sapiens

<400> 838

gctttcaata gatcgacgc agggagctgc tctgctacgt acgaaacccc gacccagaag 60  
 caggtcgtct acgaatggt tagcgccagg ttccccacga acgtgcggtg cgtgacgggc 120  
 gagg 124



<210> 839  
<211> 270  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc feature  
<222> (26)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (56)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (107)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (130)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (175)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (178)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (250)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (260)  
<223> n equals a,t,g, or c

<220>  
<221> misc feature  
<222> (261)  
<223> n equals a,t,g, or c

<400> 839

atctggttgt gggtacaatg aaaatnagaa gcattattga tggattcgca taagcncaat 60  
gtgatgtcct gcgcgttct gccccctctc cctccaggg tgagggnetg gggtagggg 120  
taatgttcgn accagtgtg gctgttcccc tcaccctaac cctctcccca aaggncgnag 180  
gggcccgggt acccaattcg ccctatagtg agtcgtatta caattcactg gccgtcgttt 240  
tacaagacgn agggaggagn ntgatgaaaa 270

<210> 840

<211> 430

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (210)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (262)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (263)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (348)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (369)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (390)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (395)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (409)

<223> n equals a,t,g, or c

&lt;400&gt; 840

```
ctctacatca ccgccccgac cttagctctc accatcgctc ttctactatg aacccccctc 60
cccatacca accccctggt caacctcaac ctaggcctcc tatttattct agccacctct 120
agcctagccg tttactcaat cctctgatca gggtgagcat caaactcaaa ctacgccctg 180
atcgggcgac tgcgagcagt agcccaaacn atctcatatg aagtcaccct agccatcatt 240
cctactatca acattactaa tnngttggct cctttaacct ctccaccctt atcacaacac 300
aagaacactc ctgaatatcc tgccatcata accctttggc catatatnat tatcttccac 360
actagggana acaacgaacc cccttcgaan cttngaaag ggaatttcna ataattctca 420
ggttcaaatt 430
```

&lt;210&gt; 841

&lt;211&gt; 650

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (519)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (555)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (564)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (573)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (589)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (634)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 841

```
gccgtcatct actctaccat ctttgcaggc aactcatca cagcgctaag ctgcactga 60
ttttttacct gagtaggcct agaaataaac atgctagctt ttattccagt tctaaccaaa 120
aaaataaacc ctcgttccac agaagctgcc atcaagtatt tcctcacgca agcaaccgca 180
tcataatcc ttctaatagc tatcctcttc aacaatatac tctccggaca atgaaccata 240
accaataata ccaatcaata ctcatcatta ataatacataa tggctatagc aataaaacta 300
```

786

```

ggaatagccc cctttcactt ctgagtccca gaggttacct aaggcacccc tctgacatcc 360
ggcctgcttc ttctcacatg acaaaaaacta gcccccatct caatcatata ccaaattctct 420
ccctcactag acgtaagcct tctcctcact ctctcaatct tatccatcat agtaggcagt 480
tgagggtgga ttaaaccaaa acccagctac gcaaaatcnt agcatacttc ctcaattacc 540
cacataggat gaatnaatag cagnttctac cgnacaaccc ttacataanc atttcttaaa 600
ttaactaatt atattaatcc taactactac ggantctact actaacttaa 650

```

&lt;210&gt; 842

&lt;211&gt; 509

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (438)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (455)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (462)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (468)

&lt;223&gt; n equals a,t,g, or c

&lt;220&gt;

&lt;221&gt; misc feature

&lt;222&gt; (482)

&lt;223&gt; n equals a,t,g, or c

&lt;400&gt; 842

```

gcctgtgtct gctaaaaaag aaaagaaagt ttcctgcatg ttcattcctg atgggcgggt 60
gtctgtctct gctcgaattg acagaaaagg attctgtgaa ggtgatgaga tttccatcca 120
tgctgacttt gagaatacat gttcccgaat tgtgggtccc aaagctgcca ttgtggcccg 180
ccacacttac cttgccaatg gccagaccaa ggtgctgact cagaagttgt catcagtcag 240
aggcaatcat attatctcag ggacatgcgc atcatggcgt ggcaagagcc ttcgggttca 300
gaagatcagg ccttctatcc tgggctgcaa catccttcga gttgaatatt ccttactgat 360
ctatgttagc gttcctggat ccaagaaggt catccttgac ctgcccctgg taattggcag 420
cagatcaggt ctaagcanca gaacatccag ctggnccagcc cnaaccanct ctgaagatga 480
gntgggtaga tctgaacatc ctgatcccc 509

```

&lt;210&gt; 843

&lt;211&gt; 158

&lt;212&gt; PRT

787

&lt;213&gt; Homo sapiens

&lt;400&gt; 843

Lys Arg Asp Trp Val Ile Pro Pro Ile Ser Cys Pro Glu Asn Glu Lys  
 1 5 10 15

Gly Pro Phe Pro Lys Asn Leu Val Gln Ile Lys Ser Asn Lys Asp Lys  
 20 25 30

Glu Gly Lys Val Phe Tyr Ser Ile Thr Gly Gln Gly Ala Asp Thr Pro  
 35 40 45

Pro Val Gly Val Phe Ile Ile Glu Arg Glu Thr Gly Trp Leu Lys Val  
 50 55 60

Thr Glu Pro Leu Asp Arg Glu Arg Ile Ala Thr Tyr Thr Leu Phe Ser  
 65 70 75 80

His Ala Val Ser Ser Asn Gly Asn Ala Val Glu Asp Pro Met Glu Ile  
 85 90 95

Leu Ile Thr Val Thr Asp Gln Asn Asp Asn Lys Pro Glu Phe Thr Gln  
 100 105 110

Glu Val Phe Lys Gly Ser Val Met Glu Gly Ala Leu Pro Gly Thr Ser  
 115 120 125

Val Met Glu Val Thr Ala Thr Asp Ala Asp Asp Gly Cys Gly Thr Pro  
 130 135 140

Thr Met Pro Pro Ser Leu Thr Pro Ser Ser Ala Gln Asp Pro  
 145 150 155

&lt;210&gt; 844

&lt;211&gt; 601

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (36)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (64)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

788

&lt;221&gt; SITE

&lt;222&gt; (103)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (106)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (152)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (358)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (383)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 844

Thr	Glu	Leu	Leu	Lys	Ser	Ala	Ala	Arg	His	Gly	Thr	Ala	Glu	Ser	Ala
1				5					10					15	

Pro	Trp	Pro	Arg	Gly	Gln	Gly	Trp	Gln	Gln	Trp	Gln	Gln	Gln	Trp	Arg
			20				25						30		

Arg	Arg	Trp	Xaa	Ser	Trp	Arg	Lys	Asp	Arg	Ala	Arg	Thr	Arg	Arg	Gln
		35					40					45			

Glu	Glu	Leu	Ala	Leu	Ser	Gln	Glu	Pro	Lys	Ser	Ser	Ser	Arg	Gly	Xaa
		50				55					60				

Ser	Pro	Gly	Ala	Ser	Pro	Ala	Ser	Pro	Thr	Ser	Gln	Gln	Phe	Cys	Cys
65					70					75				80	

Phe	Arg	Leu	Asp	Gln	Val	Ile	His	Ser	Asn	Pro	Ala	Gly	Ile	Gln	Gln
			85						90					95	

Ala	Leu	Ala	Gln	Leu	Ser	Xaa	Arg	Gln	Xaa	Ser	Val	Thr	Ala	Pro	Gly
		100						105					110		

Gly	His	Pro	Arg	His	Lys	Pro	Gly	Pro	Pro	Gln	Ala	Pro	Gln	Gly	Pro
		115					120						125		

Ser	Pro	Arg	Pro	Pro	Thr	Arg	Tyr	Glu	Pro	Gln	Arg	Val	Asn	Ser	Gly
		130				135						140			

Leu Ser Ser Asp Pro His Phe Xaa Glu Pro Gly Pro Met Val Arg Gly  
 145 150 155 160  
 Val Gly Gly Thr Pro Arg Asp Ser Ala Gly Val Ser Pro Phe Pro Pro  
 165 170 175  
 Lys Arg Arg Glu Arg Pro Pro Arg Lys Pro Glu Leu Leu Gln Glu Glu  
 180 185 190  
 Ser Leu Pro Pro Pro His Ser Ser Gly Phe Leu Gly Ser Lys Pro Glu  
 195 200 205  
 Gly Pro Gly Pro Gln Ala Glu Ser Arg Asp Thr Gly Thr Glu Ala Leu  
 210 215 220  
 Thr Pro His Ile Trp Asn Arg Leu His Thr Ala Thr Ser Arg Lys Ser  
 225 230 235 240  
 Tyr Arg Pro Ser Ser Met Glu Pro Trp Met Glu Pro Leu Ser Pro Phe  
 245 250 255  
 Glu Asp Val Ala Gly Thr Glu Met Ser Gln Ser Asp Ser Gly Val Asp  
 260 265 270  
 Leu Ser Gly Asp Ser Gln Val Ser Ser Gly Pro Cys Ser Gln Arg Ser  
 275 280 285  
 Ser Pro Asp Gly Gly Leu Lys Gly Ala Ala Glu Gly Pro Pro Lys Arg  
 290 295 300  
 Pro Gly Gly Ser Ser Pro Leu Asn Ala Val Pro Cys Glu Gly Pro Pro  
 305 310 315 320  
 Gly Ser Glu Pro Pro Arg Arg Pro Pro Pro Ala Pro His Asp Gly Asp  
 325 330 335  
 Arg Lys Glu Leu Pro Arg Glu Gln Pro Leu Pro Pro Gly Pro Ile Gly  
 340 345 350  
 Thr Glu Arg Ser Gln Xaa Thr Asp Arg Gly Thr Glu Pro Gly Pro Ile  
 355 360 365  
 Arg Pro Ser His Arg Pro Gly Pro Pro Val Gln Phe Gly Thr Xaa Asp  
 370 375 380  
 Lys Asp Ser Asp Leu Arg Leu Val Val Gly Asp Ser Leu Lys Ala Glu  
 385 390 395 400  
 Lys Glu Leu Thr Ala Ser Val Thr Glu Ala Ile Pro Val Ser Arg Asp  
 405 410 415

790

Trp Glu Leu Leu Pro Ser Ala Ala Ala Ser Ala Glu Pro Gln Ser Lys  
 420 425 430

Asn Leu Asp Ser Gly His Cys Val Pro Glu Pro Ser Ser Ser Gly Gln  
 435 440 445

Arg Leu Tyr Pro Glu Val Phe Tyr Gly Ser Ala Gly Pro Ser Ser Ser  
 450 455 460

Gln Ile Ser Gly Gly Ala Met Asp Ser Gln Leu His Pro Asn Ser Gly  
 465 470 475 480

Gly Phe Arg Pro Gly Thr Pro Ser Leu His Pro Tyr Arg Ser Gln Pro  
 485 490 495

Leu Tyr Leu Pro Pro Gly Pro Ala Pro Pro Ser Ala Leu Leu Ser Gly  
 500 505 510

Val Ala Leu Lys Gly Gln Phe Leu Asp Phe Ser Thr Met Gln Ala Thr  
 515 520 525

Glu Leu Gly Lys Leu Pro Ala Gly Gly Val Leu Tyr Pro Pro Pro Ser  
 530 535 540

Phe Leu Tyr Ser Pro Ala Phe Cys Pro Ser Pro Leu Pro Asp Thr Ser  
 545 550 555 560

Leu Leu Gln Val Arg Gln Asp Leu Pro Ser Pro Ser Asp Phe Tyr Ser  
 565 570 575

Thr Pro Leu Gln Pro Gly Gly Gln Ser Gly Phe Leu Pro Ser Gly Ala  
 580 585 590

Pro Ala Ser Arg Cys Phe Tyr Pro Trp  
 595 600

&lt;210&gt; 845

&lt;211&gt; 67

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 845

Thr Gln Lys Thr Ser Ser Leu Leu Pro Ala Leu Ser Leu Gln Leu Pro  
 1 5 10 15

Leu Leu Thr Arg Phe Ser Ile Met Cys Ser Val Lys Glu Glu Phe Trp  
 20 25 30



791

Arg Val Gln Ser Ile Ile Thr Glu Leu Val Leu Lys Gly Glu Phe Gly  
 35 40 45

Val Glu Glu Ala Met Lys Leu Ile Thr Gly Thr Glu Ala Lys Tyr Lys  
 50 55 60

Ser Ile Asp  
 65

<210> 846

<211> 146

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (16)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 846

Ser Gln Gly Pro Asp His Pro Ser Ser Gln Leu Gln Pro Leu Asn Xaa  
 1 5 10 15

Ser Leu Ser His Leu Leu Val Pro Cys Leu Ser Ile Met Ser Leu Leu  
 20 25 30

Asn Lys Pro Lys Ser Glu Met Thr Pro Glu Glu Leu Gln Lys Arg Glu  
 35 40 45

Glu Glu Glu Phe Asn Thr Gly Pro Leu Ser Val Leu Thr Gln Ser Val  
 50 55 60

Lys Asn Asn Thr Gln Val Leu Ile Asn Cys Arg Asn Asn Lys Lys Leu  
 65 70 75 80

Leu Gly Arg Val Lys Ala Phe Asp Arg His Cys Asn Met Val Leu Glu  
 85 90 95

Asn Val Lys Glu Met Trp Thr Glu Val Pro Lys Ser Gly Lys Gly Lys  
 100 105 110

Lys Lys Ser Lys Pro Val Asn Lys Asp Arg Tyr Ile Ser Lys Met Phe  
 115 120 125

Leu Arg Gly Asp Ser Val Ile Val Val Leu Arg Asn Pro Leu Ile Ala  
 130 135 140

Gly Lys  
 145

792

&lt;210&gt; 847

&lt;211&gt; 184

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (8)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (179)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 847

Ala	Arg	Met	Ala	Ala	Asp	Lys	Xaa	Pro	Ala	Ala	Gly	Pro	Arg	Ser	Arg
1				5					10					15	

Ala	Ala	Met	Ala	Gln	Trp	Arg	Lys	Lys	Lys	Gly	Leu	Arg	Lys	Arg	Arg
		20					25						30		

Gly	Ala	Ala	Ser	Gln	Ala	Arg	Gly	Ser	Asn	Ser	Glu	Asp	Gly	Glu	Phe
	35						40					45			

Glu	Ile	Gln	Ala	Glu	Asp	Asp	Ala	Arg	Ala	Arg	Lys	Leu	Gly	Pro	Gly
	50					55						60			

Arg	Pro	Leu	Pro	Thr	Phe	Pro	Thr	Ser	Glu	Cys	Thr	Ser	Asp	Val	Glu
65					70					75				80	

Pro	Asp	Thr	Arg	Glu	Met	Val	Arg	Ala	Gln	Asn	Lys	Lys	Lys	Lys	Lys
				85					90					95	

Ser	Gly	Gly	Phe	Gln	Ser	Met	Gly	Leu	Ser	Tyr	Pro	Val	Phe	Lys	Gly
			100					105						110	

Ile	Met	Lys	Lys	Gly	Tyr	Lys	Val	Pro	Thr	Pro	Ile	Gln	Arg	Lys	Thr
	115						120						125		

Ile	Pro	Val	Ile	Leu	Asp	Gly	Lys	Asp	Val	Val	Ala	Met	Ala	Arg	Thr
	130					135						140			

Gly	Ser	Gly	Lys	Thr	Ala	Cys	Phe	Leu	Leu	Pro	Met	Phe	Glu	Arg	Leu
145					150					155				160	

Lys	Thr	His	Ser	Ala	Gln	Thr	Gly	Ala	Arg	Ala	Ser	Ser	Ser	Arg	Arg
				165					170					175	

793

Pro Glu Xaa Trp Pro Cys Arg Pro  
180

&lt;210&gt; 848

&lt;211&gt; 160

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (35)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 848

Ala Arg Ala Ser Ser Glu Cys Ala Arg Cys Ala Ala Ala Val Arg Thr  
1 5 10 15

Cys Arg Arg Arg His Arg His His Ala Gln Leu Arg Arg His Leu Glu  
20 25 30

Asp Ala Xaa Ser Glu Asn Phe Asp Glu Leu Leu Lys Ala Leu Gly Val  
35 40 45

Asn Ala Met Leu Arg Lys Val Ala Val Ala Ala Ala Ser Lys Pro His  
50 55 60

Val Glu Ile Arg Gln Asp Gly Asp Gln Phe Tyr Ile Lys Thr Ser Thr  
65 70 75 80

Thr Val Arg Thr Thr Glu Ile Asn Phe Lys Val Gly Glu Gly Phe Glu  
85 90 95

Glu Glu Thr Val Asp Gly Arg Lys Cys Arg Ser Leu Ala Thr Trp Glu  
100 105 110

Asn Glu Asn Lys Ile His Cys Thr Gln Thr Leu Leu Glu Gly Asp Gly  
115 120 125

Pro Lys Thr Tyr Trp Thr Arg Glu Leu Ala Asn Asp Glu Leu Ile Leu  
130 135 140

Thr Phe Gly Ala Asp Asp Val Val Cys Thr Arg Ile Tyr Val Arg Glu  
145 150 155 160

794

<210> 849  
<211> 75  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (15)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (50)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 849  
Val Gln Asn Val Gly Tyr Gln Ser Lys His Cys Gly Ala Val Xaa Tyr  
1 5 10 15  
Ala Arg Leu Pro Cys Glu Met Ile Gln Asp Gln Asn Lys Ala Leu Asp  
20 25 30  
Cys Ser Lys Thr Gln Asn Ser Ser Arg Ala Glu Gly Gly Arg Leu Ile  
35 40 45  
Trp Xaa Glu Gly Pro Lys Tyr Lys Thr Asp Gly Leu Arg Leu Glu Thr  
50 55 60  
Arg Gly Leu Arg Trp Lys Ala His Val Pro Arg  
65 70 75

<210> 850  
<211> 383  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (299)  
<223> Xaa equals any of the naturally occurring L-amino acids

<400> 850  
Ser Thr His Ala Ser Ala His Ala Ser Val Ala Asn Glu Val Ile Lys  
1 5 10 15  
Cys Lys Ala Ala Val Ala Trp Glu Ala Gly Lys Pro Leu Ser Ile Glu  
20 25 30



796

Ala Ser Gly Glu Glu Ile Ala Thr Arg Pro Phe Gln Leu Val Thr Gly  
 305 310 315 320

Arg Thr Trp Lys Gly Thr Ala Phe Gly Gly Trp Lys Ser Val Glu Ser  
 325 330 335

Val Pro Lys Leu Val Ser Glu Tyr Met Ser Lys Lys Ile Lys Val Asp  
 340 345 350

Glu Phe Val Thr His Asn Leu Ser Phe Asp Glu Ile Asn Lys Ala Phe  
 355 360 365

Glu Leu Met His Ser Gly Lys Ser Ile Arg Thr Val Val Lys Ile  
 370 375 380

&lt;210&gt; 851

&lt;211&gt; 154

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 851

Ala Arg Ala Pro Arg Ala Thr Leu Asn Gly Pro Gly Ala Arg Gly Arg  
 1 5 10 15

Val Gly Val Val Val Leu Arg Pro Arg Pro Arg Gly Leu Arg Phe Pro  
 20 25 30

Trp Cys Pro Gly Arg Pro Ala Ser Gly Ala Val Ser Tyr Glu Ser Ala  
 35 40 45

His Ala Ala Ser Val Arg Leu Thr Leu Arg Thr Met Glu Gly Gly Phe  
 50 55 60

Gly Ser Asp Phe Gly Gly Ser Gly Ser Gly Lys Leu Asp Pro Gly Leu  
 65 70 75 80

Ile Met Glu Gln Val Lys Val Gln Ile Ala Val Ala Asn Ala Gln Glu  
 85 90 95

Leu Leu Gln Arg Met Thr Asp Lys Cys Phe Arg Lys Cys Ile Gly Lys  
 100 105 110

Pro Gly Gly Ser Leu Asp Asn Ser Glu Gln Lys Cys Ile Ala Met Cys  
 115 120 125

Met Asp Arg Tyr Met Asp Ala Trp Asn Thr Val Ser Arg Ala Tyr Asn  
 130 135 140

Ser Arg Leu Gln Arg Glu Arg Ala Asn Met

797

145

150

&lt;210&gt; 852

&lt;211&gt; 396

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 852

Asp Ser Arg Val Asp Pro Arg Val Arg Ala Ile Ile Ala Lys Thr Phe  
 1 5 10 15

Lys Gly Arg Gly Ile Thr Gly Val Glu Asp Lys Glu Ser Trp His Gly  
 20 25 30

Lys Pro Leu Pro Lys Asn Met Ala Glu Gln Ile Ile Gln Glu Ile Tyr  
 35 40 45

Ser Gln Ile Gln Ser Lys Lys Lys Ile Leu Ala Thr Pro Pro Gln Glu  
 50 55 60

Asp Ala Pro Ser Val Asp Ile Ala Asn Ile Arg Met Pro Ser Leu Pro  
 65 70 75 80

Ser Tyr Lys Val Gly Asp Lys Ile Ala Thr Arg Lys Ala Tyr Gly Gln  
 85 90 95

Ala Leu Ala Lys Leu Gly His Ala Ser Asp Arg Ile Ile Ala Leu Asp  
 100 105 110

Gly Asp Thr Lys Asn Ser Thr Phe Ser Glu Ile Phe Lys Lys Glu His  
 115 120 125

Pro Asp Arg Phe Ile Glu Cys Tyr Ile Ala Glu Gln Asn Met Val Ser  
 130 135 140

Ile Ala Val Gly Cys Ala Thr Arg Asn Arg Thr Val Pro Phe Cys Ser  
 145 150 155 160

Thr Phe Ala Ala Phe Phe Thr Arg Ala Phe Asp Gln Ile Arg Met Ala  
 165 170 175

Ala Ile Ser Glu Ser Asn Ile Asn Leu Cys Gly Ser His Cys Gly Val  
 180 185 190

Ser Ile Gly Glu Asp Gly Pro Ser Gln Met Ala Leu Glu Asp Leu Ala  
 195 200 205

Met Phe Arg Ser Val Pro Thr Ser Thr Val Phe Tyr Pro Ser Asp Gly  
 210 215 220

798

Val Ala Thr Glu Lys Ala Val Glu Leu Ala Ala Asn Thr Lys Gly Ile  
 225 230 235 240

Cys Phe Ile Arg Thr Ser Arg Pro Glu Asn Ala Ile Ile Tyr Asn Asn  
 245 250 255

Asn Glu Asp Phe Gln Val Gly Gln Ala Lys Val Val Leu Lys Ser Lys  
 260 265 270

Asp Asp Gln Val Thr Val Ile Gly Ala Gly Val Thr Leu His Glu Ala  
 275 280 285

Leu Ala Ala Ala Glu Leu Leu Lys Lys Glu Lys Ile Asn Ile Arg Val  
 290 295 300

Leu Asp Pro Phe Thr Ile Lys Pro Leu Asp Arg Lys Leu Ile Leu Asp  
 305 310 315 320

Ser Ala Arg Ala Thr Lys Gly Arg Ile Leu Thr Val Glu Asp His Tyr  
 325 330 335

Tyr Glu Gly Gly Ile Gly Glu Ala Val Ser Ser Ala Val Val Gly Glu  
 340 345 350

Pro Gly Ile Thr Val Thr His Leu Ala Val Asn Arg Val Pro Arg Ser  
 355 360 365

Gly Lys Pro Ala Glu Leu Leu Lys Met Phe Gly Ile Asp Arg Asp Ala  
 370 375 380

Ile Ala Gln Ala Val Arg Gly Leu Ile Thr Lys Ala  
 385 390 395

<210> 853

<211> 302

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (228)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 853

Ser Arg Leu Gly Leu Gln Ser Cys Gly Leu Ser Thr Gln Ala Ile Thr  
 1 5 10 15

Leu Ser Glu Thr Ala Ala Ala Leu Asp Cys Ser Leu Pro Arg Leu His



799

[illegible]

800

290

295

300

&lt;210&gt; 854

&lt;211&gt; 237

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (235)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 854

Val	Pro	Ala	Ser	Phe	Ala	Ala	Ala	Ser	Ala	Val	Leu	Ser	Ala	Val	Phe
1				5				10					15		

Pro	Gln	Glu	Pro	Ala	Tyr	Phe	Leu	Asn	Met	Glu	Ser	Val	Val	Arg	Arg
			20					25					30		

Cys	Pro	Phe	Leu	Ser	Arg	Val	Pro	Gln	Ala	Phe	Leu	Gln	Lys	Ala	Gly
		35					40					45			

Lys	Ser	Leu	Leu	Phe	Tyr	Ala	Gln	Asn	Cys	Pro	Lys	Met	Met	Glu	Val
	50					55					60				

Gly	Ala	Lys	Pro	Ala	Pro	Arg	Ala	Leu	Ser	Thr	Ala	Ala	Val	His	Tyr
65					70					75				80	

Gln	Gln	Ile	Lys	Glu	Thr	Pro	Pro	Ala	Ser	Glu	Lys	Asp	Lys	Thr	Ala
				85					90					95	

Lys	Ala	Lys	Val	Gln	Gln	Thr	Pro	Asp	Gly	Ser	Gln	Gln	Ser	Pro	Asp
			100					105					110		

Gly	Thr	Gln	Leu	Pro	Ser	Gly	His	Pro	Leu	Pro	Ala	Thr	Ser	Gln	Gly
		115					120					125			

Thr	Ala	Ser	Lys	Cys	Pro	Phe	Leu	Ala	Ala	Gln	Met	Asn	Gln	Arg	Gly
	130					135					140				

Ser	Ser	Val	Phe	Cys	Lys	Ala	Ser	Leu	Glu	Leu	Gln	Glu	Asp	Val	Gln
145					150					155				160	

Glu	Met	Asn	Ala	Val	Arg	Lys	Glu	Val	Ala	Glu	Thr	Ser	Ala	Gly	Pro
			165						170					175	

Ser	Val	Val	Ser	Val	Lys	Thr	Asp	Gly	Gly	Asp	Pro	Ser	Gly	Leu	Leu
				180				185					190		

801

Lys Asn Phe Gln Asp Ile Met Gln Lys Gln Arg Pro Glu Arg Val Ser  
 195 200 205

His Leu Leu Gln Asp Asn Leu Pro Lys Ser Val Ser Thr Phe Gln Tyr  
 210 215 220

Asp Arg Phe Phe Glu Lys Lys Ile Asp Glu Xaa Lys Glu  
 225 230 235

&lt;210&gt; 855

&lt;211&gt; 272

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (202)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 855

Thr Pro Gly Ile Phe Thr Glu Gln Ser Met Ile Thr Phe Leu Pro Leu  
 1 5 10 15

Leu Leu Gly Leu Ser Leu Gly Cys Thr Gly Ala Gly Gly Phe Val Ala  
 20 25 30

His Val Glu Ser Thr Cys Leu Leu Asp Asp Ala Gly Thr Pro Lys Asp  
 35 40 45

Phe Thr Tyr Cys Ile Ser Phe Asn Lys Asp Leu Leu Thr Cys Trp Asp  
 50 55 60

Pro Glu Glu Asn Lys Met Ala Pro Cys Glu Phe Gly Val Leu Asn Ser  
 65 70 75 80

Leu Ala Asn Val Leu Ser Gln His Leu Asn Gln Lys Asp Thr Leu Met  
 85 90 95

Gln Arg Leu Arg Asn Gly Leu Gln Asn Cys Ala Thr His Thr Gln Pro  
 100 105 110

Phe Trp Gly Ser Leu Thr Asn Arg Thr Arg Pro Pro Ser Val Gln Val  
 115 120 125

Ala Lys Thr Thr Pro Phe Asn Thr Arg Glu Pro Val Met Leu Ala Cys  
 130 135 140

Tyr Val Trp Gly Phe Tyr Pro Ala Glu Val Thr Ile Thr Trp Arg Lys  
 145 150 155 160

802

Asn Gly Lys Leu Val Met Pro His Ser Ser Ala His Lys Thr Ala Gln  
                     165                    170                    175  
 Pro Asn Gly Asp Trp Thr Tyr Gln Thr Leu Ser His Leu Ala Leu Thr  
                     180                    185                    190  
 Pro Ser Tyr Gly Asp Thr Tyr Thr Cys Xaa Val Glu His Ile Gly Ala  
                     195                    200                    205  
 Pro Glu Pro Ile Leu Arg Asp Trp Thr Pro Gly Leu Ser Pro Met Gln  
                     210                    215                    220  
 Thr Leu Lys Val Ser Val Ser Ala Val Thr Leu Gly Leu Gly Leu Ile  
 225                    230                    235                    240  
 Ile Phe Ser Leu Gly Val Ile Ser Trp Arg Arg Ala Gly His Ser Ser  
                     245                    250                    255  
 Tyr Thr Pro Leu Pro Gly Ser Asn Tyr Ser Glu Gly Trp His Ile Ser  
                     260                    265                    270

&lt;210&gt; 856

&lt;211&gt; 153

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 856

Val Val Ala Arg Phe Ile Arg Ile Tyr Pro Leu Thr Trp Asn Gly Ser  
   1                    5                    10                    15  
 Leu Cys Met Arg Leu Glu Val Leu Gly Cys Ser Val Ala Pro Val Tyr  
                     20                    25                    30  
 Ser Tyr Tyr Ala Gln Asn Glu Val Val Ala Thr Asp Asp Leu Asp Phe  
                     35                    40                    45  
 Arg His His Ser Tyr Lys Asp Met Arg Gln Leu Met Lys Val Val Asn  
                     50                    55                    60  
 Glu Glu Cys Pro Thr Ile Thr Arg Thr Tyr Ser Leu Gly Lys Ser Ser  
   65                    70                    75                    80  
 Arg Gly Leu Lys Ile Tyr Ala Met Glu Ile Ser Asp Asn Pro Gly Glu  
                     85                    90                    95

803

His Glu Leu Gly Glu Pro Glu Phe Arg Tyr Thr Ala Gly Ile His Gly  
 100 105 110

Asn Glu Val Leu Gly Arg Glu Leu Leu Leu Leu Met Gln Tyr Leu  
 115 120 125

Cys Arg Glu Tyr Arg Asp Gly Asn Pro Arg Val Arg Ser Trp Cys Arg  
 130 135 140

Thr His Ala Ser Thr Trp Cys Pro His  
 145 150

<210> 857

<211> 258

<212> PRT

<213> Homo sapiens

<400> 857

Cys Leu Ser Gln Lys Ala Val Arg Ala Pro Arg Phe Leu Arg Gly Leu  
 1 5 10 15

Pro Ser Gly Arg Val Asn Cys Phe Leu Gln Ala Gly His Gly Ala Ser  
 20 25 30

Arg Ser Gln Gly Ser Gly Leu Cys Gln Met Leu Lys Glu Gly Ala Lys  
 35 40 45

His Phe Ser Gly Leu Glu Glu Ala Val Tyr Arg Asn Ile Gln Ala Cys  
 50 55 60

Lys Glu Leu Ala Gln Thr Thr Arg Thr Ala Tyr Gly Pro Asn Gly Met  
 65 70 75 80

Asn Lys Met Val Ile Asn His Leu Glu Lys Leu Phe Val Thr Asn Asp  
 85 90 95

Ala Ala Thr Ile Leu Arg Glu Leu Glu Val Gln His Pro Ala Ala Lys  
 100 105 110

Met Ile Val Met Ala Ser His Met Gln Glu Gln Glu Val Gly Asp Gly  
 115 120 125

Thr Asn Phe Val Leu Val Phe Ala Gly Ala Leu Leu Glu Leu Ala Glu  
 130 135 140

Glu Leu Leu Arg Ile Gly Leu Ser Val Ser Glu Val Ile Glu Gly Tyr  
 145 150 155 160

Glu Ile Ala Cys Arg Lys Ala His Glu Ile Leu Pro Asn Leu Val Cys

165

175

Val Met

<213> Homo sapiens

<223> Xaa equals any of the naturally occurring L-amino acids

<223> Xaa equals any of the naturally occurring L-amino acids

Gly Val Gln Cys Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val

805

65	70	75	80
Lys Pro Gly Gly Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr			
	85	90	95
Phe Ser Asn Ala Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly			
	100	105	110
Leu Glu Trp Val Gly Arg Ile Lys Ser Lys Thr Asp Gly Gly Thr Thr			
	115	120	125
Asp Tyr Ala Ala Pro Val Xaa Arg Gln Ile His His Leu Lys Arg			
	130	135	140

&lt;210&gt; 859

&lt;211&gt; 135

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (132)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (133)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 859

Val Thr Met Ala Gln Gln Ala Ala Asp Lys Tyr Leu Tyr Val Asp Lys
1 5 10 15

Asn Phe Ile Asn Asn Pro Leu Ala Gln Ala Asp Trp Ala Ala Lys Lys
20 25 30

Leu Val Trp Val Pro Ser Asp Lys Ser Gly Phe Glu Pro Ala Ser Leu
35 40 45

Lys Glu Glu Val Gly Glu Glu Ala Ile Val Glu Leu Val Glu Asn Gly
50 55 60

Lys Lys Val Lys Val Asn Lys Asp Asp Ile Gln Lys Met Asn Pro Pro
65 70 75 80

Lys Phe Ser Lys Val Glu Asp Met Ala Glu Leu Thr Cys Leu Asn Glu
85 90 95

Ala Ser Val Leu His Asn Leu Lys Glu Arg Tyr Tyr Ser Gly Leu Ile

806

100	105	110
Tyr Val Ser Gly Cys Arg Gly Thr Pro Gln Ala Gly Ser Glu Gly Ser		
115	120	125

Glu Val Gly Xaa Xaa Ala Gly
130 135

&lt;210&gt; 860

&lt;211&gt; 52

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (2)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 860

Ala Xaa Leu Ile Lys Thr Arg Val Leu Ile Tyr Asn Lys Ser Asn Phe
1 5 10 15

Ser Leu Ser Leu Gly Thr Ser Asn Cys Thr Pro Gln Ile Thr Asp Thr
20 25 30

Ser Glu Phe Phe Met Val Lys Lys Ala Pro Thr Leu Thr Tyr Lys Cys
35 40 45

Gly Pro Arg Asn
50

&lt;210&gt; 861

&lt;211&gt; 321

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (18)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 861

Ala His Gly Val Thr Ser Ala Pro Asp Asn Arg Pro Ala Leu Gly Ser
1 5 10 15

Thr Xaa Pro Pro Val His Asn Val Thr Ser Ala Ser Gly Ser Ala Ser
20 25 30





808

Ser Ser Leu Ser Tyr Thr Asn Pro Ala Val Ala Ala Thr Ser Ala Asn  
 305 310 315 320

Leu

<210> 862

<211> 327

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (307)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 862

Phe Gly Thr Ser Leu Thr Gln Val Leu Leu Gly Ala Gly Glu Asn Thr  
 1 5 10 15

Lys Thr Asn Leu Glu Ser Ile Leu Ser Tyr Pro Lys Asp Phe Thr Cys  
 20 25 30

Val His Gln Ala Leu Lys Gly Phe Thr Thr Lys Gly Val Thr Ser Val  
 35 40 45

Ser Gln Ile Phe His Ser Pro Asp Leu Ala Ile Arg Asp Thr Phe Val  
 50 55 60

Asn Ala Ser Arg Thr Leu Tyr Ser Ser Ser Pro Arg Val Leu Ser Asn  
 65 70 75 80

Asn Ser Asp Ala Asn Leu Glu Leu Ile Asn Thr Trp Val Ala Lys Asn  
 85 90 95

Thr Asn Asn Lys Ile Ser Arg Leu Leu Asp Ser Leu Pro Ser Asp Thr  
 100 105 110

Arg Leu Val Leu Leu Asn Ala Ile Tyr Leu Ser Ala Lys Trp Lys Thr  
 115 120 125

Thr Phe Asp Pro Lys Lys Thr Arg Met Glu Pro Phe His Phe Lys Asn  
 130 135 140

Ser Val Ile Lys Val Pro Met Met Asn Ser Lys Lys Tyr Pro Val Ala  
 145 150 155 160

His Phe Ile Asp Gln Thr Leu Lys Ala Lys Val Gly Gln Leu Gln Leu

809

	165		170		175
Ser His Asn Leu	Ser Leu Val Ile	Leu Val Pro Gln	Asn Leu Lys His		
180		185		190	
Arg Leu Glu Asp Met	Glu Gln Ala Leu	Ser Pro Ser Val	Phe Lys Ala		
195		200		205	
Ile Met Glu Lys Leu	Glu Met Ser Lys	Phe Gln Pro Thr	Leu Leu Thr		
210		215		220	
Leu Pro Arg Ile Lys	Val Thr Thr Ser	Gln Asp Met Leu	Ser Ile Met		
225		230		235	
Glu Lys Leu Glu Phe	Phe Asp Phe Ser	Tyr Asp Leu Asn	Leu Cys Gly		
	245		250		255
Leu Thr Glu Asp Pro	Asp Leu Gln Val	Ser Ala Met Gln	His Gln Thr		
	260		265		270
Val Leu Glu Leu Thr	Glu Thr Gly Val	Glu Ala Ala Ala	Ala Ser Ala		
	275		280		285
Ile Ser Val Ala Arg	Thr Leu Leu Val	Phe Glu Val Gln	Gln Pro Phe		
	290		295		300
Leu Phe Xaa Leu Trp	Asp Gln Gln His	Lys Phe Pro Val	Phe Met Gly		
305		310		315	
Arg Val Tyr Asp Pro	Arg Ala				
	325				

&lt;210&gt; 863

&lt;211&gt; 86

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 863

Tyr Tyr Ile Val His	Leu Lys Leu Thr	Glu Arg Val Asn	Leu Lys Cys
1	5	10	15
Ser His His Thr Asn	Pro Lys Val Thr	Met Phe Ser Pro	His Lys Pro
	20	25	30
Lys Gly Asn Tyr Val	Leu Ile Ser Leu	Ile Val Val Thr	Ile Ser Gln
	35	40	45
Cys Ile His Leu Pro	Lys His Tyr Val	Val Tyr Leu Glu	Tyr Ile Ile
	50	55	60

810

Leu Phe Ile Asn Tyr Thr Ser Ile Lys Leu Lys Glu Gly Ile Thr Asn  
 65 70 75 80

Ser His Lys Ile Gln Ile  
 85

&lt;210&gt; 864

&lt;211&gt; 130

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 864

Leu Thr Gln Gln Gln Gln Pro Ala Thr Gly Pro Gln Pro Ser Leu Gly  
 1 5 10 15

Val Ser Phe Gly Thr Pro Phe Gly Ser Gly Ile Gly Thr Gly Leu Gln  
 20 25 30

Ser Ser Gly Leu Gly Ser Ser Asn Leu Gly Gly Phe Gly Thr Ser Ser  
 35 40 45

Gly Phe Gly Cys Ser Thr Thr Gly Ala Ser Thr Phe Gly Phe Gly Thr  
 50 55 60

Thr Asn Lys Pro Ser Gly Ser Leu Ser Ala Gly Phe Gly Ser Ser Ser  
 65 70 75 80

Thr Ser Gly Phe Asn Phe Ser Asn Pro Gly Ile Thr Ala Ser Ala Gly  
 85 90 95

Leu Thr Phe Gly Val Ser Asn Pro Ala Ser Ala Gly Phe Gly Thr Gly  
 100 105 110

Gly Gln Leu Leu Gln Leu Lys Lys Pro Pro Ala Gly Asn Lys Arg Gly  
 115 120 125

Lys Arg  
 130

&lt;210&gt; 865

&lt;211&gt; 78

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 865

Ser Glu Trp Lys Ile Lys Gly Pro Ser Ser Pro Leu Ala Ser Leu Pro

811

```

      1             5             10             15
Gly Arg Arg His Gly Gly Ser Ser Ala Thr Gly Ala Cys Gly Glu Ala
      20             25             30
Met Ala Ala Ala Glu Gly Ser Ser Gly Pro Ala Gly Leu Thr Leu Gly
      35             40             45
Arg Ser Phe Ser Asn Tyr Arg Pro Phe Glu Pro Gln Ala Leu Gly Leu
      50             55             60
Ser Pro Ser Trp Arg Leu Thr Gly Phe Ser Gly Met Lys Gly
      65             70             75

```

&lt;210&gt; 866

&lt;211&gt; 529

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (8)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (517)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 866

```

Pro Pro Pro Glu Pro Arg Ala Xaa Met Ala Glu Asn Pro Ser Leu Glu
  1             5             10             15
Asn His Arg Ile Lys Ser Phe Lys Asn Lys Gly Arg Asp Val Glu Thr
      20             25             30
Met Arg Arg His Arg Asn Glu Val Thr Val Glu Leu Arg Lys Asn Lys
      35             40             45
Arg Asp Glu His Leu Leu Lys Lys Arg Asn Val Pro Gln Glu Glu Ser
      50             55             60
Leu Glu Asp Ser Asp Val Asp Ala Asp Phe Lys Ala Gln Asn Val Thr
      65             70             75             80
Leu Glu Ala Ile Leu Gln Asn Ala Thr Ser Asp Asn Pro Val Val Gln
      85             90             95
Leu Ser Ala Val Gln Ala Ala Arg Lys Leu Leu Ser Ser Asp Arg Asn

```

812

100	105	110
Pro Pro Ile Asp Asp Leu Ile Lys Ser Gly Ile Leu Pro Ile Leu Val		
115	120	125
Lys Cys Leu Glu Arg Asp Asp Asn Pro Ser Leu Gln Phe Glu Ala Ala		
130	135	140
Trp Ala Leu Thr Asn Ile Ala Ser Gly Thr Ser Ala Gln Thr Gln Ala		
145	150	155
Val Val Gln Ser Asn Ala Val Pro Leu Phe Leu Arg Leu Leu Arg Ser		
	165	170
Pro His Gln Asn Val Cys Glu Gln Ala Val Trp Ala Leu Gly Asn Ile		
	180	185
Ile Gly Asp Gly Pro Gln Cys Arg Asp Tyr Val Ile Ser Leu Gly Val		
	195	200
Val Lys Pro Leu Leu Ser Phe Ile Ser Pro Ser Ile Pro Ile Thr Phe		
	210	215
Leu Arg Asn Val Thr Trp Val Ile Val Asn Leu Cys Arg Asn Lys Asp		
	225	230
Pro Pro Pro Pro Met Glu Thr Val Gln Glu Ile Leu Pro Ala Leu Cys		
	245	250
Val Leu Ile Tyr His Thr Asp Ile Asn Ile Leu Val Asp Thr Val Trp		
	260	265
Ala Leu Ser Tyr Leu Thr Asp Gly Gly Asn Glu Gln Ile Gln Met Val		
	275	280
Ile Asp Ser Gly Val Val Pro Phe Leu Val Pro Leu Leu Ser His Gln		
	290	295
Glu Val Lys Val Gln Thr Ala Ala Leu Arg Ala Val Gly Asn Ile Val		
	305	310
Thr Gly Thr Asp Glu Gln Thr Gln Val Val Leu Asn Cys Asp Val Leu		
	325	330
Ser His Phe Pro Asn Leu Leu Ser His Pro Lys Glu Lys Ile Asn Lys		
	340	345
Glu Ala Val Trp Phe Leu Ser Asn Ile Thr Ala Gly Asn Gln Gln Gln		
	355	360
Val Gln Ala Val Ile Asp Ala Gly Leu Ile Pro Met Ile Ile His Gln		

813

370                      375                      380  
 Leu Ala Lys Gly Asp Phe Gly Thr Gln Lys Glu Ala Ala Trp Ala Ile  
 385                      390                      395                      400  
 Ser Asn Leu Thr Ile Ser Gly Arg Lys Asp Gln Val Glu Tyr Leu Val  
                     405                      410                      415  
 Gln Gln Asn Val Ile Pro Pro Phe Cys Asn Leu Leu Ser Val Lys Asp  
                     420                      425                      430  
 Ser Gln Val Val Gln Val Val Leu Asp Gly Leu Lys Asn Ile Leu Ile  
                     435                      440                      445  
 Met Ala Gly Asp Glu Ala Ser Thr Ile Ala Glu Ile Ile Glu Glu Cys  
                     450                      455                      460  
 Gly Gly Leu Glu Lys Ile Glu Val Leu Gln Gln His Glu Asn Glu Asp  
 465                      470                      475                      480  
 Ile Tyr Lys Leu Ala Phe Glu Ile Ile Asp Gln Tyr Phe Ser Gly Asp  
                     485                      490                      495  
 Asp Ile Asp Glu Asp Pro Cys Leu Ile Pro Glu Ala Thr Gln Gly Gly  
                     500                      505                      510  
 Thr Tyr Asn Phe Xaa Pro Thr Ala Asn Leu Gln Thr Lys Glu Phe Asn  
                     515                      520                      525

Phe

&lt;210&gt; 867

&lt;211&gt; 237

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 867

Arg Pro Gly Pro Val Arg Arg Arg Gly Lys Val Glu Leu Ile Lys Phe  
   1                      5                      10                      15  
 Val Arg Val Gln Trp Arg Arg Pro Gln Val Glu Trp Arg Arg Arg  
                     20                      25                      30  
 Trp Gly Pro Gly Pro Gly Ala Ser Met Ala Gly Ser Glu Glu Leu Gly  
                     35                      40                      45  
 Leu Arg Glu Asp Thr Leu Arg Val Leu Ala Ala Phe Leu Arg Arg Gly  
                     50                      55                      60

814

Glu Ala Ala Gly Ser Pro Val Pro Thr Pro Pro Arg Ser Pro Ala Gln  
65 70 75 80

Glu Glu Pro Thr Asp Phe Leu Ser Arg Leu Arg Arg Cys Leu Pro Cys  
85 90 95

Ser Leu Gly Arg Gly Ala Ala Pro Ser Glu Ser Pro Arg Pro Cys Ser  
100 105 110

Leu Pro Ile Arg Pro Cys Tyr Gly Leu Glu Pro Gly Pro Ala Thr Pro  
115 120 125

Asp Phe Tyr Ala Leu Val Ala Gln Arg Leu Glu Gln Leu Val Gln Glu  
130 135 140

Gln Leu Lys Ser Pro Pro Ser Pro Glu Leu Gln Gly Pro Pro Ser Thr  
145 150 155 160

Glu Lys Glu Ala Ile Leu Arg Arg Leu Val Ala Leu Leu Glu Glu Glu  
165 170 175

Ala Glu Val Ile Asn Gln Lys Leu Ala Ser Asp Pro Ala Leu Arg Thr  
180 185 190

Ser Trp Ser Ala Cys Pro Pro Thr Leu Ser Pro Ala Trp Trp Ser Cys  
195 200 205

Ser Val Ala Gly Met Thr Ala Leu Ala Gln Ala Glu His Ala Pro Gly  
210 215 220

Pro Arg Leu Leu Pro Arg Ser Pro Trp Pro Ala Trp Pro  
225 230 235

<210> 868

<211> 196

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (6)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (9)

<223> Xaa equals any of the naturally occurring L-amino acids



815

&lt;400&gt; 868

Leu Ser Val Ser Ala Xaa Ala Ala Xaa Val Ala Ala Ala Ala Ile His  
 1 5 10 15

Ser Asp Ser Ala Ala Ala Pro Gly Gly Gly Gly Ala Ala Arg Asp Phe  
 20 25 30

Phe Phe Phe Gln Thr Asp Arg Gly Ala Ala Ala Asp Met Ser Thr Pro  
 35 40 45

Ala Arg Arg Arg Leu Met Arg Asp Phe Lys Arg Leu Gln Glu Asp Pro  
 50 55 60

Pro Val Gly Val Ser Gly Ala Pro Ser Glu Asn Asn Ile Met Gln Trp  
 65 70 75 80

Asn Ala Val Ile Phe Gly Pro Glu Gly Thr Pro Phe Glu Asp Gly Thr  
 85 90 95

Phe Lys Leu Val Ile Glu Phe Ser Glu Glu Tyr Pro Asn Lys Pro Pro  
 100 105 110

Thr Val Arg Phe Leu Ser Lys Met Phe His Pro Asn Val Tyr Ala Asp  
 115 120 125

Gly Ser Ile Cys Leu Asp Ile Leu Gln Asn Arg Trp Ser Pro Thr Tyr  
 130 135 140

Asp Val Ser Ser Ile Leu Thr Ser Ile Gln Ser Leu Leu Asp Glu Pro  
 145 150 155 160

Asn Pro Asn Ser Pro Ala Asn Ser Gln Ala Ala Gln Leu Tyr Gln Glu  
 165 170 175

Asn Lys Arg Glu Tyr Glu Lys Arg Val Ser Ala Ile Val Glu Gln Ser  
 180 185 190

Trp Asn Asp Ser  
 195

&lt;210&gt; 869

&lt;211&gt; 544

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (7)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

816

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (9)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 869

Ala Asp Ala Trp Val Ala Xaa Ala Xaa Ala Ser Ser Gly Leu Val Val  
 1 5 10 15

Ala Arg Pro Thr Ser Ala Val Pro Ala Glu Pro Arg Pro Phe Arg Pro  
 20 25 30

Ser Pro Pro His Leu Ala Ala Met Arg Leu Arg Arg Leu Ala Leu Phe  
 35 40 45

Pro Gly Val Ala Leu Leu Leu Ala Ala Ala Arg Leu Ala Ala Ala Ser  
 50 55 60

Asp Val Leu Glu Leu Thr Asp Asp Asn Phe Glu Ser Arg Ile Ser Asp  
 65 70 75 80

Thr Gly Ser Ala Gly Leu Met Leu Val Glu Phe Phe Ala Pro Trp Cys  
 85 90 95

Gly His Cys Lys Arg Leu Ala Pro Glu Tyr Glu Ala Ala Ala Thr Arg  
 100 105 110

Leu Lys Gly Ile Val Pro Leu Ala Lys Val Asp Cys Thr Ala Asn Thr  
 115 120 125

Asn Thr Cys Asn Lys Tyr Gly Val Ser Gly Tyr Pro Thr Leu Lys Ile  
 130 135 140

Phe Arg Asp Gly Glu Glu Ala Gly Ala Tyr Asp Gly Pro Arg Thr Ala  
 145 150 155 160

Asp Gly Ile Val Ser His Leu Lys Lys Gln Ala Gly Pro Ala Ser Val  
 165 170 175

Pro Leu Arg Thr Glu Glu Glu Phe Lys Lys Phe Ile Ser Asp Lys Asp  
 180 185 190

Ala Ser Ile Val Gly Phe Phe Asp Asp Ser Phe Ser Glu Ala His Ser  
 195 200 205

Glu Phe Leu Lys Ala Ala Ser Asn Leu Arg Asp Asn Tyr Arg Phe Ala  
 210 215 220

His Thr Asn Val Glu Ser Leu Val Asn Glu Tyr Asp Asp Asn Gly Glu  
 225 230 235 240

Gly Ile Ile Leu Phe Arg Pro Ser His Leu Thr Asn Lys Phe Glu Asp  
 245 250 255  
 Lys Thr Val Ala Tyr Thr Glu Gln Lys Met Thr Ser Gly Lys Ile Lys  
 260 265 270  
 Lys Phe Ile Gln Glu Asn Ile Phe Gly Ile Cys Pro His Met Thr Glu  
 275 280 285  
 Asp Asn Lys Asp Leu Ile Gln Gly Lys Asp Leu Leu Ile Ala Tyr Tyr  
 290 295 300  
 Asp Val Asp Tyr Glu Lys Asn Ala Lys Gly Ser Asn Tyr Trp Arg Asn  
 305 310 315 320  
 Arg Val Met Met Val Ala Lys Lys Phe Leu Asp Ala Gly His Lys Leu  
 325 330 335  
 Asn Phe Ala Val Ala Ser Arg Lys Thr Phe Ser His Glu Leu Ser Asp  
 340 345 350  
 Phe Gly Leu Glu Ser Thr Ala Gly Glu Ile Pro Val Val Ala Ile Arg  
 355 360 365  
 Thr Ala Lys Gly Glu Lys Phe Val Met Gln Glu Glu Phe Ser Arg Asp  
 370 375 380  
 Gly Lys Ala Leu Glu Arg Phe Leu Gln Asp Tyr Phe Asp Gly Asn Leu  
 385 390 395 400  
 Lys Arg Tyr Leu Lys Ser Glu Pro Ile Pro Glu Ser Asn Asp Gly Pro  
 405 410 415  
 Val Lys Val Val Val Ala Glu Asn Phe Asp Glu Ile Val Asn Asn Glu  
 420 425 430  
 Asn Lys Asp Val Leu Ile Glu Phe Tyr Ala Pro Trp Cys Gly His Cys  
 435 440 445  
 Lys Asn Leu Glu Pro Lys Tyr Lys Glu Leu Gly Glu Lys Leu Ser Lys  
 450 455 460  
 Asp Pro Asn Ile Val Ile Ala Lys Met Asp Ala Thr Ala Asn Asp Val  
 465 470 475 480  
 Pro Ser Pro Tyr Glu Val Arg Gly Phe Pro Thr Ile Tyr Phe Ser Pro  
 485 490 495  
 Ala Asn Lys Lys Leu Asn Pro Lys Lys Tyr Glu Gly Gly Arg Glu Leu  
 500 505 510

```
<210> 870
<211> 111
<212> PRT
<213> Homo sapiens
```

```
<220>
<221> SITE
<222> (3)
<223> Xaa equals any of the naturally occurring L-amino acids
```

```
<220>
<221> SITE
<222> (17)
<223> Xaa equals any of the naturally occurring L-amino acids
```

<400> 870  
Arg Arg Xaa Ala Ile Phe Thr Cys Glu Val Pro Gly Val Tyr Tyr Phe  
1 5 10 15

Xaa Tyr His Val His Cys Lys Gly Gly Asn Val Trp Val Ala Leu Phe  
20 25 30

Lys Asn Asn Glu Pro Val Met Tyr Thr Tyr Asp Glu Tyr Lys Lys Gly  
35 40 45

Phe Leu Asp Gln Ala Ser Gly Ser Ala Val Leu Leu Leu Arg Pro Gly  
50 55 60

Asp	Arg	Cys	Ser	Ser	Arg	Cys	Pro	Gln	Asn	Arg	Leu	Gln	Asp	Cys	Met
65					70					75					80

Pro Gly Ser Met Ser Thr Pro Pro Phe Gln Asp Ile Tyr Cys Ile Pro  
85 90 95

Cys Lys Asn Lys Lys Thr Lys Asn Lys Glu Lys Lys Glu Ile Leu  
100 105 110

819

&lt;210&gt; 871

&lt;211&gt; 124

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 871

Gly Lys Thr Glu Val Asn Tyr Thr Gln Leu Val Asp Leu His Ala Arg  
1 5 10 15

Tyr Ala Glu Cys Gly Leu Arg Ile Leu Ala Phe Pro Cys Asn Gln Phe  
20 25 30

Gly Lys Gln Glu Pro Gly Ser Asn Glu Glu Ile Lys Glu Phe Ala Ala  
35 40 45

Gly Tyr Asn Val Lys Phe Asp Met Phe Ser Lys Ile Cys Val Asn Gly  
50 55 60

Asp Asp Ala His Pro Leu Trp Lys Trp Met Lys Ile Gln Pro Lys Gly  
65 70 75 80

Lys Gly Ile Leu Gly Asn Ala Ile Lys Trp Asn Phe Thr Lys Phe Leu  
85 90 95

Ile Asp Lys Asn Gly Cys Val Val Lys Arg Tyr Gly Pro Met Glu Glu  
100 105 110

Pro Leu Val Ile Glu Lys Asp Leu Pro His Tyr Phe  
115 120

&lt;210&gt; 872

&lt;211&gt; 35

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 872

Ser Gln His Phe Gly Arg Pro Arg Gln Ala Glu His Leu Lys Glu Phe  
1 5 10 15

Lys Thr Ser Val Ala Asn Val Val Asn Pro Val Ser Thr Lys Asn Thr  
20 25 30

Lys Ile Val  
35

&lt;210&gt; 873

&lt;211&gt; 420

820

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 873

Val Cys Leu Gln Leu Cys Gln Ser Thr Val Ser Cys Pro Leu Gly Tyr  
 1 5 10 15  
 Leu Ala Ser Thr Ala Thr Asn Asp Cys Gly Cys Thr Thr Thr Thr Cys  
 20 25 30  
 Leu Pro Asp Lys Val Cys Val His Arg Ser Thr Ile Tyr Pro Val Gly  
 35 40 45  
 Gln Phe Trp Glu Glu Gly Cys Asp Val Cys Thr Cys Thr Asp Met Glu  
 50 55 60  
 Asp Ala Val Met Gly Leu Arg Val Ala Gln Cys Ser Gln Lys Pro Cys  
 65 70 75 80  
 Glu Asp Ser Cys Arg Ser Gly Phe Thr Tyr Val Leu His Glu Gly Glu  
 85 90 95  
 Cys Cys Gly Arg Cys Leu Pro Ser Ala Cys Glu Val Val Thr Gly Ser  
 100 105 110  
 Pro Arg Gly Asp Ser Gln Ser Ser Trp Lys Ser Val Gly Ser Gln Trp  
 115 120 125  
 Ala Ser Pro Glu Asn Pro Cys Leu Ile Asn Glu Cys Val Arg Val Lys  
 130 135 140  
 Glu Glu Val Phe Ile Gln Gln Arg Asn Val Ser Cys Pro Gln Leu Glu  
 145 150 155 160  
 Val Pro Val Cys Pro Ser Gly Phe Gln Leu Ser Cys Lys Thr Ser Ala  
 165 170 175  
 Cys Cys Pro Ser Cys Arg Cys Glu Arg Met Glu Ala Cys Met Leu Asn  
 180 185 190  
 Gly Thr Val Ile Gly Pro Gly Lys Thr Val Met Ile Asp Val Cys Thr  
 195 200 205  
 Thr Cys Arg Cys Met Val Gln Val Gly Val Ile Ser Gly Phe Lys Leu  
 210 215 220  
 Glu Cys Arg Lys Thr Thr Cys Asn Pro Cys Pro Leu Gly Tyr Lys Glu  
 225 230 235 240  
 Glu Asn Asn Thr Gly Glu Cys Cys Gly Arg Cys Leu Pro Thr Ala Cys  
 245 250 255

821

Thr Ile Gln Leu Arg Gly Gly Gln Ile Met Thr Leu Lys Arg Asp Glu  
 260 265 270

Thr Leu Gln Asp Gly Cys Asp Thr His Phe Cys Lys Val Asn Glu Arg  
 275 280 285

Gly Glu Tyr Phe Trp Glu Lys Arg Val Thr Gly Cys Pro Pro Phe Asp  
 290 295 300

Glu His Lys Cys Leu Ala Glu Gly Gly Lys Ile Met Lys Ile Pro Gly  
 305 310 315 320

Thr Cys Cys Asp Thr Cys Glu Glu Pro Glu Cys Asn Asp Ile Thr Ala  
 325 330 335

Arg Leu Gln Tyr Val Lys Val Gly Ser Cys Lys Ser Glu Val Glu Val  
 340 345 350

Asp Ile His Tyr Cys Gln Gly Lys Cys Ala Ser Lys Ala Met Tyr Ser  
 355 360 365

Ile Asp Ile Asn Asp Val Gln Asp Gln Cys Ser Cys Cys Ser Pro Thr  
 370 375 380

Arg Thr Glu Pro Met Gln Val Ala Leu His Cys Thr Asn Gly Ser Val  
 385 390 395 400

Val Tyr His Glu Val Leu Asn Ala Met Glu Cys Lys Cys Ser Pro Arg  
 405 410 415

Lys Cys Ser Lys  
 420

<210> 874

<211> 151

<212> PRT

<213> Homo sapiens

<220>

<221> SITE

<222> (90)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (103)

<223> Xaa equals any of the naturally occurring L-amino acids

822

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (143)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 874

Arg Gln Val Pro His Glu Arg Ala Val Arg Asp Gly Arg Gly Gly Gly  
 1 5 10 15

Arg Ser Arg Gly Ser Lys Leu Thr Tyr Ala Cys Met Arg Arg His Ser  
 20 25 30

Ser Ser Ile Val Ser Pro Lys Phe Asn Ser Leu Ala Val Val Leu Gln  
 35 40 45

Arg Arg Asp Trp Glu Asn Pro Gly Val Thr Gln Leu Asn Arg Leu Ala  
 50 55 60

Ala His Pro Pro Phe Ala Ser Trp Arg Asn Ser Glu Glu Ala Arg Thr  
 65 70 75 80

Asp Ser Pro Phe Pro Asn Ser Cys Ala Xaa Gly Met Ala Asn Gly Asp  
 85 90 95

Ala Pro Cys Met Gly Ala Xaa Lys Arg Gly Gly Cys Gly Gly Tyr Ala  
 100 105 110

Gln Trp Thr Arg Tyr Thr Cys Gln Arg Pro Ser Ala Arg Ser Phe Arg  
 115 120 125

Phe Leu Pro Phe Leu Ser Arg His Val Arg Arg Leu Ser Pro Xaa Ser  
 130 135 140

Ser Lys Ser Val Gly Ser Leu  
 145 150

&lt;210&gt; 875

&lt;211&gt; 95

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 875

Ala Leu Asn Leu Asn Ser Gln Leu Asn Ile Pro Lys Asp Thr Ser Gln  
 1 5 10 15

Leu Lys Lys His Ile Thr Leu Leu Cys Asp Arg Leu Ser Lys Gly Gly  
 20 25 30

Arg Leu Cys Leu Ser Thr Asp Ala Ala Ala Pro Gln Thr Met Val Met



823

	35		40		45	
Pro	Gly	Gly	Cys	Thr	Thr	Ile
	50		55		60	
Pro	Glu	Ser	Asp	Leu	Glu	Glu
						Arg
						Ser
Val	Glu	Gln	Asp	Ser	Thr	Glu
	65		70		75	
						His
						Arg
						His
						Leu
						Thr
Ala	Glu	Thr	Pro	Arg	Pro	Val
			85		90	
						Ser
						Pro
						Leu
						Gln
						Gly
						Val
						Ser
						Glu

&lt;210&gt; 876

&lt;211&gt; 238

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (7)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (10)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (15)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (20)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 876

Thr	Lys	Lys	Ala	Leu	Glu	Xaa	Ser	Asn	Xaa	Arg	Phe	Ala	Ala	Xaa	Phe
	1			5					10					15	

Phe	Arg	Thr	Xaa	Trp	Asn	Pro	Pro	Gly	Ala	Phe	Lys	Glu	Phe	Gly	Thr
			20					25					30		

Ser	Leu	Leu	Arg	Arg	Arg	Arg	Gly	Ser	Gly	Ala	Asn	Met	Pro	Val	Ala
		35					40					45			

Arg	Ser	Trp	Val	Cys	Arg	Lys	Thr	Tyr	Val	Thr	Pro	Arg	Arg	Pro	Phe
			50			55					60				

824

Glu Lys Ser Arg Leu Asp Gln Glu Leu Lys Leu Ile Gly Glu Tyr Gly  
 65 70 75 80  
 Leu Arg Asn Lys Arg Glu Val Trp Arg Val Lys Phe Thr Leu Ala Lys  
 85 90 95  
 Ile Arg Lys Ala Ala Arg Glu Leu Leu Thr Leu Asp Glu Lys Asp Pro  
 100 105 110  
 Arg Arg Leu Phe Glu Gly Asn Ala Leu Leu Arg Arg Leu Val Arg Ile  
 115 120 125  
 Gly Val Leu Asp Glu Gly Lys Met Lys Leu Asp Tyr Ile Leu Gly Leu  
 130 135 140  
 Lys Ile Glu Asp Phe Leu Glu Arg Arg Leu Gln Thr Gln Val Phe Lys  
 145 150 155 160  
 Leu Gly Leu Ala Lys Ser Ile His His Ala Arg Val Leu Ile Arg Gln  
 165 170 175  
 Arg His Ile Arg Val Arg Lys Gln Val Val Asn Ile Pro Ser Phe Ile  
 180 185 190  
 Val Arg Leu Asp Ser Gln Lys His Ile Asp Phe Ser Leu Arg Ser Pro  
 195 200 205  
 Tyr Gly Gly Gly Arg Pro Gly Arg Val Lys Arg Lys Asn Ala Lys Lys  
 210 215 220  
 Gly Gln Gly Gly Ala Gly Ala Gly Asp Asp Glu Glu Glu Asp  
 225 230 235

&lt;210&gt; 877

&lt;211&gt; 79

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 877

Ala Gly Ile Arg His Glu Pro Ser Ala Ala Ala Met Ser Ser Gly Ala  
 1 5 10 15  
 Ser Ala Ser Ala Leu Gln Arg Leu Val Glu Gln Leu Lys Leu Glu Ala  
 20 25 30  
 Gly Val Glu Arg Ile Lys Val Ser Gln Ala Ala Ala Glu Leu Gln Gln  
 35 40 45  
 Tyr Cys Met Gln Asn Ala Cys Lys Asp Ala Leu Leu Val Gly Val Pro

825

50                      55                      60  
 Ala Gly Ser Asn Pro Phe Arg Glu Pro Arg Ser Cys Ala Leu Leu  
 65                      70                      75  
  
 <210> 878  
 <211> 136  
 <212> PRT  
 <213> Homo sapiens  
  
 <400> 878  
 Ile Ala Ile Met Asn Asp Thr Val Thr Ile Arg Thr Arg Lys Phe Met  
 1                      5                      10                      15  
  
 Thr Asn Arg Leu Leu Gln Arg Lys Gln Met Val Ile Asp Val Leu His  
 20                      25                      30  
  
 Pro Gly Lys Ala Thr Val Pro Lys Thr Glu Ile Arg Glu Lys Leu Ala  
 35                      40                      45  
  
 Lys Met Tyr Lys Thr Thr Pro Asp Val Ile Phe Val Phe Gly Phe Arg  
 50                      55                      60  
  
 Thr His Phe Gly Gly Gly Lys Thr Thr Gly Phe Gly Met Ile Tyr Asp  
 65                      70                      75                      80  
  
 Ser Leu Asp Tyr Ala Lys Lys Asn Glu Pro Lys His Arg Leu Ala Arg  
 85                      90                      95  
  
 His Gly Leu Tyr Glu Lys Lys Lys Thr Ser Arg Lys Gln Arg Lys Glu  
 100                      105                      110  
  
 Arg Lys Asn Arg Met Lys Lys Val Arg Gly Thr Ala Lys Ala Asn Val  
 115                      120                      125  
  
 Gly Ala Gly Lys Lys Pro Lys Glu  
 130                      135

<210> 879  
 <211> 141  
 <212> PRT  
 <213> Homo sapiens

<400> 879  
 Gly Cys Val Gly Val Arg Pro Ser Leu His Pro Ala Thr Ser Thr Ala  
 1                      5                      10                      15

826

Ser Gly Ser Ala Ser Pro Thr Leu Ala Arg Ala Met Ala Ser Val Ser  
                   20                                  25                                  30  
 Glu Leu Ala Cys Ile Tyr Ser Ala Leu Ile Leu His Asp Asp Glu Val  
                   35                                  40                                  45  
 Thr Val Thr Glu Asp Lys Ile Asn Ala Leu Ile Lys Ala Ala Gly Val  
                   50                                  55                                  60  
 Asn Val Glu Pro Phe Trp Pro Gly Leu Phe Ala Lys Ala Leu Ala Asn  
                   65                                  70                                  75                                  80  
 Val Asn Ile Gly Ser Leu Ile Cys Asn Val Gly Ala Gly Gly Pro Ala  
                                   85                                  90                                  95  
 Pro Ala Ala Gly Ala Ala Pro Ala Gly Gly Pro Ala Pro Ser Thr Ala  
                   100                                  105                                  110  
 Ala Ala Pro Ala Glu Glu Lys Lys Val Glu Ala Lys Lys Glu Glu Ser  
                   115                                  120                                  125  
 Glu Glu Ser Asp Asp Asp Met Gly Phe Gly Leu Phe Asp  
                   130                                  135                                  140

&lt;210&gt; 880

&lt;211&gt; 133

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (14)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (19)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (128)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (130)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

827

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (131)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 880

Ser Ala Gly Ala His Ala His Gly Ala Arg Glu Leu Ala Xaa Phe Leu  
 1 5 10 15

Thr Pro Xaa Pro Gly Ala Glu Ala Lys Glu Val Glu Glu Thr Ile Glu  
 20 25 30

Gly Met Leu Leu Arg Leu Glu Glu Phe Cys Ser Leu Ala Asp Leu Ile  
 35 40 45

Arg Ser Asp Thr Ser Gln Ile Leu Glu Glu Asn Ile Pro Val Leu Lys  
 50 55 60

Ala Lys Leu Thr Glu Met Arg Gly Ile Tyr Ala Lys Val Asp Arg Leu  
 65 70 75 80

Glu Ala Phe Val Lys Met Val Gly His His Val Ala Phe Leu Glu Ala  
 85 90 95

Asp Val Leu Gln Ala Glu Arg Asp His Gly Ala Phe Pro Gln Ala Leu  
 100 105 110

Arg Arg Trp Leu Gly Ser Ala Gly Ser Pro Pro Ser Gly Thr Ser Xaa  
 115 120 125

Leu Xaa Xaa Cys Pro  
 130

&lt;210&gt; 881

&lt;211&gt; 260

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (14)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (124)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (136)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (171)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 881

Ile	Glu	Glu	Pro	Arg	Thr	Arg	Leu	Gln	Val	Cys	Ser	Xaa	Val	His
1				5				10					15	

Ile	Trp	Cys	Leu	Asp	Lys	Phe	Lys	Met	Arg	Lys	His	Arg	His	Leu	Pro
			20					25					30		

Leu	Val	Ala	Val	Phe	Cys	Leu	Phe	Leu	Ser	Gly	Phe	Pro	Thr	Thr	His
		35					40					45			

Ala	Gln	Gln	Gln	Gln	Ala	Val	Ile	Glu	Val	Asn	Lys	Arg	Asp	Ile	Val
	50					55					60				

Phe	Leu	Val	Asp	Gly	Ser	Ser	Ala	Leu	Gly	Leu	Ala	Asn	Phe	Asn	Ala
65					70					75					80

Ile	Arg	Asp	Phe	Ile	Ala	Lys	Val	Ile	Gln	Arg	Leu	Glu	Ile	Gly	Gln
				85					90					95	

Asp	Leu	Ile	Gln	Val	Ala	Val	Ala	Gln	Tyr	Ala	Asp	Thr	Val	Arg	Pro
		100						105						110	

Glu	Phe	Tyr	Phe	Asn	Thr	His	Pro	Thr	Lys	Arg	Xaa	Val	Ile	Thr	Ala
		115					120					125			

Val	Arg	Lys	Met	Lys	Pro	Leu	Xaa	Gly	Ser	Ala	Leu	Tyr	Thr	Gly	Ser
	130					135					140				

Ala	Leu	Asp	Phe	Val	Arg	Asn	Asn	Leu	Phe	Thr	Ser	Ser	Ala	Gly	Tyr
145					150					155					160

Arg	Ala	Ala	Glu	Gly	Ile	Pro	Lys	Leu	Leu	Xaa	Leu	Ile	Thr	Gly	Gly
			165					170						175	

Lys	Ser	Leu	Asp	Glu	Ile	Ser	Gln	Pro	Ala	Gln	Glu	Leu	Lys	Arg	Ser
		180					185						190		

Ser	Ile	Met	Ala	Phe	Ala	Ile	Gly	Asn	Lys	Gly	Ala	Asp	Gln	Ala	Glu
		195					200					205			

Leu	Glu	Glu	Ile	Ala	Phe	Asp	Ser	Ser	Leu	Val	Phe	Ile	Pro	Ala	Glu
	210						215					220			

Phe Arg Ala Ala Pro Leu Gln Gly Met Leu Pro Gly Leu Leu Ala Pro  
225 230 235 240

Leu Arg Thr Leu Ser Gly Thr Pro Glu Val His Ser Asn Lys Arg Asp  
245 250 255

Ile Ile Phe Leu  
260

<210> 882  
<211> 149  
<212> PRT  
<213> Homo sapiens

<220>  
<221> SITE  
<222> (1)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (2)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (6)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (9)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (13)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (16)  
<223> Xaa equals any of the naturally occurring L-amino acids

<220>  
<221> SITE  
<222> (19)  
<223> Xaa equals any of the naturally occurring L-amino acids

830

&lt;400&gt; 882

Xaa Xaa Glu Ser Glu Xaa Ser Phe Xaa Cys Arg Lys Xaa Ile Ile Xaa  
 1 5 10 15

Phe Leu Xaa Tyr Lys Arg Val Val Phe Leu Lys Gln Leu Ala Ser Gly  
 20 25 30

Leu Leu Leu Val Thr Gly Pro Leu Val Leu Asn Arg Val Pro Leu Arg  
 35 40 45

Arg Thr His Gln Lys Phe Val Ile Ala Thr Ser Thr Lys Ile Asp Ile  
 50 55 60

Ser Asn Val Lys Ile Pro Lys His Leu Thr Asp Ala Tyr Phe Lys Lys  
 65 70 75 80

Lys Lys Leu Arg Lys Pro Arg His Gln Glu Gly Glu Ile Phe Asp Thr  
 85 90 95

Glu Lys Glu Lys Tyr Glu Ile Thr Glu Gln Arg Lys Ile Asp Gln Lys  
 100 105 110

Ala Val Asp Ser Gln Ile Leu Pro Lys Ile Lys Ala Ile Pro Gln Leu  
 115 120 125

Gln Gly Tyr Leu Arg Ser Val Phe Ala Leu Thr Asn Gly Ile Tyr Pro  
 130 135 140

His Lys Leu Val Phe  
 145

&lt;210&gt; 883

&lt;211&gt; 256

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 883

Trp Lys Ser Val Val Val Leu Ala Val Ser Ala Gly Ala Gly Ser Ala  
 1 5 10 15

His Pro Arg Gln Asn Lys Tyr Ser Val Leu Leu Pro Thr Tyr Asn Glu  
 20 25 30

Arg Glu Asn Leu Pro Leu Ile Val Trp Leu Leu Val Lys Ser Phe Ser  
 35 40 45

Glu Ser Gly Ile Asn Tyr Glu Ile Ile Ile Ile Asp Asp Gly Ser Pro  
 50 55 60



831

Asp Gly Thr Arg Asp Val Ala Glu Gln Leu Glu Lys Ile Tyr Gly Ser  
 65 70 75 80  
 Asp Arg Ile Leu Leu Arg Pro Arg Glu Lys Lys Leu Gly Leu Gly Thr  
 85 90 95  
 Ala Tyr Ile His Gly Met Lys His Ala Thr Gly Asn Tyr Ile Ile Ile  
 100 105 110  
 Met Asp Ala Asp Leu Ser His His Pro Lys Phe Ile Pro Glu Phe Ile  
 115 120 125  
 Arg Lys Gln Lys Glu Gly Asn Phe Asp Ile Val Ser Gly Thr Arg Tyr  
 130 135 140  
 Lys Gly Asn Gly Gly Val Tyr Gly Trp Asp Leu Lys Arg Lys Ile Ile  
 145 150 155 160  
 Ser Arg Gly Ala Asn Phe Leu Thr Gln Ile Leu Leu Arg Pro Gly Ala  
 165 170 175  
 Ser Asp Leu Thr Gly Ser Phe Arg Leu Tyr Arg Lys Glu Val Leu Glu  
 180 185 190  
 Lys Leu Ile Glu Lys Cys Val Ser Lys Gly Tyr Val Phe Gln Met Glu  
 195 200 205  
 Met Ile Val Arg Ala Arg Gln Leu Asn Tyr Thr Ile Gly Glu Val Pro  
 210 215 220  
 Ile Ser Phe Val Asp Arg Val Tyr Gly Glu Ser Lys Leu Gly Gly Asn  
 225 230 235 240  
 Glu Ile Val Ser Phe Leu Lys Gly Leu Leu Thr Leu Phe Ala Thr Thr  
 245 250 255

&lt;210&gt; 884

&lt;211&gt; 449

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 884

Gly Gly Ser Trp Cys Arg Ser Ser Pro Gly Arg Asp Gly Ser Pro Gly  
 1 5 10 15

832

Ala Lys Gly Asp Arg Gly Glu Thr Gly Pro Ala Gly Pro Pro Gly Ala  
                   20                                  25                                  30

Pro Gly Ala Pro Gly Ala Pro Gly Pro Val Gly Pro Ala Gly Lys Ser  
                   35                                  40                                  45

Gly Asp Arg Gly Glu Thr Gly Pro Ala Gly Pro Ala Gly Pro Val Gly  
                   50                                  55                                  60

Pro Val Gly Ala Arg Gly Pro Ala Gly Pro Gln Gly Pro Arg Gly Asp  
                   65                                  70                                  75                                  80

Lys Gly Glu Thr Gly Glu Gln Gly Asp Arg Gly Ile Lys Gly His Arg  
                                   85                                  90                                  95

Gly Phe Ser Gly Leu Gln Gly Pro Pro Gly Pro Pro Gly Ser Pro Gly  
                   100                                  105                                  110

Glu Gln Gly Pro Ser Gly Ala Ser Gly Pro Ala Gly Pro Arg Gly Pro  
                   115                                  120                                  125

Pro Gly Ser Ala Gly Ala Pro Gly Lys Asp Gly Leu Asn Gly Leu Pro  
                   130                                  135                                  140

Gly Pro Ile Gly Pro Pro Gly Pro Arg Gly Arg Thr Gly Asp Ala Gly  
                   145                                  150                                  155                                  160

Pro Val Gly Pro Pro Gly Pro Pro Gly Pro Pro Gly Pro Pro Gly Pro  
                   165                                  170                                  175

Pro Ser Ala Gly Phe Asp Phe Ser Phe Leu Pro Gln Pro Pro Gln Glu  
                   180                                  185                                  190

Lys Ala His Asp Gly Gly Arg Tyr Tyr Arg Ala Asp Asp Ala Asn Val  
                   195                                  200                                  205

Val Arg Asp Arg Asp Leu Glu Val Asp Thr Thr Leu Lys Ser Leu Ser  
                   210                                  215                                  220

Gln Gln Ile Glu Asn Ile Arg Ser Pro Glu Gly Ser Arg Lys Asn Pro  
                   225                                  230                                  235                                  240

Ala Arg Thr Cys Arg Asp Leu Lys Met Cys His Ser Asp Trp Lys Ser  
                   245                                  250                                  255

Gly Glu Tyr Trp Ile Asp Pro Asn Gln Gly Cys Asn Leu Asp Ala Ile  
                   260                                  265                                  270

Lys Val Phe Cys Asn Met Glu Thr Gly Glu Thr Cys Val Tyr Pro Thr  
                   275                                  280                                  285

833

Gln Pro Ser Val Ala Gln Lys Asn Trp Tyr Ile Ser Lys Asn Pro Lys  
 290 295 300  
 Asp Lys Arg His Val Trp Phe Gly Glu Ser Met Thr Asp Gly Phe Gln  
 305 310 315 320  
 Phe Glu Tyr Gly Gly Gln Gly Ser Asp Pro Ala Asp Val Ala Ile Gln  
 325 330 335  
 Leu Thr Phe Leu Arg Leu Met Ser Thr Glu Ala Ser Gln Asn Ile Thr  
 340 345 350  
 Tyr His Cys Lys Asn Ser Val Ala Tyr Met Asp Gln Gln Thr Gly Asn  
 355 360 365  
 Leu Lys Lys Ala Leu Leu Leu Gln Gly Ser Asn Glu Ile Glu Ile Arg  
 370 375 380  
 Ala Glu Gly Asn Ser Arg Phe Thr Tyr Ser Val Thr Val Asp Gly Cys  
 385 390 395 400  
 Thr Ser His Thr Gly Ala Trp Gly Lys Thr Val Ile Glu Tyr Lys Thr  
 405 410 415  
 Thr Lys Thr Ser Arg Leu Pro Ile Ile Asp Val Ala Pro Leu Asp Val  
 420 425 430  
 Gly Ala Pro Asp Gln Glu Phe Gly Phe Asp Val Gly Pro Val Cys Phe  
 435 440 445  
 Leu

<210> 885  
 <211> 64  
 <212> PRT  
 <213> Homo sapiens

<400> 885  
 Gly Lys Leu Val Thr Leu Gln Val Pro Val Arg Asn Ser Arg Val Asp  
 1 5 10 15  
 Pro Arg Val Arg Trp Gly Phe Thr Lys Phe Asn Ala Asp Glu Phe Glu  
 20 25 30  
 Asp Met Val Ala Glu Lys Arg Leu Ile Pro Asp Gly Cys Gly Val Lys  
 35 40 45  
 Tyr Ile Pro Ser Arg Gly Pro Leu Asp Lys Trp Arg Ala Leu His Ser

834

50

55

60

&lt;210&gt; 886

&lt;211&gt; 132

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 886

Thr Thr Leu Arg Ala Leu Ala Leu Asn Leu Trp Pro Pro Lys Ser Arg  
 1 5 10 15

Ser Leu Ile Ser Ser Trp Gln Ser Cys Gly Gln Glu Val Leu Lys Gly  
 20 25 30

Lys Thr His Ser Asp Asn Cys Ser Pro Ile Tyr Gln Pro Ser Ala Gly  
 35 40 45

Val Ser Asp Arg Gly Pro Leu Pro Pro Leu Glu Cys Ala Thr Tyr Glu  
 50 55 60

Glu Cys Pro Met Gly Lys Arg Arg Leu Ser Cys Pro Leu Ala Ala Cys  
 65 70 75 80

Ala Ser Ile Pro Gly Gln Lys Phe Pro Gln Glu Pro Leu Ala Leu Ala  
 85 90 95

Gln Ser His Cys Glu Arg Arg Trp Glu Pro Thr Pro Leu Gly Glu Gly  
 100 105 110

Ala Val Leu Leu Gly Thr Ser Gln His Gln Val Arg Ser Leu Lys Leu  
 115 120 125

Lys Asn Val Asn  
 130

&lt;210&gt; 887

&lt;211&gt; 70

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 887

Gly Leu Ser Ser Glu Ala Arg Glu Lys Ser Ser Glu Pro Gln Glu Arg  
 1 5 10 15

835

Ser Ser Glu Pro Trp Glu Arg Ser Ser Glu Pro Trp Glu Gly Leu Val  
                   20                  25                  30

Thr Phe Glu Asp Val Ala Val Glu Phe Thr Gln Glu Glu Trp Ala Leu  
                   35                  40                  45

Leu Asp Pro Ala Gln Arg Thr Leu Tyr Arg Asp Val Met Leu Glu Asn  
                   50                  55                  60

Cys Arg Thr Trp Pro His  
                   65                  70

<210> 888  
 <211> 373  
 <212> PRT  
 <213> Homo sapiens

<400> 888  
 Val Asp Pro Arg Val Arg Phe Arg Glu Glu Phe Leu Phe Ser Ser Leu  
                   1                  5                  10                  15

Gln Glu Gly Arg Asp Lys Asp Thr Phe Ser Lys Met Ala Met Val Ser  
                   20                  25                  30

Glu Phe Leu Lys Gln Ala Trp Phe Ile Glu Asn Glu Glu Gln Glu Tyr  
                   35                  40                  45

Val Gln Thr Val Lys Ser Ser Lys Gly Gly Pro Gly Ser Ala Val Ser  
                   50                  55                  60

Pro Tyr Pro Thr Phe Asn Pro Ser Ser Asp Val Ala Ala Leu His Lys  
                   65                  70                  75                  80

Ala Ile Met Val Lys Gly Val Asp Glu Ala Thr Ile Ile Asp Ile Leu  
                   85                  90                  95

Thr Lys Arg Asn Asn Ala Gln Arg Gln Gln Ile Lys Ala Ala Tyr Leu  
                   100                  105                  110

Gln Glu Thr Gly Lys Pro Leu Asp Glu Thr Leu Lys Lys Ala Leu Thr  
                   115                  120                  125

Gly His Leu Glu Glu Val Val Leu Ala Leu Leu Lys Thr Pro Ala Gln  
                   130                  135                  140

Phe Asp Ala Asp Glu Leu Arg Ala Ala Met Lys Gly Leu Gly Thr Asp  
                   145                  150                  155                  160

Glu Asp Thr Leu Ile Glu Ile Leu Ala Ser Arg Thr Asn Lys Glu Ile

836

165	170	175
Arg Asp Ile Asn Arg Val Tyr Arg Glu Glu Leu Lys Arg Asp Leu Ala		
180	185	190
Lys Asp Ile Thr Ser Asp Thr Ser Gly Asp Phe Arg Asn Ala Leu Leu		
195	200	205
Ser Leu Ala Lys Gly Asp Arg Ser Glu Asp Phe Gly Val Asn Glu Asp		
210	215	220
Leu Ala Asp Ser Asp Ala Arg Ala Leu Tyr Glu Ala Gly Glu Arg Arg		
225	230	235
Lys Gly Thr Asp Val Asn Val Phe Asn Thr Ile Leu Thr Thr Arg Ser		
245	250	255
Tyr Pro Gln Leu Arg Arg Val Phe Gln Lys Tyr Thr Lys Tyr Ser Lys		
260	265	270
His Asp Met Asn Lys Val Leu Asp Leu Glu Leu Lys Gly Asp Ile Glu		
275	280	285
Lys Cys Leu Thr Ala Ile Val Lys Cys Ala Thr Ser Lys Pro Ala Phe		
290	295	300
Phe Ala Glu Lys Leu His Gln Ala Met Lys Gly Val Gly Thr Arg His		
305	310	315
Lys Ala Leu Ile Arg Ile Met Val Ser Arg Ser Glu Ile Asp Met Asn		
325	330	335
Asp Ile Lys Ala Phe Tyr Gln Lys Met Tyr Gly Ile Ser Leu Cys Gln		
340	345	350
Ala Ile Leu Asp Glu Thr Lys Gly Asp Tyr Glu Lys Ile Leu Val Ala		
355	360	365
Leu Cys Gly Gly Asn		
370		

&lt;210&gt; 889

&lt;211&gt; 336

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (7)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (51)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (60)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (67)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (100)

<223> Xaa equals any of the naturally occurring L-amino acids

<220>

<221> SITE

<222> (183)

<223> Xaa equals any of the naturally occurring L-amino acids

<400> 889

Gly	Arg	Lys	Lys	His	Leu	Xaa	Ala	Arg	Leu	Val	Thr	Glu	Met	Asp	Ser
1				5					10					15	

Lys	Tyr	Gln	Cys	Val	Lys	Leu	Asn	Asp	Gly	His	Phe	Met	Pro	Val	Leu
		20						25					30		

Gly	Phe	Gly	Thr	Tyr	Ala	Pro	Ala	Glu	Val	Pro	Lys	Ser	Lys	Ala	Leu
	35						40					45			

Glu	Ala	Xaa	Lys	Leu	Ala	Ile	Glu	Ala	Gly	Phe	Xaa	His	Ile	Asp	Ser
	50					55					60				

Ala	His	Xaa	Tyr	Asn	Asn	Glu	Glu	Gln	Val	Gly	Leu	Ala	Ile	Arg	Ser
65					70					75					80

Lys	Ile	Ala	Asp	Gly	Ser	Val	Lys	Arg	Glu	Asp	Ile	Phe	Tyr	Thr	Ser
			85						90					95	

Lys	Leu	Trp	Xaa	Asn	Ser	His	Arg	Pro	Glu	Leu	Val	Arg	Pro	Ala	Leu
		100						105					110		

Glu	Arg	Ser	Leu	Lys	Asn	Leu	Gln	Leu	Asp	Tyr	Val	Asp	Leu	Tyr	Leu
		115					120						125		

838

Ile His Phe Pro Val Ser Val Lys Pro Gly Glu Glu Val Ile Pro Lys  
 130 135 140  
 Asp Glu Asn Gly Lys Ile Leu Phe Asp Thr Val Asp Leu Cys Ala Thr  
 145 150 155 160  
 Trp Glu Ala Val Glu Lys Cys Lys Asp Ala Gly Leu Ala Lys Ser Ile  
 165 170 175  
 Gly Val Ser Asn Phe Asn Xaa Arg Gln Leu Glu Met Ile Leu Asn Lys  
 180 185 190  
 Pro Gly Leu Lys Tyr Lys Pro Val Cys Asn Gln Val Glu Cys His Pro  
 195 200 205  
 Tyr Phe Asn Gln Arg Lys Leu Leu Asp Phe Cys Lys Ser Lys Asp Ile  
 210 215 220  
 Val Leu Val Ala Tyr Ser Ala Leu Gly Ser His Arg Glu Glu Pro Trp  
 225 230 235 240  
 Val Asp Pro Asn Ser Pro Val Leu Leu Glu Asp Pro Val Leu Cys Ala  
 245 250 255  
 Leu Ala Lys Lys His Lys Arg Thr Pro Ala Leu Ile Ala Leu Arg Tyr  
 260 265 270  
 Gln Leu Gln Arg Gly Val Val Val Leu Ala Lys Ser Tyr Asn Glu Gln  
 275 280 285  
 Arg Ile Arg Gln Asn Val Gln Val Phe Glu Phe Gln Leu Thr Ser Glu  
 290 295 300  
 Glu Met Lys Ala Ile Asp Gly Leu Asn Arg Asn Val Arg Tyr Leu Thr  
 305 310 315 320  
 Leu Asp Ile Phe Ala Gly Pro Pro Asn Tyr Pro Phe Ser Asp Glu Tyr  
 325 330 335

&lt;210&gt; 890

&lt;211&gt; 195

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 890



839

Arg Ser Ser Glu Val Tyr Ala Gln Leu Cys Asn Val Ala Arg Ile Glu  
 1 5 10 15  
 Ala Glu Arg Glu Ala Gly Val His Phe Arg Pro Gly Tyr Glu Tyr Gly  
 20 25 30  
 Pro Gly Pro Asp Asp Leu His Tyr Ser Ile Tyr Gly Pro Asp Gly Ala  
 35 40 45  
 Pro Phe Tyr Asn Tyr Leu Gly Pro Glu Asp Thr Val Pro Glu Pro Ala  
 50 55 60  
 Phe Pro Asn Thr Ala Gly His Ser Ala Asp Arg Thr Pro Ile Leu Glu  
 65 70 75 80  
 Ser Pro Leu Gln Pro Ser Glu Leu Gln Pro His Tyr Val Ala Ser His  
 85 90 95  
 Pro Glu Pro Pro Ala Gly Phe Glu Gly Leu Gln Ala Glu Glu Cys Gly  
 100 105 110  
 Ile Leu Asn Gly Cys Glu Asn Gly Arg Cys Val Arg Val Arg Glu Gly  
 115 120 125  
 Tyr Thr Cys Asp Cys Phe Glu Gly Phe Gln Leu Asp Ala Ala His Met  
 130 135 140  
 Ala Cys Val Asp Val Asn Glu Cys Asp Asp Leu Asn Gly Pro Ala Val  
 145 150 155 160  
 Leu Cys Val His Gly Tyr Cys Glu Asn Thr Glu Gly Ser Tyr Arg Cys  
 165 170 175  
 His Cys Ser Pro Gly Tyr Val Ala Glu Ala Gly Pro Pro His Cys Thr  
 180 185 190  
 Ala Lys Glu  
 195

&lt;210&gt; 891

&lt;211&gt; 198

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (108)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

840

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (109)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 891

Ser Ala Gly Leu Thr Gly Arg Ile Ala Phe Ala Ala Ala Arg Pro Gln  
 1 5 10 15

Thr Phe Val Pro Gly Pro Ser Ser Pro Pro Pro Pro Pro Pro Arg  
 20 25 30

Pro Ala Glu Leu Ala Pro Ser Pro Pro Ala Asp Met Ser Glu Ser Lys  
 35 40 45

Ser Gly Pro Glu Tyr Ala Ser Phe Phe Ala Val Met Gly Ala Ser Ala  
 50 55 60

Ala Met Val Phe Ser Ala Leu Gly Ala Ala Tyr Gly Thr Ala Lys Ser  
 65 70 75 80

Gly Thr Gly Ile Ala Ala Met Ser Val Met Arg Pro Glu Gln Ile Met  
 85 90 95

Lys Ser Ile Ile Pro Val Val Met Ala Gly Ile Xaa Xaa Ile Tyr Gly  
 100 105 110

Leu Val Val Ala Val Leu Ile Ala Asn Ser Leu Asn Asp Asp Ile Ser  
 115 120 125

Leu Tyr Lys Ser Phe Leu Gln Leu Gly Ala Gly Leu Ser Val Gly Leu  
 130 135 140

Ser Gly Leu Ala Ala Gly Phe Ala Ile Gly Ile Val Gly Asp Ala Gly  
 145 150 155 160

Val Arg Gly Asn Ala Gln Gln Pro Arg Leu Phe Val Gly Met Ile Leu  
 165 170 175

Ile Leu Ile Phe Ala Glu Val Leu Gly Leu Tyr Gly Leu Ile Val Ala  
 180 185 190

Leu Ile Leu Ser Thr Lys  
 195

&lt;210&gt; 892

&lt;211&gt; 95

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

841

&lt;400&gt; 892

Asp Ala Trp Ala Pro Ser Glu Ser Arg Glu Ala Leu Leu Thr Pro Pro  
 1 5 10 15  
 Pro His Arg Arg His Thr Ala Ala Ala Ser Val Met Pro Lys His Glu  
 20 25 30  
 Phe Ser Val Asp Met Thr Cys Gly Gly Cys Ala Glu Ala Val Ser Arg  
 35 40 45  
 Val Leu Asn Lys Leu Gly Gly Val Lys Tyr Asp Ile Asp Leu Pro Asn  
 50 55 60  
 Lys Lys Val Cys Ile Glu Ser Glu His Ser Met Asp Thr Leu Leu Ala  
 65 70 75 80  
 Thr Leu Lys Lys Thr Gly Lys Thr Val Ser Tyr Leu Gly Leu Glu  
 85 90 95

&lt;210&gt; 893

&lt;211&gt; 123

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (111)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (117)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 893

Gly Glu His Pro Arg Gln Pro Ala Gly Asn Asn Ile Leu Ala Val Leu  
 1 5 10 15  
 Thr Cys Cys Gln Gln Ile His Arg Thr Trp Met Lys Phe Pro Phe Pro  
 20 25 30  
 Leu Val Ser Ser Cys Ser Thr Pro Leu Leu Asp Pro Lys Ser Leu Thr  
 35 40 45  
 Lys Ala Leu Asn Thr Val Lys Met Phe Tyr Ile Pro Phe His Leu Cys  
 50 55 60  
 Cys Phe Phe Asn Cys Ile Leu Pro Asp Val Leu Met Leu Ser Leu Met

842

65		70		75		80									
Leu	Ile	Val	Ile	Pro	Val	Arg	Val	His	Phe	Ile	Phe	Met	Leu	Phe	Gln
				85					90					95	
Pro	Cys	Ile	Asn	Ile	His	Leu	Thr	Lys	Ile	Thr	Gln	Leu	Ile	Xaa	Lys
		100						105					110		
Lys	Lys	Lys	Asn	Xaa	Gly	Gly	Gly	Pro	Gly	Thr					
		115						120							

<210> 894  
 <211> 172  
 <212> PRT  
 <213> Homo sapiens

<400> 894  
 Gln Phe Val Tyr Cys Gly Lys Lys Ala Gln Leu Asn Ile Gly Asn Val  
 1 5 10 15  
 Leu Pro Val Gly Thr Met Pro Glu Gly Thr Ile Val Cys Cys Leu Glu  
 20 25 30  
 Glu Lys Pro Gly Asp Arg Gly Lys Leu Ala Arg Ala Ser Gly Asn Tyr  
 35 40 45  
 Ala Thr Val Ile Ser His Asn Pro Glu Thr Lys Lys Thr Arg Val Lys  
 50 55 60  
 Leu Pro Ser Gly Ser Lys Lys Val Ile Ser Ser Ala Asn Arg Ala Val  
 65 70 75 80  
 Val Gly Val Val Ala Gly Gly Gly Arg Ile Asp Lys Pro Ile Leu Lys  
 85 90 95  
 Ala Gly Arg Ala Tyr His Lys Tyr Lys Ala Lys Arg Asn Cys Trp Pro  
 100 105 110  
 Arg Val Arg Gly Val Ala Met Asn Pro Val Glu His Pro Phe Gly Gly  
 115 120 125  
 Gly Asn His Gln His Ile Gly Lys Pro Ser Thr Ile Arg Arg Asp Ala  
 130 135 140  
 Pro Ala Gly Arg Lys Val Gly Leu Ile Ala Ala Arg Arg Thr Gly Arg  
 145 150 155 160  
 Leu Arg Gly Thr Lys Thr Val Gln Glu Lys Glu Asn  
 165 170

843

&lt;210&gt; 895

&lt;211&gt; 171

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (22)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (37)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 895

Asn Arg Glu Gly Ser Lys Gly Val Glu Thr Arg Arg Val Leu Val Gly  
 1 5 10 15

Glu Gln Gln Gln Cys Xaa Asp Ala Lys Ser Gln Gln Lys Glu Gln Met  
 20 25 30

Leu Leu Leu Glu Xaa Lys Ser Ala Ala Tyr Ser Gln Val Leu Leu Arg  
 35 40 45

Cys Leu Thr Leu Leu Gln Arg Leu Leu Gln Glu His Arg Leu Lys Thr  
 50 55 60

Gln Ser Glu Leu Asp Arg Ile Asn Ala Gln Tyr Leu Glu Val Lys Cys  
 65 70 75 80

Gly Ala Met Ile Leu Lys Leu Arg Met Glu Glu Leu Lys Ile Leu Ser  
 85 90 95

Asp Thr Tyr Thr Val Glu Lys Val Glu Val His Arg Leu Ile Arg Asp  
 100 105 110

Arg Leu Glu Gly Ala Ile His Leu Gln Glu Gln Asp Met Glu Asn Ser  
 115 120 125

Arg Gln Val Leu Asn Ser Tyr Glu Val Leu Gly Glu Glu Phe Asp Arg  
 130 135 140

Leu Val Lys Glu Tyr Thr Val Leu Lys Gln Ala Thr Glu Asn Lys Arg  
 145 150 155 160

Trp Ala Leu Gln Glu Phe Ser Lys Val Tyr Arg  
 165 170

844

&lt;210&gt; 896

&lt;211&gt; 99

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 896

Arg Glu Val Met Lys Leu Tyr Leu Phe Gln Trp Ala Leu Phe His Phe  
 1 5 10 15

Thr Thr Val Pro Leu Phe Gly Ser Trp Ser Tyr Thr Leu Ile Phe Ser  
 20 25 30

Ile Leu Leu Leu Asn Tyr Gln His Lys Ala Ile Tyr Leu Lys Asp Ser  
 35 40 45

Val Tyr Pro Ala Ile Ala Leu Lys Ser Ser Arg Lys Arg Asn Pro Leu  
 50 55 60

Thr Cys Ile Ser Phe Cys Arg Ala Ser Leu Phe Ser Phe Val Leu Cys  
 65 70 75 80

Phe Leu Pro Phe Glu Ser Asp Ser Val Leu Val Arg Lys Thr Ser Trp  
 85 90 95

Asp His Ser

&lt;210&gt; 897

&lt;211&gt; 289

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (255)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 897

Ala Pro Glu Phe Pro Gly Arg Pro Thr Arg Pro Pro Thr Arg Arg Pro  
 1 5 10 15

Arg Val Arg Gly Arg Ser Gln Leu Ser Ala His Gly Pro Ala Ser Phe  
 20 25 30

Lys Met Ser Thr Val His Glu Ile Leu Cys Lys Leu Ser Leu Glu Gly  
 35 40 45

845

Asp His Ser Thr Pro Pro Ser Ala Tyr Gly Ser Val Lys Ala Tyr Thr  
 50 55 60  
 Asn Phe Asp Ala Glu Arg Asp Ala Leu Asn Ile Glu Thr Ala Ile Lys  
 65 70 75 80  
 Thr Lys Gly Val Asp Glu Val Thr Ile Val Asn Ile Leu Thr Asn Arg  
 85 90 95  
 Ser Asn Ala Gln Arg Gln Asp Ile Ala Phe Ala Tyr Gln Arg Arg Thr  
 100 105 110  
 Lys Lys Glu Leu Ala Ser Ala Leu Lys Ser Ala Leu Ser Gly His Leu  
 115 120 125  
 Glu Thr Val Ile Leu Gly Leu Leu Lys Thr Pro Ala Gln Tyr Asp Ala  
 130 135 140  
 Ser Glu Leu Lys Ala Ser Met Lys Gly Leu Gly Thr Asp Glu Asp Ser  
 145 150 155 160  
 Leu Ile Glu Ile Ile Cys Ser Arg Thr Asn Gln Glu Leu Gln Glu Ile  
 165 170 175  
 Asn Arg Val Tyr Lys Glu Met Tyr Lys Thr Asp Leu Glu Lys Asp Ile  
 180 185 190  
 Ile Ser Asp Thr Ser Gly Asp Phe Arg Lys Leu Met Val Ala Leu Ala  
 195 200 205  
 Lys Gly Arg Arg Ala Glu Asp Gly Ser Val Ile Asp Tyr Glu Leu Ile  
 210 215 220  
 Asp Gln Asp Ala Arg Asp Leu Tyr Asp Ala Gly Val Lys Arg Lys Gly  
 225 230 235 240  
 Thr Asp Val Pro Lys Trp Ile Ser Ile Met Thr Glu Arg Ser Xaa Pro  
 245 250 255  
 Thr Ser Arg Lys Tyr Leu Ile Gly Thr Arg Val Thr Ala Leu Met Thr  
 260 265 270  
 Cys Trp Lys Ala Ser Gly Lys Arg Leu Lys Glu Thr Trp Lys Met Leu  
 275 280 285  
 Ser

846

&lt;210&gt; 898

&lt;211&gt; 232

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (205)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 898

Asn Pro Arg Gly Lys Val Ala Gly Phe Asp Leu Asp Gly Thr Leu Ile  
 1 5 10 15

Thr Thr Arg Ser Gly Lys Val Phe Pro Thr Gly Pro Ser Asp Trp Arg  
 20 25 30

Ile Leu Tyr Pro Glu Ile Pro Arg Lys Leu Arg Glu Leu Glu Ala Glu  
 35 40 45

Gly Tyr Lys Leu Val Ile Phe Thr Asn Gln Met Ser Ile Gly Arg Gly  
 50 55 60

Lys Leu Pro Ala Glu Glu Phe Lys Ala Lys Val Glu Ala Val Val Glu  
 65 70 75 80

Lys Leu Gly Val Pro Phe Gln Val Leu Val Ala Thr His Ala Gly Leu  
 85 90 95

Tyr Arg Lys Pro Val Thr Gly Met Trp Asp His Leu Gln Glu Gln Ala  
 100 105 110

Asn Asp Gly Thr Pro Ile Ser Ile Gly Asp Ser Ile Phe Val Gly Asp  
 115 120 125

Ala Ala Gly Arg Pro Ala Asn Trp Ala Pro Gly Arg Lys Lys Lys Asp  
 130 135 140

Phe Ser Cys Ala Asp Arg Leu Phe Ala Leu Asn Leu Gly Leu Pro Phe  
 145 150 155 160

Ala Thr Pro Glu Glu Phe Phe Leu Lys Trp Pro Ala Ala Gly Phe Glu  
 165 170 175

Leu Pro Ala Phe Asp Pro Arg Thr Val Ser Arg Ser Gly Pro Leu Cys  
 180 185 190

Leu Pro Glu Ser Arg Ala Leu Leu Ser Ala Thr Arg Xaa Trp Leu Ser  
 195 200 205

Gln Trp Asp Ser Leu Gly Pro Gly Ser Pro Pro Phe Ser Arg Ser Thr



847

210                      215                      220  
 Ser Cys Arg Pro Asp Met Ser Thr  
 225                      230  
  
 <210> 899  
 <211> 218  
 <212> PRT  
 <213> Homo sapiens  
  
 <400> 899  
 Leu Arg Val Ala Arg Pro Asp Ala Ala Arg Ala Ala Pro Leu Ala Pro  
   1                      5                      10                      15  
 Ala Ala Ala Met Lys Ala Val Val Gln Arg Val Thr Arg Ala Ser Val  
                     20                      25                      30  
 Thr Val Gly Gly Glu Gln Ile Ser Ala Ile Gly Arg Gly Ile Cys Val  
                     35                      40                      45  
 Leu Leu Gly Ile Ser Leu Glu Asp Thr Gln Lys Glu Leu Glu His Met  
   50                      55                      60  
 Val Arg Lys Ile Leu Asn Leu Arg Val Phe Glu Asp Glu Ser Gly Lys  
   65                      70                      75                      80  
 His Trp Ser Lys Ser Val Met Asp Lys Gln Tyr Glu Ile Leu Cys Val  
                     85                      90                      95  
 Ser Gln Phe Thr Leu Gln Cys Val Leu Lys Gly Asn Lys Pro Asp Phe  
                     100                      105                      110  
 His Leu Ala Met Pro Thr Glu Gln Ala Glu Gly Phe Tyr Asn Ser Phe  
                     115                      120                      125  
 Leu Glu Gln Leu Arg Lys Thr Tyr Arg Pro Glu Leu Ile Lys Asp Gly  
   130                      135                      140  
 Lys Phe Gly Ala Tyr Met Gln Val His Ile Gln Asn Asp Gly Pro Val  
   145                      150                      155                      160  
 Thr Ile Glu Leu Glu Ser Pro Ala Pro Gly Thr Ala Thr Ser Asp Pro  
                     165                      170                      175  
 Lys Gln Leu Ser Lys Leu Glu Lys Gln Gln Gln Arg Lys Glu Lys Thr  
                     180                      185                      190  
 Arg Ala Lys Gly Pro Ser Glu Phe Lys Gln Gly Lys Lys His Ser Pro  
                     195                      200                      205

848

Lys Arg Arg Pro Gln Cys Gln Gln Arg Gly  
 210 215

&lt;210&gt; 900

&lt;211&gt; 152

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 900

Ser Lys Arg Gly His Val Pro Trp Gly Leu Glu Glu Ile Leu Asp Val  
 1 5 10 15

Ile Glu Pro Ser Gln Phe Val Lys Ile Gln Glu Pro Leu Phe Lys Gln  
 20 25 30

Ile Ala Lys Cys Val Ser Ser Pro His Phe Gln Val Ala Glu Arg Ala  
 35 40 45

Leu Tyr Tyr Trp Asn Asn Glu Tyr Ile Met Ser Leu Ile Glu Glu Asn  
 50 55 60

Ser Asn Val Ile Leu Pro Ile Met Phe Ser Ser Leu Tyr Arg Ile Ser  
 65 70 75 80

Lys Glu His Trp Asn Pro Ala Ile Val Ala Leu Val Tyr Asn Val Leu  
 85 90 95

Lys Ala Phe Met Glu Met Asn Ser Thr Met Phe Asp Glu Leu Thr Ala  
 100 105 110

Thr Tyr Lys Ser Asp Arg Gln Arg Glu Lys Lys Lys Glu Lys Glu Arg  
 115 120 125

Glu Glu Leu Trp Lys Lys Leu Glu Asp Leu Glu Leu Lys Arg Gly Leu  
 130 135 140

Arg Arg Asp Gly Ile Ile Pro Thr  
 145 150

&lt;210&gt; 901

&lt;211&gt; 261

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 901

Gly Leu Arg Glu Ile Ser Gly Arg Leu Ala Glu Met Pro Ala Asp Ser

849

1	5	10	15
Gly Tyr Pro Ala Tyr Leu Gly Ala Arg Leu Ala Ser Phe Tyr Glu Arg	20	25	30
Ala Gly Arg Val Lys Cys Leu Gly Asn Pro Glu Arg Glu Gly Ser Val	35	40	45
Ser Ile Val Gly Ala Val Ser Pro Pro Gly Gly Asp Phe Ser Asp Pro	50	55	60
Val Thr Ser Ala Thr Leu Gly Ile Val Gln Val Phe Trp Gly Leu Asp	65	70	75
Lys Lys Leu Ala Gln Arg Lys His Phe Pro Ser Val Asn Trp Leu Ile	85	90	95
Ser Tyr Ser Lys Tyr Met Arg Ala Leu Asp Glu Tyr Tyr Asp Lys His	100	105	110
Phe Thr Glu Phe Val Pro Leu Arg Thr Lys Ala Lys Glu Ile Leu Gln	115	120	125
Glu Glu Glu Asp Leu Ala Glu Ile Val Gln Leu Val Gly Lys Ala Ser	130	135	140
Leu Ala Glu Thr Asp Lys Ile Thr Leu Glu Val Ala Lys Leu Ile Lys	145	150	155
Asp Asp Phe Leu Gln Gln Asn Gly Tyr Thr Pro Tyr Asp Arg Phe Cys	165	170	175
Pro Phe Tyr Lys Thr Val Gly Met Leu Ser Asn Met Ile Ala Phe Tyr	180	185	190
Asp Met Ala Arg Arg Val Phe Glu Thr Thr Ala Gln Ser Asp Asn Lys	195	200	205
Ile Thr Trp Ser Ile Ile Arg Glu His Met Gly Asp Ile Leu Tyr Lys	210	215	220
Leu Ser Ser Met Lys Phe Lys Asp Pro Leu Lys Asp Gly Glu Ala Lys	225	230	235
Ile Lys Ser Asp Tyr Ala Gln Leu Leu Glu Asp Met Gln Asn Ala Phe	245	250	255
Arg Ser Leu Glu Asp	260		

850

&lt;210&gt; 902

&lt;211&gt; 169

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (33)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 902

Phe Pro Gly Arg Pro Thr Arg Pro Arg Gly Ile Ser Val Ser Gly Gly  
 1 5 10 15

Glu Ala Val Cys Pro Val Gln Trp Arg Leu Arg Lys Leu Ala Ala Ala  
 20 25 30

Xaa Gly Lys Gly Gln Glu Val Glu Thr Ser Val Thr Tyr Tyr Arg Leu  
 35 40 45

Glu Glu Val Ala Lys Arg Asn Ser Leu Lys Glu Leu Trp Leu Val Ile  
 50 55 60

His Gly Arg Val Tyr Asp Val Thr Arg Phe Leu Asn Glu His Pro Gly  
 65 70 75 80

Gly Glu Glu Val Leu Leu Glu Gln Ala Gly Val Asp Ala Ser Glu Ser  
 85 90 95

Phe Glu Asp Val Gly His Ser Ser Asp Ala Arg Glu Met Leu Lys Gln  
 100 105 110

Tyr Tyr Ile Gly Asp Ile His Pro Ser Asp Leu Lys Pro Glu Ser Gly  
 115 120 125

Ser Lys Asp Pro Ser Lys Asn Asp Thr Cys Lys Ser Cys Trp Ala Tyr  
 130 135 140

Trp Ile Leu Pro Ile Ile Gly Ala Val Leu Leu Gly Phe Leu Tyr Arg  
 145 150 155 160

Tyr Tyr Thr Ser Glu Ser Lys Ser Ser  
 165

&lt;210&gt; 903

&lt;211&gt; 53

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

851

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (15)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (19)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 903

Pro Leu Cys Leu Ala Lys Asn Lys Asn Phe Leu Ile Leu Arg Xaa Asn  
1 5 10 15

Ile Gln Xaa Ile His Ile Lys Ser Leu Glu Asn Ile Ile Pro Phe Asp  
20 25 30

Ser Leu Ile Thr Leu Leu Glu Tyr Lys Glu Met Ile Leu Asn Ile Tyr  
35 40 45

Val Val Leu Trp Ser  
50

&lt;210&gt; 904

&lt;211&gt; 329

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (3)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (5)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (36)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 904

Arg Arg Xaa Ala Xaa Pro Arg Val Arg Trp Lys Ile Cys Gly Leu Ser  
1 5 10 15

Pro Thr Thr Thr Leu Ala Ile Tyr Phe Glu Val Val Asn Gln His Asn

852

20	25	30
Ala Pro Ile Xaa Gln Gly Gly Arg Gly Ala Ile Gln Phe Val Thr Gln		
35	40	45
Tyr Gln His Ser Ser Gly Gln Arg Arg Ile Arg Val Thr Thr Ile Ala		
50	55	60
Arg Asn Trp Ala Asp Ala Gln Thr Gln Ile Gln Asn Ile Ala Ala Ser		
65	70	75
Phe Asp Gln Glu Ala Ala Ala Ile Leu Met Ala Arg Leu Ala Ile Tyr		
85	90	95
Arg Ala Glu Thr Glu Glu Gly Pro Asp Val Leu Arg Trp Leu Asp Arg		
100	105	110
Gln Leu Ile Arg Leu Cys Gln Lys Phe Gly Glu Tyr His Lys Asp Asp		
115	120	125
Pro Ser Ser Phe Arg Phe Ser Glu Thr Phe Ser Leu Tyr Pro Gln Phe		
130	135	140
Met Phe His Leu Arg Arg Ser Ser Phe Leu Gln Val Phe Asn Asn Ser		
145	150	155
Pro Asp Glu Ser Ser Tyr Tyr Arg His His Phe Met Arg Gln Asp Leu		
165	170	175
Thr Gln Ser Leu Ile Met Ile Gln Pro Ile Leu Tyr Ala Tyr Ser Phe		
180	185	190
Ser Gly Pro Pro Glu Pro Val Leu Leu Asp Ser Ser Ser Ile Leu Ala		
195	200	205
Asp Arg Ile Leu Leu Met Asp Thr Phe Phe Gln Ile Leu Ile Tyr His		
210	215	220
Gly Glu Thr Ile Ala Gln Trp Arg Lys Ser Gly Tyr Gln Asp Met Pro		
225	230	235
Glu Tyr Glu Asn Phe Arg His Leu Leu Gln Ala Pro Val Asp Asp Ala		
245	250	255
Gln Glu Ile Leu His Ser Arg Phe Pro Met Pro Arg Tyr Ile Asp Thr		
260	265	270
Glu His Gly Gly Ser Gln Ala Arg Phe Leu Leu Ser Lys Val Asn Pro		
275	280	285
Ser Gln Thr His Asn Asn Met Tyr Ala Trp Gly Gln Glu Ser Gly Ala		

853

290 295 300  
 Pro Ile Leu Thr Asp Asp Val Ser Leu Gln Val Phe Met Asp His Leu  
 305 310 315 320

Lys Lys Leu Ala Val Ser Ser Ala Ala  
 325

&lt;210&gt; 905

&lt;211&gt; 264

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (48)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 905

Phe Leu Leu Pro Thr Leu Trp Phe Cys Ser Pro Ser Ala Lys Tyr Phe  
 1 5 10 15

Phe Lys Met Ala Phe Tyr Asn Gly Trp Ile Leu Phe Leu Ala Val Leu  
 20 25 30

Ala Ile Pro Val Cys Ala Val Arg Gly Arg Asn Val Glu Asn Met Xaa  
 35 40 45

Ile Leu Arg Leu Met Leu Leu His Ile Lys Tyr Leu Tyr Gly Ile Arg  
 50 55 60

Val Glu Val Arg Gly Ala His His Phe Pro Pro Ser Gln Pro Tyr Val  
 65 70 75 80

Val Val Ser Asn His Gln Ser Ser Leu Asp Leu Leu Gly Met Met Glu  
 85 90 95

Val Leu Pro Gly Arg Cys Val Pro Ile Ala Lys Arg Glu Leu Leu Trp  
 100 105 110

Ala Gly Ser Ala Gly Leu Ala Cys Trp Leu Ala Gly Val Ile Phe Ile  
 115 120 125

Asp Arg Lys Arg Thr Gly Asp Ala Ile Ser Val Met Ser Glu Val Ala  
 130 135 140

Gln Thr Leu Leu Thr Gln Asp Val Arg Val Trp Val Phe Pro Glu Gly  
 145 150 155 160

854

Thr Arg Asn His Asn Gly Ser Met Leu Pro Phe Lys Arg Gly Ala Phe  
                   165                  170                  175  
 His Leu Ala Val Gln Ala Gln Val Pro Ile Val Pro Ile Val Met Ser  
                   180                  185                  190  
 Ser Tyr Gln Asp Phe Tyr Cys Lys Lys Glu Arg Arg Phe Thr Ser Gly  
                   195                  200                  205  
 Gln Cys Gln Val Arg Val Leu Pro Pro Val Pro Thr Glu Gly Leu Thr  
                   210                  215                  220  
 Pro Asp Asp Val Pro Ala Leu Ala Asp Arg Val Arg His Ser Met Leu  
                   225                  230                  235                  240  
 Thr Val Phe Arg Glu Ile Ser Thr Asp Gly Arg Gly Gly Gly Asp Tyr  
                   245                  250                  255  
 Leu Lys Lys Pro Gly Gly Gly Gly  
                   260

&lt;210&gt; 906

&lt;211&gt; 189

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (1)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (2)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (4)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 906

Xaa Xaa Pro Xaa Pro Glu Phe Pro Gly Arg Thr His Ala Ser Gly Leu  
   1                  5                  10                  15

Leu Arg Ser Arg Leu Ala Leu Arg Trp Leu Ser His Val Arg Arg Pro  
                   20                  25                  30

Ser Arg Arg Val Pro Arg Met Pro Arg Gly Ser Arg Ser Arg Thr Ser



855

35 40 45

Arg Met Ala Pro Pro Ala Ser Arg Ala Pro Gln Met Arg Ala Ala Pro  
50 55 60

Arg Pro Ala Pro Val Ala Gln Pro Pro Ala Ala Ala Pro Pro Ser Ala  
65 70 75 80

Val Gly Ser Ser Ala Ala Ala Pro Arg Gln Pro Gly Leu Met Ala Gln  
85 90 95

Met Ala Thr Thr Ala Ala Gly Val Ala Val Gly Ser Ala Val Gly His  
100 105 110

Thr Leu Gly His Ala Ile Thr Gly Gly Phe Ser Gly Gly Ser Asn Ala  
115 120 125

Glu Pro Ala Arg Pro Asp Ile Thr Tyr Gln Glu Pro Gln Gly Thr Gln  
130 135 140

Pro Ala Gln Gln Gln Gln Pro Cys Leu Tyr Glu Ile Lys Gln Phe Leu  
145 150 155 160

Glu Cys Ala Gln Asn Gln Gly Asp Ile Lys Leu Cys Glu Gly Phe Asn  
165 170 175

Glu Val Leu Lys Gln Cys Arg Leu Ala Asn Gly Leu Ala  
180 185

&lt;210&gt; 907

&lt;211&gt; 638

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (43)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (52)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (56)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

856

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (73)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (427)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;400&gt; 907

Tyr Val Gln Gly Tyr Ser Leu Ser Gln Ala Asp Val Asp Ala Phe Arg  
 1 5 10 15

Gln Leu Ser Ala Pro Pro Ala Asp Pro Gln Leu Phe His Val Ala Arg  
 20 25 30

Trp Phe Arg His Ile Glu Ala Leu Leu Gly Xaa Pro Cys Gly Lys Gly  
 35 40 45

Gln Pro Cys Xaa Leu Pro Ser Xaa Gln Arg Pro Ala Cys Ala Ala Pro  
 50 55 60

Val Val Pro Ser Cys Trp Asp Pro Xaa Cys Arg Leu His Leu Tyr Asn  
 65 70 75 80

Ser Leu Thr Arg Asn Lys Glu Val Phe Ile Pro Gln Asp Gly Lys Lys  
 85 90 95

Val Thr Trp Tyr Cys Cys Gly Pro Thr Val Tyr Asp Ala Ser His Met  
 100 105 110

Gly His Ala Arg Ser Tyr Ile Ser Phe Asp Ile Leu Arg Arg Val Leu  
 115 120 125

Lys Asp Tyr Phe Lys Phe Asp Val Phe Tyr Cys Met Asn Ile Thr Asp  
 130 135 140

Ile Asp Asp Lys Ile Ile Lys Arg Ala Arg Gln Asn His Leu Phe Glu  
 145 150 155 160

Gln Tyr Arg Glu Lys Arg Pro Glu Ala Ala Gln Leu Leu Glu Asp Val  
 165 170 175

Gln Ala Ala Leu Lys Pro Phe Ser Val Lys Leu Asn Glu Thr Thr Asp  
 180 185 190

Pro Asp Lys Lys Gln Met Leu Glu Arg Ile Gln His Ala Val Gln Leu  
 195 200 205

Ala Thr Glu Pro Leu Glu Lys Ala Val Gln Ser Arg Leu Thr Gly Glu

857

210	215	220
Glu Val Asn Ser Cys Val Glu Val Leu Leu Glu Glu Ala Lys Asp Leu		
225	230	235 240
Leu Ser Asp Trp Leu Asp Ser Thr Leu Gly Cys Asp Val Thr Asp Asn		
	245	250 255
Ser Ile Phe Ser Lys Leu Pro Lys Phe Trp Glu Gly Asp Phe His Arg		
	260	265 270
Asp Met Glu Ala Leu Asn Val Leu Pro Pro Asp Val Leu Thr Arg Val		
	275	280 285
Ser Glu Tyr Val Pro Glu Ile Val Asn Phe Val Gln Lys Ile Val Asp		
	290	295 300
Asn Gly Tyr Gly Tyr Val Ser Asn Gly Ser Val Tyr Phe Asp Thr Ala		
	305	310 315 320
Lys Phe Ala Ser Ser Glu Lys His Ser Tyr Gly Lys Leu Val Pro Glu		
	325	330 335
Ala Val Gly Asp Gln Lys Ala Leu Gln Glu Gly Glu Gly Asp Leu Ser		
	340	345 350
Ile Ser Ala Asp Arg Leu Ser Glu Lys Arg Ser Pro Asn Asp Phe Ala		
	355	360 365
Leu Trp Lys Ala Ser Lys Pro Gly Glu Pro Ser Trp Pro Cys Pro Trp		
	370	375 380
Gly Lys Gly Arg Pro Gly Trp His Ile Glu Cys Ser Ala Met Ala Gly		
	385	390 395 400
Thr Leu Leu Gly Ala Ser Met Asp Ile His Gly Gly Gly Phe Asp Leu		
	405	410 415
Arg Phe Pro His His Asp Asn Glu Leu Ala Xaa Ser Glu Ala Tyr Phe		
	420	425 430
Glu Asn Asp Cys Trp Val Arg Tyr Phe Leu His Thr Gly His Leu Thr		
	435	440 445
Ile Ala Gly Cys Lys Met Ser Lys Ser Leu Lys Asn Phe Ile Thr Ile		
	450	455 460
Lys Asp Ala Leu Lys Lys His Ser Ala Arg Gln Leu Arg Leu Ala Phe		
	465	470 475 480
Leu Met His Ser Trp Lys Asp Thr Leu Asp Tyr Ser Ser Asn Thr Met		

858

485	490	495
Glu Ser Ala Leu Gln Tyr Glu Lys Phe Leu Asn Glu Phe Phe Leu Asn		
500	505	510
Val Lys Asp Ile Leu Arg Ala Pro Val Asp Ile Thr Gly Gln Phe Glu		
515	520	525
Lys Trp Gly Glu Glu Glu Ala Glu Leu Asn Lys Asn Phe Tyr Asp Lys		
530	535	540
Lys Thr Ala Ile His Lys Ala Leu Cys Asp Asn Val Asp Thr Arg Thr		
545	550	555
Val Met Glu Glu Met Arg Ala Leu Val Ser Gln Cys Asn Leu Tyr Met		
565	570	575
Ala Ala Arg Lys Ala Val Arg Lys Arg Pro Asn Gln Ala Leu Leu Glu		
580	585	590
Asn Ile Ala Leu Tyr Leu Thr His Met Leu Lys Ile Phe Gly Ala Val		
595	600	605
Glu Glu Asp Ser Ser Leu Gly Phe Pro Val Gly Gly Pro Gly Thr Ser		
610	615	620
Leu Ser Leu Glu Ala Thr Val Met Pro Tyr Leu Gln Val Leu		
625	630	635

&lt;210&gt; 908

&lt;211&gt; 248

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 908

Ser His Pro Leu Arg Ser Arg Leu Pro Ser Ala Thr Gly Val Gly His		
1	5	10
Ala Leu Ala Arg Ser Phe Cys Arg His Leu Gly Ser Ala Phe Pro Ala		
20	25	30
Gln Asn Ala Arg Arg Ser Thr Glu Thr Val Pro Ala Thr Glu Gln Glu		
35	40	45
Leu Pro Gln Pro Gln Ala Glu Thr Gly Ser Gly Thr Glu Ser Asp Ser		
50	55	60
Asp Glu Ser Val Pro Glu Leu Glu Glu Gln Asp Ser Thr Gln Ala Thr		
65	70	75
		80

859

Thr Gln Gln Ala Gln Leu Ala Ala Ala Ala Glu Ile Asp Glu Glu Pro  
                             85                            90                            95  
 Val Ser Lys Ala Lys Gln Ser Arg Ser Glu Lys Lys Ala Arg Lys Ala  
                             100                            105                            110  
 Met Ser Lys Leu Gly Leu Arg Gln Val Thr Gly Val Thr Arg Val Thr  
                             115                            120                            125  
 Ile Arg Lys Ser Lys Asn Ile Leu Phe Val Ile Thr Lys Pro Asp Val  
                             130                            135                            140  
 Tyr Lys Ser Pro Ala Ser Asp Thr Tyr Ile Val Phe Gly Glu Ala Lys  
                             145                            150                            155                            160  
 Ile Glu Asp Leu Ser Gln Gln Ala Gln Leu Ala Ala Ala Glu Lys Phe  
                             165                            170                            175  
 Lys Val Gln Gly Glu Ala Val Ser Asn Ile Gln Glu Asn Thr Gln Thr  
                             180                            185                            190  
 Pro Thr Val Gln Glu Glu Ser Glu Glu Glu Glu Val Asp Glu Thr Gly  
                             195                            200                            205  
 Val Glu Val Lys Asp Ile Glu Leu Val Met Ser Gln Ala Asn Val Ser  
                             210                            215                            220  
 Arg Ala Lys Ala Val Arg Ala Leu Lys Asn Asn Ser Asn Asp Ile Val  
                             225                            230                            235                            240  
 Asn Ala Ile Met Glu Leu Thr Met  
                             245

&lt;210&gt; 909

&lt;211&gt; 161

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (46)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

&lt;220&gt;

&lt;221&gt; SITE

&lt;222&gt; (158)

&lt;223&gt; Xaa equals any of the naturally occurring L-amino acids

860

&lt;400&gt; 909

Gln Gly Cys Cys Tyr Gly Ala Gly Arg Arg Val Ala Arg Leu Leu Ala  
 1 5 10 15

Pro Leu Met Trp Arg Arg Ala Val Ser Ser Val Ala Gly Ser Ala Val  
 20 25 30

Gly Ala Glu Pro Gly Leu Arg Leu Leu Ala Val Gln Arg Xaa Pro Val  
 35 40 45

Glu Gln Arg Ser Ala Gly Leu Ala Arg Pro Gln Thr Leu Ser Ala Ala  
 50 55 60

Cys Thr Ala Lys Pro Gly Leu Glu Glu Arg Ala Glu Gly Thr Val Asn  
 65 70 75 80

Glu Gly Arg Pro Glu Ser Asp Ala Ala Asp His Thr Gly Pro Lys Phe  
 85 90 95

Asp Ile Asp Met Met Val Ser Leu Leu Arg Gln Glu Asn Ala Arg Asp  
 100 105 110

Ile Cys Val Ile Gln Val Pro Pro Glu Met Arg Tyr Thr Asp Tyr Phe  
 115 120 125

Val Ile Val Ser Gly Thr Ser Thr Arg His Leu His Ala Met Ala Phe  
 130 135 140

Tyr Val Val Lys Met Tyr Lys His Leu Lys Cys Lys Arg Xaa Pro Ser  
 145 150 155 160

Cys

&lt;210&gt; 910

&lt;211&gt; 487

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 910

Lys Ala Ala Ser Gly Pro Ala Thr Ser Ile Thr Gly Val Thr Met Gly  
 1 5 10 15

Ala Val Leu Gly Val Phe Ser Leu Ala Ser Trp Val Pro Cys Leu Cys  
 20 25 30

Ser Gly Ala Ser Cys Leu Leu Cys Ser Cys Cys Pro Asn Ser Lys Asn  
 35 40 45

861

Ser Thr Val Thr Arg Leu Ile Tyr Ala Phe Ile Leu Leu Leu Ser Thr  
 50 55 60  
 Val Val Ser Tyr Ile Met Gln Arg Lys Glu Met Glu Thr Tyr Leu Lys  
 65 70 75 80  
 Lys Ile Pro Gly Phe Cys Glu Gly Gly Phe Lys Ile His Glu Ala Asp  
 85 90 95  
 Ile Asn Ala Asp Lys Asp Cys Asp Val Leu Val Gly Tyr Lys Ala Val  
 100 105 110  
 Tyr Arg Ile Ser Phe Ala Met Ala Ile Phe Phe Phe Val Phe Ser Leu  
 115 120 125  
 Leu Met Phe Lys Val Lys Thr Ser Lys Asp Leu Arg Ala Ala Val His  
 130 135 140  
 Asn Gly Phe Trp Phe Phe Lys Ile Ala Ala Leu Ile Gly Ile Met Val  
 145 150 155 160  
 Gly Ser Phe Tyr Ile Pro Gly Gly Tyr Phe Ser Ser Val Trp Phe Val  
 165 170 175  
 Val Gly Met Ile Gly Ala Ala Leu Phe Ile Leu Ile Gln Leu Val Leu  
 180 185 190  
 Leu Val Asp Phe Ala His Ser Trp Asn Glu Ser Trp Val Asn Arg Met  
 195 200 205  
 Glu Glu Gly Asn Pro Arg Leu Trp Tyr Ala Ala Leu Leu Ser Phe Thr  
 210 215 220  
 Ser Ala Phe Tyr Ile Leu Ser Ile Ile Cys Val Gly Leu Leu Tyr Thr  
 225 230 235 240  
 Tyr Tyr Thr Lys Pro Asp Gly Cys Thr Glu Asn Lys Phe Phe Ile Ser  
 245 250 255  
 Ile Asn Leu Ile Leu Cys Val Val Ala Ser Ile Ile Ser Ile His Pro  
 260 265 270  
 Lys Ile Gln Glu His Gln Pro Arg Ser Gly Leu Leu Gln Ser Ser Leu  
 275 280 285  
 Ile Thr Leu Tyr Thr Met Tyr Leu Thr Trp Ser Ala Met Ser Asn Glu  
 290 295 300  
 Pro Asp Arg Ser Cys Asn Pro Asn Leu Met Ser Phe Ile Thr Arg Ile  
 305 310 315 320